

Package ‘GeneticMediation’

April 25, 2020

Type Package

Title Genetic Causal Mediation

Version 1.1.0

License LGPL-3

URL <https://tydarnell.github.io/GeneticMediation>,
<https://github.com/tydarnell/GeneticMediation>

Author Ty Darnell [aut, cre]

Maintainer Ty Darnell <tydarnell@gmail.com>

Description Provides methods for conducting causal mediation analysis on data from the ROSMAP study and for cleaning, matching, and preparing the data for analysis.

Encoding UTF-8

LazyData true

RoxygenNote 7.1.0

Imports data.table, IRanges, mediation, readr, stats

R topics documented:

chr_numeric	2
clean_data	2
data_by_chr	2
data_prep_spc	3
data_prep_spg	3
last_to_first	3
lu	4
make_folder	4
match_all	4
match_chr	5
med.res_spc	5
med.res_spg	5
med_all_spc	6
med_chr_spc	6
med_chr_spg	7
med_table_spc	7
med_table_spg	8
transpose_readcount	8

Index **9**

<code>chr_numeric</code>	<i>Chromosome Numeric</i>
--------------------------	---------------------------

Description

Convert chromosome names from character to numeric. Useful when sorting a dataframe by chromosome number.

Usage

```
chr_numeric(Chr)
```

Arguments

<code>Chr</code>	a character column or vector of chromosome names
------------------	--

<code>clean_data</code>	<i>Clean Data</i>
-------------------------	-------------------

Description

Clean snp.info, peak.info data and save as data/chipseq.RData

Usage

```
clean_data(snp.path, peak.path)
```

Arguments

<code>snp.path</code>	path to SNP information dataframe
<code>peak.path</code>	path to Peak annotation dataframe

<code>data_by_chr</code>	<i>Data by Chromosome</i>
--------------------------	---------------------------

Description

save snp.info, peak.info for each chromosome as "data/chipseq_chr.RData"

Usage

```
data_by_chr(chrs, snps, peaks)
```

Arguments

<code>chrs</code>	Character vector of chromosomes names
<code>snps</code>	SNP information dataframe
<code>peaks</code>	Peak information dataframe

data_prep_spc	<i>SNP-Peak-Clinical Data Prep Helper</i>
---------------	---

Description

Helper function for SNP-Peak-Clinical mediation data. Combine projid, SNPs, PCs, membership, age, gender, peaks, and outcome data for a chromosome

Usage

```
data_prep_spc(chr)
```

Arguments

chr	chromosome name
-----	-----------------

data_prep_spg	<i>SNP-Peak-Gene Data Prep Helper</i>
---------------	---------------------------------------

Description

Helper function for SNP-Peak-Gene data prep. Combine projid, SNPs, PCs, membership, age, gender, peaks, gene and outcome data for a chromosome.

Usage

```
data_prep_spg(chr)
```

Arguments

chr	chromosome name
-----	-----------------

last_to_first	<i>Last to First</i>
---------------	----------------------

Description

Make the last column the first column in a dataframe

Usage

```
last_to_first(df)
```

Arguments

df	dataframe
----	-----------

lu	<i>Length Unique</i>
----	----------------------

Description

Get the length of unique values in a vector

Usage

```
lu(x)
```

Arguments

x	vector
---	--------

make_folder	<i>Make Folder</i>
-------------	--------------------

Description

Make a folder only if the folder does not already exist

Usage

```
make_folder(path)
```

Arguments

path	path for new folder
------	---------------------

match_all	<i>Match All Chromosomes</i>
-----------	------------------------------

Description

Match SNPs and Peaks in all chromosomes, save as "data/matches.csv"

Usage

```
match_all(snp.info, peak.info, chrs)
```

Arguments

snp.info	SNP information
peak.info	Peak information
chrs	character vector of chromosome names

match_chr	<i>Match Chromosome</i>
-----------	-------------------------

Description

Match Peaks and SNPs in a chromosome

Usage

```
match_chr(snp.info, peak.info)
```

Arguments

snp.info	SNP information
peak.info	Peak information

med.res_spc	<i>SNP-Peak-Clinical Mediation Data Prep</i>
-------------	--

Description

Prepare a chromosome of SNP-Peak-Clinical data for mediation analysis and save as "data/med.res/res_chr.RData"

Usage

```
med.res_spc(chr, all_matches)
```

Arguments

chr	chromosome name
all_matches	dataframe of SNP-Peak matches for all chromosomes

med.res_spg	<i>SNP-Peak-Gene Mediation Data Prep</i>
-------------	--

Description

Prepare a chromosome SNP-Peak-Gene data for mediation analysis data and save as "data/gene.res/res_chr.RData"

Usage

```
med.res_spg(chr, med.data, matches)
```

Arguments

chr	chromosome name
med.data	gene mediation data
matches	SNP-Peak-Gene matches dataframe

med_all_spc	<i>SNP-Peak-Clinical Mediation Table</i>
-------------	--

Description

Create a table of SNP-Peak-Clinical mediation results for all chromosomes

Usage

```
med_all_spc(chrs, covar, simulations)
```

Arguments

chrs	character vector of chromosome names
covar	covariates string, each covariate separated by +
simulations	number of simulations to run

med_chr_spc	<i>SNP-Peak-Clinical Mediation Table Chromosome</i>
-------------	---

Description

Create SNP-Peak-Clinical mediation table for SNP-Peak matches in a chromosome

Usage

```
med_chr_spc(matches, med.res.data, covar, simulations)
```

Arguments

matches	SNP-Peak matches dataframe for a chromosome
med.res.data	mediation data
covar	covariates string, separate covariates with +
simulations	number of simulations to run

med_chr_spg	<i>SNP-Peak-Gene Mediation Table Chromosome</i>
-------------	---

Description

Create a SNP-Peak-Gene mediation table for a chromosome

Usage

```
med_chr_spg(chr, gene_matches, simulations)
```

Arguments

chr	chromosome name
gene_matches	list of peak-SNP matches for each gene
simulations	number of simulations to run

med_table_spc	<i>SNP-Peak-Clinical Mediation Table</i>
---------------	--

Description

Create SNP-Peak-Clinical mediation table for a SNP-Peak match

Usage

```
med_table_spc(med.res.data, match_row, covar, simulations)
```

Arguments

med.res.data	mediation data
match_row	row in match dataframe, should have 2 columns
covar	covariates character variable, separate covariates with +
simulations	number of simulations to run

med_table_spg	<i>SNP-Peak-Gene Mediation Table</i>
---------------	--------------------------------------

Description

Create a mediation table for one SNP-Peak-Gene match

Usage

```
med_table_spg(med_dat, match_row, simulations)
```

Arguments

med_dat	gene mediation data
match_row	row in match dataframe: col1 SNP, col2 Peak, col3 Gene
simulations	number of simulations to run

transpose_readcount	<i>Transpose Readcount</i>
---------------------	----------------------------

Description

Read in and transpose ChIP-seq Readcount dataframe and match project id

Usage

```
transpose_readcount(readcount.path)
```

Arguments

readcount.path ChIP-seq readcount dataframe file path

Index

- *Topic **SNP**
 - match_all, 4
 - match_chr, 5
 - *Topic **chromosome**
 - chr_numeric, 2
 - *Topic **column**
 - last_to_first, 3
 - *Topic **data**
 - clean_data, 2
 - data_by_chr, 2
 - data_prep_spc, 3
 - data_prep_spg, 3
 - med.res_spc, 5
 - med.res_spg, 5
 - *Topic **first**
 - last_to_first, 3
 - *Topic **folder**
 - make_folder, 4
 - *Topic **last**
 - last_to_first, 3
 - *Topic **length**
 - lu, 4
 - *Topic **match**
 - match_all, 4
 - match_chr, 5
 - *Topic **mediation**
 - med_all_spc, 6
 - med_chr_spc, 6
 - med_chr_spg, 7
 - med_table_spc, 7
 - med_table_spg, 8
 - *Topic **numeric**
 - chr_numeric, 2
 - *Topic **peak**
 - match_all, 4
 - match_chr, 5
 - *Topic **prep**
 - data_prep_spg, 3
 - med.res_spc, 5
 - *Topic **readcount**
 - transpose_readcount, 8
 - *Topic **table**
 - med_all_spc, 6
 - med_chr_spc, 6
 - med_chr_spg, 7
 - med_table_spc, 7
 - med_table_spg, 8
 - *Topic **transpose**
 - transpose_readcount, 8
 - *Topic **unique**
 - lu, 4
- chr_numeric, 2
- clean_data, 2
- data_by_chr, 2
- data_prep_spc, 3
- data_prep_spg, 3
- last_to_first, 3
- lu, 4
- make_folder, 4
- match_all, 4
- match_chr, 5
- med.res_spc, 5
- med.res_spg, 5
- med_all_spc, 6
- med_chr_spc, 6
- med_chr_spg, 7
- med_table_spc, 7
- med_table_spg, 8
- transpose_readcount, 8