

</> Frontend Simplified



Cloud
Firestore

How to Create



CREATE



```
import { collection, addDoc } from "firebase/firestore";

async function createPost() {
  const post = {
    title: "Land a $200k job",
    description: "Finish Frontend Simplified",
  };
  await addDoc(collection(db, "posts"), post);
}
```

Different Reading Methods



READ

- 1 Read all Posts
- 2 Read a single Post by Id
- 3 Read Posts by Query (e.g. only posts by a specific user)

1

How to Read all



READ



```
import { collection, getDocs } from "firebase/firestore";  
  
async function getAllPosts() {  
  const data = await getDocs(collection(db, "posts"));  
  const posts = data.docs.map((doc) => ({ ...doc.data(), id: doc.id }));  
}  
  
const posts = await getAllPosts();  
const postList = posts.map((post) => {  
  return (
```



READ



```
import { doc, getDoc } from "firebase/firestore";  
  
async function getPostById(Id) {  
  const docRef = doc(db, "posts", Id);  
  const docSnap = await getDoc(docRef);  
  if (docSnap.exists()) {  
    const post = docSnap.data();  
  }  
}
```



READ



```
import { query, collection, where, getDocs } from "firebase/firestore";

async function getPostByUid(Uid) {
  const postCollectionUidRef = await query(
    collection(db, "posts"),
    where("uid", "==", Uid)
  );
  const data = await getDocs(postCollectionUidRef);
  const posts = data.docs.map((doc) => ({ ...doc.data(), id: doc.id }));
}
```

How to Update



UPDATE



```
import { doc, updateDoc } from "firebase/firestore";

async function updatePost(Id) {
  const docRef = doc(db, "posts", Id);
  const newPost = {
    title: "Land a $400k job",
    description: "Finish Frontend Simplified",
  };
  await updateDoc(docRef, newPost);
}
```

How to Delete



DELETE



```
import { doc, deleteDoc } from "firebase/firestore";  
  
async function deletePost(Id) {  
  const docRef = doc(db, "posts", Id);  
  await deleteDoc(docRef);  
}  
  
// Example usage:  
deletePost("56789");
```