

TI2806 Contextproject

Virtual Humans - Group 3

<https://github.com/VH3/>

Sven van Hal - 4310055

Tom Harting - 4288319

Nordin van Nes - 4270029

Sven Popping - 4289455

Wouter Posdijk - 4317149

April 28, 2015

Preface

Preface.

Abstract

Abstract.

Contents

Preface	i
Abstract	ii
1 Lay-out test	1
1.1 Heading 2	1
1.1.1 Heading 3	1
1.2 Java code	1

1 Lay-out test

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Aenean commodo ligula eget dolor. Aenean massa.

1.1 Heading 2

Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus.

1.1.1 Heading 3

Donec quam felis, ultricies nec, pellentesque eu, pretium quis, sem. Nulla consequat massa quis enim.

1.2 Java code

```
import krTools.KRInterface;
import krTools.errors.exceptions.KRInitFailedException;
import mentalState.MentalState;
import swiPrologMentalState.SwiPrologMentalState;

/**
 * Factory of Mental State Interfaces.
 *
 * @author W.Pasman 4dec14
 */
public class MentalStateFactory {

    /**
     * A map of names to {@link MentalSt}s that are supported.
     */
    private static Map<Class<? extends KRInterface>, Class<?
        ↳ extends MentalState>> mentalstateInterfaces;

    /**
     * The default interface that get be obtained by
     * {@link MentalStateFactory#getDefaultLanguage()}.
     */
    private static MentalState defaultInterface;

    // Initialize KR interfaces map and default language
    ↳ interface.
    static {
        init();
    }

    /**
     * KRFactory is a utility class; constructor is hidden.
```

```
    */  
    private MentalStateFactory() {  
    }  
}
```