
# COMP1350 Assignment

## **Group Number:**

Student ID	Student Name
46978518	Tyler Johnson
48439401	Fadila Tahsina
48283665	Xian Hui Cai
48340979	MD Tanjil Alam Emon
48645265	Maskatul Hasan Alif

#### **Solutions:**

Task 1:



#### Task 2:

#### Step 1: Entities

Subscription(SubscriptionID(pk), SubscriptionName, SubscriptionCost)

Package(PackageID(pk), PackageName)

Supplier(SupplierID(pk), SupplierName)

Customer(CustomerID(pk), CustomerName, CustomerEmail, CustomerPhNum, DateOfBirth)

Exhibit(ExhibitID(pk), Description, NumberOfItem)

Product(ProductID(pk), ProductName, ProductDescription)

Department(DepartmentID(pk), DepartmentName)

Employee(EmployeeID(pk), EmployeeType, EmployeeName, EmployeeAddress)

Ingredient(IngredientID(pk), IngredientName, Allergens)

SourceHistory(SourceID(pk), StartDate, EndDate, Cost, Quantity, UnitOfMeasurement)

Appointment(AppointmentID(pk), AppointmentDateTime)

Reservation(ReservationID(pk), ReservationDateTime, NumberOfPeople,

DurationOfDemonstrator, DietaryPreferences)

TastingExperience(ExperienceID(pk), ExperienceName, Duration, Cost)

eEvent(eEventID(pk), eEventName, eEventDateTime, eEventCost, eEventCapacity, Recurring)

Booking(BookingID(pk), BookingDateTime, NumberOfPeople)

#### Step 2: Weak Entities

No weak entities identified.

#### Step 3: 1-to-1 Relationships

Department(DepartmentID(pk), DepartmentName, HeadEmployeeID(fk)) CustomerSubscription(CustomerID(pk), SubscriptionID(fk))

#### Step 4: 1-to-N Relationships

Employee(EmployeeID(pk), EmployeeType, EmployeeName, EmployeeAddress, DepartmentID(fk), ManagerID(fk))

Ingredient(IngredientID(pk), IngredientName, Allergens, SupplierID(fk))

SourceHistory(SourceID(pk), StartDate, EndDate, Cost, Quantity, UnitOfMeasurement, IngredientID(fk), SupplierID(fk))

Appointment (Appointment ID(pk), Appointment Date Time, Employee ID(fk),

CustomerID(fk))

Reservation(ReservationID(pk), ReservationDateTime, NumberOfPeople,

DurationOfDemonstrator, DietaryPreferences, CustomerID(fk))

TastingExperience(ExperienceID(pk), ExperienceName, Duration, Cost,

ReservationID(fk))

eEvent(eEventID(pk), eEventName, eEventDateTime, eEventCost, eEventCapacity,

Recurring, EmployeeID(fk), ExhibitID(fk))

Booking(BookingID(pk), BookingDateTime, NumberOfPeople, EmployeeID(fk),

eEventID(fk), CustomerID(fk))

#### Step 5: M-to-N Relationships

SubscriptionPackage(SubscriptionID(pk fk), PackageID(pk fk))

PackageProduct(PackageID(pk fk), ProductID(pk fk))

IngredientMeasurement(IngredientID(pk fk), ProductID(pk fk), Measurement,

UnitOfMeasurement)

ReservationDemonstrator(ReservationID(pk fk), EmployeeID(pk fk))

WorksOn(ExperienceID(pk fk), EmployeeID(pk fk))

ExhibitComposition(ParentExhibitID(pk fk), ChildExhibitID(pk fk))

Demonstrate(EmployeeID(pk fk), eEventID(pk fk), Role)

HelpOut(CustomerID(pk fk), EmployeeID(pk fk))

cContains(ProductID(pk fk), IngredientID(pk fk))

#### **Step 6: Multivalued Attributes**

EmployeeQualification(EmployeeID(pk fk), EmployeeQualification(pk))

#### **Step 7: n-ary Relationships**

No n-ary relationships identified.

### Final Compiled List of All Tables in Their Most Up-To-Date Form

- Subscription(SubscriptionID(pk), SubscriptionName, SubscriptionCost)
- Package(PackageID(pk), PackageName)
- Supplier(SupplierID(pk), SupplierName)
- Customer(CustomerID(pk), CustomerName, CustomerEmail, CustomerPhNum, DateOfBirth)
- Exhibit(ExhibitID(pk), Description, NumberOfItem)
- Product(ProductID(pk), ProductName, ProductDescription)
- Department(DepartmentID(pk), DepartmentName, HeadEmployeeID(fk))
- Employee(EmployeeID(pk), EmployeeType, EmployeeName, EmployeeAddress, DepartmentID(fk), ManagerID(fk))
- Ingredient(IngredientID(pk), IngredientName, Allergens, SupplierID(fk))
- SourceHistory(SourceID(pk), StartDate, EndDate, Cost, Quantity, UnitOfMeasurement, IngredientID(fk), SupplierID(fk))
- Appointment(AppointmentID(pk), AppointmentDateTime, EmployeeID(fk), CustomerID(fk))
- Reservation(ReservationID(pk), ReservationDateTime, NumberOfPeople, DurationOfDemonstrator, DietaryPreferences, CustomerID(fk))
- TastingExperience(ExperienceID(pk), ExperienceName, Duration, Cost, ReservationID(fk))
- eEvent(eEventID(pk), eEventName, eEventDateTime, eEventCost, eEventCapacity, Recurring, EmployeeID(fk), ExhibitID(fk))
- Booking(BookingID(pk), BookingDateTime, NumberOfPeople, EmployeeID(fk), eEventID(fk), CustomerID(fk))
- CustomerSubscription(CustomerID(pk), SubscriptionID(fk))
- SubscriptionPackage(SubscriptionID(pk fk), PackageID(pk fk))
- PackageProduct(PackageID(pk fk), ProductID(pk fk))

- IngredientMeasurement(IngredientID(pk fk), ProductID(pk fk), Measurement, UnitOfMeasurement)
- ReservationDemonstrator(ReservationID(pk fk), EmployeeID(pk fk))
- WorksOn(ExperienceID(pk fk), EmployeeID(pk fk))
- ExhibitComposition(ParentExhibitID(pk fk), ChildExhibitID(pk fk))
- Demonstrate(EmployeeID(pk fk), eEventID(pk fk), Role)
- HelpOut(CustomerID(pk fk), EmployeeID(pk fk))
- cContains(ProductID(pk fk), IngredientID(pk fk))
- EmployeeQualification(EmployeeID(pk fk), EmployeeQualification(pk))