Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2013-2014

Food energy – All Individuals ² – — All Restaurant Consumers ³ ——— Non-consumers 4 Race/ethnicity Sample Total Intake from Total Total Percent Percentages from ⁶ Intake from Percentages from 6 and age Size Reporting 5 Intake All Restaurants Intake All Restaurants All Restaurants Intake All Restaurants % (SE) (SE) (SE) (SE) % (years) kcal kcal (SE) kcal kcal (SE) (SE) kcal (SE) **Non-Hispanic White:** 811 1889 21 820 42 1821 2 - 19..... 49 (2.6)(30.9)401 (32.5)1960 (47.0)(58.5)(1.6)(2.4)(45.9)2233 58 2129 (22.9) 569 (27.5) 27 2224 (43.4) 988 (24.1) 44 20 and over..... (2.1)(1.3)(1.4)2000 (29.7) 2 and over... 3044 56 (1.9)2080 (20.5) 535 (22.0) 26 2177 (38.7) 958 (22.2) 44 1957 (26.9) (1.1)(1.1)**Non-Hispanic Black:** 2 - 19..... 753 (3.1)1885 (33.1) 396 (41.0) (2.1)2108 (75.0) 871 (49.4) 41 (2.2)1699 (64.3)20 and over..... 1009 56 (2.1)2230 (54.8) 594 (41.2) 27 (1.6)2415 (80.6)1056 (42.9) 44 (1.5)1993 (47.6)2 and over... 1762 53 (2.0)2133 (43.8) 538 (36.8) 25 2341 (63.3) 1012 (41.5) 43 1896 (41.5) (1.5)(1.5)Non-Hispanic Asian 7: 2 - 19..... 264 35 1885 (66.3) 313 (71.5) 17 1993 (73.8)884 (111.4) 44 1826 (85.2)(4.4)(3.6)(5.3)525 55 1844 (41.7) 446 (46.6) 24 (2.1)1935 812 (54.0) 42 1734 20 and over..... (4.4)(56.8)(2.4)(25.9)789 1944 (48.5) 50 1853 (37.9) 824 (46.7) 42 2 and over... (3.5)415 (36.9) (1.7)(2.1)1761 (31.4) **Hispanic:** 2 - 19..... 997 48 1906 (55.6) 368 (33.1) 19 2071 (56.2)772 (38.2)37 1757 (68.3)(2.4)(1.5)(1.9)1125 53 2204 (38.0) 2321 1025 (34.1)2072 20 and over..... (2.3)544 (36.5) 25 (1.5)(40.9)44 (1.3)(53.8)2104 (38.3) 1958 (56.8) 2 and over... 2122 51 (1.9)485 (28.3) 23 2243 (35.1) 946 (28.0) 42 (1.2)(1.1)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2013-2014 *(continued)*

								Pr	o t e	i n							
						-All Indi	viduals	2			—All R	estauran?	t Consu	mers ³ —	<i>N</i>	lon-con	sumers 4
Race/ethnicity and age	Sample Size	Pero Repor	cent ting 5		otal ake	Intako All Res	e from taurants	Percentag All Rest		To Inta	otal ake		e from taurants	Percentag All Rest		To Inta	otal ake
(years)		%	(SE)	g	(SE)	g	(SE)	%	(SE)	g	(SE)	g	(SE)	%	(SE)	g	(SE)
Non-Hispanic White				ı					ı						ı		
2 - 19	• 811	49	(2.6)	70.7	(1.97)	16.4	(1.77)	23	(2.0)	72.8	(3.20)	33.5	(3.49)	46	(3.0)	68.6	(1.94)
20 and over	2233	58	(2.1)	82.7	(0.77)	23.9	(1.26)	29	(1.4)	86.4	(1.44)	41.5	(1.48)	48	(1.6)	77.7	(1.77)
2 and over	3044	56	(1.9)	80.3	(0.96)	22.4	(1.00)	28	(1.1)	84.0	(1.72)	40.1	(1.45)	48	(1.3)	75.5	(1.63)
Non-Hispanic Black	:																
2 - 19	753	45	(3.1)	65.5	(1.01)	15.0	(1.68)	23	(2.5)	71.6	(2.55)	32.9	(2.09)	46	(2.4)	60.4	(2.27)
20 and over	1009	56	(2.1)	82.5	(1.91)	25.7	(1.70)	31	(1.8)	88.2	(3.01)	45.7	(1.78)	52	(1.8)	75.1	(2.25)
2 and over	1762	53	(2.0)	77.7	(1.52)	22.7	(1.50)	29	(1.7)	84.2	(2.34)	42.6	(1.71)	51	(1.7)	70.3	(1.56)
Non-Hispanic Asian	7:																
2 - 19	264	35	(4.4)	75.9	(4.66)	14.5	(3.77)	19	(4.5)	80.4	(5.48)	40.8	(6.72)	51	(6.7)	73.5	(5.40)
20 and over	525	55	(4.4)	80.9	(2.29)	21.2	(2.48)	26	(2.7)	83.0	(3.12)	38.7	(2.60)	47	(2.5)	78.5	(2.84)
2 and over	789	50	(3.5)	79.8	(2.27)	19.7	(2.05)	25	(2.3)	82.6	(2.69)	39.0	(2.43)	47	(2.4)	77.0	(2.76)
Hispanic:																	
2 - 19	997	48	(2.4)	71.4	(2.31)	13.7	(1.48)	19	(1.7)	75.1	(2.18)	28.8	(1.87)	38	(2.3)	67.9	(2.91)
20 and over	1125	53	(2.3)	89.2	(1.90)	23.8	(1.73)	27	(1.8)	91.6	(1.99)	44.9	(1.67)	49	(1.5)	86.5	(3.11)
2 and over	2122	51	(1.9)	83.2	(1.90)	20.4	(1.30)	25	(1.4)	86.5	(1.62)	39.9	(1.32)	46	(1.2)	79.8	(2.63)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2013-2014 *(continued)*

							C	arb	o h y	dra	t e						
						-All Indiv	riduals ^a	2			—All R	estauran	t Consu	mers ³ —		Non-con	sumers 4
Race/ethnicity and age	Sample Size	Pero Repor	cent rting 5	To Inta	otal ake	Intake All Rest		Percentag All Rest		To Inta	otal ake		e from taurants	Percentag All Rest			otal ake
(years)		%	(SE)	g	(SE)	g	(SE)	%	(SE)	g	(SE)	g	(SE)	%	(SE)	g	(SE)
Non-Hispanic White 2 - 19 20 and over	811	49 58	(2.6) (2.1)	246 248	(4.9) (3.1)	45 59	(3.5) (2.8)	18 24	(1.4) (1.2)	251 254	(5.5) (4.5)	93 102	(6.4) (2.0)	37 40	(2.2) (1.2)	242 239	(7.3) (3.8)
2 and over	3044	56	(1.9)	248	(2.9)	56	(2.3)	23	(1.0)	254	(3.9)	100	(2.1)	40	(1.0)	239	(4.0)
Non-Hispanic Black 2 - 19 20 and over 2 and over	753 1009 1762	45 56 53	(3.1) (2.1) (2.0)	248 266 261	(5.3) (6.5) (5.1)	44 61 56	(4.6) (4.4) (4.0)	18 23 21	(1.9) (1.5) (1.5)	270 285 282	(10.8) (9.1) (7.1)	96 108 105	(5.7) (4.7) (4.5)	36 38 37	(2.2) (1.5) (1.5)	229 242 238	(7.7) (6.4) (5.6)
Non-Hispanic Asian 2 - 19 20 and over 2 and over		35 55 50	(4.4) (4.4) (3.5)	250 227 233	(6.9) (5.4) (4.5)	36 48 45	(8.4) (5.1) (4.1)	14 21	(3.2) (2.0) (1.6)	256 232 236	(12.1) (8.0) (7.3)	101 88 90	(13.5) (6.9) (6.1)	39 38 38	(5.0) (2.2) (2.0)	246 222 229	(11.2) (7.1) (5.5)
Hispanic: 2 - 19	997 1125	48 53	(2.4) (2.3)	248 267	(6.4) (3.9)	43 59	(3.7) (4.1)	18 22	(1.4) (1.6)	265 278	(6.5) (4.8)	91 111	(4.6) (4.4)	34 40	(1.8) (1.6)	232 255	(8.7) (5.7)
2 and over	2122	51	(1.9)	261	(4.1)	54	(3.2)	21	(1.2)	274	(3.9)	105	(3.7)	38	(1.4)	247	(6.6)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2013-2014 *(continued)*

							T	o t a	l su	gaı	r s						
						-All Indiv	riduals ²	2			—All R	estaurant	Consu	mers ³ —		Non-cons	sumers 4
Race/ethnicity and age	Sample Size	Pero Repor		To Inta		Intake All Rest		Percentag All Rest		To Inta		Intake All Rest		Percentag All Rest		6 To Inta	
(years)		%	(SE)	g	(SE)	g	(SE)	%	(SE)	g	(SE)	g	(SE)	%	(SE)	g	(SE)
Non-Hispanic White 2 - 19	811 2233 3044	49 58 56	(2.6) (2.1) (1.9)	119 110 112	(3.1) (1.7) (1.7)	18 19 19	(1.9) (0.9) (0.9)	15 18 17	(1.6) (1.0) (0.9)	120 110 112	(3.5) (2.5) (2.2)	37 33 34	(3.7) (0.9) (0.9)	30 31 31	(2.8) (1.1) (1.0)	117 111 112	(4.6) (1.6) (1.9)
2 - 19	753 1009	45 56	(3.1) (2.1)	112 124	(4.0) (4.0)	13 22	(1.4) (1.8)	12 17	(1.3) (1.2)	119 134	(5.1) (6.0)	29 38	(2.1) (2.1)	25 29	(1.8) (1.3)	106 110	(5.1) (4.0)
2 and over Non-Hispanic Asian	1762 ⁷ :	53	(2.0)	120	(3.2)	19	(1.6)	16	(1.2)	131	(4.7)	36	(2.0)	28	(1.3)	109	(3.4)
2 - 19 20 and over 2 and over	264 525 789	35 55 50	(4.4) (4.4) (3.5)	100 81 85	(4.2) (3.1) (2.9)	12 16 15	(3.3) (1.9) (1.5)	12 19 17	(3.2) (2.0) (1.6)	99 88 90	(5.2) (4.6) (4.1)	35 29 30	(6.4) (3.6) (3.1)	35 32 33	(6.3) (2.8) (2.5)	101 72 81	(6.7) (3.1) (3.9)
Hispanic: 2 - 19	997 1125	48 53	(2.4) (2.3)	111	(3.0) (2.5)	16 22	(1.7) (1.5)	15 19	(1.5) (1.3)	119 121	(4.1) (4.5) (2.9)	34 41	(3.1) (3.1) (1.6)	29 34	(2.4) (1.5)	104 106	(4.6) (2.7)
2 and over	2122	51	(1.9)	113	(2.2)	20	(1.4)	18	(1.2)	120	(2.7)	39	(1.9)	32	(1.5)	106	(2.5)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2013-2014 *(continued)*

Dietary fiber -All Individuals 2----———All Restaurant Consumers ³ ——— Non-consumers 4 Race/ethnicity Sample Percent Total Intake from Total Intake from Total Percentages from ⁶ Percentages from 6 and age Size Reporting 5 Intake All Restaurants All Restaurants Intake All Restaurants All Restaurants Intake % (SE) g (SE) % (years) g (SE) (SE) (SE) g (SE) (SE) (SE) **Non-Hispanic White:** 811 49 18 38 13.9 2 - 19..... (2.6)13.5 (0.28) 2.4 (0.16)13.1 (0.43)5.0 (0.20)(0.40)(1.2)(1.7)2233 58 16.6 (0.32) 3.8 (0.22) 23 40 20 and over..... (2.1)(1.1)16.6 (0.27) 6.6 (0.24) (1.4)16.6 (0.71) 2 and over... 3044 56 16.0 (0.25) 3.5 (0.18) 22 (0.9)16.0 (0.23) 6.3 (0.20) 40 16.0 (0.53) (1.9)(1.2)**Non-Hispanic Black:** 2 - 19..... 753 (3.1)13.0 (0.30) 2.5 (0.28) 19 (1.9)13.6 (0.55) 5.5 (0.35)40 (1.5)12.5 (0.58)20 and over..... 1009 56 (2.1)15.4 (0.52) 3.5 (0.27) 23 (1.9)15.4 (0.58)6.2 (0.31)40 (2.2)15.4 (0.74)2 and over... 1762 53 (2.0)14.7 (0.37) 3.2 (0.24) 14.9 (0.36) 6.0 (0.28) 40 (2.0)14.5 (0.54) (1.7)Non-Hispanic Asian 7: 2 - 19..... 264 35 (4.4)15.0 (0.75)2.0 (0.47) 13 14.6 (0.49)5.5 (0.78)38 15.2 (1.26)(3.2)(5.6)525 55 18.7 (0.74) 3.3 (0.35) 18 (1.9)17.2 (0.70) 6.0 35 20.5 (1.38)20 and over..... (4.4)(0.37)(2.2)789 50 17.8 (0.64) 3.0 (0.29) 17 5.9 35 18.9 2 and over... (3.5)(1.6)16.7 (0.57) (0.35)(2.1)(1.12)**Hispanic:** 2 - 19..... 997 48 (2.4)15.4 (0.55)2.4 (0.23)16 15.2 (0.54)5.1 (0.28)34 15.5 (0.68)(1.3)(2.0)1125 53 19.7 3.8 (0.35) 20 18.4 (0.49) 7.2 39 20 and over..... (2.3)(0.67)(2.1)(0.42)(2.3)21.0 (1.29) 19.0 (1.12) 2 and over... 2122 51 (1.9)18.2 (0.61) 3.4 (0.26) 18 17.4 (0.32) 6.6 (0.33) 38 (1.9)(1.6)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2013-2014 *(continued)*

								Tot	al	fat							
						-All Indi	viduals	2			—All R	estauran?	t Consu	mers ³ —	Λ	lon-con	sumers 4
Race/ethnicity and age	Sample Size	Pero Repor	cent ting 5		otal ake		e from taurants	Percentag All Rest			otal ake		e from taurants	Percentag All Rest		To Inta	otal ake
(years)		%	(SE)	g	(SE)	g	(SE)	%	(SE)	g	(SE)	g	(SE)	%	(SE)	g	(SE)
Non-Hispanic White	•			I					1						1		
2 - 19	• 811	49	(2.6)	71.1	(1.45)	17.3	(1.47)	24	(1.8)	75.3	(2.50)	35.5	(2.53)	47	(2.2)	67.0	(2.16)
20 and over	2233	58	(2.1)	83.4	(1.09)		(1.20)	29	(1.4)	87.4	(2.00)	42.3	(1.23)	48	(1.5)	77.9	(2.06)
2 and over	3044	56	(1.9)	80.9	(1.00)	23.0	(0.96)	28	(1.2)	85.3	(1.83)	41.1	(1.14)	48	(1.2)	75.3	(1.76)
Non-Hispanic Black	:																
2 - 19	753	45	(3.1)	72.2	(1.97)	18.0	(1.88)	25	(2.4)	84.3	(3.06)	39.7	(2.33)	47	(2.1)	62.1	(3.33)
20 and over	1009	56	(2.1)	86.5	(2.52)	26.8	(1.85)	31	(1.6)	96.5	(3.35)	47.6	(2.04)	49	(1.4)	73.5	(2.70)
2 and over	1762	53	(2.0)	82.5	(2.15)	24.3	(1.63)	29	(1.5)	93.6	(2.71)	45.7	(1.93)	49	(1.4)	69.8	(2.28)
Non-Hispanic Asian	⁷ :																
2 - 19	264	35	(4.4)	66.1	(2.78)	12.5	(2.74)	19	(4.0)	72.3	(2.65)	35.3	(4.29)	49	(5.8)	62.8	(3.69)
20 and over	525	55	(4.4)	65.7	(2.10)	18.2	(2.00)	28	(2.6)	70.5	(2.32)	33.3	(2.42)	47	(2.8)	59.9	(2.38)
2 and over	789	50	(3.5)	65.8	(1.95)	16.9	(1.54)	26	(1.9)	70.8	(2.18)	33.6	(2.08)	47	(2.3)	60.8	(2.23)
Hispanic:																	
2 - 19	997	48	(2.4)	72.1	(2.61)	15.6	(1.55)	22	(1.7)	81.1	(2.71)	32.8	(2.00)	40	(2.4)	63.9	(2.93)
20 and over	1125	53	(2.3)	83.2	(1.99)	23.0	(1.46)	28	(1.4)	89.5	(2.05)	43.4	(1.33)	49	(1.0)	76.1	(2.78)
2 and over	2122	51	(1.9)	79.4	(1.78)	20.5	(1.15)	26	(1.1)	86.8	(1.71)	40.1	(1.16)	46	(1.0)	71.7	(2.55)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2013-2014 *(continued)*

Saturated fat -All Individuals ²-—All Restaurant Consumers 3 ——— Non-consumers 4 Race/ethnicity Sample Percent Total Intake from Total Intake from Total Percentages from ⁶ Percentages from 6 and age Size Reporting 5 Intake All Restaurants All Restaurants Intake All Restaurants All Restaurants Intake % (SE) g (SE) % (years) g (SE) (SE) (SE) g (SE) (SE) (SE) **Non-Hispanic White:** 811 49 23 26.5 45 24.4 2 - 19..... (2.6)25.4 (0.68) 5.8 (0.43)(1.6)(0.79)11.9 (0.52)(1.05)(1.6)2233 58 29 27.2 (0.36) 7.9 (0.39) 28.3 (0.69) 13.7 (0.42) 48 25.8 20 and over..... (2.1)(1.3)(1.5)(0.80)26.9 (0.34) 2 and over... 3044 56 (1.9)7.5 (0.31) 28 28.0 (0.61) 13.4 (0.36) 48 25.4 (0.75) (1.1)(1.2)**Non-Hispanic Black:** 2 - 19..... 753 (3.1)23.6 (0.62) 5.7 (0.71) 24 (2.8)27.5 (1.01) 12.5 (0.92) 46 (2.7)20.4 (1.24)20 and over..... 1009 56 (2.1)26.9 (0.66)8.3 (0.59) 31 (1.7)29.9 (0.69)14.8 (0.71)49 (1.8)23.0 (0.83)2 and over... 1762 53 (2.0)26.0 (0.55) 7.6 (0.54) (1.7)29.3 (0.51) 14.2 (0.67) 49 22.2 (0.76) (1.8)Non-Hispanic Asian 7: 2 - 19..... 264 35 (4.4)22.0 (0.91) 3.7 (0.88)17 23.4 (1.45) 10.6 (1.52) 45 21.2 (1.17)(3.9)(6.4)525 55 19.1 (0.74) (0.57)28 21.0 (0.80) 9.8 (0.73)47 16.8 (0.82)20 and over..... (4.4)5.4 (2.3)(3.0)789 50 19.8 (0.63) 5.0 (0.46) 25 21.4 (0.84) 9.9 46 18.1 (0.56) 2 and over... (3.5)(1.7)(0.66)(2.5)**Hispanic:** 2 - 19..... 997 48 (2.4)24.9 (1.06)5.1 (0.52)27.5 (1.15) 10.8 (0.70)22.5 (1.26)(1.6)(2.5)1125 53 7.3 (0.48) 29.0 48 24.3 20 and over..... (2.3)26.8 (0.69) (1.4)(0.78)13.8 (0.49)(1.0)(0.88)12.9 (0.36) 2 and over... 2122 51 (1.9)26.1 (0.63) 6.6 (0.35) 25 (1.0)28.5 (0.68) 45 (0.8)23.6 (0.87)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2013-2014 *(continued)*

Monounsaturated fat -All Individuals 2-—All Restaurant Consumers 3 ——— Non-consumers 4 Race/ethnicity Sample Percent Total Intake from Total Intake from Total Percentages from ⁶ Percentages from 6 and age Size Reporting 5 Intake All Restaurants All Restaurants Intake All Restaurants All Restaurants Intake % (SE) g (SE) % (years) g (SE) (SE) (SE) g (SE) (SE) (SE) **Non-Hispanic White:** 811 49 24.8 22.3 2 - 19..... (2.6)23.5 (0.61) (0.46)24 (0.86)11.4 (0.84)46 (2.2)(0.94)5.6 (1.6)2233 58 28 28.9 (0.38) 8.2 (0.40) 30.1 14.2 (0.40) 47 27.3 20 and over..... (2.1)(1.4)(0.71)(1.5)(0.79)13.7 (0.39) 2 and over... 3044 56 27.8 (0.39) 7.7 (0.33) 28 29.1 (0.66) 47 26.1 (0.70) (1.9)(1.2)(1.3)**Non-Hispanic Black:** 2 - 19..... 753 45 (3.1)24.4 (0.65) 6.1 (0.65)25 (2.4)28.1 (1.01) 13.4 (0.80) 48 (2.1)21.4 (1.10)20 and over..... 1009 56 (2.1)30.6 (1.05) 9.5 (0.70) 31 (1.6)34.3 (1.35) 16.9 (0.80)49 (1.3)25.9 (1.10)2 and over... 1762 53 (2.0)28.9 (0.90) 8.5 (0.62) 30 32.8 (1.13) 16.1 (0.76) 49 24.4 (0.88) (1.5)(1.3)Non-Hispanic Asian 7: 2 - 19..... 264 35 22.2 (1.14) 4.3 (0.90)19 24.4 (1.01) 12.0 (1.40)49 21.0 (1.48)(4.4)(3.9)(5.6)525 55 23.8 (0.76) (0.70)27 25.5 (0.80) 11.7 (0.84)21.9 (0.99)20 and over..... (4.4)6.4 (2.6)46 (2.8)789 50 5.9 (0.52) 25 25.3 (0.75) 2 and over... (3.5)23.5 (0.76) (1.9)11.7 (0.72) 46 (2.2)21.6 (1.02) **Hispanic:** 2 - 19..... 997 48 24.0 (0.87) 5.2 (0.51)27.1 (0.91)11.0 (0.65)40 21.2 (0.99)(2.4)(1.8)(2.3)1125 53 7.8 (0.54) 30.4 (0.80) 48 26.5 20 and over..... (2.3)28.6 (0.76) (1.5)14.7 (0.55)(1.2)(1.09)2 and over... 2122 51 (1.9)27.0 (0.64) 6.9 (0.41) 26 29.4 (0.64) 13.5 (0.44) 24.6 (0.95) (1.1)46 (1.2)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2013-2014 *(continued)*

Polvunsaturated fat -All Individuals 2— -All Restaurant Consumers 3 ----Non-consumers 4 Race/ethnicity Sample Percent Total Total Intake from Total Intake from Percentages from ⁶ Percentages from 6 and age Size Reporting 5 Intake All Restaurants All Restaurants Intake All Restaurants All Restaurants Intake % (SE) g (SE) % (years) g (SE) (SE) (SE) g (SE) (SE) (SE) **Non-Hispanic White:** 811 49 28 8.6 13.8 2 - 19..... (2.6)15.3 (0.53)4.2 (0.50)16.9 (0.92)(0.96)51 (0.47)(2.6)(3.2)2233 58 19.4 (0.35) 6.0 (0.32) 31 20.8 (0.51) 10.4 (0.36) 50 17.6 (0.44) 20 and over..... (2.1)(1.4)(1.6)2 and over... 3044 56 18.6 (0.29) 5.6 (0.26) 30 20.1 (0.45) 10.1 (0.33) 50 16.7 (0.30) (1.9)(1.3)(1.4)**Non-Hispanic Black:** 2 - 19..... 753 45 (3.1)17.3 (0.59) 4.6 (0.40) (2.0)20.9 (0.92)10.1 (0.56) 48 (1.8)14.3 (0.73)20 and over..... 1009 56 (2.1)20.8 (0.89) 6.5 (0.44) 31 (1.7)23.1 (1.24) 11.5 (0.52)50 (1.4)17.8 (0.84)2 and over... 1762 53 (2.0)19.8 (0.71) 6.0 (0.36) 30 22.6 (1.01) 11.2 (0.46) 50 16.7 (0.68)(1.5)(1.2)Non-Hispanic Asian 7: 2 - 19..... 264 35 15.5 (0.84)3.3 (0.72)21 17.4 (0.96)9.3 (1.10) 53 14.4 (1.16)(4.4)(4.6)(6.4)525 55 16.7 4.8 (0.61)28 (3.1)17.5 8.7 (0.77)50 15.7 20 and over..... (4.4)(0.62)(0.77)(3.1)(0.88)789 50 17.5 (0.68) 8.8 (0.63) 50 2 and over... (3.5)16.4 (0.60) 4.4 (0.46) (2.4)(2.6)15.3 (0.90) **Hispanic:** 2 - 19..... 997 48 16.2 (0.57)3.8 (0.40)23 18.7 (0.52)8.0 (0.52)43 14.0 (0.60)(2.4)(2.0)(2.6)1125 53 19.5 (0.36)21.2 51 20 and over..... (2.3)(0.64)5.7 (1.4)(0.62)10.7 (0.39)(1.1)17.6 (0.87)2 and over... 2122 51 18.4 (0.53) 5.1 (0.32) 27 (1.2)20.4 (0.46) 9.9 (0.38) 48 16.3 (0.68) (1.9)(1.2)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2013-2014 *(continued)*

Cholesterol – All Individuals ²— — All Restaurant Consumers ³ ——— Non-consumers 4 Race/ethnicity Sample Percent Total Intake from Total Intake from Total Percentages from ⁶ Percentages from 6 and age Size Reporting 5 Intake All Restaurants All Restaurants Intake All Restaurants All Restaurants Intake % (SE) (SE) (SE) (SE) (SE) % (years) (SE) (SE) (SE) mg mg mg mg mg **Non-Hispanic White:** 2 - 19..... 811 49 52 24 229 209 (2.6)219 (7.8)(6.7)106 46 (11.0)(2.5)(16.5)(13.0)(3.2)2233 58 85 30 282 (4.3)299 148 50 260 20 and over..... (2.1)(4.3)(1.7)(7.1)(6.2)(1.8)(9.7)2 and over... 3044 56 269 79 (3.6)29 286 141 49 248 (1.9)(3.9)(1.4)(7.2)(6.0)(1.5)(8.3)**Non-Hispanic Black:** 213 (13.9) 2 - 19..... 753 45 (3.1)223 (9.7)46 (5.1)21 (2.5)235 (13.2) 102 (7.9)43 (2.6)20 and over..... 1009 56 (2.1)320 (9.0)102 (7.1)32 (1.8)342 (16.1) 181 (8.2)53 (1.9)292 (13.2)2 and over... 1762 53 (2.0)293 (7.8)86 (6.3)317 (14.4) 162 (8.0)51 266 (9.8)(1.9)(1.7)Non-Hispanic Asian 7: 2 - 19..... 264 35 239 (22.5) 51 (12.1) 21 261 (25.7)144 (23.0)55 227 (29.4)(4.4)(4.8)(7.0)525 55 268 (12.5) 78 (10.0) 29 (3.0)299 (18.7) 142 (10.2) 48 229 (18.9)20 and over..... (4.4)(2.5)789 50 72 28 293 (17.4) 143 (10.3) 49 228 (15.3) 2 and over... (3.5)261 (13.0) (8.5)(2.5)(2.4)**Hispanic:** 2 - 19..... 997 48 238 (8.8)44 (5.2)19 258 (8.7)93 (7.2)36 219 (11.5)(2.4)(2.0)(2.6)1125 53 327 86 335 162 48 20 and over..... (2.3)(11.6)(7.7)26 (1.9)(15.6)(9.6)317 (16.7)(1.6)2 and over... 2122 51 (1.9)297 (8.9)72 (6.2)24 311 (12.0) 140 (8.0)45 281 (9.9)(1.6)(1.6)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2013-2014 *(continued)*

							V i t	a m i	n A	(R	A E)					
					• • • • • • •	–All Indi	viduals	2			—All R	Restauran	t Consu	mers ³ —	<i>j</i>	Non-con	sumers 4
Race/ethnicity and age	Sample Size	Pero Repor			otal ake		e from taurants	Percentag All Rest	es from ⁶ aurants		otal ake		e from taurants	Percentag All Rest	ges from ⁶ aurants	To Inta	otal ake
(years)		%	(SE)	μg	(SE)	μg	(SE)	%	(SE)	μg	(SE)	μg	(SE)	%	(SE)	μg	(SE)
Non-Hispanic White	۸•			1					ı						1		
2 - 19	811	49	(2.6)	639	(17.7)	80	(8.2)	13	(1.4)	602	(19.8)	165	(10.2)	27	(1.7)	674	(22.1)
20 and over		58	(2.1)	666	(12.7)	127	(6.6)	19	(0.9)	646	(19.0)	221	(12.7)	34	(1.3)	694	(25.4)
2 and over	3044	56	(1.9)	661	(11.9)	118	(5.4)	18	(0.8)	638	(15.9)	211	(10.6)	33	(1.1)	690	(22.2)
Non-Hispanic Black	:																
2 - 19	753	45	(3.1)	496	(15.7)	64	(8.7)	13	(1.6)	504	(25.6)	141	(11.7)	28	(1.5)	489	(19.8)
20 and over	1009	56	(2.1)	564	(26.7)	112	(10.1)	20	(1.8)	526	(24.5)	200	(14.6)	38	(2.2)	612	(44.8)
2 and over	1762	53	(2.0)	545	(20.1)	99	(9.0)	18	(1.6)	521	(19.2)	186	(12.6)	36	(1.6)	572	(32.5)
Non-Hispanic Asian	⁷ :																
2 - 19	264	35	(4.4)	644	(50.7)	61*	(19.1)	9*	(3.2)	552	(50.2)	172	(41.0)	31	(7.4)	694	(58.0)
20 and over	525	55	(4.4)	609	(32.7)	111	(8.8)	18	(1.1)	595	(47.4)	203	(20.5)	34	(2.8)	626	(47.9)
2 and over	789	50	(3.5)	617	(27.6)	100	(9.2)	16	(1.1)	588	(40.0)	198	(18.3)	34	(2.3)	646	(36.1)
Hispanic:																	
2 - 19	997	48	(2.4)	570	(20.5)	60	(7.2)	11	(1.1)	562	(25.2)	127	(11.2)	23	(1.9)	577	(31.6)
20 and over	1125	53	(2.3)	587	(28.6)	113	(8.3)	19	(1.2)	579	(28.6)	213	(12.9)	37	(2.0)	597	(36.5)
2 and over	2122	51	(1.9)	581	(24.2)	95	(6.5)	16	(0.8)	573	(19.9)	186	(9.2)	32	(1.2)	590	(32.4)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2013-2014 *(continued)*

Beta carotene – All Individuals ²— —All Restaurant Consumers 3 ——— Non-consumers 4 Race/ethnicity Sample Percent Total Intake from Total Intake from Total Percentages from ⁶ Percentages from 6 and age Size Reporting 5 Intake All Restaurants All Restaurants Intake All Restaurants All Restaurants Intake % (SE) μg (SE) % (years) μg (SE) (SE) (SE) μg (SE) (SE) μg (SE) μg **Non-Hispanic White:** 811 49 1463 (161.3) 12 25 1507 (246.5) 2 - 19..... (2.6)175 (31.1) (2.5)1418 (188.0) 359 (56.2)(3.8)2233 58 2256 (120.5) 396 (47.4) 18 2052 (92.8) 688 (79.8) 34 2534 (199.2) 20 and over..... (2.1)(1.7)(3.3)2 and over... 3044 56 2095 (109.3) 351 (35.8) 17 1939 (77.3) 629 (63.6) 32 2291 (176.3) (1.9)(1.5)(3.1)**Non-Hispanic Black:** 2 - 19..... 753 45 (3.1)1000 (82.4) 123 (13.6) 12 (1.4)1058 (92.9) 270 (31.7) 26 (2.7)953 (104.1) 20 and over..... 1009 56 (2.1)2307 (225.5) 425 (73.7) 18 (3.6)1807 (171.8) 757 (122.3) 42 (5.3)2947 (456.3) 2 and over... 1762 53 (2.0)1939 (179.5) 340 (55.9) 18 (3.1)1627 (133.6) 640 (92.2) 39 (4.4)2293 (305.9) Non-Hispanic Asian 7: 2 - 19..... 264 35 (4.4)2070 (328.5) 245* (90.9) 12* (4.9)1857 (321.8) 691 (207.1) 37* (11.4) 2187 (488.0) 525 55 3735 (285.6) 549 (61.8) 15 3214 (372.8) 1001 (109.0) 31 4367 (558.4) 20 and over..... (4.4)(1.5)(3.8)789 32 50 3356 (213.8) 479 (57.1) 14 2997 (304.1) 951 (92.6) 3720 (388.4) 2 and over... (3.5)(1.4)(3.2)**Hispanic:** 2 - 19..... 997 48 (2.4)1058 (65.5) 123 (18.9) 12 930 (47.8) 259 (31.3)28 1174 (98.8) (2.0)(3.6)1125 53 1942 (184.0) 372 (27.5) 19 700 (49.9) 38 20 and over..... (2.3)(1.7)1824 (176.9) (2.4)2075 (283.4) 288 (19.8) 2 and over... 2122 51 (1.9)1644 (130.6) 18 1545 (116.5) 562 (32.5) 36 (2.0)1749 (195.4) (1.4)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2013-2014 *(continued)*

Lvcopene -All Individuals ²-----—All Restaurant Consumers 3 ——— Non-consumers 4 Race/ethnicity Sample Percent Total Intake from Total Intake from Total Percentages from ⁶ Percentages from 6 and age Size Reporting 5 Intake All Restaurants All Restaurants Intake All Restaurants All Restaurants Intake % (SE) μg (SE) μg (SE) % (years) (SE) (SE) μg (SE) (SE) μg (SE) μg **Non-Hispanic White:** 2 - 19..... 811 49 3868 (297.9) 880 (107.8) 23 1803 (192.7) 42 3421 (418.7) (2.6)4336 (362.6) (3.2)(4.5)2233 58 30 5149 (154.6) 1545 (122.3) 2681 (216.8) 50 4926 (378.0) 20 and over..... (2.1)(2.1)5312 (236.4) (3.3)2 and over... 3044 56 4888 (124.9) 1409 (99.2) 29 5138 (191.9) 2524 (191.3) 49 (2.9)4571 (308.4) (1.9)(1.9)**Non-Hispanic Black:** 2 - 19..... 753 45 (3.1)4066 (394.1) 871 (130.4) 21 (2.3)4035 (371.0) 1918 (216.9) 48 (3.0)4092 (579.5) 20 and over..... 1009 56 (2.1)4214 (443.5) 1344 (141.4) 32 (5.0)4407 (467.1) 2391 (200.2) 54 (7.1)3966 (706.9) 2 and over... 1762 53 (2.0)4173 (373.8) 1211 (124.9) 29 (3.9)4318 (368.7) 2277 (173.1) 53 (5.7)4007 (605.3) Non-Hispanic Asian 7: 2 - 19..... 264 35 (4.4)4511(1005.1) 1199*(437.7) (8.3)6000(1338.0) 3387 (985.4) 56* (14.3) 3694(1095.7) 525 55 3742 (386.4) 28 4313 (649.2) 1929 (487.8) 3050 (355.8) 20 and over..... (4.4)1058 (289.9) (5.9)45 (6.8)789 50 3917 (376.2) 1090 (255.2) 28 4583 (632.3) 47 3241 (312.7) 2 and over... (3.5)(5.2)2162 (459.7) (7.2)**Hispanic:** 4925 (316.5) 2 - 19..... 997 48 1033 (190.2) 21 4718 (391.4) 2170 (339.6) 46 5113 (412.8) (2.4)(3.6)(7.5)1125 53 5492 (332.4) 28 50 5279 (434.4) 20 and over..... (2.3)1511 (153.7) (1.9)5679 (453.3) 2845 (246.9) (3.3)2 and over... 2122 51 (1.9)5301 (289.9) 1350 (141.5) 25 5378 (389.6) 2634 (238.6) 49 (3.7)5219 (344.1) (2.1)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2013-2014 *(continued)*

								Th	i a m	i n							
						-All Indi	viduals	2			—All R	estauran	t Consu	mers ³ —	<u> </u>	Von-con	sumers 4
Race/ethnicity and age	Sample Size	Pero Repor	cent ting 5	To Inta	otal ake		e from staurants	Percentag All Rest	ges from ⁶ aurants		otal ake		e from staurants	Percentag All Rest	ges from ⁶ aurants		otal ake
(years)		%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)
Non-Hispanic White 2 - 19 20 and over	811 2233	49 58	(2.6) (2.1)		(0.043) (0.020)		(0.022) (0.022)	18 25	(1.5) (1.4)		(0.055) (0.025)		(0.041) (0.021)	37 43	(2.4) (1.2)		(0.065) (0.044)
2 and over	3044	56	(1.9)		(0.019)		(0.016)	24	(1.0)		(0.024)		(0.019)	42	(0.9)		(0.041)
Non-Hispanic Black 2 - 19 20 and over	753 1009	45 56	(3.1) (2.1)		(0.037) (0.030)		(0.035) (0.031)	19 27	(2.1) (1.9)		(0.071) (0.053)		(0.048) (0.038)	39 45	(2.0) (2.3)		(0.040) (0.033)
2 and over	1762	53	(2.0)	1.51	(0.020)	0.37	(0.028)	24	(1.7)	1.60	(0.038)	0.70	(0.036)	43	(2.0)	1.41	(0.022)
Non-Hispanic Asian	7:																
2 - 19 20 and over	264 525	35 55	(4.4) (4.4)	1	(0.082) (0.033)		(0.059) (0.038)	14 21	(3.3) (2.2)		(0.081) (0.055)		(0.106) (0.042)	40 40	(6.1) (2.1)		(0.114) (0.043)
2 and over	789	50	(3.5)	1.57	(0.032)	0.31	(0.032)	20	(1.8)	1.54	(0.046)	0.61	(0.040)	40	(2.1)	1.60	(0.034)
Hispanic: 2 - 19	997 1125	48 53	(2.4) (2.3)		(0.041) (0.035)		(0.028) (0.029)	17 24	(1.5) (1.6)		(0.050) (0.038)		(0.038) (0.034)	35 44	(1.9) (2.1)		(0.053) (0.044)
2 and over	2122	51	(1.9)	1.62	(0.034)	0.35	(0.021)	22	(1.1)	1.66	(0.029)	0.68	(0.024)	41	(1.4)	1.57	(0.041)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2013-2014 *(continued)*

Riboflavin −All Individuals ²−− -All Restaurant Consumers 3 ----Non-consumers 4 Race/ethnicity Sample Percent Total Intake from Total Intake from Total Percentages from ⁶ Percentages from 6 and age Size Reporting 5 Intake All Restaurants All Restaurants Intake All Restaurants All Restaurants Intake % (SE) (SE) (SE) (SE) mg (SE) % (SE) (years) mg (SE) mg (SE) mg mg **Non-Hispanic White:** 2 - 19..... 811 49 2.13 (0.042) 0.36 (0.026) 17 2.09 (0.054) 0.74 (0.047) 35 2.17 (0.082) (2.6)(1.3)(2.0)2233 58 21 37 20 and over..... 2.28 (0.029) 0.49(0.024)2.33 (0.049) 0.85 (0.025) 2.22 (0.041) (2.1)(1.0)(1.1)2 and over... 3044 56 2.25 (0.027) 0.46 (0.021) 21 2.29 (0.042) 0.83 (0.023) 36 (0.9)2.21 (0.041) (1.9)(0.9)**Non-Hispanic Black:** 0.59 (0.051) 1.68 (0.047) 2 - 19..... 753 45 (3.1)1.72 (0.036) 0.27(0.037)16 (2.1)1.76 (0.061) 34 (2.5)20 and over..... 1009 56 (2.1)1.79 (0.034) 0.45(0.034)25 (1.7)1.89 (0.052) 0.79(0.040)42 (1.9)1.66 (0.038) 2 and over... 1762 53 (2.0)1.77 (0.023) 0.40 (0.031) 22 (1.6)1.86 (0.035) 0.75 (0.038) 40 1.67 (0.030) (1.7)Non-Hispanic Asian 7: 2 - 19..... 264 35 (4.4)1.96 (0.093) 0.24(0.062)12 1.84 (0.063) 0.68 (0.109) 37 2.02 (0.134) (3.1)(5.7)525 55 1.77 (0.048) 0.37 (0.040) 21 (2.0)1.84 (0.083) 0.68 (0.047) 37 1.68 (0.053) 20 and over..... (4.4)(1.8)789 50 1.81 (0.055) 0.34 (0.033) 19 1.84 (0.072) 0.68(0.044)37 1.78 (0.053) 2 and over... (3.5)(1.6)(1.8)**Hispanic:** 2 - 19..... 997 48 (2.4)1.91 (0.056) 0.26 (0.023) 13 1.97 (0.073) 0.54 (0.030) 27 1.86 (0.072) (1.0)(1.4)1125 53 2.14 (0.090) 0.43 (0.030) 20 2.20 (0.111) 0.81 (0.033) 37 2.06 (0.084) 20 and over..... (2.3)(1.4)(2.2)2 and over... 2122 51 (1.9)2.06 (0.074) 0.37 (0.024) 18 2.13 (0.084) 0.73 (0.027) 34 1.99 (0.069) (1.0)(1.3)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2013-2014 *(continued)*

								N	iaci	i n							
						-All Indi	viduals	2			—All R	Restauran	t Consu	mers ³ —		Non-con	sumers 4
Race/ethnicity and age	Sample Size	Pero Repor	cent ting 5		otal ake		e from taurants	Percentag All Rest	ges from ⁶ taurants		otal ake		e from taurants	Percentag All Rest		5 To	otal ake
(years)		%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)
Non-Hispanic White	. •			ı					I							l	
2 - 19		49	(2.6)	22.9	(0.73)	5.3	(0.69)	23	(2.5)	24.1	(1.44)	10.9	(1.52)	45	(3.8)	21.8	(0.82)
20 and over		58	(2.1)	26.4	(0.33)	7.1	(0.34)	27	(1.5)	27.8	(0.57)	12.4	(0.39)	44	(1.7)	24.4	(0.51)
2 and over	3044	56	(1.9)	25.7	(0.35)	6.8	(0.29)	26	(1.2)	27.2	(0.67)	12.1	(0.47)	45	(1.4)	23.8	(0.50)
Non-Hispanic Black	•																
2 - 19		45	(3.1)	21.2	(0.41)	4.8	(0.54)	22	(2.5)	23.2	(1.06)	10.5	(0.68)	45	(2.4)	19.5	(0.64)
20 and over		56	(2.1)	26.0	(0.54)	7.6	(0.48)	29	(1.7)	27.9	(0.89)	13.5	(0.48)	48	(1.9)	23.5	(0.48)
	17.60	5 0		24.5				20		260		12.0		40		22.2	
2 and over	1762	53	(2.0)	24.6	(0.42)	6.8	(0.43)	28	(1.6)	26.8	(0.70)	12.8	(0.47)	48	(1.8)	22.2	(0.31)
Non-Hispanic Asian	7.																
2 - 19	264	35	(4.4)	22.3	(1.68)	4.4	(1.15)	20	(4.2)	23.5	(1.78)	12.3	(2.00)	52	(6.1)	21.6	(2.03)
20 and over	525	55	(4.4)	24.5	(0.61)	6.3	(0.74)	26	(2.7)	25.0	(0.96)	11.5	(0.92)	46	(3.2)	23.9	(0.80)
2 and over	789	50	(3.5)	24.0	(0.65)	5.9	(0.61)	24	(2.3)	24.7	(0.74)	11.7	(0.85)	47	(3.0)	23.2	(0.93)
Hispanic:																	
2 - 19	997	48	(2.4)	21.8	(0.69)	4.4	(0.44)	20	(1.7)	23.4	(0.61)	9.3	(0.51)	40	(1.8)	20.4	(0.85)
20 and over		53	(2.3)	27.5	(0.99)	7.0	. ,	26	(1.8)	29.5	(1.39)	13.3	(0.53)	45	(2.6)	25.3	(0.77)
		_															
2 and over	2122	51	(1.9)	25.6	(0.80)	6.2	(0.41)	24	(1.4)	27.6	(1.04)	12.0	(0.42)	44	(1.8)	23.5	(0.65)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2013-2014 *(continued)*

								Vita	miı	n B	6						
						-All Indi	viduals	2			—All R	estauran!	t Consu	mers ³ —		Von-con	sumers 4
Race/ethnicity and age	Sample Size	Pero Repor	cent ting 5	To Inta			e from staurants	Percentag All Rest			otal ake		e from taurants	Percentag All Rest			otal ake
(years)		%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)
Non-Hispanic White	.•			I					ı						ı		
2 - 19	• 811	49	(2.6)	1.88	(0.061)	0.34	(0.052)	18	(2.5)	1.85	(0.114)	0.70	(0.121)	38	(4.5)	1.92	(0.094)
20 and over	2233	58	(2.1)	1	(0.038)		(0.024)	22	(1.4)		(0.068)		(0.033)	36	(2.1)		(0.045)
2 and over	3044	56	(1.9)	2.14	(0.037)	0.45	(0.022)	21	(1.2)	2.21	(0.067)	0.81	(0.040)	37	(1.8)	2.05	(0.041)
Non-Hispanic Black	:																
2 - 19	753	45	(3.1)	1.63	(0.048)	0.26	(0.027)	16	(1.8)	1.67	(0.088)	0.56	(0.029)	34	(1.8)	1.60	(0.066)
20 and over	1009	56	(2.1)	2.03	(0.053)	0.48	(0.030)	24	(1.4)	2.08	(0.072)	0.86	(0.036)	41	(2.1)	1.96	(0.077)
2 and over	1762	53	(2.0)	1.92	(0.043)	0.42	(0.026)	22	(1.4)	1.98	(0.057)	0.79	(0.030)	40	(1.7)	1.84	(0.059)
Non-Hispanic Asian	⁷ :																
2 - 19	264	35	(4.4)	1.88	(0.118)	0.32	(0.087)	17	(4.0)	1.90	(0.175)	0.91	(0.161)	48	(5.8)	1.87	(0.148)
20 and over	525	55	(4.4)	1	(0.058)		(0.048)	21	(2.3)		(0.083)		(0.051)	39	(2.6)		(0.059)
2 and over	789	50	(3.5)	2.01	(0.058)	0.41	(0.042)	20	(2.0)	2.00	(0.063)	0.82	(0.053)	41	(2.6)	2.01	(0.073)
Hispanic:																	
2 - 19	997	48	(2.4)	1.81	(0.062)	0.26	(0.031)	15	(1.5)	1.84	(0.045)	0.55	(0.042)	30	(2.1)	1.78	(0.093)
20 and over	1125	53	(2.3)	ı	(0.150)		(0.035)	20	(1.8)		(0.176)		(0.035)	37	(2.7)		(0.137)
2 and over	2122	51	(1.9)	2.17	(0.111)	0.40	(0.027)	18	(1.2)	2.19	(0.123)	0.78	(0.029)	35	(1.7)	2.15	(0.109)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2013-2014 *(continued)*

Folate (DFE) -All Individuals 2— —All Restaurant Consumers 3 ——— Non-consumers 4 Race/ethnicity Sample Percent Total Intake from Total Intake from Total Percentages from ⁶ Percentages from 6 and age Size Reporting 5 Intake All Restaurants All Restaurants Intake All Restaurants All Restaurants Intake % (SE) μg (SE) % (years) (SE) (SE) (SE) (SE) (SE) μg (SE) μg μg **Non-Hispanic White:** 811 49 81 493 34 508 (24.3) 2 - 19..... (2.6)501 (20.6) (6.9)16 166 (9.4)(1.3)(24.5)(2.1)2233 58 533 (10.4) 123 (7.2)23 534 213 40 531 (17.4) 20 and over..... (2.1)(1.4)(7.3)(8.4)(1.4)2 and over... 3044 56 526 (9.9)114 (5.3)22 527 205 39 526 (16.0) (1.9)(1.1)(6.5)(6.6)(1.1)**Non-Hispanic Black:** 2 - 19..... 753 45 (3.1)523 (23.1) 85 (10.4) 16 (2.3)524 (26.3)187 (14.5)36 (2.5)521 (33.3) 20 and over..... 1009 56 (2.1)478 (10.9) 121 (10.9) 25 (2.2)501 (16.9) 215 (14.0) 43 (2.6)448 (14.6)2 and over... 1762 53 (2.0)490 (7.8)111 (9.5)23 507 (12.0) 208 (12.6) 41 472 (19.1) (2.2)(2.3)Non-Hispanic Asian 7: 2 - 19..... 264 35 537 (31.4)69 (20.1)13 506 (35.6)194 (37.5) 38 554 (42.9)(4.4)(3.6)(6.0)525 55 523 (13.0) 104 (12.9) 20 505 190 (14.7) 38 545 20 and over..... (4.4)(2.3)(24.1)(2.4)(16.5)789 38 50 18 190 (12.8) 548 (16.7) 2 and over... (3.5)526 (14.2) 96 (10.5) (1.9)505 (20.2) (2.0)**Hispanic:** 2 - 19..... 997 48 521 (20.0)82 (7.7)16 542 (23.3)172 (10.7) 32 503 (28.4)(2.4)(1.2)(1.3)1125 53 541 (19.0) 120 (9.7)22 42 537 20 and over..... (2.3)(2.0)545 (11.1) 226 (11.9) (2.4)(33.3)2 and over... 2122 51 534 (17.9) 107 (6.5)20 544 (10.9) 209 (7.9)38 524 (29.5) (1.9)(1.4)(1.6)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2013-2014 *(continued)*

								C h	oli	n e							
						-All Indi	viduals	2			—All R	estauran.	t Consu	mers ³ —		Non-con	sumers 4
Race/ethnicity and age	Sample Size	Pero Repor	cent rting 5		otal ake		e from taurants	Percentag All Rest		To Inta	otal ake		e from taurants	Percentag All Rest		To	otal ake
(years)		%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)
Non-Hispanic White 2 - 19	811	49 58	(2.6) (2.1)	256 334	(5.3) (4.9)	51 88	(5.8) (4.4)	20 26	(1.9) (1.4)	258 346	(11.9) (6.2)	104 152	(11.4) (5.2)	40 44	(3.0) (1.7)	254 317	(7.0) (8.5)
2 and over	3044	56	(1.9)	318	(4.1)	80	(3.6)	25	(1.2)	330	(5.7)	144	(4.9)	43	(1.4)	302	(7.5)
Non-Hispanic Black 2 - 19 20 and over	753 1009 1762	45 56 53	(3.1) (2.1) (2.0)	237 343 313	(6.1) (9.5) (7.7)	46 95 81	(4.5) (6.5) (5.5)	19 28 26	(2.0) (1.6) (1.6)	247 355 329	(8.8) (17.3) (13.8)	101 170 153	(5.6) (7.3) (6.8)	41 48 47	(2.3) (1.9) (1.5)	229 328 296	(8.1) (10.1) (7.6)
Non-Hispanic Asian 2 - 19 20 and over 2 and over	⁷ : 264 525 789	35 55 50	(4.4) (4.4) (3.5)	290 329 320	(20.5) (9.2) (11.0)	48 80 73	(11.8) (9.4) (7.7)	16 24 23	(3.9) (2.4) (1.9)	294 345 337	(21.3) (15.0) (13.8)	134 146 144	(21.0) (9.2) (8.5)	46 42 43	(6.1) (2.0) (1.9)	287 310 303	(27.6) (9.0) (11.0)
Hispanic: 2 - 19 20 and over 2 and over	997 1125 2122	48 53 51	(2.4) (2.3) (1.9)	266 360 328	(8.5) (7.6) (7.5)	44 86 72	(4.8) (6.6) (5.3)	17 24 22	(1.7) (1.7) (1.4)	277 360 334	(7.7) (10.0) (8.3)	93 163 141	(6.4) (6.9) (6.0)	34 45 42	(2.2) (1.4) (1.3)	256 359 322	(12.0) (13.5) (10.7)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2013-2014 *(continued)*

Vitamin B12 – All Individuals 2—— —All Restaurant Consumers 3 ——— Non-consumers 4 Race/ethnicity Sample Percent Total Intake from Total Intake from Total Percentages from ⁶ Percentages from 6 and age Size Reporting 5 Intake All Restaurants All Restaurants Intake All Restaurants All Restaurants Intake % (SE) μg (SE) μg (SE) % (SE) (years) μg (SE) (SE) μg (SE) μg (SE) **Non-Hispanic White:** 2 - 19..... 811 49 4.98 (0.139) 0.83 (0.122) 17 1.70 (0.276) 5.18 (0.249) (2.6)(2.3)4.77 (0.293) 36 (4.2)2233 58 5.04 (0.082) 1.19 (0.064) 24 5.27 (0.099) 2.07 (0.085) 39 4.73 (0.161) 20 and over..... (2.1)(1.2)(1.5)2 and over... 3044 56 5.03 (0.079) 1.12 (0.055) 22 5.18 (0.104) 2.00 (0.092) 39 4.84 (0.170) (1.9)(1.1)(1.4)**Non-Hispanic Black:** 0.64 (0.083) 2 - 19..... 753 45 (3.1)4.10 (0.115) 16 (2.0)4.27 (0.231) 1.41 (0.107) 33 (2.3)3.95 (0.196) 20 and over..... 1009 56 (2.1)4.73 (0.204) 1.23 (0.100) 26 (1.8)5.04 (0.298) 2.18 (0.112) 43 (2.5)4.33 (0.352) 2 and over... 1762 53 (2.0)4.55 (0.149) 1.06 (0.078) 23 4.86 (0.208) 2.00 (0.091) 41 (2.1)4.20 (0.216) (1.5)Non-Hispanic Asian 7: 2 - 19..... 264 35 4.81 (0.341) 0.49 (0.130) 10 3.95 (0.204) 1.40 (0.223) 35 5.28 (0.536) (4.4)(2.9)(5.9)525 55 4.02 (0.180) 1.04 (0.114) 26 4.25 (0.309) 1.90 (0.235) 45 3.74 (0.224) 20 and over..... (4.4)(2.5)(3.6)789 43 50 4.20 (0.149) 0.92(0.089)22 4.20 (0.261) 1.82 (0.203) 4.20 (0.193) 2 and over... (3.5)(2.0)(3.2)**Hispanic:** 4.80 (0.110) 2 - 19..... 997 48 (2.4)0.67 (0.073) 14 4.90 (0.175) 1.41 (0.103) 4.71 (0.217) (1.5)(2.1)1125 53 1.11 (0.102) 23 2.09 (0.141) 40 4.51 (0.164) 20 and over..... (2.3)4.87 (0.244) (2.0)5.20 (0.385) (3.7)1.88 (0.108) 2 and over... 2122 51 (1.9)4.85 (0.164) 0.96 (0.074) 20 5.10 (0.281) 37 (2.0)4.58 (0.122) (1.3)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2013-2014 *(continued)*

								Vit	a m i	n C	1						
						-All Indi	viduals ²	2			—All R	estauran?	t Consu	mers ³ —	<i>1</i>	Von-con	sumers ⁴
Race/ethnicity and age	Sample Size	Pero Repor	cent ting 5		otal ake		e from taurants	Percentag All Rest	ges from ⁶ aurants		otal ake		e from taurants	Percentag All Res	ges from ⁶ taurants	To Inta	tal ike
(years)		%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)
Non-Hispanic White	:			I					1						ĺ		
2 - 19	811	49	(2.6)	66.6	(2.21)	5.3	(0.53)	8	(0.8)	60.7	(2.33)	10.8	. ,	18	(1.7)		(3.49)
20 and over	2233	58	(2.1)	76.1	(1.66)	11.1	(0.75)	15	(0.9)	72.8	(2.45)	19.3	(0.95)	27	(1.0)	80.6	(2.14)
2 and over	3044	56	(1.9)	74.2	(1.17)	9.9	(0.62)	13	(0.8)	70.6	(1.92)	17.8	(0.89)	25	(1.0)	78.7	(1.93)
Non-Hispanic Black	:																
2 - 19	753	45	(3.1)	78.7	(3.92)	8.2	(1.51)	10	(1.7)	80.7	(5.62)	18.1	(3.04)	22	(2.6)	77.1	(4.85)
20 and over	1009	56	(2.1)	82.2	(3.75)	13.5	(1.47)	16	(1.3)	85.7	(6.55)	24.0	(2.53)	28	(1.7)	77.7	(5.94)
2 and over	1762	53	(2.0)	81.2	(3.07)	12.0	(1.15)	15	(1.1)	84.5	(5.24)	22.6	(2.01)	27	(1.6)	77.5	(4.73)
Non-Hispanic Asian	7:																
2 - 19	264	35	(4.4)	78.2	(8.13)	11.8*	(5.73)	15*	(6.9)	78.8	(11.61)	33.3*	¢(13.57)	42	(12.2)	77.9	(11.35)
20 and over	525	55	(4.4)	88.1	(4.97)	11.2	(1.44)	13	(1.4)	82.4	(5.41)	20.4	(2.45)	25	(2.2)	95.0	(6.19)
2 and over	789	50	(3.5)	85.9	(4.66)	11.3	(2.12)	13	(2.2)	81.8	(5.43)	22.5	(3.72)	27	(3.2)	90.0	(5.53)
Hispanic:																	
2 - 19	997	48	(2.4)	81.0	(3.52)	6.6	(1.05)	8	(1.3)	72.1	(3.77)	13.8	(1.70)	19	(2.3)	89.1	(4.85)
20 and over	1125	53	(2.3)	88.6	(5.73)	12.5	(0.97)	14	(1.2)	89.0	(7.76)	23.6	(1.84)	26	(1.9)	88.1	(6.28)
2 and over	2122	51	(1.9)	86.0	(4.46)	10.5	(0.75)	12	(0.6)	83.8	(5.60)	20.5	(1.44)	24	(0.9)	88.4	(4.55)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2013-2014 *(continued)*

								V i t	a m i	n D	•						
						-All Indi	viduals	2			—All F	Restauran	t Consu	mers ³ —		Non-con	sumers 4
Race/ethnicity and age	Sample Size	Pero Repor	cent ting 5		otal ake		e from taurants	Percentag All Rest	ges from ⁶ aurants		otal ake		e from taurants	Percentag All Rest	ges from aurants	6 To	otal ake
(years)		%	(SE)	μg	(SE)	μg	(SE)	%	(SE)	μg	(SE)	μg	(SE)	%	(SE)	μg	(SE)
Non-Hispanic White	. •			ı					ĺ							I	
2 - 19		49	(2.6)	5.4	(0.12)	0.4	(0.05)	7	(0.8)	4.7	(0.22)	0.8	(0.08)	17	(1.6)	6.1	(0.17)
20 and over		58	(2.1)	5.0	(0.20)	0.8	(0.07)	15	(1.5)	4.8	(0.22)	1.3	(0.11)	27	(2.1)	5.2	(0.37)
									İ								
2 and over	3044	56	(1.9)	5.1	(0.17)	0.7	(0.06)	13	(1.2)	4.8	(0.18)	1.2	(0.09)	25	(1.7)	5.4	(0.30)
Non-Hispanic Black	:																
2 - 19		45	(3.1)	4.2	(0.21)	0.3	(0.05)	7	(1.2)	3.8	(0.24)	0.6	(0.08)	16	(2.5)	4.5	(0.26)
20 and over		56	(2.1)	4.0	(0.15)	0.7	(0.08)	17	(2.2)	3.8	(0.23)	1.2	(0.13)	32	(2.7)	4.3	(0.40)
2 1	1770	52	(2.0)		(0.10)	0.6	(0.06)	1.4	4.5	2.0	(0.10)	1.1	(0.10)	20	(1.5)	44	(0.04)
2 and over	1762	53	(2.0)	4.1	(0.10)	0.6	(0.06)	14	(1.5)	3.8	(0.19)	1.1	(0.10)	28	(1.7)	4.4	(0.24)
Non-Hispanic Asian	7.																
2 - 19	264	35	(4.4)	6.4	(0.55)	0.4	(0.11)	6*	(2.0)	4.8	(0.52)	1.1	(0.22)	23	(5.8)	7.3	(0.67)
20 and over	525	55	(4.4)	4.5	(0.27)	0.8	(0.16)	18	(3.3)	4.4	(0.34)	1.5	(0.26)	34	(4.7)	4.8	(0.58)
									İ								
2 and over	789	50	(3.5)	5.0	(0.27)	0.7	(0.12)	14	(2.3)	4.4	(0.31)	1.4	(0.22)	32	(4.1)	5.5	(0.50)
Hispanic:																	
2 - 19	997	48	(2.4)	5.5	(0.16)	0.3	(0.06)	6	(1.0)	5.3	(0.25)	0.7	(0.11)	13	(1.9)	5.6	(0.29)
20 and over	1125	53	(2.3)	4.5	(0.20)	0.7	(0.09)	15	(1.6)	4.4	(0.26)	1.3	(0.14)	29	(2.5)	4.6	(0.23)
	2125					0 -		4.5	İ	. –				. .			
2 and over	2122	51	(1.9)	4.8	(0.16)	0.6	(0.07)	12	(1.1)	4.7	(0.21)	1.1	(0.11)	24	(1.8)	5.0	(0.18)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2013-2014 *(continued)*

Vitamin E (alphatocopherol) -All Individuals 2------All Restaurant Consumers 3 -----Non-consumers 4 Race/ethnicity Sample Percent Total Intake from Total Intake from Total Percentages from ⁶ Percentages from 6 and age Size Reporting 5 Intake All Restaurants Intake All Restaurants All Restaurants Intake All Restaurants (SE) % (SE) (SE) (SE) % (years) (SE) (SE) (SE) (SE) mg mg mg mg mg **Non-Hispanic White:** 811 49 18 6.9 39 2 - 19..... (2.6)7.3 (0.50)1.3 (0.14)(0.19)2.7 (0.26)7.7 (1.00)(2.1)(3.5)2233 58 37 9.7 2.1 (0.10) 9.8 (0.21) 3.6 (0.09) 9.5 (0.33)20 and over..... (2.1)(0.19)(0.9)(1.0)2 and over... 3044 56 9.2 (0.16) 1.9 (0.08) 9.3 (0.19) 3.4 (0.08) 37 9.1 (0.37) (1.9)(0.9)(0.8)**Non-Hispanic Black:** 2 - 19..... 753 (3.1)7.3 (0.18)1.4 (0.15) 19 (1.9)8.2 (0.37)3.1 (0.18) 38 (2.0)6.6 (0.26)20 and over..... 1009 56 (2.1)9.1 (0.43)2.1 (0.15) 23 (1.4)9.7 (0.56)3.7 (0.16)38 (1.7)8.3 (0.37)2 and over... 1762 53 (2.0)8.6 (0.34) 1.9 (0.14) 9.4 (0.46) 3.6 (0.16) 38 7.8 (0.28) (1.4)(1.6)Non-Hispanic Asian 7: 2 - 19..... 264 35 7.5 (0.44)1.2 (0.31)16 8.5 (0.53)3.5 (0.58)41 7.0 (0.72)(4.4)(4.0)(6.1)525 55 8.3 (0.31) 1.6 (0.16) 20 8.4 (0.41) 3.0 (0.18)35 8.1 20 and over..... (4.4)(2.0)(2.5)(0.44)789 50 19 8.4 (0.35) 3.0 (0.15) 36 7.8 (0.45) 2 and over... (3.5)8.1 (0.31) 1.5 (0.13) (1.6)(2.0)**Hispanic:** 2 - 19..... 997 48 7.1 (0.31)1.2 (0.12)17 7.8 (0.43)2.5 (0.16)32 6.4 (0.35)(2.4)(1.9)(3.4)1125 53 1.9 (0.16) 42 20 and over..... (2.3)8.6 (0.36) (1.8)8.7 (0.33)3.6 (0.19)(2.3)8.4 (0.49)3.3 (0.17) 2 and over... 2122 51 8.1 (0.27) 1.7 (0.13) 21 8.4 (0.25) 39 7.7 (0.41) (1.9)(1.6)(2.3)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2013-2014 *(continued)*

								Vit	a m i	n K							
						-All Indi	viduals ²	2			—All R	estauran	t Consu	mers ³ —	<i>1</i>	Von-con	sumers ⁴
Race/ethnicity and age	Sample Size	Pero Repor	cent ting 5		otal ake	Intako All Res	e from taurants	Percentag All Rest			otal ake		e from taurants	Percentag All Rest		To Inta	tal ike
(years)		%	(SE)	μg	(SE)	μg	(SE)	%	(SE)	μg	(SE)	μg	(SE)	%	(SE)	μg	(SE)
Non-Hispanic White				I					1						İ		
2 - 19	• 811	49	(2.6)	74.7	(4.55)	15.6	(2.03)	21	(2.9)	75.0	(5.86)	32.0	(3.92)	43	(5.9)	74.4	(7.30)
20 and over	2233	58	(2.1)	123.7	(4.51)		(3.30)	26	(2.3)	121.5	(4.49)	56.2	(5.23)	46	(3.4)	126.7	(7.22)
2 and over	3044	56	(1.9)	113.7	(3.87)	29.0	(2.53)	25	(1.9)	113.2	(3.85)	51.9	(4.35)	46	(3.1)	114.4	(6.05)
Non-Hispanic Black	:																
2 - 19	753	45	(3.1)	72.0	(5.94)	15.1	(1.74)	21	(2.7)	82.9	(6.29)	33.2	(3.26)	40	(3.9)	62.9	(7.99)
20 and over	1009	56	(2.1)	124.8	(6.26)	34.4	(5.04)	28	(4.3)	119.0	(9.52)	61.1	(7.40)	51	(4.3)	132.3	(14.26)
2 and over	1762	53	(2.0)	109.9	(5.64)	28.9	(3.92)	26	(3.8)	110.3	(8.00)	54.4	(5.80)	49	(3.7)	109.5	(10.58)
Non-Hispanic Asian	⁷ :																
2 - 19	264	35	(4.4)	89.5	(10.72)	13.7	(3.04)	15	(4.2)	75.7	(5.45)	38.7	(5.11)	51	(6.8)	97.1	(16.30)
20 and over	525	55	(4.4)	1	(16.13)	30.3	(3.29)	18	(2.1)		(11.58)	55.2	(4.56)	40	(4.4)	194.8	. ,
2 and over	789	50	(3.5)	146.9	(12.74)	26.5	(2.64)	18	(1.8)	128.2	(9.41)	52.6	(3.56)	41	(3.7)	165.9	(27.26)
Hispanic:																	
2 - 19	997	48	(2.4)	65.6	(3.30)	12.5	(1.81)	19	(2.6)	68.2	(2.59)	26.2	(2.97)	38	(3.4)	63.2	(5.03)
20 and over	1125	53	(2.3)	109.9	(8.08)	28.0	(2.38)	26	(2.2)	112.7	(7.13)	52.8	(3.65)	47	(2.3)	106.7	(14.14)
2 and over	2122	51	(1.9)	95.0	(5.98)	22.8	(1.88)	24	(1.8)	98.8	(5.31)	44.5	(3.08)	45	(2.2)	91.0	(9.91)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2013-2014 *(continued)*

Calcium −All Individuals ²−− -All Restaurant Consumers 3 ----Non-consumers 4 Race/ethnicity Sample Percent Total Intake from Total Intake from Total Percentages from ⁶ Percentages from 6 and age Size Reporting 5 Intake All Restaurants Intake All Restaurants All Restaurants Intake All Restaurants (SE) % (SE) (SE) (SE) % (years) (SE) (SE) (SE) (SE) mg mg mg mg mg **Non-Hispanic White:** 811 49 350 (16.1) 33 1069 2 - 19..... (2.6)1062 (29.5) (14.4)16 1054 (33.2)(34.9)171 (1.2)(1.2)2233 58 38 997 (16.1) 225 (13.2) 23 1015 (20.4) 390 (15.8) 972 20 and over..... (2.1)(1.1)(1.3)(29.7)995 (29.8) 2 and over... 3044 56 1010 (14.5) 214 (10.5) 21 1022 (14.8) 383 (12.9) 37 (1.9)(0.8)(1.0)**Non-Hispanic Black:** 2 - 19..... 753 45 (3.1)874 (26.4) 153 (21.0) 17 (2.0)920 (34.9) 336 (30.2) 37 (2.5)836 (40.5) 20 and over..... 1009 56 (2.1)821 (19.3) 201 (12.9) 24 (1.2)875 (25.5) 358 (14.7) 41 (1.5)752 (26.6)2 and over... 1762 53 (2.0)836 (17.8) 188 (12.2) 886 (20.4) 353 (14.0) 40 780 (27.5) (1.2)(1.2)Non-Hispanic Asian 7: 2 - 19..... 264 35 979 (47.2) 106 (30.4) 11* 892 (51.9)300 (58.9)34 1027 (55.0)(4.4)(3.3)(6.4)525 55 729 (26.1) 157 (15.8) 22 767 (41.5) 286 (19.2) 37 683 (23.9)20 and over..... (4.4)(1.7)(1.9)789 50 786 (27.1) 18 787 288 (17.4) 37 785 (27.6) 2 and over... (3.5)145 (13.3) (1.3)(39.4)(1.6)**Hispanic:** 2 - 19..... 997 48 (2.4)1035 (26.3) 143 (14.6) 14 1061 (34.5)300 (20.8)28 1012 (36.6)(1.3)(1.9)1125 53 1020 (25.3) 382 37 1002 20 and over..... (2.3)203 (12.4) 20 (1.0)1035 (19.1) (13.8)(1.1)(43.0)2 and over... 2122 51 (1.9)1025 (21.4) 183 (8.7)18 (0.7)1043 (20.3) 357 (9.3)34 (0.7)1006 (31.9)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2013-2014 *(continued)*

P h o s p h o r u s –All Individuals 2—— —All Restaurant Consumers 3 ——— Non-consumers 4 Race/ethnicity Sample Total Intake from Total Total Percent Percentages from ⁶ Intake from Percentages from 6 and age Size Reporting 5 Intake All Restaurants Intake All Restaurants All Restaurants Intake All Restaurants % (SE) (SE) (SE) (SE) % (years) (SE) (SE) (SE) (SE) mg mg mg mg mg **Non-Hispanic White:** 811 1294 (26.1) 20 1280 2 - 19..... 49 (2.6)262 (20.0)1308 (32.9)537 (32.5)41 (37.4)(1.3)(2.0)2233 58 1410 (12.7) 367 (18.0) 26 637 (18.4) 44 1339 20 and over..... (2.1)(1.1)1462 (22.1) (1.3)(31.3)2 and over... 3044 56 1386 (12.4) 346 (14.5) 25 1434 (20.9) 619 (17.4) 43 1325 (29.3) (1.9)(0.9)(1.0)**Non-Hispanic Black:** 2 - 19..... 753 (3.1)1166 (21.1) 247 (28.5)(2.2)1275 (40.8)543 (34.2) 43 (2.4)1075 (40.3)20 and over..... 1009 56 (2.1)1306 (27.9) 376 (25.4) 29 (1.7)1401 (46.5)669 (27.1)48 (1.7)1184 (29.1)2 and over... 1762 53 (2.0)1267 (21.3) 340 (22.5) 27 1371 (34.3) 639 (25.2) 47 1148 (24.7) (1.6)(1.5)Non-Hispanic Asian 7: 2 - 19..... 264 35 1270 (49.4) 197 (49.0)15 1276 (41.3)555 (84.4)43 1267 (66.5)(4.4)(3.8)(6.3)525 55 1228 (30.1) 295 (30.3) 24 (2.1)1259 539 (31.1)43 1190 20 and over..... (4.4)(44.0)(1.9)(27.3)789 50 1237 (30.3) 273 (24.8) 1262 (40.4) 43 1212 (27.7) 2 and over... (3.5)(1.7)541 (28.3) (1.7)**Hispanic:** 2 - 19..... 997 48 (2.4)1311 (33.3) 231 (23.8) 18 1380 (38.2)485 (29.8)1249 (42.7)(1.6)35 (2.3)1125 53 1482 (33.5) 349 (23.2) 1473 20 and over..... (2.3)(1.6)1490 (26.9)658 (21.4) 44 (1.4)(60.2)2 and over... 2122 51 (1.9)1425 (31.4) 309 (17.8) 22 1456 (24.1) 604 (16.6) 41 1392 (48.6) (1.2)(1.1)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2013-2014 *(continued)*

	Magnesium																
						-All Indiv	iduals ²	2			—All R	<u> </u>	– Non-consumers ⁴				
Race/ethnicity and age	Sample Size	Pero Repor	cent ting 5		otal ake	Intake All Rest		Percentag All Rest	ges from ⁶ aurants	To Inta	otal ake	Intako All Res	e from taurants	Percentag All Rest	ges from ⁶ aurants	To Inta	
(years)		%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)
Non-Hispanic White 2 - 19 20 and over	811 2233	49 58	(2.6) (2.1)	237 307	(4.3) (4.2)	39 63	(3.2) (3.5)	16 21	(1.2) (1.0)	234 309	(4.9) (5.0)	79 110	(5.5) (3.5)	34 35	(2.1) (1.1)	240 304	(7.8) (8.8)
2 and over	3044	56	(1.9)	293	(4.1)	58	(2.8)	20	(0.8)	296	(4.5)	104	(3.1)	35	(0.9)	289	(7.3)
Non-Hispanic Black 2 - 19 20 and over 2 and over	753 1009 1762	45 56 53	(3.1) (2.1) (2.0)	218 278 261	(3.8) (5.5) (3.9)	36 58	(3.9) (3.7) (3.3)	17 21 20	(1.6) (1.3) (1.2)	225 284 270	(7.6) (8.1) (5.8)	80 103 98	(4.6) (3.7) (3.5)	36 36	(1.6) (1.3) (1.1)	212 271 252	(7.7) (5.2) (4.5)
Non-Hispanic Asian 2 - 19 20 and over		35 55	(4.4) (4.4)	260 308	(12.3) (8.1)	35 57	(9.1) (6.3)	14 18	(3.4) (1.9)	254 303	(10.4) (12.0)	100 104	(15.9) (8.2)	39 34	(5.2) (2.2)	263 313	(17.8) (9.6)
2 and over	789	50	(3.5)	297	(8.4)	52	(5.3)	17	(1.6)	295	(10.4)	103	(7.5)	35	(2.1)	298	(10.3)
Hispanic: 2 - 19 20 and over	997 1125	48 53	(2.4) (2.3)	239 318	(6.4) (7.5)	34 59	(3.2) (4.8)	14 19	(1.3) (1.6)	245 309	(6.7) (6.8)	72 112	(3.7) (5.0)	29 36	(1.7)	235 328	(8.4) (14.1)
2 and over	2122	51	(1.9)	291	(7.0)	51	(3.7)	17	(1.3)	289	(5.6)	99	(4.2)	34	(1.4)	294	(12.4)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2013-2014 *(continued)*

]	l r o n	ì							
						-All Indi	viduals ²	2			—All R	estauran	t Consu	mers ³ —	<i>N</i>	lon-con	sumers 4
Race/ethnicity and age	Sample Size	Pero Repor	cent ting 5		otal ake	Intako All Res	e from taurants	Percentag All Rest			otal ake		e from taurants	Percentag All Rest		To Inta	otal ake
(years)		%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)
Non-Hispanic White	•			I					1						1		
2 - 19	• 811	49	(2.6)	13.8	(0.35)	2.2	(0.15)	16	(1.2)	13.4	(0.29)	4.6	(0.23)	34	(1.8)	14.2	(0.58)
20 and over	2233	58	(2.1)	14.5	(0.18)	3.4	(0.17)	23	(1.2)	14.6	(0.13)	5.9	(0.17)	40	(1.2)	14.5	(0.43)
2 and over	3044	56	(1.9)	14.4	(0.18)	3.2	(0.13)	22	(1.0)	14.4	(0.11)	5.7	(0.14)	39	(0.9)	14.4	(0.41)
Non-Hispanic Black	:																
2 - 19	753	45	(3.1)	13.8	(0.23)	2.3	(0.28)	16	(2.0)	14.2	(0.59)	5.0	(0.35)	35	(1.8)	13.4	(0.44)
20 and over	1009	56	(2.1)	14.1	(0.23)	3.4	(0.26)	24	(1.7)	14.8	(0.42)	6.0	(0.30)	40	(2.1)	13.3	(0.31)
2 and over	1762	53	(2.0)	14.0	(0.17)	3.1	(0.24)	22	(1.6)	14.6	(0.34)	5.7	(0.29)	39	(1.9)	13.3	(0.26)
Non-Hispanic Asian	7:																
2 - 19	264	35	(4.4)	13.6	(0.72)	1.7	(0.43)	13	(3.0)	12.5	(0.43)	4.9	(0.70)	39	(5.3)	14.2	(1.10)
20 and over	525	55	(4.4)	13.4	(0.27)	2.7	(0.30)	20	(2.1)	13.3	(0.57)	5.0	(0.32)	38	(2.0)	13.7	(0.33)
2 and over	789	50	(3.5)	13.5	(0.34)	2.5	(0.25)	19	(1.6)	13.1	(0.49)	5.0	(0.29)	38	(1.8)	13.8	(0.38)
Hispanic:																	
2 - 19	997	48	(2.4)	14.3	(0.42)	2.1	(0.20)	15	(1.3)	14.6	(0.50)	4.5	(0.26)	31	(1.8)	14.0	(0.50)
20 and over	1125	53	(2.3)	15.1	(0.32)	3.3	(0.27)	22	(1.7)	15.0	(0.29)	6.2	(0.33)	41	(2.0)	15.2	(0.55)
2 and over	2122	51	(1.9)	14.8	(0.27)	2.9	(0.19)	20	(1.2)	14.9	(0.18)	5.7	(0.23)	38	(1.5)	14.8	(0.46)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2013-2014 *(continued)*

	Z i n c																
					• • • • • •	-All Indi	viduals	2			—All R		Non-consumers 4				
Race/ethnicity and age	Sample Size	Pero Repor	cent ting 5		otal ake	Intako All Res	e from taurants	Percentag All Rest	ges from ⁶ aurants		otal ake		e from taurants	Percentag All Rest		5 To	otal ake
(years)		%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)
Non-Hispanic White	۸•			ı					ı]	
2 - 19	811	49	(2.6)	10.3	(0.22)	1.8	(0.14)	17	(1.4)	9.8	(0.27)	3.6	(0.26)	37	(2.5)	10.8	(0.53)
20 and over	2233	58	(2.1)	11.3	(0.11)	2.8	(0.17)	25	(1.4)	11.5	(0.16)	4.9	(0.20)	43	(1.5)	11.0	(0.27)
2 and over	3044	56	(1.9)	11.1	(0.12)	2.6	(0.13)	24	(1.1)	11.2	(0.16)	4.7	(0.17)	42	(1.1)	10.9	(0.30)
Non-Hispanic Black																	
2 - 19	· 753	45	(3.1)	9.4	(0.17)	1.6	(0.20)	17	(2.1)	9.6	(0.42)	3.5	(0.25)	37	(1.7)	9.3	(0.33)
20 and over	1009	56	(2.1)	10.5	(0.28)	2.9	(0.20)	28	(1.7)	11.3	(0.35)	5.2	(0.22)	46	(2.3)	9.5	(0.41)
2 and over	1762	53	(2.0)	10.2	(0.18)	2.5	(0.17)	25	(1.7)	10.9	(0.22)	4.8	(0.21)	44	(2.0)	9.4	(0.29)
Non-Hispanic Asian	7.																
2 - 19	264	35	(4.4)	10.7	(0.79)	1.5	(0.34)	14	(3.3)	10.0	(0.52)	4.1	(0.55)	41	(5.2)	11.0	(1.14)
20 and over	525	55	(4.4)	10.7	(0.79) (0.26)	2.4	(0.34) (0.26)	23	(2.2)	10.0	(0.32) (0.39)	4.3	(0.33) (0.25)	42	(3.2) (1.8)	10.1	(0.27)
20 and 0 (01	323		(1.1)	10.2	(0.20)	2	(0.20)	25	(2.2)	10.2	(0.57)		(0.23)	.2	(1.0)	10.1	(0.27)
2 and over	789	50	(3.5)	10.3	(0.33)	2.2	(0.21)	21	(1.7)	10.2	(0.35)	4.3	(0.23)	42	(1.7)	10.3	(0.40)
Hispanic:	007	40	(2. t)	10.1	(0.25)	1.6	(0.16)	1.0	4.0	10.0	(0.22)	2.2	(0.20)	22	(2.0)	10.0	(0.45)
2 - 19	997 1125	48	(2.4)	10.1	(0.35)	1.6	(0.16)	16	(1.4)	10.2	(0.33)	3.3	(0.20)	33	(2.0)	10.0	(0.47)
20 and over	1123	53	(2.3)	11.6	(0.27)	2.8	(0.22)	24	(1.9)	11.6	(0.28)	5.3	(0.26)	45	(1.9)	11.6	(0.49)
2 and over	2122	51	(1.9)	11.1	(0.25)	2.4	(0.15)	21	(1.3)	11.2	(0.24)	4.7	(0.17)	42	(1.5)	11.1	(0.42)
			()	1	()		/		· · - /		\ /		()		· - /	1	· · · /

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2013-2014 *(continued)*

	Соррег																
						-All Indi	viduals ²	2			—All R	estauran	mers ³ —	Non-consumers ⁴			
Race/ethnicity and age	Sample Size	Pero Repor			otal ake	Intako All Res	e from taurants	Percentag All Rest			otal ake		e from taurants	Percentag All Rest		6 To	otal ake
(years)		%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)
Non-Hispanic White 2 - 19	811 2233	49 58	(2.6) (2.1)	0.9	(0.02) (0.02)	0.2 0.3	(0.01) (0.01)	16 20	(1.1) (0.9)	0.9 1.2	(0.03) (0.01)	0.3 0.4	(0.02) (0.01)	34 35	(1.9) (1.1)	0.9 1.2	(0.03) (0.04)
2 and over	3044	56	(1.9)	1.2	(0.02)	0.2	(0.01)	20	(0.8)	1.2	(0.01)	0.4	(0.01)	35	(0.9)	1.2	(0.03)
Non-Hispanic Black 2 - 19 20 and over 2 and over	753 1009 1762	45 56 53	(3.1) (2.1) (2.0)	0.8 1.1 1.1	(0.02) (0.03) (0.02)	0.1 0.2 0.2	(0.01) (0.02) (0.01)	17 21 20	(1.6) (1.4) (1.3)	0.9 1.2 1.1	(0.03) (0.04) (0.03)	0.3 0.4 0.4	(0.02) (0.02) (0.02)	36 36 36	(1.7) (1.1) (1.1)	0.8 1.1 1.0	(0.04) (0.04) (0.03)
Non-Hispanic Asian 2 - 19 20 and over 2 and over	7: 264 525 789	35 55 50	(4.4) (4.4) (3.5)	1.1 1.4 1.3	(0.07) (0.04) (0.04)	0.1 0.2 0.2	(0.03) (0.02) (0.02)	13 17 16	(3.0) (1.2) (1.1)	1.1 1.4 1.3	(0.05) (0.06) (0.05)	0.4 0.4 0.4	(0.06) (0.02) (0.02)	36 32 32	(4.6) (1.6) (1.5)	1.1 1.4 1.3	(0.10) (0.06) (0.06)
Hispanic: 2 - 19 20 and over 2 and over	997 1125 2122	48 53 51	(2.4) (2.3) (1.9)	0.9 1.2 1.1	(0.03) (0.03) (0.03)	0.1 0.2 0.2	(0.01) (0.02) (0.01)	14 19 18	(1.3) (1.6) (1.3)	0.9 1.2 1.1	(0.02) (0.02) (0.02)	0.3 0.4 0.4	(0.02) (0.02) (0.02)	31 37 35	(2.0) (1.6) (1.5)	1.0 1.3 1.2	(0.05) (0.07) (0.06)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2013-2014 *(continued)*

Selenium −All Individuals 2— -All Restaurant Consumers 3 ----Non-consumers 4 Race/ethnicity Sample Total Intake from Total Intake from Total Percent Percentages from ⁶ Percentages from 6 and age Size Reporting 5 Intake All Restaurants Intake All Restaurants All Restaurants Intake All Restaurants % (SE) μg (SE) (years) μg (SE) (SE) (SE) μg (SE) % (SE) μg (SE) μg **Non-Hispanic White:** 811 96.9 (2.07) 23 100.4 (3.32) 93.6 (2.95) 2 - 19..... 49 (2.6)22.5 (2.24) (2.0)46.1 46 (4.29)(2.9)2233 58 30 115.3 (0.66) 34.1 (1.87) 120.4 (1.74) 59.1 (2.16) 49 108.3 (1.61) 20 and over..... (2.1)(1.6)(1.9)2 and over... 3044 56 (1.9)111.5 (0.91) 31.7 (1.42) 28 116.8 (1.93) 56.8 (1.96) 49 104.8 (1.60) (1.2)(1.5)**Non-Hispanic Black:** 2 - 19..... 753 (3.1)95.5 (2.14) 21.1 (2.37) (2.5)102.3 (5.26) 46.4 (3.21) 45 (2.8)89.8 (3.01)20 and over..... 1009 56 (2.1)119.1 (2.79) 36.5 (2.57) 31 (1.9)126.4 (4.78)65.0 (2.67) 51 (1.9)109.7 (3.07)2 and over... 1762 53 (2.0)112.5 (2.35) 32.2 (2.27) (1.9)120.6 (4.33) 60.5 (2.65) 50 (2.0)103.2 (2.54) Non-Hispanic Asian 7: 2 - 19..... 264 35 114.4 (9.53) 20.6 (5.09) 18 118.9 (8.21)58.3 (8.66)49 111.9 (12.39) (4.4)(4.2)(6.5)525 55 117.7 (2.88) 32.0 (3.94) (2.9)121.9 (5.66) 58.4 48 112.6 (5.48) 20 and over..... (4.4)(4.04)(2.3)789 50 117.0 (3.58) 29.4 (3.26) 25 121.5 (4.70) 58.4 (3.89) 48 112.4 (5.21) 2 and over... (3.5)(2.5)(2.3)**Hispanic:** 2 - 19..... 997 48 99.5 (3.13) 20.3 (2.03) 20 105.6 (3.22) 42.6 (2.52) 40 (2.1)93.9 (3.85)(2.4)(1.7)1125 53 121.3 (2.55) 28 127.4 (2.99) 20 and over..... (2.3)33.8 (2.44) (1.7)63.6 (2.43) 50 (1.3)114.5 (2.85)2 and over... 2122 51 (1.9)114.0 (2.49) 29.2 (1.90) 26 120.5 (2.42) 57.1 (1.94) 47 107.1 (2.66) (1.3)(1.1)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2013-2014 *(continued)*

	Potassium																
						-All Indi	viduals	2			—All R	estauran)	t Consu	mers ³ —	 .	Non-con	sumers 4
Race/ethnicity and age	Sample Size	Pero Repor	cent ting 5	To Inta	otal ake	Intako All Res	e from taurants	Percentag All Rest			otal ake		e from taurants	Percentag All Rest		To Inta	otal ake
(years)		%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)
Non-Hispanic White 2 - 19	811	49 58	(2.6) (2.1)	2173 2697	(32.6) (33.8)	384 629	(36.5) (36.0)	18 23	(1.5) (1.2)	2132 2751	(55.4) (40.9)	786 1092	(70.0) (38.8)	37 40	(2.6) (1.4)	2212 2624	(53.8) (53.0)
2 and over	3044	56	(1.9)	2590	(34.3)	579	(29.9)	22	(1.0)	2641	(41.3)	1038	(37.6)	39	(1.2)	2526	(43.9)
Non-Hispanic Black 2 - 19 20 and over 2 and over Non-Hispanic Asian 2 - 19	753 1009 1762	45 56 53	(3.1) (2.1) (2.0)	1979 2449 2317 2357	(39.1) (43.6) (35.1)	371 608 542	(37.4) (39.8) (35.4)	19 25 23	(1.8) (1.5) (1.4) (4.0)	2078 2535 2425	(75.0) (75.5) (56.7)	817 1082 1018	(43.0) (40.0) (37.5)	39 43 42	(1.6) (1.4) (1.2)	1896 2339 2194	(56.2) (55.3) (38.5)
20 and over	525	55	(4.4)	2574	. ,	519	(50.1)	20	(1.8)	2528	(64.3)	947	` ,	37	(2.0)		
2 and over	789	50	(3.5)	2525	(53.2)	484	(45.5)	19	(1.7)	2512	(53.6)	961	(59.3)	38	(2.1)	2538	(70.2)
Hispanic: 2 - 19	997 1125 2122	48 53 51	(2.4) (2.3) (1.9)	2266 2695 2551	(55.7) (70.2) (59.5)	337 587 503	(33.5) (44.8) (34.2)	15 22 20	(1.4) (1.7) (1.3)	2280 2682 2556	(46.7) (62.2) (46.2)	708 1105 981	(40.0) (44.4) (38.4)	31 41 38	(1.9) (1.6) (1.3)	2254 2710 2545	(78.8) (118.2) (99.7)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2013-2014 *(continued)*

	S o d i u m																
						-All Indi	viduals	2			—All R	Restauran	t Consu	mers ³ —	<u> </u>	Von-con	sumers 4
Race/ethnicity and age	Sample Size	Pero Repor	cent ting 5		otal ake		e from staurants	Percentag All Rest			otal ake		e from staurants	Percentag All Rest	ges from ⁶ aurants	To Inta	otal ake
(years)		%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)
Non-Hispanic White	:			ı					1						ı		
2 - 19	811	49	(2.6)	3024	(63.1)	746	(66.0)	25	(1.8)	3201	(126.4)	1529	(130.9)	48	(2.4)	2855	(68.7)
20 and over	2233	58	(2.1)	3505	(31.2)	1078	(62.4)	31	(1.8)	3700	(63.3)	1870	(69.0)	51	(1.9)	3239	(34.2)
2 and over	3044	56	(1.9)	3407	(30.3)	1010	(48.6)	30	(1.4)	3611	(71.2)	1809	(64.7)	50	(1.5)	3149	(27.0)
Non-Hispanic Black	•																
2 - 19	753	45	(3.1)	3043	(58.9)	727	(76.8)	24	(2.3)	3378	(110.1)	1600	(89.7)	47	(2.2)	2765	(135.6)
20 and over	1009	56	(2.1)	3513	(77.4)	1108	(82.5)	32	(2.0)	3835	(123.5)	1972	(93.5)	51	(2.1)	3099	(81.5)
2 and over	1762	53	(2.0)	3381	(67.0)	1001	(72.4)	30	(1.8)	3725	(94.2)	1883	(85.2)	51	(1.8)	2990	(80.8)
Non-Hispanic Asian	⁷ :																
2 - 19	264	35	(4.4)	3176	(148.0)	564	(125.7)	18	(3.8)	3288	(142.9)	1592	(199.2)	48	(5.3)	3115	(190.5)
20 and over	525	55	(4.4)	1	(125.4)		(116.4)	26	(2.5)		(205.7)		(128.9)	47	(2.3)		(73.6)
2 and over	789	50	(3.5)	3538	(106.9)	862	(100.9)	24	(2.3)	3646	(181.7)	1711	(126.4)	47	(2.3)	3427	(71.5)
Hispanic:																	
2 - 19	997	48	(2.4)	3071	(80.3)	661	(69.7)	22	(1.9)	3315	(91.7)	1390	(88.9)	42	(2.3)	2849	(79.9)
20 and over	1125	53	(2.3)	3603	(70.3)	1037	(62.0)	29	(1.5)	3825	(69.6)	1953	(53.5)	51	(1.1)	3352	(116.1)
2 and over	2122	51	(1.9)	3424	(59.7)	911	(50.8)	27	(1.2)	3666	(49.1)	1777	(48.1)	48	(1.1)	3170	(93.5)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2013-2014 *(continued)*

Caffeine −All Individuals 2— -All Restaurant Consumers 3 ----Non-consumers 4 Race/ethnicity Sample Percent Total Intake from Total Intake from Total Percentages from ⁶ Percentages from 6 and age Size Reporting 5 Intake All Restaurants Intake All Restaurants All Restaurants Intake All Restaurants (SE) % (SE) (SE) (SE) % (years) (SE) (SE) (SE) (SE) mg mg mg mg mg **Non-Hispanic White:** 811 49 22 29.1 (4.62) 2 - 19..... (2.6)37.5 (4.02) 8.1 (0.91)(3.3)46.4 (5.15) 16.6 (2.13) 36 (5.4)2233 58 195.1 (8.17) 33.5 (2.74) 17 199.3 (10.84) 58.2 (4.06) 29 189.4 (13.24) 20 and over..... (2.1)(1.5)(2.6)2 and over... 3044 56 (1.9)163.0 (8.80) 28.4 (2.32) 17 172.1 (10.24) 50.8 (3.52) 30 151.5 (13.86) (1.5)(2.5)**Non-Hispanic Black:** 2 - 19..... 753 (3.1)16.5 (1.83) 4.7* (1.50) (8.0)21.8 (3.21) 10.4 (3.03) 48 (11.7) 12.1 (2.22)20 and over..... 1009 56 (2.1)79.3 (5.63) 18.6 (2.69) 23 (3.1)86.1 (5.94) 33.1 (4.02) 38 (3.3)70.5 (7.73) 2 and over... 1762 53 (2.0)61.6 (4.03) 14.7 (2.20) 24 70.7 (4.21) 27.6 (3.50) 39 (3.8)51.4 (5.48) (3.2)Non-Hispanic Asian 7: 2 - 19..... 264 35 17.0 (2.53) 6.4* (3.96) 38* (19.5) 26.5*(10.89) 18.1*(10.91) 68* (14.3) 11.8* (4.17) (4.4)525 55 107.7 (8.73) 131.5 (13.50) 78.9 (7.09) 20 and over..... (4.4)28.3 (7.36) 26 (5.4)51.6 (13.76) (7.2)789 59.0 (5.35) 50 87.1 (6.70) 23.3 (5.61) 114.7 (12.02) 46.2 (11.54) 40 2 and over... (3.5)(5.1)(6.9)**Hispanic:** 2 - 19..... 997 48 (2.4)18.8 (1.61) 5.8 (0.88)31 25.1 (2.71) 12.1 (1.65) 48 13.1 (1.64)(3.6)(4.8)1125 53 121.0 (5.96) 22 130.1 (6.18) 39 20 and over..... (2.3)26.8 (3.87) (2.6)50.5 (5.66) (3.4)110.7 (8.52)2 and over... 2122 51 (1.9)86.6 (4.31) 19.7 (2.71) 23 (2.5)97.2 (5.48) 38.5 (4.42) 40 (3.2)75.4 (5.52)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2013-2014 *(continued)*

		Alcohol																	
															Non-consumers ⁴				
Race/ethnicity and age	Sample Size	Pero Repor	cent ting ⁵		otal ake	Intako All Res	e from taurants	Percentag All Rest	ges from ⁶ aurants		otal ake		e from taurants	Percentag All Rest	ges from ⁶ aurants	To Inta	otal ake		
(years)		%	(SE)	g	(SE)	g	(SE)	%	(SE)	g	(SE)	g	(SE)	%	(SE)	g	(SE)		
Non-Hispanic White 2 - 19	811	49 58	(2.6) (2.1)	12.1	(1.19)	3.1	(0.47)	26	(3.1)	 14.4	(1.73)	5.4	(0.75)	37	(3.7)	9.0	(0.88)		
2 and over	3044	56	(1.9)												ļ				
Non-Hispanic Black 2 - 19 20 and over 2 and over	753	45 56 53	(3.1) (2.1) (2.0)	 11.6 	(1.25)	1.3	(0.34)	 12 	(3.1)	11.0	(1.54)	 2.4 	(0.58)	 22 	(4.5)	 12.4 	(2.16)		
Non-Hispanic Asian 2 - 19 20 and over 2 and over	⁷ : 264 525 789	35 55 50	(4.4) (4.4) (3.5)	6.0	(1.27)	 0.8*	^c (0.29)	 14* 	(4.7)	8.8	(2.11)	 1.5*	· (0.51)	 17* 	(6.4)	2.6	(0.54)		
Hispanic: 2 - 19	1125	48 53	(2.4) (2.3)	8.0	(1.07)	1.3	(0.28)	 17	(3.8)	 9.0	(1.59)	2.5	(0.48)	28	(6.8)	 6.9	(0.76)		
2 and over	2122	51	(1.9)	I					l						I				

Symbol Legend

* Indicates an estimate that may be less statistically reliable than estimates that are not flagged. The rules for flagging estimated means and percentages are as follows:

Mean: An estimated mean is flagged when the relative standard error is greater than 30 percent.

Percent reporting: An estimated percentage between 25 and 75 percent is flagged when based on a sample size of less than 30 times the variance inflation factor (VIF), where the VIF represents a broadly calculated average design effect, or when the relative standard error is greater than 30 percent. An estimated percentage less than or equal to 25 or greater than or equal to 75 is flagged when the smaller of np and n(1-p) is less than 8 times the VIF, where n is the sample size and p is the percentage expressed as a fraction. The VIF used in this table is 1.98.

Nutrient ratios expressed as percentages: An estimated ratio between 25 and 75 percent is flagged when based on a sample size n^* of less than 30 times the variance inflation factor (VIF), where the VIF represents a broadly calculated average design effect and n^* is the number of individuals in the sample reporting non-zero intake of the respective nutrient from any source. An estimated ratio less than or equal to 25 percent or greater than or equal to 75 percent, is flagged when the smaller of n^*p and n^* (1-p) is less than 8 times the VIF, where p is the percentage expressed as a fraction. Additionally, an estimated ratio is flagged when either the relative standard error or p/(1-p) times the relative standard error is greater than 30 percent.

Indicates a non-zero value too small to report.

-- Estimated mean not presented where sample size is less than 30 times the variance inflation factor (VIF), i.e., sample size less than 59 for VIF = 1.98.

Footnotes

- Respondents were asked the source of each food and beverage where it was obtained. **All Restaurants** include source coded as:"Restaurant with waiter/waitress", "Bar/tavern/lounge", "Restaurant no additional information", "Cafeteria NOT in a K-12 school", "Restaurant fast food/pizza", "Sport, recreation, or entertainment facility", or "Street vendor, vending truck".
- ² All Individuals include both individuals who reported and individuals who did not report at least one food/beverage item from All Restaurants.
- ³ All Restaurant Consumers include individuals who reported at least one food or beverage item from All Restaurants.
- ⁴ Non-consumers include individuals who did not report any food or beverage item from All Restaurants.
- ⁵ The weighted percentage of respondents in the income/age group who reported at least one food/beverage item from All Restaurants.
- ⁶ Percentages are estimated as a ratio of total nutrient intake from All Restaurants to total daily nutrient intake from all sources.
- ⁷ A new sampling methodology was implemented for NHANES 2011-2012 to oversample non-Hispanic non-black Asians in addition to the ongoing oversample of Hispanics, non-Hispanic blacks, low-income whites/others, and whites/others 80+ years.

Abbreviations

SE = standard error; RAE = retinol activity equivalents; DFE = dietary folate equivalents.

Notes Applicable to All Tables in Series: What We Eat in America, NHANES 2013-2014

Sample weights designed for dietary analysis were used to allow estimates representative of the U. S. population for the years of collection.

The statistics in this table are estimated from Day 1 dietary recall interviews conducted in the *What We Eat in America*, National Health and Nutrition Examination Survey (NHANES) 2013-2014. The 24-hour dietary recalls were conducted in-person, by trained interviewers, using the USDA 5-step Automated Multiple-Pass Method. Food intakes were coded and nutrient values were determined using the USDA Food and Nutrient Database for Dietary Studies 2013-2014 www.ars.usda.gov/nea/bhnrc/fsrg.

Intakes of nutrients and other dietary components are based on the consumption of food and beverages, including water, and do not include intake from supplements or medications.

The table includes data from individuals 2 years and over. Breast-fed children were excluded because breast milk was not quantified in dietary recall interviews.

Although alchohol data are collected for all individuals, estimates are not presented for age groups under 20 years due to extreme variability and/or inadequate sample size.

Suggested Citation

U.S. Department of Agriculture, Agricultural Research Service. 2016. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants, by Race/Ethnicity and Age, What We Eat in America, NHANES 2013-2014. Available: www.ars.usda.gov/nea/bhnrc/fsrg.