Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2015-2016

							F	o o d	e n	e r g	y						
						-All Indi	viduals	2			—All R	estauran	t Consu	mers ³ —	 .	Non-con	isumers 4
Race/ethnicity and age	Sample Size	Pero Repor	cent rting ⁵		otal ake	Intak All Res	e from taurants	Percentag All Rest			otal ake		e from taurants	Percentag All Rest			otal ake
(years)		%	(SE)	kcal	(SE)	kcal	(SE)	%	(SE)	kcal	(SE)	kcal	(SE)	%	(SE)	kcal	(SE)
Non-Hispanic White	e: 831	48	(2.1)	1881	(29.4)	417	(22.2)	22	(1.5)	2024	(75.7)	870	(57.0)	42	(2.0)	1750	(37.7)
2 - 19 20 and over	1711	52	(2.1) (2.3)	2109	(38.4) (24.9)	417 534	(32.3) (23.5)	22 25	(1.5) (1.1)	2269	(75.7) (39.7)	1036	(57.0) (27.0)	43 46	(2.0) (1.1)	1938	(31.4)
2 and over	2542	51	(1.9)	2063	(21.5)	511	(20.5)	25	(1.0)	2223	(35.1)	1005	(21.6)	45	(1.0)	1898	(28.8)
Non-Hispanic Black	::																
2 - 19	655	44	(2.7)	1886	(55.3)	389	(25.4)	21	(1.0)	2052	(44.5)	892	(49.5)	43	(2.3)	1757	(67.4)
20 and over	1060	53	(2.7)	2051	(35.9)	572	(35.3)	28	(1.6)	2240	(43.8)	1085	(38.4)	48	(1.5)	1840	(46.5)
2 and over	1715	50	(2.5)	2002	(32.1)	518	(29.8)	26	(1.3)	2191	(33.1)	1035	(29.9)	47	(1.2)	1812	(34.2)
Non-Hispanic Asian	7:																
2 - 19	227	50	(3.4)	1897	(54.7)	391	(24.8)	21	(1.7)	1909	(77.2)	787	(66.0)	41	(2.9)	1885	(92.0)
20 and over	521	50	(4.1)	1911	(40.6)	431	(48.0)	23	(2.4)	2042	(42.8)	867	(54.8)	42	(2.1)	1783	(58.3)
2 and over	748	50	(3.4)	1909	(38.2)	423	(41.3)	22	(2.1)	2016	(44.1)	852	(52.5)	42	(1.9)	1802	(55.8)
Hispanic:																	
2 - 19	989	48	(3.5)	1813	(39.9)	392	(34.4)	22	(1.8)	1952	(71.7)	817	(43.3)	42	(1.7)	1685	(37.6)
20 and over	1543	53	(2.2)	2179	(23.0)	569	(30.0)	26	(1.4)	2326	(42.1)	1079	(31.6)	46	(1.3)	2014	(35.7)
2 and over	2532	51	(2.5)	2053	(21.3)	508	(29.1)	25	(1.4)	2205	(42.8)	994	(20.0)	45	(1.1)	1894	(21.6)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2015-2016 (continued)

								Pr	o t e	i n							
				<u> </u>		-All Indi	viduals ²	2			—All R	estauran	t Consu	mers ³ —		Non-con	isumers 4
Race/ethnicity and age	Sample Size	Per Repor	cent rting ⁵		otal ake	Intak All Res	e from taurants	Percentag All Rest			otal ake		e from taurants	Percentag All Rest			otal ake
(years)		%	(SE)	g	(SE)	g	(SE)	%	(SE)	g	(SE)	g	(SE)	%	(SE)	g	(SE)
Non-Hispanic White 2 - 19	831	48 52	(2.1) (2.3)	67.1 82.0	(1.98) (1.51)	16.7 22.5	(1.61) (1.17)	25 27	(2.1) (1.3)	71.8 89.0	(3.58) (2.01)		(2.94) (1.58)	49 49	(2.6) (1.7)	62.8 74.6	(1.95) (1.32)
2 and over	2542	51	(1.9)	79.1	(1.42)	21.3	(1.10)	27	(1.2)	85.7	(1.88)	42.0	(1.54)	49	(1.7)	72.1	(1.25)
Non-Hispanic Black 2 - 19	655 1060 1715	44 53 50	(2.7) (2.7) (2.5)	77.2	(1.72) (1.33) (1.35)	23.5	(1.05) (1.57) (1.31)	23 30 28	(1.3) (1.7) (1.4)	68.1 82.1 78.4	(1.45) (1.84) (1.26)	44.6	(1.92) (1.54) (1.24) (3.51)	50 54 53	(2.9) (1.5) (1.2)	62.9 71.8 68.8	(2.30) (2.90) (2.29) (4.58)
20 and over	521	50	(4.1)		(1.51)		(2.27)	24	(2.6)	85.9	(2.36)	40.3		47	(2.1)	77.7	(2.74)
2 and over	748	50	(3.4)	80.5	(1.31)	19.4	(2.03)	24	(2.4)	84.2	(2.22)	39.0	(2.41)	46	(2.0)	76.9	(2.70)
Hispanic: 2 - 19	989 1543 2532	48 53 51	(3.5) (2.2) (2.5)	66.1 87.1 79.9	(1.28) (1.48) (1.21)	23.8	(1.35) (1.28) (1.22)	23 27 26	(1.9) (1.4) (1.4)	69.3 90.0 83.4	(2.18) (1.59) (1.60)	31.4 45.0 40.7	` /	45 50 49	(1.9) (1.5) (1.4)	63.2 83.9 76.3	(1.87) (2.15) (1.56)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2015-2016 (continued)

							C	arb	o h y	dra	t e						
						-All Indiv	iduals	2			—All R	estaurant	Consu	mers ³ —		Non-con	isumers 4
Race/ethnicity and age	Sample Size	Per Repor	cent ting ⁵	To Inta		Intake All Rest	e from taurants	Percentag All Rest			otal ake	Intake All Rest	e from taurants	Percentag All Rest			otal ake
(years)		%	(SE)	g	(SE)	g	(SE)	%	(SE)	g	(SE)	g	(SE)	%	(SE)	g	(SE)
Non-Hispanic White 2 - 19	e: 831 1711	48 52	(2.1) (2.3)	242 241	(4.6) (3.5)	48 53	(3.6) (2.1)	20 22	(1.4) (1.0)	260 255	(9.0) (5.6)	100 103	(6.5) (2.9)	38 41	(2.1) (1.1)	225 226	(4.3) (4.7)
2 and over	2542	51	(1.9)	241	(3.0)	52	(1.9)	22	(0.8)	256	(4.9)	103	(2.4)	40	(0.9)	225	(4.2)
Non-Hispanic Black	:																
2 - 19	655	44	(2.7)	246	(7.1)	43	(2.4)	18	(0.8)	262	(7.5)	99	(5.6)	38	(1.9)	234	(9.0)
20 and over	1060	53	(2.7)	241	(5.6)	58	(3.0)	24	(1.4)	257	(7.3)	110	(3.8)	43	(1.2)	222	(7.1)
2 and over	1715	50	(2.5)	242	(4.1)	54	(2.5)	22	(1.0)	258	(5.2)	107	(3.0)	41	(0.9)	226	(5.1)
Non-Hispanic Asian	1 ⁷ :																
2 - 19	227	50	(3.4)	244	(8.6)	44	(3.2)	18	(1.7)	231	(10.6)	88	(7.0)	38	(2.8)	257	(14.5)
20 and over	521	50	(4.1)	239	(5.2)	45	(4.6)	19	(1.9)	240	(6.0)	91	(5.9)	38	(2.0)	238	(6.6)
2 and over	748	50	(3.4)	240	(5.1)	45	(4.0)	19	(1.7)	238	(5.8)	90	(5.4)	38	(1.9)	241	(6.6)
Hispanic:																	
2 - 19	989	48	(3.5)	233	(4.8)	45	(4.0)	19	(1.6)	246	(7.8)	93	(5.3)	38	(1.5)	221	(5.6)
20 and over	1543	53	(2.2)	262	(4.2)	61	(3.3)	24	(1.4)	274	(6.8)	117	(3.3)	43	(1.3)	248	(4.5)
2 and over	2532	51	(2.5)	252	(3.3)	56	(3.2)	22	(1.3)	265	(5.7)	109	(2.0)	41	(0.9)	238	(2.8)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2015-2016 (continued)

							T	ota	l s ı	ıgaı	r s						
						-All Indiv	iduals	2			—All R	estaurant	Consu	mers ³ —		Non-con	sumers 4
Race/ethnicity and age	Sample Size	Pero Repor	cent ting ⁵	To Inta		Intake All Rest	e from aurants	Percentag All Rest		To Inta		Intake All Rest		Percentag All Rest	,	6 To Inta	
(years)		%	(SE)	g	(SE)	g	(SE)	%	(SE)	g	(SE)	g	(SE)	%	(SE)	g	(SE)
Non-Hispanic White 2 - 19	831 1711	48 52	(2.1) (2.3)	113 107	(3.1) (2.4)	18 18	(1.8) (0.8)	16 16	(1.4) (0.8)	119 110	(5.0) (3.7)	38 34	(3.6) (1.5)	32 31	(2.5) (1.3)	107 103	(3.2) (2.9)
2 and over	2542	51	(1.9)	108	(2.3)	18	(0.7)	16	(0.7)	112	(3.5)	35	(1.4)	31	(1.2)	104	(2.6)
Non-Hispanic Black	:																
2 - 19	655	44	(2.7)	110	(3.0)	14	(0.9)	13	(0.8)	114	(4.5)	32	(2.2)	28	(1.7)	106	(3.6)
20 and over	1060	53	(2.7)	107	(3.9)	20	(1.3)	18	(1.3)	112	(5.0)	37	(2.2)	34	(1.6)	102	(4.5)
2 and over	1715	50	(2.5)	108	(2.7)	18	(1.0)	17	(0.9)	112	(3.7)	36	(1.7)	32	(1.1)	104	(2.9)
Non-Hispanic Asian	7:																
2 - 19	227	50	(3.4)	93	(4.0)	12	(1.0)	13	(1.4)	86	(5.2)	25	(1.9)	29	(3.3)	100	(6.2)
20 and over	521	50	(4.1)	80	(2.3)	14	(1.9)	17	(2.4)	84	(3.1)	28	(2.2)	33	(2.5)	77	(2.7)
2 and over	748	50	(3.4)	83	(2.3)	14	(1.6)	16	(2.0)	84	(3.2)	27	(1.9)	32	(2.5)	81	(2.9)
Hispanic:																	
2 - 19	989	48	(3.5)	101	(3.0)	14	(1.6)	14	(1.4)	103	(4.8)	30	(2.8)	29	(2.0)	99	(2.6)
20 and over	1543	53	(2.2)	107	(2.5)	20	(1.4)	19	(1.3)	114	(4.2)	39	(1.6)	34	(1.6)	100	(2.1)
2 and over	2532	51	(2.5)	105	(2.1)	18	(1.2)	18	(1.1)	110	(3.6)	36	(1.3)	33	(0.8)	99	(1.4)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2015-2016 (continued)

							D	i e t a	r y	f i b	e r						
						-All Indi	viduals	2			—All R	estauran	t Consu	mers ³ —		Non-con	isumers 4
Race/ethnicity and age	Sample Size	Per Repor	cent rting ⁵		otal ake		e from taurants	Percentag All Rest			otal ake		e from taurants	Percentag All Rest			otal ake
(years)		%	(SE)	g	(SE)	g	(SE)	%	(SE)	g	(SE)	g	(SE)	%	(SE)	g	(SE)
Non-Hispanic White 2 - 19	e: 831 1711	48 52	(2.1) (2.3)	13.8 17.2	` /	2.5 3.7	(0.19) (0.21)	18 22	(1.5) (1.3)	13.8 17.4	(0.38) (0.55)	5.1 7.2	(0.36) (0.27)	37 41	(2.6) (1.5)	13.8 16.9	(0.41) (0.55)
2 and over	2542	51	(1.9)	16.5	(0.41)	3.5	(0.17)	21	(1.1)	16.8	(0.45)	6.8	(0.20)	41	(1.2)	16.3	(0.52)
Non-Hispanic Black 2 - 19 20 and over	655 650	44 53	(2.7) (2.7)	13.2 14.0	` /	2.3 3.5	(0.11) (0.19)	17 25	(1.1) (1.5)	13.1 14.5	(0.34) (0.42)	5.2 6.6	(0.30) (0.23)	40 45	(2.7) (1.7)	13.3 13.4	(0.83) (0.44)
2 and over	1715	50	(2.5)	13.7	(0.32)	3.1	(0.15)	23	(1.1)	14.1	(0.32)	6.2	(0.21)	44	(1.4)	13.4	(0.48)
Non-Hispanic Asian	7:																
2 - 19 20 and over 2 and over	227 521 748	50 50	(3.4) (4.1) (3.4)	15.0 19.5 18.6	` /	2.8 3.1 3.0	(0.33) (0.30) (0.29)	19 16 16	(2.7) (1.5) (1.5)	14.3 18.4 17.6	(1.13) (0.80) (0.77)	5.7 6.2 6.1	(0.71) (0.50) (0.45)	40 34 35	(4.0) (2.0) (1.9)	15.7 20.6 19.7	(1.33) (1.07) (0.98)
Hispanic: 2 - 19	989	48		14.6	, ,	2.7	(0.21)	18		14.7	(0.46)	5.6	, ,	38	, ,	14.5	(0.52)
2 - 19 20 and over	1543	53	(3.5) (2.2)	ı	(0.52)	4.1	(0.21)	21	(1.6) (1.3)	18.4	(0.48)	7.7	` /	42	(1.4) (1.1)	19.8	(0.81)
2 and over	2532	51	(2.5)	17.5	(0.39)	3.6	(0.19)	21	(1.3)	17.2	(0.37)	7.0	(0.13)	41	(0.9)	17.9	(0.61)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2015-2016 (continued)

								Tot	al	f a t							
						–All Indi	viduals	2			—All R	estauran	t Consu	mers ³ —		Non-con	isumers 4
Race/ethnicity and age	Sample Size	Per Repor	cent ting ⁵		otal ake		e from taurants	Percentag All Rest			otal ake		e from taurants	Percentag All Rest			otal ake
(years)		%	(SE)	g	(SE)	g	(SE)	%	(SE)	g	(SE)	g	(SE)	%	(SE)	g	(SE)
Non-Hispanic White 2 - 19 20 and over	e: 831 1711	48 52	(2.1) (2.3)	74.2 85.8	(1.88) (1.38)	17.9 24.5	(1.46) (1.24)	24 28	(1.7) (1.3)	79.3 94.1	(3.42) (2.13)	37.4 47.4	(2.60) (1.68)	47 50	(2.2) (1.4)	69.5 77.0	(2.11) (1.87)
2 and over	2542	51	(1.9)	83.5	(1.22)		(1.03)	28	(1.2)	91.3	(1.86)	45.5	(1.25)	50	(1.1)		(1.59)
Non-Hispanic Black 2 - 19	655	44	(2.7)	1	(2.74)		` ,	24	(1.4)	83.0	(2.03)	40.6	` /	49	(3.1)	65.4	(3.06)
20 and over	1060	53	(2.7)	Ì	(1.61)	27.0	, ,	33	(2.2)	91.8	(2.39)	51.2	`	56	(1.9)	70.1	(2.38)
2 and over	1715	50	(2.5)	79.0	(1.51)	24.3	(1.72)	31	(1.8)	89.5	(1.82)	48.5	(2.02)	54	(1.6)	68.5	(1.53)
Non-Hispanic Asian	⁷ :			Ì					Ì								
2 - 19	227	50	(3.4)	70.3	(2.12)	16.7	` ,	24	(1.8)		(3.90)	33.6	` ,	44	(3.0)	64.0	(3.08)
20 and over	521	50	(4.1)	69.1	(2.05)	18.1	(2.15)	26	(2.9)	79.9	(2.52)	36.5	(2.58)	46	(2.1)	58.5	(3.29)
2 and over	748	50	(3.4)	69.3	(1.85)	17.9	(1.77)	26	(2.5)	79.2	(2.57)	36.0	(2.41)	45	(1.9)	59.6	(3.03)
Hispanic:																	
2 - 19		48	(3.5)	70.5	(2.09)	17.2	(1.50)	24	(2.0)	78.9	(3.89)		(1.91)	45	(2.1)	62.8	(1.71)
20 and over	1543	53	(2.2)	83.7	(1.48)	24.6	(1.24)	29	(1.4)	91.4	(1.75)	46.7	(1.43)	51	(1.3)	75.1	(2.40)
2 and over	2532	51	(2.5)	79.2	(1.23)	22.1	(1.18)	28	(1.5)	87.4	(1.98)	43.2	(0.84)	49	(1.2)	70.6	(1.61)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2015-2016 (continued)

							S	atur	ate	d f	a t						
						-All Indi	viduals	2			—All R	estauran	t Consu	mers ³ —	N	lon-con	sumers 4
Race/ethnicity and age	Sample Size	Per Repor	cent ting ⁵		otal ake	Intak All Res	e from taurants	Percentag All Rest			otal ake		e from taurants	Percentag All Rest		To Inta	otal ake
(years)		%	(SE)	g	(SE)	g	(SE)	%	(SE)	g	(SE)	g	(SE)	%	(SE)	g	(SE)
Non-Hispanic White 2 - 19	831 1711 2542	48 52 51	(2.1) (2.3) (1.9)	26.8 28.4 28.1	, ,	6.3 7.9 7.6	(0.54) (0.38) (0.32)	24 28 27	(1.8) (1.3) (1.2)	28.3 30.8 30.3	(1.34) (0.72) (0.60)	13.2 15.3 14.9	(0.94) (0.55) (0.39)	47 50 49	(2.2) (1.3) (1.0)	25.5 25.9 25.8	(0.98) (0.72) (0.61)
Non-Hispanic Black 2 - 19 20 and over	655 1060	44 53	(2.7) (2.7)	24.2 25.5	(0.83) (0.64)	5.5 8.1	(0.40) (0.60)	23 32	(1.3) (2.1)	26.9 28.1	(0.62) (0.69)	12.7 15.4	(0.88) (0.69)	47 55	(3.2) (1.9)	22.2 22.5	(1.10) (0.94)
2 and over	1715	50	(2.5)	25.1	(0.52)	7.3	(0.46)	29	(1.5)	27.8	(0.51)	14.7	(0.51)	53	(1.5)	22.4	(0.65)
Non-Hispanic Asian	⁷ :								}								
2 - 19	227 521 748	50 50	(3.4) (4.1) (3.4)	24.0 20.9	(1.06) (0.62) (0.57)	5.3 6.0 5.9	(0.23) (0.75) (0.59)	22 29 27	(1.1) (3.2) (2.6)	26.0 24.5 24.8	(1.66) (0.89) (0.84)	10.7 12.0	(1.00) (0.94) (0.83)	41 49 48	(2.6) (2.3) (2.2)	22.0 17.2	(1.25) (0.85) (0.81)
Hispanic: 2 - 19	989 1543	48 53	(3.5) (2.2)	24.3 27.5	(0.76) (0.52)	5.7 8.1	(0.50) (0.38)	23 30	(1.9) (1.6)	27.0 30.2	(1.37) (0.61)	11.9 15.4	(0.66) (0.47)	44 51	(2.3) (1.4)	21.8 24.5	(0.54) (1.04)
2 and over	2532	51	(2.5)	į	(0.34)	7.3	(0.37)	28	(1.5)	29.2	(0.63)	14.3	(0.25)	49	(1.1)	23.5	(0.66)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2015-2016 (continued)

Monounsaturated fat −All Individuals ² −− -----All Restaurant Consumers ³ ----- Non-consumers ⁴ Race/ethnicity Sample Percent Total Intake from Percentages from 6 Total Intake from Percentages from 6 Total and age Size Reporting 5 Intake All Restaurants All Restaurants Intake All Restaurants All Restaurants Intake g (SE) (years) % (SE) g (SE) g (SE) % (SE) g (SE) % (SE) g (SE) **Non-Hispanic White:** 831 48 25.0 (0.67) 24 12.4 (0.97) 47 23.6 (0.76) 2 - 19..... (2.1)6.0 (0.53) (1.8)26.5 (1.26) (2.4)20 and over..... 1711 52 30.0 (0.49) 28 32.9 (0.82) 16.4 (0.59) 50 (2.3)8.4 (0.43) (1.3)(1.7)26.9 (0.71) 29.0 (0.44) 2 and over... 2542 51 (1.9)8.0 (0.36) 27 31.7 (0.74) 15.6 (0.46) 49 (1.3)26.2 (0.64) (1.2)Non-Hispanic Black: 14.3 (1.06) 2 - 19..... 655 (2.7)25.0 (1.13) 6.2 (0.61) 25 (1.6)28.6 (0.96) 50 (3.5)22.2 (1.12) 20 and over..... 1060 53 (2.7)28.8 (0.55) 9.6 (0.68) 33 (2.2)32.3 (0.86) 18.1 (0.88) 56 (2.1)24.9 (0.85)2 and over... 1715 50 (2.5)27.7 (0.56) 8.6 (0.62) 31 (1.8)31.4 (0.70) 17.1 (0.81) 55 (1.9)24.0 (0.56) Non-Hispanic Asian ⁷: 2 - 19..... 227 24.0 (0.63) 5.6 (0.45) 23 26.1 (1.30) 11.4 (1.19) 22.0 (1.07) 50 (3.4)(2.2)44 (3.4)521 25 45 21.4 (1.23) 50 25.1 (0.74) (2.8)28.8 (1.04) 12.9 (0.91) 20 and over..... (4.1)6.4 (0.78) (1.8)2 and over... 748 50 (3.4)24.9 (0.64) 6.2 (0.66) 25 (2.5)28.3 (1.04) 12.6 (0.88) (1.8)21.5 (1.13) **Hispanic:** 2 - 19..... 23.8 (0.78) 12.2 989 48 5.9 (0.53) 25 26.6 (1.36) (0.68)21.2 (0.69)(3.5)(2.1)46 (2.2)1543 29.3 (0.56) 8.4 (0.45) 31.8 (0.74) 16.0 (0.56) 50 26.4 (0.75) 20 and over..... (2.2)(1.5)(1.4)2532 2 and over... 51 (2.5)27.4 (0.53) 7.6 (0.43) 28 (1.5)30.2 (0.77) 14.8 (0.34) (1.4)24.5 (0.52)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2015-2016 (continued)

						Po	ly	unsa	tur	ate	e d 1	fat					
						-All Indi	viduals	2			—All R	estauran	t Consu	mers ³ —	<i>N</i>	lon-con	sumers 4
Race/ethnicity and age	Sample Size	Pero Repor	cent ting ⁵		otal ake		e from taurants	Percentag All Rest			otal ake		e from taurants	Percentag All Rest			otal ake
(years)		%	(SE)	g	(SE)	g	(SE)	%	(SE)	g	(SE)	g	(SE)	%	(SE)	g	(SE)
Non-Hispanic White	:			i					ı								
2 - 19	831	48	(2.1)	15.6	(0.39)	4.0	(0.32)	26	(1.9)	17.3	(0.79)	8.4	(0.60)	49	(2.5)	14.1	(0.40)
20 and over	1711	52	(2.3)	19.7	(0.44)	6.0	(0.35)	30	(1.4)	21.9	(0.71)	11.6	(0.48)	53	(1.7)	17.2	(0.50)
2 and over	2542	51	(1.9)	18.9	(0.38)	5.6	(0.28)	30	(1.2)	21.1	(0.60)	11.0	(0.36)	52	(1.3)	16.6	(0.41)
Non-Hispanic Black	:																
2 - 19	655	44	(2.7)	17.3	(0.69)	4.4	(0.35)	26	(1.5)	20.2	(0.74)	10.1	(0.63)	50	(2.9)	15.0	(0.69)
20 and over	1060	53	(2.7)	19.9	(0.44)	7.0	(0.60)	35	(2.6)	23.2	(0.84)	13.2	(0.85)	57	(2.2)	16.2	(0.58)
2 and over	1715	50	(2.5)	19.1	(0.42)	6.2	(0.50)	33	(2.2)	22.4	(0.63)	12.4	(0.62)	55	(1.8)	15.8	(0.35)
Non-Hispanic Asian	7.																
2 - 19	227	50	(3.4)	16.1	(0.57)	4.3	(0.42)	27	(2.9)	17.8	(1.17)	8.6	(1.01)	48	(4.0)	14.3	(0.95)
20 and over	521	50	(4.1)	16.8	(0.73)	4.1	` ,	25	(2.6)	19.2	(0.86)	8.3	(0.60)	43	(2.6)	14.3	(1.06)
2 and over	748	50	(3.4)	16.6	(0.66)	4.2	(0.35)	25	(2.3)	19.0	(0.81)	8.4	(0.57)	44	(2.3)	14.3	(1.00)
Hispanic:																	
2 - 19	989	48	(3.5)	15.9	(0.40)	4.1	(0.35)	26	(2.1)	18.0	(0.91)	8.6	(0.45)	48	(1.9)	14.0	(0.45)
20 and over	1543	53	(2.2)	18.8	(0.44)	5.8	(0.35)	31	(1.5)	20.7	(0.47)	11.0	(0.45)	53	(1.5)	16.7	(0.55)
2 and over	2532	51	(2.5)	17.8	(0.33)	5.2	(0.30)	29	(1.5)	19.8	(0.47)	10.2	(0.31)	51	(1.4)	15.7	(0.43)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2015-2016 (continued)

							(Chol	e s t	e r o	1						
						-All Indiv	viduals	2			—All R	estauran	t Consu	mers ³ —		Non-con	sumers 4
Race/ethnicity and age	Sample Size	Per Repor	cent		otal ake	Intake All Rest	e from taurants	Percentag All Rest			otal ake		e from taurants	Percentag All Rest			otal ake
(years)		%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)
Non-Hispanic White 2 - 19	831 1711	48 52	(2.1) (2.3)	216 291	(9.9) (7.0)	58 84	(7.7) (5.6)	27 29	(3.4) (1.6)	219 316	(15.7) (11.0)	121 163	(15.4) (11.3)	55 52	(4.0) (2.8)	213 265	(15.5) (7.6)
2 and over	2542	51	(1.9)	276	(6.1)	79	(5.0)	29	(1.6)	298	(9.0)	155	(9.6)	52	(2.5)	254	(7.4)
Non-Hispanic Black 2 - 19	655	44	(2.7)	224	(11.5)	54	(7.8)	24	(2.7)	245	(12.5)	124	(15.6)	51	(4.9)	208	(11.6)
20 and over	1060	53	(2.7)	303	(9.0)	95	(8.5)	31	(2.2)	318	(14.6)	180	(12.5)	56	(2.6)	286	(15.4)
2 and over	1715	50	(2.5)	280	(9.0)	83	(7.9)	30	(2.0)	299	(11.3)	165	(12.0)	55	(2.5)	260	(12.8)
Non-Hispanic Asian	⁷ :																
2 - 19	227	50	(3.4)	271	(10.4)	55	(6.2)	20	(2.3)	276	(17.0)	111	(14.8)	40	(4.7)	265	(18.2)
20 and over	521	50	(4.1)	269	(8.1)	73	(10.5)	27	(3.7)	291	(16.0)	146	(11.7)	50	(2.9)	246	(12.4)
2 and over	748	50	(3.4)	269	(6.1)	69	(9.5)	26	(3.3)	288	(13.0)	140	(12.2)	48	(3.0)	250	(11.6)
Hispanic:																	
2 - 19	989	48	(3.5)	236	(5.7)	48	(5.1)	20	(1.9)	241	(12.6)	100	(6.7)	42	(2.2)	232	(8.5)
20 and over	1543	53	(2.2)	349	(10.0)	93	(6.2)	27	(1.7)	360	(16.8)	176	(8.8)	49	(2.0)	336	(17.5)
2 and over	2532	51	(2.5)	310	(6.4)	78	(5.1)	25	(1.6)	322	(14.0)	152	(6.3)	47	(1.7)	298	(11.1)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2015-2016 (continued)

							V i t	a m i	n A	(R	A E)					
						-All Indi	viduals ²	2			—All R	estauran	t Consu	mers ³ —		Non-con	isumers 4
Race/ethnicity and age	Sample Size	Per Repor	cent ting ⁵		otal ake	Intako All Res	e from taurants	Percentag All Rest			otal ake		e from taurants	Percentag All Resi			otal ake
(years)		%	(SE)	μg	(SE)	μg	(SE)	%	(SE)	μg	(SE)	μg	(SE)	%	(SE)	μg	(SE)
Non-Hispanic White	831	48	(2.1)	621	(27.3)	80	(7.8)	13	(1.2)	602	(34.7)	167	(15.7)	28	(2.7)	638	(38.2)
20 and over	1711	52	(2.3)	657	(19.4)	117	(7.6)	18	(1.1)	646	(15.5)	226	(11.5)	35	(1.6)	669	(37.3)
2 and over	2542	51	(1.9)	650	(15.6)	109	(6.8)	17	(1.0)	638	(12.2)	215	(10.0)	34	(1.5)	663	(30.8)
Non-Hispanic Black	:								1								
2 - 19	655	44	(2.7)	517	(26.6)	58	(5.2)	11	(0.9)	479	(22.8)	133	(13.8)	28	(2.9)	547	(35.7)
20 and over	1060	53	(2.7)	543	(15.3)	104	(9.9)	19	(1.7)	511	(21.2)	197	(10.4)	39	(2.1)	579	(22.0)
2 and over	1715	50	(2.5)	535	(17.2)	90	(7.4)	17	(1.2)	502	(19.2)	181	(7.9)	36	(1.4)	568	(23.9)
Non-Hispanic Asian	⁷ :			1					}								
2 - 19		50	(3.4)	599	(51.5)	68	(5.6)	11	(1.0)	536	(70.3)	137	(11.5)	26	(2.7)	661	(45.9)
20 and over	521	50	(4.1)	670	(28.3)	107	(11.4)	16	(2.2)	595	(20.7)	216	(13.2)	36	(2.2)	744	(58.4)
2 and over	748	50	(3.4)	657	(28.7)	100	(9.4)	15	(1.9)	584	(17.8)	201	(11.8)	34	(2.1)	728	(53.1)
Hispanic:																	
2 - 19	989	48	(3.5)	537	(13.3)	69	(7.3)	13	(1.2)	518	(11.2)	144	(9.6)	28	(1.8)	555	(24.2)
20 and over	1543	53	(2.2)	556	(14.3)	112	(6.9)	20	(1.3)	564	(26.8)	213	(8.7)	38	(2.4)	546	(18.0)
2 and over	2532	51	(2.5)	549	(10.5)	97	(6.1)	18	(1.1)	549	(20.6)	191	(5.9)	35	(1.6)	549	(14.4)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2015-2016 (continued)

							В	e t a	c a r	o t e	n e						
						-All Indi	viduals ²	2			—All R	estauran	t Consu	mers ³ —		Non-coi	nsumers 4
Race/ethnicity and age	Sample Size	Per Repor	cent ting ⁵		otal ake	Intak All Res	e from taurants	Percentag All Rest			otal ake		e from taurants	Percentag All Rest			otal ake
(years)		%	(SE)	μg	(SE)	μg	(SE)	%	(SE)	μg	(SE)	μg	(SE)	%	(SE)	μg	(SE)
Non-Hispanic White 2 - 19	831 1711	48 52	(2.1) (2.3)	1	(131.2) (169.9)	163 449	(32.9) (56.4)	13 20	(2.5) (2.8)		(73.5) (130.3)	340 871	(72.7) (94.1)	31 46	(5.0) (4.1)		(229.7) (339.3)
2 and over	2542	51	(1.9)	2025	(146.1)	392	(46.2)	19	(2.4)	1758	(110.8)	771	(77.2)	44	(3.6)	2302	(275.1)
Non-Hispanic Black	:																
2 - 19	655	44	(2.7)	1212	(132.4)	112	(13.6)	9	(1.6)	1068	(150.7)	256	(40.6)	24	(6.1)	1323	(182.0)
20 and over	1060	53	(2.7)	2268	(157.7)	345	(58.7)	15	(2.5)	2117	(233.7)	653	(83.0)	31	(3.6)	2436	(194.9)
2 and over	1715	50	(2.5)	1954	(123.8)	276	(42.3)	14	(2.0)	1846	(183.1)	551	(64.9)	30	(2.6)	2063	(142.0)
Non-Hispanic Asian	7:																
2 - 19	227	50	(3.4)	1735	(186.7)	229	(48.7)	13	(3.2)	1571	(220.6)	461	(94.6)	29	(6.7)	1896	(222.7)
20 and over	521	50	(4.1)	1	(240.4)	508	(46.3)	12	(1.6)		(227.7)	1022	(79.0)	32	(3.0)		(500.1)
2 and over	748	50	(3.4)	3726	(197.4)	455	(42.0)	12	(1.5)	2887	(187.0)	916	(63.4)	32	(2.5)	4555	(442.6)
Hispanic:																	
2 - 19	989	48	(3.5)	990	(79.7)	156	(27.6)	16	(2.6)	961	(101.4)	324	(41.1)	34	(4.4)	1017	(86.2)
20 and over	1543	53	(2.2)	1659	(83.7)	353	(40.2)	21	(2.1)	1510	(68.1)	669	(61.6)	44	(2.6)	1825	(156.1)
2 and over	2532	51	(2.5)	1429	(81.9)	285	(35.1)	20	(2.1)	1333	(69.2)	558	(50.4)	42	(2.4)	1530	(129.0)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2015-2016 (continued)

								Lyo	сор	e n e							
						-All Indi	viduals	2			—All R	estauran	t Consu	mers ³ —		Non-cor	nsumers 4
Race/ethnicity and age	Sample Size	Per Repor	cent ting ⁵		otal ake		te from staurants	Percentag All Rest			otal ake		e from taurants	Percentag All Rest			otal ake
(years)		%	(SE)	μg	(SE)	μg	(SE)	%	(SE)	μg	(SE)	μg	(SE)	%	(SE)	μg	(SE)
Non-Hispanic White	e: 831	48	(2.1)	4224	(424.8)	861	(113.4)	20	(4.0)	4631	(602.8)	1798	(216.4)	39	(8.1)	3849	(405.9)
20 and over	1711	52	(2.3)	5449	(336.4)	1589	(160.3)	29	(3.1)	5488	(368.5)		(301.8)	56	(3.6)		(745.1)
2 and over	2542	51	(1.9)	5205	(317.3)	1444	(133.1)	28	(2.8)	5327	(317.1)	2841	(246.1)	53	(3.1)	5078	(632.7)
Non-Hispanic Black	:			ŀ					}								
2 - 19	655	44	(2.7)	4461	(372.0)	943	(75.5)	21	(2.6)	4449	(279.2)	2161	(217.5)	49	(6.5)	4470	(656.8)
20 and over	1060	53	(2.7)	3884	(262.2)	1053	(68.8)	27	(1.8)	3772	(256.7)	1996	(102.5)	53	(3.9)	4009	(447.5)
2 and over	1715	50	(2.5)	4055	(233.5)	1021	(42.0)	25	(1.3)	3947	(203.7)	2039	(91.7)	52	(3.9)	4163	(368.3)
Non-Hispanic Asian	7.																
2 - 19	227	50	(3.4)	3337	(220.1)	1073	(203.7)	32	(6.5)	3490	(409.0)	2162	(336.7)	62	(5.9)	3186	(496.6)
20 and over	521	50	(4.1)		(280.3)		(236.3)	29	(5.9)		(468.4)		(381.9)	50	(4.6)		(589.6)
2 and over	748	50	(3.4)	4134	(257.4)	1215	(206.9)	29	(5.4)	4719	(419.7)	2447	(335.3)	52	(4.1)	3558	(510.1)
Hispanic:																	
2 - 19		48	(3.5)	4336	(241.7)	1209	(131.4)	28	(2.7)	4922	(321.8)	2521	(183.7)	51	(3.1)	3794	(417.8)
20 and over	1543	53	(2.2)	5133	(281.2)	1651	(121.7)	32	(1.7)	5600	(374.3)	3130	(211.8)	56	(2.4)	4613	(248.0)
2 and over	2532	51	(2.5)	4859	(177.4)	1499	(97.4)	31	(1.7)	5381	(250.4)	2934	(153.4)	55	(1.4)	4314	(205.4)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2015-2016 (continued)

						Th	i a m	i n				
					-All Individuals	2		All R	estaurant Consu	mers ³ —		Non-consumers ⁴
Race/ethnicity and age	Sample Size	Per Repor	cent ting ⁵	Total Intake	Intake from All Restaurants	Percentag All Rest		Total Intake	Intake from All Restaurants	Percentag All Rest		Total Intake
(years)		%	(SE)	mg (SE)	mg (SE)	%	(SE)	mg (SE)	mg (SE)	%	(SE)	mg (SE)
Non-Hispanic White	۸•			I			ı					
2 - 19	831	48	(2.1)	1.53 (0.034)	0.30 (0.028)	20	(1.6)	1.62 (0.067)	0.63 (0.047)	39	(2.6)	1.46 (0.047)
20 and over	1711	52	(2.3)	1.59 (0.023)	0.38 (0.020)	24	(1.2)	1.70 (0.043)	0.73 (0.031)	43	(1.3)	1.48 (0.031)
2 and over	2542	51	(1.9)	1.58 (0.023)	0.36 (0.017)	23	(1.0)	1.68 (0.041)	0.71 (0.026)	42	(1.2)	1.47 (0.027)
Non-Hispanic Black	:											
2 - 19	655	44	(2.7)	1.51 (0.063)	0.28 (0.015)	19	(1.0)	1.55 (0.057)	0.64 (0.046)	41	(2.5)	1.47 (0.085)
20 and over	1060	53	(2.7)	1.42 (0.038)	0.36 (0.018)	25	(1.2)	1.45 (0.039)	0.68 (0.020)	47	(1.1)	1.38 (0.049)
2 and over	1715	50	(2.5)	1.45 (0.036)	0.33 (0.013)	23	(0.9)	1.48 (0.030)	0.67 (0.018)	45	(1.0)	1.41 (0.053)
Non-Hispanic Asian	⁷ :											
2 - 19	227	50	(3.4)	1.59 (0.052)	0.28 (0.024)	18	(1.7)	1.54 (0.068)	0.57 (0.041)	37	(2.6)	1.63 (0.085)
20 and over	521	50	(4.1)	1.66 (0.033)	0.33 (0.036)	20	(2.1)	1.63 (0.050)	0.66 (0.045)	41	(2.2)	1.68 (0.043)
2 and over	748	50	(3.4)	1.64 (0.031)	0.32 (0.031)	20	(1.9)	1.61 (0.039)	0.65 (0.040)	40	(2.0)	1.67 (0.040)
Hispanic:												
2 - 19	989	48	(3.5)	1.48 (0.030)	0.30 (0.027)	20	(1.7)	1.52 (0.034)	0.62 (0.026)	41	(1.4)	1.45 (0.043)
20 and over	1543	53	(2.2)	1.61 (0.031)	0.41 (0.020)	25	(1.3)	1.68 (0.055)	0.78 (0.034)	46	(2.0)	1.54 (0.033)
2 and over	2532	51	(2.5)	1.57 (0.026)	0.37 (0.021)	24	(1.3)	1.62 (0.039)	0.72 (0.025)	45	(1.5)	1.51 (0.027)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2015-2016 (continued)

							Rib	ofla	vii	1						
					—All Indiv	iduals ²	2			—All R	estauran	t Consu	mers ³ —		Non-coi	nsumers 4
Race/ethnicity and age	Sample Size	Pero Repor	cent ting ⁵	Total Intake	Intake All Rest		Percentag All Rest		To Inta			e from taurants	Percentag All Rest			otal ake
(years)		%	(SE)	mg (SI	d) mg	(SE)	%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)
Non-Hispanic White				l				I								
2 - 19	831	48	(2.1)	1.97 (0.073	,	(0.033)	17	(1.6)		(0.112)		(0.062)	34	(3.1)		(0.078)
20 and over	1711	52	(2.3)	2.27 (0.03)	0.44	(0.020)	19	(0.9)	2.38	(0.045)	0.86	(0.025)	36	(1.1)	2.16	(0.041)
2 and over	2542	51	(1.9)	2.21 (0.03	0.42	(0.018)	19	(0.9)	2.32	(0.042)	0.83	(0.023)	36	(1.0)	2.11	(0.047)
Non-Hispanic Black	:															
2 - 19	655	44	(2.7)	1.75 (0.076	0.27	(0.023)	15	(1.0)	1.72	(0.092)	0.61	(0.059)	36	(2.5)	1.77	(0.074)
20 and over	1060	53	(2.7)	1.72 (0.05	0.42	(0.030)	25	(1.2)	1.79	(0.059)	0.81	(0.036)	45	(1.4)	1.64	(0.062)
2 and over	1715	50	(2.5)	1.73 (0.050	0.38	(0.023)	22	(1.0)	1.77	(0.053)	0.76	(0.030)	43	(1.2)	1.68	(0.062)
Non-Hispanic Asian	7:															
2 - 19	227	50	(3.4)	1.94 (0.11)	0.28	(0.017)	14	(1.6)	1.84	(0.142)	0.56	(0.042)	31	(3.9)	2.05	(0.130)
20 and over	521	50	(4.1)	1.82 (0.05	0.37	(0.047)	20	(2.8)	1.89	(0.040)	0.75	(0.051)	40	(2.7)	1.74	(0.095)
2 and over	748	50	(3.4)	1.84 (0.06)	0.35	(0.041)	19	(2.4)	1.88	(0.045)	0.71	(0.048)	38	(2.8)	1.80	(0.097)
Hispanic:								}								
2 - 19	989	48	(3.5)	1.82 (0.03	0.29	(0.024)	16	(1.2)	1.78	(0.056)	0.60	(0.042)	34	(1.8)	1.85	(0.065)
20 and over	1543	53	(2.2)	2.10 (0.03)	0.46	(0.028)	22	(1.2)	2.24	(0.090)	0.88	(0.034)	39	(1.8)	1.95	(0.047)
2 and over	2532	51	(2.5)	2.01 (0.030	0.40	(0.023)	20	(1.1)	2.09	(0.069)	0.79	(0.023)	38	(1.2)	1.91	(0.030)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2015-2016 (continued)

								N	i a c i	n							
						-All Indi	viduals	2			—All R	estauran	t Consu	mers ³ —		Non-con	sumers 4
Race/ethnicity and age	Sample Size	Per Repor	cent		otal ake		e from taurants	Percentag All Rest			otal ake		e from taurants	Percentag All Rest		To Inta	otal ake
(years)		%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)
Non-Hispanic White	۸•			ı					ı						I		
2 - 19	831	48	(2.1)	21.4	(0.65)	4.9	(0.46)	23	(1.9)	23.4	(1.24)	10.2	(0.84)	44	(2.9)	19.6	(0.66)
20 and over	1711	52	(2.3)	ı	(0.64)	6.5	(0.38)	25	(1.2)	28.3	(0.74)	12.6	(0.42)	45	(1.1)	23.6	(0.66)
2 and over	2542	51	(1.9)	25.1	(0.56)	6.2	(0.34)	25	(1.1)	27.4	(0.70)	12.2	(0.42)	44	(1.0)	22.8	(0.58)
Non-Hispanic Black	:																
2 - 19	655	44	(2.7)	21.8	(0.69)	4.6	(0.28)	21	(1.1)	23.0	(0.76)	10.6	(0.56)	46	(2.2)	20.8	(0.89)
20 and over	1060	53	(2.7)	24.8	(0.53)	6.9	(0.43)	28	(1.6)	26.5	(0.57)	13.2	(0.39)	50	(1.3)	22.9	(0.97)
2 and over	1715	50	(2.5)	23.9	(0.50)	6.3	(0.35)	26	(1.4)	25.6	(0.42)	12.5	(0.28)	49	(1.0)	22.2	(0.81)
Non-Hispanic Asian	7:																
2 - 19	227	50	(3.4)	22.0	(0.69)	5.0	(0.57)	23	(2.8)	22.8	(1.40)	10.0	(1.24)	44	(4.5)	21.2	(1.25)
20 and over	521	50	(4.1)	1	(0.55)		` ′	23	(2.3)	25.1	(0.85)	11.2	(0.62)	45	(1.5)	23.3	(0.84)
2 and over	748	50	(3.4)	23.8	(0.47)	5.5	(0.54)	23	(2.2)	24.6	(0.86)	11.0	(0.64)	45	(1.4)	22.9	(0.74)
Hispanic:																	
2 - 19	989	48	(3.5)	20.8	(0.48)	4.8	(0.43)	23	(1.9)	22.1	(0.65)	10.0	(0.47)	45	(1.7)	19.6	(0.69)
20 and over	1543	53	(2.2)	27.1	` /		` ′	26	(1.3)	29.5	(0.88)	13.4	(0.48)	45	(1.2)	24.5	(0.75)
2 and over	2532	51	(2.5)	25.0	(0.50)	6.3	(0.40)	25	(1.3)	27.1	(0.70)	12.3	(0.37)	45	(1.1)	22.7	(0.59)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2015-2016 (continued)

								Vita	miı	n B	6						
						-All Indiv	viduals ²	2			—All R	estauran	t Consu	mers ³ —		Non-coi	nsumers 4
Race/ethnicity and age	Sample Size	Per Repor	cent rting ⁵	Tot Inta		Intake All Res	e from taurants	Percentag All Rest			otal ake		e from taurants	Percentag All Rest			otal ake
(years)		%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)
Non-Hispanic White		40	(2.4)	1.60	(0.0.50)	0.20	(0.00 5)	1.0		1.72	(0.10.1)	0.57	(0.050)	22	(2.5)	1.66	(0.0.50)
2 - 19 20 and over	831 1711	48 52	(2.1) (2.3)	1.69 (2.15 (,		(0.027) (0.022)	16 19	(1.4) (1.0)		(0.104) (0.079)		(0.052) (0.023)	33 35	(2.7) (1.1)		(0.063) (0.063)
2 and over	2542	51	(1.9)	2.06 ((0.052)	0.38	(0.021)	18	(0.9)	2.13	(0.069)	0.75	(0.023)	35	(1.0)	1.98	(0.048)
Non-Hispanic Black	:															}	
2 - 19	655	44	(2.7)	1.63 ((0.057)	0.22	(0.021)	14	(1.3)	1.54	(0.075)	0.51	(0.030)	33	(1.9)		(0.068)
20 and over	1060	53	(2.7)	1.98 ((0.047)	0.43	(0.033)	22	(1.7)	1.97	(0.055)	0.81	(0.033)	41	(1.6)	1.99	(0.112)
2 and over	1715	50	(2.5)	1.87 ((0.044)	0.37	(0.028)	20	(1.5)	1.86	(0.039)	0.73	(0.027)	39	(1.4)	1.89	(0.085)
Non-Hispanic Asian	7:																
2 - 19	227	50	(3.4)	1.81 ((0.085)	0.29	(0.048)	16	(2.9)	1.65	(0.112)	0.59	(0.102)	36	(5.6)	1.97	(0.139)
20 and over	521	50	(4.1)	1.99 ((0.040)	18	(2.1)		(0.053)		(0.045)	39	(1.8)		(0.082)
2 and over	748	50	(3.4)	1.96 ((0.051)	0.35	(0.039)	18	(2.1)	1.86	(0.054)	0.71	(0.049)	38	(2.1)	2.06	(0.078)
Hispanic:																	
2 - 19	989	48	(3.5)	1.66 ((0.046)	0.25	(0.024)	15	(1.3)	1.65	(0.067)	0.52	(0.032)	31	(1.7)	1.67	(0.068)
20 and over	1543	53	(2.2)	2.18 ((0.039)	0.43	(0.028)	20	(1.4)	2.31	(0.090)	0.82	(0.036)	36	(1.8)	2.04	(0.080)
2 and over	2532	51	(2.5)	2.00 ((0.035)	0.37	(0.026)	18	(1.3)	2.10	(0.076)	0.72	(0.029)	35	(1.4)	1.91	(0.057)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2015-2016 (continued)

							F	olat	t e (D F	E)						
						-All Indiv	riduals	2			—All R	estauran	t Consu	mers ³ —	 .	Non-con	isumers 4
Race/ethnicity and age	Sample Size	Per Repor	cent		otal ake	Intake All Rest	from aurants	Percentag All Rest			otal ake		e from taurants	Percentag All Rest			otal ake
(years)		%	(SE)	μg	(SE)	μg	(SE)	%	(SE)	μg	(SE)	μg	(SE)	%	(SE)	μg	(SE)
Non-Hispanic White 2 - 19	e: 831 1711	48 52	(2.1) (2.3)	499 515	(15.7) (12.4)	89 110	(7.4) (7.0)	18 21	(1.5) (1.2)	522 555	(30.1) (17.7)	185 213	(12.5) (9.5)	36 38	(2.6) (1.3)	478 473	(20.0) (9.5)
2 and over	2542	51	(1.9)	512	(10.9)	105	(5.9)	21	(1.0)	549	(16.4)	207	(8.2)	38	(1.2)	474	(8.4)
Non-Hispanic Black 2 - 19 20 and over	: 655 1060	44 53	(2.7) (2.7)	499 453	(27.1) (17.8)	86 108	(4.4) (4.8)	17 24	(1.1) (1.0)	517 450	(27.8) (18.2)	197 204	(16.3) (7.6)	38 45	(3.4) (1.7)	486 456	(33.5) (25.9)
2 and over	1715	50	(2.5)	467	(15.1)	101	(3.5)	22	(0.7)	468	(12.5)	202	(8.2)	43	(1.7)	466	(23.3)
Non-Hispanic Asian 2 - 19	⁷ : 227	50	(3.4)	528	(29.0)	87	(7.5)	16	(1.9)	486	(32.9)	175	(15.6)	36	(3.6)	569	(35.8)
20 and over	521	50	(4.1)	564	(18.6)	96	(9.4)	17	(1.7)	533	(20.7)	193	(13.5)	36	(2.2)	595	(25.5)
2 and over	748	50	(3.4)	557	(17.6)	94	(8.3)	17	(1.5)	524	(18.7)	189	(12.5)	36	(2.1)	590	(23.9)
Hispanic: 2 - 19 20 and over	989 1543	48 53	(3.5) (2.2)	495 525	(12.5) (11.5)	89 124	(8.0) (7.1)	18 24	(1.5) (1.4)	494 538	(12.6) (18.9)	185 235	(8.7) (9.7)	37 44	(1.3) (2.0)	496 510	(19.4) (12.3)
2 and over	2532	51	(2.5)	515	(10.3)	112	(6.9)	22	(1.3)	524	(13.1)	219	(7.2)	42	(1.5)	505	(11.9)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2015-2016 (continued)

								C h	o l i	n e							
						-All Indiv	riduals	2			—All R	estauran	t Consu	mers ³ —		Non-con	isumers 4
Race/ethnicity and age	Sample Size	Pero Repor	cent rting ⁵		otal ake	Intake All Rest		Percentag All Rest			otal ake		e from taurants	Percentag All Resi		6 To	otal ake
(years)		%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)
Non-Hispanic White 2 - 19 20 and over	e: 831 1711	48 52	(2.1) (2.3)	244 338	(10.3) (6.1)	53 84	(5.9) (4.4)	22 25	(2.3) (1.2)	247 358	(15.6) (8.8)	110 164	(11.5) (8.8)	44 46	(3.2) (2.1)	242	(12.5) (7.2)
2 and over	2542	51	(1.9)	320	(5.8)	78	(3.8)	24	(1.2)	337	(7.1)	153	(7.3)	46	(1.9)	301	(7.6)
Non-Hispanic Black 2 - 19 20 and over	: 655 1060	44 53	(2.7) (2.7)	236 316	(7.9) (7.1)	49 88	(5.2) (6.6)	21 28	(1.8) (1.6)	243 329	(7.6) (6.5)	111 168	(9.7) (8.0)	46 51	(3.5) (1.7)	231 303	(8.8) (12.3)
2 and over	1715	50	(2.5)	293	(7.3)	77	(5.9)	26	(1.5)	307	(5.3)	153	(7.5)	50	(1.8)	279	(10.8)
Non-Hispanic Asian	7.			;					,							}	
2 - 19 20 and over	227 521	50 50	(3.4) (4.1)	304 329	(9.2) (6.4)	58 74	(8.3) (9.1)	19 23	(2.7) (2.8)	298 336	(14.7) (11.5)	117 149	(18.3) (8.8)	39 44	(5.0) (2.5)	311 321	(14.6) (11.8)
2 and over	748	50	(3.4)	324	(5.4)	71	(8.8)	22	(2.7)	329	(9.3)	143	(10.5)	43	(2.6)	319	(11.7)
Hispanic: 2 - 19	989 1543	48 53	(3.5) (2.2)	256 358	(4.4) (5.9)	47 87	(4.2) (5.4)	18 24	(1.5) (1.4)	256 364	(8.9) (11.6)	98 165	(5.3) (6.7)	38 45	(1.8) (1.9)	256 351	(8.0) (9.5)
2 and over	2532	51	(2.5)	323	(3.8)	73	(4.6)	23	(1.3)	329	(10.1)	143	(4.7)	44	(1.6)	316	(7.3)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2015-2016 (continued)

						Vita	m i n	B 1 2				
					-All Individuals	, 2		All R	estaurant Consu	mers ³ —		Non-consumers ⁴
Race/ethnicity and age	Sample Size	Per Repor	cent ting ⁵	Total Intake	Intake from All Restaurant	Percentag All Res		Total Intake	Intake from All Restaurants	Percentage All Resta		⁶ Total Intake
(years)		%	(SE)	μg (SE)	μg (SE)	%	(SE)	μg (SE)	μg (SE)	%	(SE)	μg (SE)
Non-Hispanic White	e: 831	48	(2.1)	4.67 (0.223)	0.71 (0.071)	15	(1.2)	4.69 (0.362)	1.48 (0.128)	32	(2.5)	4.65 (0.248)
20 and over	1711	52	(2.3)	5.11 (0.139)	1.17 (0.124)		(2.2)	5.72 (0.248)	2.28 (0.261)	40	(3.6)	4.46 (0.099)
2 and over	2542	51	(1.9)	5.02 (0.131)	1.08 (0.099)	22	(1.8)	5.53 (0.222)	2.13 (0.210)	39	(3.0)	4.50 (0.101)
Non-Hispanic Black	:						ł					
2 - 19	655	44	(2.7)	4.07 (0.174)	0.62 (0.054)		(1.6)	3.84 (0.197)	1.43 (0.085)	37	(2.9)	4.24 (0.232)
20 and over	1060	53	(2.7)	4.32 (0.103)	1.05 (0.078)	24	(1.5)	4.24 (0.186)	1.99 (0.101)	47	(2.5)	4.41 (0.308)
2 and over	1715	50	(2.5)	4.24 (0.106)	0.92 (0.058)	22	(1.2)	4.13 (0.128)	1.84 (0.075)	45	(1.8)	4.35 (0.248)
Non-Hispanic Asian	⁷ :											
2 - 19		50	(3.4)	4.67 (0.326)	0.74 (0.067)	16	(2.0)	4.74 (0.478)	1.48 (0.172)	31	(4.6)	4.61 (0.295)
20 and over	521	50	(4.1)	4.11 (0.178)	0.99 (0.140)	24	(3.7)	4.11 (0.214)	2.00 (0.198)	49	(3.8)	4.10 (0.269)
2 and over	748	50	(3.4)	4.21 (0.147)	0.94 (0.122)	22	(3.2)	4.23 (0.197)	1.90 (0.180)	45	(4.0)	4.19 (0.225)
Hispanic:												
2 - 19	989	48	(3.5)	4.43 (0.133)	0.66 (0.054)	15	(1.1)	4.30 (0.133)	1.38 (0.065)	32	(1.2)	4.55 (0.241)
20 and over	1543	53	(2.2)	4.87 (0.107)	1.15 (0.073)	24	(1.3)	5.36 (0.207)	2.18 (0.094)	41	(1.7)	4.31 (0.186)
2 and over	2532	51	(2.5)	4.72 (0.080)	0.98 (0.060)	21	(1.2)	5.02 (0.155)	1.92 (0.075)	38	(1.2)	4.40 (0.125)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2015-2016 (continued)

								Vit	a m i	n C							
						-All Indi	viduals	2			—All R	estauran	t Consu	mers ³ —	 .	Non-con	sumers 4
Race/ethnicity and age	Sample Size	Per Repor	cent		otal ake	Intak All Res	e from taurants	Percentag All Resta			otal ake		e from taurants	Percentag All Rest		To Inta	
(years)		%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)
Non-Hispanic White	7•			ı					1						ı		
2 - 19	831	48	(2.1)	58.3	(3.87)	6.3	(1.36)	11	(1.9)	52.8	(5.65)	13.2	(2.90)	25	(3.9)	63.4	(3.34)
20 and over	1711	52	(2.3)	76.3	(3.30)	11.0	(1.03)	14	(1.3)	74.1	(4.51)	21.3	(1.50)	29	(1.9)		(3.96)
2 and over	2542	51	(1.9)	72.7	(3.09)	10.0	(1.01)	14	(1.2)	70.1	(4.18)	19.8	(1.60)	28	(1.8)	75.4	(3.19)
Non-Hispanic Black	:																
2 - 19	655	44	(2.7)	82.4	(2.86)	6.6	(1.10)	8	(1.2)	77.5	(6.43)	15.2	(1.87)	20	(1.0)	86.2	(4.67)
20 and over	1060	53	(2.7)	81.6	(4.04)	14.4	(1.54)	18	(1.8)	84.2	(5.66)	27.4	(2.04)	33	(2.5)	78.7	(3.28)
2 and over	1715	50	(2.5)	81.9	(3.02)	12.1	(1.29)	15	(1.5)	82.5	(4.50)	24.2	(1.68)	29	(1.8)	81.2	(2.85)
Non-Hispanic Asian	7.								}								
2 - 19	227	50	(3.4)	73.1	(4.99)	5.2	(0.53)	7*	(0.9)	64.7	(5.99)	10.4	(1.03)	16*	(1.2)	81.5	(6.31)
20 and over	521	50	(4.1)	101.0	` ,		(1.55)	13	(1.8)	84.7	` ,		(2.87)	31	(2.4)	117.0	` ,
2 and over	748	50	(3.4)	95.7	(4.99)	11.5	(1.30)	12	(1.5)	80.9	(4.11)	23.1	(2.40)	29	(2.1)	110.3	(8.54)
Hispanic:																	
2 - 19	989	48	(3.5)	74.4	(3.36)	6.0	(0.72)	8	(1.1)	69.9	(3.72)	12.6	(1.07)	18	(1.7)	78.6	(3.90)
20 and over	1543	53	(2.2)	82.5	(3.30)	11.7	(1.30)	14	(1.6)	74.9	(3.39)		(1.97)	30	(2.4)		(3.81)
2 and over	2532	51	(2.5)	79.7	(3.07)	9.8	(1.02)	12	(1.3)	73.2	(3.10)	19.1	(1.32)	26	(1.8)	86.5	(3.29)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2015-2016 (continued)

								Vit	a m i	n D)						
						-All Indi	viduals	2			—All R	estauran	t Consu	mers ³ —		Non-con	nsumers 4
Race/ethnicity and age	and age Size Reporting						e from taurants	Percentag All Resta			otal ake		e from taurants	Percentag All Resta			otal ake
(years)		%	(SE)	μg	(SE)	μg	(SE)	%	(SE)	μg	(SE)	μg	(SE)	%	(SE)	μg	(SE)
Non-Hispanic White	<u>،</u>			I					1							I	
2 - 19	831	48	(2.1)	5.4	(0.37)	0.4	(0.07)	7	(1.3)	4.9	(0.42)	0.8	(0.12)	17	(2.9)	5.8	(0.43)
20 and over	1711	52	(2.3)	4.8	` /	0.7	(0.10)	15	(2.0)	5.0	(0.31)	1.4	` ,	28	(2.7)	4.6	(0.23)
2 and over	2542	51	(1.9)	4.9	(0.23)	0.7	(0.08)	13	(1.6)	5.0	(0.28)	1.3	(0.12)	26	(2.4)	4.8	(0.24)
Non-Hispanic Black	:																
2 - 19	655	44	(2.7)	4.5	(0.21)	0.3	(0.04)	7	(1.0)	3.7	(0.29)	0.7	(0.09)	18	(2.7)	5.0	(0.21)
20 and over	1060	53	(2.7)	3.9	(0.15)	0.6	(0.10)	16	(2.2)	3.6	(0.14)	1.2	(0.15)	34	(4.6)	4.3	(0.39)
2 and over	1715	50	(2.5)	4.1	(0.15)	0.5	(0.08)	13	(1.6)	3.6	(0.13)	1.1	(0.12)	30	(3.2)	4.5	(0.28)
Non-Hispanic Asian	7:																
2 - 19	227	50	(3.4)	6.2	(0.30)	0.4	(0.08)	7*	(1.6)	5.6	(0.39)	0.9	(0.18)	15*	(4.1)	6.8	(0.38)
20 and over	521	50	(4.1)	4.9	(0.26)	1.0	(0.12)	20	(2.6)	4.8	(0.21)	1.9	(0.21)	41	(4.0)	5.1	(0.41)
2 and over	748	50	(3.4)	5.2	(0.22)	0.9	(0.11)	17	(2.2)	4.9	(0.19)	1.7	(0.19)	35	(3.9)	5.4	(0.34)
Hispanic:																	
2 - 19	989	48	(3.5)	5.3	(0.19)	0.4	(0.06)	7	(1.1)	4.6	(0.13)	0.8	(0.11)	17	(2.2)	6.1	(0.40)
20 and over	1543	53	(2.2)	4.7	(0.16)	0.7	(0.07)	15	(1.2)	4.6	(0.26)	1.3	(0.10)	29	(2.5)	4.8	(0.23)
2 and over	2532	51	(2.5)	4.9	(0.10)	0.6	(0.05)	12	(1.0)	4.6	(0.19)	1.2	(0.08)	25	(1.8)	5.3	(0.16)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2015-2016 (continued)

Vitamin E (alphatocopherol) -All Individuals 2 ---------All Restaurant Consumers ³ -----Non-consumers⁴ Race/ethnicity Sample Percent Total Intake from Percentages from ⁶ Total Intake from Percentages from 6 Total and age Size Reporting 5 Intake All Restaurants All Restaurants Intake All Restaurants All Restaurants Intake mg (SE) (SE) mg (SE) (years) % (SE) mg (SE) % (SE) mg % (SE) mg (SE) **Non-Hispanic White:** 831 48 7.3 1.3 (0.09) 18 7.6 (0.41) 2.7 (0.16)35 7.0 (0.34)2 - 19..... (2.1)(0.18)(1.4)(2.7)20 and over..... 39 1711 52 9.6 (0.33) 2.1 (0.12) 22 10.4 (0.48) 4.0 (0.13) 8.8 (0.28) (2.3)(1.0)(1.3)2 and over... 2542 51 (1.9)9.1 (0.30) 1.9 (0.11) 21 (0.9)9.9 (0.41) 3.8 (0.12) 39 8.4 (0.28) (1.1)Non-Hispanic Black: 2 - 19..... 655 (2.7)7.2 (0.38) 1.3 (0.12) 18 (1.4)7.8 (0.37) 2.9 (0.25)38 (3.4)6.8 (0.43) 20 and over..... 1060 53 (2.7)8.4 (0.27) 2.2 (0.16) 26 (1.8)9.0 (0.35) 4.2 (0.23) 46 (2.3)7.8 (0.40) 2 and over... 1715 50 (2.5)8.1 (0.25) 1.9 (0.14) 24 (1.5)8.7 (0.25) 3.8 (0.19) 44 (1.9)7.4(0.34)Non-Hispanic Asian ⁷: 2 - 19..... 227 7.5 (0.27) 1.4 (0.14) 18 2.7 50 (3.4)(2.0)7.2 (0.44) (0.32)38 (4.3)7.9 (0.40)521 8.7 (0.38) 19 8.3 (0.59) 50 1.7 (0.18) (2.2)9.1 (0.37) 3.3 (0.24) 36 20 and over..... (4.1)(2.2)2 and over... 748 50 (3.4)8.5 (0.33) 1.6 (0.15) 19 (2.0)8.8 (0.37) 3.2 (0.23) (2.0)8.2 (0.47) **Hispanic:** 2 - 19..... 2.8 989 48 6.8 1.3 (0.13) 19 7.6 (0.42) (0.16)37 6.1 (3.5)(0.25)(1.6)(1.8)(0.22)1543 8.3 2.0 (0.12) 8.7 (0.15) 3.8 (0.13) 44 7.9 (0.35)20 and over..... (2.2)(0.23)(1.1)(1.5)2532 2 and over... 51 (2.5)7.8 (0.22) 1.8 (0.10) 23 (1.0)8.4 (0.20) 3.5 (0.10) (1.2)7.3 (0.26)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2015-2016 (continued)

								Vit	a m i	n K							
						-All Indi	viduals	2			—All R	estauran	t Consu	mers ³ —		Non-con	sumers 4
Race/ethnicity and age	Sample Size	Per Repor	cent ting ⁵		otal ake		e from taurants	Percentag All Rest			otal ake		e from taurants	Percentag All Rest		To Inta	
(years)		%	(SE)	μg	(SE)	μg	(SE)	%	(SE)	μg	(SE)	μg	(SE)	%	(SE)	μg	(SE)
Non-Hispanic White	. •			I					ı						I		
2 - 19	831	48	(2.1)	64.5	(2.36)	14.8	(1.22)	23	(1.9)	67.5	(3.67)	30.8	(2.05)	46	(2.7)	61.7	(3.85)
20 and over	1711	52	(2.3)	118.5	(5.64)		(3.46)	28	(2.7)	127.1	(8.08)	64.7	(5.02)	51	(3.3)		(5.87)
2 and over	2542	51	(1.9)	107.8	(5.08)	29.7	(2.76)	28	(2.4)	115.9	(6.85)	58.4	(4.09)	50	(2.9)	99.3	(5.38)
Non-Hispanic Black	:																
2 - 19	655	44	(2.7)	80.5	(7.87)	13.8	(1.45)	17	(1.8)	71.1	(5.95)	31.7	(3.08)	45	(5.3)	87.8	(13.35)
20 and over	1060	53	(2.7)	126.6	(6.99)	30.2	(3.20)	24	(2.9)	133.1	(9.54)	57.3	(4.09)	43	(4.1)	119.3	(9.44)
2 and over	1715	50	(2.5)	112.9	(5.24)	25.4	(2.57)	22	(2.4)	117.0	(6.77)	50.7	(3.18)	43	(3.2)	108.8	(6.74)
Non-Hispanic Asian	7.																
2 - 19	227	50	(3.4)	89.1	(9.27)	16.0	(1.12)	18	(2.5)	84.4	(11.19)	32.2	(2.28)	38	(5.2)	93.7	(11.85)
20 and over	521	50	(4.1)	195.4	` ′		` /	16	(2.6)		(8.95)		(4.45)	36	(3.0)	222.8	` /
2 and over	748	50	(3.4)	175.2	(11.85)	27.6	(3.05)	16	(2.5)	151.8	(7.95)	55.5	(4.06)	37	(2.7)	198.3	(22.04)
Hispanic:																	
2 - 19	989	48	(3.5)	57.9	(2.35)	12.2	(1.09)	21	(1.7)	60.2	(2.46)	25.3	(0.92)	42	(2.2)	55.7	(3.45)
20 and over	1543	53	(2.2)	95.7	(4.95)		` ,	26	(2.5)	92.5	(5.54)	46.7	(5.21)	51	(3.4)		(8.65)
2 and over	2532	51	(2.5)	82.7	(3.92)	20.4	(2.11)	25	(2.1)	82.1	(3.75)	39.8	(3.30)	49	(2.6)	83.3	(6.57)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2015-2016 (continued)

								C a	l c i	u m							
						-All Indi	viduals	2			—All R	estauran	t Consu	mers ³ —		Non-con	isumers 4
Race/ethnicity and age	Sample Size	Pero Repor	cent ting ⁵		otal ake	Intak All Res	e from taurants	Percentag All Rest		To Int	otal ake		e from taurants	Percentag All Rest		5 To	otal ake
(years)		%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)
Non-Hispanic White	831	48	(2.1)	1032	(42.9)	171	(19.6)	17	(1.8)	1067	(56.3)	357	(34.7)	33	(3.1)	1001	(49.0)
20 and over	1711	52	(2.3)	985	(18.9)	208	(12.0)	21	(1.1)	1036	(28.9)	403	(14.2)	39	(0.9)	931	(18.4)
2 and over	2542	51	(1.9)	995	(19.9)	201	(10.5)	20	(1.0)	1042	(27.6)	395	(12.5)	38	(1.0)	946	(21.6)
Non-Hispanic Black	:																
2 - 19	655	44	(2.7)	847	(28.2)	135	(8.3)	16	(1.1)	840	(33.8)	308	(26.6)	37	(3.4)	854	(32.5)
20 and over	1060	53	(2.7)	772	(25.3)	184	(15.4)	24	(1.5)	797	(26.4)	349	(18.0)	44	(1.5)	743	(33.1)
2 and over	1715	50	(2.5)	794	(25.1)	169	(10.0)	21	(0.9)	808	(25.7)	339	(12.8)	42	(1.0)	780	(30.0)
Non-Hispanic Asian	7.															3	
2 - 19	227	50	(3.4)	951	(68.4)	136	(11.4)	14	(1.2)	923	(88.6)	274	(25.0)	30	(2.4)	978	(61.7)
20 and over	521	50	(4.1)	809	(34.2)		(21.7)	21	(2.8)	854	(31.7)	334	(29.7)	39	(3.5)	765	(43.4)
2 and over	748	50	(3.4)	836	(38.5)	160	(17.5)	19	(2.3)	867	(39.9)	323	(26.7)	37	(3.2)	805	(43.1)
Hispanic:																	
2 - 19	989	48	(3.5)	938	(25.5)	150	(10.9)	16	(1.1)	954	(29.9)	313	(15.1)	33	(1.4)	924	(38.3)
20 and over	1543	53	(2.2)	991	(20.1)	215	(10.0)	22	(1.0)	1025	(25.1)	408	(17.9)	40	(1.4)	952	(31.8)
2 and over	2532	51	(2.5)	973	(15.0)	193	(8.5)	20	(1.0)	1002	(20.9)	377	(11.3)	38	(1.0)	942	(22.3)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2015-2016 (continued)

								Phos	s p h	o r u	S						
						-All Indi	viduals	2			—All R	estauran	t Consu	mers ³ —		Non-con	sumers 4
Race/ethnicity and age	Sample Size	Pero Repor	cent rting ⁵	To Inta	otal ake	Intak All Res	e from taurants	Percentag All Rest			otal ake		e from taurants	Percentag All Rest			otal ake
(years)		%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)
Non-Hispanic White 2 - 19	831 1711	48 52	(2.1) (2.3)	1267 1404	(39.4) (23.5)	263 344	(23.4) (16.8)	21 24	(1.8) (1.1)	1343 1501	(57.7) (35.1)	549 666	(40.2) (20.5)	41 44	(2.7) (1.4)	1197 1301	(46.3) (22.8)
2 and over	2542	51	(1.9)	1377	(23.3)	328	(15.6)	24	(1.1)	1472	(32.5)	644	(19.2)	44	(1.3)	1279	(25.4)
Non-Hispanic Black 2 - 19 20 and over 2 and over	: 655 1060 1715	44 53 50	(2.7) (2.7)	1148 1218 1197	(29.4) (22.1)	358	(16.2) (23.1)	21 29 27	(1.3) (1.6)	1201 1307 1280	(28.6) (25.1)	541 678	(36.0) (22.9)	45 52 50	(3.1) (1.5)	1107 1118	(34.4) (31.3)
Non-Hispanic Asian			(2.5)		(22.4)	322	(18.5)		(1.3)		(21.0)	643	(16.1)		(1.2)	1114	(29.5)
2 - 19 20 and over	227 521	50 50	(3.4) (4.1)	1278 1282	(55.8) (30.1)	245 294	(13.4) (33.2)	19 23	(1.8) (2.5)	1269 1343	(55.4) (26.4)	494 591	(38.1) (37.5)	39 44	(3.3) (2.4)	1287 1222	(80.3) (49.5)
2 and over	748	50	(3.4)	1281	(30.8)	284	(27.9)	22	(2.3)	1329	(26.8)	572	(34.8)	43	(2.2)	1234	(49.5)
Hispanic: 2 - 19 20 and over 2 and over	989 1543 2532	48 53 51	(3.5) (2.2) (2.5)	1206 1452 1367	(23.0) (18.6) (12.8)	245 364 323	(20.9) (17.5) (16.8)	20 25 24	(1.6) (1.3) (1.3)	1263 1498 1422	(36.3) (22.0) (21.9)	511 691 633	(24.5) (17.7) (11.2)	40 46 44	(1.7) (1.2) (1.0)	1152 1400 1310	(32.9) (33.8) (21.1)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2015-2016 (continued)

								M a g	n e s	i u n	n						
						-All Indiv	riduals ²	2			—All R	estaurani	t Consu	mers ³ —		Non-con	isumers 4
Race/ethnicity and age	Sample Size	Per Repor	cent ting ⁵	To Inta	otal ake	Intake All Rest		Percentag All Rest			otal ake	Intake All Rest	e from taurants	Percentag All Rest			otal ake
(years)		%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)
Non-Hispanic White 2 - 19 20 and over	e: 831 1711	48 52	(2.1) (2.3)	236	(6.0) (6.3)	40 59	(3.4) (2.9)	17 19	(1.4) (0.9)	242 321	(11.1) (7.9)	84 115	(5.9) (2.9)	35 36	(2.3) (1.2)	231 299	(7.0) (8.1)
2 and over	2542	51	(1.9)	296	(5.7)	55	(2.5)	19	(0.8)	306	(6.5)	109	(2.6)	36	(1.1)	285	(8.0)
Non-Hispanic Black 2 - 19 20 and over	655 1060	44 53	(2.7) (2.7)	218 262	(6.7) (7.0)	33 56	(2.1) (3.7)	15 22	(0.9) (1.2)	217 270	(6.6) (8.7)	77 107	(4.2) (2.7)	35 40	(2.3) (1.5)	218 253	(9.2) (7.8)
2 and over	1715	50	(2.5)	249	(6.8)	50	(3.1)	20	(1.0)	256	(7.7)	99	(2.3)	39	(1.2)	241	(7.6)
Non-Hispanic Asian	⁷ :								}							,	
2 - 19 20 and over	227 521	50 50	(3.4) (4.1)	252 326	(12.1) (9.1)	41 53	(3.8) (5.3)	16 16	(2.1) (1.7)	237 323	(13.0) (7.7)	82 107	(8.7) (6.0)	35 33	(3.6) (1.7)	266 329	(19.3) (15.2)
2 and over Hispanic:	748	50	(3.4)	312	(9.3)	51	(4.8)	16	(1.7)	306	(7.1)	103	(6.0)	33	(1.7)	317	(14.9)
2 - 19 20 and over	989 1543	48 53	(3.5) (2.2)	225 312	(4.7) (4.8)	37 62	(3.2) (3.6)	16 20	(1.4) (1.0)	225 309	(6.4) (6.0)	77 118	(4.4) (4.4)	34 38	(1.5) (1.1)	225 316	(8.1) (8.6)
2 and over	2532	51	(2.5)	282	(5.1)	54	(3.4)	19	(1.0)	282	(5.7)	105	(3.2)	37	(0.9)	283	(7.2)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2015-2016 (continued)

]	ror	1							
						-All Indi	viduals	2			—All R	estauran	t Consu	mers ³ —		Non-con	isumers 4
Race/ethnicity and age	Sample Size	Per Repor	cent ting ⁵		otal ake	Intak All Res	e from taurants	Percentag All Rest		To Int	otal ake		e from taurants	Percentag All Rest		6 To	otal ake
(years)		%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)
Non-Hispanic White 2 - 19 20 and over	e: 831 1711	48 52	(2.1) (2.3)	13.9 14.1	(0.44) (0.23)	2.4 3.1	(0.18) (0.17)	17 22	(1.3) (1.1)	14.4 14.8	(0.67) (0.37)	5.1 6.1	(0.33) (0.24)	35 41	(2.5) (1.1)	13.4 13.3	(0.62) (0.23)
2 and over	2542	51	(1.9)	14.0	(0.23)	3.0	(0.17)	21	(0.9)	14.7	(0.37)	5.9	(0.24)	40	(1.1)	13.3	(0.21)
Non-Hispanic Black 2 - 19	655 1060	44 53	(2.7) (2.7)	13.5 12.8	(0.58) (0.37)	2.2 3.0	(0.12) (0.17)	16 24	(0.9) (1.2)	13.1 13.0	(0.35) (0.43)	5.1 5.7	(0.27) (0.17)	39 44	(1.8) (1.1)	13.8 12.6	(0.87) (0.57)
2 and over	1715	50	(2.5)	13.0	(0.34)	2.8	(0.13)	21	(1.0)	13.0	(0.29)	5.6	(0.14)	43	(0.9)	13.0	(0.57)
Non-Hispanic Asian	7:																
2 - 19 20 and over	227 521	50 50	(3.4) (4.1)	13.9 14.3	(0.54) (0.54)		(0.21) (0.27)	17 18	(1.8) (2.3)	12.7 13.8	(0.65) (0.41)	4.7 5.3	(0.45) (0.35)	37 38	(3.5) (2.3)	15.1 14.7	(0.79) (0.76)
2 and over	748	50	(3.4)	14.2	(0.50)	2.6	(0.25)	18	(2.1)	13.6	(0.33)	5.2	(0.34)	38	(2.3)	14.8	(0.73)
Hispanic: 2 - 19 20 and over	989 1543	48 53	(3.5) (2.2)	13.8 14.5	(0.50) (0.22)	2.3 3.4	(0.20) (0.16)	17 24	(1.3) (1.2)	13.5 14.7	(0.34) (0.29)	4.9 6.5	(0.20) (0.16)	36 44	(1.2) (1.2)	14.0 14.3	(0.79) (0.41)
2 and over	2532	51	(2.5)	14.3	(0.25)	3.1	(0.16)	21	(1.2)	14.3	(0.23)	6.0	(0.11)	42	(0.9)	14.2	(0.42)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2015-2016 (continued)

								2	Zino	2							
						-All Indi	viduals	2			—All R	estauran	t Consu	mers ³ —	 .	Non-con	sumers 4
Race/ethnicity and age	Sample Size	Per Repor	cent ting ⁵		otal ake		e from taurants	Percentag All Rest			otal ake		e from taurants	Percentag All Rest		To Inta	otal ake
(years)		%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)
Non-Hispanic White	. •			ı					ı								
2 - 19	831	48	(2.1)	10.2	(0.35)	2.0	(0.18)	20	(1.5)	10.5	(0.66)	4.2	(0.33)	40	(2.5)	10.0	(0.35)
20 and over	1711	52	(2.3)		(0.22)	2.8	(0.12)	24	(1.0)	12.3	(0.32)	5.3	(0.22)	44	(1.7)	10.5	(0.20)
2 and over	2542	51	(1.9)	11.2	(0.22)	2.6	(0.11)	23	(0.9)	11.9	(0.33)	5.1	(0.19)	43	(1.5)	10.4	(0.19)
Non-Hispanic Black	:																
2 - 19	655	44	(2.7)	9.4	(0.38)	1.6	(0.13)	17	(1.3)	9.1	(0.27)	3.7	(0.21)	41	(2.4)	9.7	(0.60)
20 and over	1060	53	(2.7)	10.0	(0.30)	2.6	(0.16)	26	(1.1)	9.9	(0.33)	5.0	(0.19)	50	(1.4)	10.0	(0.56)
2 and over	1715	50	(2.5)	9.8	(0.27)	2.3	(0.13)	24	(1.0)	9.7	(0.23)	4.7	(0.15)	48	(1.1)	9.9	(0.46)
Non-Hispanic Asian	7.								}								
2 - 19	227	50	(3.4)	10.5	(0.41)	2.0	(0.22)	19	(2.4)	10.5	(0.50)	4.0	(0.54)	39	(4.9)	10.6	(0.57)
20 and over	521	50	(4.1)	10.5	(0.28)	2.2	(0.25)	21	(2.5)	10.5	(0.22)	4.5	` ′	43	(2.4)	10.5	(0.44)
2 and over	748	50	(3.4)	10.5	(0.26)	2.2	(0.24)	21	(2.4)	10.5	(0.17)	4.4	(0.29)	42	(2.7)	10.5	(0.39)
Hispanic:									}								
2 - 19	989	48	(3.5)	9.3	(0.22)	1.7	(0.14)	18	(1.5)	9.5	(0.33)	3.6	(0.17)	38	(1.5)	9.2	(0.31)
20 and over	1543	53	(2.2)		(0.19)		(0.15)	25	(1.3)	11.9	(0.32)	5.5	` /	47	(1.3)	11.0	(0.29)
2 and over	2532	51	(2.5)	10.7	(0.19)	2.5	(0.14)	23	(1.3)	11.1	(0.30)	4.9	(0.11)	44	(1.1)	10.3	(0.19)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2015-2016 (continued)

								C	ррр	e r							
						-All Indi	viduals	2			—All R	estauran	t Consu	mers ³ —		Non-con	isumers 4
Race/ethnicity and age	Sample Size	Pero Repor	cent		otal ake		e from taurants	Percentag All Rest			otal ake		e from taurants	Percentag All Rest			otal ake
(years)		%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)
Non-Hispanic White	. •			ı					ı								
2 - 19	831	48	(2.1)	0.9	(0.02)	0.2	(0.01)	17	(1.4)	0.9	(0.04)	0.3	(0.03)	35	(2.3)	0.9	(0.02)
20 and over	1711	52	(2.3)	1.3	(0.02)	0.2	(0.01)	18	(0.9)	1.3	(0.03)	0.4	(0.01)	34	(1.2)	1.2	(0.03)
2 and over	2542	51	(1.9)	1.2	(0.02)	0.2	(0.01)	18	(0.8)	1.2	(0.03)	0.4	(0.01)	34	(1.0)	1.2	(0.03)
Non-Hispanic Black	:																
2 - 19	655	44	(2.7)	0.8	(0.03)	0.2	(0.02)	18	(1.9)	0.9	(0.04)	0.3	(0.04)	39	(4.1)	0.8	(0.04)
20 and over	1060	53	(2.7)	1.1	(0.03)	0.2	(0.01)	21	(1.1)	1.1	(0.03)	0.4	(0.02)	39	(1.4)	1.1	(0.04)
2 and over	1715	50	(2.5)	1.0	(0.03)	0.2	(0.01)	20	(0.8)	1.0	(0.02)	0.4	(0.01)	39	(1.2)	1.0	(0.04)
Non-Hispanic Asian	7.																
2 - 19	227	50	(3.4)	1.1	(0.04)	0.2	(0.02)	16	(2.3)	1.0	(0.05)	0.3	(0.05)	34	(4.0)	1.1	(0.06)
20 and over	521	50	(4.1)	1.4	` ′	0.2	(0.02)	16	(1.6)	1.4	` /	0.4	(0.03)	32	(1.9)	1.4	(0.06)
2 and over	748	50	(3.4)	1.3	(0.04)	0.2	(0.02)	16	(1.7)	1.3	(0.04)	0.4	(0.03)	32	(1.9)	1.4	(0.06)
Hispanic:																	
2 - 19	989	48	(3.5)	0.9	(0.02)	0.2	(0.01)	17	(1.5)	0.9	(0.03)	0.3	(0.02)	36	(1.5)	0.9	(0.03)
20 and over	1543	53	(2.2)	1.2	(0.03)	0.3	(0.02)	21	(1.1)	1.2	(0.03)	0.5	(0.02)	40	(1.2)	1.2	(0.04)
2 and over	2532	51	(2.5)	1.1	(0.02)	0.2	(0.01)	20	(1.1)	1.1	(0.03)	0.4	(0.02)	39	(1.1)	1.1	(0.03)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2015-2016 (continued)

								Sel	e n i	u m							
						-All Indi	viduals	2			—All R	estauran	t Consu	mers ³ —		Non-con	sumers 4
Race/ethnicity and age	Sample Size	Per Repor	cent ting ⁵		otal ake	Intak All Res	e from taurants	Percentag All Rest		To Int	otal ake		e from taurants	Percentag All Rest		6 To	otal ake
(years)		%	(SE)	μg	(SE)	μg	(SE)	%	(SE)	μg	(SE)	μg	(SE)	%	(SE)	μg	(SE)
Non-Hispanic White	831	48	(2.1)		(2.68)		(2.47)	25	(2.4)	103.9	(4.78)	49.7	. ,	48	(3.3)	91.0	(3.44)
20 and over 2 and over	1711 2542	52 51	(2.3)	113.6	(2.69)	32.8 31.0	(1.86)	29 28	(1.3)	126.1 121.9	(4.10)	63.5	, ,	50 50	(2.0)	98.3	(1.52) (1.58)
Non-Hispanic Black 2 - 19 20 and over	655 1060	44 53	(2.7) (2.7)	94.9 111.6	(3.27) (2.23)		(1.49) (2.20)	23 30	(1.3) (1.6)	98.7 118.3	(1.81) (3.02)		(3.49) (2.45)	51 54	(3.6) (1.5)	91.9 104.0	(4.80) (4.34)
2 and over	1715	50	(2.5)	106.6	(2.48)	30.1	(1.82)	28	(1.2)	113.2	(2.19)	60.1	(2.09)	53	(1.3)	100.0	(4.18)
Non-Hispanic Asian	⁷ :																
2 - 19 20 and over	227 521	50 50	(3.4) (4.1)	110.5 121.3	, ,	29.1	(2.14) (3.16)	23 24	(2.3) (2.4)		(4.94) (3.66)	58.5	(4.85) (3.17)	45 46	(3.2) (2.1)	107.1 116.2	(6.70) (3.59)
2 and over Hispanic:	748	50	(3.4)	119.2	(1.81)	28.3	(2.90)	24	(2.3)	124.1	(3.15)	57.0	(3.30)	46	(2.0)	114.5	(3.52)
2 - 19 20 and over	989 1543	48 53	(3.5) (2.2)	ı	(1.94) (2.17)	22.1 34.6	(2.04) (2.01)	23 28	(2.0) (1.5)	98.2 127.5	(2.80) (2.69)	46.0 65.7	` /	47 52	(1.6) (1.7)	92.2 117.2	(4.12) (3.26)
2 and over	2532	51	(2.5)	113.2	(1.63)	30.3	(1.83)	27	(1.5)	118.0	(1.99)	59.3	(1.64)	50	(1.4)	108.1	(2.47)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2015-2016 (continued)

								P o t	a s s	i u m	1						
						-All Indi	viduals	2			—All R	estauran	t Consu	mers ³ —		Non-con	sumers 4
Race/ethnicity and age	Sample Size	Pero Repor	cent ting ⁵		otal ake	Intak All Res	e from taurants	Percentag All Rest		To Int	otal ake		e from taurants	Percentag All Rest		6 To	otal ake
(years)		%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)
Non-Hispanic White	831	48	(2.1)	2080	(55.7)	386	(31.2)	19	(1.4)	2114	(90.0)	806	(55.4)	38	(2.1)	2048	(57.7)
20 and over	1711 2542	52 51	(2.3)	2686 2566	(43.4) (42.9)	577 539	(27.6)	21 21	(1.1)	27322617	(50.6) (46.4)	1119 1060	(29.1) (27.2)	41 41	(1.2)	2637 2513	(53.5) (57.3)
Non-Hispanic Black 2 - 19 20 and over	655 1060	44 53	(2.7) (2.7)	2016 2267	(53.8) (49.7)	344 582	(26.8) (38.5)	17 26	(1.1) (1.5)	2027 2381	(68.3) (57.3)	788 1104	(36.9) (31.0)	39 46	(2.1) (1.5)	2007 2141	(63.6) (59.8)
2 and over	1715	50	(2.5)	2193	(43.6)	512	(33.7)	23	(1.3)	2289	(43.0)	1022	(26.6)	45	(1.1)	2096	(54.4)
Non-Hispanic Asian	7.																
2 - 19 20 and over	227 521	50 50	(3.4) (4.1)	2332 2663	(74.9) (55.6)		(54.4) (54.6)	18 19	(2.7) (2.1)	2631	(104.8) (51.7)	1027	(114.7) (59.0)	37 39	(4.2) (2.1)	2695	(157.0) (87.3)
2 and over Hispanic:	748	50	(3.4)	2600	(55.0)	491	(51.6)	19	(2.0)	2556	(44.4)	989	(61.8)	39	(2.2)	2645	(88.2)
2 - 19 20 and over	989 1543	48 53	(3.5) (2.2)	2076 2624	(39.2) (40.1)	374 591	(32.6) (32.0)	18 23	(1.5) (1.2)	2113 2634	(64.5) (47.5)	779 1120	(45.9) (34.0)	37 43	(1.8) (1.3)	2042 2614	(64.9) (57.2)
2 and over	2532	51	(2.5)	2436	(39.1)	516	(30.0)	21	(1.2)	2466	(46.6)	1010	(24.4)	41	(1.2)	2405	(50.3)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2015-2016 (continued)

								\mathbf{S} o	diu	m							
				<u> </u>		-All Indi	viduals	2	_ 		—All R	estauran	t Consu	mers ³ —		Non-con	sumers 4
Race/ethnicity and age	Sample Size	Per Repor	cent ting ⁵		otal ake		e from taurants	Percentag All Rest			otal ake		e from taurants	Percentag All Rest		To Inta	otal ake
(years)		%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)
Non-Hispanic White	۸•			ı					ı						I		
2 - 19	831	48	(2.1)	2995	(67.5)	770	(62.1)	26	(1.9)	3239	(115.5)	1606	(108.5)	50	(2.5)	2770	(70.3)
20 and over	1711	52	(2.3)		(53.3)	1039	(54.1)	30	(1.4)		(79.2)		(71.8)	53	(1.7)	3181	(63.3)
2 and over	2542	51	(1.9)	3410	(48.3)	985	(48.6)	29	(1.4)	3716	(66.3)	1938	(65.6)	52	(1.7)	3094	(55.4)
Non-Hispanic Black	:																
2 - 19	655	44	(2.7)	3080	(103.7)	719	(44.5)	23	(1.2)	3314	(77.8)	1647	(102.3)	50	(3.1)	2899	(148.6)
20 and over	1060	53	(2.7)	3354	(61.6)	1117	(82.5)	33	(2.1)	3745	(102.3)	2117	(101.6)	57	(1.8)	2917	(83.8)
2 and over	1715	50	(2.5)	3272	(58.3)	999	(65.5)	31	(1.6)	3633	(68.3)	1995	(73.4)	55	(1.4)	2911	(76.5)
Non-Hispanic Asian	7:																
2 - 19	227	50	(3.4)	3202	(67.2)	760	(54.8)	24	(1.7)	3395	(190.3)	1531	(122.6)	45	(2.2)	3012	(138.0)
20 and over	521	50	(4.1)		(115.0)		(121.8)	26	(2.7)		(178.2)		(142.6)	48	(3.5)		(153.5)
2 and over	748	50	(3.4)	3727	(99.8)	957	(105.8)	26	(2.4)	4024	(141.0)	1928	(134.0)	48	(2.9)	3434	(108.1)
Hispanic:																	
2 - 19	989	48	(3.5)	2951	(53.1)	745	(65.8)	25	(2.1)	3255	(95.1)	1553	(64.4)	48	(1.9)	2671	(56.9)
20 and over	1543	53	(2.2)	3593	(69.0)	1110	(57.9)	31	(1.6)	3914	(77.1)	2104	(62.8)	54	(1.4)	3235	(113.5)
2 and over	2532	51	(2.5)	3372	(46.9)	984	(55.5)	29	(1.7)	3701	(64.1)	1926	(42.1)	52	(1.4)	3029	(78.9)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2015-2016 (continued)

								C a	ffe	i n e						
						-All Indi	viduals	2			—All R	estauran	t Consu	mers ³ —		Non-consumers ⁴
Race/ethnicity and age	Sample Size	Per Repor	cent ting ⁵		otal ake	Intak All Res	e from taurants	Percentag All Rest			otal ake		e from taurants	Percentag All Rest		⁶ Total Intake
(years)		%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg (SE)
Non-Hispanic White	e: 831	48	(2.1)	33.0	(5.50)	83	(1.67)	25	(5.4)	34.3	(4.24)	17.4	(3.23)	51	(4.1)	31.8 (9.51)
20 and over	1711	52	(2.1) (2.3)	206.6	` /	30.9	(3.38)	15	(1.6)	207.6	(7.83)	60.0	. ,	29	(2.7)	205.4 (12.97)
2 and over	2542	51	(1.9)	172.0	(6.65)	26.4	(2.82)	15	(1.5)	175.1	(7.66)	52.0	(5.14)	30	(2.6)	168.8 (11.96)
Non-Hispanic Black	:															
2 - 19	655	44	(2.7)	12.2	(1.15)	4.1	(0.91)	34	(6.1)	17.5	(2.16)	9.4	(2.17)	54	(7.1)	8.1 (1.56)
20 and over	1060	53	(2.7)	72.5	(5.17)	14.6	(2.25)	20	(2.1)	76.0	(6.45)	27.7	(5.22)	37	(4.6)	68.5 (6.32)
2 and over	1715	50	(2.5)	54.6	(3.16)	11.5	(1.50)	21	(1.8)	60.9	(4.38)	23.0	(3.67)	38	(4.1)	48.3 (3.56)
Non-Hispanic Asian	7:															
2 - 19	227	50	(3.4)	15.7	(3.41)	5.0*	¢ (3.21)	32*	(16.8)	18.9*	¢ (6.38)	10.1*	(6.48)			12.6* (5.18)
20 and over	521	50	(4.1)	86.5	(4.71)		(2.42)	20	(2.4)		(6.76)		(3.74)	36	(2.5)	76.2 (6.74)
2 and over	748	50	(3.4)	73.0	(4.25)	14.9	(2.25)	20	(2.6)	82.1	(5.97)	30.0	(3.03)	37	(2.5)	64.1 (5.56)
Hispanic:																
2 - 19	989	48	(3.5)	23.9	(4.04)	5.8	(1.16)	24	(4.3)	26.9	(4.16)	12.2	(2.64)	45	(5.4)	21.2 (4.79)
20 and over	1543	53	(2.2)	121.3	(8.15)	26.1	(3.93)	22	(2.7)	133.0	(10.43)	49.5	(6.66)	37	(3.7)	108.3 (6.47)
2 and over	2532	51	(2.5)	87.9	(7.01)	19.1	(2.94)	22	(2.4)	98.8	(8.77)	37.5	(5.07)	38	(3.3)	76.4 (5.87)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2015-2016 (continued)

								Al	c o h	o l							
						-All Indiv	viduals ²	2			—All R	estauran	t Consu	mers ³ —	 -	Non-con	sumers 4
Race/ethnicity and age	Sample Size	Per Repor	cent		otal ake	Intake All Res	e from taurants	Percentag All Rest	es from ⁶ aurants		otal ake		e from taurants	Percentag All Rest			otal ake
(years)		%	(SE)	g	(SE)	g	(SE)	%	(SE)	g	(SE)	g	(SE)	%	(SE)	g	(SE)
Non-Hispanic White 2 - 19 20 and over	831 1711	48 52	(2.1) (2.3)	10.7	(1.02)	2.0	(0.36)	 18	(3.6)	10.8	(1.26)	3.8	(0.64)	 35	(4.9)	 10.6	(1.41)
2 and over	2542	51	(1.9)														
Non-Hispanic Black 2 - 19	655	44	(2.7)														
20 and over	1060	53	(2.7)	9.7	(1.63)	1.0	(0.26)	10	(2.8)	11.6	(2.81)	1.8	(0.47)	16*	(5.4)	7.6	(1.10)
2 and over	1715	50	(2.5)														
Non-Hispanic Asian	⁷ :																
2 - 19	227	50	(3.4)														
20 and over	521	50	(4.1)	4.3	(0.68)	1.3*	(0.44)	31	(7.1)	6.1	(0.92)	2.6	(0.75)			2.4	(0.58)
2 and over	748	50	(3.4)														
Hispanic:																	
2 - 19	989	48	(3.5)						İ								
20 and over	1543	53	(2.2)	8.0	(0.54)	1.4	(0.37)	17	(4.2)	10.3	(1.02)	2.6	(0.67)	25	(6.2)	5.5	(1.33)
2 and over	2532	51	(2.5)														

Symbol Legend

* Indicates an estimate that may be less statistically reliable than estimates that are not flagged. The rules for flagging estimated means and percentages are as follows:

Mean: An estimated mean is flagged when the relative standard error is greater than 30 percent.

Percent reporting: An estimated percentage between 25 and 75 percent is flagged when based on a sample size of less than 30 times the variance inflation factor (VIF), where the VIF represents a broadly calculated average design effect, or when the relative standard error is greater than 30 percent. An estimated percentage less than or equal to 25 or greater than or equal to 75 is flagged when the smaller of np and n(1-p) is less than 8 times the VIF, where n is the sample size and p is the percentage expressed as a fraction. The VIF used in this table is 2.41.

Nutrient ratios expressed as percentages: An estimated ratio between 25 and 75 percent is flagged when based on a sample size n^* of less than 30 times the variance inflation factor (VIF), where the VIF represents a broadly calculated average design effect and n^* is the number of individuals in the sample reporting non-zero intake of the respective nutrient from any source. An estimated ratio less than or equal to 25 percent or greater than or equal to 75 percent, is flagged when the smaller of n^*p and n^* (1-p) is less than 8 times the VIF, where p is the percentage expressed as a fraction. Additionally, an estimated ratio is flagged when either the relative standard error or p/(1-p) times the relative standard error is greater than 30 percent.

Indicates a non-zero value too small to report.

-- Estimated mean not presented where sample size is less than 30 times the variance inflation factor (VIF), i.e., sample size less than 72 for VIF = 2.41.

Footnotes

- Respondents were asked the source of each food and beverage where it was obtained. **All Restaurants** include source coded as: "Restaurant with waiter/waitress", "Bar/tavern/lounge", "Restaurant no additional information", "Cafeteria NOT in a K-12 school", "Restaurant fast food/pizza", "Sport, recreation, or entertainment facility", or "Street vendor, vending truck".
- ² All Individuals include both individuals who reported and individuals who did not report at least one food/beverage item from All Restaurants.
- ³ All Restaurant Consumers include individuals who reported at least one food or beverage item from All Restaurants.
- ⁴ Non-consumers include individuals who did not report any food or beverage item from All Restaurants.
- ⁵ The weighted percentage of respondents in the income/age group who reported at least one food/beverage item from All Restaurants.
- ⁶ Percentages are estimated as a ratio of total nutrient intake from All Restaurants to total daily nutrient intake from all sources.
- ⁷ A new sampling methodology was implemented for NHANES 2011-2012 to oversample non-Hispanic non-black Asians in addition to the ongoing oversample of Hispanics, non-Hispanic blacks, low-income whites/others, and whites/others 80+ years.

Abbreviations

SE = standard error; RAE = retinol activity equivalents; DFE = dietary folate equivalents.

Notes Applicable to All Tables in Series: What We Eat in America, NHANES 2015-2016

Sample weights designed for dietary analysis were used to allow estimates representative of the U. S. population for the years of collection.

The statistics in this table are estimated from Day 1 dietary recall interviews conducted in the *What We Eat in America*, National Health and Nutrition Examination Survey (NHANES) 2015-2016. The 24-hour dietary recalls were conducted in-person, by trained interviewers, using the USDA 5-step Automated Multiple-Pass Method. Food intakes were coded and nutrient values were determined using the USDA Food and Nutrient Database for Dietary Studies 2015-2016 www.ars.usda.gov/nea/bhnrc/fsrg.

Intakes of nutrients and other dietary components are based on the consumption of food and beverages, including water, and do not include intake from supplements or medications.

The table includes data from individuals 2 years and over. Breast-fed children were excluded because breast milk was not quantified in dietary recall interviews.

Although alchohol data are collected for all individuals, estimates are not presented for age groups under 20 years due to extreme variability and/or inadequate sample size.

Suggested Citation

U.S. Department of Agriculture, Agricultural Research Service. 2018. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants, by Race/Ethnicity and Age, What We Eat in America, NHANES 2015-2016. Available: www.ars.usda.gov/nea/bhnrc/fsrg.