

Table 2. Nutrient Intakes from Food and Beverages: Mean Amounts Consumed per Individual,
by Race/Ethnicity and Age, in the United States, 2011-2012

Race/ethnicity and age (years)	Sample size	Energy kcal (SE)	Protein g (SE)	Carbo- hydrate g (SE)	Total sugars g (SE)	Dietary fiber g (SE)	Total fat g (SE)	Saturated fat g (SE)	Mono- unsaturated fat g (SE)	Poly- unsaturated fat g (SE)
Non-Hispanic White:										
2 - 5.....	156	1584 (38.7)	54.5 (1.58)	219 (5.8)	116 (5.0)	11.9 (0.42)	57.3 (2.63)	21.3 (1.67)	19.5 (0.95)	11.9 (0.38)
6 - 11.....	275	2011 (36.1)	66.9 (1.52)	275 (4.8)	137 (3.1)	14.2 (0.45)	74.4 (1.86)	26.4 (0.93)	25.7 (0.66)	16.4 (0.63)
12 - 19.....	259	2231 (78.6)	81.1 (3.12)	295 (8.4)	144 (6.0)	15.4 (0.52)	82.5 (4.63)	28.0 (1.54)	28.8 (1.61)	18.9 (1.40)
20 and over...	1842	2209 (24.3)	82.2 (1.04)	265 (3.9)	119 (2.1)	18.3 (0.53)	83.8 (1.06)	27.4 (0.50)	29.8 (0.39)	19.8 (0.28)
2 and over...	2532	2169 (21.6)	79.8 (0.90)	267 (3.3)	122 (2.0)	17.5 (0.46)	81.9 (1.11)	27.1 (0.52)	29.0 (0.38)	19.2 (0.26)
Non-Hispanic Black:										
2 - 5.....	249	1651 (62.4)	56.2 (1.74)	224 (7.5)	110 (4.0)	11.6 (0.37)	61.1 (3.33)	20.0 (1.08)	21.5 (1.27)	14.6 (0.84)
6 - 11.....	335	2020 (59.7)	68.6 (2.13)	266 (7.2)	123 (4.0)	13.7 (0.37)	78.2 (3.05)	26.0 (1.08)	27.8 (1.13)	17.9 (0.72)
12 - 19.....	352	2037 (70.0)	69.3 (1.38)	268 (12.1)	130 (7.2)	12.9 (0.53)	77.3 (2.87)	24.9 (0.73)	27.2 (1.20)	18.9 (0.95)
20 and over...	1274	2187 (39.5)	81.1 (1.32)	266 (4.2)	123 (3.0)	15.2 (0.42)	83.3 (1.76)	25.6 (0.60)	30.0 (0.66)	20.9 (0.47)
2 and over...	2210	2113 (34.4)	76.5 (0.97)	263 (4.3)	123 (3.0)	14.5 (0.32)	80.4 (1.46)	25.1 (0.51)	28.8 (0.54)	19.9 (0.38)
Non-Hispanic Asian¹:										
2 - 5.....	102	1486 (75.9)	56.6 (4.29)	199 (10.4)	89 (5.6)	12.5 (1.01)	52.9 (3.47)	19.8 (1.84)	17.6 (1.14)	10.9 (0.76)
6 - 11.....	115	1744 (58.3)	63.1 (3.44)	248 (7.9)	112 (5.4)	14.6 (1.04)	57.9 (2.32)	21.4 (0.91)	18.9 (0.99)	12.4 (0.48)
12 - 19.....	158	1967 (89.2)	79.2 (3.69)	257 (12.4)	105 (6.5)	15.2 (0.90)	70.5 (4.15)	24.1 (1.56)	23.7 (1.48)	16.6 (0.99)
20 and over...	610	1947 (27.4)	82.4 (2.12)	248 (3.6)	88 (2.4)	19.2 (0.51)	66.8 (1.95)	19.4 (0.53)	24.6 (0.96)	17.1 (0.66)
2 and over...	985	1910 (22.9)	79.3 (1.55)	246 (2.9)	92 (2.2)	18.1 (0.45)	65.8 (1.57)	20.1 (0.43)	23.8 (0.80)	16.4 (0.51)
Hispanic:										
2 - 5.....	282	1564 (34.8)	57.5 (1.29)	214 (5.2)	108 (3.4)	12.5 (0.42)	55.4 (1.55)	20.4 (0.74)	18.6 (0.55)	11.7 (0.40)
6 - 11.....	356	2005 (44.9)	72.8 (2.12)	272 (5.5)	126 (3.7)	16.6 (0.55)	72.1 (2.42)	25.1 (0.89)	25.0 (0.86)	16.1 (0.63)
12 - 19.....	325	2205 (86.3)	82.4 (3.79)	286 (10.5)	128 (5.2)	16.8 (0.77)	82.7 (3.57)	28.0 (1.21)	28.5 (1.21)	19.5 (1.04)
20 and over...	932	2211 (42.1)	89.9 (2.20)	275 (4.9)	117 (2.8)	19.4 (0.74)	80.5 (1.83)	25.8 (0.73)	29.1 (0.74)	18.9 (0.38)
2 and over...	1895	2133 (28.2)	84.2 (1.29)	271 (3.2)	119 (2.3)	18.1 (0.55)	77.8 (1.37)	25.6 (0.54)	27.7 (0.56)	18.0 (0.34)

Table 2. Nutrient Intakes from Food and Beverages: Mean Amounts Consumed per Individual,
by Race/Ethnicity and Age, in the United States, 2011-2012 (continued)

Race/ethnicity and age (years)	Choles- terol mg (SE)	Retinol µg (SE)	Vitamin A (RAE) µg (SE)	Alpha- carotene µg (SE)	Beta- carotene µg (SE)	Beta-crypto- xanthin µg (SE)	Lycopene µg (SE)	Lutein + zeaxanthin µg (SE)	Thiamin mg (SE)
Non-Hispanic White:									
2 - 5.....	156 (7.8)	461 (21.6)	591 (24.5)	301 (68.8)	1360 (321.9)	92 (25.9)	3072 (571.8)	573 (42.2)	1.20 (0.038)
6 - 11.....	194 (8.6)	512 (21.5)	629 (27.9)	259 (70.6)	1231 (191.3)	90 (13.1)	5150 (788.0)	758 (72.0)	1.57 (0.061)
12 - 19.....	258 (20.8)	511 (22.9)	604 (28.7)	173* (53.6)	1005 (161.3)	62 (9.8)	6834(1024.4)	798 (96.0)	1.69 (0.073)
20 and over...	274 (5.1)	486 (33.5)	731 (50.5)	487 (58.2)	2652 (229.6)	74 (4.0)	5414 (263.7)	1755 (152.6)	1.67 (0.026)
2 and over...	261 (5.0)	490 (27.0)	705 (41.1)	432 (48.0)	2336 (189.1)	74 (4.5)	5429 (265.7)	1540 (124.5)	1.65 (0.025)
Non-Hispanic Black:									
2 - 5.....	201 (13.7)	450 (25.8)	543 (35.2)	162 (34.4)	1008 (187.9)	62 (8.6)	3152 (460.1)	894 (131.9)	1.32 (0.051)
6 - 11.....	226 (8.2)	455 (22.0)	542 (28.0)	144 (13.3)	945 (98.9)	63 (4.0)	4679 (302.2)	927 (95.9)	1.60 (0.050)
12 - 19.....	230 (9.7)	348 (20.1)	448 (27.1)	195 (55.8)	1077 (147.9)	55 (9.6)	5215 (793.4)	873 (67.7)	1.45 (0.053)
20 and over...	305 (6.1)	359 (12.1)	548 (27.1)	260 (51.6)	2101 (259.0)	74 (4.4)	5086 (329.5)	1947 (241.8)	1.48 (0.032)
2 and over...	280 (4.7)	373 (12.0)	533 (20.2)	233 (43.7)	1769 (201.7)	69 (3.7)	4929 (273.5)	1624 (179.3)	1.48 (0.031)
Non-Hispanic Asian¹:									
2 - 5.....	184 (25.6)	411 (32.5)	513 (40.6)	210 (50.2)	1058 (157.9)	118* (58.7)	3618 (822.4)	828 (118.5)	1.30 (0.069)
6 - 11.....	195 (17.0)	429 (33.2)	601 (62.5)	318 (57.5)	1839 (437.9)	128 (30.6)	6002(1766.5)	1859 (536.9)	1.48 (0.076)
12 - 19.....	242 (21.8)	452 (45.5)	649 (59.6)	375*(123.4)	2101 (290.5)	142* (65.1)	3825 (516.9)	1490 (191.2)	1.77 (0.145)
20 and over...	257 (9.4)	282 (12.4)	610 (30.6)	640 (42.7)	3532 (348.5)	160 (25.1)	3505 (314.1)	2431 (258.2)	1.55 (0.029)
2 and over...	247 (9.2)	318 (10.0)	608 (22.5)	566 (37.5)	3129 (287.0)	154 (21.7)	3731 (329.3)	2208 (190.9)	1.55 (0.020)
Hispanic:									
2 - 5.....	198 (8.6)	491 (22.5)	608 (36.0)	336*(106.6)	1191 (266.2)	81 (8.4)	3643 (470.6)	557 (28.0)	1.30 (0.034)
6 - 11.....	233 (14.9)	534 (26.7)	655 (24.9)	283 (60.7)	1274 (126.0)	85 (10.2)	5208 (437.5)	676 (24.1)	1.71 (0.068)
12 - 19.....	291 (21.0)	525 (38.4)	645 (46.6)	321 (86.3)	1243 (200.0)	89 (10.0)	5061 (483.8)	819 (49.1)	1.77 (0.081)
20 and over...	314 (9.4)	386 (10.4)	550 (20.4)	339 (34.9)	1756 (166.1)	101 (7.9)	5469 (360.2)	1288 (158.1)	1.67 (0.039)
2 and over...	291 (4.4)	433 (11.6)	581 (18.9)	330 (32.8)	1577 (134.4)	96 (7.4)	5228 (253.8)	1086 (104.6)	1.66 (0.027)

Table 2. Nutrient Intakes from Food and Beverages: Mean Amounts Consumed per Individual,
by Race/Ethnicity and Age, in the United States, 2011-2012 (continued)

Race/ethnicity and age (years)	Ribo- flavin mg (SE)	Niacin mg (SE)	Vitamin B6 mg (SE)	Folic acid µg (SE)	Food folate µg (SE)	Folate (DFE) µg (SE)	Choline mg (SE)	Vitamin B12 µg (SE)	Added Vitamin B12 µg (SE)
Non-Hispanic White:									
2 - 5.....	1.79 (0.058)	15.1 (0.41)	1.31 (0.043)	157 (10.5)	131 (5.8)	397 (18.3)	212 (8.8)	4.16 (0.229)	0.80 (0.119)
6 - 11.....	1.96 (0.074)	21.0 (1.01)	1.64 (0.097)	218 (18.0)	159 (8.9)	530 (33.4)	240 (6.1)	4.69 (0.234)	0.98 (0.197)
12 - 19.....	2.29 (0.128)	26.7 (1.52)	2.12 (0.130)	235 (14.1)	178 (7.2)	579 (28.4)	303 (16.9)	6.04 (0.508)	1.14 (0.287)
20 and over...	2.29 (0.035)	26.1 (0.45)	2.20 (0.059)	202 (5.8)	238 (6.2)	582 (13.4)	335 (5.7)	5.69 (0.318)	1.22 (0.092)
2 and over...	2.24 (0.028)	25.3 (0.42)	2.11 (0.048)	205 (5.1)	222 (5.5)	570 (12.0)	320 (4.8)	5.59 (0.264)	1.18 (0.076)
Non-Hispanic Black:									
2 - 5.....	1.75 (0.061)	18.6 (0.69)	1.60 (0.066)	172 (10.8)	132 (4.2)	425 (19.8)	230 (9.2)	4.37 (0.197)	1.05 (0.146)
6 - 11.....	1.89 (0.074)	22.5 (0.66)	1.76 (0.059)	207 (9.5)	147 (5.0)	498 (16.8)	247 (8.1)	4.91 (0.241)	1.12 (0.101)
12 - 19.....	1.60 (0.071)	24.1 (0.76)	1.79 (0.063)	193 (12.9)	147 (5.5)	475 (22.0)	245 (6.9)	4.90 (0.411)	1.52 (0.393)
20 and over...	1.74 (0.046)	25.3 (0.57)	1.97 (0.048)	164 (6.9)	201 (3.5)	479 (14.0)	324 (5.3)	4.72 (0.180)	0.76 (0.139)
2 and over...	1.74 (0.043)	24.4 (0.49)	1.90 (0.039)	173 (6.8)	183 (2.9)	477 (12.1)	299 (4.4)	4.74 (0.190)	0.92 (0.147)
Non-Hispanic Asian¹:									
2 - 5.....	1.71 (0.093)	15.0 (0.81)	1.36 (0.069)	175 (10.7)	155 (14.5)	453 (23.2)	227 (18.4)	4.27 (0.311)	0.92 (0.215)
6 - 11.....	1.88 (0.102)	18.8 (1.34)	1.60 (0.108)	186 (21.3)	175 (16.0)	491 (36.9)	240 (16.2)	4.21 (0.349)	0.75 (0.143)
12 - 19.....	1.94 (0.124)	23.3 (1.24)	1.88 (0.115)	249 (34.2)	203 (10.4)	627 (60.9)	288 (19.5)	5.09 (0.470)	1.02 (0.264)
20 and over...	1.81 (0.103)	24.7 (1.01)	2.12 (0.104)	184 (8.0)	245 (6.5)	559 (13.4)	328 (10.4)	4.75 (0.306)	0.73 (0.161)
2 and over...	1.82 (0.074)	23.6 (0.80)	2.02 (0.082)	191 (6.7)	231 (5.6)	556 (10.7)	312 (9.1)	4.72 (0.208)	0.77 (0.117)
Hispanic:									
2 - 5.....	1.90 (0.052)	16.1 (0.51)	1.52 (0.046)	175 (8.0)	146 (4.8)	444 (12.9)	234 (8.0)	4.75 (0.291)	1.17 (0.144)
6 - 11.....	2.06 (0.062)	22.1 (0.64)	1.82 (0.058)	252 (11.5)	181 (8.7)	610 (21.2)	267 (9.6)	5.20 (0.189)	1.28 (0.116)
12 - 19.....	2.07 (0.107)	25.0 (1.03)	2.02 (0.113)	244 (16.6)	199 (9.6)	614 (30.4)	311 (18.8)	5.57 (0.462)	1.24 (0.143)
20 and over...	2.12 (0.060)	27.7 (0.63)	2.38 (0.065)	207 (6.0)	237 (7.3)	589 (14.1)	352 (7.9)	5.25 (0.198)	1.02 (0.108)
2 and over...	2.09 (0.034)	25.7 (0.34)	2.19 (0.035)	215 (4.2)	217 (5.4)	583 (9.1)	326 (3.8)	5.25 (0.141)	1.09 (0.084)

Table 2. Nutrient Intakes from Food and Beverages: Mean Amounts Consumed per Individual,
by Race/Ethnicity and Age, in the United States, 2011-2012 (continued)

Race/ethnicity and age (years)	Vitamin C		Vitamin D		Vitamin E (alpha- tocopherol)		Added Vitamin E		Vitamin K		Calcium		Phosphorus		Magnesium	
	mg	(SE)	µg	(SE)	mg	(SE)	mg	(SE)	µg	(SE)	mg	(SE)	mg	(SE)	mg	(SE)
Non-Hispanic White:																
2 - 5.....	82.5	(8.24)	6.5	(0.46)	5.6	(0.24)	0.5*	(0.15)	49.0	(3.19)	1032	(58.0)	1135	(42.1)	208	(4.2)
6 - 11.....	77.4	(6.94)	6.0	(0.35)	7.3	(0.35)	0.4*	(0.13)	67.2	(5.33)	1085	(40.2)	1293	(28.0)	235	(6.9)
12 - 19.....	64.7	(12.87)	5.9	(0.32)	8.3	(0.51)	0.5	(0.16)	70.5	(8.34)	1199	(46.2)	1504	(57.3)	275	(8.8)
20 and over...	80.7	(5.19)	4.8	(0.19)	9.2	(0.24)	0.7	(0.08)	134.9	(11.63)	1029	(16.6)	1441	(19.2)	320	(7.9)
2 and over...	79.0	(4.41)	5.1	(0.16)	8.8	(0.22)	0.7	(0.07)	120.1	(9.32)	1049	(15.5)	1423	(16.1)	305	(7.0)
Non-Hispanic Black:																
2 - 5.....	104.6	(6.56)	5.9	(0.27)	5.9	(0.18)	0.4	(0.11)	61.1	(4.71)	875	(29.9)	1055	(33.7)	203	(5.6)
6 - 11.....	83.4	(5.81)	5.4	(0.37)	7.4	(0.23)	0.5	(0.15)	70.9	(5.73)	963	(37.0)	1223	(34.2)	228	(4.0)
12 - 19.....	83.6	(5.38)	3.7	(0.24)	7.3	(0.60)	0.3*	(0.14)	77.3	(4.23)	831	(28.6)	1171	(22.4)	225	(11.0)
20 and over...	93.2	(3.58)	4.0	(0.15)	8.8	(0.40)	0.5	(0.10)	131.7	(11.31)	858	(27.3)	1292	(24.6)	281	(8.2)
2 and over...	91.7	(2.54)	4.3	(0.18)	8.2	(0.30)	0.5	(0.07)	113.3	(8.20)	866	(23.8)	1252	(20.7)	263	(6.6)
Non-Hispanic Asian¹:																
2 - 5.....	72.0	(9.38)	7.0	(0.66)	5.8	(0.31)	1.0	(0.18)	63.4	(12.41)	946	(69.7)	1079	(64.0)	211	(10.2)
6 - 11.....	91.3	(12.76)	6.3	(0.37)	5.9	(0.47)	0.2*	(0.10)	105.6	(26.37)	1031	(63.3)	1178	(58.9)	243	(15.6)
12 - 19.....	83.7	(10.55)	5.5	(0.51)	7.0	(0.43)	0.4*	(0.17)	110.5	(9.15)	1050	(66.7)	1334	(74.6)	268	(14.5)
20 and over...	94.5	(4.52)	4.8	(0.25)	8.6	(0.56)	0.4*	(0.11)	163.6	(14.37)	776	(18.0)	1270	(26.8)	324	(8.4)
2 and over...	91.9	(4.43)	5.1	(0.18)	8.1	(0.45)	0.4	(0.09)	148.6	(10.81)	832	(16.0)	1260	(19.9)	306	(7.2)
Hispanic:																
2 - 5.....	86.5	(7.09)	7.2	(0.37)	4.9	(0.11)	0.3	(0.04)	42.9	(1.76)	1059	(35.0)	1150	(25.7)	208	(4.2)
6 - 11.....	91.5	(5.81)	6.2	(0.22)	6.5	(0.18)	0.3	(0.08)	57.0	(1.94)	1138	(33.8)	1357	(26.6)	250	(5.9)
12 - 19.....	95.8	(4.36)	6.3	(0.76)	8.3	(0.27)	0.6	(0.14)	69.4	(3.78)	1165	(70.4)	1477	(67.9)	273	(10.3)
20 and over...	93.9	(6.16)	4.6	(0.17)	8.4	(0.22)	0.5	(0.11)	96.7	(7.82)	999	(27.8)	1483	(40.3)	315	(8.2)
2 and over...	93.3	(4.48)	5.3	(0.16)	7.9	(0.16)	0.5	(0.08)	83.5	(5.33)	1045	(21.2)	1440	(25.0)	292	(5.1)

Table 2. Nutrient Intakes from Food and Beverages: Mean Amounts Consumed per Individual,
by Race/Ethnicity and Age, in the United States, 2011-2012 (continued)

Race/ethnicity and age (years)	Iron		Zinc		Copper		Selenium		Potassium		Sodium		Caffeine		Theobromine		Alcohol	
	mg	(SE)	mg	(SE)	mg	(SE)	µg	(SE)	mg	(SE)	mg	(SE)	mg	(SE)	mg	(SE)	g	(SE)
Non-Hispanic White:																		
2 - 5.....	11.0	(0.39)	7.9	(0.40)	0.8	(0.02)	72.5	(1.64)	2006	(67.8)	2213	(91.4)	8.0	(1.18)	53.2	(5.94)	--	--
6 - 11.....	14.4	(0.74)	9.6	(0.40)	1.0	(0.03)	92.9	(1.86)	2196	(51.0)	3068	(91.0)	24.9	(4.38)	78.6	(5.94)	--	--
12 - 19.....	15.4	(0.68)	12.1	(0.63)	1.1	(0.06)	115.2	(5.07)	2480	(71.3)	3667	(149.8)	70.7	(8.65)	48.0	(9.63)	--	--
20 and over...	16.0	(0.28)	11.7	(0.20)	1.4	(0.07)	112.1	(2.06)	2870	(57.4)	3574	(40.8)	205.1	(9.42)	46.4	(3.38)	13.9	(1.39)
2 and over...	15.6	(0.23)	11.4	(0.18)	1.3	(0.06)	109.3	(1.78)	2746	(51.3)	3487	(40.2)	170.7	(8.27)	49.0	(2.61)	--	--
Non-Hispanic Black:																		
2 - 5.....	12.3	(0.31)	8.1	(0.30)	0.8	(0.04)	78.3	(2.09)	2080	(57.9)	2477	(83.2)	6.0	(0.72)	28.4	(5.57)	--	--
6 - 11.....	14.8	(0.44)	10.1	(0.44)	0.9	(0.03)	96.2	(3.53)	2133	(72.2)	3164	(96.2)	11.6	(1.19)	46.9	(3.24)	--	--
12 - 19.....	13.8	(0.62)	9.4	(0.37)	0.9	(0.04)	97.8	(2.62)	2096	(67.1)	3257	(93.5)	29.1	(4.26)	40.9	(11.33)	--	--
20 and over...	14.0	(0.27)	10.5	(0.27)	1.3	(0.03)	115.3	(2.43)	2462	(41.3)	3536	(72.4)	78.4	(6.25)	32.0	(2.32)	10.7	(1.15)
2 and over...	13.9	(0.26)	10.2	(0.21)	1.1	(0.03)	108.4	(1.93)	2352	(32.9)	3387	(58.8)	60.0	(5.31)	34.5	(3.14)	--	--
Non-Hispanic Asian¹:																		
2 - 5.....	10.9	(0.58)	8.3	(0.39)	0.9	(0.04)	82.2	(8.44)	2013	(83.0)	2275	(170.9)	8.8*	(5.71)	41.1	(6.82)	--	--
6 - 11.....	12.4	(0.79)	9.1	(0.52)	1.0	(0.06)	93.8	(4.10)	2166	(137.8)	2709	(190.5)	11.9*	(4.22)	74.0	(16.35)	--	--
12 - 19.....	14.8	(1.08)	10.7	(0.62)	1.2	(0.06)	112.7	(4.79)	2393	(104.9)	3540	(191.4)	38.2	(5.60)	44.8	(7.14)	--	--
20 and over...	14.5	(0.41)	10.4	(0.22)	1.4	(0.04)	122.1	(3.68)	2673	(38.2)	3827	(119.7)	107.9	(6.86)	25.0	(2.22)	6.8	(0.90)
2 and over...	14.2	(0.29)	10.2	(0.15)	1.4	(0.04)	116.9	(2.88)	2572	(29.6)	3633	(99.7)	88.4	(5.01)	31.5	(2.68)	--	--
Hispanic:																		
2 - 5.....	12.0	(0.39)	8.6	(0.17)	0.8	(0.03)	75.8	(2.25)	2122	(42.3)	2283	(53.8)	6.4	(0.55)	41.6	(3.08)	--	--
6 - 11.....	16.3	(0.54)	10.8	(0.32)	1.0	(0.04)	100.0	(3.47)	2405	(63.3)	3133	(83.8)	16.1	(2.97)	53.6	(8.28)	--	--
12 - 19.....	17.1	(0.72)	11.1	(0.45)	1.2	(0.06)	113.5	(5.46)	2530	(109.0)	3557	(138.4)	34.1	(3.53)	58.8	(4.40)	--	--
20 and over...	16.7	(0.61)	12.0	(0.43)	1.3	(0.03)	122.9	(3.09)	2780	(54.2)	3654	(72.8)	114.1	(7.13)	24.7	(2.37)	7.5	(0.73)
2 and over...	16.3	(0.40)	11.5	(0.28)	1.2	(0.02)	114.9	(1.75)	2645	(34.9)	3466	(53.8)	81.9	(4.86)	34.6	(2.31)	--	--

Table 2. Nutrient Intakes from Food and Beverages: Mean Amounts Consumed per Individual,
by Race/Ethnicity and Age, in the United States, 2011-2012 (continued)

Race/ethnicity and age (years)	SFA 4:0 g (SE)	SFA 6:0 g (SE)	SFA 8:0 g (SE)	SFA 10:0 g (SE)	SFA 12:0 g (SE)	SFA 14:0 g (SE)	SFA 16:0 g (SE)	SFA 18:0 g (SE)
Non-Hispanic White:								
2 - 5.....	0.55 (0.072)	0.32 (0.043)	0.25 (0.032)	0.45 (0.053)	0.67 (0.089)	2.02 (0.250)	11.04 (0.738)	5.12 (0.382)
6 - 11.....	0.60 (0.051)	0.33 (0.026)	0.26 (0.017)	0.50 (0.035)	0.87 (0.069)	2.33 (0.132)	14.05 (0.467)	6.44 (0.244)
12 - 19.....	0.60 (0.033)	0.34 (0.017)	0.25 (0.014)	0.50 (0.027)	0.73 (0.042)	2.38 (0.142)	15.22 (0.865)	6.91 (0.406)
20 and over...	0.61 (0.026)	0.33 (0.013)	0.27 (0.007)	0.51 (0.017)	0.83 (0.038)	2.36 (0.066)	14.65 (0.238)	6.79 (0.130)
2 and over...	0.60 (0.023)	0.33 (0.012)	0.26 (0.007)	0.51 (0.017)	0.82 (0.034)	2.34 (0.066)	14.50 (0.241)	6.70 (0.130)
Non-Hispanic Black:								
2 - 5.....	0.40 (0.023)	0.26 (0.012)	0.22 (0.015)	0.36 (0.022)	0.57 (0.072)	1.61 (0.076)	11.04 (0.598)	4.83 (0.277)
6 - 11.....	0.49 (0.029)	0.29 (0.018)	0.24 (0.021)	0.43 (0.027)	0.66 (0.044)	2.10 (0.121)	14.25 (0.507)	6.39 (0.277)
12 - 19.....	0.46 (0.040)	0.27 (0.020)	0.21 (0.012)	0.40 (0.022)	0.67 (0.044)	1.97 (0.087)	13.77 (0.446)	6.18 (0.237)
20 and over...	0.42 (0.017)	0.24 (0.010)	0.22 (0.009)	0.40 (0.013)	0.78 (0.049)	1.90 (0.054)	14.22 (0.339)	6.48 (0.178)
2 and over...	0.43 (0.014)	0.25 (0.009)	0.22 (0.008)	0.40 (0.012)	0.73 (0.042)	1.91 (0.050)	13.94 (0.274)	6.31 (0.154)
Non-Hispanic Asian¹:								
2 - 5.....	0.54 (0.075)	0.36 (0.051)	0.45 (0.069)	0.57 (0.068)	0.65 (0.090)	1.97 (0.242)	10.26 (0.873)	4.39 (0.402)
6 - 11.....	0.56 (0.036)	0.34 (0.023)	0.31 (0.023)	0.49 (0.031)	0.76 (0.059)	2.04 (0.120)	11.26 (0.544)	5.01 (0.238)
12 - 19.....	0.55 (0.041)	0.31 (0.024)	0.27 (0.021)	0.47 (0.032)	0.82 (0.121)	2.14 (0.138)	12.95 (0.846)	5.74 (0.427)
20 and over...	0.32 (0.024)	0.18 (0.013)	0.18 (0.016)	0.31 (0.022)	0.65 (0.077)	1.47 (0.090)	10.93 (0.248)	4.68 (0.135)
2 and over...	0.37 (0.021)	0.22 (0.011)	0.21 (0.013)	0.35 (0.018)	0.68 (0.059)	1.61 (0.070)	11.13 (0.226)	4.80 (0.117)
Hispanic:								
2 - 5.....	0.56 (0.033)	0.35 (0.022)	0.28 (0.021)	0.46 (0.025)	0.62 (0.047)	2.02 (0.107)	10.68 (0.356)	4.79 (0.166)
6 - 11.....	0.60 (0.024)	0.34 (0.016)	0.26 (0.013)	0.49 (0.020)	0.73 (0.054)	2.28 (0.088)	13.45 (0.475)	6.07 (0.255)
12 - 19.....	0.64 (0.047)	0.36 (0.027)	0.28 (0.020)	0.54 (0.035)	0.80 (0.061)	2.49 (0.147)	15.24 (0.629)	6.69 (0.296)
20 and over...	0.51 (0.026)	0.29 (0.012)	0.24 (0.011)	0.44 (0.017)	0.73 (0.051)	2.16 (0.091)	14.11 (0.379)	6.39 (0.192)
2 and over...	0.54 (0.018)	0.31 (0.008)	0.25 (0.008)	0.46 (0.012)	0.73 (0.039)	2.21 (0.064)	13.92 (0.286)	6.27 (0.151)

Table 2. Nutrient Intakes from Food and Beverages: Mean Amounts Consumed per Individual,
by Race/Ethnicity and Age, in the United States, 2011-2012 (continued)

Race/ethnicity and age (years)	MFA 16:1 g (SE)	MFA 18:1 g (SE)	MFA 20:1 g (SE)	MFA 22:1 g (SE)	PFA 18:2 g (SE)	PFA 18:3 g (SE)	PFA 18:4 g (SE)
Non-Hispanic White:							
2 - 5.....	0.68 (0.076)	18.34 (0.860)	0.19 (0.012)	0.01 (0.001)	10.55 (0.368)	1.09 (0.043)	0.01 (0.002)
6 - 11.....	0.93 (0.031)	24.20 (0.636)	0.24 (0.010)	0.01 (0.001)	14.71 (0.573)	1.37 (0.062)	0.01 (0.001)
12 - 19.....	1.08 (0.059)	26.88 (1.500)	0.32 (0.017)	0.02 (0.002)	16.90 (1.245)	1.63 (0.141)	0.01 (0.002)
20 and over...	1.11 (0.020)	27.92 (0.368)	0.30 (0.006)	0.03 (0.004)	17.56 (0.246)	1.85 (0.031)	0.01 (0.001)
2 and over...	1.08 (0.018)	27.13 (0.360)	0.29 (0.006)	0.03 (0.003)	16.98 (0.232)	1.76 (0.028)	0.01 (0.001)
Non-Hispanic Black:							
2 - 5.....	0.86 (0.055)	20.12 (1.195)	0.22 (0.016)	0.02 (0.002)	13.07 (0.780)	1.15 (0.045)	0.01 (0.001)
6 - 11.....	1.15 (0.068)	25.90 (1.039)	0.26 (0.012)	0.02 (0.002)	16.07 (0.652)	1.45 (0.049)	0.01 (0.001)
12 - 19.....	1.14 (0.050)	25.32 (1.179)	0.31 (0.016)	0.02 (0.003)	16.82 (0.846)	1.59 (0.103)	0.01 (0.002)
20 and over...	1.23 (0.034)	27.97 (0.607)	0.32 (0.005)	0.03 (0.002)	18.56 (0.441)	1.75 (0.037)	0.01 (0.001)
2 and over...	1.18 (0.025)	26.85 (0.494)	0.31 (0.006)	0.03 (0.001)	17.69 (0.352)	1.66 (0.029)	0.01 (0.001)
Non-Hispanic Asian¹:							
2 - 5.....	0.56 (0.073)	16.73 (1.062)	0.15 (0.018)	0.01* (0.003)	9.56 (0.676)	1.16 (0.094)	#
6 - 11.....	0.66 (0.058)	17.81 (0.910)	0.21 (0.034)	0.01 (0.002)	10.95 (0.442)	1.17 (0.051)	0.01 (0.001)
12 - 19.....	0.94 (0.075)	22.13 (1.367)	0.23 (0.020)	0.02* (0.006)	14.59 (0.883)	1.50 (0.095)	0.01 (0.002)
20 and over...	0.89 (0.035)	23.10 (0.952)	0.31 (0.014)	0.05 (0.011)	14.91 (0.629)	1.64 (0.056)	0.02 (0.002)
2 and over...	0.86 (0.024)	22.27 (0.787)	0.28 (0.013)	0.04 (0.008)	14.31 (0.492)	1.57 (0.040)	0.02 (0.002)
Hispanic:							
2 - 5.....	0.70 (0.027)	17.42 (0.519)	0.16 (0.010)	0.02 (0.004)	10.30 (0.357)	1.12 (0.043)	#
6 - 11.....	0.98 (0.040)	23.29 (0.806)	0.23 (0.009)	0.02 (0.005)	14.25 (0.543)	1.43 (0.068)	0.01 (0.002)
12 - 19.....	1.06 (0.051)	26.66 (1.122)	0.30 (0.029)	0.02 (0.003)	17.30 (0.928)	1.68 (0.088)	0.01* (0.004)
20 and over...	1.17 (0.039)	27.07 (0.687)	0.28 (0.008)	0.02 (0.005)	16.57 (0.346)	1.79 (0.037)	0.01 (0.001)
2 and over...	1.09 (0.031)	25.77 (0.516)	0.27 (0.008)	0.02 (0.003)	15.89 (0.307)	1.68 (0.033)	0.01 (0.001)

Table 2. Nutrient Intakes from Food and Beverages: Mean Amounts Consumed per Individual,
by Race/Ethnicity and Age, in the United States, 2011-2012 (continued)

Race/ethnicity and age (years)	PFA 20:4 g (SE)	PFA 20:5 g (SE)	PFA 22:5 g (SE)	PFA 22:6 g (SE)
Non-Hispanic White:				
2 - 5.....	0.06 (0.006)	0.01 (0.001)	0.01 (0.001)	0.02 (0.003)
6 - 11.....	0.09 (0.005)	0.01 (0.002)	0.01 (0.001)	0.03 (0.003)
12 - 19.....	0.13 (0.012)	0.01 (0.004)	0.02 (0.001)	0.02 (0.004)
20 and over...	0.14 (0.003)	0.02 (0.003)	0.02 (0.001)	0.05 (0.006)
2 and over...	0.13 (0.003)	0.02 (0.002)	0.02 (0.001)	0.04 (0.004)
Non-Hispanic Black:				
2 - 5.....	0.11 (0.008)	0.01 (0.002)	0.01 (0.002)	0.03 (0.005)
6 - 11.....	0.12 (0.007)	0.01 (0.002)	0.02 (0.001)	0.03 (0.004)
12 - 19.....	0.13 (0.006)	0.02 (0.003)	0.02 (0.001)	0.03 (0.006)
20 and over...	0.18 (0.004)	0.03 (0.005)	0.03 (0.001)	0.07 (0.007)
2 and over...	0.16 (0.002)	0.03 (0.004)	0.02 (0.001)	0.05 (0.006)
Non-Hispanic Asian¹:				
2 - 5.....	0.07 (0.013)	0.01* (0.004)	0.01* (0.007)	0.04* (0.015)
6 - 11.....	0.09 (0.008)	0.02 (0.004)	0.01 (0.001)	0.03 (0.004)
12 - 19.....	0.12 (0.012)	0.03 (0.009)	0.02 (0.002)	0.06 (0.012)
20 and over...	0.14 (0.006)	0.08 (0.010)	0.03 (0.002)	0.15 (0.018)
2 and over...	0.13 (0.005)	0.07 (0.007)	0.03 (0.002)	0.12 (0.013)
Hispanic:				
2 - 5.....	0.09 (0.004)	0.01 (#)	0.01 (#)	0.02 (0.002)
6 - 11.....	0.11 (0.010)	0.01 (0.001)	0.02 (0.001)	0.03 (0.004)
12 - 19.....	0.15 (0.011)	0.02* (0.007)	0.02 (0.002)	0.05 (0.013)
20 and over...	0.17 (0.005)	0.03 (0.002)	0.03 (0.002)	0.06 (0.006)
2 and over...	0.15 (0.003)	0.02 (0.002)	0.02 (0.001)	0.05 (0.004)

Symbol Legend

* Indicates an estimate that may be less statistically reliable than estimates that are not flagged. The rules for flagging estimated means are as follows:

Mean: An estimated mean is flagged when based on a sample size of less than 30 times the variance inflation factor (VIF), where the VIF represents a broadly calculated average design effect, or when the relative standard error is greater than 30 percent. The VIF used in this table is 2.50.

Indicates a non-zero value too small to report.

Footnotes

¹ A new sampling methodology was implemented for NHANES 2011-2012 to oversample non-Hispanic non-black Asians in addition to the ongoing oversample of Hispanics, non-Hispanic blacks, low-income whites/others, and whites/others 80+ years.

Abbreviations

SE = standard error; RAE = retinol activity equivalents; DFE = dietary folate equivalents. SFA = saturated fatty acid; MFA = monounsaturated fatty acid; PFA = polyunsaturated fatty acid.

Notes Applicable to All Tables in Series: *What We Eat in America, NHANES 2011-2012*

Sample weights designed for dietary analysis were used to allow estimates representative of the U. S. population for the years of collection.

The statistics in this table are estimated from Day 1 dietary recall interviews conducted in the *What We Eat in America*, National Health and Nutrition Examination Survey (NHANES) 2011-2012. The 24-hour dietary recalls were conducted in-person, by trained interviewers, using the USDA 5-step Automated Multiple-Pass Method. Food intakes were coded and nutrient values were determined using the USDA Food and Nutrient Database for Dietary Studies 2011-2012 www.ars.usda.gov/nea/bhnrc/fsrg which is based on nutrient values in the USDA National Nutrient Database for Standard Reference, Release 26 (Agricultural Research Service, Nutrient Data Laboratory, 2013).

Intakes of nutrients and other dietary components are based on the consumption of food and beverages, including water, and do not include intake from supplements or medications.

The table includes data from individuals 2 years and over. Breast-fed children were excluded because breast milk was not quantified in dietary recall interviews.

Although alcohol data are collected for all individuals, estimates are not presented for age groups under 20 years due to extreme variability and/or inadequate sample size.

Suggested Citation

U.S. Department of Agriculture, Agricultural Research Service. 2014. Nutrient Intakes from Food and Beverages: Mean Amounts Consumed per Individual, by Race/Ethnicity and Age, *What We Eat in America*, NHANES 2011-2012.