Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2017-2018

							F	o o d	e n	e r g	y						
						-All Indi	viduals	2			—All R	estauran	t Consu	mers ³ —	I	Von-con	isumers 4
Race/ethnicity and age	Sample Size	Pero Repor	cent ting ⁵		otal ake		e from taurants	Percentag All Rest			otal ake		e from taurants	Percentag All Rest	,		otal ake
(years)		%	(SE)	kcal	(SE)	kcal	(SE)	%	(SE)	kcal	(SE)	kcal	(SE)	%	(SE)	kcal	(SE)
Non-Hispanic White	e: 797	48	(3.0)	1905	(27.3)	399	(40.1)	21	(2.0)	2100	(52.8)	824	(46.2)	39	(2.0)	1721	(40.3)
20 and over	1694	55	(3.0)	2162	(28.3)	557	(38.5)	26	(1.7)	2252	(37.2)	1019	(30.8)	45	(1.3)	2054	(44.2)
2 and over	2491	53	(2.7)	2110	(22.7)	525	(33.5)	25	(1.5)	2224	(31.0)	983	(27.8)	44	(1.1)	1979	(37.0)
Non-Hispanic Black	:								}								
2 - 19	531	50	(2.1)	1903	(44.6)	433	(28.2)	23	(1.3)	2057	(60.1)	860	(42.6)	42	(1.7)	1748	(59.1)
20 and over	1128	56	(2.2)	2113	(28.9)	626	(40.0)	30	(1.8)	2325	(43.8)	1109	(50.3)	48	(1.7)	1838	(68.5)
2 and over	1659	55	(2.0)	2061	(26.0)	578	(32.3)	28	(1.5)	2265	(39.8)	1053	(36.7)	47	(1.3)	1814	(54.2)
Non-Hispanic Asian	⁷ :			i													
2 - 19	236	49	(5.2)	1833	(31.8)	409	(57.9)	22	(3.1)	1946	(35.6)	830	(61.8)	43	(2.8)	1723	(48.3)
20 and over	626	54	(3.4)	1943	(37.2)	472	(36.6)	24	(1.6)	2036	(51.6)	879	(44.3)	43	(2.1)	1836	(79.8)
2 and over	862	53	(2.9)	1922	(33.8)	460	(30.2)	24	(1.3)	2019	(46.1)	870	(39.9)	43	(1.7)	1813	(61.5)
Hispanic:									ŀ								
2 - 19	576	50	(2.5)	1854	(19.1)	449	(31.4)	24	(1.8)	2000	(47.3)	902	(28.8)	45	(1.6)	1708	(47.7)
20 and over	1058	56	(2.6)	2176	(52.7)	595	(39.5)	27	(2.0)	2338	(78.8)	1064	(49.9)	46	(1.8)	1969	(71.0)
2 and over	1634	54	(2.1)	2071	(35.8)	548	(31.3)	26	(1.6)	2236	(49.0)	1015	(37.0)	45	(1.3)	1876	(59.2)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2017-2018 (continued)

								Рr	o t e	i n							
						-All Indi	viduals	2			—All R	estauran	t Consu	mers ³ —		Non-con	isumers 4
Race/ethnicity and age	Sample Size	Per Repor	cent ting ⁵		otal ake	Intak All Res	e from taurants	Percentag All Rest			otal ake		e from taurants	Percentag All Rest			otal ake
(years)		%	(SE)	g	(SE)	g	(SE)	%	(SE)	g	(SE)	g	(SE)	%	(SE)	g	(SE)
Non-Hispanic White	e: 797	48	(3.0)	67.3	(2.20)	14.5	(1.62)	22	(2.1)	72.8	(3.04)	30.0	(1.96)	41	(2.2)	62.2	(2.97)
20 and over	1694	55	(3.0)	81.7	(1.40)	22.6	(1.58)	28	(1.7)	83.7	(1.57)	41.4	(1.07)	49	(1.2)	79.4	(2.46)
2 and over	2491	53	(2.7)	78.8	(1.41)	21.0	(1.41)	27	(1.5)	81.7	(1.59)	39.3	(1.08)	48	(1.1)	75.5	(2.04)
Non-Hispanic Black	:			}													
2 - 19	531	50	(2.1)	62.7	. ,		(1.08)	27	(1.4)	67.2	(2.32)		(1.44)	49	(2.1)	58.1	(2.54)
20 and over	1128	56	(2.2)	76.2	(1.59)	25.3	(2.01)	33	(2.4)	81.1	(2.56)	44.8	(2.73)	55	(2.4)	69.9	(3.00)
2 and over	1659	55	(2.0)	72.9	(1.39)	23.1	(1.57)	32	(2.0)	77.9	(2.23)	42.1	(1.98)	54	(1.8)	66.7	(2.34)
Non-Hispanic Asian	7.																
2 - 19	236	49	(5.2)	66.0	(2.00)	16.0	(2.19)	24	(3.2)	70.1	(2.49)	32.5	(2.24)	46	(2.5)	62.0	(3.05)
20 and over	626	54	(3.4)	ı	(1.96)		(1.93)	28	(2.0)		(4.39)	41.8	(2.89)	48	(2.3)	74.6	(3.56)
2 and over	862	53	(2.9)	78.5	(1.93)	21.2	(1.64)	27	(1.7)	84.4	(4.06)	40.1	(2.69)	48	(2.1)	71.9	(2.51)
Hispanic:																	
2 - 19	576	50	(2.5)	66.7	(0.90)	17.6	(1.32)	26	(2.1)	71.9	(2.00)	35.3	(1.72)	49	(2.1)	61.5	(1.26)
20 and over	1058	56	(2.6)	85.7	(2.72)	25.4	(1.81)	30	(2.2)	92.4	(3.90)	45.4	(2.57)	49	(2.1)	77.2	(3.66)
2 and over	1634	54	(2.1)	79.5	(1.71)	22.8	(1.52)	29	(1.9)	86.2	(2.47)	42.3	(2.03)	49	(1.7)	71.6	(2.44)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2017-2018 (continued)

							C	arb	o h y o	dra	t e						
						-All Indiv	riduals	2			—All R	estaurant	Consu	mers ³ —	<i>N</i>	lon-cor	isumers ⁴
Race/ethnicity and age	Sample Size	Per Repor	cent ting ⁵	To Inta	tal ike	Intake All Rest		Percentag All Rest		To Inta		Intake All Rest			ges from ⁶ taurants		otal ake
(years)		%	(SE)	g	(SE)	g	(SE)	%	(SE)	g	(SE)	g	(SE)	%	(SE)	g	(SE)
Non-Hispanic White	2:								1								
2 - 19	797	48	(3.0)	244	(4.0)	46	(4.7)	19	(1.8)	265	(6.6)	95	(5.4)	36	(1.7)	224	(5.0)
20 and over	1694	55	(3.0)	244	(4.0)	57	(4.3)	23	(1.8)	249	(5.0)	103	(4.0)	42	(1.4)	237	(5.5)
2 and over	2491	53	(2.7)	244	(2.9)	54	(3.7)	22	(1.5)	252	(3.9)	102	(3.4)	40	(1.2)	234	(4.6)
Non-Hispanic Black	:																
2 - 19	531	50	(2.1)	246	(6.0)	46	(3.2)	19	(1.1)	260	(9.3)	91	(5.1)	35	(1.5)	231	(7.2)
20 and over	1128	56	(2.2)	245	(4.4)	62	(3.4)	25	(1.5)	269	(4.2)	111	(4.4)	41	(1.6)	214	(8.1)
2 and over	1659	55	(2.0)	245	(3.9)	58	(2.9)	24	(1.2)	267	(4.1)	106	(3.4)	40	(1.2)	219	(5.9)
Non-Hispanic Asian	7:																
2 - 19	236	49	(5.2)	240	(3.5)	45	(6.3)	19	(2.8)	248	(5.1)	92	(6.8)	37	(2.8)	232	(7.3)
20 and over	626	54	(3.4)	242	(6.1)	49	(3.5)	20	(1.2)	242	(6.5)	91	(4.1)	37	(2.1)	241	(13.2)
2 and over	862	53	(2.9)	241	(5.3)	48	(3.2)	20	(1.2)	243	(5.4)	91	(3.8)	37	(1.7)	239	(10.4)
Hispanic:																	
2 - 19	576	50	(2.5)	240	(2.9)	51	(3.9)	21	(1.7)	253	(7.5)	102	(3.4)	40	(1.5)	228	(7.8)
20 and over	1058	56	(2.6)	261	(4.9)	61	(3.7)	23	(1.7)	269	(7.5)	108	(4.3)	40	(1.7)	251	(7.1)
2 and over	1634	54	(2.1)	254	(3.4)	57	(3.2)	23	(1.4)	264	(4.9)	106	(3.4)	40	(1.1)	243	(6.8)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2017-2018 (continued)

							T	ota	l s ı	ıgaı	r s						
						-All Indiv	riduals	2			—All R	estaurant	Consu	mers ³ —		Non-con	sumers 4
Race/ethnicity and age	Sample Size	Pero Repor	cent ting ⁵	To Inta		Intake All Rest	from aurants	Percentag All Rest		To Inta		Intake All Rest		Percentag All Rest	,	⁶ To Inta	
(years)		%	(SE)	g	(SE)	g	(SE)	%	(SE)	g	(SE)	g	(SE)	%	(SE)	g	(SE)
Non-Hispanic White	e: 797	48	(3.0)	114	(2.3)	19	(2.1)	16	(1.7)	126	(4.3)	39	(2.8)	31	(2.0)	102	(2.2)
20 and over	1694	55	(3.0)	107	(2.2)	18	(1.5)	17	(1.3)	107	(2.7)	33	(1.5)	31	(1.2)	107	(3.1)
2 and over	2491	53	(2.7)	108	(1.7)	18	(1.3)	17	(1.2)	110	(2.0)	34	(1.2)	31	(1.0)	106	(2.6)
Non-Hispanic Black	:			}													
2 - 19	531	50	(2.1)	112	(3.2)	15	(1.1)	14	(1.0)	119	(5.2)	30	(2.3)	26	(1.8)	106	(3.2)
20 and over	1128	56	(2.2)	111	(2.7)	21	(1.5)	19	(1.5)	121	(2.8)	37	(1.8)	31	(1.6)	97	(4.8)
2 and over	1659	55	(2.0)	111	(2.0)	19	(1.2)	18	(1.1)	120	(2.2)	35	(1.2)	29	(1.2)	99	(3.4)
Non-Hispanic Asian	7:																
2 - 19	236	49	(5.2)	93	(4.9)	15	(2.4)	17	(2.7)	97	(5.0)	31	(3.5)	33	(3.8)	90	(9.5)
20 and over	626	54	(3.4)	86	(2.9)	14	(1.2)	16	(1.0)	88	(3.8)	26	(1.9)	30	(1.6)	83	(4.5)
2 and over	862	53	(2.9)	87	(2.5)	14	(1.2)	17	(1.1)	89	(3.2)	27	(1.9)	30	(1.6)	84	(3.5)
Hispanic:																	
2 - 19	576	50	(2.5)	104	(2.1)	17	(1.7)	16	(1.6)	106	(4.4)	33	(2.6)	31	(1.8)	103	(4.7)
20 and over	1058	56	(2.6)	107	(2.9)	19	(1.2)	18	(1.1)	108	(4.3)	35	(1.9)	32	(1.6)	105	(3.0)
2 and over	1634	54	(2.1)	106	(2.4)	18	(1.1)	17	(1.0)	108	(3.4)	34	(1.7)	32	(1.2)	104	(2.9)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2017-2018 (continued)

							D	i e t a	r y	f i b	e r						
						-All Indi	viduals	2			—All R	estauran	t Consu	mers ³ —		Non-con	sumers 4
Race/ethnicity and age	Sample Size	Per Repor	cent rting ⁵		otal ake	Intak All Res	e from taurants	Percentag All Rest			otal ake		e from taurants	Percentag All Rest			otal ake
(years)		%	(SE)	g	(SE)	g	(SE)	%	(SE)	g	(SE)	g	(SE)	%	(SE)	g	(SE)
Non-Hispanic White		40		120		2.7		10						0.5		1.2.0	
2 - 19 20 and over	797 1694	48 55	(3.0)	13.8 16.2	(2.5 3.6	(0.34) (0.29)	18 22	(2.1) (1.7)	14.5 15.7	(0.59) (0.52)	5.2 6.5	(0.48) (0.31)	36 42	(3.0) (2.0)	13.2 16.8	(0.74) (0.67)
2 and over	2491	53	(2.7)	15.7	(0.41)	3.3	(0.26)	21	(1.5)	15.5	(0.50)	6.3	(0.28)	41	(1.9)	16.0	(0.62)
Non-Hispanic Black	:																
2 - 19	531	50	(2.1)	12.7	(0.47)	2.4	(0.20)	19	(1.6)	13.0	(0.59)	4.9	(0.32)	37	(3.0)	12.3	(0.46)
20 and over	1128	56	(2.2)	14.1	(0.27)	3.6	(0.19)	26	(1.5)	14.4	(0.42)	6.4	(0.27)	45	(2.0)	13.8	(0.52)
2 and over	1659	55	(2.0)	13.8	(0.26)	3.3	(0.17)	24	(1.3)	14.1	(0.40)	6.1	(0.25)	43	(1.9)	13.4	(0.42)
Non-Hispanic Asian	7:																
2 - 19	236	49	(5.2)	15.6	(0.70)	2.8	(0.40)	18	(2.6)	15.3	(0.44)	5.7	(0.39)	37	(2.6)	16.0	(1.07)
20 and over	626	54	(3.4)	1	(0.93)	3.2	(0.30)	16	(1.4)	18.5	(0.85)	6.0	` /	32	(1.8)	22.7	(1.35)
2 and over	862	53	(2.9)	19.5	(0.84)	3.1	(0.24)	16	(1.1)	17.9	(0.72)	5.9	(0.23)	33	(1.5)	21.3	(1.22)
Hispanic:																	
2 - 19	576	50	(2.5)	15.1	(0.49)	3.3	(0.28)	22	(2.3)	15.4	(0.64)	6.7	(0.38)	43	(2.5)	14.8	(0.73)
20 and over	1058	56	(2.6)	19.9	(0.61)	4.2	(0.38)	21	(2.1)	19.6	(0.73)	7.5	(0.46)	38	(2.2)	20.4	(1.10)
2 and over	1634	54	(2.1)	18.4	(0.49)	3.9	(0.28)	21	(1.7)	18.3	(0.56)	7.3	(0.36)	40	(1.5)	18.4	(0.88)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2017-2018 (continued)

								Tot	al	f a t							
						-All Indi	viduals	2			—All R	estauran	t Consu	mers ³ —		Non-con	isumers 4
Race/ethnicity and age	Sample Size	Per Repor	cent ting ⁵		otal ake		e from taurants	Percentag All Rest			otal ake		e from taurants	Percentag All Rest			otal ake
(years)		%	(SE)	g	(SE)	g	(SE)	%	(SE)	g	(SE)	g	(SE)	%	(SE)	g	(SE)
Non-Hispanic White	e: 797	48	(3.0)	75.9	(1.62)	17.8	(1.81)	23	(2.3)	85.4	(3.35)	36.8	(2.30)	43	(2.4)	66.9	(1.91)
20 and over	1694	55	(3.0)	90.6	(' -)		(1.63)	28	(1.7)	95.2	(1.89)	46.1	(1.20)	48	(1.3)	85.0	(2.32)
2 and over	2491	53	(2.7)	87.6	(1.23)	23.7	(1.43)	27	(1.5)	93.4	(1.70)	44.4	(1.09)	47	(1.1)	80.9	(1.94)
Non-Hispanic Black	:			•													
2 - 19	531	50	(2.1)	76.8	(2.04)	20.5	(1.36)	27	(1.6)	85.5	(2.30)	40.8	(2.11)	48	(2.5)	68.0	(3.16)
20 and over	1128	56	(2.2)	86.6	(1.77)	29.4	(2.18)	34	(2.1)	97.0	(3.06)	52.1	(2.98)	54	(1.8)	73.3	(3.06)
2 and over	1659	55	(2.0)	84.2	(1.52)	27.2	(1.70)	32	(1.7)	94.4	(2.64)	49.6	(2.15)	53	(1.4)	71.9	(2.71)
Non-Hispanic Asian	7:																
2 - 19	236	49	(5.2)	69.7	(2.48)	18.3	(2.82)	26	(3.5)	76.7	(2.50)	37.2	(3.20)	48	(3.2)	62.9	(2.93)
20 and over	626	54	(3.4)	72.0	(1.79)		(1.89)	28	(2.5)	77.9	(2.35)		(2.52)	48	(2.6)	65.2	(3.18)
2 and over	862	53	(2.9)	71.6	(1.80)	19.8	(1.42)	28	(1.9)	77.7	(2.14)	37.4	(2.13)	48	(2.1)	64.7	(2.86)
Hispanic:																	
2 - 19	576	50	(2.5)	71.6	(1.24)	19.9	(1.43)	28	(2.1)	79.7	(2.46)	40.0	(1.77)	50	(2.0)	63.5	(1.92)
20 and over	1058	56	(2.6)	84.1	(2.56)	27.0	(1.94)	32	(2.3)	94.0	(3.92)	48.3	(2.66)	51	(2.1)	71.4	(3.63)
2 and over	1634	54	(2.1)	80.0	(1.89)	24.7	(1.43)	31	(1.8)	89.7	(2.83)	45.8	(1.93)	51	(1.4)	68.6	(2.70)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2017-2018 (continued)

							\mathbf{S}	atur	ate	d f	a t						
						-All Indi	viduals	2			—All R	estauran	t Consu	mers ³ —	 .	Non-con	isumers 4
Race/ethnicity and age	Sample Size	Per Repor	cent ting ⁵		otal ake	Intak All Res	e from taurants	Percentag All Rest			otal ake		e from taurants	Percentag All Rest			otal ake
(years)		%	(SE)	g	(SE)	g	(SE)	%	(SE)	g	(SE)	g	(SE)	%	(SE)	g	(SE)
Non-Hispanic White	:			I					1								
2 - 19	797	48	(3.0)	26.2	(0.54)	5.9	(0.58)	22	(2.1)	29.1	(1.17)	12.1	(0.75)	42	(2.0)	23.5	(0.66)
20 and over	1694	55	(3.0)	30.0	(0.49)	8.2	(0.53)	27	(1.7)	31.4	(0.61)	15.0	(0.40)	48	(1.1)	28.4	(0.94)
2 and over	2491	53	(2.7)	29.2	(0.43)	7.7	(0.47)	26	(1.5)	31.0	(0.57)	14.5	(0.39)	47	(0.9)	27.3	(0.76)
Non-Hispanic Black	:																
2 - 19	531	50	(2.1)		(1.08)	6.7	(0.50)	26	(1.7)	28.1	(1.14)	13.2	(0.81)	47	(2.6)	23.0	(1.61)
20 and over	1128	56	(2.2)	27.0	(0.57)	9.1	(0.68)	34	(2.2)	30.3	(1.08)	16.1	(0.97)	53	(2.0)	22.8	(1.05)
2 and over	1659	55	(2.0)	26.7	(0.53)	8.5	(0.52)	32	(1.8)	29.8	(0.95)	15.4	(0.68)	52	(1.6)	22.8	(1.07)
Non-Hispanic Asian	7.																
2 - 19	236	49	(5.2)	24.7	(0.91)	6.2	(0.93)	25	(3.6)	26.4	(1.05)	12.5	(1.05)	47	(3.0)	22.9	(1.37)
20 and over	626	54	(3.4)	22.0	(0.63)	6.3	(0.66)	29	(2.6)	23.7	(0.91)	11.7	(0.98)	49	(3.0)	19.9	(0.95)
2 and over	862	53	(2.9)	22.5	(0.62)	6.3	(0.50)	28	(1.9)	24.2	(0.82)	11.9	(0.83)	49	(2.4)	20.6	(0.85)
Hispanic:																	
2 - 19	576	50	(2.5)	24.6	(0.56)	6.6	(0.61)	27	(2.3)	26.7	(0.94)	13.2	(0.84)	49	(2.2)	22.5	(0.63)
20 and over	1058	56	(2.6)	26.8	(0.78)	8.6	(0.65)	32	(2.6)	30.0	(1.10)	15.5	(0.93)	52	(2.4)	22.7	(1.22)
2 and over	1634	54	(2.1)	26.1	(0.61)	8.0	(0.53)	31	(2.0)	29.0	(0.88)	14.8	(0.72)	51	(1.7)	22.6	(0.89)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2017-2018 (continued)

Monounsaturated fat −All Individuals ² −− -----All Restaurant Consumers ³ ----- Non-consumers ⁴ Race/ethnicity Sample Percent Total Intake from Percentages from 6 Total Intake from Percentages from 6 Total and age Size Reporting 5 Intake All Restaurants All Restaurants Intake All Restaurants All Restaurants Intake g (SE) % (SE) g (SE) (SE) (years) % (SE) g (SE) g (SE) % g (SE) **Non-Hispanic White:** 2 - 19..... 797 48 (3.0)24.9 (0.42) 24 28.1 (1.03) 12.2 (0.78) 43 22.0 (0.66)5.9 (0.61) (2.5)(2.8)20 and over..... 1694 55 30.9 (0.57) 27 32.5 (0.79) 15.4 (0.49) 47 29.0 (0.88) (3.0)8.4 (0.57) (1.7)(1.5)2 and over... 2491 53 (2.7)29.7 (0.51) 7.9 (0.50) 27 31.7 (0.69) 14.8 (0.43) 47 27.4 (0.73) (1.5)(1.3)Non-Hispanic Black: 531 13.8 (0.60) 2 - 19..... 50 (2.1)25.7 (0.67) 7.0 (0.43) 27 (1.6)28.7 (0.87) 48 (2.4)22.6 (0.98) 20 and over..... 1128 56 (2.2)29.8 (0.60) 10.1 (0.74) 34 (2.1)33.3 (1.07) 18.0 (1.01) 54 (1.8)25.2 (1.13)2 and over... 1659 55 (2.0)28.8 (0.55) 9.4 (0.60) 33 (1.8)32.2 (0.97) 17.0 (0.77) 53 (1.4)24.5 (1.00) Non-Hispanic Asian ⁷: 2 - 19..... 236 6.1 (0.93) 27 25.0 (0.92) 12.4 (1.12) 50 20.2 49 (5.2)22.6 (1.01) (3.4)(3.1)(1.37)626 54 27 47 22.8 (1.28) 25.5 (0.75) 7.0 (0.73) (2.6)27.8 (0.86) 13.0 (0.98) 20 and over..... (3.4)(2.8)6.8 (0.54) (2.0)2 and over... 862 53 (2.9)24.9 (0.71) 27 27.3 (0.79) 12.9 (0.80) (2.3)22.3 (1.20) **Hispanic:** 28 2 - 19..... 576 23.4 (0.53) 26.4 (0.87) 13.3 (0.64)50 20.3 (0.84)50 (2.5)6.6 (0.49) (2.2)(2.2)32 1058 56 28.7 (0.92) 9.2 (0.68) 32.0 (1.45) 16.4 (0.98) 51 24.4 (1.31) 20 and over..... (2.6)(2.4)(2.1)2 and over... 1634 (2.1)26.9 (0.72) 8.4 (0.49) 31 (1.9)30.3 (1.06) 15.5 (0.70) 51 (1.5)23.0 (1.02)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2017-2018 (continued)

						Po	ly	unsa	tur	a t e	e d 1	fat					
						-All Indi	viduals	2			—All R	estauran	t Consu	mers ³ —	<i>I</i>	Von-con	sumers 4
Race/ethnicity and age	Sample Size	Pero Repor	cent ting ⁵		otal ake	Intak All Res	e from taurants	Percentag All Rest			otal ake		e from taurants	Percentag All Rest			otal ake
(years)		%	(SE)	g	(SE)	g	(SE)	%	(SE)	g	(SE)	g	(SE)	%	(SE)	g	(SE)
Non-Hispanic White	<u>،</u>			İ					1						i		
2 - 19	797	48	(3.0)	17.3	(0.66)	4.4	(0.49)	26	(2.7)	20.1	(1.17)	9.1	(0.65)	45	(2.9)	14.7	(0.62)
20 and over	1694	55	(3.0)	21.0	(0.60)	6.2	(0.40)	30	(2.0)	22.3	(0.67)	11.3	(0.29)	51	(1.9)	19.4	(0.79)
2 and over	2491	53	(2.7)	20.2	(0.53)	5.8	(0.35)	29	(1.8)	21.9	(0.61)	10.9	(0.24)	50	(1.7)	18.3	(0.65)
Non-Hispanic Black	:																
2 - 19	531	50	(2.1)	18.3	(0.47)	5.0	(0.43)	28	(2.0)	20.8	(0.67)	10.0	(0.81)	48	(3.1)	15.7	(0.59)
20 and over	1128	56	(2.2)	21.6	(0.53)	7.5	(0.56)	35	(2.0)	24.3	(0.76)	13.2	(0.74)	55	(1.9)	18.1	(0.90)
2 and over	1659	55	(2.0)	20.8	(0.43)	6.9	(0.42)	33	(1.6)	23.5	(0.62)	12.5	(0.50)	53	(1.4)	17.4	(0.66)
Non-Hispanic Asian	7.																
2 - 19	236	49	(5.2)	15.3	(0.75)	4.4	(0.76)	29	(4.0)	17.7	(0.73)	8.9	(0.95)	51	(4.0)	13.1	(0.88)
20 and over	626	54	(3.4)	1	(0.59)	4.9	(0.39)	28	(2.4)	18.8	` /	9.1	(0.52)	48	(2.3)	15.8	(1.12)
2 and over	862	53	(2.9)	17.0	(0.55)	4.8	(0.33)	28	(1.9)	18.6	(0.71)	9.0	(0.52)	49	(2.1)	15.2	(0.95)
Hispanic:																	
2 - 19	576	50	(2.5)	16.3	(0.35)	4.7	(0.30)	29	(1.9)	18.6	(0.81)	9.5	(0.51)	51	(2.2)	14.0	(0.57)
20 and over	1058	56	(2.6)	20.2	(0.69)		(0.50)	33	(2.2)	22.8	(1.20)	11.8		52	(2.0)	16.9	(0.86)
2 and over	1634	54	(2.1)	18.9	(0.46)	6.0	(0.34)	32	(1.6)	21.5	(0.85)	11.1	(0.52)	52	(1.4)	15.9	(0.62)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2017-2018 (continued)

								C h o l	e s t	e r o	1						
						-All Indiv	riduals ²	2			—All R	estauran	t Consu	mers ³ —	I	Von-con	sumers 4
Race/ethnicity and age	Sample Size	Pero Repor	cent ting ⁵		otal ake	Intake All Rest	from aurants	Percentag All Rest			otal ake		e from taurants	Percentag All Rest		To Inta	otal ake
(years)		%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)
Non-Hispanic White	. •			ı					ı						ı		
2 - 19	797	48	(3.0)	216	(6.0)	47	(6.1)	22	(2.8)	240	(10.9)	98	(8.3)	41	(3.5)	194	(13.4)
20 and over	1694	55	(3.0)	303	(7.5)	87	(4.6)	29	(1.7)	317	(9.9)	160	(4.9)	51	(1.3)	286	(14.2)
2 and over	2491	53	(2.7)	285	(5.7)	79	(4.1)	28	(1.5)	302	(8.1)	148	(4.1)	49	(1.1)	265	(11.4)
Non-Hispanic Black	:			}													
2 - 19	531	50	(2.1)	224	(13.3)	58	(5.1)	26	(2.1)	236	(11.8)	114	(8.2)	48	(3.7)	212	(20.5)
20 and over	1128	56	(2.2)	305	(10.0)	102	(8.1)	33	(2.3)	333	(14.4)	180	(11.8)	54	(2.4)	268	(12.0)
2 and over	1659	55	(2.0)	285	(9.1)	91	(6.1)	32	(1.9)	311	(13.0)	165	(8.1)	53	(1.8)	253	(11.5)
Non-Hispanic Asian	7.																
2 - 19	236	49	(5.2)	237	(11.4)	53	(6.9)	22	(2.3)	268	(20.2)	107	(8.4)	40	(4.8)	207	(17.3)
20 and over	626	54	(3.4)	277	(7.8)	83	(8.4)	30	(2.9)	315	(21.3)	154	(13.8)	49	(3.4)	233	(21.6)
2 and over	862	53	(2.9)	269	(7.1)	77	(6.9)	29	(2.4)	306	(17.0)	145	(12.5)	48	(2.9)	228	(16.3)
Hispanic:																	
2 - 19	576	50	(2.5)	238	(9.9)	59	(6.3)	25	(2.9)	254	(13.4)	119	(10.4)	47	(4.0)	223	(12.6)
20 and over	1058	56	(2.6)	333	(11.6)	96	(7.3)	29	(2.1)	360	(20.1)	172	(10.8)	48	(2.2)	300	(15.1)
2 and over	1634	54	(2.1)	302	(8.4)	84	(6.0)	28	(1.9)	328	(13.8)	156	(7.9)	48	(1.9)	272	(9.1)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2017-2018 (continued)

							V i t	a m i	n A	(R	A E)					
						-All Indi	viduals	2	 		—All R	estauran!	t Consu	mers ³ —		Non-con	nsumers 4
Race/ethnicity and age	Sample Size	Per Repor	cent rting ⁵		otal ake		e from taurants	Percentag All Rest			otal ake		e from taurants	Percentag All Res			otal ake
(years)		%	(SE)	μg	(SE)	μg	(SE)	%	(SE)	μg	(SE)	μg	(SE)	%	(SE)	μg	(SE)
Non-Hispanic White	e: 797	48	(2.0)	601	(19.4)	77	(14.7)	13	(2.4)	619	(37.4)	160	(24.1)	26	(3.6)	584	(30.4)
20 and over	1694	55	(3.0) (3.0)	670	(19.4)	128	(7.8)	19	(2.4) (1.1)	665	(24.1)	235	(24.1) (11.4)	35	(1.3)	676	(23.8)
2 and over	2491	53	(2.7)	656	(15.3)	118	(7.4)	18	(1.1)	656	(20.1)	221	(11.0)	34	(1.3)	655	(19.8)
Non-Hispanic Black	:																
2 - 19	531	50	(2.1)	511	(21.6)	73	(6.7)	14	(1.3)	499	(30.5)	144	(13.3)	29	(3.0)	522	(28.9)
20 and over	1128	56	(2.2)	548	(29.6)	120	(10.4)	22	(2.1)	535	(28.3)	213	(16.5)	40	(3.3)	565	(41.9)
2 and over	1659	55	(2.0)	539	(20.4)	109	(7.7)	20	(1.6)	527	(19.7)	198	(12.2)	38	(2.3)	554	(27.8)
Non-Hispanic Asian	7.																
2 - 19	236	49	(5.2)	535	(35.4)	81	(13.1)	15	(2.9)	548	(43.9)	164	(16.9)	30	(4.0)	523	(51.0)
20 and over	626	54	(3.4)	1	(33.1)	120	(12.3)	20	(1.7)	615	` /	224	(17.9)	36	(2.2)	606	(55.4)
2 and over	862	53	(2.9)	596	(29.9)	113	(10.3)	19	(1.4)	603	(34.4)	213	(15.1)	35	(1.9)	588	(47.4)
Hispanic:																	
2 - 19	576	50	(2.5)	581	(18.1)	80	(8.5)	14	(1.5)	600	(30.1)	161	(12.8)	27	(2.3)	563	(20.3)
20 and over	1058	56	(2.6)	618	(32.9)	134	(13.5)	22	(1.9)	625	(39.6)	239	(20.6)	38	(2.4)	608	(48.1)
2 and over	1634	54	(2.1)	606	(22.0)	116	(10.3)	19	(1.5)	618	(28.1)	216	(16.3)	35	(1.8)	592	(32.4)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2017-2018 (continued)

							В	e t a	c a r	o t e	n e						
						-All Indi	viduals	2			—All R	estauran	t Consu	mers ³ —		Non-coi	nsumers 4
Race/ethnicity and age	Sample Size	Per Repor	cent	To Inta	otal ake		e from taurants	Percentage All Resta			otal ake		e from taurants	Percentag All Rest			otal take
(years)		%	(SE)	μg	(SE)	μg	(SE)	%	(SE)	μg	(SE)	μg	(SE)	%	(SE)	μg	(SE)
Non-Hispanic White		40		1216		105		1.6		1045		402		20		1005	(4.50.0)
2 - 19 20 and over	797 1694	48 55	(3.0)	1	(93.6) (208.2)	195 513	(57.3) (56.7)	16 21	(4.6) (2.2)		(106.6) (252.3)	939	(106.5) (91.4)	30 39	(7.3) (3.8)		(150.8) (238.9)
2 and over	2491	53	(2.7)	2228	(185.1)	448	(50.9)	20	(2.3)	2203	(220.2)	839	(85.3)	38	(3.9)	2255	(205.4)
Non-Hispanic Black	:																
2 - 19	531	50	(2.1)	1103	(128.8)	163	(27.0)	15	(2.7)	1078	(292.6)	323	(56.2)	30	(8.0)	1128	(185.4)
20 and over	1128	56	(2.2)	2193	(217.8)	435	(60.0)	20	(2.8)	1812	(179.6)	771	(106.1)	43	(4.3)	2686	(387.6)
2 and over	1659	55	(2.0)	1926	(162.9)	368	(47.2)	19	(2.5)	1647	(129.7)	670	(85.9)	41	(3.4)	2265	(281.8)
Non-Hispanic Asian	7:																
2 - 19	236	49	(5.2)	1625	(259.3)	258	(65.4)	16*	(5.3)	1647	(198.0)	523	(108.0)	32	(8.3)	1605	(417.7)
20 and over	626	54	(3.4)	1	(290.9)	544	(85.5)	17	(2.0)		(409.4)		(129.1)	34	(2.8)		(419.7)
2 and over	862	53	(2.9)	2951	(251.0)	488	(67.2)	17	(1.9)	2762	(330.1)	924	(104.6)	33	(2.5)	3163	(383.4)
Hispanic:																	
2 - 19	576	50	(2.5)	1010	(72.2)	199	(26.8)	20	(2.5)	999	(113.0)		(52.1)	40	(5.5)	1021	(55.0)
20 and over	1058	56	(2.6)	2485	(275.4)	604	(107.7)	24	(3.0)	2454	(300.6)	1080	(179.9)	44	(4.8)	2523	(425.8)
2 and over	1634	54	(2.1)	2004	(190.5)	472	(78.1)	24	(2.6)	2017	(234.4)	875	(141.3)	43	(4.2)	1990	(260.9)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2017-2018 (continued)

								Lyo	сор	e n e							
						-All Indi	viduals ²	2			—All R	estauran	t Consu	mers ³ —		Non-coi	nsumers 4
Race/ethnicity and age	Sample Size	Per Repor	cent rting ⁵		otal ake		e from taurants	Percentag All Rest			otal ake		e from staurants	Percentag All Rest			otal ake
(years)		%	(SE)	μg	(SE)	μg	(SE)	%	(SE)	μg	(SE)	μg	(SE)	%	(SE)	μg	(SE)
Non-Hispanic White				l					[[
2 - 19 20 and over	797 1694	48 55	(3.0)		(405.6) (302.8)		(145.4) (107.1)	20 28	(4.1)		(420.1)		(254.4) (159.3)	42 51	(5.7)		(767.2)
20 and over	1094	33	(3.0)	4806	(302.8)	1333	(107.1)	28	(2.6)	4/32	(311.9)	2440	(159.5)	31	(2.4)	48/1	(417.6)
2 and over	2491	53	(2.7)	4691	(252.4)	1234	(103.5)	26	(2.6)	4630	(277.8)	2311	(145.5)	50	(2.1)	4761	(398.1)
Non-Hispanic Black	:															}	
2 - 19	531	50	(2.1)	4020	(491.8)	938	(171.2)	23	(3.3)	4288	(459.2)	1864	(313.9)	43	(5.8)		(734.6)
20 and over	1128	56	(2.2)	4381	(371.9)	1382	(150.8)	32	(3.0)	4656	(522.5)	2450	(258.1)	53	(4.8)	4026	(515.9)
2 and over	1659	55	(2.0)	4293	(253.7)	1273	(127.1)	30	(2.7)	4573	(381.9)	2318	(217.8)	51	(4.5)	3951	(466.1)
Non-Hispanic Asian	⁷ :																
2 - 19	236	49	(5.2)	4972	(824.2)	1114	(275.8)	22	(5.1)	4675	(772.5)	2263	(466.8)	48	(7.7)	5260((1092.3)
20 and over	626	54	(3.4)	4514	(347.4)	1122	(187.7)	25	(3.7)	4264	(416.0)	2088	(305.5)	49	(5.4)	4804	(507.6)
2 and over	862	53	(2.9)	4603	(403.9)	1121	(174.0)	24	(3.2)	4338	(436.7)	2120	(264.0)	49	(4.4)	4899	(552.1)
Hispanic:																	
2 - 19	576	50	(2.5)	4402	(329.9)	1289	(129.4)	29	(2.9)	4260	(488.8)	2590	(208.9)	61	(4.8)	4543	(489.7)
20 and over	1058	56	(2.6)		(543.8)		(292.7)	30	(4.0)		(626.6)		(413.0)	51	(4.8)	ı	(722.2)
2 and over	1634	54	(2.1)	5328	(417.4)	1603	(219.0)	30	(3.3)	5540	(543.0)	2972	(327.9)	54	(3.6)	5080	(505.1)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2017-2018 (continued)

						Th	i a m	i n				
					–All Individuals	2		All R	estaurant Consu	mers ³ ——		Non-consumers ⁴
Race/ethnicity and age	Sample Size	Per Repor	cent ting ⁵	Total Intake	Intake from All Restaurants	Percentag All Rest		Total Intake	Intake from All Restaurants	Percentage All Resta		⁶ Total Intake
(years)		%	(SE)	mg (SE)	mg (SE)	%	(SE)	mg (SE)	mg (SE)	%	(SE)	mg (SE)
Non-Hispanic White	797	48	(3.0)	1.52 (0.031)	0.26 (0.028)	17	(1.7)	1.60 (0.032)	0.55 (0.031)	34	(1.8)	1.44 (0.045)
20 and over	1694	55	(3.0)	1.60 (0.026)	0.40 (0.024)	25	(1.4)	1.66 (0.031)	0.73 (0.017)	44	(1.0)	1.53 (0.056)
2 and over	2491	53	(2.7)	1.59 (0.024)	0.37 (0.021)	24	(1.3)	1.65 (0.024)	0.70 (0.015)	42	(0.8)	1.51 (0.045)
Non-Hispanic Black	:											
2 - 19	531	50	(2.1)	1.45 (0.043)	0.29 (0.027)	20	(1.6)	1.47 (0.066)	0.57 (0.043)	39	(1.8)	1.43 (0.056)
20 and over	1128	56	(2.2)	1.47 (0.035)	0.40 (0.023)	27	(1.6)	1.56 (0.042)	0.71 (0.035)	46	(1.8)	1.37 (0.064)
2 and over	1659	55	(2.0)	1.47 (0.028)	0.37 (0.022)	25	(1.5)	1.54 (0.041)	0.68 (0.033)	44	(1.6)	1.39 (0.049)
Non-Hispanic Asian	7.						ŀ					
2 - 19	236	49	(5.2)	1.53 (0.028)	0.28 (0.038)	18	(2.7)	1.54 (0.039)	0.56 (0.042)	37	(2.3)	1.51 (0.049)
20 and over	626	54	(3.4)	1.62 (0.051)	0.37 (0.024)	23	(1.6)	1.61 (0.054)	0.68 (0.047)	42	(2.5)	1.63 (0.128)
2 and over	862	53	(2.9)	1.60 (0.044)	0.35 (0.019)	22	(1.2)	1.60 (0.047)	0.66 (0.038)	41	(2.0)	1.61 (0.102)
Hispanic:												
2 - 19	576	50	(2.5)	1.56 (0.042)	0.31 (0.019)	20	(1.4)	1.65 (0.070)	0.63 (0.031)	38	(2.1)	1.48 (0.058)
20 and over	1058	56	(2.6)	1.64 (0.049)	0.42 (0.030)	25	(2.2)	1.71 (0.056)	0.75 (0.044)	44	(2.1)	1.56 (0.080)
2 and over	1634	54	(2.1)	1.62 (0.033)	0.38 (0.024)	24	(1.7)	1.69 (0.031)	0.71 (0.036)	42	(1.7)	1.53 (0.062)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2017-2018 (continued)

							Rib	ofla	vin	1						
					All Indiv	iduals ²	·			-All R	estauran	t Consu	mers ³ —	 .	Non-coi	nsumers 4
Race/ethnicity and age	Sample Size	Per Repor	cent ting ⁵	Total Intake	Intake All Resta		Percentag All Rest		To Inta			e from taurants	Percentag All Rest			otal ake
(years)		%	(SE)	mg (Sl	E) mg	(SE)	%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)
Non-Hispanic White	:			I				ı								
2 - 19	797	48	(3.0)	1.82 (0.04	3) 0.31 ((0.042)	17	(2.0)	1.96 ((0.071)	0.64	(0.056)	33	(2.3)		(0.068)
20 and over	1694	55	(3.0)	2.23 (0.05	0.46 ((0.027)	21	(1.3)	2.23 ((0.036)	0.84	(0.026)	38	(1.1)	2.23	(0.102)
2 and over	2491	53	(2.7)	2.15 (0.04	0.43 ((0.025)	20	(1.2)	2.18	(0.028)	0.80	(0.022)	37	(1.0)	2.11	(0.079)
Non-Hispanic Black	:															
2 - 19	531	50	(2.1)	1.63 (0.04	4) 0.31 ((0.033)	19	(1.8)	1.66 ((0.068)	0.62	(0.067)	37	(3.1)	1.60	(0.062)
20 and over	1128	56	(2.2)	1.73 (0.03	5) 0.45 ((0.028)	26	(1.8)	1.84 ((0.057)	0.80	(0.035)	43	(2.0)	1.60	(0.068)
2 and over	1659	55	(2.0)	1.71 (0.02	3) 0.42 ((0.023)	24	(1.4)	1.80	(0.045)	0.76	(0.025)	42	(1.5)	1.60	(0.050)
Non-Hispanic Asian	7:															
2 - 19	236	49	(5.2)	1.63 (0.06	0.29 ((0.039)	18	(2.5)	1.67 ((0.066)	0.59	(0.040)	35	(2.0)	1.59	(0.095)
20 and over	626	54	(3.4)	1.80 (0.03	7) 0.41 (0.025)	23	(1.2)	1.86 ((0.085)	0.76	(0.032)	41	(1.3)	1.72	(0.097)
2 and over	862	53	(2.9)	1.76 (0.04	0.38 ((0.022)	22	(1.1)	1.83	(0.069)	0.72	(0.027)	40	(1.1)	1.69	(0.075)
Hispanic:																
2 - 19	576	50	(2.5)	1.84 (0.03	4) 0.33 ((0.032)	18	(1.9)	1.93 (0.67	(0.039)	35	(2.5)	1.74	(0.051)
20 and over	1058	56	(2.6)	2.03 (0.06	3) 0.45 ((0.033)	22	(1.5)	2.13 ((0.106)	0.80	(0.043)	38	(1.3)	1.90	(0.071)
2 and over	1634	54	(2.1)	1.96 (0.04	0.41 ((0.029)	21	(1.3)	2.07	(0.070)	0.76	(0.037)	37	(1.0)	1.84	(0.056)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2017-2018 (continued)

								N	i a c i	n							
						-All Indi	viduals	2			—All R	estauran	t Consu	mers ³ —		Non-con	isumers 4
Race/ethnicity and age	Sample Size	Per Repor	cent		otal ake		e from taurants	Percentag All Rest			otal ake		e from taurants	Percentag All Rest		To Inta	otal ake
(years)		%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)
Non-Hispanic White	۸•			ı					1						I	ı	
2 - 19	797	48	(3.0)	22.0	(0.78)	4.6	(0.54)	21	(2.1)	24.0	(1.11)	9.5	(0.72)	40	(2.1)	20.2	(0.98)
20 and over	1694	55	(3.0)	26.5	(0.66)		(0.43)	25	(1.5)	27.4	(0.61)	12.1	(0.32)	44	(1.4)		(1.11)
2 and over	2491	53	(2.7)	25.6	(0.59)	6.2	(0.40)	24	(1.4)	26.8	(0.63)	11.6	(0.32)	43	(1.2)	24.2	(0.88)
Non-Hispanic Black	:															ı	
2 - 19	531	50	(2.1)	21.6	(0.55)	5.1	(0.33)	24	(1.2)	23.1	(0.62)	10.2	(0.41)	44	(1.3)	20.2	(0.66)
20 and over	1128	56	(2.2)	24.7	(0.43)	7.5	(0.55)	30	(2.4)	26.7	(0.50)	13.3	(0.74)	50	(2.6)	22.1	(1.09)
2 and over	1659	55	(2.0)	23.9	(0.37)	6.9	(0.44)	29	(1.9)	25.9	(0.41)	12.6	(0.56)	49	(2.0)	21.6	(0.80)
Non-Hispanic Asian	7:								}							ı	
2 - 19	236	49	(5.2)	19.9	(0.44)	4.6	(0.67)	23	(3.2)	21.0	(0.81)	9.4	(0.66)	45	(1.9)	18.8	(0.72)
20 and over	626	54	(3.4)	23.9	(0.80)	6.6	(0.55)	27	(2.1)	25.3	(1.33)	12.2	(0.89)	48	(2.8)		(1.09)
2 and over	862	53	(2.9)	23.1	(0.72)	6.2	(0.49)	27	(1.9)	24.5	(1.20)	11.7	(0.81)	48	(2.4)	21.5	(0.88)
Hispanic:																ı	
2 - 19	576	50	(2.5)	21.3	(0.50)	5.2	(0.32)	24	(1.5)	23.6	(0.97)	10.3	(0.47)	44	(2.0)	19.0	(0.60)
20 and over	1058	56	(2.6)		(0.83)		(0.51)	27	(1.9)	28.5	(1.34)	12.9	(0.73)	45	(2.0)	23.8	(0.97)
2 and over	1634	54	(2.1)	24.8	(0.51)	6.5	(0.43)	26	(1.6)	27.0	(0.73)	12.1	(0.57)	45	(1.7)	22.1	(0.67)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2017-2018 (continued)

								Vita	mir	n B	6						
						-All Indiv	viduals 2	2			—All R	estauran	t Consu	mers ³ —		Non-cor	nsumers 4
Race/ethnicity and age	Sample Size	Per Repor	cent ting ⁵	Tot Inta		Intake All Rest	e from taurants	Percentag All Rest			otal ake		e from taurants	Percentag All Rest			otal ake
(years)		%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)
Non-Hispanic White	e:								I							İ	
2 - 19	797	48	(3.0)	1.78 (,		(0.046)	16	(2.1)		(0.107)		(0.075)	31	(2.6)		(0.088)
20 and over	1694	55	(3.0)	2.22 ((0.081)	0.42	(0.031)	19	(1.3)	2.24	(0.111)	0.76	(0.025)	34	(1.9)	2.19	(0.095)
2 and over	2491	53	(2.7)	2.13 ((0.070)	0.39	(0.030)	18	(1.2)	2.18	(0.098)	0.73	(0.028)	34	(1.6)	2.07	(0.077)
Non-Hispanic Black	:																
2 - 19	531	50	(2.1)	1.63 (,		(0.017)	17	(0.8)		(0.063)		(0.030)	33	(1.2)		(0.060)
20 and over	1128	56	(2.2)	1.92 ((0.045)	0.46	(0.036)	24	(2.2)	1.99	(0.049)	0.82	(0.047)	41	(2.6)	1.84	(0.114)
2 and over	1659	55	(2.0)	1.85 ((0.040)	0.42	(0.028)	22	(1.7)	1.91	(0.031)	0.76	(0.034)	40	(2.0)	1.78	(0.085)
Non-Hispanic Asian	7:																
2 - 19	236	49	(5.2)	1.61 ((0.044)	0.28	(0.038)	17	(2.5)	1.63	(0.049)	0.57	(0.040)	35	(2.1)	1.60	(0.084)
20 and over	626	54	(3.4)	2.01 (0.081)	0.42	(0.039)	21	(1.8)		(0.123)	0.78	(0.058)	38	(2.6)	1.97	(0.118)
2 and over	862	53	(2.9)	1.93 ((0.073)	0.39	(0.034)	20	(1.5)	1.97	(0.107)	0.75	(0.054)	38	(2.2)	1.89	(0.093)
Hispanic:																	
2 - 19	576	50	(2.5)	1.77 ((0.050)	0.30	(0.023)	17	(1.4)	1.86	(0.098)	0.61	(0.038)	33	(2.1)	1.68	(0.047)
20 and over	1058	56	(2.6)	2.26 ((0.073)	0.48	(0.029)	21	(1.3)	2.36	(0.129)	0.87	(0.037)	37	(1.5)	2.13	(0.102)
2 and over	1634	54	(2.1)	2.10 ((0.041)	0.43	(0.024)	20	(1.1)	2.21	(0.071)	0.79	(0.029)	36	(1.2)	1.97	(0.065)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2017-2018 (continued)

							\mathbf{F}	olat	e (D F	E)						
						-All Indi	viduals	2			—All R	estauran	t Consu	mers ³ —	<i>I</i>	Von-con	sumers 4
Race/ethnicity and age	Sample Size	Per Repor	cent ting ⁵		otal ake	Intak All Res	e from taurants	Percentag All Rest			otal ake		e from taurants	Percentag All Rest			otal ake
(years)		%	(SE)	μg	(SE)	μg	(SE)	%	(SE)	μg	(SE)	μg	(SE)	%	(SE)	μg	(SE)
Non-Hispanic White) :			i					ı						i		
2 - 19	797	48	(3.0)	474	(9.3)	74	(7.6)	16	(1.6)	488	(16.2)	154	(9.1)	31	(1.7)	461	(12.9)
20 and over	1694	55	(3.0)	500	(10.4)	120	(8.4)	24	(1.6)	516	(12.6)	219	(7.6)	42	(1.5)	481	(18.1)
2 and over	2491	53	(2.7)	495	(8.1)	110	(7.4)	22	(1.4)	511	(10.5)	207	(6.9)	41	(1.3)	477	(14.9)
Non-Hispanic Black	:																
2 - 19	531	50	(2.1)	467	(12.2)	82	(10.4)	18	(2.0)	462	(26.2)	164	(18.2)	35	(2.8)	473	(24.1)
20 and over	1128	56	(2.2)	460	(15.3)	118	(7.0)	26	(1.4)	483	(18.5)	210	(11.2)	43	(2.0)	431	(20.5)
2 and over	1659	55	(2.0)	462	(12.5)	109	(7.0)	24	(1.4)	478	(18.1)	199	(11.8)	42	(1.9)	442	(16.3)
Non-Hispanic Asian	⁷ :																
2 - 19	236	49	(5.2)	497	(18.0)	91	(12.1)	18	(2.4)	508	(12.8)	186	(10.8)	37	(1.9)	486	(33.4)
20 and over	626	54	(3.4)	524	(22.1)	107	(8.5)	20	(1.7)	509	(12.8)	199	(13.2)	39	(2.9)	541	(49.7)
2 and over	862	53	(2.9)	519	(20.3)	104	(7.1)	20	(1.5)	509	(10.6)	197	(9.9)	39	(2.2)	529	(43.9)
Hispanic:																	
2 - 19	576	50	(2.5)	518	(23.2)	99	(7.1)	19	(1.6)	554	(35.9)	199	(11.8)	36	(2.5)	482	(24.0)
20 and over	1058	56	(2.6)	524	(13.0)	128	(12.1)	24	(2.5)	546	(18.7)	229	(16.1)	42	(2.4)	497	(23.7)
2 and over	1634	54	(2.1)	522	(9.8)	119	(9.0)	23	(1.8)	548	(12.0)	220	(12.0)	40	(1.8)	492	(19.4)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2017-2018 (continued)

								C h	o l i	n e							
						-All Indiv	riduals ²	2			—All R	estauran	t Consu	mers ³ —		Non-cor	isumers 4
Race/ethnicity and age	Sample Size	Per Repor	cent ting ⁵	To Inta		Intake All Rest		Percentag All Rest			otal ake		e from taurants	Percentag All Rest			otal ake
(years)		%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)
Non-Hispanic White	e: 797	48	(3.0)	242	(6.9)	49	(6.4)	20	(2.3)	265	(9.8)	101	(8.6)	38	(2.9)	220	(10.8)
20 and over	1694	55	(3.0)	331	(5.8)	85	(4.8)	26	(1.5)	337	(9.1)	156	(5.3)	46	(1.0)	323	(11.1)
2 and over	2491	53	(2.7)	313	(4.6)	78	(4.3)	25	(1.4)	324	(8.0)	146	(4.6)	45	(0.9)	300	(8.4)
Non-Hispanic Black	:								ŀ								
2 - 19	531	50	(2.1)	226	(9.8)	53	(3.3)	24	(1.6)	239	(10.1)	106	(5.9)	44	(3.3)	213	(13.7)
20 and over	1128	56	(2.2)	302	(8.2)	92	(7.1)	30	(2.2)	323	(10.8)	163	(10.0)	51	(2.4)	275	(11.9)
2 and over	1659	55	(2.0)	284	(7.9)	83	(5.4)	29	(1.8)	304	(10.3)	151	(7.0)	49	(1.9)	259	(10.0)
Non-Hispanic Asian	7:																
2 - 19	236	49	(5.2)	262	(9.1)	52	(7.7)	20	(2.6)	280	(12.2)	105	(10.6)	37	(4.1)	244	(16.2)
20 and over	626	54	(3.4)	323	(7.4)	79	(6.8)	24	(2.0)	345	(13.0)	147	(9.9)	43	(2.3)	298	(21.3)
2 and over	862	53	(2.9)	311	(6.2)	74	(5.8)	24	(1.7)	334	(11.4)	140	(9.7)	42	(2.2)	287	(14.5)
Hispanic:																	
2 - 19	576	50	(2.5)	257	(6.3)	57	(4.7)	22	(2.1)	270	(8.7)	115	(6.3)	43	(2.8)	245	(8.8)
20 and over	1058	56	(2.6)	357	(10.8)	92	(6.5)	26	(1.9)	380	(18.3)	164	(8.7)	43	(1.7)	329	(12.7)
2 and over	1634	54	(2.1)	325	(7.4)	81	(5.2)	25	(1.6)	346	(12.0)	149	(6.5)	43	(1.4)	299	(8.9)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2017-2018 (continued)

						7	ita	m i n	B 1	2						
					-All Indiv	riduals ²	2			−All R	estauran	t Consu	mers ³ —	<i>j</i>	Von-cor	isumers 4
Race/ethnicity and age	Sample Size	Per Repor	cent	Total Intake	Intake All Rest		Percentag All Rest		Tot Inta			e from taurants	Percentag All Rest	,		otal ake
(years)		%	(SE)	μg (SE)	μg	(SE)	%	(SE)	μg	(SE)	μg	(SE)	%	(SE)	μg	(SE)
Non-Hispanic White	. •			I				ı						ĺ		
2 - 19	797	48	(3.0)	4.33 (0.154)	0.63	(0.090)	14	(1.8)	4.54 (0.169)	1.29	(0.136)	28	(2.4)	4.13	(0.211)
20 and over	1694	55	(3.0)	5.03 (0.182)		(0.072)	20	(1.3)	4.98 (. ,		(0.064)	38	(1.3)	5.10	(0.273)
2 and over	2491	53	(2.7)	4.89 (0.158)	0.95	(0.067)	19	(1.1)	4.90 ((0.170)	1.78	(0.066)	36	(1.1)	4.88	(0.229)
Non-Hispanic Black	:															
2 - 19	531	50	(2.1)	3.96 (0.184)	0.69	(0.058)	17	(1.2)	3.90 ((0.210)	1.37	(0.108)	35	(2.2)	4.02	(0.192)
20 and over	1128	56	(2.2)	4.23 (0.119)	1.10	(0.110)	26	(2.8)	4.39 ((0.166)	1.94	(0.169)	44	(3.8)	4.01	(0.230)
2 and over	1659	55	(2.0)	4.16 (0.099)	1.00	(0.086)	24	(2.2)	4.28 ((0.127)	1.81	(0.132)	42	(3.1)	4.01	(0.192)
Non-Hispanic Asian	7.															
2 - 19	236	49	(5.2)	4.06 (0.213)	0.67	(0.109)	17	(2.6)	4.05 ((0.307)	1.36	(0.161)	34	(3.0)	4.08	(0.277)
20 and over	626	54	(3.4)	3.97 (0.147)		(0.152)	27	(3.2)	4.36 ((0.239)	45	(4.4)		(0.254)
2 and over	862	53	(2.9)	3.99 (0.136)	0.99	(0.131)	25	(2.8)	4.30 ((0.230)	1.86	(0.216)	43	(3.8)	3.64	(0.193)
Hispanic:																
2 - 19	576	50	(2.5)	4.70 (0.194)	0.76	(0.097)	16	(1.9)	4.84 ((0.275)	1.52	(0.142)	31	(2.8)	4.57	(0.215)
20 and over	1058	56	(2.6)	4.80 (0.173)	1.18	(0.096)	25	(1.8)	5.12 ((0.258)	2.11	(0.135)	41	(2.0)	4.39	(0.308)
2 and over	1634	54	(2.1)	4.77 (0.133)	1.04	(0.079)	22	(1.5)	5.04 ((0.181)	1.94	(0.104)	38	(1.7)	4.45	(0.246)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2017-2018 (continued)

								Vit	a m i	n C	•					
						–All Indi	viduals	2			—All R	estauran	t Consu	mers ³ —		Non-consumers
Race/ethnicity and age	Sample Size	Per Repor	cent rting ⁵		otal ake		e from taurants	Percentage All Resta			otal ake		e from taurants	Percentag All Rest		⁶ Total Intake
(years)		%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg (SE)
Non-Hispanic White	2:			ı												I
2 - 19	797	48	(3.0)	67.8	(4.86)	6.6	(1.26)	10	(1.7)	67.6	(9.32)	13.7	(2.06)	20	(3.2)	67.9 (4.06)
20 and over	1694	55	(3.0)	70.7	(3.62)	10.1	(0.90)	14	(1.0)	68.7	(5.01)	18.4	(1.66)	27	(1.7)	73.1 (3.90)
2 and over	2491	53	(2.7)	70.1	(3.34)	9.4	(0.77)	13	(0.9)	68.5	(5.09)	17.6	(1.44)	26	(1.4)	72.0 (3.26)
Non-Hispanic Black	:															
2 - 19	531	50	(2.1)	77.1	(5.16)	5.8	(0.93)	8	(1.0)	69.5	(7.64)	11.6	(1.83)	17	(1.9)	84.8 (5.41)
20 and over	1128	56	(2.2)	76.5	(4.11)	12.3	(1.16)	16	(1.5)	74.1	(5.00)	21.8	(1.85)	29	(2.4)	79.6 (5.52)
2 and over	1659	55	(2.0)	76.6	(3.57)	10.7	(0.90)	14	(1.2)	73.1	(4.39)	19.5	(1.43)	27	(2.0)	81.0 (4.32)
Non-Hispanic Asian	7:															
2 - 19	236	49	(5.2)	70.8	(8.77)	9.8	(2.91)	14*	(4.9)	73.9	(5.94)	20.0	(4.93)	27	(6.8)	67.8 (16.40)
20 and over	626	54	(3.4)	96.9	(5.81)		(1.67)	12	(1.8)	91.4	(7.39)	22.5	(3.22)	25	(3.4)	103.3 (6.66)
2 and over	862	53	(2.9)	91.8	(5.62)	11.7	(1.51)	13	(1.8)	88.3	(5.88)	22.1	(3.15)	25	(3.3)	95.9 (7.48)
Hispanic:																
2 - 19	576	50	(2.5)	79.6	(4.61)	8.1	(0.93)	10	(1.1)	72.4	(5.28)	16.3	(1.82)	22	(1.8)	86.7 (6.08)
20 and over	1058	56	(2.6)	91.8	(3.82)	13.0	` ,	14	(1.6)	86.0	(3.60)	23.2	(2.32)	27	(2.5)	99.1 (6.70)
2 and over	1634	54	(2.1)	87.8	(3.13)	11.4	(1.08)	13	(1.2)	81.9	(2.55)	21.1	(1.82)	26	(1.9)	94.7 (5.45)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2017-2018 (continued)

								Vit	a m i	n I)						
						-All Indi	viduals	2			—All R	estauran	t Consu	mers ³ —		Non-con	isumers 4
Race/ethnicity and age	Sample Size	Per Repor	cent ting ⁵		otal ake	Intak All Res	e from taurants	Percentag All Resta			otal ake		e from taurants	Percentag All Rest			otal ake
(years)		%	(SE)	μg	(SE)	μg	(SE)	%	(SE)	μg	(SE)	μg	(SE)	%	(SE)	μg	(SE)
Non-Hispanic White	e :			ı					ı							I	
2 - 19	797	48	(3.0)	4.6	(0.17)	0.4	(0.10)	8	(2.0)	4.3	(0.32)	0.8	(0.18)	18	(3.6)	4.9	(0.37)
20 and over	1694	55	(3.0)	4.2	(0.19)	0.6	(0.05)	15	(1.4)	3.9	(0.17)	1.2	(0.08)	30	(1.4)	4.6	(0.33)
2 and over	2491	53	(2.7)	4.3	(0.16)	0.6	(0.04)	14	(1.1)	4.0	(0.13)	1.1	(0.06)	28	(1.1)	4.7	(0.26)
Non-Hispanic Black	:																
2 - 19	531	50	(2.1)	3.9	(0.16)	0.3	(0.03)	7	(0.7)	3.6	(0.23)	0.5	(0.06)	15	(1.4)	4.3	(0.20)
20 and over	1128	56	(2.2)	3.7	(0.16)	0.7	(0.09)	19	(2.2)	3.8	(0.24)	1.3	(0.14)	34	(3.6)	3.7	(0.23)
2 and over	1659	55	(2.0)	3.8	(0.12)	0.6	(0.07)	16	(1.7)	3.7	(0.18)	1.1	(0.11)	30	(2.9)	3.9	(0.16)
Non-Hispanic Asian	7:																
2 - 19	236	49	(5.2)	4.8	(0.40)	0.3	(0.04)	7*	(1.1)	4.3	(0.48)	0.7	(0.04)	15*	(1.9)	5.3	(0.71)
20 and over	626	54	(3.4)	4.9	(0.39)	1.1	(0.26)	22	(4.2)	5.0	` ,	2.0	` /	40	(5.4)	4.8	(0.57)
2 and over	862	53	(2.9)	4.9	(0.32)	0.9	(0.22)	19	(3.6)	4.9	(0.48)	1.8	(0.37)	36	(5.0)	4.9	(0.39)
Hispanic:																	
2 - 19	576	50	(2.5)	5.1	(0.19)	0.3	(0.04)	7	(0.8)	4.8	(0.32)	0.7	(0.06)	14	(1.4)	5.4	(0.20)
20 and over	1058	56	(2.6)	4.3	(0.23)	0.7	(0.08)	16	(2.3)	4.0	(0.23)	1.3	(0.15)	31	(3.8)	4.6	(0.40)
2 and over	1634	54	(2.1)	4.6	(0.15)	0.6	(0.06)	13	(1.4)	4.3	(0.17)	1.1	(0.10)	25	(2.4)	4.9	(0.29)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2017-2018 (continued)

Vitamin E (alphatocopherol) -All Individuals 2 ---------All Restaurant Consumers ³ -----Non-consumers⁴ Race/ethnicity Sample Percent Total Intake from Percentages from ⁶ Total Intake from Percentages from 6 Total and age Size Reporting 5 Intake All Restaurants All Restaurants Intake All Restaurants All Restaurants Intake mg (SE) (SE) mg (SE) (years) % (SE) mg (SE) % (SE) mg % (SE) mg (SE) **Non-Hispanic White:** 2 - 19..... 797 48 (3.0)18 8.3 (0.44) 3.0 (0.20)36 7.6 (0.68)7.9 (0.43)1.5 (0.16) (2.5)(3.0)20 and over..... 39 1694 55 9.7 (0.30) 2.1 (0.15) 21 9.7 (0.29) 3.8 (0.13) 9.6 (0.43) (3.0)(1.6)(1.6)9.3 (0.26) 2 and over... 2491 53 (2.7)1.9 (0.14) 21 9.5 (0.30) 3.6 (0.12) 38 9.1 (0.34) (1.4)(1.5)Non-Hispanic Black: 531 2 - 19..... (2.1)7.4 (0.17) 1.5 (0.11) (1.6)7.8 (0.22)3.0 (0.18) 38 (2.4)6.9 (0.33)20 and over..... 1128 56 (2.2)8.7 (0.21) 2.4 (0.16) 28 (1.5)9.4 (0.34) 4.2 (0.19) 45 (1.5)7.6 (0.37) 2 and over... 1659 55 (2.0)8.3 (0.16) 2.2 (0.13) 26 (1.3)9.1 (0.27) 4.0 (0.15) 44 (1.2)7.4 (0.29) Non-Hispanic Asian ⁷: 2 - 19..... 236 7.0 (0.27) 1.6 (0.22) 3.2 (0.24)43 49 (5.2)(2.8)7.4 (0.27)(3.2)6.6 (0.39)626 54 8.3 (0.31) 3.3 (0.18) 38 1.8 (0.18) (1.8)8.7 (0.34) 7.9 (0.41) 20 and over..... (3.4)(1.8)39 2 and over... 862 53 (2.9)8.1 (0.28) 1.8 (0.15) (1.5)8.5 (0.29) 3.3 (0.15) (1.5)7.6 (0.36) **Hispanic:** 21 2 - 19..... 576 7.4 (0.23) 1.5 (0.09) 8.2 (0.45) 3.0 (0.12)37 6.6 (0.32)50 (2.5)(1.3)(1.8)42 1058 56 9.1 (0.42) 2.3 (0.19) 25 (2.1)9.6 (0.48) 4.1 (0.21) 8.5 (0.63)20 and over..... (2.6)(2.0)2 and over... 1634 (2.1)8.6 (0.29) 2.0 (0.14) (1.5)9.2 (0.32) 3.8 (0.17) (1.3)7.8 (0.44)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2017-2018 (continued)

								Vit	a m i	n K	- •						
						-All Indi	viduals	2			—All R	estauran	t Consu	mers ³ —	 .	Non-con	sumers 4
Race/ethnicity and age	Sample Size	Per Repor	cent ting ⁵		otal ake		e from taurants	Percentag All Rest		To Inta	otal ake	Intak All Res	e from taurants	Percentag All Rest		To Inta	tal ake
(years)		%	(SE)	μg	(SE)	μg	(SE)	%	(SE)	μg	(SE)	μg	(SE)	%	(SE)	μg	(SE)
Non-Hispanic White	۸•			I					ı						ı		
2 - 19	797	48	(3.0)	69.5	(4.95)	16.2	(2.02)	23	(3.0)	84.1	(8.25)	33.5	(3.19)	40	(5.6)	55.8	(3.95)
20 and over	1694	55	(3.0)	1	(10.44)	34.3	(3.01)	27	(2.7)	130.5		62.8	(3.99)	48	(4.3)	122.4	
2 and over	2491	53	(2.7)	115.1	(9.19)	30.6	(2.47)	27	(2.5)	121.9	(11.24)	57.4	(3.37)	47	(4.0)	107.4	(8.63)
Non-Hispanic Black	:																
2 - 19	531	50	(2.1)	81.9	(6.95)	15.5	(1.35)	19	(2.1)	69.0	(4.91)	30.9	(2.99)	45	(4.6)	94.9	(15.38)
20 and over	1128	56	(2.2)	128.8	(9.02)	34.4	(3.84)	27	(3.0)	119.7	(8.20)	61.0	(6.40)	51	(4.3)	140.6	(13.77)
2 and over	1659	55	(2.0)	117.3	(7.44)	29.8	(2.80)	25	(2.6)	108.3	(6.68)	54.2	(4.71)	50	(3.4)	128.2	(10.60)
Non-Hispanic Asian	⁷ :																
2 - 19	236	49	(5.2)	81.8	(8.52)	19.7	(3.97)	24	(5.1)	96.6	(13.36)	40.1	(5.58)	42	(8.1)	67.4	(7.46)
20 and over	626	54	(3.4)	1	(11.79)		(6.14)	22	(4.1)	144.4	` ,		(10.18)	43	(4.2)	162.8	
2 and over	862	53	(2.9)	139.1	(10.64)	30.9	(5.01)	22	(3.7)	135.8	(11.99)	58.4	(8.37)	43	(3.9)	142.9	(15.14)
Hispanic:																	
2 - 19	576	50	(2.5)	64.9	(2.45)	18.2	(1.38)	28	(2.1)	72.6	(3.57)	36.6	(2.33)	50	(2.0)	57.3	(3.27)
20 and over	1058	56	(2.6)	1	(9.08)		(3.48)	27	(2.6)	127.3			(4.77)	45	(3.9)	108.5	(8.48)
2 and over	1634	54	(2.1)	101.4	(6.61)	27.5	(2.54)	27	(2.2)	110.8	(9.84)	50.9	(3.90)	46	(3.1)	90.3	(5.83)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2017-2018 (continued)

								C a	l c i	u m							
						-All Indi	viduals	2		—All R	estauran	t Consu	mers ³ —		Non-con	isumers 4	
Race/ethnicity and age	Sample Size	Pero Repor	cent ting ⁵		otal ake	Intak All Res	e from taurants	Percentag All Rest			otal ake		e from taurants	Percentag All Rest			otal ake
(years)		%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)
Non-Hispanic White		40				1.10				000		205		24			
2 - 19 20 and over	797 1694	48 55	(3.0) (3.0)	985 993	(10.9) (18.7)	149 219	(15.5) (12.6)	15 22	(1.5) (1.2)	992 1016	(29.3) (27.8)	307 400	(18.3) (9.8)	31 39	(1.8) (0.9)	978 964	(31.5) (27.0)
2 and over	2491	53	(2.7)	991	(15.5)	204	(10.5)	21	(1.0)	1012	(22.0)	383	(8.2)	38	(0.8)	968	(24.5)
Non-Hispanic Black	:								ŀ								
2 - 19	531	50	(2.1)	845	(31.4)	147	(13.8)	17	(1.4)	847	(48.6)	292	(26.1)	34	(1.9)	843	(49.6)
20 and over	1128	56	(2.2)	852	(20.5)	215	(13.9)	25	(1.6)	904	(25.4)	381	(20.8)	42	(2.3)	785	(28.2)
2 and over	1659	55	(2.0)	850	(16.1)	198	(12.6)	23	(1.3)	891	(25.2)	361	(20.0)	41	(1.9)	801	(19.3)
Non-Hispanic Asian	7.																
2 - 19	236	49	(5.2)	857	(42.4)	153	(21.1)	18	(2.5)	871	(53.7)	310	(26.1)	36	(2.5)	843	(58.8)
20 and over	626	54	(3.4)	829	(23.6)		(14.5)	22	(1.5)	868	(40.2)	332	(20.6)	38	(1.8)	785	(33.6)
2 and over	862	53	(2.9)	835	(20.7)	173	(11.5)	21	(1.2)	868	(32.6)	328	(14.6)	38	(1.5)	797	(25.9)
Hispanic:																	
2 - 19	576	50	(2.5)	1013	(22.8)	178	(18.3)	18	(1.8)	1018	(32.6)	358	(25.8)	35	(2.1)	1008	(30.6)
20 and over	1058	56	(2.6)	989	(34.7)	217	(19.9)	22	(2.2)	1021	(44.4)	388	(28.3)	38	(2.0)	949	(52.7)
2 and over	1634	54	(2.1)	997	(25.5)	205	(17.5)	21	(1.8)	1020	(33.5)	379	(24.7)	37	(1.6)	970	(40.6)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2017-2018 (continued)

								Phos	s p h	o r u	S						
						-All Indi	viduals	2			—All R	estauran	t Consu	mers ³ —		Non-con	sumers 4
Race/ethnicity and age	Sample Size	Per Repor	cent		otal ake	Intak All Res	e from taurants	Percentag All Rest			otal ake		e from taurants	Percentag All Rest		To Inta	otal ake
(years)		%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)
Non-Hispanic White	e: 797	48	(3.0)	1266	(31.1)	246	(27.9)	19	(1.9)	1364	(41.8)	508	(33.6)	37	(2.1)	1173	(43.1)
20 and over	1694	55	(3.0)	1409	(21.9)			25	(1.6)	1440	(32.3)	652	(16.8)	45	(1.1)	1371	(35.9)
2 and over	2491	53	(2.7)	1380	(20.1)	334	(21.1)	24	(1.3)	1426	(26.6)	625	(15.0)	44	(1.0)	1326	(29.5)
Non-Hispanic Black	:																
2 - 19	531	50	(2.1)	1144	(35.9)	266	(16.9)	23	(1.2)	1225	(44.4)	529	(20.6)	43	(1.5)	1062	(43.0)
20 and over	1128	56	(2.2)	1252	(25.9)	390	(29.0)	31	(2.2)	1352	(40.6)	691	(39.0)	51	(2.4)	1122	(50.6)
2 and over	1659	55	(2.0)	1225	(21.8)	359	(23.5)	29	(1.8)	1323	(35.2)	654	(29.2)	49	(1.8)	1106	(36.5)
Non-Hispanic Asian	7.																
2 - 19	236	49	(5.2)	1212	(30.6)	258	(34.0)	21	(2.9)	1231	(36.8)	525	(32.4)	43	(2.4)	1193	(51.3)
20 and over	626	54	(3.4)	1299	(28.7)	323	(26.2)	25	(1.7)	1378	(46.8)	602	(31.2)	44	(1.8)	1207	(55.1)
2 and over	862	53	(2.9)	1282	(26.5)	311	(22.1)	24	(1.4)	1352	(39.9)	588	(27.2)	44	(1.5)	1204	(41.2)
Hispanic:																	
2 - 19	576	50	(2.5)	1251	(19.1)	277	(20.1)	22	(1.8)	1306	(29.6)	557	(22.1)	43	(1.8)	1197	(27.4)
20 and over	1058	56	(2.6)	1437	(42.6)	380	(28.1)	26	(2.1)	1525	(62.3)	678	(37.1)	44	(1.9)	1326	(59.7)
2 and over	1634	54	(2.1)	1377	(28.4)	346	(22.8)	25	(1.8)	1459	(42.2)	642	(29.0)	44	(1.5)	1280	(43.3)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2017-2018 (continued)

								M a g	n e s	i u n	1						
						-All Indiv	riduals	2			—All R	estaurant	Consu	mers ³ —		Non-con	isumers 4
Race/ethnicity and age	Sample Size	Per Repor	cent ting ⁵	To Inta		Intake All Rest		Percentag All Rest		To Inta		Intake All Rest	e from taurants	Percentag All Rest		5 To	otal ake
(years)		%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)
Non-Hispanic White	797	48	(3.0)	235	(5.0)	38	(4.8)	16	(1.9)	245	(7.7)	79	(6.3)	32	(2.2)	226	(7.4)
20 and over	1694	55	(3.0)	306	(5.5)	61	(3.7)	20	(1.2)	305	(7.6)	111	(2.8)	36	(1.0)	308	(8.4)
2 and over	2491	53	(2.7)	292	(5.1)	56	(3.4)	19	(1.1)	294	(7.2)	105	(2.7)	36	(1.0)	289	(7.5)
Non-Hispanic Black	:																
2 - 19	531	50	(2.1)	212	(7.4)	37	(2.2)	18	(1.1)	222	(9.7)	74	(2.9)	34	(2.1)	202	(7.1)
20 and over	1128	56	(2.2)	262	(6.0)	60	(4.6)	23	(1.7)	264	(8.1)	107	(6.2)	40	(2.1)	258	(10.7)
2 and over	1659	55	(2.0)	250	(5.8)	55	(3.7)	22	(1.3)	255	(8.0)	100	(4.8)	39	(1.6)	243	(7.8)
Non-Hispanic Asian	7.								ł								
2 - 19	236	49	(5.2)	239	(5.9)	40	(5.6)	17	(2.4)	238	(5.9)	82	(5.2)	34	(2.6)	240	(7.5)
20 and over	626	54	(3.4)	320	(8.9)	58	(5.0)	18	(1.5)	321	(9.2)	108	(5.5)	34	(1.6)	319	(12.7)
2 and over	862	53	(2.9)	304	(8.2)	55	(4.2)	18	(1.2)	306	(7.9)	103	(4.7)	34	(1.4)	303	(11.1)
Hispanic:																	
2 - 19	576	50	(2.5)	240	(4.5)	46	(3.2)	19	(1.5)	248	(9.5)	92	(4.0)	37	(1.5)	232	(5.7)
20 and over	1058	56	(2.6)	322	(10.7)	63	(4.5)	20	(1.5)	327	(14.1)	113	(5.6)	35	(1.5)	316	(13.1)
2 and over	1634	54	(2.1)	295	(6.9)	58	(3.8)	19	(1.3)	303	(9.1)	107	(4.6)	35	(1.2)	286	(9.5)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2017-2018 (continued)

]	lron	ì							
						-All Indi	viduals	2			—All R	estauran	t Consu	mers ³ —	I	Von-con	sumers 4
Race/ethnicity and age	Sample Size	Per Repor	cent ting ⁵		otal ake	Intak All Res	e from taurants	Percentag All Rest			otal ake		e from taurants	Percentag All Rest	,	To Inta	otal ake
(years)		%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)
Non-Hispanic White	e:			I					1						ı		
2 - 19	797	48	(3.0)	12.9	(0.29)	2.1	(0.23)	16	(1.7)	13.5	(0.47)	4.3	(0.27)	32	(2.0)	12.4	(0.44)
20 and over	1694	55	(3.0)	14.2	(0.28)	3.3	(0.24)	23	(1.7)	14.2	(0.35)	6.0	(0.19)	42	(1.3)	14.3	(0.38)
2 and over	2491	53	(2.7)	14.0	(0.23)	3.0	(0.21)	22	(1.5)	14.1	(0.30)	5.7	(0.19)	41	(1.3)	13.8	(0.32)
Non-Hispanic Black	:																
2 - 19	531	50	(2.1)	13.0	(0.41)	2.2	(0.19)	17	(1.3)	12.9	(0.51)	4.4	(0.30)	34	(1.7)	13.2	(0.60)
20 and over	1128	56	(2.2)	13.0	(0.37)	3.3	(0.20)	25	(1.6)	13.7	(0.42)	5.8	(0.30)	43	(2.0)	12.0	(0.54)
2 and over	1659	55	(2.0)	13.0	(0.31)	3.0	(0.17)	23	(1.3)	13.5	(0.35)	5.5	(0.27)	41	(1.7)	12.3	(0.43)
Non-Hispanic Asian	7:																
2 - 19	236	49	(5.2)	12.8	(0.46)	2.3	(0.31)	18	(2.5)	13.0	(0.37)	4.8	(0.28)	37	(2.2)	12.6	(0.72)
20 and over	626	54	(3.4)	13.7	(0.47)	2.9	(0.23)	21	(1.6)	13.4	(0.33)		(0.32)	40	(2.5)		(1.19)
2 and over	862	53	(2.9)	13.5	(0.44)	2.8	(0.18)	20	(1.4)	13.3	(0.28)	5.2	(0.26)	39	(2.0)	13.8	(1.03)
Hispanic:																	
2 - 19	576	50	(2.5)	13.8	(0.43)	2.6	(0.19)	19	(1.6)	14.8	(0.75)	5.3	(0.25)	36	(2.4)	12.9	(0.53)
20 and over	1058	56	(2.6)	14.8	(0.38)	3.5	(0.28)	24	(2.1)	15.2	(0.52)	6.3	(0.36)	41	(2.1)	14.2	(0.56)
2 and over	1634	54	(2.1)	14.5	(0.26)	3.2	(0.22)	22	(1.6)	15.1	(0.28)	6.0	(0.27)	40	(1.5)	13.7	(0.49)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2017-2018 (continued)

								2	Zine	c							
						-All Indi	viduals	2			—All R	estauran	t Consu	mers ³ —		Non-con	isumers 4
Race/ethnicity and age	Sample Size	Per Repor	cent ting ⁵		otal ake	Intak All Res	e from taurants	Percentag All Rest			otal ake		e from taurants	Percentag All Res		6 To	otal ake
(years)		%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)
Non-Hispanic White	e: 797	48	(2.0)	0.5	(0.22)	1.6	(0.20)	17	(2.0)	9.7	(0.25)	3.4	(0.27)	25	(2.7)	9.2	(0.26)
2 - 19 20 and over	1694	55 55	(3.0) (3.0)	9.5	(0.22) (0.19)	1.6 2.7	(0.20) (0.21)	24	(2.0) (1.6)	11.3	(0.35) (0.22)	4.9	(0.27) (0.18)	35 44	(2.7) (1.4)	11.2	(0.36) (0.32)
2 and over	2491	53	(2.7)	10.9	(0.18)	2.5	(0.19)	23	(1.5)	11.0	(0.20)	4.7	(0.18)	42	(1.2)	10.8	(0.29)
Non-Hispanic Black	:																
2 - 19	531	50	(2.1)	8.8	(0.32)	1.8	(0.12)	20	(1.5)	9.1	(0.30)	3.5	(0.21)	39	(2.6)	8.4	(0.43)
20 and over	1128	56	(2.2)	9.8	(0.24)	2.8	(0.22)	29	(2.1)	10.2	(0.32)	5.0	(0.32)	49	(2.5)	9.3	(0.38)
2 and over	1659	55	(2.0)	9.6	(0.19)	2.5	(0.17)	27	(1.6)	10.0	(0.27)	4.6	(0.24)	47	(1.7)	9.1	(0.30)
Non-Hispanic Asian	7.																
2 - 19	236	49	(5.2)	9.0	(0.27)	1.9	(0.32)	21	(3.5)	9.3	(0.40)	3.9	(0.45)	42	(3.6)	8.7	(0.43)
20 and over	626	54	(3.4)	10.1	(0.27)	2.4	(0.21)	24	(1.9)	10.4	(0.37)	4.4	(0.29)	43	(2.0)	9.7	(0.51)
2 and over	862	53	(2.9)	9.9	(0.24)	2.3	(0.17)	23	(1.4)	10.2	(0.36)	4.3	(0.28)	43	(1.8)	9.5	(0.41)
Hispanic:																	
2 - 19	576	50	(2.5)	9.5	(0.30)	2.1	(0.20)	23	(2.0)	10.0	(0.45)	4.3	(0.27)	43	(2.4)	9.0	(0.36)
20 and over	1058	56	(2.6)	11.5	(0.35)	3.1	(0.21)	27	(2.0)	12.3	(0.52)	5.5	(0.28)	45	(2.1)	10.4	(0.42)
2 and over	1634	54	(2.1)	10.8	(0.27)	2.8	(0.18)	26	(1.7)	11.6	(0.36)	5.1	(0.21)	44	(1.5)	9.9	(0.34)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2017-2018 (continued)

								C	ррр	e r							
						-All Indi	viduals	2			—All R	estauran	t Consu	mers ³ —	 .	Non-con	isumers 4
Race/ethnicity and age	Sample Size	Per Repor	cent ting ⁵		otal ake		e from taurants	Percentag All Rest			otal ake		e from taurants	Percentag All Rest			otal ake
(years)		%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)
Non-Hispanic White	٠.			I					ı						İ		
2 - 19	797	48	(3.0)	0.9	(0.03)	0.2	(0.02)	17	(2.0)	1.0	(0.05)	0.3	(0.03)	33	(2.6)	0.9	(0.03)
20 and over	1694	55	(3.0)	1.2	(0.02)	0.2	(0.02)	19	(1.3)	1.2	(0.03)	0.4	(0.01)	35	(1.1)	1.2	(0.03)
2 and over	2491	53	(2.7)	1.1	(0.02)	0.2	(0.02)	19	(1.2)	1.2	(0.03)	0.4	(0.01)	35	(1.1)	1.1	(0.03)
Non-Hispanic Black	:																
2 - 19	531	50	(2.1)	0.8	(0.03)	0.2	(0.01)	19	(1.2)	0.9	(0.04)	0.3	(0.02)	37	(1.9)	0.8	(0.03)
20 and over	1128	56	(2.2)	1.1	(0.04)	0.2	(0.02)	24	(1.8)	1.1	(0.05)	0.4	(0.03)	41	(2.1)	1.0	(0.04)
2 and over	1659	55	(2.0)	1.0	(0.03)	0.2	(0.02)	23	(1.5)	1.0	(0.05)	0.4	(0.02)	40	(1.6)	1.0	(0.03)
Non-Hispanic Asian	⁷ :																
2 - 19	236	49	(5.2)	1.0	(0.04)	0.2	(0.02)	17	(2.4)	1.0	(0.04)	0.3	(0.02)	33	(2.6)	1.0	(0.07)
20 and over	626	54	(3.4)	1.4	` ′	0.2	(0.02)	18	(1.2)	1.3	(0.05)	0.4	(0.02)	34	(1.8)	1.4	(0.08)
2 and over	862	53	(2.9)	1.3	(0.04)	0.2	(0.01)	18	(1.0)	1.3	(0.04)	0.4	(0.02)	34	(1.6)	1.3	(0.07)
Hispanic:																	
2 - 19	576	50	(2.5)	0.9	(0.02)	0.2	(0.01)	21	(1.7)	0.9	(0.04)	0.4	(0.02)	39	(1.8)	0.8	(0.03)
20 and over	1058	56	(2.6)	1.3	(0.04)	0.3	(0.02)	20	(1.5)	1.3	(0.06)	0.5	(0.02)	35	(1.6)	1.2	(0.04)
2 and over	1634	54	(2.1)	1.1	(0.03)	0.2	(0.02)	20	(1.4)	1.2	(0.04)	0.4	(0.02)	36	(1.3)	1.1	(0.03)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2017-2018 (continued)

								Sel	e n i	u m							
						-All Indi	viduals	2			—All R	estauran	t Consu	mers ³ —		Non-con	isumers 4
Race/ethnicity and age	Sample Size	Per Repor	cent ting ⁵		otal ake	Intak All Res	e from taurants	Percentag All Rest			otal ake		e from taurants	Percentag All Rest		6 To	otal ake
(years)		%	(SE)	μg	(SE)	μg	(SE)	%	(SE)	μg	(SE)	μg	(SE)	%	(SE)	μg	(SE)
Non-Hispanic White	797	48	(3.0)	91.9	()		(2.46)	22	(2.4)	99.9	(3.62)	42.1		42	(2.7)	84.5	(3.30)
20 and over	1694	55	(3.0)	113.4	(1.90)	32.3	(2.25)	28	(1.9)	117.3	(2.39)	59.0	(1.58)	50	(1.4)	108.8	(3.54)
2 and over	2491	53	(2.7)	109.0	(1.72)	29.8	(2.01)	27	(1.7)	114.1	(2.26)	55.9	(1.59)	49	(1.3)	103.3	(2.90)
Non-Hispanic Black	:																
2 - 19	531	50	(2.1)	93.6	(3.23)		(1.81)	25	(1.7)	99.1	(4.27)	47.4	(2.46)	48	(2.1)	88.1	(4.53)
20 and over	1128	56	(2.2)	110.1	(2.19)	36.2	(2.89)	33	(2.4)	115.9	(4.28)	64.2	(4.04)	55	(2.3)	102.7	(4.03)
2 and over	1659	55	(2.0)	106.1	(2.06)	33.2	(2.31)	31	(2.0)	112.1	(3.68)	60.4	(3.06)	54	(1.7)	98.7	(3.41)
Non-Hispanic Asian	7.			}					}							}	
2 - 19	236	49	(5.2)	98.6	(2.43)	22.7	(2.98)	23	(3.0)	104.1	(4.49)	46.1	(2.62)	44	(2.5)	93.2	(4.11)
20 and over	626	54	(3.4)	115.9	(2.99)		(2.64)	28	(2.1)	123.2	(5.90)	60.3	(4.06)	49	(2.8)	107.5	(4.06)
2 and over	862	53	(2.9)	112.6	(2.71)	30.5	(2.13)	27	(1.7)	119.7	(5.23)	57.7	(3.60)	48	(2.4)	104.5	(3.14)
Hispanic:																	
2 - 19	576	50	(2.5)	92.8	(1.72)	24.8	(1.99)	27	(2.1)	99.5	(2.67)	49.8	(2.65)	50	(2.3)	86.1	(2.44)
20 and over	1058	56	(2.6)	120.5	(4.40)	36.2	(2.68)	30	(2.5)	128.8	(5.68)	64.7	(3.83)	50	(2.4)	109.9	(5.74)
2 and over	1634	54	(2.1)	111.4	(2.69)	32.5	(2.23)	29	(2.0)	120.0	(3.33)	60.2	(2.95)	50	(1.9)	101.4	(3.85)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2017-2018 (continued)

								P o t	a s s	i u m	l						
				<u> </u>		-All Indi	viduals	2			—All R	estauran	t Consu	mers ³ —		Non-cons	sumers 4
Race/ethnicity and age	Sample Size	Per Repor	cent rting ⁵		otal ake		e from taurants	Percentag All Rest		To Int	otal ake		e from taurants	Percentag All Rest		6 Tot	
(years)		%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)
Non-Hispanic White		40	(2.0)	2002	(52.6)	201	(47.4)	10	(2.0)	2216	(74.0)	706	(62.0)	25	(2.8)	1050	(92.2)
2 - 19 20 and over	797 1694	48 55	(3.0) (3.0)	2083 2639	(52.6) (50.5)	381 589	(47.4) (36.6)	18 22	(2.0) (1.5)	2610	(74.9) (64.8)	786 1078	(63.0) (29.5)	35 41	(2.8) (1.1)	1959 2673	(82.2) (70.5)
2 and over	2491	53	(2.7)	2525	(45.5)	547	(32.5)	22	(1.3)	2537	(63.2)	1024	(26.7)	40	(1.1)	2512	(60.5)
Non-Hispanic Black	:															}	
2 - 19	531	50	(2.1)	1990	(61.3)	398	(23.8)	20	(1.1)	2092	(85.2)	790	(36.3)	38	(1.9)	1887	(64.9)
20 and over	1128	56	(2.2)	2278	(45.0)	618	(45.4)	27	(1.9)	2361	(61.9)	1096	(57.8)	46	(2.2)	2170	(74.2)
2 and over	1659	55	(2.0)	2207	(44.9)	564	(37.4)	26	(1.6)	2300	(58.6)	1027	(44.9)	45	(1.8)	2093	(55.0)
Non-Hispanic Asian	7:																
2 - 19	236	49	(5.2)	2147	(71.5)	393	(53.4)	18	(2.8)	2177	(84.1)	798	(54.5)	37	(3.1)	2118 ((105.3)
20 and over	626	54	(3.4)	2695	(80.5)	542	(45.2)	20	(1.5)	2688	(90.4)	1008	(54.9)	37	(1.9)	2702 ((115.5)
2 and over	862	53	(2.9)	2588	(66.9)	513	(40.4)	20	(1.4)	2596	(78.1)	970	(51.1)	37	(1.6)	2580	(79.5)
Hispanic:																	
2 - 19	576	50	(2.5)	2167	(40.2)	449	(29.8)	21	(1.6)	2223	(72.4)	901	(36.0)	41	(1.6)	2113	(55.3)
20 and over	1058	56	(2.6)	2706	(75.7)	627	(44.4)	23	(1.7)	2748	(115.4)	1120	(58.9)	41	(1.5)	2653	(84.0)
2 and over	1634	54	(2.1)	2531	(53.6)	569	(35.7)	22	(1.4)	2590	(79.4)	1054	(47.5)	41	(1.2)	2461	(64.4)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2017-2018 (continued)

								\mathbf{S} o	diu	m							
						-All Indi	viduals	2			—All R	estauran	t Consu	mers ³ —		Non-consu	ımers ⁴
Race/ethnicity and age	Sample Size	Per Repor	cent rting ⁵		otal ake	Intak All Res	e from taurants	Percentag All Rest			otal ake		e from taurants	Percentag All Rest		6 Total Intake	
(years)		%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)
Non-Hispanic White	e :			I					1								
2 - 19	797	48	(3.0)	2936	()	685	(72.8)	23	(2.2)		(145.2)	1413	(91.6)	45	(2.2)	2716 (10	/
20 and over	1694	55	(3.0)	3526	(62.2)	1086	(83.8)	31	(2.1)	3757	(85.6)	1987	(74.0)	53	(1.6)	3248 (9	92.1)
2 and over	2491	53	(2.7)	3406	(60.0)	1004	(71.5)	29	(1.8)	3649	(86.6)	1881	(66.8)	52	(1.3)	3128 (71.4)
Non-Hispanic Black	:																
2 - 19	531	50	(2.1)	2999	(95.4)	829	(63.1)	28	(1.6)		(130.6)	1647	(85.0)	49	(1.5)	2649 (12	
20 and over	1128	56	(2.2)	3396	(55.5)	1188	(91.7)	35	(2.5)	3775	(93.4)	2107	(125.0)	56	(2.3)	2905 (10	04.9)
2 and over	1659	55	(2.0)	3299	(55.9)	1100	(75.9)	33	(2.1)	3678	(90.6)	2003	(98.4)	54	(1.8)	2836 (9	90.1)
Non-Hispanic Asian	⁷ :																
2 - 19	236	49	(5.2)	2955	(107.6)	790	(107.1)	27	(3.6)	3300	(109.0)	1604	(94.1)	49	(2.5)	2620 (10	64.2)
20 and over	626	54	(3.4)	3571	(110.3)	1004	(84.5)	28	(2.3)	3846	(212.3)	1868	(106.8)	49	(3.5)	3251 (1	71.5)
2 and over	862	53	(2.9)	3451	(93.0)	962	(69.8)	28	(1.9)	3747	(190.1)	1821	(94.2)	49	(2.9)	3119 (14	44.0)
Hispanic:																	
2 - 19	576	50	(2.5)	2825	(37.7)	817	(59.2)	29	(2.1)	3183	(92.4)	1641		52	(2.0)		63.1)
20 and over	1058	56	(2.6)	3603	(88.2)	1200	(104.4)	33	(2.8)	4027	(143.1)	2145	(142.2)	53	(2.5)	3065 (13	31.8)
2 and over	1634	54	(2.1)	3350	(59.0)	1075	(81.2)	32	(2.2)	3773	(100.5)	1993	(110.2)	53	(1.9)	2854 (10	01.7)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2017-2018 *(continued)*

								C a	f f e i	i n e							
						-All Indi	viduals	2			—All R	estauran	t Consu	mers ³ —	 .	Non-cons	sumers 4
Race/ethnicity and age	Sample Size	Per Repor	cent ting ⁵		otal ake		e from taurants	Percentag All Rest			otal ake		e from taurants	Percentag All Rest		Tot Inta	
(years)		%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)
Non-Hispanic White	e :			I					1						I		
2 - 19	797	48	(3.0)	1	(3.95)		(1.83)	31	(3.6)	43.6	` /		(3.25)	45	(4.5)	19.1	
20 and over	1694	55	(3.0)	205.1	(7.77)	34.2	(2.50)	17	(1.3)	200.5	(8.00)	62.5	(5.68)	31	(2.9)	210.7 ((10.78)
2 and over	2491	53	(2.7)	169.6	(6.53)	29.1	(2.00)	17	(1.3)	171.5	(7.77)	54.6	(4.27)	32	(2.7)	167.6	(9.02)
Non-Hispanic Black																	
2 - 19		50	(2.1)	15.5	` ,		(0.86)	25	(4.3)	21.5			(1.62)	36	(6.6)		(1.37)
20 and over	1128	56	(2.2)	74.7	(4.21)	13.2	(1.82)	18	(2.9)	77.8	(3.22)	23.5	(2.79)	30	(3.6)	70.7	(7.55)
2 and over	1659	55	(2.0)	60.2	(3.16)	10.9	(1.45)	18	(2.7)	65.2	(2.89)	19.9	(2.23)	31	(3.3)	54.1	(5.26)
Non-Hispanic Asian	7:																
2 - 19	236	49	(5.2)	17.4	(1.59)	5.1	(1.00)	29	(5.2)	19.8	(2.55)	10.4	(1.80)	53	(6.8)	15.2	(1.81)
20 and over	626	54	(3.4)	94.3	(5.62)	17.6	(1.82)	19	(1.8)	104.2	(6.97)	32.8	(2.64)	31	(1.7)	82.7	(6.82)
2 and over	862	53	(2.9)	79.4	(4.42)	15.2	(1.42)	19	(1.8)	88.9	(4.96)	28.7	(1.74)	32	(1.7)	68.6	(6.09)
Hispanic:																	
2 - 19	576	50	(2.5)	23.5	(3.06)	7.2	(1.53)	31	(5.2)	30.6	(4.34)	14.4	(3.03)	47	(5.9)		(3.50)
20 and over	1058	56	(2.6)	115.8	(5.24)	18.9	(2.64)	16	(2.1)	119.6	(6.42)	33.7	(4.46)	28	(2.8)	110.9	(8.49)
2 and over	1634	54	(2.1)	85.7	(3.60)	15.1	(1.95)	18	(2.2)	92.9	(4.65)	27.9	(3.20)	30	(2.8)	77.4	(6.63)

Table 54. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Race/Ethnicity and Age, in the United States, 2017-2018 (continued)

								Al	c o h	o l							
						-All Indi	viduals	2			—All R	estauran	t Consu	mers ³ —		Non-cons	umers 4
Race/ethnicity and age	Sample Size	Per Repor	cent		otal ake		e from taurants	Percentag All Rest	es from ⁶ aurants		otal ake		e from taurants	Percentag All Rest		Tot Intal	
(years)		%	(SE)	g	(SE)	g	(SE)	%	(SE)	g	(SE)	g	(SE)	%	(SE)	g	(SE)
Non-Hispanic White 2 - 19	797 1694	48 55	(3.0) (3.0)	10.7	(0.79)	2.4	(0.33)	22	(2.7)	13.0	(1.40)	4.3	(0.60)	33	(3.4)	 7.9	(0.87)
2 and over	2491	53	(2.7)														
Non-Hispanic Black 2 - 19	531 1128	50 56	(2.1) (2.2)	 10 4	(1.49)	 20	(0.41)	 19	(4.0)	 11.3	(1.62)	3.5	(0.69)	 31	(5.3)	 9.2*	(2.92)
2 and over	1659	55	(2.0)		(1.47)		(0.41)		(4.0)		(1.02)		(0.07)		(3.3)		(2.72)
Non-Hispanic Asian	⁷ :			,													
2 - 19	236	49	(5.2)														
20 and over	626	54	(3.4)	4.0	(0.46)	1.1	(0.27)			5.3	(1.07)	2.0	(0.47)			2.4	(0.51)
2 and over	862	53	(2.9)														
Hispanic:																	
2 - 19	576	50	(2.5)		(4.00)	1.5	(0.44)	 10*	(5.4)	10.2	(4.00)		(0.55)		(0.1)		(1 1 -)
20 and over	1058	56	(2.6)	8.4	(1.36)	1.5	(0.44)	18*	(6.1)	10.2	(1.82)	2.8	(0.75)	27*	(8.4)	6.0	(1.17)
2 and over	1634	54	(2.1)														

Symbol Legend

* Indicates an estimate that may be less statistically reliable than estimates that are not flagged. The rules for flagging estimated means and percentages are as follows:

Mean: An estimated mean is flagged when the relative standard error is greater than 30 percent.

Percent reporting: An estimated percentage between 25 and 75 percent is flagged when based on a sample size of less than 30 times the variance inflation factor (VIF), where the VIF represents a broadly calculated average design effect, or when the relative standard error is greater than 30 percent. An estimated percentage less than or equal to 25 or greater than or equal to 75 is flagged when the smaller of np and n(1-p) is less than 8 times the VIF, where n is the sample size and p is the percentage expressed as a fraction. The VIF used in this table is 2.57.

Nutrient ratios expressed as percentages: An estimated ratio between 25 and 75 percent is flagged when based on a sample size n^* of less than 30 times the variance inflation factor (VIF), where the VIF represents a broadly calculated average design effect and n^* is the number of individuals in the sample reporting non-zero intake of the respective nutrient from any source. An estimated ratio less than or equal to 25 percent or greater than or equal to 75 percent, is flagged when the smaller of n^*p and n^* (1-p) is less than 8 times the VIF, where p is the percentage expressed as a fraction. Additionally, an estimated ratio is flagged when either the relative standard error or p/(1-p) times the relative standard error is greater than 30 percent.

Indicates a non-zero value too small to report.

-- Estimated mean not presented where sample size is less than 30 times the variance inflation factor (VIF), i.e., sample size less than 77 for VIF = 2.57.

Footnotes

- Respondents were asked the source of each food and beverage where it was obtained. **All Restaurants** include source coded as: "Restaurant with waiter/waitress", "Bar/tavern/lounge", "Restaurant no additional information", "Cafeteria NOT in a K-12 school", "Restaurant fast food/pizza", "Sport, recreation, or entertainment facility", or "Street vendor, vending truck".
- ² All Individuals include both individuals who reported and individuals who did not report at least one food/beverage item from All Restaurants.
- ³ All Restaurant Consumers include individuals who reported at least one food or beverage item from All Restaurants.
- ⁴ Non-consumers include individuals who did not report any food or beverage item from All Restaurants.
- ⁵ The weighted percentage of respondents in the income/age group who reported at least one food/beverage item from All Restaurants.
- ⁶ Percentages are estimated as a ratio of total nutrient intake from All Restaurants to total daily nutrient intake from all sources.
- ⁷ A new sampling methodology was implemented for NHANES 2011-2012 to oversample non-Hispanic non-black Asians in addition to the ongoing oversample of Hispanics, non-Hispanic blacks, low-income whites/others, and whites/others 80+ years.

Abbreviations

SE = standard error; RAE = retinol activity equivalents; DFE = dietary folate equivalents.

Notes Applicable to All Tables in Series: What We Eat in America, NHANES 2017-2018

Sample weights designed for dietary analysis were used to allow estimates representative of the U. S. population for the years of collection.

The statistics in this table are estimated from Day 1 dietary recall interviews conducted in the *What We Eat in America*, National Health and Nutrition Examination Survey (NHANES) 2017-2018. The 24-hour dietary recalls were conducted in-person, by trained interviewers, using the USDA 5-step Automated Multiple-Pass Method. Food intakes were coded and nutrient values were determined using the USDA Food and Nutrient Database for Dietary Studies 2017-2018 www.ars.usda.gov/nea/bhnrc/fsrg.

Intakes of nutrients and other dietary components are based on the consumption of food and beverages, including water, and do not include intake from supplements or medications.

The table includes data from individuals 2 years and over. Breast-fed children were excluded because breast milk was not quantified in dietary recall interviews.

Although alchohol data are collected for all individuals, estimates are not presented for age groups under 20 years due to extreme variability and/or inadequate sample size.

Suggested Citation

U.S. Department of Agriculture, Agricultural Research Service. 2020. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants, by Race/Ethnicity and Age, What We Eat in America, NHANES 2017-2018. Available: www.ars.usda.gov/nea/bhnrc/fsrg.