**Table 1. Nutrient Intakes from Food and Beverages:** Mean Amounts Consumed per Individual, by Gender and Age, in the United States, 2017-2018

Gender and age	Sample size		nergy	Pro	otein		rbo- lrate		otal gars		etary ber		otal fat		urated at	unsat	ono- curated	unsat	oly- turated fat
(years)		kcal	(SE)	g	(SE)	g	(SE)	g	(SE)	g	(SE)	g	(SE)	g	(SE)	g	(SE)	g	(SE)
Males:																			
2 - 5 6 - 11	260 383	1656 2006	(53.0)	56.7 68.8	(1.27)	220 260	(8.1)	106 118	(5.8)	12.4 14.9	(0.52)	63.8 79.6	(2.27)	22.5 28.1	(0.90)	20.7 26.3	(0.69)	14.1 17.4	(0.66)
12 - 19	531	2275	(54.0) (43.2)	86.5	(2.09) (3.49)	283	(7.1) (4.5)	126	(3.1) (3.4)	15.7	(0.87) (0.47)	90.2	(3.01) (2.11)	31.0	(1.02) (0.66)	29.7	(0.96) (0.82)	20.4	(0.98) (0.74)
20 - 29	335	2409	(77.6)	92.9	(4.10)	271	(8.6)	105	(3.6)	16.7	(0.78)	95.9	(3.95)	31.4	(1.17)	32.1	(1.39)	22.9	(1.43)
30 - 39	329	2660	(69.5)	102.7	(3.13)	299	(9.5)	124	(5.8)	19.8	(1.00)	106.2	(3.93)	34.3	(1.50)	36.9	(1.56)	24.6	(1.12)
40 - 49	340	2605	(122.1)	104.7	(5.31)	293	(14.5)	128	(9.5)	18.7	(0.87)	106.5	(7.02)	34.1	(1.61)	37.6	(3.22)	24.1	(2.10)
50 - 59	375	2554	(58.7)	95.6	(3.15)	293	(7.2)	128	(7.1)	19.6	(0.80)	102.1	(4.03)	32.7	(1.20)	35.1	(1.64)	24.5	(1.26)
60 - 69	500	2451	(72.7)	93.8	(3.88)	274	(7.9)	116	(4.3)	17.4	(0.68)	104.9	(3.37)	35.0	(1.50)	36.1	(1.05)	23.9	(1.25)
70 and over	428	2159	(55.3)	79.5	(3.00)	251	(7.0)	111	(4.0)	17.9	(0.87)	91.2	(2.79)	30.3	(1.29)	31.1	(1.01)	21.5	(0.66)
2 - 19	1174	2055	(25.5)	74.3	(1.59)	262	(2.8)	119	(1.9)	14.7	(0.38)	81.1	(1.64)	28.2	(0.58)	26.7	(0.59)	18.1	(0.49)
20 and over	2307	2485	(23.9)	95.4	(1.29)	281	(3.2)	119	(2.7)	18.4	(0.38)	101.3	(1.42)	33.0	(0.41)	34.9	(0.66)	23.7	(0.57)
2 and over	3481	2378	(21.9)	90.1	(1.23)	277	(2.6)	119	(2.3)	17.5	(0.34)	96.2	(1.30)	31.8	(0.38)	32.8	(0.59)	22.3	(0.48)
Females:																			
2 - 5	280	1424	(45.7)	49.3	(1.53)	193	(6.9)	95	(4.8)	11.8	(0.45)	52.9	(1.67)	18.5	(0.83)	17.5	(0.62)	11.3	(0.36)
6 - 11	412	1864	(40.3)	60.7	(1.61)	247	(6.6)	112	(4.2)	14.6	(0.44)	73.3	(1.69)	25.7	(0.63)	24.0	(0.65)	16.6	(0.44)
12 - 19	514	1768	(44.7)	62.0	(2.77)	222	(4.9)	97	(2.9)	13.5	(0.55)	71.9	(2.56)	23.8	(0.81)	23.5	(0.97)	17.8	(0.88)
20 - 29	359	1985	(38.5)	73.8	(1.57)	230	(6.3)	99	(4.8)	15.7	(0.63)	82.2	(2.23)	27.5	(0.65)	27.5	(0.79)	19.3	(0.83)
30 - 39	407	1885	(41.1)	69.0	(1.68)	222	(6.2)	96	(4.0)	15.7	(0.68)	78.1	(2.29)	24.9	(0.88)	26.9	(1.00)	18.6	(0.66)
40 - 49	367	1921	(65.9)	69.2	(1.87)	226	(9.6)	106	(5.8)	15.0	(0.93)	79.3	(3.84)	26.0	(1.59)	26.4	(1.38)	19.3	(1.02)
50 - 59	419	1826	(96.2)	69.5	(3.70)	216	(13.9)	97	(8.2)	14.9	(1.01)	73.1	(3.68)	24.1	(1.27)	24.9	(1.37)	16.9	(1.03)
60 - 69	479	1789	(63.5)	70.3	(2.49)	203	(8.6)	90	(7.0)	15.5	(0.85)	75.2	(3.52)	23.4	(1.34)	25.9	(1.50)	18.7	(0.84)
70 and over	404	1662	(38.5)	63.3	(2.07)	201	(5.1)	88	(2.4)	16.0	(0.75)	67.7	(1.90)	22.0	(0.80)	23.3	(0.65)	15.9	(0.41)
2 - 19	1206	1726	(27.0)	58.8	(1.51)	224	(3.7)	102	(2.4)	13.5	(0.28)	68.3	(1.47)	23.3	(0.52)	22.4	(0.53)	16.0	(0.45)
20 and over	2435	1849	(28.3)	69.4	(1.35)	217	(3.8)	96	(2.0)	15.5	(0.44)	76.1	(1.30)	24.7	(0.49)	25.9	(0.49)	18.1	(0.41)
2 and over	3641	1821	(21.7)	67.0	(1.08)	219	(3.0)	97	(1.5)	15.0	(0.37)	74.3	(1.04)	24.4	(0.37)	25.1	(0.42)	17.6	(0.36)
Males and females:																			
2 - 19	2380	1894	(18.2)	66.8	(1.34)	243	(2.3)	110	(1.3)	14.1	(0.27)	74.9	(1.03)	25.8	(0.35)	24.6	(0.30)	17.1	(0.35)
20 and over	4742	2155	(18.8)	81.9	(0.93)	248	(3.0)	107	(1.7)	16.9	(0.39)	88.2	(0.77)	28.7	(0.33)	30.2	(0.36)	20.8	(0.35)
2 and over	7122	2093	(14.2)	78.3	(0.88)	247	(2.2)	108	(1.4)	16.2	(0.33)	85.0	(0.69)	28.0	(0.28)	28.8	(0.32)	19.9	(0.30)

Table 1. Nutrient Intakes from Food and Beverages:Mean Amounts Consumed per Individual,<br/>by Gender and Age, in the United States, 2017-2018 (continued)

Gender and age		oles- erol	Re	tinol		min A AE)		pha- otene		eta- otene		crypto- thin	Lyo	copene		tein + anthin	Th	iamin
(years)	mg	(SE)	μg	(SE)	μg	(SE)	μg	(SE)	μg	(SE)	μg	(SE)	μg	(SE)	μg	(SE)	mg	(SE)
Males:																		
2 - 5 6 - 11	193 239	(10.1) (12.4)	460 585	(22.6) (41.3)	566 680	(27.8) (45.5)	181 176	(42.0) (27.3)	1141 1014	(199.5) (99.9)	87 90	(13.1) (17.8)	4071 3637	(630.0) (313.5)	631 926	(68.5) (210.8)	1.33 1.67	(0.049) (0.041)
12 - 19	279	(12.4)	517	(22.6)	622	(23.7)	191	(44.2)	1134	(141.8)	71	(5.8)	5902	(687.9)	831	(67.5)	1.85	(0.041) $(0.049)$
20 - 29	346	(22.3)	458	(49.1)	604	(45.5)	339	(69.2)	1555	(206.8)	65	(7.3)	4892	(610.4)		(178.6)	1.84	(0.082)
30 - 39	393	(18.9)	458	(33.8)	704	(53.5)	396 560*	(50.3)	2700	(458.8)	109	(23.1)	6320	(829.6)	1601	(257.5)	1.93	(0.080)
40 - 49	371	(11.0)	478	(42.1)	746	(65.5)	309*	(191.4)	2873	(641.4)	131*	(40.3)	6376	(778.2)		(456.7)	1.91	(0.101)
50 - 59	354	(17.5)	447	(28.5)	705	(50.4)	396	(82.4)	2836	(372.3)	124	(30.8)		(1057.0)		(298.3)	1.84	(0.046)
60 - 69 70 and over	368 313	(15.6) (12.4)	427 519	(26.2) (29.1)	582 765	(35.6) (37.5)	246 466	(43.0) (92.0)	1704 2668	(193.6) (353.3)	87 96	(7.8) (16.7)	5775 5157	(702.2) (688.6)	1410 1721	(132.9) (246.9)	1.83 1.75	(0.090) (0.069)
						, ,		, ,				, ,		,		,		
2 - 19	248	(8.7)	527	(17.5)	629	(16.9)	184	(28.4)	1096	(83.8)	80	(6.8)	4765	(381.6)	820	(88.1)	1.68	(0.019)
20 and over 2 and over	358 331	(6.2) (4.4)	463 479	(12.5) (11.6)	682 669	(20.1) (15.7)	401 347	(51.4) (41.4)	2380 2059	(206.1) (169.5)	102 97	(10.8) (8.1)	5979 5676	(401.9) (296.0)	1606 1410	(142.8) (120.7)	1.85 1.81	(0.026) (0.022)
Females:	551	()	1,7	(11.0)	00)	(13.7)	517	(11.1)	2007	(10).5)	, ,	(0.1)	2010	(250.0)	1110	(120.7)	1.01	(0.022)
2 - 5	171	(11.7)	423	(19.4)	535	(24.3)	277	(62.0)	1154	(174.5)	103	(12.9)	2958	(557.5)	641	(56.1)	1.20	(0.051)
6 - 11	201	(8.4)	486	(25.6)	615	(29.6)	240	(49.6)		(164.1)	105	(14.9)	4722	(660.6)	806	(84.6)	1.51	(0.052)
12 - 19	216	(10.5)	373	(24.9)	497	(21.6)	238	(22.2)	1336	(110.6)	59	(6.7)	3664	(266.3)	984	(117.5)	1.35	(0.037)
20 - 29	281	(12.1)	393	(21.2)	604	(41.8)	324	(56.3)	2329	(272.4)	87	(10.6)	4787	(557.1)	1713	(184.0)	1.45	(0.048)
30 - 39	265	(17.0)	372	(33.6)	619	(26.4)	363	(58.0)	2752	(364.8)	67	(9.2)	4246	(287.5)		(920.8)	1.34	(0.026)
40 - 49	267	(18.8)	396	(25.3)	642	(41.8)	420	(89.7)	2706	(327.7)	80	(14.9)	3753	(413.6)	1821	(230.9)	1.39	(0.055)
50 - 59	247	(17.4)	343	(30.6)	556	(49.1)	301	(60.5)	2361	(326.2)	85	(10.2)	4420	(441.8)	1642	(179.5)	1.39	(0.077)
60 - 69	267	(15.3)	340	(23.8)	586	(49.4)	376	(61.7)	2725	(426.0)	86	(9.4)	3505	(449.2)		(159.8)	1.25	(0.037)
70 and over	225	(11.1)	422	(29.8)	706	(48.0)	552	(86.4)	3080	(357.9)	98	(16.2)	4334	(430.0)	1726	(146.9)	1.36	(0.046)
2 - 19	201	(5.4)	422	(12.1)	545	(12.8)	247	(16.2)	1307	(57.7)	84	(6.3)	3868	(266.9)	850	(47.7)	1.37	(0.024)
20 and over	259	(7.8)	376	(14.8)	616	(23.3)	383	(35.1)	2640	(158.2)	84	(6.0)	4198	(172.5)	1859	(148.8)	1.37	(0.026)
2 and over	246	(6.1)	387	(12.5)	600	(18.8)	352	(26.8)	2338	(129.6)	84	(4.6)	4123	(145.3)	1630	(119.5)	1.37	(0.021)
Males and females:															_		_	
2 - 19	225	(5.4)	476	(11.5)	588	(12.8)	215	(16.5)	1199	(51.1)	82	(4.8)	4327	(223.3)	835	(56.0)	1.53	(0.015)
20 and over 2 and over	307 287	(4.9) (3.2)	418 432	(10.5) (9.4)	648 633	(17.2) (13.9)	392 350	(36.7) (28.8)	2515 2202	(164.7) (135.9)	92 90	(7.2) (5.7)	5053 4881	(231.6) (180.9)	1737 1523	(138.2) (114.1)	1.60 1.58	(0.020) (0.017)
2 and over	207	(3.2)	752	(7.7)	055	(13.7)	330	(20.0)	2202	(133.7)	70	(3.1)	7001	(100.7)	1343	(114.1)	1.50	(0.017)

Table 1. Nutrient Intakes from Food and Beverages:Mean Amounts Consumed per Individual,<br/>by Gender and Age, in the United States, 2017-2018 (continued)

Gender and age	Ribo- flavin	Niacin	Vitamin B6	Folic acid	Food folate	Folate (DFE)	Choline	Vitamin B12	Added Vitamin B12
(years)	mg (SE)	mg (SE)	mg (SE)	μg (SE)	μg (SE)	μg (SE)	mg (SE)	μg (SE)	μg (SE)
<b>Males:</b> 2 - 5 6 - 11 12 - 19	1.64 (0.044)	17.0 (0.45)	1.49 (0.045)	161 (8.9)	129 (8.6)	403 (18.9)	222 (7.8)	3.94 (0.144)	0.78 (0.082)
	1.96 (0.076)	22.6 (0.74)	1.82 (0.078)	230 (11.3)	151 (7.6)	541 (21.8)	256 (10.4)	4.88 (0.243)	1.36 (0.159)
	2.16 (0.084)	28.4 (0.92)	2.15 (0.091)	234 (10.3)	172 (6.7)	569 (16.0)	303 (12.8)	5.56 (0.253)	1.34 (0.168)
20 - 29	2.24 (0.106)	31.7 (1.75)	2.58 (0.160)	238 (19.5)	215 (10.5)	618 (33.8)	366 (19.4)	5.62 (0.425)	1.30 (0.223)
30 - 39	2.84 (0.133)	36.2 (1.39)	3.22 (0.191)	186 (12.1)	248 (9.7)	562 (23.4)	418 (13.7)	7.00 (0.372)	2.39 (0.392)
40 - 49	2.70 (0.283)	34.9 (3.05)	2.81 (0.314)	202 (19.6)	246 (12.3)	587 (37.0)	400 (12.0)	6.56 (0.972)	1.96* (0.810)
50 - 59	2.40 (0.080)	29.5 (0.70)	2.29 (0.079)	195 (14.8)	261 (10.1)	592 (25.6)	404 (12.6)	5.26 (0.345)	0.75 (0.146)
60 - 69	2.32 (0.097)	32.1 (2.64)	2.97 (0.513)	187 (12.0)	221 (7.2)	538 (25.1)	382 (13.4)	6.04 (0.599)	1.49* (0.516)
70 and over	2.21 (0.072)	24.1 (0.72)	2.09 (0.082)	176 (12.6)	214 (9.0)	511 (20.9)	353 (13.1)	4.97 (0.330)	0.79 (0.100)
2 - 19	1.98 (0.031)	24.1 (0.43)	1.90 (0.040)	217 (7.5)	156 (4.9)	525 (10.9)	270 (7.4)	4.99 (0.139)	1.23 (0.084)
20 and over	2.46 (0.059)	31.6 (0.62)	2.67 (0.099)	199 (5.2)	235 (4.8)	573 (8.6)	388 (4.7)	5.92 (0.226)	1.45 (0.163)
2 and over	2.34 (0.047)	29.7 (0.49)	2.47 (0.075)	204 (5.2)	215 (4.7)	561 (8.2)	359 (3.5)	5.69 (0.188)	1.40 (0.135)
Females:  2 - 5  6 - 11  12 - 19	1.50 (0.065)	14.8 (0.51)	1.37 (0.040)	150 (10.7)	119 (5.9)	372 (20.4)	205 (8.4)	3.56 (0.203)	0.70 (0.059)
	1.77 (0.052)	20.2 (0.75)	1.67 (0.076)	207 (9.3)	145 (6.6)	497 (16.6)	229 (5.5)	4.29 (0.177)	1.22 (0.139)
	1.53 (0.046)	20.6 (0.88)	1.64 (0.091)	174 (6.8)	154 (8.9)	445 (17.0)	224 (9.1)	3.47 (0.168)	0.89 (0.122)
20 - 29	1.79 (0.067)	22.7 (0.67)	1.83 (0.065)	168 (16.9)	189 (8.7)	474 (31.5)	292 (11.1)	3.84 (0.115)	0.60 (0.103)
30 - 39	1.78 (0.060)	21.7 (0.72)	1.86 (0.108)	143 (12.0)	207 (14.7)	450 (15.6)	283 (12.9)	3.65 (0.237)	0.76 (0.136)
40 - 49	1.90 (0.059)	21.7 (0.77)	1.71 (0.087)	159 (15.6)	198 (9.1)	466 (24.3)	280 (12.3)	3.79 (0.193)	0.88 (0.170)
50 - 59	1.82 (0.115)	21.1 (1.28)	1.70 (0.135)	134 (9.0)	183 (10.3)	411 (23.2)	273 (16.1)	4.18 (0.351)	0.60 (0.154)
60 - 69	1.74 (0.068)	19.9 (0.94)	1.58 (0.059)	112 (5.2)	199 (11.4)	388 (12.7)	292 (11.7)	3.73 (0.309)	0.37 (0.089)
70 and over	1.76 (0.061)	19.9 (0.76)	1.70 (0.085)	155 (11.5)	180 (8.2)	442 (21.3)	263 (8.6)	3.88 (0.214)	0.68 (0.102)
2 - 19	1.61 (0.023)	19.2 (0.57)	1.59 (0.055)	180 (3.7)	143 (4.6)	447 (8.1)	222 (4.1)	3.77 (0.099)	0.96 (0.081)
20 and over	1.80 (0.050)	21.2 (0.51)	1.74 (0.049)	145 (4.3)	193 (5.2)	439 (10.2)	281 (7.2)	3.85 (0.129)	0.65 (0.056)
2 and over	1.76 (0.039)	20.8 (0.38)	1.70 (0.040)	153 (3.5)	182 (4.5)	440 (8.1)	267 (5.7)	3.83 (0.092)	0.72 (0.050)
Males and females: 2 - 19 20 and over 2 and over	1.80 (0.022) 2.12 (0.041) 2.04 (0.033)	21.7 (0.43) 26.2 (0.42) 25.1 (0.34)	1.75 (0.040) 2.18 (0.057) 2.08 (0.045)	199 (3.6) 171 (3.0) 178 (2.8)	150 (3.3) 213 (4.7) 198 (4.3)	487 (5.5) 503 (6.3) 499 (5.4)	246 (4.5) 332 (4.6) 312 (3.4)	4.39 (0.108) 4.84 (0.137) 4.74 (0.116)	1.10 (0.068) 1.03 (0.089) 1.05 (0.076)

**Table 1. Nutrient Intakes from Food and Beverages:** Mean Amounts Consumed per Individual, by Gender and Age, in the United States, 2017-2018 (continued)

Gender and age	Vitami	n C	Vitaı	nin D	(alı	min E bha- herol)	Ad Vitar	lded nin E	Vita	ımin K	Cal	cium	Phos	phorus	Magı	nesium
(years)	mg	(SE)	μg	(SE)	mg	(SE)	mg	(SE)	μg	(SE)	mg	(SE)	mg	(SE)	mg	(SE)
Males:																
2 - 5			5.5	(0.24)	6.0	(0.24)	0.4*	(0.16)	50.7	(3.52)	1011	(54.8)	1181	(32.5)	217	(6.1)
6 - 11			5.3	(0.25)	9.0	(1.10)	2.0*	(0.96)	72.7	(8.61)	1066	(45.5)	1322	(43.6)	241	(9.5)
12 - 19	70.0 (	5.96)	5.0	(0.27)	8.6	(0.36)	0.7	(0.09)	78.5	(5.36)	1079	(32.2)	1497	(50.4)	275	(10.2)
20 - 29	,	,	4.8	(0.48)	9.5	(0.85)	0.9*	(0.31)	95.7	(10.08)	1136	(56.7)	1585	(78.2)	323	(14.1)
30 - 39			4.4	(0.37)	10.9	(0.49)	1.1	(0.29)	127.4	(9.11)	1140	(48.4)	1682	(51.5)	364	(13.9)
40 - 49	85.8 (1	1.12)	4.3	(0.40)	11.7	(1.31)	1.9*	(0.74)	146.7	(22.70)	1129	(87.9)	1717	(84.2)	359	(18.4)
50 - 59	84.0 (	5.62)	4.3	(0.30)	11.2	(0.61)	1.1	(0.28)	146.3	(16.33)	1094	(31.2)	1624	(37.6)	360	(9.6)
60 - 69	74.8	6.44)	4.9	(0.46)	9.8	(0.33)	0.7	(0.14)	117.9	(8.51)	992	(50.4)	1523	(52.2)	323	(10.8)
70 and over	84.8 (	6.24)	6.2	(1.03)	9.6	(0.37)	0.8	(0.24)	129.6	(10.53)	968	(43.8)	1419	(58.0)	319	(11.7)
2 - 19	74.5	4.85)	5.2	(0.12)	8.2	(0.33)	1.1*	(0.34)	70.7	(4.83)	1060	(19.3)	1372	(25.5)	251	(4.9)
20 and over			4.8	(0.17)	10.5	(0.34)	1.1	(0.13)	126.9	(8.04)	1084	(19.1)	1600	(19.0)	343	(4.4)
2 and over	79.0	2.99)	4.9	(0.14)	9.9	(0.28)	1.1	(0.12)	112.8	(7.05)	1078	(16.9)	1543	(17.6)	320	(4.1)
Females:																
2 - 5	86.4 (	5.68)	5.1	(0.32)	5.4	(0.23)	0.5*	(0.17)	49.9	(4.45)	906	(46.3)	1026	(39.1)	194	(6.1)
6 - 11			4.7	(0.22)	7.4	(0.27)	0.4	(0.10)	69.0	(6.37)	957	(32.5)	1203	(28.0)	228	(5.8)
12 - 19	59.0 (3	3.57)	3.3	(0.24)	7.7	(0.53)	0.7*	(0.27)	84.8	(6.29)	813	(27.2)	1100	(43.1)	219	(7.8)
20 - 29	74.2 (	5.04)	3.8	(0.26)	9.0	(0.39)	1.2	(0.25)	121.3	(8.11)	933	(34.7)	1268	(35.6)	268	(11.1)
30 - 39		5.65)	3.3	(0.29)	8.8	(0.40)	1.1	(0.22)	164.0	(39.01)	862	(26.2)	1205	(27.5)	276	(9.9)
40 - 49	80.3 (8	8.31)	3.8	(0.28)	8.4	(0.55)	0.9	(0.25)	139.6	(13.46)	863	(39.2)	1166	(33.2)	270	(9.9)
50 - 59	67.5	3.99)	3.6	(0.36)	8.5	(0.60)	1.1	(0.32)	115.9	(8.85)	854	(45.2)	1191	(69.9)	271	(14.5)
60 - 69	73.7	4.31)	3.6	(0.38)	8.6	(0.48)	0.9*	(0.34)	109.7	(7.70)	831	(45.2)	1218	(50.0)	277	(10.7)
70 and over	73.1 (	5.16)	4.2	(0.30)	8.4	(0.36)	1.2	(0.27)	120.1	(6.55)	784	(26.7)	1130	(35.9)	265	(9.0)
2 - 19	70.7	3.33)	4.1	(0.14)	7.1	(0.27)	0.6	(0.14)	72.0	(3.65)	882	(14.3)	1119	(21.9)	217	(4.0)
20 and over	,	,	3.7	(0.18)	8.6	(0.20)	1.1	(0.11)	128.6	(6.34)	857	(19.0)	1199	(25.5)	271	(6.1)
2 and over			3.8	(0.14)	8.3	(0.18)	1.0	(0.08)	115.8	(5.39)	863	(15.2)	1181	(19.5)	259	(5.1)
Males and females:																
2 - 19	72.7 (3	3.54)	4.7	(0.12)	7.7	(0.21)	0.8	(0.22)	71.3	(3.39)	973	(13.9)	1249	(19.9)	234	(3.2)
20 and over	•		4.2	(0.14)	9.5	(0.19)	1.1	(0.09)	127.8	(6.82)	966	(14.6)	1391	(15.7)	306	(4.3)
2 and over	75.4 (2	2.21)	4.3	(0.12)	9.1	(0.16)	1.0	(0.07)	114.4	(5.91)	968	(13.1)	1357	(13.9)	289	(3.7)

**Table 1. Nutrient Intakes from Food and Beverages:** Mean Amounts Consumed per Individual, by Gender and Age, in the United States, 2017-2018 (continued)

Gender and age	I	ron	Z	inc	Co	pper	Sele	enium	Pota	assium	So	dium	Ca	ffeine	Theol	oromine	Alc	cohol
(years)	mg	(SE)	mg	(SE)	mg	(SE)	μg	(SE)	mg	(SE)	mg	(SE)	mg	(SE)	mg	(SE)	g	(SE
Males:																		
2 - 5	10.9	(0.44)	7.9	(0.20)	0.8	(0.02)	74.1	(2.17)	2089	(81.8)	2342	(93.5)	11.1*	` ,	38.2	(6.39)		-
6 - 11	14.8	(0.63)	10.3	(0.48)	0.9	(0.05)	94.1	(2.73)	2125	(56.3)	3052	(99.9)	17.6	(2.88)	62.3	(6.80)		-
12 - 19	15.5	(0.48)	11.9	(0.47)	1.1	(0.03)	123.6	(4.43)	2434	(86.1)	3737	(101.0)	50.5	(4.11)	46.9	(6.35)		-
20 - 29	15.8	(0.62)	12.7	(0.55)	1.2	(0.05)	133.3	(5.92)	2643	(116.1)	4219	(185.8)	110.7	(9.79)	27.5	(3.27)		-
30 - 39	16.6	(0.62)	13.7	(0.47)	1.4	(0.06)	145.6	(5.18)	3042	(82.4)		(129.2)		(17.67)	37.0	(5.23)		-
40 - 49	16.8	(0.83)	14.0	(0.72)	1.4	(0.07)	139.4	(6.64)	3053	(141.8)	4247	(182.7)	203.8	(19.73)	37.1	(5.90)		-
50 - 59	16.7	(0.63)	13.4	(0.79)	1.5	(0.07)	140.2	(4.81)	3034	(79.9)	4184	(167.6)	216.6	(15.33)	55.4	(12.78)		
60 - 69	15.6	(0.51)	12.5	(0.42)	1.3	(0.05)	134.4	(5.43)	2911	(90.7)	4031	(135.6)	227.3	(7.80)	46.3	(6.63)		-
70 and over	15.4	(0.62)	11.0	(0.42)	1.3	(0.05)	115.4	(6.12)	2981	(112.0)	3451	(81.2)	191.4	(12.30)	50.4	(4.87)		-
2 - 19	14.3	(0.26)	10.5	(0.23)	1.0	(0.02)	103.4	(1.98)	2259	(49.8)	3215	(69.2)	31.3	(2.94)	50.1	(4.61)		_
20 and over	16.2	(0.23)	13.0	(0.22)	1.3	(0.03)	135.5	(2.07)	2937	(37.3)	4121	(57.1)	185.8	(6.64)	41.8	(2.92)	13.7	(0.70
2 and over	15.7	(0.19)	12.4	(0.19)	1.2	(0.03)	127.5	(1.80)	2767	(35.9)	3895	(48.4)	147.2	(5.36)	43.9	(2.68)		_
emales:																		
2 - 5	10.0	(0.38)	7.4	(0.34)	0.7	(0.02)	64.5	(2.19)	1902	(61.9)	1994	(56.6)	6.4	(1.19)	37.2	(7.96)		_
6 - 11	13.4	(0.40)	9.0	(0.31)	0.9	(0.03)	86.1	(3.14)	2051	(64.8)	2742	(99.6)	13.7	(1.46)	57.9	(3.98)		-
12 - 19	12.2	(0.42)	8.2	(0.33)	0.9	(0.04)	88.3	(3.36)	1885	(59.9)	2873	(112.0)	34.1	(2.99)	40.4	(4.57)		
20 - 29	12.6	(0.49)	9.8	(0.29)	1.1	(0.04)	102.8	(3.17)	2309	(92.1)	3326	(77.1)	112.9	(9.54)	40.0	(2.77)		
30 - 39	12.4	(0.20)	9.3	(0.31)	1.1	(0.04)	93.6	(2.64)	2310	(87.1)	3149	(80.9)	125.5	(11.09)	40.0	(7.00)		_
40 - 49	12.6	(0.65)	9.2	(0.38)	1.0	(0.03)	96.4	(2.65)	2288	(79.2)	2984	(123.9)	196.5	(23.11)	44.8	(7.62)		-
50 - 59	12.1	(0.72)	9.2	(0.44)	1.1	(0.06)	97.7	(4.58)	2346	(120.4)	2843	(156.7)	184.5	(12.99)	30.5	(3.93)		
60 - 69	11.6	(0.31)	9.3	(0.41)	1.2	(0.05)	93.3	(3.34)	2364	(87.6)	2838	(86.6)	185.3	(14.02)	39.9	(10.52)		
70 and over	12.8	(0.64)	8.8	(0.32)	1.1	(0.03)	88.4	(2.93)	2329	(69.6)	2723	(84.7)	137.9	(9.02)	36.6	(3.21)		-
2 - 19	12.1	(0.22)	8.3	(0.19)	0.8	(0.02)	82.4	(1.88)	1944	(33.9)	2639	(68.3)	21.2	(1.86)	45.6	(3.40)		_
20 and over	12.3	(0.22) $(0.27)$	9.3	(0.16)	1.1	(0.02)	95.6	(1.49)	2324	(52.8)	2987	(46.2)	156.2	(7.76)	38.4	(1.99)	6.6	(0.67
2 and over	12.3	(0.21)	9.1	(0.14)	1.0	(0.02)	92.6	(1.16)	2238	(41.5)	2908	(38.5)	125.7	(6.37)	40.1	(1.77)		-
Males and females:																		
2 - 19	13.2	(0.17)	9.4	(0.17)	0.9	(0.02)	93.1	(1.62)	2105	(32.7)	2934	(54.4)	26.4	(2.10)	47.9	(3.09)		_
20 and over	14.2	(0.19)	11.1	(0.14)	1.2	(0.02)	114.8	(1.07)	2618	(37.5)	3531	(38.5)	170.4	(6.39)	40.0	(1.51)	10.0	(0.49
2 and over	14.0	(0.15)	10.7	(0.13)	1.1	(0.02)	109.6	(0.90)	2496	(31.2)	3389	(34.8)	136.2	(4.87)	41.9	(1.65)		-

**Table 1. Nutrient Intakes from Food and Beverages:** Mean Amounts Consumed per Individual, by Gender and Age, in the United States, 2017-2018 (continued)

Gender and age	SF. 4:0			FA ::0		FA 3:0		FA 0:0		FA 2:0		FA 4:0		FA 6:0		SFA 8:0
(years)	g	(SE)	g	(SE)	g	(SE)	g	(SE)	g	(SE)	g	(SE)	g	(SE)	g	(SE
Males:																
2 - 5		0.028)	0.32	(0.019)	0.25	(0.014)	0.52	(0.029)	0.82	(0.073)	2.12	(0.117)	12.18	(0.455)	4.92	(0.192)
6 - 11		0.021)	0.35	(0.014)	0.29	(0.012)	0.58	(0.021)	1.08	(0.089)	2.47	(0.099)	15.25	(0.545)	6.52	(0.280)
12 - 19	0.57 (	0.032)	0.37	(0.018)	0.31	(0.014)	0.63	(0.024)	1.12	(0.066)	2.74	(0.090)	16.86	(0.342)	7.27	(0.144
20 - 29	0.54 (	0.028)	0.34	(0.018)	0.26	(0.014)	0.57	(0.030)	0.80	(0.044)	2.65	(0.133)	17.43	(0.722)	7.66	(0.271
30 - 39	0.55 (	0.043)	0.35	(0.024)	0.30	(0.019)	0.61	(0.038)	1.03	(0.075)	2.81	(0.169)	19.03	(0.816)	8.39	(0.346
40 - 49	0.62 (	0.042)	0.40	(0.029)	0.33	(0.017)	0.69	(0.050)	1.15	(0.083)	2.88	(0.158)	18.50	(0.936)	8.29	(0.443)
50 - 59	0.55 (	0.043)	0.37	(0.028)	0.31	(0.020)	0.63	(0.036)	1.08	(0.097)	2.68	(0.129)	17.96	(0.658)	7.96	(0.331
60 - 69	0.62	0.070)	0.41	(0.046)	0.33	(0.029)	0.67	(0.063)	1.22	(0.147)	2.93	(0.215)	19.10	(0.727)	8.47	(0.357
70 and over	,	0.041)	0.41	(0.030)	0.33	(0.030)	0.65	(0.048)	1.18	(0.172)	2.69	(0.178)	16.16	(0.628)	7.21	(0.303
2 - 19	0.53	0.020)	0.35	(0.012)	0.29	(0.008)	0.59	(0.016)	1.04	(0.044)	2.52	(0.071)	15.33	(0.308)	6.52	(0.140
20 and over	`	0.018)	0.38	(0.013)	0.31	(0.009)	0.63	(0.017)	1.06	(0.046)	2.77	(0.057)	18.06	(0.203)	8.01	(0.118
2 and over		0.015)	0.37	(0.010)	0.30	(0.007)	0.62	(0.013)	1.06	(0.037)	2.71	(0.048)	17.38	(0.203)	7.64	(0.112
emales:																
2 - 5	0.37 (	0.021)	0.26	(0.013)	0.20	(0.010)	0.43	(0.019)	0.72	(0.091)	1.73	(0.088)	9.93	(0.444)	4.18	(0.227)
6 - 11	0.50 (	0.029)	0.33	(0.016)	0.26	(0.013)	0.54	(0.023)	0.94	(0.087)	2.20	(0.092)	13.97	(0.347)	5.91	(0.135
12 - 19	0.47 (	0.024)	0.31	(0.018)	0.25	(0.013)	0.50	(0.026)	0.87	(0.060)	2.09	(0.093)	12.94	(0.428)	5.59	(0.191
20 - 29	0.50 (	0.019)	0.33	(0.013)	0.30	(0.021)	0.58	(0.025)	1.09	(0.132)	2.45	(0.081)	14.86	(0.298)	6.43	(0.198
30 - 39	0.44	0.028)	0.29	(0.020)	0.24	(0.015)	0.50	(0.029)	0.89	(0.090)	2.09	(0.121)	13.65	(0.445)	5.94	(0.196
40 - 49	0.48 (	0.058)	0.33	(0.038)	0.29	(0.031)	0.56	(0.056)	1.05	(0.131)	2.26	(0.184)	13.92	(0.783)	6.07	(0.333
50 - 59	0.47	0.043)	0.32	(0.029)	0.26	(0.019)	0.52	(0.043)	0.89	(0.074)	2.16	(0.155)	12.85	(0.663)	5.74	(0.279
60 - 69	,	0.050)	0.27	(0.027)	0.23	(0.021)	0.48	(0.047)	0.82	(0.079)	1.98	(0.195)	12.62	(0.657)	5.60	(0.298
70 and over		0.023)	0.28	(0.016)	0.23	(0.014)	0.47	(0.023)	0.79	(0.062)	1.89	(0.082)	11.88	(0.407)	5.17	(0.199
2 - 19	0.46	0.014)	0.31	(0.010)	0.24	(0.009)	0.50	(0.016)	0.86	(0.060)	2.05	(0.062)	12.64	(0.256)	5.40	(0.114
20 and over	`	0.016)	0.30	(0.010)	0.26	(0.009)	0.52	(0.016)	0.92	(0.043)	2.14	(0.061)	13.33	(0.245)	5.84	(0.110
2 and over	,	0.013)	0.30	(0.009)	0.25	(0.007)	0.51	(0.013)	0.91	(0.032)	2.12	(0.048)	13.18	(0.193)	5.74	(0.080
Tales and females:																
2 - 19	0.49 (	0.012)	0.33	(0.008)	0.27	(0.006)	0.55	(0.011)	0.95	(0.038)	2.29	(0.048)	14.02	(0.180)	5.97	(0.090
20 and over	,	0.015)	0.34	(0.010)	0.28	(0.007)	0.57	(0.014)	0.99	(0.031)	2.44	(0.053)	15.60	(0.158)	6.88	(0.078
2 and over		0.011)	0.34	(0.008)	0.28	(0.006)	0.57	(0.011)	0.98	(0.025)	2.41	(0.043)	15.23	(0.142)	6.67	(0.069

**Table 1. Nutrient Intakes from Food and Beverages:** Mean Amounts Consumed per Individual, by Gender and Age, in the United States, 2017-2018 (continued)

Gender and age		IFA 6:1		IFA 8:1		IFA 0:1		IFA 2:1		FA 8:2		FA 8:3		FA 8:4
(years)	g	(SE)	g	(SE)	g	(SE)	g	(SE)	g	(SE)	g	(SE)	g	(SE
Tales:														
2 - 5	0.81	(0.042)	19.70	(0.644)	0.24	(0.022)	0.02	(0.003)	12.74	(0.614)	1.18	(0.054)	0.01	(0.001
6 - 11	1.03	(0.049)	24.93	(0.916)	0.28	(0.014)	0.03	(0.004)	15.73	(0.908)	1.43	(0.086)	0.01	(0.00)
12 - 19	1.22	(0.037)	27.94	(0.778)	0.31	(0.012)	0.03	(0.003)	18.33	(0.670)	1.73	(0.071)	0.01	(0.00)
20 - 29	1.46	(0.080)	30.04	(1.279)	0.37	(0.016)	0.04	(0.007)	20.49	(1.346)	1.95	(0.102)	0.01	(0.002)
30 - 39	1.56	(0.074)	34.64	(1.460)	0.39	(0.017)	0.03	(0.005)	21.78	(1.014)	2.29	(0.129)	0.01	(0.002)
40 - 49	1.68	(0.271)	35.29	(2.902)	0.45	(0.059)	0.05	(0.009)	21.49	(1.884)	2.21	(0.199)	0.01*	(0.002)
50 - 59	1.36	(0.089)	33.12	(1.563)	0.37	(0.016)	0.05	(0.013)	21.78	(1.109)	2.35	(0.149)	0.01*	(0.00
60 - 69	1.42	(0.067)	34.01	(0.980)	0.43	(0.029)	0.06	(0.009)	21.17	(1.091)	2.21	(0.154)	0.01	(0.002)
70 and over	1.18	(0.075)	29.36	(0.944)	0.34	(0.018)	0.04	(0.008)	18.94	(0.563)	2.11	(0.078)	0.01	(0.00)
2 - 19	1.07	(0.032)	25.20	(0.555)	0.29	(0.010)	0.03	(0.002)	16.29	(0.451)	1.52	(0.040)	0.01	(0.00
20 and over	1.45	(0.050)	32.77	(0.600)	0.39	(0.012)	0.04	(0.002)	21.02	(0.516)	2.18	(0.063)	0.01	(0.00
2 and over	1.36	(0.041)	30.88	(0.541)	0.36	(0.010)	0.04	(0.002)	19.84	(0.430)	2.02	(0.054)	0.01	(0.00)
'emales:														
2 - 5	0.66	(0.024)	16.66	(0.593)	0.19	(0.012)	0.01	(0.001)	10.20	(0.330)	0.96	(0.035)	#	
6 - 11	0.81	(0.039)	22.81	(0.610)	0.26	(0.008)	0.02	(0.002)	14.99	(0.390)	1.43	(0.048)	#	
12 - 19	0.92	(0.050)	22.19	(0.902)	0.25	(0.013)	0.02	(0.002)	15.97	(0.802)	1.59	(0.083)	0.01	(0.00)
20 - 29	1.13	(0.048)	25.85	(0.732)	0.28	(0.010)	0.02	(0.002)	17.14	(0.738)	1.77	(0.079)	0.01	(0.00
30 - 39	1.00	(0.045)	25.42	(0.959)	0.31	(0.021)	0.03	(0.004)	16.53	(0.580)	1.77	(0.083)	0.01	(0.00
40 - 49	1.03	(0.057)	24.85	(1.307)	0.28	(0.019)	0.02	(0.005)	17.17	(0.930)	1.83	(0.093)	0.01*	(0.00)
50 - 59	0.95	(0.051)	23.48	(1.328)	0.25	(0.013)	0.03	(0.005)	14.95	(0.916)	1.61	(0.102)	0.01	(0.00
60 - 69	0.95	(0.058)	24.37	(1.440)	0.29	(0.025)	0.05*	(0.028)	16.49	(0.789)	1.81	(0.091)	0.01*	(0.00
70 and over	0.87	(0.035)	21.99	(0.614)	0.25	(0.010)	0.02	(0.002)	14.04	(0.386)	1.56	(0.045)	0.01	(0.00)
2 - 19	0.83	(0.029)	21.20	(0.496)	0.24	(0.008)	0.02	(0.001)	14.40	(0.405)	1.40	(0.045)	#	
20 and over	0.99	(0.022)	24.37	(0.466)	0.28	(0.008)	0.03	(0.005)	16.06	(0.373)	1.72	(0.045)	0.01	(0.00
2 and over	0.95	(0.019)	23.66	(0.394)	0.27	(0.006)	0.03	(0.004)	15.69	(0.321)	1.65	(0.038)	0.01	(0.00)
Tales and females:														
2 - 19	0.95	(0.025)	23.25	(0.273)	0.26	(0.007)	0.02	(0.001)	15.36	(0.322)	1.46	(0.031)	0.01	(
20 and over	1.21	(0.026)	28.40	(0.337)	0.33	(0.006)	0.04	(0.003)	18.44	(0.312)	1.95	(0.047)	0.01	(0.00)
2 and over	1.15	(0.022)	27.18	(0.294)	0.32	(0.005)	0.03	(0.002)	17.71	(0.264)	1.83	(0.041)	0.01	(0.00)

**Table 1. Nutrient Intakes from Food and Beverages:** Mean Amounts Consumed per Individual, by Gender and Age, in the United States, 2017-2018 (continued)

-				
Gender	PFA	PFA	PFA	PFA
and age	20:4	20:5	22:5	22:6
(years)	g (SE)	g (SE)	g (SE)	g (SE)
Males:				
2 - 5	0.10 (0.004)	0.01 (0.002)	0.02 (0.001)	0.02 (0.003)
6 - 11	0.13 (0.006)	0.01 (0.003)	0.02 (0.001)	0.02 (0.003)
12 - 19	0.15 (0.009)	0.02 (0.002)	0.02 (0.001)	0.03 (0.004)
20 - 29	0.19 (0.014)	0.02 (0.004)	0.03 (0.002)	0.05 (0.009)
30 - 39	0.21 (0.010)	0.03 (0.003)	0.03 (0.002)	0.07 (0.008)
40 - 49	0.20 (0.007)	0.03 (0.004)	0.03 (0.002)	0.05 (0.006)
50 - 59	0.19 (0.009)	0.03 (0.005)	0.03 (0.002)	0.06 (0.007)
60 - 69	0.20 (0.010)	0.05 (0.010)	0.03 (0.003)	0.10 (0.015)
70 and over	0.17 (0.018)	0.04* (0.016)	0.04* (0.014)	0.10* (0.032)
2 - 19	0.13 (0.005)	0.02 (0.001)	0.02 (0.001)	0.03 (0.002)
20 and over	0.19 (0.004)	0.03 (0.003)	0.03 (0.002)	0.07 (0.005)
2 and over	0.18 (0.003)	0.03 (0.002)	0.03 (0.001)	0.06 (0.004)
Females:				
2 - 5	0.09 (0.006)	0.01 (0.001)	0.01 (0.001)	0.02 (0.003)
6 - 11	0.11 (0.006)	0.01 (0.001)	0.02 (0.001)	0.02 (0.002)
12 - 19	0.11 (0.007)	0.02 (0.002)	0.02 (0.001)	0.03 (0.004)
20 - 29	0.15 (0.007)	0.02 (0.004)	0.02 (0.001)	0.05 (0.007)
30 - 39	0.14 (0.009)	0.02 (0.003)	0.02 (0.001)	0.04 (0.005)
40 - 49	0.14 (0.010)	0.02 (0.003)	0.02 (0.001)	0.04 (0.004)
50 - 59	0.12 (0.008)	0.04 (0.006)	0.02 (0.002)	0.07 (0.013)
60 - 69	0.14 (0.007)	0.04* (0.014)	0.02 (0.004)	0.08 (0.020)
70 and over	0.11 (0.006)	0.03 (0.006)	0.02 (0.002)	0.06 (0.012)
2 - 19	0.11 (0.003)	0.01 (0.001)	0.02 (0.001)	0.02 (0.002)
20 and over	0.13 (0.004)	0.03 (0.003)	0.02 (0.001)	0.06 (0.004)
2 and over	0.13 (0.003)	0.02 (0.003)	0.02 (0.001)	0.05 (0.003)
Males and females:				
2 - 19	0.12 (0.003)	0.01 (0.001)	0.02 (#)	0.02 (0.001)
20 and over	0.16 (0.003)	0.03 (0.002)	0.03 (0.001)	0.06 (0.003)
2 and over	0.15 (0.002)	0.03 (0.002)	0.02 (0.001)	0.05 (0.002)

## **Symbol Legend**

\* Indicates an estimate that may be less statistically reliable than estimates that are not flagged. The rules for flagging estimated means are as follows:

**Mean:** An estimated mean is flagged when based on a sample size of less than 30 times the variance inflation factor (VIF), where the VIF represents a broadly calculated average design effect, or when the relative standard error is greater than 30 percent. The VIF used in this table is 2.57.

# Indicates a non-zero value too small to report.

## **Abbreviations**

SE = standard error; RAE = retinol activity equivalents; DFE = dietary folate equivalents. SFA = saturated fatty acid; MFA = monounsaturated fatty acid; PFA = polyunsaturated fatty acid.

## Notes Applicable to All Tables in Series: What We Eat in America, NHANES 2017-2018

Sample weights designed for dietary analysis were used to allow estimates representative of the U. S. population for the years of collection.

The statistics in this table are estimated from Day 1 dietary recall interviews conducted in the *What We Eat in America*, National Health and Nutrition Examination Survey (NHANES) 2017-2018. The 24-hour dietary recalls were conducted in-person, by trained interviewers, using the USDA 5-step Automated Multiple-Pass Method. Food intakes were coded and nutrient values were determined using the USDA Food and Nutrient Database for Dietary Studies 2017-2018 <a href="www.ars.usda.gov/nea/bhnrc/fsrg">www.ars.usda.gov/nea/bhnrc/fsrg</a>.

Intakes of nutrients and other dietary components are based on the consumption of food and beverages, including water, and do not include intake from supplements or medications.

The table includes data from individuals 2 years and over. Breast-fed children were excluded because breast milk was not quantified in dietary recall interviews.

Although alcohol data are collected for all individuals, estimates are not presented for age groups under 20 years due to extreme variability and/or inadequate sample size.

## **Suggested Citation**

U.S. Department of Agriculture, Agricultural Research Service. 2020. Nutrient Intakes from Food and Beverages: Mean Amounts Consumed per Individual, by Gender and Age, What We Eat in America, NHANES 2017-2018.