

Review: Linear just-identified IV

Two equations:

$$Y = X\beta + u$$

$$X = Z\pi + \nu$$

Review: Linear just-identified IV

Two equations:

$$Y = X\beta + u$$

$$X = Z\pi + \nu$$

Two key assumptions for IV validity:

Review: Linear just-identified IV

Two equations:

$$Y = X\beta + u$$

$$X = Z\pi + \nu$$

Two key assumptions for IV validity:

- **Instrument relevance:** $\text{Cov}(Z, X) \neq 0$ (strong first stage)

Review: Linear just-identified IV

Two equations:

$$Y = X\beta + u$$

$$X = Z\pi + \nu$$

Two key assumptions for IV validity:

- **Instrument relevance:** $\text{Cov}(Z, X) \neq 0$ (strong first stage)
- **Exclusion restriction:** $\text{Cov}(Z, u) = 0$ (instrument only affects Y through X)

Review: Linear just-identified IV

Two equations:

$$Y = X\beta + u$$

$$X = Z\pi + \nu$$

Two key assumptions for IV validity:

- **Instrument relevance:** $\text{Cov}(Z, X) \neq 0$ (strong first stage)
- **Exclusion restriction:** $\text{Cov}(Z, u) = 0$ (instrument only affects Y through X)

Recent literature has raised the bar for what counts as “plausible”

Three critical papers in early 2020s:

Three critical papers in early 2020s:

1. Mellon (2025, *AJPS*): rainfall used as IV in many papers \Rightarrow violates exclusion restriction

Three critical papers in early 2020s:

1. Mellon (2025, *AJPS*): rainfall used as IV in many papers \Rightarrow violates exclusion restriction
2. Lee et al. (2022, *AER*): valid inference requires $F > 105$ rather than $F > 10$


Three critical papers in early 2020s:

1. Mellon (2025, *AJPS*): rainfall used as IV in many papers \Rightarrow violates exclusion restriction
2. Lee et al. (2022, *AER*): valid inference requires $F > 105$ rather than $F > 10$
3. Young (2022, *EER*): AEA papers show IV results highly sensitive to outliers

Exclusion restriction violations

Exclusion restriction violations

- Mellon (2025) documents [192 papers](#) using weather as IV



Exclusion restriction violations

- Mellon (2025) documents [192 papers](#) using weather as IV
- Each pathway represents a potential exclusion-restriction violation

Exclusion restriction violations

- Mellon (2025) documents 192 papers using weather as IV
- Each pathway represents a potential exclusion-restriction violation
- For weather IVs, scholars must assume hundreds of additional identifying assumptions

Exclusion restriction violations

- Mellon (2025) documents 192 papers using weather as IV
- Each pathway represents a potential exclusion-restriction violation
- For weather IVs, scholars must assume hundreds of additional identifying assumptions
- Similar concerns likely apply to other commonly-used instruments

Problems in IV when using t -test for $H_0 : \beta = 0$:

Problems in IV when using t -test for $H_0 : \beta = 0$:

- Stock and Yogo (2005): $F > 10$ became standard pre-test for IV relevance

Problems in IV when using t -test for $H_0 : \beta = 0$:

- Stock and Yogo (2005): $F > 10$ became standard pre-test for IV relevance
- Lee et al. (2022): conventional t -ratio over-rejects even with $F > 10$

Problems in IV when using t -test for $H_0 : \beta = 0$:

- Stock and Yogo (2005): $F > 10$ became standard pre-test for IV relevance
- Lee et al. (2022): conventional t -ratio over-rejects even with $F > 10$
- Introduce tF procedure: adjust critical values for 2nd-stage t based on 1st-stage F

Problems in IV when using t -test for $H_0 : \beta = 0$:

- Stock and Yogo (2005): $F > 10$ became standard pre-test for IV relevance
- Lee et al. (2022): conventional t -ratio over-rejects even with $F > 10$
- Introduce tF procedure: adjust critical values for 2nd-stage t based on 1st-stage F
- For 25% of AER specifications, corrected standard errors 49% larger at 5% level

Statistical power in practice

Statistical power in practice

- Young (2022): IV has **little power** in published work

Statistical power in practice

- Young (2022): IV has **little power** in published work
- Despite producing different estimates, IV rarely rejects OLS point estimate

Statistical power in practice

- Young (2022): IV has **little power** in published work
- Despite producing different estimates, IV rarely rejects OLS point estimate
- Rarely rejects null that OLS is unbiased

Statistical power in practice

- Young (2022): IV has **little power** in published work
- Despite producing different estimates, IV rarely rejects OLS point estimate
- Rarely rejects null that OLS is unbiased
- Non-*iid* errors and high leverage worsen both size and power

Sensitivity to observations

Sensitivity to observations

- Young (2022): with deletion of **one** cluster, 39% of significant results become insignificant

Sensitivity to observations

- Young (2022): with deletion of **one** cluster, 39% of significant results become insignificant
- With deletion of **two** clusters, 58% become insignificant

Sensitivity to observations

- Young (2022): with deletion of **one** cluster, 39% of significant results become insignificant
- With deletion of **two** clusters, 58% become insignificant
- First-stage F -statistics similarly sensitive to outliers

Sensitivity to observations

- Young (2022): with deletion of **one** cluster, 39% of significant results become insignificant
- With deletion of **two** clusters, 58% become insignificant
- First-stage F -statistics similarly sensitive to outliers
- Problems concentrated in high-leverage specifications

Given these limitations, maybe we shouldn't do IV?

Given these limitations, maybe we shouldn't do IV?

And if we're not going to do IV, what else can we do?

Given these limitations, maybe we shouldn't do IV?

And if we're not going to do IV, what else can we do?

- Do OLS with lots and lots of covariates to eliminate OVB

Given these limitations, maybe we shouldn't do IV?

And if we're not going to do IV, what else can we do?

- Do OLS with lots and lots of covariates to eliminate OVB
- Walk away and admit that it's impossible to obtain a causal estimate

Given these limitations, maybe we shouldn't do IV?

And if we're not going to do IV, what else can we do?

- Do OLS with lots and lots of covariates to eliminate OVB
- Walk away and admit that it's impossible to obtain a causal estimate
- Use [partial identification](#) methods to put bounds on causal effects:

Given these limitations, maybe we shouldn't do IV?

And if we're not going to do IV, what else can we do?

- Do OLS with lots and lots of covariates to eliminate OVB
- Walk away and admit that it's impossible to obtain a causal estimate
- Use [partial identification](#) methods to put bounds on causal effects:
 - “Upper” bound: biased OLS

Given these limitations, maybe we shouldn't do IV?

And if we're not going to do IV, what else can we do?

- Do OLS with lots and lots of covariates to eliminate OVB
- Walk away and admit that it's impossible to obtain a causal estimate
- Use [partial identification](#) methods to put bounds on causal effects:
 - “Upper” bound: biased OLS
 - “Lower” bound: plausible treatment effect