### **LEFT and RIGHT JOINs**


JOINING DATA IN SQL





**Chester Ismay** 


Head of Content Development (Belgium), DataCamp












#### The syntax of a LEFT JOIN

```
SELECT p1.country, prime_minister, president
FROM prime_ministers AS p1
LEFT JOIN presidents AS p2
ON p1.country = p2.country;
```

```
prime_minister
                                    | president
country
Egypt
           Sherif Ismail
                                    | Abdel Fattah el-Sisi
                                    | Marcelo Rebelo de Sousa
           Antonio Costa
Portugal
Vietnam
           Nguyen Xuan Phuc
                                    | Tran Dai Quang
                                    | Jovenel Moise
Haiti
          | Jack Guy Lafontant
           | Narendra Modi
India
Australia | Malcolm Turnbull
           Erna Solberg
Norway
           | Hassanal Bolkiah
Brunei
           Qaboos bin Said al Said |
Oman
           | Mariano Rajoy
Spain
```



#### **RIGHT JOIN**



```
SELECT right_table.id AS R_id,
    left_table.val AS L_val,
    right_table.val AS R_val
FROM left_table
RIGHT JOIN right_table
ON left_table.id = right_table.id;
```

# Let's practice!

JOINING DATA IN SQL



## **FULL JOINs**

JOINING DATA IN SQL





**Chester Ismay** 

Head of Content Development (Belgium), DataCamp





#### **INNER JOIN vs LEFT JOIN**







#### **LEFT JOIN vs RIGHT JOIN**







#### FULL JOIN diagram



SELECT p1.country AS pm\_co, p2.country AS pres\_co,
 prime\_minister, president

```
SELECT p1.country AS pm_co, p2.country AS pres_co,
    prime_minister, president
FROM prime_ministers AS p1
```

```
SELECT p1.country AS pm_co, p2.country AS pres_co,
    prime_minister, president
FROM prime_ministers AS p1
FULL JOIN presidents AS p2
```

```
SELECT p1.country AS pm_co, p2.country AS pres_co,
    prime_minister, president

FROM prime_ministers AS p1
FULL JOIN presidents AS p2
ON p1.country = p2.country;
```

### FULL JOIN example results using leaders

+		+	++
pm_co	pres_co	prime_minister	president
+		+	+
Egypt	Egypt	Sherif Ismail	Abdel Fattah el-Sisi
Portugal	Portugal	Antonio Costa	Marcelo Rebelo de Sousa
Vietnam	Vietnam	Nguyen Xuan Phuc	Tran Dai Quang
Haiti	Haiti	Jack Guy Lafontant	Jovenel Moise
India		Narendra Modi	l I
Australia		Malcolm Turnbull	l I
Norway		Erna Solberg	l I
Brunei		Hassanal Bolkiah	l I
Oman		Qaboos bin Said al Said	l I
Spain		Mariano Rajoy	l I
	Uruguay		Jose Mujica
	Chile		Michelle Bachelet
	Liberia		Ellen Johnson Sirleaf
+		+	++



# Let's practice!

JOINING DATA IN SQL



## **CROSSing the Rubicon**


JOINING DATA IN SQL



**Chester Ismay** 

Head of Content Development (Belgium), DataCamp





#### Pairing prime ministers with presidents

```
SELECT prime_minister, president
FROM prime_ministers AS p1
CROSS JOIN presidents AS p2
WHERE p1.continent IN ('North America', 'Oceania');
```

```
prime_minister
                    president
Jack Guy Lafontant | Abdel Fattah el-Sisi
Malcolm Turnbull
                  ∣ Abdel Fattah el-Sisi
Jack Guy Lafontant | Marcelo Rebelo de Sousa
Malcolm Turnbull
                  | Marcelo Rebelo de Sousa
Jack Guy Lafontant | Jovenel Moise
Malcolm Turnbull | Jovenel Moise
Jack Guy Lafontant | Jose Mujica
Malcolm Turnbull | Jose Mujica
Jack Guy Lafontant | Ellen Johnson Sirleaf
Malcolm Turnbull | Ellen Johnson Sirleaf
Jack Guy Lafontant | Michelle Bachelet
Malcolm Turnbull
                    Michelle Bachelet
Jack Guy Lafontant | Tran Dai Quang
Malcolm Turnbull
                    Tran Dai Quang
```



# Let's practice!

JOINING DATA IN SQL

