Customers		]	Orders				Orders_Products		
PK	customerID (INT)		Pk	orderID (INT)	<del>  </del>		PK,FK1	orderID (INT)	
	customerName (VARCHAR 30)			orderDate (TIMEDATE)			PK,FK2	productID (INT)	
	billingAddress (VAR CHAR 60)		<b>⊭</b> FK	customerID (INT)				size (INT)	1
	billingZipCode (VARCHAR 7)			orderConfirmed (BOOLEAN)				color (VARCHAR 30)	
	billingCity (VARCHAR 30)			orderShipped (BOOLEAN)				quantity (INT)	
	billingProvince (VARCHAR 30)			orderPaid (BOOLEAN)	/	<i>'</i>	FK3	shipmentID (INT)	
	billingCountry (VARCHAR 30)			orderComments (VARCHAR 200)					_
	shippingAddress (VAR CHAR 60)								
	shippingZipCode (VARCHAR 7)		Dua di sata						
	shippingCity (VARCHAR 30)		Products		$\dashv$ $/$ $\vdash$		Ī	ments	4
	shippingProvince (VARCHAR 30)		PK	productID (INT)		PK	shipmentIC	O (INT)	#
	shippingCountry (VARCHAR 30)			productName (VARCHAR 30)			shippingCo	mpany (VARCHAR 30)	
	creditCardNo (VARCHAR 20)		productDescription (VARCHAR 200) unitSellPrice (INT)			shippingDate (TIMEDATE			
	creditCardType (VARCHAR 20)						shipmentReceived (BOOLEAN)		
	phone (VARCHAR 12)			unitBuyPrice (INT)			trackingNumber (VARCHAR 16)		
	email (VARCHAR 30)		FK productCategoryID (INT)						
	password (VARCHAR 10)		FK manufacturerID (INT)		<b>X</b>				
		]	productAvailable (BOOLEAN)				Manufacturer		
						# PK   <u>ı</u>	<u>manufacture</u>	rID (INT)	
ProductsCategories		] /				ŀ	ousinessNam	e(VARCHAR 30)	7
PK <u>categoryID</u>		]  -					contactPersor	Name (VARCHAR 30)	
	categoryName	-			_		address (VAR	CHAR 60)	
		J		Administrators			city (VARCHA	NR 30)	
			Pk	administratorID (INT)			zipCode (VAF	RCHAR 7)	
				name(VARCHAR 30)			province (VAF	RCHAR 30)	
			phone (VARCHAR 12)				country (VAR	CHAR 30)	
			email (VARCHAR 30)				ohone (VARC	HAR 12)	
				password (VARCHAR 10)			email (VARCI	HAR 30)	
						1	password (VA	RCHAR 10)	