[544] Intro to Big Data Systems

Tyler Caraza-Harter

Outline

Course Overview

- Introductions
- Main sites: tyler.caraza-harter.com, Canvas, GitHub
- Other tools: Email, TopHat, Piazza, GitHub classroom

Resources

- Overview
- Compute
- Memory
- Storage
- Network

Deployment

Introductions

Tyler Caraza-Harter

- Long time Badger
- Email: tharter@wisc.edu
- Just call me "Tyler" (he/him)

Industry experience

- Worked at Microsoft on SQL Server and Cloud
- Other internships/collaborations:
  Qualcomm, Google, Facebook, Tintri, Bauplan

Open source

- OpenLambda (serverless cloud platform)
- https://github.com/open-lambda/open-lambda



Who are You?

Year in school? Major?

What CS courses have people taken before?

- 320? 400? 537/564/640?

Please fill this form (**due today**):
https://forms.gle/7doAf56RSRzP39k88

Why?

- Help me get to know you
- Get participation credit

Related courses





- most coding will be in Python (400 folks will need to pick this up)
- first third of course will cover some foundations from operating systems, networking, and databases
- 744 will cover some similar systems, but from the research perspective (544 is hands on)

What are "*systems*"?

Some major categories of software

- analysis code (run once, get results)
- applications (long running, maybe a website)
- systems (manage resources, like storage space)

Other code uses systems. For example, without an operating system, your analyis code couldn't read files.

Whatever kind of programming you doing,
knowing how systems work with help you **use resources better**!

What are "*big data systems*"?

Some major categories of software

- analysis code (run once, get results)
- applications (long running, maybe a website)
- systems (manage resources, like storage space)

Other code uses systems. For example, without an operating system, your analyis code couldn't read files.

As data grows, we need to optimize our code and/or use more resources

Big data systems manage resources that are:

- specialized (e.g., GPUs)
- distributed (cluster of machines)

What will you learn in 544?

Learning objectives

- Deploy distributed systems for data storage and analytics
- Demonstrate competencies with tools and processes necessary for loading data into distributed storage systems
- Write programs that use distributed platforms to efficiently analyze large datasets
- Produce meaning from large datasets by training machine learning models in parallel or on distributed systems
- Measure resource usage and overall cost of running distributed programs
- Optimize distributed analytics programs to reduce resource consumption and program runtime
- Demonstrate competencies with cloud services designed to store or analyze large datasets

What will you learn today?

Learning objectives

- recall course logistics and policies
- describe different kinds of hardware resources
- compare scale up to scale out approaches
- compare different approaches for running code on a CPU

Outline

Course Overview

- Introductions
- Main sites: tyler.caraza-harter.com, Canvas, GitHub
- Other tools: Email, TopHat, Piazza, GitHub classroom

Resources

- Overview
- Compute
- Memory
- Storage
- Network

Deployment

Main Websites

1. https://tyler.caraza-harter.com/cs544/f23/schedule.html
   - schedule, course content, how to get help
   - links to all other resources/tools
   - some lecture recordings (review only)

2. https://github.com/cs544-wisc/f23
   - project specifications
   - lecture demo code

3. Canvas
   - announcements
   - quizzes
   - grade summaries
   - zoom office hours

Outline

Course Overview

- Introductions
- Main sites: tyler.caraza-harter.com, Canvas, GitHub
- Other tools: Email, TopHat, Piazza, GitHub classroom

Resources

- Overview
- Compute
- Memory
- Storage
- Network

Deployment

Other tools

1. TopHat (me asking you questions during lecture)
   - Also one factor in participation

2. Piazza (asking questions of general interest)
   - our goal: responses <24 hours
   - don't post >5 lines of project code

3. Email (asking questions of individual interest)
   - everybody will be assigned a TA contact (544 has 4 this semester)
   - our goal: responses <2 business days
   - feel free to escalate by CC'ing instructor on same thread after 2 days
   - if contacting multiple staff members about same issue, please keep all on the same thread (don't start multiple threads)

4. GitHub classroom
   - you'll be given a **private** repo for each project
   - we'll provide feedback on GitHub

Outline

Course Overview

- Introductions
- Main sites: tyler.caraza-harter.com, Canvas, GitHub
- Other tools: Email, TopHat, Piazza, GitHub classroom

Resources

- Overview
- Compute
- Memory
- Storage
- Network

Deployment

Categories of resources

Systems: software for managing computer resources

Other kinds of software (analysis code, applications) rely on systems.



Categories of resources

Systems: software for managing computer resources

Other kinds of software (analysis code, applications) rely on systems.

computational resources execute code



central processing unit (CPU), graphics processing unit (GPU)

Categories of resources

Systems: software for managing computer resources

Other kinds of software (analysis code, applications) rely on systems.

computational resources execute code



memory holds data for active usage

random-access memory (RAM)

Categories of resources

Systems: software for managing computer resources

Other kinds of software (analysis code, applications) rely on systems.

computational resources execute code

storage holds long-term data



memory holds data for active usage

hard disk drive (HDD), solid-state disk (SSD)

https://en.wikipedia.org/wiki/Hard_disk_drive

Categories of resources

Systems: software for managing computer resources

Other kinds of software (analysis code, applications) rely on systems.

computational resources execute code

storage holds long-term data

a computer:

compute



memory



memory holds data for active usage

...computer resources...

storage

network

network provides communication between computers

network interface card (NIC)

switches/routers forward packets between computers

https://en.wikipedia.org/wiki/Network_switch#/media/File:2550T-PWR-Front.jpg

A real server



https://www.cnet.com/tech/tech-industry/google-uncloaks-once-secret-server-10209580/

Big Data

Potential problems as datasets grow

- might run too slowly
- might not be able to run at all (for example, not enough memory)

Solutions:

- more efficient code
- use more resources



Big Data

Potential problems as datasets grow

- might run too slowly
- might not be able to run at all (for example, not enough memory)

Solutions:

- more efficient code
- use more resources



Big Data

Potential problems as datasets grow

- might run too slowly
- might not be able to run at all (for example, not enough memory)

Solutions:

- more efficient code
- use more resources



Outline

Course Overview

- Introductions
- Main sites: tyler.caraza-harter.com, Canvas, GitHub
- Other tools: Email, TopHat, Piazza, GitHub classroom

Resources

- Overview
- Compute
- Memory
- Storage
- Network

Deployment

Compute



Some computers have multiple CPUs. Modern CPUs typically have multiple cores. Each core works like a CPU and runs programs by executing instructions.

How do cores run machine code?

the operating system "schedules" processes on cores
(decides when they get to run)





Multi-Core Processor (CPU)





Multi-Core Processor (CPU)

```
Running: 1, 2
Ready:   3, 4
```


process 1 (P)
Code
Data
process 2 (Q)
Code
Data
process 3 (R)
Code
Data
process 4 (P)
Code
Data
Core
(CPU)
Core
(CPU)
Multi-Core Processor (CPU)
Running: 1, 2
Ready: 3, 4


process 1 (P)
Code
Data
process 2 (Q)
Code
Data
process 3 (R)
Code
Data
process 4 (P)
Code
Data
Core
(CPU)
Core
(CPU)
Multi-Core Processor (CPU)
Running: 1, 3
Ready: 2, 4



Multi-Core Processor (CPU)

the more cores we have, the more tasks we can run simultaneously (that is, in "parallel")

```
Running: 1, 3
Ready:   2, 4
```

how do we bridge the gap between "high level" code (Python/Java/etc) and machine code?

Note: we'll primarily write Python this semester, but it helps to explore this in general to understand how systems like Spark work (which is written in Scala and uses the Java Virtual Machine)

these instructions are in "machine code"
that the CPU can understand



Multi-Core Processor (CPU)

these instructions are
represented as 1's and 0's
the CPU understands

https://pages.cs.wisc.edu/~deppeler/cs354/reference/x86-cheat-sheet.pdf

arithmetic
two operand instructions

```
addl src,dst   dst = dst + src
subl src,dst   dst = dst - src
imull src,dst  dst = dst * src
sall src,dst   dst = dst << src (aka shll)
sarl src,dst   dst = dst >> src (arith)
shrl src,dst   dst = dst >> src (logical)
xorl src,dst   dst = dst ^ src
andl src,dst   dst = dst & src
orl src,dst    dst = dst | src
```

one operand instructions

```
incl dst       dst = dst + 1
decl dst       dst = dst - 1
negl dst       dst = -dst
notl dst       dst = ~dst
```

arithmetic ops set CCs implicitly

```
cf=1 if carry out from msb
zf=1 if dst==0,
sf=1 if dst < 0 (signed)
of=1 if two's complement
     (signed) under/overflow
```

how do we bridge the gap between "high level"
code (Python/Java/etc) and machine code?



approach 1: compiler translates from high level code to machine code

high level code

programmer

Machine Code Data

interpreter

Core (CPU)

Core (CPU)

Multi-Core Processor (CPU)

approach 2: CPU runs an interpeter program that loops over programmer's code and runs it



approach 3: compiler creates "bytecode" from high level code and a "virtual machine" running on the CPU runs the bytecode

when you run "python3 ..."
bytecode generation happens
automatically before Python
Virtual Machine runs it



Run:

```
import dis
dis.dis("z = x + y * 2")
```

when you run "python3 ..."
bytecode generation happens
automatically before Python
Virtual Machine runs it

Python Code

bytecode
(.pyc files)

compiler

Machine Code Data

PVM

Java Code

JVM bytecode is closer
to machine code

bytecode
(.class files)

Java compiler

javac mycode.java

java mycode

Machine Code Data

JVM

when you run "python3 ..."
bytecode generation happens
automatically before PVM runs it

Python Code

bytecode
(.pyc files)

compiler

Jython
compiler

Machine Code Data

PVM

JVM bytecode is closer
to machine code

Java Code

bytecode
(.class files)

Java compiler

javac mycode.java

java mycode

Machine Code Data

JVM

Scala compiler

Scala Code

What are alternatives to CPUs for compute?

GPUs (graphical processing units) are an alternative compute resource.



https://en.wikipedia.org/wiki/Nvidia_Tesla



few cores that are fast,
flexible, independent



many cores that are slow,
float-optimized, coordinated

GPU vs. CPU: Cost Comparison

TOP HAT



The GPU is 30% cheaper but 28x faster at floating-point operations!

Specifications	Intel® Core™ i7-6900K Processor Extreme Ed.	NVIDIA GeForce® GTX™ 1080 Ti
Base Clock Frequency	3.2 GHz	< 1.5 GHz
Cores	8	3584
Memory Bandwidth	64 GB/s	484 GB/s
Floating-Point Calculations	409 GFLOPS	11300 GFLOPS
Cost	~ $1000.00	~ $700.00

https://sebastianraschka.com/books.html

Resource metric: FLOPS (floating-point operations per second)

- floating-point ops: add, mult, etc (how to weight?)
- prefixes: K (thousand), M (million), G (billion), T (trillion)
  - ➡ how many TFLOPS does the above GPU provide?

PyTorch Python package

- lets you readily use GPUs; we'll use this for project 1

Outline

Course Overview

- Introductions
- Main sites: tyler.caraza-harter.com, Canvas, GitHub
- Other tools: Email, TopHat, Piazza, GitHub classroom

Resources

- Overview
- Compute
- Memory
- Storage
- Network

Deployment

RAM: Random Access Memory

What is "Random"?

"Random" means we can jump around and access data from different locations efficiently.

In contrast, some devices that hold data are only efficient sequentially:

https://en.wikipedia.org/wiki/Cassette_tape

Bits

RAM holds bits.

A "bit" holds a 0 or a 1 (two possible values).

2 bits can hold 00, 01, 10, 11 (four possible values).

N bits can hold 2^N possible values.

Representation

Different encodings/representations decide what a combination of bits mean.

bits			
000	A	0	−4
001	B	1	−3
010	C	2	−2
011	D	3	−1
100	E	4	0
101	F	5	1
110	G	6	2
111	H	7	3

colors
images
floats
etc.

Bytes

A byte is 8 bits, so can hold $2^8 = 256$ possible values.

RAM is "byte addressible"

- each byte of data has it's own address the CPU can use to access it
- extracting a single bit from a byte actually involves more steps than using the whole byte

Units:

- 1 KB = 1024 bytes (or sometimes 1000 bytes)
- 1 MB = 1024 KB (or sometimes 1000 KB)
- 1 GB = 1024 MB (or sometimes 1000 MB)
- 1 TB = 1024 GB (or sometimes 1000 GB)

RAM Characteristics

Characteristics

- small (for example, an e2-medium VM has 4 GB)
- volatile (contents lost upon reboot)
- fast (much faster that storage devices)

Some uses

- actively used data (e.g., Python list, program code, DataFrame)
- copies of "hot" data (frequently accessed) from storage

Outline

Course Overview

- Introductions
- Main sites: tyler.caraza-harter.com, Canvas, GitHub
- Other tools: Email, TopHat, Piazza, GitHub classroom

Resources

- Overview
- Compute
- Memory
- Storage
- Network

Deployment

Block devices: storing 0s and 1s

Hard Disk Drives (HDDs)

- 0s/1s stored on spinning magnatized platter
- moving head reads/writes data

Solid State Disks (SSDs)

- 0s/1s stored in charged cells
- no moving parts (faster)

Both are "block devices"

- data is read/written in blocks of many bytes (for example, 0.5 KB)
- reading 1 byte or 1 block takes same time

HDD and SSD Characteristics

Characteristics

- large (> 1 TB devices are affordable)
- nonvolatile (contents lost upon reboot)
- slow (much slower that memory)

Some uses

- large datasets
- data that needs to be preserved long term

Metrics

Capacity

- how much data can be stored?
- measured in bytes (for example, 500 GB)

Throughput

- how fast can data be read/written?
- measure in bytes/second (for example, 200 MB/s)
- throughput will depend on access pattern (for example, spinning disks have low throughput for random accesses)

Latency

- how long does it take to do one I/O (e.g., 10 ms)



Figure 3 – Flash & HDD Pricing 2013 – 2020

Source: © Wikibon, 2021. Wikibon uses historical data is from multiple sources, including IDC, Gartner, Kitguru, Nidec, Trendfocus, and Wells Fargo LLC

https://wikibon.com/qlc-flash-hamrs-hdd/

Outline

Course Overview

- Introductions
- Main sites: tyler.caraza-harter.com, Canvas, GitHub
- Other tools: Email, TopHat, Piazza, GitHub classroom

Resources

- Overview
- Compute
- Memory
- Storage
- Network

Deployment

Network

When scaling out, many nodes (computers) will be communicating via a network.



Network

Server



Rack

https://www.dotmagazine.online/issues/digital-infrastructure-and-transforming-markets/data-center-models

https://buy.hpe.com/us/en/servers/proliant-dl-servers/proliant-dl10-servers/proliant-dl20-server/hpe-proliant-dl20-gen10-plus-e-2336-2-9ghz-6-core-1p-16gb-u-4sff-500w-rps-server/p/p44115-b21?ef_id=Cj0KCQiAt66eBhCnARIsAKf3ZNFJsg49UV6Zm33R7IkRqi-XOd_JECmdyqNMAm2CKLSm_F-z6JTYDTQaAgM1TEALw_wcB:G:s&s_kwcid=AL!13472!3!331628972784!!!g!318267171339!!170791836 9!670764174 19&gclsrc=aw.ds&gclid=Cj0KCQiAt66eBhCnARIsAKf3ZNFJsg49UV6Zm33R7IkRqi-XOd_JECmdyqNMAm2CKLSm_F-z6JTYDTQaAgM1TEALw_wcB

https://www.server-rack-online.com/gl910ent-4048sss.html?utm_medium=shoppingengine&utm_source=googlebase&utm_source=google&utm_medium=cpc&adpos=&scid=scplpgl910ent-4048sss&sc_intid=gl910ent-4048sss&gclid=Cj0KCQiAt66eBhCnARIsAKf3ZNEMYINPAA0RFGQIF0DsieCM6oh7i3kuJvJIpnmJAIOpAJ3RWT11QMAaAqRnEALw_wcB

Network

Server

Data Center

https://www.dotmagazine.online/issues/digital-infrastructure-and-transforming-markets/data-center-models

https://buy.hpe.com/us/en/servers/proliant-dl-servers/proliant-dl10-servers/proliant-dl20-server/hpe-proliant-dl20-gen10-plus-e-2336-2-9ghz-6-core-1p-16gb-u-4sff-500w-rps-server/p/p44115-b21?ef_id=Cj0KCQiAt66eBhCnARIsAKf3ZNFJsg49UV6Zm33R7IkRqi-XOd_JECmdyqNMAm2CKLSm_F-z6JTYDTQaAgMTEALw_wcB:G:s&s_kwcid=AL!13472!3!331628972784!!!g!318267171339!!17079183691670764174 19&gclsrc=aw.ds&gclid=Cj0KCQiAt66eBhCnARIsAKf3ZNFJsg49UV6Zm33R7IkRqi-XOd_JECmdyqNMAm2CKLSm_F-z6JTYDTQaAgMTEALw_wcB

https://www.server-rack-online.com/gl910ent-4048sss.html?utm_medium=shoppingengine&utm_source=googlebase&utm_source=google&utm_medium=cpc&adpos=&scid=scplpgl910ent-4048sss&sc_intid=gl910ent-4048sss&gclid=Cj0KCQiAt66eBhCnARIsAKf3ZNEMYINPAA0RFGQIF0DsieCM6oh7i3kuJvJlpnmJAIOpAJ3RWT11QMAaAqRnEALw_wcB

Topology

Example configuring Hadoop File System (HDFS) to store data based on network topology:

python Example

```
#!/usr/bin/python3
# this script makes assumptions about the physical environment.
#  1) each rack is its own layer 3 network with a /24 subnet, which
# could be typical where each rack has its own
#     switch with uplinks to a central core router.
#
#             +-----------+
#             |core router|
#             +-----------+
#            /             \
#   +-----------+        +-----------+
#   |rack switch|        |rack switch|
#   +-----------+        +-----------+
#   | data node |        | data node |
#   +-----------+        +-----------+
#   | data node |        | data node |
#   +-----------+        +-----------+
#
```

https://hadoop.apache.org/docs/stable/hadoop-project-dist/hadoop-common/RackAwareness.html

Metrics

TOP HAT

Latency

- how long does it take to send messages between two points
- seconds, milliseconds (ms), etc

Bandwidth/Throughput

- how many **bits** can be sent per second?
- Mbps (mega bits per second -- note lower case "b")
- What is faster, 10 Mbps or 10 MB/s?



Outline

Course Overview

- Introductions
- Main sites: tyler.caraza-harter.com, Canvas, GitHub
- Other tools: Email, TopHat, Piazza, GitHub classroom

Resources

- Overview
- Compute
- Memory
- Storage
- Network

Deployment

Deployment

Deployment means running code somewhere

- often a major undertaking when working with clusters

We'll be deploying systems on Google Cloud Platform (GCP) this semester using virtual machines (VMs). We'll use Ubuntu Linux 22.04.



physical machine in a Google data center

Cloud Budget Plan

We'll be announcing how to get $100 of free credit for the semester.

You'll use different VMs/resources at different points. Follow the plan here to create the right types.

https://github.com/cs544-wisc/f23/blob/main/projects.md#compute-setup

Important: check your credits regularly to make sure you're not using too much too soon based on the "cumulative" column. If you accidentally configured to use too much, fix the issue, then find ways to catch up (like shutting down your VM overnight).

VM Maintenance Responsibilities

Some of your responsibities:

- creating/re-creating the VM (choosing a region, etc)
- setting up SSH
- installing software
- rebooting after updates
- backing up work on GitHub (private) or with scp
- resolving issues directly with Google (e.g., false positive crypto mining)

Docker containers

Containers are a lightweight alternative to virtual machines.

You'll run Docker containers this semester to have your own "mini cluster"



Resources of the "cluster" are limited to those of a single VM, so we'll scale projects accordingly. But the techniques will apply to large clusters and datasets.

Conclusion

Systems manage resources like compute, memory, storage, and networking.

Big data systems use specialized or distributed resources to make it faster to work with large datasets.

We'll deploy these systems using containers and VMs.

Tasks for next time:

- read syllabus, become familiar with course websites
- introduce yourself via the welcome form
- redeem Google credit and create first VM