

SEACAR Continuous Water Quality Analysis: Water Temperature Southeast Region

Last compiled on 18 April, 2022

Contents

Purpose	1
Adjustable Inputs	2
Libraries	2
File Import	2
Data Filtering	3
Monitoring Location Statistics	5
Seasonal Kendall Tau Analysis	6
Appendix I: Dataset Summary Box Plots	9
Appendix II: Excluded Monitoring Locations	16
Appendix III: Monitoring Location Trendlines	22
Appendix IV: Monitoring Location Summary Box Plots	59

Purpose

The purpose of this script is to analyze the continuous water temperature data that is created from the SEACAR database, apply filtering criteria, create summary plots, and perform seasonal Kendall Tau analysis for each program location and summary statistics for values measured at the desired depth.

All scripts and outputs can be found on the SEACAR GitHub repository:

https://github.com/FloridaSEACAR/SEACAR_Panzik

Note: The top 2% of data is excluded when computing mean and standard deviations in plotting sections solely for the purpose of getting y-axis scales. The exclusion of the top 2% is not used in any statistics that are exported.

Adjustable Inputs

This is placed early so that it is easier to edit parameters that users may want to adjust.

The first variable is whether you want to create the summary plots in the appendices. If you want to see all appendix plots, set `APP_Plots` to `TRUE`. If you would like to only perform the analysis and export the data files with minimal plots, set `APP_Plots` to `FALSE`. This option is available because generating the plots in the appendices increases the processing time significantly.

Since the file names all have similar structure with only the parameter name being varied, the code below sets variables to include standard string information that is the same across all data files.

This includes: the raw data directory (`in_dir`), output file directory (`out_dir`), file prefix (`file_pref`), date the files were created from the database (`file_date`), the name of the parameter of interest (`param_name`), and region location (`region`). The complete file name is created by pasting all of the strings together with the specific parameter name without spaces (`paste0` command).

```
APP_Plots <- TRUE
in_dir <- "data/"
out_dir <- "output/"
file_pref <- "Combined_WQ_WC_NUT_cont_"
file_date <- "2022-Apr-12"
param_name <- "Water_Temperature"
region <- "SE"
```

Libraries

Loads libraries used in the script. The inclusion of `scipen` option limits how frequently R defaults to scientific notation.

```
library(knitr)
library(data.table)
library(dplyr)
library(lubridate)
library(ggplot2)
library(ggpubr)
library(scales)
library(EnvStats)
library(tidyr)
options(scipen = 999)
```

File Import

Creates file name from inputs above and read in the file from txt format with pipe delimiters.

The code creates output directories for the output files if they don't exist in the directory.

The command `fread` is used because of its improved speed while handling large data files. Only columns that are used by the script are imported from the file, and are designated in the `select` input.

```
if(!file.exists("output")){
  dir.create("output")}

file_in <- paste0(in_dir, file_pref, param_name, "_", region, "-", file_date, ".txt")
data <- fread(file_in, sep = "|", header = TRUE, stringsAsFactors = FALSE,
            select = c("ManagedAreaName", "ProgramID", "ProgramName",
                      "ProgramLocationID", "SampleDate", "Year", "Month",
                      "RelativeDepth", "ResultValue", "ParameterUnits",
                      "ValueQualifier", "SEACAR_QAACFlagCode", "Include"),
            na.strings = "")
```

Data Filtering

Most data filtering is performed on export from the database, and is indicated by the `Include` variable. `Include` values of 1 indicate the data should be used for analysis, values of 0 indicate the data should not be used for analysis. Documentation on the database filtering is provided here: SEACAR Documentation-Analysis Filters and Calculations.docx

The filtering that is performed by the script at this point removes rows that are missing values for `ResultValue` and `RelativeDepth`, and removes any activity type that has “Blank” in the description. Data passes the filtering process if it has an `Include` value of 1.

The script then gets the units of the parameter, sets the `SampleDate` as a date object, and creates various scales of the date to be used by plotting functions.

Because the continuous data is extensive and most measurements are taken every 15 minutes, a daily average is determined and used based on grouping `ManagedAreaName`, `ProgramID`, `ProgramName`, `ProgramLocationID`, and `SampleDate`. The new `ResultValue` is the mean of all values on that date from that specific monitoring location.

Creates a variable for each `MonitoringID` which is defined as a unique combination of `ManagedAreaName`, `ProgramID`, `ProgramAreaName`, and `ProgramLocationID`.

After the initial filtering, a second filter variable is created to determine whether enough time is represented in the managed area, which is that each managed area has 5 year or more of unique year entries for observation that pass the initial filter. If data passes the first set of filtering criteria and the time criteria, they are used in the analysis.

```
data$Include <- as.logical(data$Include)
data <- data[data$Include==TRUE,]
data <- data[!is.na(data$ResultValue),]
data <- data[!is.na(data$RelativeDepth),]
data <- data[!grep("Blank", data$ActivityType),]

if(param_name == "Water_Temperature"){
  data <- data[data$ResultValue>=-5,]
} else{
  data <- data[data$ResultValue>=0,]
```

```

}

unit <- unique(data$ParameterUnits)

data <- data %>%
  group_by(ManagedAreaName, ProgramID, ProgramName, ProgramLocationID,
           SampleDate) %>%
  summarise(Year = unique(Year), Month = unique(Month),
            RelativeDepth = unique(RelativeDepth),
            ResultValue = mean(ResultValue), Include = unique(Include))

## `summarise()` has grouped output by 'ManagedAreaName', 'ProgramID', 'ProgramName', 'ProgramLocationID'

data$SampleDate <- as.Date(data$SampleDate)
data$YearMonth <- paste0(data$Month, "-",
                         data$Year)
data$YearMonthDec <- data$Year + ((data$Month - 0.5) / 12)
data$DecDate <- decimal_date(data$SampleDate)
data <- as.data.table(data[order(data$ManagedAreaName, data$ProgramID, data$ProgramName,
                                 data$ProgramLocationID), ])

data <- data %>%
  mutate(MonitoringID = group_indices(., ManagedAreaName, ProgramID,
                                       ProgramName, ProgramLocationID))

## Warning: The '...' argument of `group_keys()` is deprecated as of dplyr 1.0.0.
## Please `group_by()` first
## This warning is displayed once every 8 hours.
## Call `lifecycle::last_lifecycle_warnings()` to see where this warning was generated.

Mon_Years <- data[data$Include == TRUE, ] %>%
  group_by(MonitoringID) %>%
  summarize(ManagedAreaName = unique(ManagedAreaName),
            ProgramID = unique(ProgramID), ProgramName = unique(ProgramName),
            ProgramLocationID = unique(ProgramLocationID),
            Y = length(unique(Year)), RelativeDepth = unique(RelativeDepth))
Mon_Years <- as.data.table(Mon_Years[
  order(Mon_Years$MonitoringID), ])
Mon_Years$Enough_Time <- ifelse(Mon_Years$Y < 5, FALSE, TRUE)
data$Exclude_MonitoringID <- is.element(data$MonitoringID,
                                           Mon_Years$MonitoringID[
                                             Mon_Years$Enough_Time == FALSE])
data$Use_In_Analysis <- ifelse(data$Include == TRUE &
                                    data$Exclude_MonitoringID == FALSE,
                                    TRUE, FALSE)
Mon_IDs <- unique(data$MonitoringID[data$Use_In_Analysis == TRUE])
Mon_IDs <- Mon_IDs[order(Mon_IDs)]
n <- length(Mon_IDs)

```

Monitoring Location Statistics

Gets summary statistics for each monitoring location. Excluded monitoring locations are not included into whether the data should be used or not. Uses piping from dplyr package to feed into subsequent steps. The following steps are performed:

1. Take the `data` variable and only include rows that have a `Use_In_Analysis` value of TRUE
2. Group data that have the same `ManagedAreaName`, `ProgramID`, `ProgramName`, `ProgramLocationID`, `Year`, and `Month`.
 - Second summary statistics consider the monitoring location grouping and `Year`.
 - Third summary statistics consider the monitoring location grouping and `Month`.
3. For each group, provide the following information: Earliest Sample Date (`EarliestSampleDate`), Latest Sample Date (`LastSampleDate`), Number of Entries (`N`), Lowest Value (`Min`), Largest Value (`Max`), Median, Mean, Standard Deviation, and a list of all Program IDs included in these measurements.
4. Sort the data in ascending (A to Z and 0 to 9) order based on `ManagedAreaName`, `ProgramID`, `ProgramName`, `ProgramLocationID`, `Year`, and `Month` in that order.
5. Write summary stats to a pipe-delimited .txt file in the output directory

```
Mon_YM_Stats <- data[data$Use_In_Analysis == TRUE, ] %>%
  group_by(ManagedAreaName, ProgramID, ProgramName, ProgramLocationID,
           Year, Month) %>%
  summarize(RelativeDepth = unique(RelativeDepth),
            EarliestSampleDate = min(SampleDate),
            LastSampleDate = max(SampleDate), N = length(ResultValue),
            Min = min(ResultValue), Max = max(ResultValue),
            Median = median(ResultValue), Mean = mean(ResultValue),
            StandardDeviation = sd(ResultValue))
Mon_YM_Stats <- as.data.table(Mon_YM_Stats[order(Mon_YM_Stats$ManagedAreaName,
                                                    Mon_YM_Stats$ProgramID,
                                                    Mon_YM_Stats$ProgramName,
                                                    Mon_YM_Stats$ProgramLocationID,
                                                    Mon_YM_Stats$Year,
                                                    Mon_YM_Stats$Month), ])
fwrite(Mon_YM_Stats, paste0(out_dir, "/", param_name, "_", file_date, "_", region,
                           "_MonitoringLoc_YearMonth_Stats.txt"), sep = "|")

Mon_Y_Stats <- data[data$Use_In_Analysis == TRUE, ] %>%
  group_by(ManagedAreaName, ProgramID, ProgramName, ProgramLocationID,
           Year) %>%
  summarize(RelativeDepth = unique(RelativeDepth),
            EarliestSampleDate = min(SampleDate),
            LastSampleDate = max(SampleDate), N = length(ResultValue),
            Min = min(ResultValue), Max = max(ResultValue),
            Median = median(ResultValue), Mean = mean(ResultValue),
            StandardDeviation = sd(ResultValue))
Mon_Y_Stats <- as.data.table(Mon_Y_Stats[order(Mon_Y_Stats$ManagedAreaName,
                                                Mon_Y_Stats$ProgramID,
                                                Mon_Y_Stats$ProgramName,
                                                Mon_Y_Stats$ProgramLocationID,
                                                Mon_Y_Stats$Year), ])
fwrite(Mon_Y_Stats, paste0(out_dir, "/", param_name, "_", file_date, "_", region,
                           "_MonitoringLoc_Year_Stats.txt"), sep = "|")
```

```

Mon_M_Stats <- data[data$Use_In_Analysis == TRUE, ] %>%
  group_by(ManagedAreaName, ProgramID, ProgramName, ProgramLocationID,
    Month) %>%
  summarize(RelativeDepth = unique(RelativeDepth),
    EarliestSampleDate = min(SampleDate),
    LastSampleDate = max(SampleDate), N = length(ResultValue),
    Min = min(ResultValue), Max = max(ResultValue),
    Median = median(ResultValue), Mean = mean(ResultValue),
    StandardDeviation = sd(ResultValue))
Mon_M_Stats <- as.data.table(Mon_M_Stats[order(Mon_M_Stats$ManagedAreaName,
  Mon_M_Stats$ProgramID,
  Mon_M_Stats$ProgramName,
  Mon_M_Stats$ProgramLocationID,
  Mon_M_Stats$Month), ])
fwrite(Mon_M_Stats, paste0(out_dir, "/", param_name, "_", file_date, "_", region,
  "_MonitoringLoc_Month_Stats.txt"), sep = "|")

```

Seasonal Kendall Tau Analysis

Gets seasonal Kendall Tau statistics using the `kendallSeasonalTrendTest` from the `EnvStats` package. The `Trend` parameter is determined from a user-defined function based on the median, Senn slope, and p values from the data. Analysis modified from that performed at The Water Atlas: <https://sarasota.wateratlas.usf.edu/water-quality-trends/#analysis-overview>

The following steps are performed:

1. Define the trend function.
2. Take the `data` variable and only include rows that have a `Use_In_Analysis` value of `TRUE`
3. Group data that have the same `ManagedAreaName`, `ProgramID`, `ProgramName`, and `ProgramLocationID`.
4. For each group, provides the following information: Earliest Sample Date (`EarliestSampleDate`), Latest Sample Date (`LastSampleDate`), Number of Entries (`N`), Lowest Value (`Min`), Largest Value (`Max`), Median, Mean, Standard Deviation,
5. For each group, a temporary variable is created to run the `kendallSeasonalTrendTest` function using the `Year` values for year, and `Month` as the seasonal qualifier, and Trend.
 - An `independent.obs` value of `TRUE` indicates that the data should be treated as not being serially auto-correlated. An `independent.obs` value of `FALSE` indicates that it is treated as being serially auto-correlated, but also requires one observation per season per year for the full time of observation.
 - `tau`, Senn Slope (`SennSlope`), Senn Intercept (`SennIntercept`), and `p` are extracted from the model results.
6. The two stats tables are merged based on similar groups, and then Trend is determined from the user-defined function.
7. Write summary stats to a pipe-delimited .txt file in the output directory

- Click this text to open Git directory with output files

8. Add the Monitoring IDS to KT.Stats for easier use while plotting.

```
tauSeasonal <- function(data, independent, stats.median, stats.minYear,
                         stats.maxYear) {
  tau <- NULL
  tryCatch({
    ken <-
      kendallSeasonalTrendTest(
        y = data$ResultValue,
        season = data$Month,
        year = data$Year,
        independent.obs = independent
      )
    tau <- ken$estimate[1]
    p <- ken$p.value[2]
    slope <- ken$estimate[2]
    intercept <- ken$estimate[3]
    trend <- trend_calculator(slope, stats.median, p)
  }, warning = function(w) {
    print(w)
  }, error = function(e) {
    print(e)
  }, finally = {
    if (!exists("tau")) {
      tau <- NULL
    }
    if (!exists("p")) {
      p <- NULL
    }
    if (!exists("slope")) {
      slope <- NULL
    }
    if (!exists("intercept")) {
      intercept <- NULL
    }
    if (!exists("trend")) {
      trend <- NULL
    }
  })
  KT <- c(unique(data$MonitoringID),
          independent,
          stats.median,
          nrow(data),
          stats.minYear,
          stats.maxYear,
          tau,
          p,
          slope,
          intercept,
          trend)
  return(KT)
}
```

```

runStats <- function(data) {
  data$Index <- as.Date(data$SampleDate) # , "%Y-%m-%d")
  data$ResultValue <- as.numeric(data$ResultValue)
  # Calculate basic stats
  stats.median <- median(data$ResultValue, na.rm = TRUE)
  stats.minYear <- min(data$Year, na.rm = TRUE)
  stats.maxYear <- max(data$Year, na.rm = TRUE)
  # Calculate Kendall Tau and Slope stats, then update appropriate columns and table
  KT <- tauSeasonal(data, TRUE, stats.median,
                     stats.minYear, stats.maxYear)
  if (is.null(KT[11])) {
    KT <- tauSeasonal(data, FALSE, stats.median,
                      stats.minYear, stats.maxYear)
  }
  if (is.null(KT$Stats) == TRUE) {
    KT$Stats <- KT
  } else{
    KT$Stats <- rbind(KT$Stats, KT)
  }
  return(KT$Stats)
}

trend_calculator <- function(slope, median_value, p) {
  trend <-
    if (p < .05 & abs(slope) > abs(median_value) / 10.) {
      if (slope > 0) {
        2
      }
      else {
        -2
      }
    }
    else if (p < .05 & abs(slope) < abs(median_value) / 10.) {
      if (slope > 0) {
        1
      }
      else {
        -1
      }
    }
    else
      0
  return(trend)
}

KT$Stats <- NULL
# Loop that goes through each managed area. List of managed areas stored in MA_Years$ManagedAreaName
c_names <- c("MonitoringID", "Independent", "Median", "N", "EarliestYear",
           "LatestYear", "tau", "p", "SennSlope", "SennIntercept", "Trend")
if(n==0){
  c_names <- c("ManagedAreaName", "ProgramID", "ProgramName",
              "ProgramLocationID", "Independent", "Median", "N",
              "EarliestYear", "LatestYear", "tau", "p", "SennSlope",
              "SennIntercept", "Trend")
  KT$Stats <- data.frame(matrix(ncol=14, nrow=0))
}

```

```

colnames(KT.Stats) <- c_names
fwrite(KT.Stats, paste0(out_dir, "/", param_name, "_", file_date, "_", region,
                      "_KendallTau_Stats.txt"), sep = "|")
} else{
  for (i in 1:n) {
    values <- data[data$Use_In_Analysis == TRUE &
                    data$MonitoringID == Mon_IDs[i], ]
    if (nrow(values) > 0) {
      KT.Stats <- runStats(values)
    }
  }
  KT.Stats <- as.data.frame(KT.Stats)
  if(dim(KT.Stats)[2]==1){
    KT.Stats <- as.data.frame(t(KT.Stats))
  }

  c_names <- c("MonitoringID", "Independent", "Median", "N", "EarliestYear",
             "LatestYear", "tau", "p", "SennSlope", "SennIntercept", "Trend")
  colnames(KT.Stats) <- c_names
  rownames(KT.Stats) <- seq(1:nrow(KT.Stats))
  KT.Stats$Independent <- as.logical(KT.Stats$Independent)
  KT.Stats$Median <- as.numeric(KT.Stats$Median)
  KT.Stats$N <- as.integer(KT.Stats$N)
  KT.Stats$EarliestYear <- as.integer(KT.Stats$EarliestYear)
  KT.Stats$LatestYear <- as.integer(KT.Stats$LatestYear)
  KT.Stats$tau <- round(as.numeric(KT.Stats$tau), digits=4)
  KT.Stats$p <- round(as.numeric(KT.Stats$p), digits=4)
  KT.Stats$SennSlope <- as.numeric(KT.Stats$SennSlope)
  KT.Stats$SennIntercept <- as.numeric(KT.Stats$SennIntercept)
  KT.Stats$Trend <- as.integer(KT.Stats$Trend)
  KT.Stats <- merge.data.frame(Mon_Years[,-c("Y", "Enough_Time")], KT.Stats, by = "MonitoringID")
  KT.Stats$MonitoringID <- NULL
  fwrite(KT.Stats, paste0(out_dir, "/", param_name, "_", file_date, "_", region,
                        "_KendallTau_Stats.txt"), sep = "|")
  KT.Stats$MonitoringID <- Mon_IDs
}

```

Appendix I: Dataset Summary Box Plots

Box plots are created by using the entire data set and excludes any data that has been previously filtered out. The scripts that create plots follow this format

1. Use the data set that only has `Use_In_Analysis` of TRUE
2. Set what values are to be used for the x-axis, y-axis, and the variable that should determine groups for the box plots
3. Set the plot type as a box plot with the size of the outlier points
4. Create the title, x-axis, y-axis, and color fill labels
5. Set the y and x limits
6. Make the axis labels bold

7. Plot the arrangement as a set of panels

This set of box plots are grouped by year.

```

min_RV <- min(data$ResultValue[data$Include == TRUE])
mn_RV <- mean(data$ResultValue[data$Include == TRUE &
                                data$ResultValue <
                                quantile(data$ResultValue, 0.98)])
sd_RV <- sd(data$ResultValue[data$Include == TRUE &
                                data$ResultValue <
                                quantile(data$ResultValue, 0.98)])
y_scale <- mn_RV + 4 * sd_RV

p1 <- ggplot(data = data[data$Include == TRUE, ],
              aes(x = Year, y = ResultValue, group = Year)) +
  geom_boxplot(outlier.size = 0.5) +
  labs(subtitle = "Autoscale", x = "Year",
       y = paste0("Values (", unit, ")")) +
  theme(axis.text.x = element_text(face = "bold"),
        axis.text.y = element_text(face = "bold"))

p2 <- ggplot(data = data[data$Include == TRUE, ],
              aes(x = Year, y = ResultValue, group = Year)) +
  geom_boxplot(outlier.size = 0.5) +
  labs(subtitle = "Scaled to 4x Standard Deviation", x = "Year",
       y = paste0("Values (", unit, ")")) +
  ylim(0, y_scale) + theme(axis.text.x = element_text(face = "bold"),
                           axis.text.y = element_text(face = "bold"))

p3 <- ggplot(data = data[data$Include == TRUE, ],
              aes(x = as.integer(Year), y = ResultValue, group = Year)) +
  geom_boxplot(outlier.size = 0.5) +
  labs(subtitle = "Scaled to 4x Standard Deviation, Last 10 Years",
       x = "Year", y = paste0("Values (", unit, ")")) +
  ylim(0, y_scale) +
  scale_x_continuous(limits = c(max(data$Year) - 10.5, max(data$Year)+0.5),
                     breaks = seq(max(data$Year) - 10, max(data$Year), 2)) +
  theme(axis.text.x = element_text(face = "bold"),
        axis.text.y = element_text(face = "bold"))

set <- ggarrange(p1, p2, p3, ncol = 1)

p0 <- ggplot() + labs(title = "Summary Box Plots for Entire Data",
                       subtitle = "By Year") + theme_bw() +
  theme(plot.title = element_text(face="bold"),
        panel.border = element_blank(), panel.grid.major = element_blank(),
        panel.grid.minor = element_blank(), axis.line = element_blank())

Yset <- ggarrange(p0, set, ncol=1, heights = c(0.07, 1))

```

This set of box plots are grouped by year and month with the color being related to the month.

```

p1 <- ggplot(data = data[data$Include == TRUE, ],
              aes(x = YearMonthDec, y = ResultValue,
                  group = YearMonth, color = as.factor(Month))) +
  geom_boxplot(outlier.size = 0.5) +
  labs(subtitle = "Autoscale", x = "Year",
       y = paste0("Values (", unit, ")"), color="Month") +
  theme(legend.position = "top", legend.box = "horizontal",
        axis.text.x = element_text(face = "bold"),
        axis.text.y = element_text(face = "bold")) +
  guides(color = guide_legend(nrow = 1))

p2 <- ggplot(data = data[data$Include == TRUE, ],
              aes(x = YearMonthDec, y = ResultValue,
                  group = YearMonth, color = as.factor(Month))) +
  geom_boxplot(outlier.size = 0.5) +
  labs(subtitle = "Scaled to 5x Standard Deviation",
       x = "Year", y = paste0("Values (", unit, ")")) +
  ylim(0, y_scale) +
  theme(legend.position = "none", axis.text.x = element_text(face = "bold"),
        axis.text.y = element_text(face = "bold"))

p3 <- ggplot(data = data[data$Include == TRUE, ],
              aes(x = YearMonthDec, y = ResultValue,
                  group = YearMonth, color = as.factor(Month))) +
  geom_boxplot(outlier.size = 0.5) +
  labs(subtitle = "Scaled to 5x Standard Deviation, Last 10 Years",
       x = "Year", y = paste0("Values (", unit, ")")) +
  ylim(0, y_scale) +
  scale_x_continuous(limits = c(max(data$Year) - 10.5, max(data$Year)+0.5),
                     breaks = seq(max(data$Year) - 10, max(data$Year), 2)) +
  theme(legend.position = "none", axis.text.x = element_text(face = "bold"),
        axis.text.y = element_text(face = "bold"))

leg <- get_legend(p1)
set <- ggarrange(leg, p1 + theme(legend.position = "none"), p2, p3, ncol = 1,
                 heights = c(0.1, 1, 1, 1))

p0 <- ggplot() + labs(title = "Summary Box Plots for Entire Data",
                      subtitle = "By Year & Month") + theme_bw() +
  theme(plot.title = element_text(face="bold"),
        panel.border = element_blank(), panel.grid.major = element_blank(),
        panel.grid.minor = element_blank(), axis.line = element_blank())

YMset <- ggarrange(p0, set, ncol=1, heights = c(0.07, 1))

```

The following box plots are grouped by month with fill color being related to the month. This is designed to view potential seasonal trends.

```

p1 <- ggplot(data = data[data$Include == TRUE, ],
              aes(x = Month, y = ResultValue,
                  group = Month, fill = as.factor(Month))) +
  geom_boxplot(outlier.size = 0.5) +
  labs(subtitle = "Autoscale", x = "Month",
       y = paste0("Values (", unit, ")"), fill="Month") +

```

```

scale_x_continuous(limits = c(0, 13), breaks = seq(3, 12, 3)) +
theme(legend.position = "top", legend.box = "horizontal",
      axis.text.x = element_text(face = "bold"),
      axis.text.y = element_text(face = "bold")) +
guides(fill = guide_legend(nrow = 1))

p2 <- ggplot(data = data[data$Include == TRUE, ],
              aes(x = Month, y = ResultValue,
                  group = Month, fill = as.factor(Month))) +
geom_boxplot(outlier.size = 0.5) +
labs(subtitle = "Scaled to 5x Standard Deviation",
      x = "Month", y = paste0("Values (", unit, ")")) +
ylim(0, y_scale) +
scale_x_continuous(limits = c(0, 13), breaks = seq(3, 12, 3)) +
theme(legend.position = "none", axis.text.x = element_text(face = "bold"),
      axis.text.y = element_text(face = "bold"))

p3 <- ggplot(data = data[data$Include == TRUE &
                           data$Year >= max(data$Year) - 10, ],
              aes(x = Month, y = ResultValue,
                  group = Month, fill = as.factor(Month))) +
geom_boxplot(outlier.size = 0.5) +
labs(subtitle = "Scaled to 5x Standard Deviation, Last 10 Years",
      x = "Month", y = paste0("Values (", unit, ")")) +
ylim(0, y_scale) +
scale_x_continuous(limits = c(0, 13), breaks = seq(3, 12, 3)) +
theme(legend.position = "none", axis.text.x = element_text(face = "bold"),
      axis.text.y = element_text(face = "bold"))

leg <- get_legend(p1)
set <- ggarrange(leg, p1 + theme(legend.position = "none"), p2, p3, ncol = 1,
                 heights = c(0.1, 1, 1, 1))




p0 <- ggplot() + labs(title = "Summary Box Plots for Entire Data",
                      subtitle = "By Month") + theme_bw() +
theme(plot.title = element_text(face="bold"),
      panel.border = element_blank(), panel.grid.major = element_blank(),
      panel.grid.minor = element_blank(), axis.line = element_blank())

Mset <- ggarrange(p0, set, ncol=1, heights = c(0.07, 1))

```


Summary Box Plots for Entire Data

By Year




Summary Box Plots for Entire Data

By Year & Month



Summary Box Plots for Entire Data

By Month




Appendix II: Excluded Monitoring Locations

Scatter plots of data values are created for monitoring locations that have fewer than 5 separate years of data entries.


```
Mon_Exclude <- Mon_Years[Mon_Years$Enough_Time==FALSE,]
Mon_Exclude <- Mon_Exclude[order(Mon_Exclude$MonitoringID),]
z=length(Mon_Exclude$MonitoringID)

if(z==0){
  print("There are no monitoring locations that qualify.")
} else {
  for(i in 1:z){
    MA_name <- unique(data$ManagedAreaName[
      data$MonitoringID==Mon_Exclude$MonitoringID[i]])
    Mon_name <- paste(unique(data$ProgramID[
      data$MonitoringID==Mon_Exclude$MonitoringID[i]]),
      unique(data$ProgramName[
        data$MonitoringID==Mon_Exclude$MonitoringID[i]]),
      unique(data$ProgramLocationID[
        data$MonitoringID==Mon_Exclude$MonitoringID[i]]),
      sep = " | ")
    
    p1<-ggplot(data=data[data$MonitoringID==Mon_Exclude$MonitoringID[i] &
      data$Include == TRUE, ],
      aes(x = SampleDate, y = ResultValue)) +
      geom_point() +
      labs(title =
        paste0("Scatter Plot of Excluded Monitoring Location ",
          MA_name, "\n", Mon_name, "\n(", Mon_Exclude$Y[i],
          " Unique Years)"),
        subtitle="Autoscale", x = "Year",
        y = paste0("Values (", unit, ")")) +
      theme(axis.text.x = element_text(face = "bold")) +
      scale_x_date(labels = date_format("%m-%Y"))
    print(p1)
  }
}
```


Scatter Plot of Excluded Monitoring Location Biscayne Bay Aquatic Preserve
5077 | Biscayne Bay Aquatic Preserves Continuous Water Quality Monitoring | BBBB14
(3 Unique Years)
Autoscale




Scatter Plot of Excluded Monitoring Location Biscayne Bay Aquatic Preserve
5077 | Biscayne Bay Aquatic Preserves Continuous Water Quality Monitoring | BBJT71
(3 Unique Years)
Autoscale




Scatter Plot of Excluded Monitoring Location Biscayne Bay Aquatic Preserve
5077 | Biscayne Bay Aquatic Preserves Continuous Water Quality Monitoring | BBLR03
(3 Unique Years)
Autoscale




Scatter Plot of Excluded Monitoring Location Biscayne Bay Aquatic Preserve
5077 | Biscayne Bay Aquatic Preserves Continuous Water Quality Monitoring | BBMRDW
(1 Unique Years)
Autoscale




Scatter Plot of Excluded Monitoring Location Florida Keys National Marine Sanctuary
5 | National Data Buoy Center | SANF1
(1 Unique Years)
Autoscale




Scatter Plot of Excluded Monitoring Location Florida Keys National Marine Sanctuary
5 | National Data Buoy Center | SMKF1
(4 Unique Years)
Autoscale



Scatter Plot of Excluded Monitoring Location Florida Keys National Marine Sanctuary
7 | National Water Information System | 245323080410100
(3 Unique Years)
Autoscale




Scatter Plot of Excluded Monitoring Location Florida Keys National Marine Sanctuary
7 | National Water Information System | 245622080364200
(3 Unique Years)
Autoscale



Scatter Plot of Excluded Monitoring Location Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 33

(4 Unique Years)


Autoscale




Scatter Plot of Excluded Monitoring Location Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 39

(3 Unique Years)

Autoscale



Scatter Plot of Excluded Monitoring Location Lignumvitae Key Aquatic Preserve
 7 | National Water Information System | 245323080410100
 (3 Unique Years)
 Autoscale



Appendix III: Monitoring Location Trendlines

The plots created in this section are designed to show the general trend of the data. Data is taken and grouped by `MonitoringID`. The trendlines on the plots are created using the Senn slope and intercept from the seasonal Kendall Tau analysis. The scripts that create plots follow this format

1. Use the data set that only has `Use_In_Analysis` of TRUE for the desired monitoring location
2. Determine the earliest and latest year of the data to create x-axis scale and intervals
3. Determine the minimum, mean, and standard deviation for the data to be used for y-axis scales
 - Excludes the top 2% of values to reduce the impact of extreme outliers on the y-axis scale
4. Set what values are to be used for the x-axis, y-axis, and the variable that should determine groups for the plots
5. Set the plot type as a point plot with the size of the points
6. Add the linear trend
7. Create the title, x-axis, y-axis, and color fill labels
8. Set the y and x limits
9. Make the axis labels bold
10. Plot the arrangement as a set of panels

```
if(n==0){
    print("There are no monitoring locations that qualify.")
} else {
    for (i in 1:n) {
        year_lower <- min(data$Year[data$Use_In_Analysis == TRUE &
            data$MonitoringID == Mon_IDs[i]])
        year_upper <- max(data$Year[data$Use_In_Analysis == TRUE &
            data$MonitoringID == Mon_IDs[i]])
        min_RV <- min(data$ResultValue[data$Use_In_Analysis == TRUE &
```

```

            data$MonitoringID == Mon_IDs[i]))
mn_RV <- mean(data$ResultValue[data$Use_In_Analysis == TRUE &
                                data$MonitoringID == Mon_IDs[i] &
                                data$ResultValue <
                                quantile(data$ResultValue, 0.98)])
sd_RV <- sd(data$ResultValue[data$Use_In_Analysis == TRUE &
                                data$MonitoringID == Mon_IDs[i] &
                                data$ResultValue <
                                quantile(data$ResultValue, 0.98)])
x_scale <- ifelse(year_upper - year_lower > 30, 10, 5)
y_scale <- mn_RV + 4 * sd_RV

tau <- KT.Stats$tau[KT.Stats$MonitoringID == Mon_IDs[i]]
s_slope <- KT.Stats$SennSlope[KT.Stats$MonitoringID == Mon_IDs[i]]
s_int <- KT.Stats$SennIntercept[KT.Stats$MonitoringID == Mon_IDs[i]]
trend <- KT.Stats$Trend[KT.Stats$MonitoringID == Mon_IDs[i]]
p <- KT.Stats$p[KT.Stats$MonitoringID == Mon_IDs[i]]

model <- lm(ResultValue ~ DecDate,
            data = data[data$Use_In_Analysis == TRUE &
                        data$MonitoringID == Mon_IDs[i]])
m_int <- coef(model)[[1]]
m_slope <- coef(model)[[2]]
MA_name <- KT.Stats$ManagedAreaName[KT.Stats$MonitoringID == Mon_IDs[i]]
Mon_name <- paste(KT.Stats$ProgramID[KT.Stats$MonitoringID == Mon_IDs[i]],
                    KT.Stats$ProgramName[KT.Stats$MonitoringID == Mon_IDs[i]],
                    KT.Stats$ProgramLocationID[KT.Stats$MonitoringID == Mon_IDs[i]],
                    sep = " | ")

p1 <- ggplot(data = data[data$Use_In_Analysis == TRUE &
                            data$MonitoringID == Mon_IDs[i], ],
              aes(x = DecDate, y = ResultValue)) +
  geom_point(size = 1.5) +
  geom_abline(aes(slope=s_slope, intercept=s_int),
              color="red", size=1.5) +
  labs(subtitle = "Autoscale",
       x = "Year", y = paste0("Values (", unit, ")")) +
  theme(axis.text.x = element_text(face = "bold"),
        axis.text.y = element_text(face="bold"))

p2 <- ggplot(data = data[data$Use_In_Analysis == TRUE &
                            data$MonitoringID == Mon_IDs[i], ],
              aes(x = DecDate, y = ResultValue)) +
  geom_point(size = 1.5) +
  geom_abline(aes(slope=s_slope, intercept=s_int),
              color="red", size=1.5) +
  ylim(min_RV-0.1*y_scale, y_scale) +
  labs(subtitle = "Scaled to 4x Standard Deviation",
       x = "Year", y = paste0("Values (", unit, ")")) +
  theme(axis.text.x = element_text(face = "bold"),
        axis.text.y = element_text(face="bold"))

KTset <- ggarrange(p1, p2, ncol = 1, heights = c(1, 1))

```

```


p0 <- ggplot() + labs(title = paste0("Data Points with Trendlines for ",
                                      MA_name, "\n", Mon_name),
                        subtitle = paste0("Senn Slope = ", s_slope,
                                         ",      Senn Intercept = ", s_int,
                                         "\nTrend = ", trend,
                                         ",      tau = ", tau,
                                         ",      p = ", p,
                                         "\nLinear Trendline: ",
                                         "y = ", m_slope,"x + ",m_int)) +
  theme_bw() + theme(plot.title = element_text(face="bold"),
                     panel.border = element_blank(),
                     panel.grid.major = element_blank(),
                     panel.grid.minor = element_blank(),
                     axis.line = element_blank())

  print(ggarrange(p0, KTset, ncol = 1, heights = c(0.20, 1)))
}
}

```

**Data Points with Trendlines for Biscayne Bay–Cape Florida to Monroe County Line Aquatic Preserve
986 | Water Temperature on Coral Reefs in the Florida Keys | 6**

Senn Slope = 0.0408571428571432, Senn Intercept = -64.3890819099388
 Trend = 1, tau = 0.0602, p = 0
 Linear Trendline: $y = 0.0187250769342635x + -10.7965425189068$





**Data Points with Trendlines for Florida Keys National Marine Sanctuary
2 | Atlantic Oceanographic and Meteorological Laboratory (AOML) South Florida Program Moored Instrument Array |**

Senn Slope = 0.17078333333333, Senn Intercept = -368.898959895833

Trend = 1, tau = 0.1096, p = 0

Linear Trendline: $y = -0.0638644439071933x + 154.418371263888$





**Data Points with Trendlines for Florida Keys National Marine Sanctuary
5 | National Data Buoy Center | KYWF1**

Senn Slope = 0.0705615793586334, Senn Intercept = -91.8021325750732


Trend = 1, tau = 0.1565, p = 0

Linear Trendline: $y = 0.0858691722357443x + -145.871814218003$




**Data Points with Trendlines for Florida Keys National Marine Sanctuary
5 | National Data Buoy Center | LONF1**

Senn Slope = 0.05937500000000002, Senn Intercept = -81.6939091435192
Trend = 1, tau = 0.087, p = 0
Linear Trendline: $y = 0.0349386735100893x + -44.1825806234102$



**Data Points with Trendlines for Florida Keys National Marine Sanctuary
5 | National Data Buoy Center | MLRF1**

Senn Slope = 0.045833333333325, Senn Intercept = -65.5895793863366
Trend = 1, tau = 0.1486, p = 0
Linear Trendline: $y = 0.0451366243465838x + -64.0903715455587$





**Data Points with Trendlines for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 11**

Senn Slope = 0.0652314422057264, Senn Intercept = -47.2063146018897

Trend = 1, tau = 0.13, p = 0

Linear Trendline: $y = 0.0782306018900331x + -130.913575246281$





**Data Points with Trendlines for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 12**

Senn Slope = 0.0945062798250262, Senn Intercept = -210.248181945906

Trend = 1, tau = 0.1381, p = 0

Linear Trendline: $y = 0.104960245275298x + -184.902056955163$




**Data Points with Trendlines for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 14**

Senn Slope = 0.0594758191294719, Senn Intercept = -71.1883232955373

Trend = 1, tau = 0.1295, p = 0

Linear Trendline: $y = 0.114196853886313x + -202.885675025122$




**Data Points with Trendlines for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 15**

Senn Slope = 0.0569884510869567, Senn Intercept = -44.8981200589673



Trend = 1, tau = 0.1056, p = 0

Linear Trendline: $y = 0.102835878623697x + -180.353304740101$





**Data Points with Trendlines for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 18**

Senn Slope = 0.1079166666666667, Senn Intercept = -118.198298611113
 Trend = 1, tau = 0.0935, p = 0
 Linear Trendline: $y = 0.254924650804304x + -487.464528973551$





**Data Points with Trendlines for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 21**

Senn Slope = 0.1612499999999999, Senn Intercept = -334.999973958334
 Trend = 1, tau = 0.1069, p = 0
 Linear Trendline: $y = -0.0960136907216448x + 220.804531644195$





**Data Points with Trendlines for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 22**

Senn Slope = 0.0825765239783858, Senn Intercept = -199.532971256039
Trend = 1, tau = 0.1386, p = 0
Linear Trendline: $y = 0.0800472143135007x + -134.554309987585$



**Data Points with Trendlines for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 23**

Senn Slope = 0.10933630952381, Senn Intercept = -183.22863867817
Trend = 1, tau = 0.1618, p = 0
Linear Trendline: $y = 0.118054107356496x + -210.603550625657$




**Data Points with Trendlines for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 24**

Senn Slope = 0.1190277777777778, Senn Intercept = -341.129368766569

Trend = 1, tau = 0.2304, p = 0

Linear Trendline: $y = 0.191825061460543x + -359.717072813818$




**Data Points with Trendlines for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 25**

Senn Slope = 0.0775189125295513, Senn Intercept = -148.622469973905


Trend = 1, tau = 0.125, p = 0

Linear Trendline: $y = 0.140723253005378x + -256.579925977431$




**Data Points with Trendlines for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 26**

Senn Slope = 0.103100064350064, Senn Intercept = -222.013830118996
 Trend = 1, tau = 0.1783, p = 0
 Linear Trendline: $y = 0.187739417157691x + -351.396437236667$




**Data Points with Trendlines for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 30**

Senn Slope = 0.0850292735042735, Senn Intercept = -138.4269416666665
 Trend = 1, tau = 0.1253, p = 0
 Linear Trendline: $y = 0.108934220386086x + -192.835225241803$




**Data Points with Trendlines for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 32**

Senn Slope = 0.0636216971544719, Senn Intercept = -113.415300461396
 Trend = 1, tau = 0.186, p = 0
 Linear Trendline: $y = 0.0650944562905517x + -104.379804431165$



**Data Points with Trendlines for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 34**

Senn Slope = 0.0661096084169452, Senn Intercept = -119.06661095329
 Trend = 1, tau = 0.1999, p = 0
 Linear Trendline: $y = 0.0947280118823724x + -163.809630206337$




**Data Points with Trendlines for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 35**

Senn Slope = 0.059851851851852, Senn Intercept = -69.2340661776998

Trend = 1, tau = 0.1356, p = 0

Linear Trendline: $y = 0.0996872302873156x + -173.832662907491$




**Data Points with Trendlines for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 36**

Senn Slope = 0.0798956117021277, Senn Intercept = -186.480751309918

Trend = 1, tau = 0.1673, p = 0

Linear Trendline: $y = 0.114659911763581x + -204.041621048782$





**Data Points with Trendlines for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 37**

Senn Slope = 0.1416666666666669, Senn Intercept = -216.790052083334

Trend = 1, tau = 0.1103, p = 0

Linear Trendline: $y = 0.429850658015472x + -840.630275333785$





**Data Points with Trendlines for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 38**

Senn Slope = 0.0663659297711331, Senn Intercept = -121.388240313642

Trend = 1, tau = 0.1975, p = 0

Linear Trendline: $y = 0.103799941513161x + -182.240503095938$





**Data Points with Trendlines for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 40**

Senn Slope = 0.0719111907114622, Senn Intercept = -98.4502824661609

Trend = 1, tau = 0.1476, p = 0

Linear Trendline: $y = 0.0973591701757299x + -169.197583612702$





**Data Points with Trendlines for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 50**

Senn Slope = 0.0596398148148148, Senn Intercept = -119.95479275266


Trend = 1, tau = 0.106, p = 0

Linear Trendline: $y = 0.00420124812578666x + 18.6944426758438$




**Data Points with Trendlines for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 51**

Senn Slope = 0.0588069069069064, Senn Intercept = -102.734509585574
Trend = 1, tau = 0.2012, p = 0
Linear Trendline: $y = 0.0577884166951419x + -89.6158986596517$



**Data Points with Trendlines for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 52**

Senn Slope = 0.0843993055555554, Senn Intercept = -160.25014283364
Trend = 1, tau = 0.2355, p = 0
Linear Trendline: $y = 0.0659370727181554x + -105.850208395999$





**Data Points with Trendlines for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 53**

Senn Slope = 0.0974120172294168, Senn Intercept = -186.631075346386

Trend = 1, tau = 0.2527, p = 0

Linear Trendline: $y = 0.0756847686054564x + -125.472171595288$





**Data Points with Trendlines for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 54**

Senn Slope = 0.075480303030303, Senn Intercept = -111.05125214604

Trend = 1, tau = 0.1453, p = 0

Linear Trendline: $y = 0.052790657687268x + -79.2686425705504$




**Data Points with Trendlines for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 55**

Senn Slope = 0.0537424242424242, Senn Intercept = -70.4432350975873

Trend = 1, tau = 0.1877, p = 0

Linear Trendline: $y = 0.0878023721678481x + -149.714121624231$




**Data Points with Trendlines for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 56**

Senn Slope = 0.0418452380952381, Senn Intercept = -53.1868761957782

Trend = 1, tau = 0.1111, p = 0

Linear Trendline: $y = 0.05475447198573x + -83.3223792557228$





**Data Points with Trendlines for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 57**

Senn Slope = 0.0904456521739128, Senn Intercept = -197.098385335792

Trend = 1, tau = 0.2325, p = 0

Linear Trendline: $y = 0.0999684547573937x + -174.369448351524$





**Data Points with Trendlines for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 58**

Senn Slope = 0.0670682971014496, Senn Intercept = -2.32576699168534



Trend = 1, tau = 0.0841, p = 0

Linear Trendline: $y = 0.0145096258290137x + -1.97357589697191$





**Data Points with Trendlines for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 59**

Senn Slope = 0.0632916666666668, Senn Intercept = -84.6015864972624
Trend = 1, tau = 0.204, p = 0
Linear Trendline: $y = 0.075406862581144x + -124.897556186154$



**Data Points with Trendlines for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 60**

Senn Slope = 0.0624950429087627, Senn Intercept = -77.2302308979741
Trend = 1, tau = 0.1295, p = 0
Linear Trendline: $y = 0.0879428516562637x + -150.133061886963$





**Data Points with Trendlines for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 61**

Senn Slope = 0.137083333333333, Senn Intercept = -236.186145833333

Trend = 1, tau = 0.1348, p = 0

Linear Trendline: $y = 0.0512383985922447x + -76.225032923453$





**Data Points with Trendlines for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 70**

Senn Slope = 0.0569191239316247, Senn Intercept = -123.978032487105

Trend = 1, tau = 0.1044, p = 0

Linear Trendline: $y = -0.0227601196342288x + 72.966462282728$





**Data Points with Trendlines for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 72**

Senn Slope = 0.0958500000000001, Senn Intercept = -183.282164563089

Trend = 1, tau = 0.2687, p = 0

Linear Trendline: $y = 0.0767035702145476x + -127.683895060149$





**Data Points with Trendlines for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 73**

Senn Slope = 0.0936004628446489, Senn Intercept = -175.145164957089



Trend = 1, tau = 0.2473, p = 0

Linear Trendline: $y = 0.0711034489852251x + -116.439964759153$





**Data Points with Trendlines for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 74**

Senn Slope = 0.0785375295508276, Senn Intercept = -117.973152529893
 Trend = 1, tau = 0.1503, p = 0
 Linear Trendline: $y = 0.0547825598071134x + -83.4241429862301$



**Data Points with Trendlines for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 75**

Senn Slope = 0.0880341988912435, Senn Intercept = -167.399444998522
 Trend = 1, tau = 0.209, p = 0
 Linear Trendline: $y = 0.0930418020948815x + -160.389585104122$





**Data Points with Trendlines for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 76**

Senn Slope = 0.077307556935817, Senn Intercept = -159.27703496017

Trend = 1, tau = 0.1886, p = 0

Linear Trendline: $y = 0.116107761370359x + -206.956631305797$





**Data Points with Trendlines for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 77**

Senn Slope = 0.089392543859649, Senn Intercept = -186.737916675576

Trend = 1, tau = 0.2244, p = 0

Linear Trendline: $y = 0.101223511404032x + -176.957678984124$





**Data Points with Trendlines for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 78**

Senn Slope = 0.0275000000000004, Senn Intercept = 10.749447482903

Trend = 1, tau = 0.0444, p = 0.0117

Linear Trendline: $y = 0.0817498699900678x + -137.699379306794$





**Data Points with Trendlines for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 79**

Senn Slope = 0.0607638888888893, Senn Intercept = -100.140754981052

Trend = 1, tau = 0.1651, p = 0

Linear Trendline: $y = 0.071084519026x + -116.232022934484$





**Data Points with Trendlines for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 80**

Senn Slope = 0.0672597099502838, Senn Intercept = -133.025089409567

Trend = 1, tau = 0.1536, p = 0

Linear Trendline: $y = 0.113756512685588x + -202.248546006588$





**Data Points with Trendlines for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 81**

Senn Slope = 0.1272916666666666, Senn Intercept = -233.741345486112



Trend = 1, tau = 0.1263, p = 0

Linear Trendline: $y = 0.0405179739875504x + -54.5819735991476$





**Data Points with Trendlines for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 83**

Senn Slope = 0.014722222222219, Senn Intercept = -28.1147619047619
 Trend = 1, tau = 0.0331, p = 0.0005
 Linear Trendline: $y = 0.00624063038631502x + 13.2694828264084$




**Data Points with Trendlines for Southeast Florida Coral Reef Ecosystem Conservation Area
5 | National Data Buoy Center | LKWF1**

Senn Slope = 0.0595354678819871, Senn Intercept = -108.101706490969
 Trend = 1, tau = 0.1684, p = 0
 Linear Trendline: $y = 0.0274919934854227x + -28.8007051376894$




**Data Points with Trendlines for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 1**

Senn Slope = 0.0526651785714286, Senn Intercept = -67.2783219285242
Trend = 1, tau = 0.0938, p = 0
Linear Trendline: $y = -0.051104162565757x + 129.748820009877$




**Data Points with Trendlines for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 2**

Senn Slope = 0.0453513071895427, Senn Intercept = -32.6690674840507
Trend = 1, tau = 0.0782, p = 0
Linear Trendline: $y = 0.0643433721173575x + -102.978790086169$




**Data Points with Trendlines for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 3**

Senn Slope = 0.0476703722002637, Senn Intercept = -29.6830267857154
 Trend = 1, tau = 0.0815, p = 0
 Linear Trendline: $y = 0.0640244046229381x + -102.462450230244$



**Data Points with Trendlines for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 4**

Senn Slope = 0.0191666666666667, Senn Intercept = -10.7704242601201
 Trend = 1, tau = 0.0242, p = 0.04
 Linear Trendline: $y = 0.0349947536340816x + -43.8262071418146$





**Data Points with Trendlines for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 5**

Senn Slope = 0.0277777777777774, Senn Intercept = 12.5047703598479

Trend = 1, tau = 0.0452, p = 0.0005

Linear Trendline: $y = 0.0206624434314269x + -15.0866812321165$





**Data Points with Trendlines for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 6**

Senn Slope = 0.0408571428571432, Senn Intercept = -64.3890819099388

Trend = 1, tau = 0.0602, p = 0

Linear Trendline: $y = 0.0187250769342635x + -10.7965425189068$





**Data Points with Trendlines for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 84**

Senn Slope = 0.0698611111111109, Senn Intercept = -113.015892762342

Trend = 1, tau = 0.1995, p = 0

Linear Trendline: $y = 0.0752556268073281x + -125.137569159381$





**Data Points with Trendlines for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 85**

Senn Slope = 0.0698611111111115, Senn Intercept = -111.423735054349


Trend = 1, tau = 0.1913, p = 0

Linear Trendline: $y = 0.073840893276061x + -122.404717163933$




**Data Points with Trendlines for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 86**

Senn Slope = 0.0672651515151514, Senn Intercept = -119.042320628157
 Trend = 1, tau = 0.1948, p = 0
 Linear Trendline: $y = 0.0701908497847967x + -115.110132887007$



**Data Points with Trendlines for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 87**

Senn Slope = 0.0751413043478262, Senn Intercept = -154.05234375
 Trend = 1, tau = 0.2106, p = 0
 Linear Trendline: $y = 0.0713616123954744x + -117.179825460884$





**Data Points with Trendlines for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 88**

Senn Slope = 0.06640151515152, Senn Intercept = -113.17714375

Trend = 1, tau = 0.1915, p = 0

Linear Trendline: $y = 0.0705595460621349x + -115.713731941196$





**Data Points with Trendlines for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 89**

Senn Slope = 0.0651785714285715, Senn Intercept = -111.696088741987

Trend = 1, tau = 0.1839, p = 0

Linear Trendline: $y = 0.0720581923656137x + -118.762711969409$





**Data Points with Trendlines for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 90**

Senn Slope = 0.0752499999999998, Senn Intercept = -162.210683562599

Trend = 1, tau = 0.207, p = 0

Linear Trendline: $y = 0.0616033614284778x + -97.5148712516351$





**Data Points with Trendlines for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 91**

Senn Slope = 0.0695, Senn Intercept = -138.262995923913

Trend = 1, tau = 0.1919, p = 0

Linear Trendline: $y = 0.0675511404339909x + -109.483020223422$





**Data Points with Trendlines for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 92**

Senn Slope = 0.0795238095238096, Senn Intercept = -165.936577302632

Trend = 1, tau = 0.2254, p = 0

Linear Trendline: $y = 0.0817134630326994x + -138.144088428103$





**Data Points with Trendlines for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 93**

Senn Slope = 0.0584999999999995, Senn Intercept = -108.031704312866

Trend = 1, tau = 0.184, p = 0

Linear Trendline: $y = 0.0633856800046682x + -101.148325427137$




**Data Points with Trendlines for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 94**

Senn Slope = 0.0687878787878789, Senn Intercept = -136.398074426329

Trend = 1, tau = 0.133, p = 0

Linear Trendline: $y = 0.062932087924307x + -101.280803397556$




**Data Points with Trendlines for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 95**

Senn Slope = 0.0666666666666664, Senn Intercept = -130.146247282609

Trend = 1, tau = 0.1302, p = 0

Linear Trendline: $y = 0.0623890221318408x + -100.162512906563$





**Data Points with Trendlines for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 96**

Senn Slope = -0.1062499999999999, Senn Intercept = 256.997630208333

Trend = -1, tau = -0.0722, p = 0

Linear Trendline: $y = -0.122808892976502x + 271.785447679515$





**Data Points with Trendlines for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 97**

Senn Slope = 0.0743980566534915, Senn Intercept = -99.1984689764493


Trend = 1, tau = 0.1695, p = 0

Linear Trendline: $y = 0.0617384145388359x + -97.9442171339831$



**Data Points with Trendlines for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 98**

Senn Slope = 0.1072916666666667, Senn Intercept = -194.115825892857
 Trend = 1, tau = 0.2318, p = 0
 Linear Trendline: $y = 0.105544453985407x + -186.243121128117$



Appendix IV: Monitoring Location Summary Box Plots

Data is taken and grouped by `MonitoringID`. The scripts that create plots follow this format

1. Use the data set that only has `Use_In_Analysis` of TRUE for the desired monitoring location
2. Determine the earliest and latest year of the data to create x-axis scale and intervals
3. Determine the minimum, mean, and standard deviation for the data to be used for y-axis scales
 - Excludes the top 2% of values to reduce the impact of extreme outliers on the y-axis scale
4. Set what values are to be used for the x-axis, y-axis, and the variable that should determine groups for the box plots
5. Set the plot type as a box plot with the size of the outlier points
6. Create the title, x-axis, y-axis, and color fill labels
7. Set the y and x limits
8. Make the axis labels bold
9. Plot the arrangement as a set of panels

The following plots are arranged by `MonitoringID` with data grouped by `Year`, then `Year` and `Month`, then finally `Month` only. Each program area will have 3 sets of plots, each with 3 panels in them. Each panel goes as follows:

1. Y-axis autoscaled
2. Y-axis set to be mean + 4 times the standard deviation

3. Y-axis set to be mean + 4 times the standard deviation for most recent 10 years of data

```

if(n==0){
  print("There are no monitoring locations that qualify.")
} else {
  for (i in 1:n) {
    year_lower <- min(data$Year[data$Use_In_Analysis == TRUE &
                                data$MonitoringID == Mon_IDs[i]])
    year_upper <- max(data$Year[data$Use_In_Analysis == TRUE &
                                data$MonitoringID == Mon_IDs[i]])
    min_RV <- min(data$ResultValue[data$Use_In_Analysis == TRUE &
                                data$MonitoringID == Mon_IDs[i]])
    mn_RV <- mean(data$ResultValue[data$Use_In_Analysis == TRUE &
                                data$MonitoringID == Mon_IDs[i] &
                                data$ResultValue <
                                quantile(data$ResultValue, 0.98)])
    sd_RV <- sd(data$ResultValue[data$Use_In_Analysis == TRUE &
                                data$MonitoringID == Mon_IDs[i] &
                                data$ResultValue <
                                quantile(data$ResultValue, 0.98)])
    x_scale <- ifelse(year_upper - year_lower > 30, 10, 5)
    y_scale <- mn_RV + 4 * sd_RV
    MA_name <- KT.Stats$ManagedAreaName[KT.Stats$MonitoringID == Mon_IDs[i]]
    Mon_name <- paste(KT.Stats$ProgramID[KT.Stats$MonitoringID == Mon_IDs[i]],
                      KT.Stats$ProgramName[KT.Stats$MonitoringID == Mon_IDs[i]],
                      KT.Stats$ProgramLocationID[KT.Stats$MonitoringID == Mon_IDs[i]],
                      sep = " | ")
  }

##Year plots
p1 <- ggplot(data = data[data$Use_In_Analysis == TRUE &
                           data$MonitoringID == Mon_IDs[i], ],
              aes(x = Year, y = ResultValue, group = Year)) +
  geom_boxplot(outlier.size = 0.5) +
  labs(subtitle = "Autoscale",
       x = "Year", y = paste0("Values (", unit, ")")) +
  scale_x_continuous(limits = c(year_lower - 1, year_upper + 1),
                     breaks = rev(seq(year_upper,
                                      year_lower, -x_scale))) +
  theme(axis.text.x = element_text(face = "bold"),
        axis.text.y = element_text(face = "bold"))

p2 <- ggplot(data = data[data$Use_In_Analysis == TRUE &
                           data$MonitoringID == Mon_IDs[i], ],
              aes(x = Year, y = ResultValue, group = Year)) +
  geom_boxplot(outlier.size = 0.5) +
  labs(subtitle = "Scaled to 4x Standard Deviation",
       x = "Year", y = paste0("Values (", unit, ")")) +
  ylim(min_RV, y_scale) +
  scale_x_continuous(limits = c(year_lower - 1, year_upper + 1),
                     breaks = rev(seq(year_upper,
                                      year_lower, -x_scale))) +
  theme(axis.text.x = element_text(face = "bold"),
        axis.text.y = element_text(face = "bold"))

```

```

p3 <- ggplot(data = data[data$Use_In_Analysis == TRUE &
                           data$MonitoringID == Mon_IDs[i] &
                           data$Year>=year_upper-10, ],
              aes(x = Year, y = ResultValue, group = Year)) +
  geom_boxplot(outlier.size = 0.5) +
  labs(subtitle = "Scaled to 4x Standard Deviation, Last 10 Years",
       x = "Year", y = paste0("Values (", unit, ")")) +
  ylim(min_RV, y_scale) +
  scale_x_continuous(limits = c(year_upper - 10.5, year_upper + 1),
                     breaks = rev(seq(year_upper, year_upper - 10,-2))) +
  theme(axis.text.x = element_text(face = "bold"),
        axis.text.y = element_text(face = "bold"))

Yset <- ggarrange(p1, p2, p3, ncol = 1)

p0 <- ggplot() + labs(title = paste0("Summary Box Plots for ",
                                       MA_name, "\n", Mon_name),
                        subtitle = "By Year") +
  theme_bw() + theme(plot.title = element_text(face="bold"),
                      panel.border = element_blank(),
                      panel.grid.major = element_blank(),
                      panel.grid.minor = element_blank(), axis.line = element_blank())

## Year & Month Plots
p4 <- ggplot(data = data[data$Use_In_Analysis == TRUE &
                           data$MonitoringID == Mon_IDs[i], ],
              aes(x = YearMonthDec, y = ResultValue,
                  group = YearMonth, color = as.factor(Month))) +
  geom_boxplot(outlier.size = 0.5) +
  labs(subtitle = "Autoscale",
       x = "Year", y = paste0("Values (", unit, ")"), color = "Month") +
  scale_x_continuous(limits = c(year_lower - 1, year_upper + 1),
                     breaks = rev(seq(year_upper,
                                      year_lower, -x_scale))) +
  theme(legend.position = "none",
        axis.text.x = element_text(face = "bold"),
        axis.text.y = element_text(face = "bold"))

p5 <- ggplot(data = data[data$Use_In_Analysis == TRUE &
                           data$MonitoringID == Mon_IDs[i], ],
              aes(x = YearMonthDec, y = ResultValue,
                  group = YearMonth, color = as.factor(Month))) +
  geom_boxplot(outlier.size = 0.5) +
  labs(subtitle = "Scaled to 4x Standard Deviation",
       x = "Year", y = paste0("Values (", unit, ")"), color = "Month") +
  ylim(min_RV, y_scale) +
  scale_x_continuous(limits = c(year_lower - 1, year_upper + 1),
                     breaks = rev(seq(year_upper,
                                      year_lower, -x_scale))) +
  theme(legend.position = "top", legend.box = "horizontal",
        axis.text.x = element_text(face = "bold"),
        axis.text.y = element_text(face = "bold"))

```

```

guides(color = guide_legend(nrow = 1))

p6 <- ggplot(data = data[data$Use_In_Analysis == TRUE &
                           data$MonitoringID == Mon_IDs[i], ],
              aes(x = YearMonthDec, y = ResultValue,
                  group = YearMonth, color = as.factor(Month))
            )) +
  geom_boxplot(outlier.size = 0.5) +
  labs(subtitle = "Scaled to 4x Standard Deviation, Last 10 Years",
       x = "Year", y = paste0("Values (", unit, ")"), color = "Month") +
  ylim(min_RV, y_scale) +
  scale_x_continuous(limits = c(year_upper - 10.5, year_upper + 1),
                     breaks = rev(seq(year_upper, year_upper - 10, -2))) +
  theme(legend.position = "none",
        axis.text.x = element_text(face = "bold"),
        axis.text.y = element_text(face = "bold"))

leg1 <- get_legend(p5)
YMset <- ggarrange(leg1, p4, p5 + theme(legend.position = "none"), p6,
                   ncol = 1, heights = c(0.1, 1, 1, 1))

p00 <- ggplot() + labs(title = paste0("Summary Box Plots for ",
                                         MA_name, "\n", Mon_name),
                         subtitle = "By Year & Month") + theme_bw() +
  theme(plot.title = element_text(face="bold"),
        panel.border = element_blank(),
        panel.grid.major = element_blank(),
        panel.grid.minor = element_blank(), axis.line = element_blank())

## Month Plots
p7 <- ggplot(data = data[data$Use_In_Analysis == TRUE &
                           data$MonitoringID == Mon_IDs[i], ],
              aes(x = Month, y = ResultValue,
                  group = Month, fill = as.factor(Month))) +
  geom_boxplot(outlier.size = 0.5) +
  labs(subtitle = "Autoscale",
       x = "Month", y = paste0("Values (", unit, ")"), fill = "Month") +
  scale_x_continuous(limits = c(0, 13), breaks = seq(3, 12, 3)) +
  theme(legend.position = "none",
        axis.text.x = element_text(face = "bold"),
        axis.text.y = element_text(face = "bold"))

p8 <- ggplot(data = data[data$Use_In_Analysis == TRUE &
                           data$MonitoringID == Mon_IDs[i], ],
              aes(x = Month, y = ResultValue,
                  group = Month, fill = as.factor(Month))) +
  geom_boxplot(outlier.size = 0.5) +
  labs(subtitle = "Scaled to 4x Standard Deviation",
       x = "Month", y = paste0("Values (", unit, ")"), fill = "Month") +
  ylim(min_RV, y_scale) +
  scale_x_continuous(limits = c(0, 13), breaks = seq(3, 12, 3)) +
  theme(legend.position = "top", legend.box = "horizontal",
        axis.text.x = element_text(face = "bold"),

```

```

    axis.text.y = element_text(face = "bold")) +
guides(fill = guide_legend(nrow = 1))

p9 <- ggplot(data = data[data$Use_In_Analysis == TRUE &
                           data$MonitoringID == Mon_IDs[i] &
                           data$Year >= year_upper - 10, ],
              aes(x = Month, y = ResultValue,
                  group = Month, fill = as.factor(Month))) +
  geom_boxplot(outlier.size = 0.5) +
  labs(subtitle = "Scaled to 4x Standard Deviation, Last 10 Years",
       x = "Month", y = paste0("Values (", unit, ")"), fill = "Month") +
  ylim(min_RV, y_scale) +
  scale_x_continuous(limits = c(0, 13), breaks = seq(3, 12, 3)) +
  theme(legend.position = "none",
        axis.text.x = element_text(face = "bold"),
        axis.text.y = element_text(face = "bold"))


leg2 <- get_legend(p8)
Mset <- ggarrange(leg2, p7, p8 + theme(legend.position = "none"), p9,
                  ncol = 1, heights = c(0.1, 1, 1, 1))

p000 <- ggplot() + labs(title = paste0("Summary Box Plots for ",
                                         MA_name, "\n", Mon_name),
                           subtitle = "By Month") + theme_bw() +
  theme(plot.title = element_text(face="bold"),
        panel.border = element_blank(),
        panel.grid.major = element_blank(),
        panel.grid.minor = element_blank(), axis.line = element_blank())

print(ggarrange(p0, Yset, ncol = 1, heights = c(0.1, 1)))
print(ggarrange(p00, YMset, ncol = 1, heights = c(0.1, 1)))
print(ggarrange(p000, Mset, ncol = 1, heights = c(0.1, 1)))
}
}
}
```


**Summary Box Plots for Biscayne Bay–Cape Florida to Monroe County Line Aquatic Preserve
986 | Water Temperature on Coral Reefs in the Florida Keys | 6**

By Year




**Summary Box Plots for Biscayne Bay–Cape Florida to Monroe County Line Aquatic Preserve
986 | Water Temperature on Coral Reefs in the Florida Keys | 6**

By Year & Month




**Summary Box Plots for Biscayne Bay–Cape Florida to Monroe County Line Aquatic Preserve
986 | Water Temperature on Coral Reefs in the Florida Keys | 6**


By Month




Summary Box Plots for Florida Keys National Marine Sanctuary
2 | Atlantic Oceanographic and Meteorological Laboratory (AOML) South Florida Program Moored Instrument Array
 By Year



Summary Box Plots for Florida Keys National Marine Sanctuary
2 | Atlantic Oceanographic and Meteorological Laboratory (AOML) South Florida Program Moored Instrument Array
 By Year & Month




Summary Box Plots for Florida Keys National Marine Sanctuary
2 | Atlantic Oceanographic and Meteorological Laboratory (AOML) South Florida Program Moored Instrument Array
 By Month



Summary Box Plots for Florida Keys National Marine Sanctuary

5 | National Data Buoy Center | KYWF1


By Year



Summary Box Plots for Florida Keys National Marine Sanctuary

5 | National Data Buoy Center | KYWF1


By Year & Month



Summary Box Plots for Florida Keys National Marine Sanctuary

5 | National Data Buoy Center | KYWF1


By Month



Summary Box Plots for Florida Keys National Marine Sanctuary

5 | National Data Buoy Center | LONF1


By Year



Summary Box Plots for Florida Keys National Marine Sanctuary

5 | National Data Buoy Center | LONF1


By Year & Month



Summary Box Plots for Florida Keys National Marine Sanctuary

5 | National Data Buoy Center | LONF1


By Month



Summary Box Plots for Florida Keys National Marine Sanctuary

5 | National Data Buoy Center | MLRF1


By Year



Summary Box Plots for Florida Keys National Marine Sanctuary

5 | National Data Buoy Center | MLRF1


By Year & Month



Summary Box Plots for Florida Keys National Marine Sanctuary


5 | National Data Buoy Center | MLRF1

By Month




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 11**

By Year



Summary Box Plots for Florida Keys National Marine Sanctuary 986 | Water Temperature on Coral Reefs in the Florida Keys | 11


By Year & Month



Summary Box Plots for Florida Keys National Marine Sanctuary


986 | Water Temperature on Coral Reefs in the Florida Keys | 11

By Month



**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 12**


By Year



Summary Box Plots for Florida Keys National Marine Sanctuary

986 | Water Temperature on Coral Reefs in the Florida Keys | 12


By Year & Month



Summary Box Plots for Florida Keys National Marine Sanctuary


986 | Water Temperature on Coral Reefs in the Florida Keys | 12

By Month




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 14**

By Year



Summary Box Plots for Florida Keys National Marine Sanctuary 986 | Water Temperature on Coral Reefs in the Florida Keys | 14


By Year & Month



Summary Box Plots for Florida Keys National Marine Sanctuary


986 | Water Temperature on Coral Reefs in the Florida Keys | 14

By Month




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 15**

By Year




Summary Box Plots for Florida Keys National Marine Sanctuary 986 | Water Temperature on Coral Reefs in the Florida Keys | 15

By Year & Month




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 15**

By Month




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 18**

By Year



Summary Box Plots for Florida Keys National Marine Sanctuary 986 | Water Temperature on Coral Reefs in the Florida Keys | 18


By Year & Month



Summary Box Plots for Florida Keys National Marine Sanctuary


986 | Water Temperature on Coral Reefs in the Florida Keys | 18

By Month




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 21**

By Year



**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 21**


By Year & Month



Summary Box Plots for Florida Keys National Marine Sanctuary


986 | Water Temperature on Coral Reefs in the Florida Keys | 21

By Month




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 22**

By Year



Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 22


By Year & Month



Summary Box Plots for Florida Keys National Marine Sanctuary


986 | Water Temperature on Coral Reefs in the Florida Keys | 22

By Month




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 23**

By Year



Summary Box Plots for Florida Keys National Marine Sanctuary 986 | Water Temperature on Coral Reefs in the Florida Keys | 23


By Year & Month



Summary Box Plots for Florida Keys National Marine Sanctuary


986 | Water Temperature on Coral Reefs in the Florida Keys | 23

By Month



**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 24**


By Year



Summary Box Plots for Florida Keys National Marine Sanctuary

986 | Water Temperature on Coral Reefs in the Florida Keys | 24


By Year & Month



Summary Box Plots for Florida Keys National Marine Sanctuary


986 | Water Temperature on Coral Reefs in the Florida Keys | 24

By Month




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 25**

By Year



**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 25**


By Year & Month



Summary Box Plots for Florida Keys National Marine Sanctuary


986 | Water Temperature on Coral Reefs in the Florida Keys | 25

By Month




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 26**

By Year




Summary Box Plots for Florida Keys National Marine Sanctuary 986 | Water Temperature on Coral Reefs in the Florida Keys | 26

By Year & Month




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 26**

By Month




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 30**

By Year




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 30**

By Year & Month




Summary Box Plots for Florida Keys National Marine Sanctuary 986 | Water Temperature on Coral Reefs in the Florida Keys | 30

By Month




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 32**

By Year



Summary Box Plots for Florida Keys National Marine Sanctuary 986 | Water Temperature on Coral Reefs in the Florida Keys | 32


By Year & Month



Summary Box Plots for Florida Keys National Marine Sanctuary


986 | Water Temperature on Coral Reefs in the Florida Keys | 32

By Month




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 34**

By Year




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 34**

By Year & Month




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 34**

By Month




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 35**

By Year



Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 35


By Year & Month



Summary Box Plots for Florida Keys National Marine Sanctuary


986 | Water Temperature on Coral Reefs in the Florida Keys | 35

By Month




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 36**

By Year




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 36**

By Year & Month




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 36**

By Month



**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 37**


By Year



Summary Box Plots for Florida Keys National Marine Sanctuary


986 | Water Temperature on Coral Reefs in the Florida Keys | 37

By Year & Month




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 37**

By Month




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 38**

By Year




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 38**

By Year & Month




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 38**

By Month




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 40**

By Year



Summary Box Plots for Florida Keys National Marine Sanctuary 986 | Water Temperature on Coral Reefs in the Florida Keys | 40


By Year & Month



Summary Box Plots for Florida Keys National Marine Sanctuary


986 | Water Temperature on Coral Reefs in the Florida Keys | 40

By Month




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 50**

By Year




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 50**
By Year & Month



Summary Box Plots for Florida Keys National Marine Sanctuary


986 | Water Temperature on Coral Reefs in the Florida Keys | 50

By Month




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 51**

By Year




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 51**

By Year & Month




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 51**

By Month




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 52**

By Year




Summary Box Plots for Florida Keys National Marine Sanctuary 986 | Water Temperature on Coral Reefs in the Florida Keys | 52

By Year & Month




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 52**

By Month




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 53**

By Year




Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 53

By Year & Month




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 53**

By Month




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 54**

By Year




Summary Box Plots for Florida Keys National Marine Sanctuary 986 | Water Temperature on Coral Reefs in the Florida Keys | 54

By Year & Month




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 54**

By Month




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 55**

By Year




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 55**

By Year & Month




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 55**

By Month




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 56**

By Year




Summary Box Plots for Florida Keys National Marine Sanctuary 986 | Water Temperature on Coral Reefs in the Florida Keys | 56

By Year & Month




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 56**

By Month




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 57**

By Year




Summary Box Plots for Florida Keys National Marine Sanctuary 986 | Water Temperature on Coral Reefs in the Florida Keys | 57

By Year & Month




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 57**

By Month




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 58**

By Year



**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 58**


By Year & Month



Summary Box Plots for Florida Keys National Marine Sanctuary


986 | Water Temperature on Coral Reefs in the Florida Keys | 58

By Month




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 59**

By Year




Summary Box Plots for Florida Keys National Marine Sanctuary 986 | Water Temperature on Coral Reefs in the Florida Keys | 59

By Year & Month




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 59**

By Month




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 60**

By Year



Summary Box Plots for Florida Keys National Marine Sanctuary 986 | Water Temperature on Coral Reefs in the Florida Keys | 60


By Year & Month



Summary Box Plots for Florida Keys National Marine Sanctuary


986 | Water Temperature on Coral Reefs in the Florida Keys | 60

By Month




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 61**

By Year




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 61**
By Year & Month




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 61**

By Month




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 70**

By Year




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 70**
By Year & Month



Summary Box Plots for Florida Keys National Marine Sanctuary


986 | Water Temperature on Coral Reefs in the Florida Keys | 70

By Month




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 72**

By Year



Summary Box Plots for Florida Keys National Marine Sanctuary 986 | Water Temperature on Coral Reefs in the Florida Keys | 72


By Year & Month



Summary Box Plots for Florida Keys National Marine Sanctuary


986 | Water Temperature on Coral Reefs in the Florida Keys | 72

By Month




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 73**

By Year




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 73**

By Year & Month




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 73**

By Month




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 74**

By Year




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 74**
By Year & Month



Summary Box Plots for Florida Keys National Marine Sanctuary


986 | Water Temperature on Coral Reefs in the Florida Keys | 74

By Month




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 75**

By Year




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 75**
By Year & Month




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 75**

By Month




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 76**

By Year




Summary Box Plots for Florida Keys National Marine Sanctuary 986 | Water Temperature on Coral Reefs in the Florida Keys | 76

By Year & Month




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 76**

By Month




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 77**

By Year




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 77**

By Year & Month




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 77**

By Month




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 78**

By Year




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 78**

By Year & Month




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 78**

By Month



**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 79**


By Year



Summary Box Plots for Florida Keys National Marine Sanctuary


986 | Water Temperature on Coral Reefs in the Florida Keys | 79

By Year & Month




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 79**

By Month




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 80**

By Year




Summary Box Plots for Florida Keys National Marine Sanctuary 986 | Water Temperature on Coral Reefs in the Florida Keys | 80

By Year & Month




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 80**

By Month




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 81**

By Year



Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 81


By Year & Month



Summary Box Plots for Florida Keys National Marine Sanctuary


986 | Water Temperature on Coral Reefs in the Florida Keys | 81

By Month




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 83**

By Year




**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 83**

By Year & Month



**Summary Box Plots for Florida Keys National Marine Sanctuary
986 | Water Temperature on Coral Reefs in the Florida Keys | 83**


By Month



Summary Box Plots for Southeast Florida Coral Reef Ecosystem Conservation Area

5 | National Data Buoy Center | LKWF1


By Year



Summary Box Plots for Southeast Florida Coral Reef Ecosystem Conservation Area

5 | National Data Buoy Center | LKWF1


By Year & Month



Summary Box Plots for Southeast Florida Coral Reef Ecosystem Conservation Area


5 | National Data Buoy Center | LKWF1

By Month




**Summary Box Plots for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 1**

By Year




**Summary Box Plots for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 1**

By Year & Month




**Summary Box Plots for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 1**

By Month



**Summary Box Plots for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 2**


By Year



Summary Box Plots for Southeast Florida Coral Reef Ecosystem Conservation Area


986 | Water Temperature on Coral Reefs in the Florida Keys | 2

By Year & Month




**Summary Box Plots for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 2**

By Month




**Summary Box Plots for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 3**

By Year




**Summary Box Plots for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 3**

By Year & Month




**Summary Box Plots for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 3**

By Month




**Summary Box Plots for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 4**

By Year



**Summary Box Plots for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 4**


By Year & Month



Summary Box Plots for Southeast Florida Coral Reef Ecosystem Conservation Area


986 | Water Temperature on Coral Reefs in the Florida Keys | 4

By Month




**Summary Box Plots for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 5**

By Year




**Summary Box Plots for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 5**

By Year & Month




**Summary Box Plots for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 5**

By Month



**Summary Box Plots for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 6**


By Year



Summary Box Plots for Southeast Florida Coral Reef Ecosystem Conservation Area


986 | Water Temperature on Coral Reefs in the Florida Keys | 6

By Year & Month




**Summary Box Plots for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 6**

By Month



**Summary Box Plots for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 84**


By Year



Summary Box Plots for Southeast Florida Coral Reef Ecosystem Conservation Area


986 | Water Temperature on Coral Reefs in the Florida Keys | 84

By Year & Month




**Summary Box Plots for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 84**

By Month



**Summary Box Plots for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 85**


By Year



Summary Box Plots for Southeast Florida Coral Reef Ecosystem Conservation Area


986 | Water Temperature on Coral Reefs in the Florida Keys | 85

By Year & Month




**Summary Box Plots for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 85**

By Month



**Summary Box Plots for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 86**


By Year



Summary Box Plots for Southeast Florida Coral Reef Ecosystem Conservation Area


986 | Water Temperature on Coral Reefs in the Florida Keys | 86

By Year & Month




**Summary Box Plots for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 86**

By Month



**Summary Box Plots for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 87**


By Year



Summary Box Plots for Southeast Florida Coral Reef Ecosystem Conservation Area


986 | Water Temperature on Coral Reefs in the Florida Keys | 87

By Year & Month




**Summary Box Plots for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 87**

By Month




**Summary Box Plots for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 88**

By Year




**Summary Box Plots for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 88**

By Year & Month




**Summary Box Plots for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 88**

By Month



**Summary Box Plots for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 89**


By Year



Summary Box Plots for Southeast Florida Coral Reef Ecosystem Conservation Area


986 | Water Temperature on Coral Reefs in the Florida Keys | 89

By Year & Month




**Summary Box Plots for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 89**

By Month




**Summary Box Plots for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 90**

By Year




**Summary Box Plots for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 90**

By Year & Month




**Summary Box Plots for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 90**

By Month




**Summary Box Plots for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 91**

By Year




**Summary Box Plots for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 91**

By Year & Month




**Summary Box Plots for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 91**

By Month




**Summary Box Plots for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 92**

By Year




**Summary Box Plots for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 92**

By Year & Month




**Summary Box Plots for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 92**

By Month




**Summary Box Plots for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 93**

By Year



**Summary Box Plots for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 93**


By Year & Month



Summary Box Plots for Southeast Florida Coral Reef Ecosystem Conservation Area


986 | Water Temperature on Coral Reefs in the Florida Keys | 93

By Month




**Summary Box Plots for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 94**

By Year




**Summary Box Plots for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 94**

By Year & Month




**Summary Box Plots for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 94**

By Month




**Summary Box Plots for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 95**

By Year




**Summary Box Plots for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 95**

By Year & Month




**Summary Box Plots for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 95**

By Month



**Summary Box Plots for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 96**


By Year



Summary Box Plots for Southeast Florida Coral Reef Ecosystem Conservation Area


986 | Water Temperature on Coral Reefs in the Florida Keys | 96

By Year & Month




**Summary Box Plots for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 96**

By Month




**Summary Box Plots for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 97**

By Year




**Summary Box Plots for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 97**

By Year & Month




**Summary Box Plots for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 97**

By Month



**Summary Box Plots for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 98**


By Year



Summary Box Plots for Southeast Florida Coral Reef Ecosystem Conservation Area

986 | Water Temperature on Coral Reefs in the Florida Keys | 98

By Year & Month



**Summary Box Plots for Southeast Florida Coral Reef Ecosystem Conservation Area
986 | Water Temperature on Coral Reefs in the Florida Keys | 98**

By Month

