UI extensibility

Logging and monitoring for UI extensions

Monitor and debug UI extensions during local development and after deployment using HubSpot's built-in logging and monitoring tools.

HubSpot provides tools for monitoring and debugging UI extensions throughout the development lifecycle. During local development, the extension logs panel surfaces errors, warnings, and custom log messages directly in the browser. For deployed extensions, HubSpot's built-in monitoring page lets you review render logs, `hubspot.fetch()` requests, and custom log output.

Logging during local development

To help you identify and resolve issues before deploying a UI extension, HubSpot provides a logs panel that you can access from locally running UI extensions. The panel will surface errors, warnings, and other debugging information related to your extension code, such as invalid UI component prop values.

HubSpot Developers



Using the logs panel

When an error or warning is detected in the locally running UI extension, a button will appear in the bottom right of the extension, which you can click to open the logs panel.



HubSpot Developers



Hiding the logs panel

If you prefer not to see the logs panel during local development, you can hide it by setting the following value in your browser's `localStorage` :

```
localStorage.setItem('hubspot::Extensions:logs:disabled', '
```

To re-enable the logs panel, remove the key or set it to `'false'` :

HubSpot Developers

›

In addition to the logs that are automatically surfaced by the extension logs panel, you can send your own log messages using the provided by the UI extensions SDK.



You can test out custom log messages using the example code below, which creates an extension with buttons to trigger specific errors:

```
import React from "react";
import { Button, Divider, Flex, Text, hubspot, logger, } from "@hubspot/ui-
extensions";

logger.warn("Warning in the middle tab, before my extension");

hubspot.extend(({ context }) => <MiddleTabLogging context={context.location}
```

··· See all 69 lines

HubSpot Developers

In the left sidebar, navigate to **Monitoring** > **Logs**.

On the monitoring page, click the **UI Extensions** tab.



On the *UI Extensions* tab, use the various **tabs** to view the different log types:

Extension Render: logs related to UI extensions loading in their configured locations.

hubspot.fetch(): logs related to `hubspot.fetch()` requests.

Extension Log: custom messages logged via the **logger API**.

HubSpot Developers

Account ID Log ID 02/15/2026 to 02/19/2026

Log Level	Log Message	Object ID	Timestamp
WARNING	Logging a warning!	CONTACT ID: 769851	February 19, 2026 6:44 PM GMT
DEBUG	Logging a debug!	CONTACT ID: 769851	February 19, 2026 6:44 PM GMT
INFO	Logging an info!	CONTACT ID: 769851	February 19, 2026 6:44 PM GMT
ERROR	HTTP 403:	CONTACT ID: 769851	February 19, 2026 6:44 PM GMT

To view more information about a log entry, click the **ellipsis** button in the *Actions* column of the row, then select an action:

Open details: review the details for the entry and use the provided IDs for deeper debugging.

Open tracing: view the complete tracing details for the log entry.