UI Components

Manage UI extension layout

Customize UI extension layout with flexible and responsive layout components.

By default, UI extension components will arrange themselves based on their content, order, and any layout-related props included with the component, such as the `width` prop for images. But HubSpot also provides the following set of components for further configuring your extension's layout:

- `AutoGrid`
- `Flex`
- `Box`
- `Inline`

These components are based on **CSS flexbox layout**, and act as wrappers for other components. For full examples of using `Flex` and `Box`, check out HubSpot's **Managing layout: Flex and Box sample project**.

HubSpot Developers



AutoGrid

The `AutoGrid` component arranges components into columns based on available space and specified column width restraints. Includes two modes: fixed column sizing (default), and flexible column sizing. For both modes, the layout will be responsive automatically, whether you're using it in an app card, app home page, or app settings page.



HubSpot Developers

```
  <Tile>Item 2</Tile>
  <Tile>Item 3</Tile>
  <Tile>Item 4</Tile>
</AutoGrid>;
```

Prop	Type	Description
`columnWidth`	Number	Sets width of each column in pixels. When `flexible` is `true`, acts as minimum width before expanding.
`flexible`	Boolean	When `false`, columns have exact `columnWidth`. When `true`, columns expand equally to fill available space with `columnWidth` as the minimum. Default is `false`.
`gap`	`flush` (default) | `'xs'`, `'extra-small'` | `'sm'`, `'small'` | `'med'`, `'medium'` | `lg`, `large` | `xl`, `extra-large`	Sets spacing between grid items.

Flex

The renders an empty `div` container set to `display=flex`. When wrapped around other components, this enables those child components to be arranged using props.

Below are the available `Flex` props. To review all `Flex` prop definitions, check out the .

Prop	Values	Description
`align`	`start` | `center` | `baseline` | `end` | `stretch` (default)	Distributes components along the cross-axis using the available free space.

HubSpot Developers

›

		other child components in the `Flex` group.
`direction`	`row` (default) | `column`	Arranges components horizontally or vertically by setting the main axis.
`gap`	`flush` (default) | `extra-small` | `small` | `medium` | `large` | `extra-large`	Sets the spacing between components.
`justify`	`start` (default) | `center` | `end` | `around` | `between`	Distributes components along the main axis using the available free space.
`wrap`	`wrap` | `nowrap`	Whether components will wrap instead of trying to fit on one line.

Review the examples below to see how the **Flex component** can be used to arrange components in various ways.

Horizontal layout

To arrange components horizontally, set `direction` to `row`. Then, use `justify` to configure the horizontal distribution. By default, components will stretch across the container if `justify` is not specified.

To arrange components horizontally and evenly spaced:

```
<Flex direction={"row"} justify={"between"}>
  <Tile>Tile 1</Tile>
  <Tile>Tile 2</Tile>
  <Tile>Tile 3</Tile>
</Flex>;
```

HubSpot Developers

```
<Flex direction={"row"} justify={"around"}>
  <Tile>Tile 1</Tile>
  <Tile>Tile 2</Tile>
  <Tile>Tile 3</Tile>
</Flex>;
```

To arrange components horizontally at the end of the extension container:

```
<Flex direction={"row"} justify={"end"}>
  <Tile>Tile 1</Tile>
  <Tile>Tile 2</Tile>
  <Tile>Tile 3</Tile>
</Flex>;
```

To arrange components horizontally at the center of the extension container:

```
</Flex>;
```

To arrange components horizontally at the start of the extension container:

```
<Flex direction={"row"} justify={"start"}>
  <Tile>Tile 1</Tile>
  <Tile>Tile 2</Tile>
  <Tile>Tile 3</Tile>
</Flex>;
```

Wrap

By default, components in a `row` will be arranged on one line when possible. Use the `wrap` prop to wrap components onto new lines when needed.



```
  <Tile>Four</Tile>
  <Tile>Five</Tile>
  <Tile>Six</Tile>
  <Tile>Seven</Tile>
  <Tile>Eight</Tile>
</Flex>;
```

Vertical layout

To arrange components vertically, set direction to `column`, then use the `align` prop to distribute them. By default, components will stretch across the extension container width when `align` is not specified.

To arrange components vertically at the start of the extension container:

```
<Flex direction={"column"} align={"start"}>
  <Tile>Tile 1</Tile>
  <Tile>Tile 2</Tile>
  <Tile>Tile 3</Tile>
</Flex>;
```

To arrange components vertically at the center of the extension container:

HubSpot Developers




```
<Flex direction={"column"} align={"center"}>
  <Tile>Tile 1</Tile>
  <Tile>Tile 2</Tile>
  <Tile>Tile 3</Tile>
</Flex>;
```

To arrange components vertically at the end of the extension container:

```
<Flex direction={"column"} align={"end"}>
  <Tile>Tile 1</Tile>
  <Tile>Tile 2</Tile>
  <Tile>Tile 3</Tile>
</Flex>;
```

HubSpot Developers

```
<Flex direction={"row"} justify={"start"} gap={"flush" | "e
  <Tile>Tile 1</Tile>
  <Tile>Tile 2</Tile>
  <Tile>Tile 3</Tile>
</Flex>;
```

maintain them.




```
<Flex direction={"row"} justify={"end"} wrap={"wrap"} gap={
  <Tile>Left</Tile>
  <Tile>Right</Tile>
  <Flex direction={"column"}>
    <Tile>Bottom</Tile>
  </Flex>
</Flex>;
```

Box

When wrapping components with `Flex`, you can further configure individual component layout by wrapping a child of `Flex` in a .

This component supports the following props. To review all `Box` prop definitions, check out the .

Prop	Values	Description
`alignSelf`	`start` | `center` | `baseline` | `end` | `stretch`	Distributes a child component along the cross-axis using the available free space. Use this prop for nested child `Flex` and `Box` components to align them differently from other child components in the `Flex` group.

HubSpot Developers

›

Use the `flex` prop in a `Box` component to assign any extra spacing to components using either a default value (e.g. `auto`) or a specific number. When using a number, the components will be distributed based on the ratio of their assigned numbers.

For example, the four tiles below take up an increasing amount of space based on their `flex` values.

```
<Flex direction={"row"} justify={"start"} gap={"small"}>
  <Box flex={1}>
    <Tile>flex = 1</Tile>
  </Box>
  <Box flex={2}>
    <Tile>flex = 2</Tile>
  </Box>
  <Box flex={3}>
    <Tile>flex = 3</Tile>
  </Box>
  <Box flex={4}>
    <Tile>flex = 4</Tile>
  </Box>
</Flex>;
```

When using `Box` , you only need to wrap components that you want to adjust. For example, if you wrap one component in a `Box` with a `flex` value, only that one component will have its width adjusted based on the available empty space.

HubSpot Developers

```
<Flex direction={"row"} justify={"start"} gap={"small"}>
  <Box flex={1}>
    <Tile>Tile 1</Tile>
  </Box>
  <Tile>Tile 2</Tile>
  <Tile>Tile 3</Tile>
</Flex>;
```

When setting a `flex` value for only one `Box`, you can use any number. This is because any number on its own will result in all available space being assigned to that one component.

You can also use the `alignSelf` prop to override alignment rules for individual `Box` components.



HubSpot Developers

```
  <Box alignSelf={"center"}>
    <Tile>Middle</Tile>
  </Box>
  <Tile>Bottom left</Tile>
</Flex>;
```

Inline

Use the to organize child components into a horizontal row.



HubSpot Developers

```
function Extension() {
  return (
    <>
      <Inline gap="small" align="end" justify="start">
        <Input label="Search" placeholder="Search contacts..." name="search" />
        <Select
          label="Status"
          options={[
            { label: "All", value: "all" },
            { label: "Active", value: "active" },
            { label: "Inactive", value: "inactive" },
          ]}
          name="status"
        />
        <Select
          label="Type"
          options={[
            { label: "All Types", value: "all" },
            { label: "Leads", value: "leads" },
            { label: "Customers", value: "customers" },
          ]}
          name="type"
        />
        <Button variant="primary">Search</Button>
      </Inline>
    </>
  );
}
```

Prop	Type	Description
`align`	`'start'` | `'center'` | `'end'` | `'baseline'` | `'stretch'` (default)	Distributes components along the cross-axis using the available free space.

HubSpot Developers

›

`justify`	`'start'` (default) | `'center'` | `'end'` | `'around'` | `'between'`	Distributes components along the main axis using the available free space.

Last modified on January 28, 2026

Was this page helpful? Yes No

Figma Design Kit | UI extensions
‹ Previous

Button design patterns
Next ›

HubSpot Developers
Copyright © 2026 HubSpot, Inc
Privacy Policy
Security
Website Accessibility