Authentication

Scopes

Learn about the different scopes available for apps in HubSpot.

Scopes provide access to a specific set of HubSpot API endpoints and the associated data from a HubSpot account

Find required scopes for an endpoint

Any scopes required to make a request to a specific endpoint will be listed under the *Requirements* section in the reference documentation, which can be accessed by navigating to the APIs section of the site.

App scope types

When you specify the scopes within the `auth` property of your `app-hsmeta.json` **configuration file**, there are three different scope types available for you to configure. You must specify the scopes your app will require for installation, but you can also specify two other scope types: conditionally required scopes and optional scopes.

> **Required scopes:** scopes that must be authorized by the user and must be present in the `scope` query parameter in your app's install URL for successful installation.
>
> **Conditionally required scopes:** scopes that must be authorized by the user only if they're present in the `scope` query parameter in your app's install URL for successful installation.
>
> > This scope type allows you to be flexible and provide a separate install URL for tiered features or scopes that are only required when users enable certain features in your app. For example, you could offer two install URLs to your users: one install URL could include the conditionally required scope in the `scope` query parameter for users with access to a feature, while another install URL omits that scope in the `scope` query parameter for users without access.

HubSpot Developers

›

scopes are specified in the `optional_scope` query parameter in your app's install URL. For example, if you want your app to be able to fetch **custom object** data (which is only available to *Enterprise* HubSpot accounts), you could add the `crm.objects.custom.read` scope as an optional scope. Then, if an account has access to the custom objects, the scope will be authorized. Otherwise, they'll still be able to install the app without the custom objects scope.

List of available scopes

Access to specific APIs or endpoints depends on HubSpot account tier. You can find a full list of available scopes and accessible endpoints in the table below.

Scope	Description	Provides access to	Required account tier
`cms.domains.read`	List **connected domains** in an account.	CMS API	Any account
`cms.domains.write`	Create, update, and delete **connected domains**.	CMS API	Any account
`cms.functions.read`	View all **Content Hub serverless functions**, any related secrets, and function execution results.	CMS API	*Content Hub Enterprise*
`cms.functions.write`	Grants access to write **Content Hub serverless functions** and secrets.	CMS API	*Content Hub Enterprise*
`cms.knowledge_base.articles.read`	View details about knowledge articles.	CMS API	*Service Hub Professional* or *Enterprise*
`cms.knowledge_base.articles.write`	Grants access to update knowledge articles.	CMS API	*Service Hub Professional* or *Enterprise*
`cms.knowledge_base.articles.publish`	Grants access to update and publish knowledge articles.	CMS API	*Service Hub Professional* or *Enterprise*

HubSpot Developers

`cms.knowledge_base.settings.write`	Grants access to update general and template knowledge base settings. This includes write access to knowledge articles.	CMS API	***Service Hub*** *Professional* or *Enterprise*
`cms.membership.access_groups.read`	View **membership access groups** and their definitions.	CMS API	***Service Hub*** or ***Content Hub*** *Professional* or *Enterprise*
`cms.membership.access_groups.write`	Create, edit, and delete **membership access groups**.	CMS API	***Service Hub*** or ***Content Hub*** *Professional* or *Enterprise*
`crm.dealsplits.read_write`	Create or retrieve **deal splits** on a deal.	Deal splits endpoints	***Sales Hub*** *Enterprise*
`crm.lists.read`	View details about contact lists.	List endpoints	Any account
`crm.lists.write`	Create, delete, or make changes to contact lists	List endpoints	Any account
`crm.objects.appointments.read`	View properties and other details about appointments.	Appointments endpoints	Any account
`crm.objects.appointments.sensitive.read`	View **Sensitive Data** properties for appointments.	Appointments endpoints	Any *Enterprise* account
`crm.objects.appointments.sensitive.write`	Edit **Sensitive Data** properties and values for appointments.	Appointments endpoints	Any *Enterprise* account
`crm.objects.appointments.write`	Create, delete, or make changes to appointments.	Appointments endpoints	Any account
`crm.objects.carts.read`	View properties and other details about carts.	Carts endpoints	Any account
`crm.objects.carts.write`	Create, delete, or make changes to carts.	Carts endpoints	Any account

HubSpot Developers

`es.highly_sensitive.read`	properties for companies.		account
`crm.objects.companies.highly_sensitive.write`	Edit **Highly Sensitive Data** properties and values for companies.	Companies endpoints	Any *Enterprise* account
`crm.objects.companies.read`	View properties and other details about companies.	Companies endpoints	Any account
`crm.objects.companies.sensitive.read`	View **Sensitive Data** properties for companies.	Companies endpoints	Any *Enterprise* account
`crm.objects.companies.sensitive.write`	Edit **Sensitive Data** properties and values for companies.	Companies endpoints	Any *Enterprise* account
`crm.objects.companies.write`	View properties and create, delete, or make changes to companies.	Companies endpoints	Any account
`crm.objects.contacts.highly_sensitive.read`	View **Highly Sensitive Data** properties for contacts.	Contacts endpoints	Any *Enterprise* account
`crm.objects.contacts.highly_sensitive.write`	Edit **Highly Sensitive Data** properties and values for contacts.	Contacts endpoints	Any *Enterprise* account
`crm.objects.contacts.read`	View properties and other details about contacts.	Contacts endpoints	Any account
`crm.objects.contacts.sensitive.read`	View **Sensitive Data** properties for contacts.	Contacts endpoints	Any *Enterprise* account
`crm.objects.contacts.sensitive.write`	Edit **Sensitive Data** properties and values for contacts.	Contacts endpoints	Any *Enterprise* account
`crm.objects.contacts.write`	View properties and create, delete, and make changes to contacts.	Contacts endpoints	Any account
`crm.objects.courses.read`	View details about courses.	Courses endpoints	Any account

HubSpot Developers

`highly_sensitive.read`	properties for custom objects.	endpoints	account
`crm.objects.custom.highly_sensitive.write`	Edit **Highly Sensitive Data** properties and values for custom objects.	Custom objects endpoints	Any *Enterprise* account
`crm.objects.custom.read`	View details about custom objects.	Custom objects endpoints	Any *Enterprise* account
`crm.objects.custom.sensitive.read`	View **Sensitive Data** properties for custom objects.	Custom objects endpoints	Any *Enterprise* account
`crm.objects.custom.sensitive.write`	Edit **Sensitive Data** properties and values for custom objects.	Custom object endpoints	Any *Enterprise* account
`crm.objects.custom.write`	Create, delete, or make changes to custom objects.	Custom objects endpoints	Any *Enterprise* account
`crm.objects.deals.highly_sensitive.read`	View **Highly Sensitive Data** properties for deals.	Deals endpoints	Any *Enterprise* account
`crm.objects.deals.highly_sensitive.write`	Edit **Highly Sensitive Data** properties and values for deals.	Deals endpoints	Any *Enterprise* account
`crm.objects.deals.read`	View properties and other details about deals.	Deals endpoints	Any account
`crm.objects.deals.sensitive.read`	View **Sensitive Data** properties for deals.	Deals endpoints	Any *Enterprise* account
`crm.objects.deals.sensitive.write`	Edit **Sensitive Data** properties and values for deals.	Deals endpoints	Any *Enterprise* account
`crm.objects.deals.write`	View properties and create, delete, or make changes to deals.	Deals endpoints	Any account
`crm.objects.feedback_submission.read`	View details about submissions to any of your feedback surveys.	Feedback surveys endpoints	*Service Hub Professional* or *Enterprise*

HubSpot Developers

`crm.objects.invoices.read`	View details about invoices.	Invoices endpoints	Any account
`crm.objects.leads.read`	View properties and other details about leads.	Leads endpoints	***Sales Hub*** *Professional* or *Enterprise*
`crm.objects.leads.write`	Create, delete, or make changes to leads.	Leads endpoints	***Sales Hub*** *Professional* or *Enterprise*
`crm.objects.line_items.read`	View properties and other details about line items.	Line items endpoints	Any account
`crm.objects.line_items.write`	Create, delete, or make changes to line items.	Line items endpoints	Any account
`crm.objects.listings.read`	View properties and other details about listings.	Listings endpoints	Any account
`crm.objects.listings.write`	Create, delete, or make changes to listings.	Listings endpoints	Any account
`crm.objects.marketing_events.read`	View details about marketing events.	Marketing events endpoints	Any account
`crm.objects.marketing_events.write`	Create, delete, or make changes to marketing events.	Marketing events endpoints	Any account
`crm.objects.orders.read`	View properties and other details about **orders**.	Orders endpoints	Any account
`crm.objects.orders.write`	Create, delete, or make changes to **orders**.	Orders endpoints	Any account
`crm.objects.owners.read`	View details about users assigned to a CRM record.	Owners endpoints	Any account
`crm.objects.partner-clients.read`	View details about **partner client** objects.	Partner client endpoints	Any account
`crm.objects.partner-clients.write`	Create, delete, or make changes to **partner client** objects.	Partner client endpoints	Any account
`crm.objects.partner-services.read`	View details about **partner service** objects.	Partner service endpoints	Any account

HubSpot Developers

`crm.objects.quotes.read`	View properties and other details about quotes and quote templates.	Quotes endpoints	Any account
`crm.objects.quotes.write`	Create, delete, or make changes to quotes.	Quotes endpoints	Any account
`crm.objects.services.read`	View properties and other details about services.	Services endpoints	Any account
`crm.objects.services.write`	Create, delete, or make changes to services.	Services endpoints	Any account
`crm.objects.subscriptions.read`	View properties and other details about **commerce subscriptions**.	**Commerce subscriptions** endpoints	Any account
`crm.objects.users.read`	View properties and other details about **users**.	**Users** endpoints	Any account
`crm.objects.users.write`	Create, delete, or make changes to users.	**Users** endpoints	Any account
`crm.pipelines.orders.read`	View details about **order pipelines**.	Pipeline endpoints	Any account
`crm.pipelines.orders.write`	Create, delete, or make changes to **order pipelines**.	Pipeline endpoints	Any account
`crm.schemas.appointments.read`	View details about property settings for **appointments**.	Object API endpoints	Any account
`crm.schemas.appointments.write`	Create, delete, or make changes to property settings for **appointments**	Object API endpoints	Any account
`crm.schemas.carts.read`	View details about property settings for carts.	Carts endpoints	Any account
`crm.schemas.carts.write`	Create, delete, or make changes to property settings for carts.	Carts endpoints	Any account

HubSpot Developers

`crm.schemas.courses.write`	Create, delete, or make changes to property settings for **courses**.	Object API endpoints	Any account
`crm.schemas.commercepayments.read`	View details about property settings for commerce payments.	Commerce payments endpoints.	Any *Starter* account
`crm.schemas.companies.read`	View details about property settings for companies	Properties endpoints	Any account
`crm.schemas.companies.write`	Create, delete, or make changes to property settings for companies.	Properties endpoints	Any account
`crm.schemas.contacts.read`	View details about property settings for contacts.	Properties endpoints.	Any account
`crm.schemas.contacts.write`	Create, delete, or make changes to property settings for contacts.	Properties endpoints	Any account
`crm.schemas.custom.read`	View details about custom object definitions in the HubSpot CRM.	Custom objects endpoints	Any *Enterprise*
`crm.schemas.deals.read`	View details about property settings for deals.	Properties endpoints	Any account
`crm.schemas.deals.write`	Create, delete, or make changes to property settings for deals.	Properties endpoints	Any account
`crm.schemas.invoices.read`	View details about property settings for **invoices**.	Invoices endpoints	Any account
`crm.schemas.invoices.write`	Create, delete, or make changes to property settings for **invoices**	Invoices endpoints	Any account
`crm.schemas.line_items.read`	View details about line items.	Line items endpoints	Any account

HubSpot Developers

`crm.schemas.listings.write`	Create, delete, or make changes to property settings for **listings**	Object API endpoints	Any account
`crm.schemas.orders.read`	View details about property settings for **orders**	Orders endpoints	Any account
`crm.schemas.orders.write`	Create, manage, or make changes to property settings for **orders**	Orders endpoints	Any account
`crm.schemas.quotes.read`	View details about quotes and quotes templates.	Quotes endpoints	Any account
`crm.schemas.quotes.write`	Create, manage, or make changes to property settings for **quotes**	Quote endpoints	Any account
`crm.schemas.services.read`	View details about property settings for **services**	Object API endpoints	Any account
`crm.schemas.services.write`	Create, manage, or make changes to property settings for **services**	Object API endpoints	Any account
`crm.schemas.subscriptions.read`	View details about property settings for **commerce subscriptions**.	Commerce subscriptions endpoints	Any account
`crm.schemas.subscriptions.write`	Create, manage, or make changes to property settings for **commerce subscriptions**.	Commerce subscription endpoints	Any account
`settings.billing.write`	Make changes to your account's billing settings. This includes managing and assigning paid seats for users.	Settings endpoints	Any account
`settings.currencies.read`	Reads existing exchange rates along with the current company currency associated with your portal.	Account information endpoints	Any account

HubSpot Developers

›

	your portal.		
`settings.users.read`	View details about account users and their permissions.	User Provisioning endpoints	Any account
`settings.users.write`	Manage users and user permissions on your HubSpot account. This includes creating new users, assigning permissions and roles, and deleting existing users.	User Provisioning endpoints	Any account
`settings.users.teams.read`	See details about the account's teams.	User Provisioning endpoints	Any account
`settings.users.team.write`	Assign users to teams on your HubSpot account.	User Provisioning endpoints	Any account
`account-info.security.read`	Includes access to account activity logs and other account security information.	Account activity API	Any account
`accounting`	Allows HubSpot and the accounting integration to share invoice, product, and contact details.	Accounting Extension API	Any account
`actions`	Add forms to the contact's pages that do custom actions.	CRM Extensions API	Any account
`analytics.behavioral_events.send`	Includes access to send custom behavioral events.	Analytics API	***Marketing Hub*** *Enterprise*
`automation`	This includes workflows.	Automation API (Workflows endpoints)	***Marketing Hub*** *Professional* or *Enterprise*
`automation.sequences.enrollments.write`	Enroll contacts in a **sequence**.	Sequences endpoints	***Sales Hub*** or ***Service Hub*** *Professional* or *Enterprise*

HubSpot Developers

`behavioral_events.event_definitions.read_write`	Create, read, update, or delete behavioral events. This includes behavioral event properties.	Analytics API	***Marketing Hub*** *Enterprise*
`business_units.view.read`	View brand data, including logo information.	Brands API	Brands Add-on
`business-intelligence`	This includes endpoints that sit on top of sources and email.	Analytics API	Any account
`collector.graphql_query.execute`	Query data from your HubSpot account using the GraphQL API endpoint	GraphQL API endpoint	***CMS Hub*** *Professional* or *Enterprise*
`collector.graphql_schema.read`	Perform introspection queries via GraphQL application clients such as GraphiQL	GraphiQL and other 3rd party GraphQL clients	***CMS Hub*** *Professional* or *Enterprise*
`communication_preferences.read`	View details of your contacts' subscription preferences.	Subscription Preferences API	Any account
`communication_preferences.read_write`	Subscribe/unsubscribe contacts to your subscription types. It won't subscribe contacts who have unsubscribed.	Subscription Preferences API	Any account
`communication_preferences.statuses.batch.read`	Allows you to batch retrieve contacts based on their subscription status.	Subscription Preferences API	***Marketing Hub*** *Enterprise*
`communication_preferences.statuses.batch.write`	Allows you to batch update the subscription status of multiple contacts.	Subscription Preferences API	***Marketing Hub*** *Enterprise*
`communication_preferences.write`	Subscribe/unsubscribe contacts to your subscription types. It won't subscribe contacts who have unsubscribed.	Subscription Preferences API	Any account

HubSpot Developers

›

			Enterprise
`conversations.read`	View details about threads in the conversations inbox.	Conversations API	Any account
`conversations.visitor_identification.tokens.create`	Fetch identification tokens for authenticated website visitors interacting with the HubSpot chat widget.	Visitor Identification API	Any *Professional* or *Enterprise*
`conversations.write`	Send messages in conversations. Create and update message threads.	Conversations API	Any account
`conversations.custom_channels.read`	View details about custom channels for connected inboxes and help desk.	Custom channels API	***Sales Hub*** or ***Service Hub*** *Enterprise* accounts
`conversations.custom_channels.write`	Manage custom channels for connected inboxes and help desk.	Custom channels API	***Sales Hub*** or ***Service Hub*** *Enterprise* accounts
`crm.export`	Export records from your CRM for all CRM data types.	CRM Exports API	Any account
`crm.import`	Allows you to import records into your CRM. This includes creating new records or modifying any of your existing records for all CRM data types (contacts, companies, deals, tickets, etc). It doesn't include archiving or deleting any data.	CRM Imports API	Any account
`ctas.read`	Allows read access for CTAs.	No publicAPI available	***Marketing Hub*** *or* ***CMS Hub*** *Starter, Professional or Enterprise*
`e-commerce`	This includes access to e-commerce features.	Products and line items endpoints	Any account. **Note:** Only *Professional* and *Enterprise* accounts can use this scope for the Products API.

HubSpot Developers

`files`	This includes access to File Manager.	Files (File Manager) and file mapper (CMS templates, modules, and layout) endpoints	Any account
`files.ui_hidden.read`	View details or download user files, attachments, and system files from all HubSpot tools.	Files (File Manager) and file mapper (CMS templates, modules, and layout) endpoints	Any account
`forms`	This includes access to the Forms endpoints.	Forms endpoints	Any account
`forms-uploaded-files`	Download files submitted through a form.	Get a file uploaded via form submission endpoint	Any account
`hubdb`	This includes access to HubDB.	HubDB endpoints	*CMS Hub Professional* or *Enterprise*, or *Marketing Hub Professional* or *Enterprise* with **Website Add-on**
`integration-sync`	This exposes the sync API, which allows syncing of most CRM objects.	Ecommerce Bridge API	Any account
`marketing.campaigns.read`	View details about **marketing campaigns** and their associated assets.	Campaigns endpoints	*Marketing Hub _ Professional* or *Enterprise*
`marketing.campaigns.revenue.read`	View revenue details and deal amounts attributed to a **marketing campaign**.	Campaigns endpoints	*Marketing Hub Professional* or *Enterprise*
`marketing.campaigns.write`	Create, update, and delete **marketing campaigns**.	Campaigns endpoints	*Marketing Hub Professional* or *Enterprise*
`marketing-email`	Grants access to send marketing emails through the single-send API	Marketing emails API	*Marketing Hub Enterprise* or the **transactional email add-on**

HubSpot Developers

`media_bridge.write`	Grants access to create and update events and objects from the media bridge.	Media Bridge API	Any account
`oauth`	Basic scope required for OAuth. This scope is added by default to all **public apps**.	n/a	Any account
`sales-email-read`	Grants access to read all details of one-to-one emails sent to contacts.	Engagements endpoints. This scope is also required to get the content of email engagements. See the **Engagements overview** for more details.	Any account
`social`	This includes Social Inbox.	Social Media API	*Marketing Hub Professional* or *Enterprise*
`scheduler.meetings.meeting-link.read`	Read metadata and booking availability for **meeting links**	Meeting links endpoints	Any *Professional* account
`tax_rates.read`	View details about **tax rates** configured in your account.	Tax rates API	Any account
`tickets`	This includes access to tickets.	Tickets endpoints	Any account
`tickets.highly_sensitive`	Grants access to view and edit **Highly Sensitive Data** properties and values for tickets.	Tickets endpoints	Any Enterprise account
`tickets.sensitive`	Grants access to view and edit **Sensitive Data** properties and values for tickets.	Tickets endpoints	Any Enterprise account
`timeline`	Grants access to manage custom events on HubSpot CRM records. This includes	Timeline Events endpoints	Any account

HubSpot Developers

	transactional emails endpoints.		*Enterprise* with **Transactional Email Add-on**

Last modified on January 28, 2026

Was this page helpful? Yes No

Make API requests using a service key (BETA)
Previous

Validating Requests
Next

HubSpot Developers
Copyright © 2026 HubSpot, Inc
Privacy Policy
Security
Website Accessibility

Manage Cookies