Standard components

Toggle

Learn about the Toggle component for use in UI extensions.

The `Toggle` component renders a boolean toggle switch that can be configured with sizing, label position, read-only, and more.

```
import { Toggle } from "@hubspot/ui-extensions";

const Extension = () => {
  return <Toggle size="md" label="My toggle" labelDisplay="top" initialIsChecke
};
```

Props

Prop	Type	Description
`checked`	Boolean	Whether the toggle is selected. Default is `false`.
`initialIsChecked`	Boolean	When set to `true`, the toggle will be selected by default. Sets the default `checked` state when the component is uncontrolled.
`label`	String	The text that displays above the input.
`labelDisplay`	`'inline'` (default) | `'top'` | `'hidden'`	The display option for the toggle label.
`name`	String	The input's unique identifier.

HubSpot Developers

›

		the toggle. Default is `false` .
`size`	`'xs'` | `'sm'` | `'md'` (default)	The size of the toggle. Only `'md'` sized toggles can display text on the toggle (ON, OFF). All other sizes will hide checked/unchecked text.
`textChecked`	String	The text that displays on the toggle when checked. Default is ON. Extra small and small toggles will not display any text.
`textUnchecked`	String	The text that displays on the toggle when not checked. Default is *OFF*. Extra small and small toggles will not display any text.

Variants

Using the `labelDisplay` and `size` props, you can customize toggle appearance.

`labelDisplay` : set to `'inline'` or `'top'` to configure the label position, or set to `'hidden'` to hide the label.



`size` : by default, toggles are set to `'md'` . Shrink the toggle size by setting this prop to `'xs'` or `'sm'` . Note that only medium toggles will display ON/OFF status text.



Related components

HubSpot Developers

Last modified on January 28, 2026

Was this page helpful? Yes No

TimeInput | UI components
Previous

ToggleGroup
Next

HubSpot Developers
Copyright © 2026 HubSpot, Inc
Privacy Policy
Security
Website Accessibility
Manage Cookies