Standard components

Tooltip | UI components

Learn about the Tooltip component for use in UI extensions.

The `Tooltip` component renders a tooltip when hovering over other UI components to provide users with additional context. This component can be inserted via the `overlay` prop in **Button**, **Image**, **Link**, **LoadingButton**, and **Tag** components.

```
import { Button, Tooltip } from "@hubspot/ui-extensions";

function ToolTipExample() {
  return <Button overlay={<Tooltip>This is a tooltip</Tooltip>}>Hover me</Buttc
}
```

Props

Prop	Type	Description
`placement`	`'top'` (default) | `'bottom'` | `'left'` | `'right'`	The position where the tooltip will be displayed, relative to the parent UI component.

Placement

Using the `placement` prop, you can set where the tooltip will appear relative to the parent UI component (default is `top`). Below is an example of each `placement` value.

HubSpot Developers

```
<Image
  src="https://cdn2.hubspot.net/hubfs/53/image8-2.jpg"
  alt="HubSpot example image"
  width="200px"
  overlay={<Tooltip placement="bottom">Tooltip on an Image component</Tooltip>}
/>;
```

```
<Link
  href="https://developers.hubspot.com"
  overlay={
    <Tooltip placement="bottom">
      This is a tooltip <Link href="">with a link in it</Link>
    </Tooltip>
  }
>
  Hover this link
</Link>;
```

HubSpot Developers

```
<Tag overlay={<Tooltip placement="right">Tooltip on a Tag c
  Hover this tag
</Tag>;
```

Related components

Last modified on January 28, 2026

Was this page helpful? Yes No

ToggleGroup
Previous

CRM action components
Next

HubSpot Developers

HubSpot Developers
Copyright © 2026 HubSpot, Inc
Privacy Policy
Security
Website Accessibility
Manage Cookies