Standard components

Box

Learn about the Box component for configuring UI extension layout.

The `Box` component renders an empty `div` container for fine tuning the spacing of components. Commonly used with the **Flex** component.

To see an example of how `Flex` and `Box` can be used for layout, check out HubSpot's **Manage layouts: Flex and Box sample project**.

HubSpot Developers

```
    <Flex direction={"row"} justify={"start"} gap={"small"}>
      <Box flex={1}>
        <Tile>flex = 1</Tile>
      </Box>
      <Box flex={2}>
        <Tile>flex = 2</Tile>
      </Box>
      <Box flex={3}>
        <Tile>flex = 3</Tile>
      </Box>
      <Box flex={4}>
        <Tile>flex = 4</Tile>
      </Box>
    </Flex>
  );
};
```

Props

Prop	Type	Description
`alignSelf`	`'start'` | `'center'` | `'end'` | `'baseline'` | `'stretch'`	Distributes a child component along the cross-axis using the available free space. Use this prop for nested `Box` components to align them differently from other child components in the `Flex` group.
`flex`	`'initial'` | `'auto'` (default) | `'none'` | Number	Distributes components based on the available empty space around them. Options are as follows: `initial` : The item is sized according to its width and height properties. It shrinks to its minimum size to fit the container, but does not grow to absorb any extra free space in the flex container. `auto` : The item is sized according to its width and height properties, but grows to absorb any extra free space in the flex container, and shrinks to its minimum size to fit the container.

HubSpot Developers

›

Number: tells a component to fill all available space, shared evenly amongst other components with the same parent. The larger the flex given, the higher the ratio of space a component will take compared to its siblings.

You only need to use `Box` as a wrapper for components that you want to adjust. For example, if you wrap one component in a `Box` with a `flex` value, only that one component will have its width adjusted based on the available empty space.




```
<Flex direction={"row"} justify={"start"} gap={"small"}>
  <Box flex={1}>
    <Tile>Tile 1</Tile>
  </Box>
  <Tile>Tile 2</Tile>
  <Tile>Tile 3</Tile>
</Flex>;
```

Usage examples

Using numbers in flex

Use the `flex` prop in a `Box` component to assign any extra spacing to components using either a default value (e.g. `auto`) or a specific number. When using a number, the components will be distributed based on the ratio of their assigned numbers. This also means that, when assigning a `flex` value for only one `Box` , you can use any number, because any number by itself will result in all available space being assigned to that `Box` .

HubSpot Developers

›

```
<Flex direction={"row"} justify={"start"} gap={"small"}>
  <Box flex={1}>
    <Tile>flex = 1</Tile>
  </Box>
  <Box flex={2}>
    <Tile>flex = 2</Tile>
  </Box>
  <Box flex={3}>
    <Tile>flex = 3</Tile>
  </Box>
  <Box flex={4}>
    <Tile>flex = 4</Tile>
  </Box>
</Flex>;
```

Using alignSelf

Use the `alignSelf` prop to override alignment rules for individual `Box` components.

HubSpot Developers




```
<Flex direction={"column"} gap={"small"} align={"start"}>
  <Box alignSelf={"end"}>
    <Tile>Top right</Tile>
  </Box>
  <Box alignSelf={"center"}>
    <Tile>Middle</Tile>
  </Box>
  <Tile>Bottom left</Tile>
</Flex>;
```

Related components

Last modified on January 28, 2026

Was this page helpful? Yes No

HubSpot Developers

Next

HubSpot Developers

Copyright © 2026 HubSpot, Inc

Privacy Policy

Security

Website Accessibility

Manage Cookies