CRM action components

CRM action components

Learn about CRM action components for use in UI extensions.

CRM action components provide a built-in set of CRM-related actions, including adding notes to records, opening a one-to-one email composition window, creating new records, and more. Each component can perform the same set of actions, so which component to choose will depend on your needs and preferences.

Below, learn more about CRM action components and actions available to each.

CRM action components are imported from `@hubspot/ui-extensions/crm` .

```
import { CrmActionButton, CrmActionLink, CrmCardActions } fr
```

Available components



1. : renders a button.
2. : renders a clickable link.
3. : renders dropdown menu buttons in the top right of the extension.

HubSpot Developers

›

Each action requires an `actionType` and `actionContext`.

- `actionType`: the type of action. See the **available actions section** below.
- `actionContext`: the CRM object and record context required for the action to be performed. For example, to include an action to open a preview sidebar for a specified record, you'll need to provide the record's `objectTypeId` and `objectId` in `actionContext`. See the **available actions section** for more information about what's required for each action.

Available actions

The following actions are available for CRM action components:

- Preview a CRM record
- Create a note
- Create a task
- Send a one-to-one email
- Schedule a meeting
- Create an associated CRM record
- Navigate to an engagement
- Navigate to a CRM record
- Navigate to a HubSpot page
- Navigate to an external page

Preview a CRM record

The `PREVIEW_OBJECT` action opens a preview sidebar for the specified CRM record.

Requires the following `actionContext`:

HubSpot Developers

›

```
<CrmActionButton
  actionType="PREVIEW_OBJECT"
  actionContext={{
    objectTypeId: "0-3",
    objectId: 123456,
  }}
  variant="secondary"
>
  Preview deal
</CrmActionButton>;
```

Create a note

The `ADD_NOTE` action opens a note composition window, enabling users to add a note to the specified CRM record.

Requires the following `actionContext` :

- `objectTypeId` : the CRM record's object type (e.g., `0-1` for contacts). See .
- `objectId` : the ID of the CRM record.

```
<CrmActionButton
  actionType="ADD_NOTE"
  actionContext={{
    objectTypeId: "0-3",
    objectId: 123456,
  }}
  variant="secondary"
>
  Create note
</CrmActionButton>;
```

Create a task

`objectTypeId` : the CRM record's object type (e.g., `0-1` for contacts). See **full list of object IDs**.

`objectId` : the ID of the CRM record.

```
<CrmActionButton
  actionType="ADD_TASK"
  actionContext={{
    objectTypeId: "0-1",
    objectId: 123456,
  }}
  variant="secondary"
>
  Create task
</CrmActionButton>;
```

Send a one-to-one-email

The `SEND_EMAIL` action opens a one-to-one email composition window, enabling users to send an email to the specified contact or the contacts associated with the specified record.

Requires the following `actionContext` :

`objectTypeId` : the CRM record's object type (e.g., `0-1` for contacts). See .

`objectId` : the ID of the CRM record to send the email to.

`initialEmailSubject` : optionally, set to a string to prefill the email subject line in the composition window.

`initialEmailBody` : optionally, set to a string to prefill the email body in the composition window.

HubSpot Developers

```
    objectId: 123456,
  }}
  variant="secondary"
>
  Send email
</CrmActionButton>;
```

Schedule a meeting

The `SCHEDULE_MEETING` action opens a window for .

Requires the following `actionContext` :

- `objectTypeId` : the CRM record's object type (e.g., `0-1` for contacts). See .
- `objectId` : the ID of the CRM record to schedule the meeting with.

```
<CrmActionButton
  actionType="SCHEDULE_MEETING"
  actionContext={{
    objectTypeId: "0-1",
    objectId: 123456,
  }}
>
  Schedule meeting
</CrmActionButton>;
```

Create an associated record

The `OPEN_RECORD_ASSOCIATION_FORM` action opens a side panel for creating a new record to be associated with another.

Requires the following `actionContext` :

HubSpot Developers

›

`objectTypeId` : the type of CRM record to associate the new one with.

`objectId` : the ID of the CRM record to associate the new one with.

```
<CrmActionButton
  actionType="OPEN_RECORD_ASSOCIATION_FORM"
  actionContext={{
    objectTypeId: "0-2",
    association: {
      objectTypeId: "0-1",
      objectId: 123456,
    },
  }}
>
  Create new record
</CrmActionButton>;
```

Navigate to an engagement

The `ENGAGEMENT_APP_LINK` action navigates the user to a specific engagement on a CRM record timeline, such as a call or task.

Requires the following `actionContext` :

- `objectTypeId` : the type of CRM record to navigate to (e.g., `0-2` for companies). See .
- `objectId` : the ID of the CRM record to navigate to.
- `engagementId` : the ID of the engagement, such as a task or note.
- `external` : optionally, set to `true` to navigate to the engagement in a new browser tab.

HubSpot Developers

```
    objectId: 2763710643,
    engagementId: 39361694368,
  }}
  variant="secondary"
>
  Open note
</CrmActionButton>;
```

Navigate to a CRM record

The `RECORD_APP_LINK` action navigates the user to a specific CRM record.

Requires the following `actionContext` :

- `objectTypeId` : the type of CRM record to navigate to (e.g., `0-2` for companies). See .
- `objectId` : the ID of the CRM record to navigate to.
- `external` : optionally, set to `true` to navigate to the record in a new browser tab.
- `includeEschref` : optionally, set to `true` to include a *Back* button in the top left corner of the opened CRM record to navigate the user back to the original record.



HubSpot Developers

```
    objectId: 2763710643,
    includeEschref: true,
  }}
  variant="secondary"
>
  View company
</CrmActionButton>;
```

Navigate to a HubSpot page

The `PAGE_APP_LINK` navigates the user to any page within the HubSpot account. Use this action when a user would need to navigate to a non-CRM record account page, such as the email tool.

Requires the following `actionContext` :

- `path` : the URL path of the HubSpot page. This path is relative to `https://app.hubspot.com` and should begin with `/` .
- `external` : optionally, set to `true` to navigate to the page in a new browser tab.

```
<CrmActionButton
  actionType="PAGE_APP_LINK"
  actionContext={{
    path: "/email/123456/analyze?emailType=followup-2",
    external: true,
  }}
  variant="secondary"
>
  Open email dashboard
</CrmActionButton>;
```

Navigate to an external page

The `EXTERNAL_URL` action navigates the user to a website page in a new tab.

Requires the following `actionContext` :

HubSpot Developers

```
  actionType="EXTERNAL_URL"
  actionContext={{
    href: "https://www.google.com",
  }}
  variant="secondary"
>
  Open Google
</CrmActionButton>;
```

Last modified on January 28, 2026

Was this page helpful? Yes No

Tooltip | UI components
Previous

CrmActionButton
Next

HubSpot Developers
Copyright © 2026 HubSpot, Inc
Privacy Policy

Security

Website Accessibility

Manage Cookies