CRM data components

CRM data components

Learn about the CRM data component for use in UI extensions.

CRM data components can pull data directly from the currently displaying CRM record, including information about associated records and single object reports. These components can only be placed in the middle column of CRM records.

These components are imported from `@hubspot/ui-extensions/crm` .

```
import { CrmAssociationPivot, CrmReport } from "@hubspot/ui
```

Available components

Filtering data

In the `CrmAssociationPivot` and `CrmAssociationTable` components, you can filter the data to fetch only what's most relevant. Review the table below for available filtering options.

HubSpot Developers

```
    <CrmAssociationPivot
      objectTypeId="0-1"
      associationLabels={["CEO", "Co-founder"]}
      maxAssociations={10}
      preFilters={[
        {
          operator: "NOT_IN",
          property: "dealstage",
          values: ["closedwon"],
        },
      ]}
    />
  );
};
```

Prop	Type	Description
`highValue`	String | number	The upper value to filter by when using an operator that requires a range, such as `BETWEEN`.
`operator`	`EQ` | `NEQ` | `LT` | `LTE` | `GT` | `GTE` | `BETWEEN` | `IN` | `NOT_IN` | `HAS_PROPERTY` | `NOT_HAS_PROPERTY`	The filter's operator (e.g. `IN`). Can be one of: `EQ`: is equal to `value`. `NEQ`: is not equal to `value`. `LT`: is less than `value`. `LTE`: is less than or equal to `value`. `GT`: is greater than `value`. `GTE`: is greater than or equal to `value`. `BETWEEN`: is within the specified range between `value` and `highValue`. `IN`: is included in the specified `values` array. This operator is case-sensitive, so inputted values must be in lowercase.

HubSpot Developers

		`NOT_HAS_PROPERTY` : does not have a value for the specified property. Learn more about **filtering CRM searches**.
`property`	String	The property to filter by.
`value`	String | number	The property value to filter by.
`values`	String | number	The property values to filter by when using an operator that requires an array, such as `IN` .

Last modified on January 28, 2026

Was this page helpful? Yes No

CrmCardActions
Previous

CrmAssociationPivot
Next

HubSpot Developers

Copyright © 2026 HubSpot, Inc

Privacy Policy

Security

Website Accessibility

Manage Cookies