Add features

Configure a webhook subscription

Learn how to define a webhook subscription on the latest version of the developer platform.

Webhooks enable your app to receive real-time notifications when specific events occur in a HubSpot account. Instead of repeatedly polling HubSpot's APIs to check for changes, webhooks push event data to your application as soon as it happens.

When you configure a webhook subscription, HubSpot will send a `POST` request to your specified endpoint whenever subscribed events occur. Your application receives the event payload, processes it, and returns a `2xx` status code to acknowledge receipt.

When to use webhooks

Use webhooks when you need to:

- Sync data in real-time between HubSpot and external systems (e.g., updating a contact in your database when they're modified in HubSpot).
- Trigger automated workflows based on HubSpot events (e.g., sending a Slack notification when a deal closes).
- Monitor specific changes without constant API polling (e.g., tracking when contacts unsubscribe from emails).

Common use cases include CRM synchronization, notification systems, data warehousing, and integration platforms that need to stay current with HubSpot data.

Project structure

To define a set of webhook subscriptions for an app, create a `webhooks` directory within `src/app/` . Then, add a configuration file to that directory using the naming convention `*-hsmeta.json` .

HubSpot Developers

```
└── webhooks/
    └── webhook-hsmeta.json
```

Webhook configuration

Below are the available configuration options for the `*-hsmeta.json` file.

HubSpot Developers

```
    "settings": {
      "targetUrl": "https://example.com/webhook",
      "maxConcurrentRequests": 10
    },
    "subscriptions": {
      "crmObjects": [
        {
          "subscriptionType": "object.creation",
          "objectType": "contact",
          "active": true
        }
      ],
      "legacyCrmObjects": [
        {
          "subscriptionType": "contact.propertyChange",
          "propertyName": "lastname",
          "active": true
        },
        {
          "subscriptionType": "contact.deletion",
          "active": true
        }
      ],
      "hubEvents": [
        {
          "subscriptionType": "contact.privacyDeletion",
          "active": true
        }
      ]
    }
  }
}
```

Fields marked with * are required.

HubSpot Developers

›

`type`	String	The type of component, which should be `webhooks` in this case.
`settings` *	Object	An object that specifies two fields: `targetUrl` , which is the publicly available URL for HubSpot to call where event payloads will be delivered, and `maxConcurrentRequests` , which is the upper threshold of HTTP requests that HubSpot will make in a given time frame.
`subscriptions` *	Object	An object that specifies the subscription types your app will subscribe to.
`crmObjects`	Array	An array containing event subscription definitions. This is the standard array to include, and should be used for all events in the **new format** (`object.*`). **Classic webhook subscription types** should instead be included in `legacyCrmObjects` and `hubEvents` arrays, depending on the event.
`legacyCrmObjects`	Array	An array containing **classic subscription types**, such as `contact.creation` and `deal.deletion` .
`hubEvents`	Array	An array containing the classic subscription types `contact.privacyDeletion` and `conversation.*`

For each `subscription` object, the following fields can be specified, based on the subscription definition type you're subscribed to (i.e., `crmObjects` , `legacyCrmObjects` , or `hubEvents`) or whether you're subscribing to a specific property change (e.g., `contact.propertyChange`).

Field	Type	Description
`subscriptionType`	String	The type of event being subscribed to.
`objectType`	String	For subscriptions specified within the `crmObjects` array, this specifies the CRM object your app is subscribing to.
`propertyName`	String	For property change subscriptions, this specifies which property will trigger the webhook event.

HubSpot Developers

Last modified on January 30, 2026

Was this page helpful? Yes No

Agent tools reference (BETA)
Previous

Define a custom workflow action
Next

HubSpot Developers
Copyright © 2026 HubSpot, Inc
Privacy Policy
Security
Website Accessibility
Manage Cookies