CRM data components

CrmAssociationTable

Learn about the CrmAssociationTable component for use in UI extensions.

The `CrmAssociationTable` component renders a table of associated records with optional filtering, sorting, and search methods. You'll specify the type of records that you want to appear along with the properties to display as columns.



HubSpot Developers

```
    <CrmAssociationTable
      objectTypeId="0-3"
      propertyColumns={["dealname", "amount", "description"]}
      quickFilterProperties={["createdate"]}
      pageSize={10}
      preFilters={[
        {
          operator: "EQ",
          property: "dealstage",
          value: "contractsent",
        },
      ]}
      sort={[
        {
          direction: 1,
          columnName: "amount",
        },
      ]}
      searchable={true}
      pagination={true}
    />
  );
};
```

Props

Prop	Type	Description
`associationLabelFilter`	Boolean	When set to `false`, hides the "Association label" quick filter above the table.
`objectTypeId`	String	The numeric ID of the type of associated object to display (e.g., `0-1` for contacts). See of object IDs.
`pageSize`	Number	The number of rows to include per page of results. Include the `pagination` property to enable users to navigate through returned results.

HubSpot Developers

›

		records. Review the **CRM data filter options** for more information.
`propertyColumns`	Array	The properties to display as table columns.
`quickFilterProperties`	Array	The properties that appear as filters above the table. When included, the "Association label" quick filter will always display. See note below for more details on this prop.
`searchable`	Boolean	When set to `false`, hides the search bar above the table.
`sort`	Array	The default sorting behavior for the table. In each sort object in the array, you'll specify the following: `columnName`: the column to sort by. `direction`: the direction to sort by. Can be either `1` (ascending) or `-1` (descending). By default, order is ascending.

Please note:

For `quickFilterProperties`:

By default, four quick filters will display automatically depending on the object type.

Contacts (`0-1`): `[ 'hubspot_owner_id', 'createdate', 'hs_lead_status', 'notes_last_updated' ]`

Companies (`0-2`): `[ 'hubspot_owner_id', 'hs_lead_status', 'notes_last_updated', 'createdate' ]`

Deals (`0-3`): `[ 'hubspot_owner_id', 'closedate', 'createdate', 'dealstage' ]`

Tickets (`0-5`): `[ 'hubspot_owner_id', 'createdate', 'hs_pipeline_stage', 'hs_lastactivitydate' ]`

Custom objects do not have default quick filters.

An empty array (`[]`) will remove any default quick filters except for "Association label."

Related components

CrmAssociationPivot

HubSpot Developers

Last modified on January 28, 2026

Was this page helpful? Yes No

CrmAssociationStageTracker
Previous

CrmDataHighlight
Next

HubSpot Developers
Copyright © 2026 HubSpot, Inc
Privacy Policy
Security
Website Accessibility
Manage Cookies