Aggregate Data

Tyler Lau

July 18, 2016

[1] "No Sound Change, Token Freq T, Number of cases being considered: 5"

[1] "Only considering max suffixes: FALSE"

[1] "Dropping suffixes that appear 10 or less times"

[1] "Sg"

	Suffix	freq	Percent_Trials
2	e	28	56
6	o	8	16
1	-	7	14
3	es	3	6
7	s	2	4
4	i	1	2
5	is	1	2

[1] "SgNom,Acc"

	Suffix	freq	Percent_Trials
3	o	48	96
1	-	1	2
2	e	1	2

[1] "1SgNom,Acc"

	Suffix	freq	Percent_Trials
1	a	50	100

[1] "2SgNom,Acc"

	Suffix	freq	Percent_Trials
1	o	50	100

[1] "3SgNom,Acc"

	Suffix	freq	Percent_Trials
1	-	44	88
2	e	5	10
3	s	1	2

[1] "4SgNom,Acc"

	Suffix	freq	Percent_Trials
1	o	49	98
2	u	1	2

[1] "5SgNom,Acc"

	Suffix	freq	Percent_Trials
1	-	35	70
2	e	15	30

[1] "mSgNom,Acc"

	Suffix	freq	Percent_Trials
2	o	49	98
1	-	1	2

[1] "fSgNom,Acc"

	Suffix	freq	Percent_Trials
2	a	45	90
3	e	4	8

```
1      -    1               2
[1] "nSgNom,Acc"
  Suffix freq Percent_Trials
1      o   50             100
[1] "SgAcc,Abl"
  Suffix freq Percent_Trials
1      e   27              54
2      o   23              46
[1] "1SgAcc,Abl"
  Suffix freq Percent_Trials
1      a   50             100
[1] "2SgAcc,Abl"
  Suffix freq Percent_Trials
1      o   50             100
[1] "3SgAcc,Abl"
  Suffix freq Percent_Trials
2      e   49              98
1      -    1               2
[1] "4SgAcc,Abl"
  Suffix freq Percent_Trials
2      o   48              96
1      -    1               2
3      u    1               2
[1] "5SgAcc,Abl"
  Suffix freq Percent_Trials
2      e   49              98
1      -    1               2
[1] "mSgAcc,Abl"
  Suffix freq Percent_Trials
2      o   45              90
1      e    5              10
[1] "fSgAcc,Abl"
  Suffix freq Percent_Trials
2      e   47              94
1      a    3               6
[1] "nSgAcc,Abl"
  Suffix freq Percent_Trials
2      o   49              98
1      e    1               2
[1] "SgNom,Acc,Abl"
  Suffix freq Percent_Trials
3      o   47              94
2      e    2               4
1      -    1               2
[1] "1SgNom,Acc,Abl"
  Suffix freq Percent_Trials
1      a   50             100
[1] "2SgNom,Acc,Abl"
  Suffix freq Percent_Trials
1      o   50             100
[1] "3SgNom,Acc,Abl"
  Suffix freq Percent_Trials
2      e   49              98
1      -    1               2
```

```
[1] "4SgNom,Acc,Abl"
  Suffix freq Percent_Trials
1      o   46             92
2     os    3              6
3      u    1              2
[1] "5SgNom,Acc,Abl"
  Suffix freq Percent_Trials
2      e   48             96
1      -    1              2
3     es    1              2
[1] "mSgNom,Acc,Abl"
  Suffix freq Percent_Trials
2      o   49             98
1      -    1              2
[1] "fSgNom,Acc,Abl"
  Suffix freq Percent_Trials
1      a   46             92
2      e    4              8
[1] "nSgNom,Acc,Abl"
  Suffix freq Percent_Trials
1      o   50            100
[1] "SgGen,Dat"
  Suffix freq Percent_Trials
2      e   23             46
1      -    7             14
3     es    7             14
7      s    7             14
4      i    3              6
5     is    2              4
6      o    1              2
[1] "1SgGen,Dat"
  Suffix freq Percent_Trials
2      a   43             86
3     as    6             12
1      -    1              2
[1] "2SgGen,Dat"
  Suffix freq Percent_Trials
2      e   23             46
1      -   12             24
7      s    5             10
4      i    4              8
3     es    3              6
6      o    2              4
5     is    1              2
[1] "3SgGen,Dat"
  Suffix freq Percent_Trials
2      e   28             56
3     es    7             14
6      s    7             14
1      -    5             10
5     is    2              4
4      i    1              2
[1] "4SgGen,Dat"
  Suffix freq Percent_Trials
```

```
2       e   16              32
5       o   11              22
1       -    8              16
7       s    5              10
3      es    4               8
4       i    3               6
6      os    2               4
8       u    1               2
[1] "5SgGen,Dat"
  Suffix freq Percent_Trials
2       e   30              60
3      es    9              18
1       -    6              12
4       i    2               4
6       s    2               4
5      is    1               2
[1] "mSgGen,Dat"
  Suffix freq Percent_Trials
2       e   23              46
1       -    8              16
3      es    7              14
7       s    5              10
5      is    3               6
4       i    2               4
6       o    2               4
[1] "fSgGen,Dat"
  Suffix freq Percent_Trials
4       e   18              36
2       a   15              30
5      es    7              14
8       s    4               8
1       -    3               6
3      as    1               2
6       i    1               2
7      is    1               2
[1] "nSgGen,Dat"
  Suffix freq Percent_Trials
2       e   22              44
1       -   10              20
7       s    6              12
3      es    5              10
4       i    4               8
6       o    2               4
5      is    1               2
[1] "Nom"
  Suffix freq Percent_Trials
1       -   27              54
6       s   13              26
2       a    4               8
4      es    4               8
3       e    1               2
5      os    1               2
[1] "NomSg"
  Suffix freq Percent_Trials
```

```
1       -    44              88
3       o     4               8
2       e     1               2
4       s     1               2
[1] "1"
  Suffix freq Percent_Trials
1      a   41              82
2     as    8              16
3      s    1               2
[1] "1Sg"
  Suffix freq Percent_Trials
1      a   50             100
[1] "1SgNom"
  Suffix freq Percent_Trials
1      a   50             100
[1] "2"
  Suffix freq Percent_Trials
1      -   15              30
2      e   13              26
6      s    9              18
5      o    7              14
3     es    4               8
4      i    2               4
[1] "2Sg"
  Suffix freq Percent_Trials
1      o   50             100
[1] "2SgNom"
  Suffix freq Percent_Trials
1      o   50             100
[1] "3"
  Suffix freq Percent_Trials
2      e   25              50
4     es    9              18
1      -    7              14
7      s    6              12
3     eo    1               2
5      i    1               2
6     is    1               2
[1] "3Sg"
  Suffix freq Percent_Trials
2      e   40              80
1      -    4               8
3     es    2               4
6      s    2               4
4      i    1               2
5     is    1               2
[1] "3SgNom"
  Suffix freq Percent_Trials
1      -   44              88
2      e    4               8
3     es    1               2
4      s    1               2
[1] "4"
  Suffix freq Percent_Trials
```

```
2     e   11           22
1     -   10           20
5     o   10           20
7     s    9           18
3    es    5           10
4     i    2            4
6    os    2            4
8     u    1            2
[1] "4Sg"
  Suffix freq Percent_Trials
3      o   45           90
4     os    2            4
1      -    1            2
2     es    1            2
5      u    1            2
[1] "4SgNom"
  Suffix freq Percent_Trials
1      o   46           92
2     os    3            6
3      u    1            2
[1] "5"
  Suffix freq Percent_Trials
3      e   28           56
5     es   10           20
1      -    4            8
8      s    4            8
2      a    1            2
4     eo    1            2
6      i    1            2
7     is    1            2
[1] "5Sg"
  Suffix freq Percent_Trials
2      e   46           92
1      -    2            4
3     es    2            4
[1] "5SgNom"
  Suffix freq Percent_Trials
1      -   35           70
2      e   11           22
3     es    2            4
4      s    2            4
[1] "m"
  Suffix freq Percent_Trials
2      e   19           38
1      -   11           22
7      s    9           18
4     es    7           14
6      o    2            4
3     eo    1            2
5      i    1            2
[1] "mSg"
  Suffix freq Percent_Trials
2      e   25           50
5      o   17           34
```

```
1      -    3            6
3     es    3            6
4      i    1            2
6      s    1            2
[1] "mSgNom"
  Suffix freq Percent_Trials
2      o   46           92
1      -    3            6
3      s    1            2
[1] "m1Sg"
  Suffix freq Percent_Trials
1      a   50          100
[1] "m1SgNom"
  Suffix freq Percent_Trials
2      a   49           98
1      -    1            2
[1] "m2Sg"
  Suffix freq Percent_Trials
1      o   50          100
[1] "m2SgNom"
  Suffix freq Percent_Trials
1      o   50          100
[1] "m3Sg"
  Suffix freq Percent_Trials
2      e   49           98
1      -    1            2
[1] "m3SgNom"
  Suffix freq Percent_Trials
1      -   44           88
2      e    4            8
3     es    1            2
4      s    1            2
[1] "m4Sg"
  Suffix freq Percent_Trials
3      o   45           90
4     os    2            4
1      -    1            2
2     es    1            2
5      u    1            2
[1] "m4SgNom"
  Suffix freq Percent_Trials
1      o   46           92
2     os    3            6
3      u    1            2
[1] "m5Sg"
  Suffix freq Percent_Trials
2      e   46           92
1      -    2            4
3     es    2            4
[1] "m5SgNom"
  Suffix freq Percent_Trials
1      -   36           72
2      e   10           20
3     es    2            4
```

```
4     s    2              4
[1] "f"
  Suffix freq Percent_Trials
1     a   35             70
2    as    4              8
3     e    4              8
5     s    4              8
4    es    3              6
[1] "fSg"
  Suffix freq Percent_Trials
1     a   46             92
2     e    4              8
[1] "fSgNom"
  Suffix freq Percent_Trials
1     -   35             70
2     a    9             18
3     e    4              8
4    es    1              2
5     s    1              2
[1] "f1Sg"
  Suffix freq Percent_Trials
1     a   50            100
[1] "f1SgNom"
  Suffix freq Percent_Trials
1     a   50            100
[1] "f2Sg"
  Suffix freq Percent_Trials
4     o   43             86
1     -    5             10
2     e    1              2
3    es    1              2
[1] "f2SgNom"
  Suffix freq Percent_Trials
2     o   49             98
1     -    1              2
[1] "f3Sg"
  Suffix freq Percent_Trials
2     e   48             96
1     -    2              4
[1] "f3SgNom"
  Suffix freq Percent_Trials
1     -   44             88
2     e    4              8
3    es    1              2
4     s    1              2
[1] "f4Sg"
  Suffix freq Percent_Trials
4     o   43             86
1     -    3              6
2     e    1              2
3    es    1              2
5    os    1              2
6     u    1              2
[1] "f4SgNom"
```

```
  Suffix freq Percent_Trials
1      o   46             92
2     os    3              6
3      u    1              2
[1] "f5Sg"
  Suffix freq Percent_Trials
2      e   46             92
1      -    2              4
3     es    2              4
[1] "f5SgNom"
  Suffix freq Percent_Trials
1      -   35             70
2      e   11             22
3     es    2              4
4      s    2              4
[1] "n"
  Suffix freq Percent_Trials
1      -   17             34
3      e   12             24
7      s   11             22
4     es    4              8
6      o    3              6
5      i    2              4
2      a    1              2
[1] "nSg"
  Suffix freq Percent_Trials
2      e   18             36
6      o   17             34
1      -    9             18
3     es    2              4
7      s    2              4
4      i    1              2
5     is    1              2
[1] "nSgNom"
  Suffix freq Percent_Trials
1      o   50            100
[1] "n2Sg"
  Suffix freq Percent_Trials
1      o   50            100
[1] "n2SgNom"
  Suffix freq Percent_Trials
1      o   50            100
[1] "n3Sg"
  Suffix freq Percent_Trials
2      e   26             52
1      -   21             42
4      s    2              4
3     es    1              2
[1] "n3SgNom"
  Suffix freq Percent_Trials
1      -   48             96
2      e    1              2
3      s    1              2
[1] "n4Sg"
```

```
   Suffix freq Percent_Trials
3      o   45             90
4     os    2              4
1      -    1              2
2     es    1              2
5      u    1              2
[1] "n4SgNom"
   Suffix freq Percent_Trials
1      o   46             92
2     os    3              6
3      u    1              2
[1] "Acc"
   Suffix freq Percent_Trials
4      e   23             46
1      -    8             16
7      s    8             16
2      a    5             10
5     es    3              6
6      o    2              4
3     as    1              2
[1] "AccSg"
   Suffix freq Percent_Trials
3      o   30             60
2      e   19             38
1      -    1              2
[1] "1SgAcc"
   Suffix freq Percent_Trials
1      a   50            100
[1] "2SgAcc"
   Suffix freq Percent_Trials
1      o   50            100
[1] "3SgAcc"
   Suffix freq Percent_Trials
2      e   49             98
1      -    1              2
[1] "4SgAcc"
   Suffix freq Percent_Trials
1      o   49             98
2      u    1              2
[1] "5SgAcc"
   Suffix freq Percent_Trials
2      e   49             98
1      -    1              2
[1] "mSgAcc"
   Suffix freq Percent_Trials
2      o   49             98
1      -    1              2
[1] "m1SgAcc"
   Suffix freq Percent_Trials
1      a   50            100
[1] "m2SgAcc"
   Suffix freq Percent_Trials
1      o   50            100
[1] "m3SgAcc"
```

```
  Suffix freq Percent_Trials
2      e   48             96
1      -    2              4
[1] "m4SgAcc"
  Suffix freq Percent_Trials
1      o   49             98
2      u    1              2
[1] "m5SgAcc"
  Suffix freq Percent_Trials
2      e   49             98
1      -    1              2
[1] "fSgAcc"
  Suffix freq Percent_Trials
2      e   49             98
1      -    1              2
[1] "f1SgAcc"
  Suffix freq Percent_Trials
1      a   50            100
[1] "f2SgAcc"
  Suffix freq Percent_Trials
2      o   48             96
1      -    2              4
[1] "f3SgAcc"
  Suffix freq Percent_Trials
2      e   49             98
1      -    1              2
[1] "f4SgAcc"
  Suffix freq Percent_Trials
1      o   49             98
2      u    1              2
[1] "f5SgAcc"
  Suffix freq Percent_Trials
2      e   49             98
1      -    1              2
[1] "nSgAcc"
  Suffix freq Percent_Trials
1      o   50            100
[1] "n2SgAcc"
  Suffix freq Percent_Trials
1      o   50            100
[1] "n3SgAcc"
  Suffix freq Percent_Trials
1      -   32             64
2      e   18             36
[1] "n4SgAcc"
  Suffix freq Percent_Trials
1      o   49             98
2      u    1              2
[1] "Gen"
  Suffix freq Percent_Trials
2      e   17             34
3     es   11             22
1      -   10             20
7      s    9             18
```

```
4       i    1               2
5      is    1               2
6       o    1               2
[1] "GenSg"
  Suffix freq Percent_Trials
2       e   20              40
3      es   11              22
7       s    7              14
1       -    6              12
5      is    3               6
4       i    2               4
6       o    1               2
[1] "1SgGen"
  Suffix freq Percent_Trials
2       a   35              70
3      as   11              22
5       s    2               4
1       -    1               2
4      es    1               2
[1] "2SgGen"
  Suffix freq Percent_Trials
2       e   21              42
1       -   11              22
3      es    5              10
4       i    5              10
7       s    5              10
5      is    2               4
6       o    1               2
[1] "3SgGen"
  Suffix freq Percent_Trials
2       e   21              42
3      es   14              28
6       s    7              14
1       -    4               8
5      is    3               6
4       i    1               2
[1] "4SgGen"
  Suffix freq Percent_Trials
2       e   15              30
6       o   10              20
1       -    7              14
8       s    6              12
3      es    5              10
4       i    2               4
5      is    2               4
7      os    2               4
9       u    1               2
[1] "5SgGen"
  Suffix freq Percent_Trials
2       e   21              42
3      es   12              24
6       s    7              14
1       -    6              12
5      is    3               6
```

```
4       i    1                2
[1] "mSgGen"
   Suffix freq Percent_Trials
2       e   21                42
3      es   10                20
1       -    8                16
7       s    5                10
5      is    3                 6
4       i    2                 4
6       o    1                 2
[1] "m1SgGen"
   Suffix freq Percent_Trials
2       a   32                64
3      as   10                20
1       -    3                 6
4       e    2                 4
6       s    2                 4
5      es    1                 2
[1] "m2SgGen"
   Suffix freq Percent_Trials
2       e   21                42
1       -   11                22
3      es    6                12
4       i    5                10
7       s    4                 8
5      is    2                 4
6       o    1                 2
[1] "m3SgGen"
   Suffix freq Percent_Trials
2       e   21                42
3      es   14                28
6       s    7                14
1       -    4                 8
5      is    3                 6
4       i    1                 2
[1] "m4SgGen"
   Suffix freq Percent_Trials
2       e   15                30
6       o   10                20
1       -    7                14
8       s    6                12
3      es    5                10
4       i    2                 4
5      is    2                 4
7      os    2                 4
9       u    1                 2
[1] "m5SgGen"
   Suffix freq Percent_Trials
2       e   24                48
3      es   11                22
6       s    7                14
1       -    4                 8
5      is    3                 6
4       i    1                 2
```

```
[1] "fSgGen"
  Suffix freq Percent_Trials
3      e   17             34
4     es   10             20
2      a    8             16
7      s    7             14
1      -    4              8
6     is    3              6
5      i    1              2
[1] "f1SgGen"
  Suffix freq Percent_Trials
2      a   35             70
3     as   11             22
5      s    2              4
1      -    1              2
4     es    1              2
[1] "f2SgGen"
  Suffix freq Percent_Trials
2      e   19             38
1      -   14             28
3     es    6             12
7      s    5             10
4      i    3              6
5     is    2              4
6      o    1              2
[1] "f3SgGen"
  Suffix freq Percent_Trials
2      e   20             40
3     es   14             28
6      s    7             14
1      -    5             10
5     is    3              6
4      i    1              2
[1] "f4SgGen"
  Suffix freq Percent_Trials
2      e   14             28
6      o    9             18
1      -    8             16
8      s    7             14
3     es    6             12
5     is    2              4
7     os    2              4
4      i    1              2
9      u    1              2
[1] "f5SgGen"
  Suffix freq Percent_Trials
2      e   21             42
3     es   12             24
6      s    7             14
1      -    6             12
5     is    3              6
4      i    1              2
[1] "nSgGen"
  Suffix freq Percent_Trials
```

```
2      e   21              42
1      -   11              22
3     es    5              10
4      i    5              10
7      s    5              10
5     is    2               4
6      o    1               2
[1] "n2SgGen"
  Suffix freq Percent_Trials
2      e   21              42
1      -   11              22
3     es    5              10
4      i    5              10
7      s    5              10
5     is    2               4
6      o    1               2
[1] "n3SgGen"
  Suffix freq Percent_Trials
2      e   20              40
3     es   11              22
1      -    8              16
6      s    7              14
5     is    3               6
4      i    1               2
[1] "n4SgGen"
  Suffix freq Percent_Trials
2      e   16              32
6      o    9              18
1      -    8              16
3     es    5              10
8      s    5              10
4      i    2               4
5     is    2               4
7     os    2               4
9      u    1               2
[1] "Dat"
  Suffix freq Percent_Trials
3      e   21              42
1      -   11              22
4     es    7              14
8      s    6              12
5      i    2               4
2      a    1               2
6     is    1               2
7      o    1               2
[1] "DatSg"
  Suffix freq Percent_Trials
2      e   28              56
1      -    9              18
3     es    6              12
7      s    3               6
4      i    2               4
5     is    1               2
6      o    1               2
```

```
[1] "1SgDat"
  Suffix freq Percent_Trials
2      a   43             86
3     as    6             12
1      -    1              2
[1] "2SgDat"
  Suffix freq Percent_Trials
2      e   23             46
1      -   10             20
6      o    7             14
7      s    4              8
4      i    3              6
3     es    2              4
5     is    1              2
[1] "3SgDat"
  Suffix freq Percent_Trials
2      e   37             74
3     es    6             12
1      -    2              4
5     is    2              4
6      s    2              4
4      i    1              2
[1] "4SgDat"
  Suffix freq Percent_Trials
5      o   15             30
2      e   14             28
1      -    9             18
7      s    4              8
3     es    3              6
4      i    3              6
6     os    1              2
8      u    1              2
[1] "5SgDat"
  Suffix freq Percent_Trials
2      e   33             66
3     es    8             16
1      -    4              8
4      i    2              4
6      s    2              4
5     is    1              2
[1] "mSgDat"
  Suffix freq Percent_Trials
2      e   28             56
1      -    6             12
6      o    5             10
3     es    4              8
4      i    3              6
7      s    3              6
5     is    1              2
[1] "m1SgDat"
  Suffix freq Percent_Trials
2      a   44             88
3     as    5             10
1      -    1              2
```

```
[1] "m2SgDat"
  Suffix freq Percent_Trials
2      e   23             46
1      -   11             22
6      o    5             10
7      s    4              8
3     es    3              6
4      i    3              6
5     is    1              2
[1] "m3SgDat"
  Suffix freq Percent_Trials
2      e   37             74
3     es    6             12
1      -    2              4
5     is    2              4
6      s    2              4
4      i    1              2
[1] "m4SgDat"
  Suffix freq Percent_Trials
5      o   15             30
2      e   14             28
1      -    9             18
7      s    4              8
3     es    3              6
4      i    3              6
6     os    1              2
8      u    1              2
[1] "m5SgDat"
  Suffix freq Percent_Trials
2      e   34             68
3     es    8             16
1      -    3              6
4      i    2              4
6      s    2              4
5     is    1              2
[1] "fSgDat"
  Suffix freq Percent_Trials
4      e   31             62
5     es    6             12
1      -    4              8
2      a    3              6
6      i    2              4
8      s    2              4
3     as    1              2
7     is    1              2
[1] "f1SgDat"
  Suffix freq Percent_Trials
2      a   43             86
3     as    6             12
1      -    1              2
[1] "f2SgDat"
  Suffix freq Percent_Trials
2      e   18             36
1      -   15             30
```

```
6       o    5              10
7       s    5              10
3      es    3               6
4       i    3               6
5      is    1               2
[1] "f3SgDat"
   Suffix freq Percent_Trials
2       e   35              70
3      es    7              14
1       -    3               6
4       i    2               4
6       s    2               4
5      is    1               2
[1] "f4SgDat"
   Suffix freq Percent_Trials
5       o   15              30
2       e   14              28
1       -    9              18
3      es    4               8
7       s    4               8
4       i    2               4
6      os    1               2
8       u    1               2
[1] "f5SgDat"
   Suffix freq Percent_Trials
2       e   33              66
3      es    8              16
1       -    4               8
4       i    2               4
6       s    2               4
5      is    1               2
[1] "nSgDat"
   Suffix freq Percent_Trials
2       e   23              46
1       -   10              20
6       o    7              14
7       s    4               8
4       i    3               6
3      es    2               4
5      is    1               2
[1] "n2SgDat"
   Suffix freq Percent_Trials
2       e   23              46
1       -   10              20
6       o    7              14
7       s    4               8
4       i    3               6
3      es    2               4
5      is    1               2
[1] "n3SgDat"
   Suffix freq Percent_Trials
2       e   25              50
1       -   11              22
6       s    6              12
```

```
3     es     5              10
5     is     2               4
4      i     1               2
[1] "n4SgDat"
  Suffix freq Percent_Trials
2      e    16              32
5      o    14              28
1      -     8              16
7      s     4               8
3     es     3               6
4      i     3               6
6     os     1               2
8      u     1               2
[1] "Abl"
  Suffix freq Percent_Trials
3      e    23              46
9      s     8              16
6     es     6              12
1      -     5              10
5     eo     2               4
7      i     2               4
8      o     2               4
2      a     1               2
4   ebos     1               2
[1] "AblSg"
  Suffix freq Percent_Trials
1      e    30              60
2      o    20              40
[1] "1SgAbl"
  Suffix freq Percent_Trials
1      a    50             100
[1] "2SgAbl"
  Suffix freq Percent_Trials
1      o    49              98
2     os     1               2
[1] "3SgAbl"
  Suffix freq Percent_Trials
1      e    50             100
[1] "4SgAbl"
  Suffix freq Percent_Trials
2      o    44              88
3     os     4               8
1      -     1               2
4      u     1               2
[1] "5SgAbl"
  Suffix freq Percent_Trials
1      e    48              96
2     es     2               4
[1] "mSgAbl"
  Suffix freq Percent_Trials
2      o    44              88
1      e     5              10
3     os     1               2
[1] "m1SgAbl"
```

```
  Suffix freq Percent_Trials
2      a   44             88
3     ao    5             10
1      -    1              2
[1] "m2SgAbl"
  Suffix freq Percent_Trials
1      o   49             98
2     os    1              2
[1] "m3SgAbl"
  Suffix freq Percent_Trials
1      e   50            100
[1] "m4SgAbl"
  Suffix freq Percent_Trials
2      o   44             88
3     os    4              8
1      -    1              2
4      u    1              2
[1] "m5SgAbl"
  Suffix freq Percent_Trials
1      e   45             90
2     eo    3              6
3     es    2              4
[1] "fSgAbl"
  Suffix freq Percent_Trials
2      e   48             96
1      a    2              4
[1] "f1SgAbl"
  Suffix freq Percent_Trials
1      a   50            100
[1] "f2SgAbl"
  Suffix freq Percent_Trials
2      o   40             80
1      -    9             18
3     os    1              2
[1] "f3SgAbl"
  Suffix freq Percent_Trials
1      e   50            100
[1] "f4SgAbl"
  Suffix freq Percent_Trials
2      o   40             80
1      -    6             12
3     os    3              6
4      u    1              2
[1] "f5SgAbl"
  Suffix freq Percent_Trials
1      e   48             96
2     es    2              4
[1] "nSgAbl"
  Suffix freq Percent_Trials
1      o   49             98
2     os    1              2
[1] "n2SgAbl"
  Suffix freq Percent_Trials
1      o   49             98
```

```
2    os    1              2
[1] "n3SgAbl"
  Suffix freq Percent_Trials
2    e    27             54
1    -    20             40
3    s     3              6
[1] "n4SgAbl"
  Suffix freq Percent_Trials
2    o    44             88
3    os    4              8
1    -     1              2
4    u     1              2
[1] "Pl"
  Suffix freq Percent_Trials
3    e    14             28
1    -    12             24
7    s    10             20
5    es    8             16
2    a     2              4
4    eo    2              4
6    i     2              4
[1] "PlNom,Acc"
  Suffix freq Percent_Trials
1    -    15             30
6    s    13             26
2    a    10             20
5    es    9             18
3    as    2              4
4    e     1              2
[1] "1PlNom,Acc"
  Suffix freq Percent_Trials
1    a    34             68
2    as   14             28
3    es    2              4
[1] "2PlNom,Acc"
  Suffix freq Percent_Trials
1    -    24             48
7    s    11             22
2    a    10             20
3    as    2              4
4    e     1              2
5    es    1              2
6    os    1              2
[1] "3PlNom,Acc"
  Suffix freq Percent_Trials
4    es   17             34
5    s    12             24
1    -    11             22
3    e     9             18
2    a     1              2
[1] "4PlNom,Acc"
  Suffix freq Percent_Trials
1    -    20             40
6    s    11             22
```

```
2      e    6           12
4      o    6           12
3     es    4            8
5     os    2            4
7      u    1            2
[1] "5PlNom,Acc"
  Suffix freq Percent_Trials
4     es   26           52
1      -   12           24
3      e    8           16
2      a    3            6
5      s    1            2
[1] "mPlNom,Acc"
  Suffix freq Percent_Trials
1      -   22           44
5      s   14           28
4     es   10           20
3      e    3            6
2      a    1            2
[1] "fPlNom,Acc"
  Suffix freq Percent_Trials
2      a   19           38
5     es   16           32
3     as    9           18
1      -    2            4
4      e    2            4
6      s    2            4
[1] "nPlNom,Acc"
  Suffix freq Percent_Trials
1      -   18           36
6      s   13           26
2      a   12           24
5     es    4            8
3     as    2            4
4      e    1            2
[1] "PlAcc,Abl"
  Suffix freq Percent_Trials
4      e   15           30
9      s   11           22
1      -    8           16
7     es    7           14
2      a    3            6
6     eo    2            4
8      i    2            4
3     as    1            2
5   ebos    1            2
[1] "1PlAcc,Abl"
  Suffix freq Percent_Trials
2      a   34           68
3     as   14           28
1      -    1            2
4     eo    1            2
[1] "2PlAcc,Abl"
  Suffix freq Percent_Trials
```

```
1      -   24            48
7      s   10            20
4      e    8            16
2      a    3             6
5     es    3             6
3     as    1             2
6      i    1             2
```
[1] "3PlAcc,Abl"
```
  Suffix freq Percent_Trials
2      e   24            48
5     es   15            30
4     eo    3             6
1      -    2             4
3   ebos    2             4
6      i    2             4
7      s    2             4
```
[1] "4PlAcc,Abl"
```
  Suffix freq Percent_Trials
1      -   20            40
8      s    9            18
2      e    6            12
6      o    6            12
4     es    4             8
7     os    2             4
3     eo    1             2
5      i    1             2
9      u    1             2
```
[1] "5PlAcc,Abl"
```
  Suffix freq Percent_Trials
3      e   26            52
6     es   15            30
1      -    4             8
2      a    2             4
4   ebos    1             2
5     eo    1             2
7      s    1             2
```
[1] "mPlAcc,Abl"
```
  Suffix freq Percent_Trials
2      e   13            26
1      -   12            24
6      s   11            22
4     es   10            20
3     eo    2             4
5      i    2             4
```
[1] "fPlAcc,Abl"
```
  Suffix freq Percent_Trials
2      a   16            32
7     es   15            30
4      e    8            16
6     eo    3             6
1      -    2             4
3     as    2             4
5   ebos    2             4
8      i    1             2
```

```
9       s    1             2
[1] "nPlAcc,Abl"
  Suffix freq Percent_Trials
1      -   13            26
4      e   11            22
7      s   11            22
2      a    6            12
5     es    5            10
3     as    2             4
6      i    2             4
[1] "PlNom,Acc,Abl"
  Suffix freq Percent_Trials
7      s   14            28
1      -   13            26
5     es    9            18
2      a    8            16
4      e    4             8
3     as    1             2
6      i    1             2
[1] "1PlNom,Acc,Abl"
  Suffix freq Percent_Trials
1      a   34            68
2     as   13            26
3     es    2             4
4      s    1             2
[1] "2PlNom,Acc,Abl"
  Suffix freq Percent_Trials
1      -   25            50
6      s   11            22
2      a    7            14
5     es    4             8
4      e    2             4
3     as    1             2
[1] "3PlNom,Acc,Abl"
  Suffix freq Percent_Trials
5     es   23            46
2      e   11            22
1      -    7            14
7      s    6            12
3   ebos    1             2
4     eo    1             2
6      i    1             2
[1] "4PlNom,Acc,Abl"
  Suffix freq Percent_Trials
1      -   20            40
6      s   11            22
4      o    6            12
2      e    5            10
3     es    5            10
5     os    2             4
7      u    1             2
[1] "5PlNom,Acc,Abl"
  Suffix freq Percent_Trials
6     es   26            52
```

```
3      e    10          20
1      -     9          18
2      a     2           4
4   ebos     1           2
5     eo     1           2
7      s     1           2
[1] "mPlNom,Acc,Abl"
   Suffix freq Percent_Trials
1      -    20          40
6      s    12          24
4     es     9          18
2      e     7          14
3     eo     1           2
5      i     1           2
[1] "fPlNom,Acc,Abl"
   Suffix freq Percent_Trials
2      a    23          46
7     es    10          20
3     as     8          16
1      -     2           4
4      e     2           4
9      s     2           4
5   ebos     1           2
6     eo     1           2
8      i     1           2
[1] "nPlNom,Acc,Abl"
   Suffix freq Percent_Trials
1      -    17          34
6      s    14          28
2      a    11          22
4      e     3           6
5     es     3           6
3     as     2           4
[1] "PlGen,Dat"
   Suffix freq Percent_Trials
3      e    14          28
1      -    13          26
5     es     8          16
8      s     8          16
4     eo     3           6
6      i     2           4
2      a     1           2
7      o     1           2
[1] "1PlGen,Dat"
   Suffix freq Percent_Trials
2      a    33          66
4     as    10          20
8      s     2           4
1      -     1           2
3     ao     1           2
5    aso     1           2
6      e     1           2
7      o     1           2
[1] "2PlGen,Dat"
```

```
   Suffix freq Percent_Trials
1      -   17           34
3      e   12           24
7      s   10           20
4     es    5           10
6      o    3            6
5      i    2            4
2      a    1            2
[1] "3PlGen,Dat"
   Suffix freq Percent_Trials
2      e   16           32
1      -   10           20
5     es   10           20
8      s    7           14
4     eo    3            6
6      i    2            4
3   ebos    1            2
7      o    1            2
[1] "4PlGen,Dat"
   Suffix freq Percent_Trials
2      e   17           34
1      -   10           20
4     es    8           16
7      s    8           16
3     eo    3            6
5      i    2            4
6      o    1            2
8      u    1            2
[1] "5PlGen,Dat"
   Suffix freq Percent_Trials
3      e   16           32
1      -   11           22
6     es   10           20
9      s    5           10
5     eo    3            6
7      i    2            4
2      a    1            2
4   ebos    1            2
8      o    1            2
[1] "mPlGen,Dat"
   Suffix freq Percent_Trials
2      e   17           34
1      -   12           24
7      s    8           16
4     es    7           14
3     eo    3            6
5      i    2            4
6      o    1            2
[1] "fPlGen,Dat"
   Suffix freq Percent_Trials
2      a   13           26
4      e   13           26
7     es    9           18
10     s    4            8
```

```
1        -    3              6
6       eo    3              6
8        i    2              4
3       as    1              2
5     ebos    1              2
9        o    1              2
[1] "nPlGen,Dat"
  Suffix freq Percent_Trials
1        -   15             30
3        e   13             26
7        s   10             20
4       es    5             10
6        o    3              6
2        a    2              4
5        i    2              4
[1] "NomPl"
  Suffix freq Percent_Trials
1        -   17             34
6        s   15             30
4       es   11             22
2        a    5             10
3        e    1              2
5       is    1              2
[1] "1Pl"
  Suffix freq Percent_Trials
2        a   32             64
3       as   14             28
1        -    1              2
4        e    1              2
5        o    1              2
6        s    1              2
[1] "1PlNom"
  Suffix freq Percent_Trials
1        a   33             66
2       as   14             28
3       es    2              4
4        s    1              2
[1] "2Pl"
  Suffix freq Percent_Trials
1        -   17             34
3        e   11             22
7        s   11             22
4       es    5             10
2        a    2              4
5        i    2              4
6        o    2              4
[1] "2PlNom"
  Suffix freq Percent_Trials
1        -   21             42
6        s   15             30
2        a   10             20
4       es    2              4
3        e    1              2
5       os    1              2
```

```
[1] "3Pl"
  Suffix freq Percent_Trials
2      e   16              32
5     es   13              26
7      s    8              16
1      -    7              14
4     eo    3               6
6      i    2               4
3   ebos    1               2
[1] "3PlNom"
  Suffix freq Percent_Trials
4     es   17              34
6      s   16              32
1      -   12              24
3      e    3               6
2      a    1               2
5     is    1               2
[1] "4Pl"
  Suffix freq Percent_Trials
1      -   14              28
8      s   10              20
2      e    9              18
4     es    6              12
6      o    5              10
3     eo    2               4
5      i    2               4
7     os    1               2
9      u    1               2
[1] "4PlNom"
  Suffix freq Percent_Trials
1      -   18              36
6      s   13              26
4      o    6              12
2      e    5              10
3     es    5              10
5     os    2               4
7      u    1               2
[1] "5Pl"
  Suffix freq Percent_Trials
3      e   17              34
6     es   13              26
1      -    9              18
8      s    4               8
5     eo    3               6
7      i    2               4
2      a    1               2
4   ebos    1               2
[1] "5PlNom"
  Suffix freq Percent_Trials
4     es   18              36
1      -   14              28
6      s   13              26
2      a    3               6
3      e    1               2
```

```
5     is     1                2
[1] "mPl"
   Suffix freq Percent_Trials
2     e    16               32
1     -    11               22
7     s    11               22
4     es    7               14
3     eo    2                4
5     i     2                4
6     o     1                2
[1] "mPlNom"
   Suffix freq Percent_Trials
1     -    19               38
7     s    15               30
4     es    9               18
3     e     4                8
2     a     1                2
5     is    1                2
6     os    1                2
[1] "m1Pl"
   Suffix freq Percent_Trials
2     a    32               64
3     as   12               24
1     -     2                4
6     s     2                4
4     e     1                2
5     o     1                2
[1] "m1PlNom"
   Suffix freq Percent_Trials
2     a    32               64
3     as   14               28
4     es    2                4
1     -     1                2
5     s     1                2
[1] "m2Pl"
   Suffix freq Percent_Trials
1     -    14               28
3     e    14               28
8     s    11               22
5     es    6               12
6     i     2                4
2     a     1                2
4     eo    1                2
7     o     1                2
[1] "m2PlNom"
   Suffix freq Percent_Trials
1     -    24               48
6     s    15               30
2     a     4                8
4     es    4                8
3     e     2                4
5     os    1                2
[1] "m3Pl"
   Suffix freq Percent_Trials
```

```
2      e   18                36
5     es   14                28
1      -    7                14
7      s    5                10
4     eo    3                 6
6      i    2                 4
3   ebos    1                 2
[1] "m3PlNom"
  Suffix freq Percent_Trials
4     es   17                34
6      s   16                32
1      -   12                24
3      e    3                 6
2      a    1                 2
5     is    1                 2
[1] "m4Pl"
  Suffix freq Percent_Trials
1      -   14                28
8      s   10                20
2      e    9                18
4     es    6                12
6      o    5                10
3     eo    2                 4
5      i    2                 4
7     os    1                 2
9      u    1                 2
[1] "m4PlNom"
  Suffix freq Percent_Trials
1      -   18                36
6      s   13                26
4      o    6                12
2      e    5                10
3     es    5                10
5     os    2                 4
7      u    1                 2
[1] "m5Pl"
  Suffix freq Percent_Trials
3      e   20                40
6     es   12                24
1      -    7                14
8      s    4                 8
5     eo    3                 6
7      i    2                 4
2      a    1                 2
4   ebos    1                 2
[1] "m5PlNom"
  Suffix freq Percent_Trials
5     es   15                30
7      s   15                30
1      -   13                26
2      a    3                 6
4      e    2                 4
3     as    1                 2
6     is    1                 2
```

```
[1] "fPl"
  Suffix freq Percent_Trials
2      a   24              48
6     es    9              18
3     as    5              10
8      s    4               8
4      e    3               6
1      -    2               4
5     eo    2               4
7      i    1               2
[1] "fPlNom"
  Suffix freq Percent_Trials
4     es   17              34
6      s   13              26
1      -   10              20
2      a    8              16
3      e    1               2
5     is    1               2
[1] "f1Pl"
  Suffix freq Percent_Trials
2      a   33              66
3     as   13              26
1      -    1               2
4      e    1               2
5      o    1               2
6      s    1               2
[1] "f1PlNom"
  Suffix freq Percent_Trials
1      a   33              66
2     as   14              28
3     es    2               4
4      s    1               2
[1] "f2Pl"
  Suffix freq Percent_Trials
1      -   17              34
3      e   11              22
8      s   11              22
5     es    6              12
6      i    2               4
2      a    1               2
4     eo    1               2
7      o    1               2
[1] "f2PlNom"
  Suffix freq Percent_Trials
1      -   23              46
6      s   16              32
4     es    4               8
2      a    3               6
3      e    3               6
5     os    1               2
[1] "f3Pl"
  Suffix freq Percent_Trials
2      e   17              34
5     es   15              30
```

```
1      -    7            14
7      s    5            10
4     eo    3             6
6      i    2             4
3   ebos    1             2
[1] "f3PlNom"
   Suffix freq Percent_Trials
4     es   18            36
6      s   16            32
1      -   12            24
3      e    2             4
2      a    1             2
5     is    1             2
[1] "f4Pl"
   Suffix freq Percent_Trials
1      -   15            30
8      s    9            18
2      e    8            16
4     es    7            14
6      o    5            10
3     eo    2             4
5      i    2             4
7     os    1             2
9      u    1             2
[1] "f4PlNom"
   Suffix freq Percent_Trials
1      -   19            38
6      s   13            26
2      e    5            10
3     es    5            10
4      o    5            10
5     os    2             4
7      u    1             2
[1] "f5Pl"
   Suffix freq Percent_Trials
3      e   17            34
6     es   13            26
1      -    9            18
8      s    4             8
5     eo    3             6
7      i    2             4
2      a    1             2
4   ebos    1             2
[1] "f5PlNom"
   Suffix freq Percent_Trials
4     es   18            36
1      -   14            28
6      s   13            26
2      a    3             6
3      e    1             2
5     is    1             2
[1] "nPl"
   Suffix freq Percent_Trials
1      -   16            32
```

32

```
3      e   11              22
7      s   11              22
4     es    5              10
2      a    3               6
5      i    2               4
6      o    2               4
```
[1] "nPlNom"
```
   Suffix freq Percent_Trials
1       -   21              42
6       s   15              30
2       a   10              20
4      es    2               4
3       e    1               2
5      os    1               2
```
[1] "n2Pl"
```
   Suffix freq Percent_Trials
1       -   16              32
7       s   11              22
3       e   10              20
4      es    5              10
2       a    4               8
5       i    2               4
6       o    2               4
```
[1] "n2PlNom"
```
   Suffix freq Percent_Trials
1       -   21              42
7       s   14              28
2       a   10              20
5      es    2               4
3      as    1               2
4       e    1               2
6      os    1               2
```
[1] "n3Pl"
```
    Suffix freq Percent_Trials
1        -   16              32
10       s    9              18
4        e    8              16
7       es    6              12
2        a    4               8
6       eo    2               4
8        i    2               4
3       as    1               2
5     ebos    1               2
9        o    1               2
```
[1] "n3PlNom"
```
   Suffix freq Percent_Trials
6       s   17              34
1       -   13              26
2       a   11              22
5      es    6              12
4       e    2               4
3      as    1               2
```
[1] "n4Pl"
```
   Suffix freq Percent_Trials
```

```
1      -   16            32
8      s   11            22
2      e    8            16
4     es    5            10
6      o    4             8
3     eo    2             4
5      i    2             4
7     os    1             2
9      u    1             2
[1] "n4PlNom"
  Suffix freq Percent_Trials
1      -   20            40
6      s   14            28
4      o    5            10
2      e    4             8
3     es    4             8
5     os    2             4
7      u    1             2
[1] "AccPl"
  Suffix freq Percent_Trials
5     es   12            24
1      -   11            22
2      a   10            20
6      s    9            18
4      e    6            12
3     as    2             4
[1] "1PlAcc"
  Suffix freq Percent_Trials
1      a   32            64
2     as   14            28
3     es    4             8
[1] "2PlAcc"
  Suffix freq Percent_Trials
1      -   20            40
2      a   15            30
6      s   11            22
3     as    2             4
4      e    1             2
5     es    1             2
[1] "3PlAcc"
  Suffix freq Percent_Trials
3     es   26            52
2      e   20            40
1      -    3             6
4      s    1             2
[1] "4PlAcc"
  Suffix freq Percent_Trials
1      -   20            40
6      s   11            22
4      o    8            16
2      e    4             8
3     es    4             8
5     os    2             4
7      u    1             2
```

```
[1] "5PlAcc"
  Suffix freq Percent_Trials
4     es   27             54
3      e   16             32
1      -    4              8
2      a    2              4
5      s    1              2
[1] "mPlAcc"
  Suffix freq Percent_Trials
1      -   20             40
3     es   12             24
4      s   10             20
2      e    8             16
[1] "m1PlAcc"
  Suffix freq Percent_Trials
2      a   31             62
3     as   14             28
4     es    4              8
1      -    1              2
[1] "m2PlAcc"
  Suffix freq Percent_Trials
1      -   29             58
5      s   13             26
2      a    3              6
3      e    3              6
4     es    2              4
[1] "m3PlAcc"
  Suffix freq Percent_Trials
3     es   26             52
2      e   19             38
1      -    4              8
4      s    1              2
[1] "m4PlAcc"
  Suffix freq Percent_Trials
1      -   20             40
6      s   11             22
4      o    8             16
2      e    4              8
3     es    4              8
5     os    2              4
7      u    1              2
[1] "m5PlAcc"
  Suffix freq Percent_Trials
4     es   25             50
3      e   18             36
1      -    3              6
2      a    3              6
5      s    1              2
[1] "fPlAcc"
  Suffix freq Percent_Trials
4     es   27             54
3      e   15             30
2      a    5             10
1      -    2              4
```

```
5      s    1              2
[1] "f1PlAcc"
   Suffix freq Percent_Trials
1      a   32             64
2     as   14             28
3     es    4              8
[1] "f2PlAcc"
   Suffix freq Percent_Trials
1      -   26             52
5      s   12             24
3      e    5             10
4     es    4              8
2      a    3              6
[1] "f3PlAcc"
   Suffix freq Percent_Trials
3     es   27             54
2      e   19             38
1      -    2              4
4      s    2              4
[1] "f4PlAcc"
   Suffix freq Percent_Trials
1      -   18             36
7      s   10             20
5      o    8             16
3      e    5             10
4     es    5             10
6     os    2              4
2      a    1              2
8      u    1              2
[1] "f5PlAcc"
   Suffix freq Percent_Trials
4     es   27             54
3      e   16             32
1      -    4              8
2      a    2              4
5      s    1              2
[1] "nPlAcc"
   Suffix freq Percent_Trials
1      -   20             40
2      a   15             30
6      s   11             22
3     as    2              4
4      e    1              2
5     es    1              2
[1] "n2PlAcc"
   Suffix freq Percent_Trials
1      -   20             40
2      a   15             30
6      s   11             22
3     as    2              4
4      e    1              2
5     es    1              2
[1] "n3PlAcc"
   Suffix freq Percent_Trials
```

```
2       a   14              28
6       s   13              26
1       -    9              18
4       e    6              12
5      es    6              12
3      as    2               4
[1] "n4PlAcc"
  Suffix freq Percent_Trials
1       -   22              44
6       s   11              22
4       o    8              16
2       e    3               6
3      es    3               6
5      os    2               4
7       u    1               2
[1] "GenPl"
  Suffix freq Percent_Trials
2       e   15              30
1       -   11              22
5      es    9              18
8       s    8              16
4      eo    2               4
6       i    2               4
7       o    2               4
3    ebos    1               2
[1] "1PlGen"
  Suffix freq Percent_Trials
2       a   33              66
4      as    8              16
9       s    3               6
1       -    1               2
3      ao    1               2
5     aso    1               2
6     bos    1               2
7       e    1               2
8       o    1               2
[1] "2PlGen"
  Suffix freq Percent_Trials
1       -   17              34
3       e   12              24
7       s   10              20
4      es    5              10
6       o    3               6
5       i    2               4
2       a    1               2
[1] "3PlGen"
  Suffix freq Percent_Trials
2       e   16              32
5      es   10              20
1       -    9              18
8       s    8              16
4      eo    3               6
6       i    2               4
3    ebos    1               2
```

```
7       o    1                2
[1] "4PlGen"
   Suffix freq Percent_Trials
2       e   16               32
4      es   10               20
1       -    9               18
8       s    8               16
3      eo    2                4
6       i    2                4
5     eso    1                2
7       o    1                2
9       u    1                2
[1] "5PlGen"
   Suffix freq Percent_Trials
3       e   14               28
1       -   11               22
6      es   10               20
9       s    7               14
5      eo    3                6
7       i    2                4
2       a    1                2
4    ebos    1                2
8       o    1                2
[1] "mPlGen"
   Suffix freq Percent_Trials
2       e   16               32
1       -   11               22
7       s    9               18
4      es    8               16
3      eo    3                6
5       i    2                4
6       o    1                2
[1] "m1PlGen"
   Suffix freq Percent_Trials
2       a   30               60
4      as    8               16
1       -    3                6
9       s    3                6
7       e    2                4
3      ao    1                2
5     aso    1                2
6     bos    1                2
8       o    1                2
[1] "m2PlGen"
   Suffix freq Percent_Trials
2       e   16               32
7       s   12               24
1       -   11               22
4      es    6               12
5       i    2                4
6       o    2                4
3      eo    1                2
[1] "m3PlGen"
   Suffix freq Percent_Trials
```

```
2      e   16              32
5     es   10              20
1      -    9              18
8      s    8              16
4     eo    3               6
6      i    2               4
3   ebos    1               2
7      o    1               2
[1] "m4PlGen"
   Suffix freq Percent_Trials
2      e   16              32
4     es   10              20
1      -    9              18
8      s    8              16
3     eo    2               4
6      i    2               4
5    eso    1               2
7      o    1               2
9      u    1               2
[1] "m5PlGen"
   Suffix freq Percent_Trials
3      e   16              32
6     es   10              20
1      -    9              18
9      s    7              14
5     eo    3               6
7      i    2               4
2      a    1               2
4   ebos    1               2
8      o    1               2
[1] "fPlGen"
   Suffix freq Percent_Trials
3      e   12              24
6     es   10              20
1      -    8              16
9      s    7              14
2      a    6              12
5     eo    3               6
7      i    2               4
4   ebos    1               2
8      o    1               2
[1] "f1PlGen"
   Suffix freq Percent_Trials
2      a   33              66
4     as    8              16
9      s    3               6
1      -    1               2
3     ao    1               2
5    aso    1               2
6    bos    1               2
7      e    1               2
8      o    1               2
[1] "f2PlGen"
   Suffix freq Percent_Trials
```

```
2      e   14              28
1      -   13              26
7      s   12              24
4     es    6              12
5      i    2               4
6      o    2               4
3     eo    1               2
[1] "f3PlGen"
  Suffix freq Percent_Trials
2      e   16              32
5     es   10              20
1      -    9              18
8      s    8              16
4     eo    3               6
6      i    2               4
3   ebos    1               2
7      o    1               2
[1] "f4PlGen"
  Suffix freq Percent_Trials
2      e   16              32
7      s   10              20
1      -    9              18
4     es    8              16
3     eo    3               6
5      i    2               4
6      o    1               2
8      u    1               2
[1] "f5PlGen"
  Suffix freq Percent_Trials
3      e   14              28
1      -   11              22
6     es   10              20
9      s    7              14
5     eo    3               6
7      i    2               4
2      a    1               2
4   ebos    1               2
8      o    1               2
[1] "nPlGen"
  Suffix freq Percent_Trials
1      -   17              34
3      e   12              24
7      s   10              20
4     es    5              10
6      o    3               6
5      i    2               4
2      a    1               2
[1] "n2PlGen"
  Suffix freq Percent_Trials
1      -   17              34
3      e   12              24
7      s   10              20
4     es    5              10
6      o    3               6
```

```
5     i   2              4
2     a   1              2
[1] "n3PlGen"
  Suffix freq Percent_Trials
1      -  14             28
3      e  11             22
6     es   8             16
9      s   7             14
2      a   3              6
5     eo   2              4
7      i   2              4
8      o   2              4
4   ebos   1              2
[1] "n4PlGen"
  Suffix freq Percent_Trials
2      e  16             32
1      -  10             20
4     es   9             18
7      s   8             16
3     eo   3              6
5      i   2              4
6      o   1              2
8      u   1              2
[1] "DatPl"
  Suffix freq Percent_Trials
3      e  15             30
1      -  12             24
5     es   9             18
8      s   7             14
4     eo   3              6
6      i   2              4
2      a   1              2
7      o   1              2
[1] "1PlDat"
  Suffix freq Percent_Trials
2      a  32             64
4     as  12             24
1      -   1              2
3     ao   1              2
5    aso   1              2
6      e   1              2
7      o   1              2
8      s   1              2
[1] "2PlDat"
  Suffix freq Percent_Trials
1      -  14             28
3      e  13             26
7      s  10             20
4     es   5             10
2      a   3              6
6      o   3              6
5      i   2              4
[1] "3PlDat"
  Suffix freq Percent_Trials
```

```
2      e   21             42
4      es  12             24
1      -    7             14
7      s    4              8
3      eo   3              6
5      i    2              4
6      o    1              2
[1] "4PlDat"
  Suffix freq Percent_Trials
2      e   17             34
1      -   10             20
4      es   8             16
7      s    8             16
3      eo   3              6
5      i    2              4
6      o    1              2
8      u    1              2
[1] "5PlDat"
  Suffix freq Percent_Trials
3      e   21             42
5      es  11             22
1      -    6             12
8      s    5             10
4      eo   3              6
6      i    2              4
2      a    1              2
7      o    1              2
[1] "mPlDat"
  Suffix freq Percent_Trials
2      e   16             32
1      -   13             26
7      s    8             16
4      es   7             14
3      eo   3              6
5      i    2              4
6      o    1              2
[1] "m1PlDat"
  Suffix freq Percent_Trials
2      a   31             62
4      as  12             24
1      -    2              4
3      ao   1              2
5      aso  1              2
6      e    1              2
7      o    1              2
8      s    1              2
[1] "m2PlDat"
  Suffix freq Percent_Trials
3      e   15             30
1      -   13             26
8      s   10             20
5      es   6             12
6      i    2              4
7      o    2              4
```

```
2       a    1                2
4      eo    1                2
[1] "m3PlDat"
   Suffix freq Percent_Trials
2       e   21               42
4      es   12               24
1       -    7               14
7       s    4                8
3      eo    3                6
5       i    2                4
6       o    1                2
[1] "m4PlDat"
   Suffix freq Percent_Trials
2       e   17               34
1       -   10               20
4      es    8               16
7       s    8               16
3      eo    3                6
5       i    2                4
6       o    1                2
8       u    1                2
[1] "m5PlDat"
   Suffix freq Percent_Trials
3       e   22               44
5      es   12               24
1       -    5               10
8       s    4                8
4      eo    3                6
6       i    2                4
2       a    1                2
7       o    1                2
[1] "fPlDat"
   Suffix freq Percent_Trials
4       e   19               38
6      es   12               24
1       -    4                8
2       a    4                8
9       s    4                8
5      eo    3                6
7       i    2                4
3      as    1                2
8       o    1                2
[1] "f1PlDat"
   Suffix freq Percent_Trials
2       a   32               64
4      as   12               24
1       -    1                2
3      ao    1                2
5     aso    1                2
6       e    1                2
7       o    1                2
8       s    1                2
[1] "f2PlDat"
   Suffix freq Percent_Trials
```

```
3    e   15          30
1    -   13          26
8    s   10          20
5   es    6          12
6    i    2           4
7    o    2           4
2    a    1           2
4   eo    1           2
[1] "f3PlDat"
  Suffix freq Percent_Trials
2    e   20          40
4   es   13          26
1    -    7          14
7    s    4           8
3   eo    3           6
5    i    2           4
6    o    1           2
[1] "f4PlDat"
  Suffix freq Percent_Trials
2    e   17          34
1    -   10          20
7    s    9          18
4   es    7          14
3   eo    3           6
5    i    2           4
6    o    1           2
8    u    1           2
[1] "f5PlDat"
  Suffix freq Percent_Trials
3    e   21          42
5   es   11          22
1    -    6          12
8    s    5          10
4   eo    3           6
6    i    2           4
2    a    1           2
7    o    1           2
[1] "nPlDat"
  Suffix freq Percent_Trials
1    -   15          30
3    e   12          24
7    s   10          20
4   es    5          10
2    a    3           6
6    o    3           6
5    i    2           4
[1] "n2PlDat"
  Suffix freq Percent_Trials
1    -   15          30
3    e   12          24
7    s   10          20
4   es    5          10
2    a    3           6
6    o    3           6
```

```
5       i    2              4
[1] "n3PlDat"
   Suffix freq Percent_Trials
1       -   15             30
3       e   11             22
8       s    8             16
5      es    7             14
2       a    3              6
4      eo    2              4
6       i    2              4
7       o    2              4
[1] "n4PlDat"
   Suffix freq Percent_Trials
2       e   16             32
1       -   11             22
4      es    8             16
7       s    8             16
3      eo    3              6
5       i    2              4
6       o    1              2
8       u    1              2
[1] "AblPl"
   Suffix freq Percent_Trials
2       e   14             28
1       -   10             20
5      es    9             18
7       s    9             18
4      eo    4              8
3    ebos    2              4
6       i    2              4
[1] "1PlAbl"
   Suffix freq Percent_Trials
2       a   29             58
3      as   11             22
1       -    2              4
4     bos    2              4
9       s    2              4
5       e    1              2
6      eo    1              2
7       i    1              2
8       o    1              2
[1] "2PlAbl"
   Suffix freq Percent_Trials
3       e   14             28
8       s   13             26
1       -   12             24
5      es    6             12
6       i    2              4
2       a    1              2
4      eo    1              2
7       o    1              2
[1] "3PlAbl"
   Suffix freq Percent_Trials
2       e   19             38
```

```
5     es    19           38
4     eo     4            8
1      -     2            4
3    ebos    2            4
6      i     2            4
7      s     2            4
[1] "4PlAbl"
   Suffix freq Percent_Trials
1      -    12           24
8      s    12           24
2      e    10           20
4     es     5           10
3     eo     3            6
6      o     3            6
5      i     2            4
7     os     2            4
9      u     1            2
[1] "5PlAbl"
   Suffix freq Percent_Trials
3      e    18           36
6     es    18           36
1      -     4            8
5     eo     3            6
4    ebos    2            4
7      i     2            4
2      a     1            2
8     io     1            2
9      s     1            2
[1] "mPlAbl"
   Suffix freq Percent_Trials
2      e    15           30
6      s    11           22
1      -     9           18
4     es     9           18
3     eo     4            8
5      i     2            4
[1] "m1PlAbl"
   Suffix freq Percent_Trials
2      a    31           62
3     as     9           18
4    bos     2            4
5      e     2            4
1      -     1            2
6     eo     1            2
7     es     1            2
8      i     1            2
9      o     1            2
10     s     1            2
[1] "m2PlAbl"
   Suffix freq Percent_Trials
2      e    15           30
7      s    14           28
1      -    10           20
4     es     7           14
```

```
5      i    2              4
3     eo    1              2
6      o    1              2
[1] "m3PlAbl"
  Suffix freq Percent_Trials
5     es   20             40
2      e   18             36
4     eo    4              8
1      -    2              4
3   ebos    2              4
6      i    2              4
7      s    2              4
[1] "m4PlAbl"
  Suffix freq Percent_Trials
1      -   12             24
8      s   12             24
2      e   10             20
4     es    5             10
3     eo    3              6
6      o    3              6
5      i    2              4
7     os    2              4
9      u    1              2
[1] "m5PlAbl"
  Suffix freq Percent_Trials
6     es   19             38
3      e   18             36
5     eo    3              6
1      -    2              4
4   ebos    2              4
7      i    2              4
9      s    2              4
2      a    1              2
8     io    1              2
[1] "fPlAbl"
  Suffix freq Percent_Trials
6     es   18             36
3      e   16             32
2      a    5             10
5     eo    4              8
1      -    2              4
4   ebos    2              4
7      i    2              4
8      s    1              2
[1] "f1PlAbl"
  Suffix freq Percent_Trials
2      a   29             58
3     as   11             22
1      -    2              4
4    bos    2              4
9      s    2              4
5      e    1              2
6     eo    1              2
7      i    1              2
```

```
8      o    1                  2
[1] "f2PlAbl"
   Suffix freq Percent_Trials
2      e   15                 30
7      s   14                 28
1      -   10                 20
4     es    7                 14
5      i    2                  4
3     eo    1                  2
6      o    1                  2
[1] "f3PlAbl"
   Suffix freq Percent_Trials
2      e   19                 38
5     es   19                 38
4     eo    4                  8
1      -    2                  4
3   ebos    2                  4
6      i    2                  4
7      s    2                  4
[1] "f4PlAbl"
   Suffix freq Percent_Trials
1      -   12                 24
8      s   10                 20
4     es    9                 18
2      e    8                 16
3     eo    3                  6
6      o    3                  6
5      i    2                  4
7     os    2                  4
9      u    1                  2
[1] "f5PlAbl"
   Suffix freq Percent_Trials
3      e   18                 36
6     es   18                 36
1      -    4                  8
5     eo    3                  6
4   ebos    2                  4
7      i    2                  4
2      a    1                  2
8     io    1                  2
9      s    1                  2
[1] "nPlAbl"
   Suffix freq Percent_Trials
3      e   13                 26
8      s   13                 26
1      -   12                 24
5     es    6                 12
6      i    2                  4
7      o    2                  4
2      a    1                  2
4     eo    1                  2
[1] "n2PlAbl"
   Suffix freq Percent_Trials
1      -   13                 26
```

```
3      e   13           26
8      s   13           26
5     es    6           12
6      i    2            4
2      a    1            2
4     eo    1            2
7      o    1            2
[1] "n3PlAbl"
  Suffix freq Percent_Trials
1      -   13           26
3      e   11           22
6     es    8           16
9      s    8           16
5     eo    3            6
2      a    2            4
4   ebos    2            4
7      i    2            4
8      o    1            2
[1] "n4PlAbl"
  Suffix freq Percent_Trials
1      -   13           26
8      s   12           24
2      e   10           20
4     es    4            8
3     eo    3            6
6      o    3            6
5      i    2            4
7     os    2            4
9      u    1            2


[1] "common_system_distrib"
   Percent_Match freq Percent_Trials
1       40.00000    1              2
2       42.66667    2              4
3       43.33333    2              4
4       44.00000    1              2
5       44.66667    1              2
6       46.00000    4              8
7       47.33333    1              2
8       48.00000    3              6
9       48.66667    3              6
10      50.00000    2              4
11      50.66667    1              2
12      51.33333    1              2
13      52.00000    2              4
14      52.66667    1              2
15      53.33333    2              4
16      54.00000    2              4
17      54.66667    1              2
18      55.33333    3              6
19      56.00000    1              2
20      56.66667    3              6
21      57.33333    2              4
22      58.00000    2              4
```

```
23      58.66667    1           2
24      59.33333    1           2
25      60.00000    1           2
26      61.33333    1           2
27      65.33333    1           2
28      66.66667    2           4
29      67.33333    1           2
30      68.66667    1           2
```

Percent of common_system_distrib Matching Reality

Percent Matching True System

```
[1] "NPLtoFSG_system_distrib"
   Percent_Match freq Percent_Trials
1       42.00000    1           2
2       42.66667    1           2
3       44.66667    1           2
4       45.33333    1           2
5       46.00000    2           4
6       46.66667    1           2
7       47.33333    2           4
8       48.66667    1           2
9       49.33333    3           6
10      50.00000    2           4
11      50.66667    1           2
12      51.33333    1           2
13      52.00000    2           4
14      52.66667    2           4
15      53.33333    2           4
16      54.00000    1           2
17      54.66667    4           8
18      55.33333    2           4
```

19	56.00000	4	8
20	56.66667	2	4
21	58.00000	3	6
22	58.66667	1	2
23	59.33333	1	2
24	60.00000	1	2
25	61.33333	1	2
26	62.00000	2	4
27	63.33333	1	2
28	64.00000	1	2
29	65.33333	1	2
30	68.00000	1	2
31	70.66667	1	2

Percent of NPLtoFSG_system_distrib Matching Reality

Percent of Trials (y-axis)

Percent Matching True System (x-axis)

```
[1] "romanian_system_distrib"
   Percent_Match freq Percent_Trials
```

	Percent_Match	freq	Percent_Trials
1	38.66667	1	2
2	39.33333	1	2
3	40.66667	2	4
4	41.33333	2	4
5	42.66667	2	4
6	43.33333	3	6
7	44.00000	1	2
8	44.66667	2	4
9	45.33333	2	4
10	46.00000	1	2
11	47.33333	2	4
12	48.00000	1	2
13	48.66667	2	4

```
14      49.33333    5          10
15      50.00000    2          4
16      50.66667    2          4
17      51.33333    2          4
18      52.00000    2          4
19      53.33333    1          2
20      54.00000    3          6
21      54.66667    2          4
22      55.33333    1          2
23      57.33333    2          4
24      58.66667    1          2
25      60.66667    3          6
26      64.00000    1          2
27      64.66667    1          2
```

## Percent of romanian_system_distrib Matching Reality


```
[1] "1_common_system_distrib"
  Percent_Match freq Percent_Trials
1     56.66667    1          2
2     60.00000    3          6
3     63.33333    3          6
4     66.66667   27          54
5     70.00000    3          6
6     73.33333    1          2
7     80.00000    4          8
8     86.66667    5          10
9     93.33333    3          6
```

Percent of 1_common_system_distrib Matching Reality


```
[1] "1_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      56.66667    1              2
2      60.00000    3              6
3      63.33333    3              6
4      66.66667   27             54
5      70.00000    3              6
6      73.33333    1              2
7      80.00000    4              8
8      86.66667    5             10
9      93.33333    3              6
```

Percent of 1_NPLtoFSG_system_distrib Matching Reality


```
[1] "1_romanian_system_distrib"
   Percent_Match freq Percent_Trials
1       46.66667    1              2
2       50.00000    3              6
3       53.33333   27             54
4       56.66667    2              4
5       60.00000    2              4
6       63.33333    1              2
7       66.66667    3              6
8       70.00000    1              2
9       73.33333    1              2
10      76.66667    1              2
11      80.00000    1              2
12      83.33333    1              2
13      86.66667    6             12
```

Percent of 1_romanian_system_distrib Matching Reality



```
[1] "2_common_system_distrib"
  Percent_Match freq Percent_Trials
1      20.00000    2              4
2      26.66667    7             14
3      30.00000   33             66
4      33.33333    2              4
5      36.66667    2              4
6      40.00000    3              6
7      50.00000    1              2
```

Percent of 2_common_system_distrib Matching Reality


```
[1] "2_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      20.00000    2              4
2      26.66667    4              8
3      30.00000   23             46
4      33.33333    4              8
5      36.66667   11             22
6      40.00000    2              4
7      46.66667    2              4
8      50.00000    2              4
```

Percent of 2_NPLtoFSG_system_distrib Matching Reality


```
[1] "2_romanian_system_distrib"
  Percent_Match freq Percent_Trials
1      20.00000    2               4
2      26.66667    7              14
3      30.00000   31              62
4      33.33333    4               8
5      36.66667    2               4
6      40.00000    3               6
7      50.00000    1               2
```

Percent of 2_romanian_system_distrib Matching Reality


```
[1] "3_common_system_distrib"
   Percent_Match freq Percent_Trials
1        30.00000    1              2
2        40.00000    3              6
3        50.00000   12             24
4        53.33333    1              2
5        56.66667    3              6
6        60.00000    3              6
7        63.33333    5             10
8        66.66667    1              2
9        70.00000    9             18
10       73.33333    2              4
11       80.00000    1              2
12       83.33333    1              2
13       86.66667    3              6
14       90.00000    5             10
```

Percent of 3_common_system_distrib Matching Reality


```
[1] "3_NPLtoFSG_system_distrib"
   Percent_Match freq Percent_Trials
1       36.66667    1              2
2       40.00000    1              2
3       43.33333    2              4
4       46.66667    3              6
5       50.00000    2              4
6       56.66667    2              4
7       60.00000    2              4
8       63.33333    3              6
9       66.66667    8             16
10      70.00000    5             10
11      73.33333   12             24
12      80.00000    5             10
13      86.66667    2              4
14      90.00000    1              2
15     100.00000    1              2
```

Percent of 3_NPLtoFSG_system_distrib Matching Reality


```
[1] "3_romanian_system_distrib"
   Percent_Match freq Percent_Trials
1       30.00000    1              2
2       36.66667    1              2
3       40.00000    2              4
4       43.33333    2              4
5       46.66667    2              4
6       50.00000   12             24
7       53.33333    1              2
8       56.66667    4              8
9       60.00000    1              2
10      63.33333   11             22
11      66.66667    1              2
12      70.00000    5             10
13      73.33333    6             12
14      83.33333    1              2
```

Percent of 3_romanian_system_distrib Matching Reality


```
[1] "4_common_system_distrib"
   Percent_Match freq Percent_Trials
1        0.00000    1              2
2       10.00000    1              2
3       20.00000    2              4
4       26.66667    5             10
5       30.00000   23             46
6       33.33333    2              4
7       36.66667    1              2
8       40.00000    5             10
9       46.66667    1              2
10      50.00000    8             16
11      53.33333    1              2
```

Percent of 4_common_system_distrib Matching Reality


```
[1] "4_NPLtoFSG_system_distrib"
   Percent_Match freq Percent_Trials
1        0.00000    1              2
2       10.00000    1              2
3       20.00000    2              4
4       26.66667    6             12
5       30.00000   24             48
6       33.33333    1              2
7       36.66667    1              2
8       40.00000    3              6
9       43.33333    1              2
10      46.66667    1              2
11      50.00000    2              4
12      53.33333    1              2
13      56.66667    2              4
14      60.00000    4              8
```

Percent of 4_NPLtoFSG_system_distrib Matching Reality


```
[1] "4_romanian_system_distrib"
   Percent_Match freq Percent_Trials
1        0.00000    1              2
2       10.00000    1              2
3       20.00000    2              4
4       26.66667    6             12
5       30.00000   24             48
6       33.33333    1              2
7       36.66667    1              2
8       40.00000    4              8
9       46.66667    1              2
10      50.00000    9             18
```

Percent of 4_romanian_system_distrib Matching Reality


```
[1] "5_common_system_distrib"
   Percent_Match freq Percent_Trials
1       46.66667    3              6
2       50.00000    1              2
3       53.33333    9             18
4       60.00000    9             18
5       63.33333    3              6
6       66.66667    5             10
7       70.00000    4              8
8       73.33333    6             12
9       76.66667    1              2
10      80.00000    4              8
11      86.66667    2              4
12      90.00000    1              2
13      93.33333    2              4
```

Percent of 5_common_system_distrib Matching Reality


```
[1] "5_NPLtoFSG_system_distrib"
   Percent_Match freq Percent_Trials
1       46.66667    3              6
2       50.00000    1              2
3       53.33333    9             18
4       60.00000    9             18
5       63.33333    3              6
6       66.66667    5             10
7       70.00000    4              8
8       73.33333    6             12
9       76.66667    1              2
10      80.00000    4              8
11      86.66667    2              4
12      90.00000    1              2
13      93.33333    2              4
```

**Percent of 5_NPLtoFSG_system_distrib Matching Reality**


```
[1] "5_romanian_system_distrib"
   Percent_Match freq Percent_Trials
1       46.66667    3              6
2       50.00000    1              2
3       53.33333    9             18
4       60.00000    9             18
5       63.33333    3              6
6       66.66667    5             10
7       70.00000    4              8
8       73.33333    6             12
9       76.66667    1              2
10      80.00000    4              8
11      86.66667    2              4
12      90.00000    1              2
13      93.33333    2              4
```

Percent of 5_romanian_system_distrib Matching Reality


```
[1] "m_common_system_distrib"
   Percent_Match freq Percent_Trials
1            30    2              4
2            34    2              4
3            36    3              6
4            40    8             16
5            42    3              6
6            44    4              8
7            46    3              6
8            48    3              6
9            50    8             16
10           52    4              8
11           54    3              6
12           56    1              2
13           58    1              2
14           62    1              2
15           64    2              4
16           66    1              2
17           68    1              2
```

Percent of m_common_system_distrib Matching Reality


```
[1] "m_NPLtoFSG_system_distrib"
   Percent_Match freq Percent_Trials
1             30    2              4
2             34    2              4
3             36    3              6
4             40    8             16
5             42    3              6
6             44    4              8
7             46    3              6
8             48    3              6
9             50    8             16
10            52    4              8
11            54    3              6
12            56    1              2
13            58    1              2
14            62    1              2
15            64    2              4
16            66    1              2
17            68    1              2
```

## Percent of m_NPLtoFSG_system_distrib Matching Reality



```
[1] "m_romanian_system_distrib"
   Percent_Match freq Percent_Trials
1             28    1              2
2             30    2              4
3             32    1              2
4             34    2              4
5             36    8             16
6             38    3              6
7             40    5             10
8             42    3              6
9             44    3              6
10            46    5             10
11            48    2              4
12            50    5             10
13            52    3              6
14            54    1              2
15            56    1              2
16            60    2              4
17            62    2              4
18            66    1              2
```

Percent of m_romanian_system_distrib Matching Reality


```
[1] "f_common_system_distrib"
   Percent_Match freq Percent_Trials
1             32    1              2
2             34    4              8
3             36    4              8
4             38    1              2
5             40    6             12
6             42    4              8
7             44    1              2
8             46    4              8
9             48    5             10
10            50    4              8
11            52    3              6
12            54    6             12
13            58    2              4
14            62    2              4
15            64    1              2
16            66    1              2
17            68    1              2
```

Percent of f_common_system_distrib Matching Reality


```
[1] "f_NPLtoFSG_system_distrib"
   Percent_Match freq Percent_Trials
1            32    1              2
2            34    4              8
3            36    4              8
4            38    1              2
5            40    6             12
6            42    4              8
7            44    1              2
8            46    4              8
9            48    5             10
10           50    4              8
11           52    3              6
12           54    6             12
13           58    2              4
14           62    2              4
15           64    1              2
16           66    1              2
17           68    1              2
```

Percent of f_NPLtoFSG_system_distrib Matching Reality


```
[1] "f_romanian_system_distrib"
   Percent_Match freq Percent_Trials
1            28    1              2
2            30    2              4
3            32    4              8
4            34    3              6
5            36    5             10
6            38    4              8
7            40    2              4
8            42    4              8
9            44    4              8
10           46    4              8
11           48    1              2
12           50    4              8
13           52    5             10
14           54    1              2
15           58    2              4
16           60    1              2
17           62    1              2
18           64    1              2
19           66    1              2
```

Percent of f_romanian_system_distrib Matching Reality


```
[1] "n_common_system_distrib"
   Percent_Match freq Percent_Trials
1             56    1              2
2             58    1              2
3             60    3              6
4             62   16             32
5             64    2              4
6             66   15             30
7             68    3              6
8             70    5             10
9             72    3              6
10            74    1              2
```

Percent of n_common_system_distrib Matching Reality


```
[1] "n_NPLtoFSG_system_distrib"
   Percent_Match freq Percent_Trials
1             50    1              2
2             54    1              2
3             56    3              6
4             58    4              8
5             60    3              6
6             62    3              6
7             64    2              4
8             66    3              6
9             68    3              6
10            70    4              8
11            72    6             12
12            74    4              8
13            76    6             12
14            80    2              4
15            82    3              6
16            86    1              2
17            88    1              2
```

Percent of n_NPLtoFSG_system_distrib Matching Reality


```
[1] "n_romanian_system_distrib"
   Percent_Match freq Percent_Trials
1            50    1              2
2            54    1              2
3            56    4              8
4            58    8             16
5            60    3              6
6            62   20             40
7            64    4              8
8            66    6             12
9            68    2              4
10           70    1              2
```

Percent of n_romanian_system_distrib Matching Reality


```
[1] "Nom_common_system_distrib"
   Percent_Match freq Percent_Trials
1       46.66667    2               4
2       50.00000   12              24
3       53.33333    1               2
4       56.66667    5              10
5       60.00000    5              10
6       63.33333    5              10
7       66.66667   12              24
8       70.00000    4               8
9       73.33333    2               4
10      80.00000    1               2
11      90.00000    1               2
```

Percent of Nom_common_system_distrib Matching Reality


```
[1] "Nom_NPLtoFSG_system_distrib"
   Percent_Match freq Percent_Trials
1        43.33333    1              2
2        50.00000    1              2
3        53.33333    8             16
4        56.66667    8             16
5        60.00000    5             10
6        63.33333   14             28
7        66.66667    4              8
8        70.00000    4              8
9        76.66667    4              8
10       80.00000    1              2
```

Percent of Nom_NPLtoFSG_system_distrib Matching Reality


```
[1] "Nom_romanian_system_distrib"
   Percent_Match freq Percent_Trials
1       43.33333    1              2
2       46.66667    1              2
3       50.00000   12             24
4       53.33333    1              2
5       56.66667    9             18
6       60.00000    2              4
7       63.33333   16             32
8       70.00000    6             12
9       76.66667    1              2
10      80.00000    1              2
```

Percent of Nom_romanian_system_distrib Matching Reality


```
[1] "Acc_common_system_distrib"
  Percent_Match freq Percent_Trials
1      50.00000    1              2
2      56.66667   19             38
3      60.00000    3              6
4      66.66667    2              4
5      70.00000    5             10
6      73.33333    7             14
7      76.66667    2              4
8      80.00000   10             20
9      90.00000    1              2
```

Percent of Acc_common_system_distrib Matching Reality



```
[1] "Acc_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      53.33333    1              2
2      56.66667    2              4
3      60.00000    6             12
4      63.33333   11             22
5      66.66667    3              6
6      70.00000    5             10
7      73.33333    7             14
8      76.66667   13             26
9      83.33333    2              4
```

Percent of Acc_NPLtoFSG_system_distrib Matching Reality


```
[1] "Acc_romanian_system_distrib"
  Percent_Match freq Percent_Trials
1      50.00000    1              2
2      56.66667   21             42
3      60.00000    1              2
4      66.66667    2              4
5      70.00000   12             24
6      76.66667   10             20
7      83.33333    3              6
```

Percent of Acc_romanian_system_distrib Matching Reality


```
[1] "Gen_common_system_distrib"
   Percent_Match freq Percent_Trials
1       13.33333    2              4
2       16.66667    2              4
3       20.00000    3              6
4       23.33333    2              4
5       26.66667    1              2
6       30.00000    9             18
7       33.33333    2              4
8       36.66667   19             38
9       40.00000    2              4
10      43.33333    1              2
11      46.66667    6             12
12      63.33333    1              2
```

Percent of Gen_common_system_distrib Matching Reality


```
[1] "Gen_NPLtoFSG_system_distrib"
   Percent_Match freq Percent_Trials
1       13.33333    1               2
2       16.66667    2               4
3       20.00000    4               8
4       23.33333    2               4
5       26.66667    5              10
6       30.00000    1               2
7       33.33333    9              18
8       36.66667    5              10
9       40.00000   13              26
10      43.33333    1               2
11      50.00000    5              10
12      53.33333    1               2
13      66.66667    1               2
```

Percent of Gen_NPLtoFSG_system_distrib Matching Reality

(figure: histogram titled "Percent of Gen_NPLtoFSG_system_distrib Matching Reality" with x-axis "Percent Matching True System" and y-axis "Percent of Trials")

Percent Matching True System

```
[1] "Gen_romanian_system_distrib"
   Percent_Match freq Percent_Trials
1       13.33333    4              8
2       16.66667    1              2
3       20.00000    6             12
4       23.33333    4              8
5       26.66667    6             12
6       30.00000   15             30
7       33.33333    6             12
8       36.66667    1              2
9       40.00000    6             12
10      56.66667    1              2
```

Percent of Gen_romanian_system_distrib Matching Reality


```
[1] "Dat_common_system_distrib"
   Percent_Match freq Percent_Trials
1       13.33333    1              2
2       20.00000    3              6
3       23.33333    1              2
4       30.00000    1              2
5       33.33333    3              6
6       36.66667   22             44
7       40.00000    2              4
8       43.33333    1              2
9       46.66667    5             10
10      50.00000    3              6
11      53.33333    2              4
12      63.33333    1              2
13      66.66667    1              2
14      70.00000    2              4
15      80.00000    2              4
```

Percent of Dat_common_system_distrib Matching Reality


```
[1] "Dat_NPLtoFSG_system_distrib"
   Percent_Match freq Percent_Trials
1       13.33333    1               2
2       20.00000    1               2
3       23.33333    1               2
4       26.66667    3               6
5       30.00000    1               2
6       33.33333    4               8
7       36.66667    3               6
8       40.00000   17              34
9       43.33333    1               2
10      46.66667    5              10
11      50.00000    6              12
12      53.33333    1               2
13      63.33333    1               2
14      66.66667    1               2
15      70.00000    1               2
16      73.33333    1               2
17      76.66667    2               4
```

Percent of Dat_NPLtoFSG_system_distrib Matching Reality


```
[1] "Dat_romanian_system_distrib"
   Percent_Match freq Percent_Trials
1       13.33333    4              8
2       23.33333    1              2
3       26.66667    6             12
4       30.00000   18             36
5       33.33333    3              6
6       36.66667    3              6
7       40.00000    6             12
8       43.33333    2              4
9       46.66667    1              2
10      56.66667    2              4
11      60.00000    1              2
12      63.33333    1              2
13      70.00000    2              4
```

Percent of Dat_romanian_system_distrib Matching Reality


```
[1] "Abl_common_system_distrib"
   Percent_Match freq Percent_Trials
1       36.66667    1              2
2       43.33333    1              2
3       50.00000    4              8
4       53.33333    6             12
5       56.66667   15             30
6       60.00000    2              4
7       63.33333    3              6
8       66.66667    4              8
9       70.00000    6             12
10      73.33333    3              6
11      80.00000    4              8
12      86.66667    1              2
```

# Percent of Abl_common_system_distrib Matching Reality


```
[1] "Abl_NPLtoFSG_system_distrib"
   Percent_Match freq Percent_Trials
1        36.66667    1               2
2        46.66667    1               2
3        50.00000    2               4
4        53.33333    4               8
5        56.66667    7              14
6        60.00000   14              28
7        63.33333    5              10
8        66.66667    3               6
9        70.00000    3               6
10       73.33333    4               8
11       76.66667    5              10
12       80.00000    1               2
```

Percent of Abl_NPLtoFSG_system_distrib Matching Reality


```
[1] "Abl_romanian_system_distrib"
   Percent_Match freq Percent_Trials
1       36.66667    1              2
2       43.33333    1              2
3       50.00000    5             10
4       53.33333    6             12
5       56.66667   14             28
6       60.00000    4              8
7       63.33333    5             10
8       66.66667    1              2
9       70.00000    8             16
10      76.66667    4              8
11      80.00000    1              2
```

Percent of Abl_romanian_system_distrib Matching Reality

Percent of Trials

Percent Matching True System

```
[1] "Sg_common_system_distrib"
   Percent_Match freq Percent_Trials
1        49.33333    1               2
2        57.33333    1               2
3        58.66667    1               2
4        61.33333    2               4
5        62.66667    2               4
6        66.66667    2               4
7        68.00000    3               6
8        69.33333    2               4
9        70.66667    3               6
10       72.00000    2               4
11       73.33333    1               2
12       76.00000    4               8
13       77.33333    2               4
14       78.66667    4               8
15       80.00000    1               2
16       81.33333    7              14
17       82.66667    1               2
18       84.00000    2               4
19       85.33333    2               4
20       86.66667    1               2
21       88.00000    2               4
22       89.33333    1               2
23       90.66667    1               2
24       92.00000    1               2
25       94.66667    1               2
```

Percent of Sg_common_system_distrib Matching Reality


```
[1] "Sg_NPLtoFSG_system_distrib"
   Percent_Match freq Percent_Trials
1       49.33333    1              2
2       57.33333    1              2
3       58.66667    1              2
4       61.33333    2              4
5       62.66667    2              4
6       66.66667    2              4
7       68.00000    3              6
8       69.33333    2              4
9       70.66667    3              6
10      72.00000    2              4
11      73.33333    1              2
12      76.00000    4              8
13      77.33333    2              4
14      78.66667    4              8
15      80.00000    1              2
16      81.33333    7             14
17      82.66667    1              2
18      84.00000    2              4
19      85.33333    2              4
20      86.66667    1              2
21      88.00000    2              4
22      89.33333    1              2
23      90.66667    1              2
24      92.00000    1              2
25      94.66667    1              2
```

Percent of Sg_NPLtoFSG_system_distrib Matching Reality


```
[1] "Sg_romanian_system_distrib"
   Percent_Match freq Percent_Trials
1       49.33333    1              2
2       54.66667    1              2
3       56.00000    1              2
4       57.33333    1              2
5       60.00000    1              2
6       61.33333    2              4
7       62.66667    4              8
8       64.00000    1              2
9       65.33333    1              2
10      66.66667    2              4
11      68.00000    1              2
12      69.33333    3              6
13      70.66667    3              6
14      72.00000    1              2
15      73.33333    4              8
16      74.66667    3              6
17      76.00000    7             14
18      77.33333    1              2
19      78.66667    2              4
20      80.00000    3              6
21      81.33333    1              2
22      82.66667    2              4
23      84.00000    1              2
24      85.33333    1              2
25      86.66667    1              2
26      89.33333    1              2
```

Percent of Sg_romanian_system_distrib Matching Reality


```
[1] "Pl_common_system_distrib"
   Percent_Match freq Percent_Trials
1      13.33333   12             24
2      16.00000    1              2
3      17.33333    1              2
4      18.66667    2              4
5      21.33333    1              2
6      22.66667    1              2
7      24.00000    3              6
8      25.33333    1              2
9      26.66667    5             10
10     29.33333    3              6
11     30.66667    1              2
12     32.00000    1              2
13     33.33333    2              4
14     34.66667    1              2
15     38.66667    1              2
16     40.00000    2              4
17     41.33333    1              2
18     44.00000    1              2
19     45.33333    1              2
20     46.66667    1              2
21     49.33333    2              4
22     52.00000    1              2
23     54.66667    2              4
24     56.00000    1              2
25     60.00000    1              2
26     72.00000    1              2
```

Percent of PI_common_system_distrib Matching Reality


```
[1] "Pl_NPLtoFSG_system_distrib"
   Percent_Match freq Percent_Trials
1       18.66667   3                6
2       20.00000   3                6
3       21.33333   1                2
4       22.66667   5               10
5       24.00000   3                6
6       25.33333   1                2
7       26.66667   3                6
8       28.00000   4                8
9       30.66667   3                6
10      32.00000   1                2
11      33.33333   2                4
12      34.66667   5               10
13      36.00000   2                4
14      40.00000   1                2
15      42.66667   3                6
16      44.00000   2                4
17      45.33333   1                2
18      46.66667   1                2
19      48.00000   3                6
20      49.33333   1                2
21      53.33333   1                2
22      61.33333   1                2
```

Percent of PI_NPLtoFSG_system_distrib Matching Reality


```
[1] "Pl_romanian_system_distrib"
   Percent_Match freq Percent_Trials
1       13.33333   12             24
2       16.00000    2              4
3       18.66667    3              6
4       21.33333    1              2
5       22.66667    1              2
6       24.00000    6             12
7       26.66667    5             10
8       28.00000    1              2
9       29.33333    2              4
10      33.33333    1              2
11      34.66667    4              8
12      40.00000    3              6
13      42.66667    2              4
14      44.00000    1              2
15      45.33333    1              2
16      48.00000    2              4
17      49.33333    1              2
18      53.33333    1              2
19      61.33333    1              2
```

Percent of PI_romanian_system_distrib Matching Reality


```
[1] "n.Sg,m.Sg"
  Percent_Match freq Percent_Trials
1      60.00000    1              2
2      66.66667    2              4
3      73.33333    5             10
4      80.00000    8             16
5      86.66667    9             18
6      93.33333    8             16
7     100.00000   17             34
```

Percent of n.Sg,m.Sg Matching Each Other

Percent of Trials (y-axis) vs Percent Matching Each Other (x-axis)

```
[1] "n.Pl,m.Pl"
   Percent_Match freq Percent_Trials
1       13.33333    1              2
2       33.33333    3              6
3       40.00000    1              2
4       46.66667    1              2
5       60.00000    3              6
6       66.66667    5             10
7       73.33333    5             10
8       80.00000    7             14
9       86.66667    8             16
10      93.33333    6             12
11     100.00000   10             20
```

Percent of n.Pl,m.Pl Matching Each Other

Percent Matching Each Other

```
[1] "n.Pl,f.Sg"
   Percent_Match freq Percent_Trials
1       0.000000    5             10
2       6.666667    5             10
3      13.333333    6             12
4      20.000000    5             10
5      26.666667    8             16
6      33.333333    4              8
7      40.000000    7             14
8      46.666667    7             14
9      60.000000    2              4
10     66.666667    1              2
```

Percent of n.Pl,f.Sg Matching Each Other


```
[1] "n.Pl,f.Pl"
   Percent_Match freq Percent_Trials
1       13.33333    1              2
2       33.33333    3              6
3       40.00000    1              2
4       46.66667    2              4
5       60.00000    4              8
6       66.66667    8             16
7       73.33333    4              8
8       80.00000    4              8
9       86.66667    8             16
10      93.33333    6             12
11     100.00000    9             18
```

Percent of n.Pl,f.Pl Matching Each Other

Percent Matching Each Other

```
[1] "m.Pl,f.Pl"
  Percent_Match freq Percent_Trials
1            80    1              2
2            84    3              6
3            88    7             14
4            92    5             10
5            96   10             20
6           100   24             48
```

Percent of m.PI,f.PI Matching Each Other


```
[1] "1,5"
  Percent_Match freq Percent_Trials
1             0   34             68
2             5    4              8
3            10    6             12
4            20    4              8
5            30    1              2
6            50    1              2
```

Percent of 1,5 Matching Each Other

Percent of Trials

Percent Matching Each Other

```
[1] "2,4"
   Percent_Match freq Percent_Trials
1        0.00000    1              2
2       30.00000    1              2
3       40.00000    1              2
4       43.33333    3              6
5       46.66667    5             10
6       50.00000    3              6
7       56.66667    1              2
8       63.33333    2              4
9       66.66667    1              2
10      70.00000    2              4
11      76.66667    2              4
12      80.00000    2              4
13      86.66667    3              6
14      90.00000    3              6
15      93.33333    5             10
16      96.66667    2              4
17     100.00000   13             26
```

Percent of 2,4 Matching Each Other

Percent Matching Each Other

```
[1] "2Sg,4Sg"
   Percent_Match freq Percent_Trials
1        0.00000    1              2
2       20.00000    2              4
3       46.66667    1              2
4       53.33333    2              4
5       60.00000    6             12
6       66.66667    1              2
7       73.33333    2              4
8       80.00000    5             10
9       86.66667    6             12
10      93.33333    3              6
11     100.00000   21             42
```

Percent of 2Sg,4Sg Matching Each Other


```
[1] "2Pl,4Pl"
   Percent_Match freq Percent_Trials
1       0.000000    2              4
2       6.666667    1              2
3      20.000000    1              2
4      26.666667    2              4
5      33.333333    2              4
6      40.000000    7             14
7      46.666667    2              4
8      60.000000    2              4
9      66.666667    2              4
10     73.333333    4              8
11     80.000000    2              4
12     86.666667    2              4
13     93.333333    2              4
14    100.000000   19             38
```

# Percent of 2PI,4PI Matching Each Other


```
[1] "n[24]Sg,m[24]Sg"
  Percent_Match freq Percent_Trials
1            80    4              8
2            90    3              6
3           100   43             86
```

Percent of n[24]Sg,m[24]Sg Matching Each Other


```
[1] "n[24]Pl,m[24]Pl"
  Percent_Match freq Percent_Trials
1            20    1              2
2            50    3              6
3            60    3              6
4            70    2              4
5            80    7             14
6            90    5             10
7           100   29             58
```

Percent of n[24]Pl,m[24]Pl Matching Each Other

Percent of Trials

Percent Matching Each Other

```
[1] "n[24]Pl,f1Sg"
  Percent_Match freq Percent_Trials
1             0   31             62
2            10    8             16
3            20   10             20
4            50    1              2
```

Percent of n[24]Pl,f1Sg Matching Each Other


```
[1] "n[24]Pl,f1Pl"
  Percent_Match freq Percent_Trials
1             0   26             52
2            10    9             18
3            20   10             20
4            30    2              4
5            40    1              2
6            50    2              4
```

Percent of n[24]Pl,f1Pl Matching Each Other


```
[1] "m[24]Pl,f1Sg"
  Percent_Match freq Percent_Trials
1             0   43             86
2            10    3              6
3            20    3              6
4            30    1              2
```

Percent of m[24]Pl,f1Sg Matching Each Other


```
[1] "m[24]Pl,f1Pl"
  Percent_Match freq Percent_Trials
1             0   39             78
2            10    3              6
3            20    4              8
4            30    1              2
5            40    2              4
6            50    1              2
```

Percent of m[24]PI,f1PI Matching Each Other


```
[1] "n.Sg(Nom|Acc),m.Sg(Nom|Acc)"
  Percent_Match freq Percent_Trials
1      66.66667    4              8
2      83.33333   26             52
3     100.00000   20             40
```

Percent of n.Sg(Nom|Acc),m.Sg(Nom|Acc) Matching Each Other


```
[1] "n.Pl(Nom|Acc),m.Pl(Nom|Acc)"
  Percent_Match freq Percent_Trials
1       0.00000    1              2
2      33.33333   10             20
3      50.00000    3              6
4      66.66667   10             20
5      83.33333   13             26
6     100.00000   13             26
```

Percent of n.Pl(Nom|Acc),m.Pl(Nom|Acc) Matching Each Other

Percent Matching Each Other

```
[1] "n.Pl(Nom|Acc),f.Sg(Nom|Acc)"
  Percent_Match freq Percent_Trials
1       0.00000   27             54
2      16.66667   14             28
3      33.33333    5             10
4      50.00000    3              6
5      66.66667    1              2
```

Percent of n.Pl(Nom|Acc),f.Sg(Nom|Acc) Matching Each Other


```
[1] "n.Pl(Nom|Acc),f.Pl(Nom|Acc)"
  Percent_Match freq Percent_Trials
1       0.00000    2              4
2      16.66667    1              2
3      33.33333    7             14
4      50.00000    4              8
5      66.66667   12             24
6      83.33333   13             26
7     100.00000   11             22
```

Percent of n.Pl(Nom|Acc),f.Pl(Nom|Acc) Matching Each Other


```
[1] "m.Pl(Nom|Acc),f.Pl(Nom|Acc)"
  Percent_Match freq Percent_Trials
1            50    1              2
2            60    1              2
3            70    1              2
4            80    2              4
5            90    9             18
6           100   36             72
```

Percent of m.Pl(Nom|Acc),f.Pl(Nom|Acc) Matching Each Other

Percent of Trials

Percent Matching Each Other

```
[1] "1.*(Nom|Acc),5.*(Nom|Acc)"
  Percent_Match freq Percent_Trials
1           0.0   40             80
2          12.5    1              2
3          25.0    5             10
4          50.0    4              8
```

Percent of 1.*(Nom|Acc),5.*(Nom|Acc) Matching Each Other

Percent of Trials

Percent Matching Each Other

```
[1] "2.*(Nom|Acc),4.*(Nom|Acc)"
   Percent_Match freq Percent_Trials
1        0.00000    1              2
2       25.00000    1              2
3       41.66667    1              2
4       50.00000   12             24
5       58.33333    1              2
6       66.66667    3              6
7       75.00000    3              6
8       83.33333    3              6
9       91.66667    3              6
10     100.00000   22             44
```

Percent of 2.*(Nom|Acc),4.*(Nom|Acc) Matching Each Other


```
[1] "2Sg(Nom|Acc),4Sg(Nom|Acc)"
  Percent_Match freq Percent_Trials
1       0.00000    1              2
2      50.00000    3              6
3      83.33333    1              2
4     100.00000   45             90
```

Percent of 2Sg(Nom|Acc),4Sg(Nom|Acc) Matching Each Other


```
[1] "2Pl(Nom|Acc),4Pl(Nom|Acc)"
  Percent_Match freq Percent_Trials
1       0.00000   14             28
2      16.66667    1              2
3      33.33333    2              4
4      50.00000    4              8
5      66.66667    3              6
6      83.33333    4              8
7     100.00000   22             44
```

Percent of 2Pl(Nom|Acc),4Pl(Nom|Acc) Matching Each Other

Percent Matching Each Other

```
[1] "n[24]Sg(Nom|Acc),m[24]Sg(Nom|Acc)"
  Percent_Match freq Percent_Trials
1           100   50            100
```

Percent of n[24]Sg(Nom|Acc),m[24]Sg(Nom|Acc) Matching Each Oth

Percent Matching Each Other

```
[1] "n[24]Pl(Nom|Acc),m[24]Pl(Nom|Acc)"
```

```
  Percent_Match freq Percent_Trials
1             0    1              2
2            50   12             24
3            75    4              8
4           100   33             66
```

Percent of n[24]Pl(Nom|Acc),m[24]Pl(Nom|Acc) Matching Each Othe

Percent of Trials

Percent Matching Each Other

```
[1] "n[24]Pl(Nom|Acc),f1Sg(Nom|Acc)"
  Percent_Match freq Percent_Trials
1             0   35             70
2            25    5             10
3            50   10             20
```

Percent of n[24]Pl(Nom|Acc),f1Sg(Nom|Acc) Matching Each Other


```
[1] "n[24]Pl(Nom|Acc),f1Pl(Nom|Acc)"
  Percent_Match freq Percent_Trials
1             0   32             64
2            25    6             12
3            50   11             22
4           100    1              2
```

Percent of n[24]Pl(Nom|Acc),f1Pl(Nom|Acc) Matching Each Other


```
[1] "m[24]Pl(Nom|Acc),f1Sg(Nom|Acc)"
  Percent_Match freq Percent_Trials
1             0   46             92
2            25    1              2
3            50    3              6
```

**Percent of m[24]Pl(Nom|Acc),f1Sg(Nom|Acc) Matching Each Other**


```
[1] "m[24]Pl(Nom|Acc),f1Pl(Nom|Acc)"
  Percent_Match freq Percent_Trials
1             0   44             88
2            25    1              2
3            50    4              8
4           100    1              2
```

Percent of m[24]Pl(Nom|Acc),f1Pl(Nom|Acc) Matching Each Other


```
[1] "n.Sg(Abl|Acc),m.Sg(Abl|Acc)"
  Percent_Match freq Percent_Trials
1      66.66667   23             46
2      83.33333    7             14
3     100.00000   20             40
```

Percent of n.Sg(Abl|Acc),m.Sg(Abl|Acc) Matching Each Other


```
[1] "n.Pl(Abl|Acc),m.Pl(Abl|Acc)"
  Percent_Match freq Percent_Trials
1       0.00000    1              2
2      33.33333    5             10
3      50.00000    7             14
4      66.66667   15             30
5      83.33333    9             18
6     100.00000   13             26
```

Percent of n.Pl(Abl|Acc),m.Pl(Abl|Acc) Matching Each Other

Percent Matching Each Other

```
[1] "n.Pl(Abl|Acc),f.Sg(Abl|Acc)"
  Percent_Match freq Percent_Trials
1       0.00000   25             50
2      16.66667   14             28
3      33.33333    9             18
4      50.00000    1              2
5      66.66667    1              2
```

Percent of n.Pl(Abl|Acc),f.Sg(Abl|Acc) Matching Each Other


```
[1] "n.Pl(Abl|Acc),f.Pl(Abl|Acc)"
  Percent_Match freq Percent_Trials
1       0.00000    1              2
2      16.66667    1              2
3      33.33333    7             14
4      50.00000    7             14
5      66.66667   13             26
6      83.33333   10             20
7     100.00000   11             22
```

Percent of n.Pl(Abl|Acc),f.Pl(Abl|Acc) Matching Each Other

Percent Matching Each Other

```
[1] "m.Pl(Abl|Acc),f.Pl(Abl|Acc)"
  Percent_Match freq Percent_Trials
1            70    3              6
2            80    7             14
3            90    9             18
4           100   31             62
```

Percent of m.Pl(Abl|Acc),f.Pl(Abl|Acc) Matching Each Other

Percent of Trials

Percent Matching Each Other

```
[1] "1.*(Abl|Acc),5.*(Abl|Acc)"
  Percent_Match freq Percent_Trials
1           0.0   39             78
2          12.5    3              6
3          25.0    7             14
4          50.0    1              2
```

Percent of 1.*(Abl|Acc),5.*(Abl|Acc) Matching Each Other


```
[1] "2.*(Abl|Acc),4.*(Abl|Acc)"
   Percent_Match freq Percent_Trials
1        0.00000    1              2
2       25.00000    1              2
3       33.33333    1              2
4       50.00000    6             12
5       58.33333    6             12
6       66.66667    3              6
7       75.00000    2              4
8       83.33333    6             12
9       91.66667    5             10
10     100.00000   19             38
```

Percent of 2.*(Abl|Acc),4.*(Abl|Acc) Matching Each Other

Percent of Trials (y-axis)

Percent Matching Each Other (x-axis)

```
[1] "2Sg(Abl|Acc),4Sg(Abl|Acc)"
  Percent_Match freq Percent_Trials
1       0.00000    1              2
2      50.00000    3              6
3      66.66667    1              2
4      83.33333    6             12
5     100.00000   39             78
```

Percent of 2Sg(Abl|Acc),4Sg(Abl|Acc) Matching Each Other



```
[1] "2Pl(Abl|Acc),4Pl(Abl|Acc)"
  Percent_Match freq Percent_Trials
1       0.00000    8             16
2      16.66667    4              8
3      33.33333    2              4
4      50.00000    5             10
5      66.66667    6             12
6      83.33333    4              8
7     100.00000   21             42
```

Percent of 2Pl(Abl|Acc),4Pl(Abl|Acc) Matching Each Other

Percent Matching Each Other

```
[1] "n[24]Sg(Abl|Acc),m[24]Sg(Abl|Acc)"
  Percent_Match freq Percent_Trials
1          100   50            100
```

Percent of n[24]Sg(Abl|Acc),m[24]Sg(Abl|Acc) Matching Each Othe

Percent Matching Each Other

```
[1] "n[24]Pl(Abl|Acc),m[24]Pl(Abl|Acc)"
```

```
    Percent_Match freq Percent_Trials
1               0    1              2
2              50    5             10
3              75   13             26
4             100   31             62
```

Percent of n[24]Pl(Abl|Acc),m[24]Pl(Abl|Acc) Matching Each Other


```
[1] "n[24]Pl(Abl|Acc),f1Sg(Abl|Acc)"
   Percent_Match freq Percent_Trials
1               0   35             70
2              25   14             28
3              50    1              2
```

Percent of n[24]Pl(Abl|Acc),f1Sg(Abl|Acc) Matching Each Other


```
[1] "n[24]Pl(Abl|Acc),f1Pl(Abl|Acc)"
  Percent_Match freq Percent_Trials
1             0   29             58
2            25   18             36
3            50    3              6
```

Percent of n[24]Pl(Abl|Acc),f1Pl(Abl|Acc) Matching Each Other


```
[1] "m[24]Pl(Abl|Acc),f1Sg(Abl|Acc)"
  Percent_Match freq Percent_Trials
1             0   47             94
2            25    3              6
```

Percent of m[24]Pl(Abl|Acc),f1Sg(Abl|Acc) Matching Each Other

```
[1] "m[24]Pl(Abl|Acc),f1Pl(Abl|Acc)"
  Percent_Match freq Percent_Trials
1             0   42             84
2            25    6             12
3            50    2              4
```

Percent of m[24]Pl(Abl|Acc),f1Pl(Abl|Acc) Matching Each Other


```
[1] "n.Sg(Nom|Acc|Abl),m.Sg(Nom|Acc|Abl)"
  Percent_Match freq Percent_Trials
1      66.66667    4              8
2      77.77778   19             38
3      88.88889    7             14
4     100.00000   20             40
```

Percent of n.Sg(Nom|Acc|Abl),m.Sg(Nom|Acc|Abl) Matching Each Oth


```
[1] "n.Pl(Nom|Acc|Abl),m.Pl(Nom|Acc|Abl)"
  Percent_Match freq Percent_Trials
1       0.00000    1              2
2      33.33333    4              8
3      44.44444    3              6
4      55.55556    7             14
5      66.66667    4              8
6      77.77778   13             26
7      88.88889    6             12
8     100.00000   12             24
```

Percent of n.Pl(Nom|Acc|Abl),m.Pl(Nom|Acc|Abl) Matching Each Oth

[1] "n.Pl(Nom|Acc|Abl),f.Sg(Nom|Acc|Abl)"

```
  Percent_Match freq Percent_Trials
1       0.00000   21             42
2      11.11111   12             24
3      22.22222    7             14
4      33.33333    8             16
5      55.55556    1              2
6      66.66667    1              2
```

Percent of n.Pl(Nom|Acc|Abl),f.Sg(Nom|Acc|Abl) Matching Each Other

Percent Matching Each Other

```
[1] "n.Pl(Nom|Acc|Abl),f.Pl(Nom|Acc|Abl)"
  Percent_Match freq Percent_Trials
1       0.00000    1              2
2      22.22222    1              2
3      33.33333    5             10
4      44.44444    3              6
5      55.55556    6             12
6      66.66667    5             10
7      77.77778   12             24
8      88.88889    7             14
9     100.00000   10             20
```

Percent of n.Pl(Nom|Acc|Abl),f.Pl(Nom|Acc|Abl) Matching Each Othe

Percent Matching Each Other

```
[1] "m.Pl(Nom|Acc|Abl),f.Pl(Nom|Acc|Abl)"
  Percent_Match freq Percent_Trials
1      66.66667    1               2
2      73.33333    1               2
3      80.00000    4               8
4      86.66667    6              12
5      93.33333    8              16
6     100.00000   30              60
```

Percent of m.Pl(Nom|Acc|Abl),f.Pl(Nom|Acc|Abl) Matching Each Other

Percent of Trials

Percent Matching Each Other

```
[1] "1.*(Nom|Acc|Abl),5.*(Nom|Acc|Abl)"
  Percent_Match freq Percent_Trials
1      0.000000   37             74
2      8.333333    3              6
3     16.666667    5             10
4     33.333333    4              8
5     50.000000    1              2
```

Percent of 1.*(Nom|Acc|Abl),5.*(Nom|Acc|Abl) Matching Each Other


```
[1] "2.*(Nom|Acc|Abl),4.*(Nom|Acc|Abl)"
   Percent_Match freq Percent_Trials
1        0.00000    1              2
2       16.66667    1              2
3       38.88889    1              2
4       50.00000    6             12
5       55.55556    5             10
6       61.11111    1              2
7       66.66667    2              4
8       72.22222    1              2
9       77.77778    4              8
10      83.33333    3              6
11      88.88889    3              6
12      94.44444    3              6
13     100.00000   19             38
```

Percent of 2.*(Nom|Acc|Abl),4.*(Nom|Acc|Abl) Matching Each Other

Percent Matching Each Other

```
[1] "2Sg(Nom|Acc|Abl),4Sg(Nom|Acc|Abl)"
  Percent_Match freq Percent_Trials
1       0.00000    1               2
2      33.33333    3               6
3      77.77778    1               2
4      88.88889    6              12
5     100.00000   39              78
```

Percent of 2Sg(Nom|Acc|Abl),4Sg(Nom|Acc|Abl) Matching Each Oth


```
[1] "2Pl(Nom|Acc|Abl),4Pl(Nom|Acc|Abl)"
   Percent_Match freq Percent_Trials
1        0.00000    8             16
2       11.11111    3              6
3       22.22222    1              2
4       33.33333    2              4
5       44.44444    3              6
6       55.55556    2              4
7       66.66667    5             10
8       77.77778    3              6
9       88.88889    2              4
10     100.00000   21             42
```

Percent of 2Pl(Nom|Acc|Abl),4Pl(Nom|Acc|Abl) Matching Each Othe

Percent Matching Each Other

```
[1] "n[24]Sg(Nom|Acc|Abl),m[24]Sg(Nom|Acc|Abl)"
   Percent_Match freq Percent_Trials
1           100   50            100
```

ercent of n[24]Sg(Nom|Acc|Abl),m[24]Sg(Nom|Acc|Abl) Matching Each

Percent Matching Each Other

```
[1] "n[24]Pl(Nom|Acc|Abl),m[24]Pl(Nom|Acc|Abl)"
```

```
   Percent_Match freq Percent_Trials
1       0.00000    1               2
2      50.00000    4               8
3      66.66667    8              16
4      83.33333    6              12
5     100.00000   31              62
```

ᵖercent of n[24]Pl(Nom|Acc|Abl),m[24]Pl(Nom|Acc|Abl) Matching Each (

Percent Matching Each Other

```
[1] "n[24]Pl(Nom|Acc|Abl),f1Sg(Nom|Acc|Abl)"
   Percent_Match freq Percent_Trials
1       0.00000   35              70
2      16.66667    5              10
3      33.33333    9              18
4      50.00000    1               2
```

Percent of n[24]Pl(Nom|Acc|Abl),f1Sg(Nom|Acc|Abl) Matching Each Ot

Percent of Trials

Percent Matching Each Other

```
[1] "n[24]Pl(Nom|Acc|Abl),f1Pl(Nom|Acc|Abl)"
  Percent_Match freq Percent_Trials
1       0.00000   29             58
2      16.66667   12             24
3      33.33333    6             12
4      50.00000    2              4
5      66.66667    1              2
```

Percent of n[24]Pl(Nom|Acc|Abl),f1Pl(Nom|Acc|Abl) Matching Each Ot


```
[1] "m[24]Pl(Nom|Acc|Abl),f1Sg(Nom|Acc|Abl)"
  Percent_Match freq Percent_Trials
1       0.00000   46             92
2      16.66667    1              2
3      33.33333    3              6
```

Percent of m[24]Pl(Nom|Acc|Abl),f1Sg(Nom|Acc|Abl) Matching Each O


```
[1] "m[24]Pl(Nom|Acc|Abl),f1Pl(Nom|Acc|Abl)"
  Percent_Match freq Percent_Trials
1      0.00000   41             82
2     16.66667    6             12
3     33.33333    1              2
4     50.00000    1              2
5     66.66667    1              2
```

Percent of m[24]Pl(Nom|Acc|Abl),f1Pl(Nom|Acc|Abl) Matching Each Ot

Percent Matching Each Other

```
[1] "Nom,Acc"
   Percent_Match freq Percent_Trials
1       46.15385    2              4
2       50.00000    4              8
3       57.69231    1              2
4       61.53846    8             16
5       65.38462    4              8
6       69.23077   12             24
7       73.07692    2              4
8       76.92308    4              8
9       80.76923    4              8
10      84.61538    4              8
11      88.46154    2              4
12     100.00000    3              6
```

Percent of Nom,Acc Matching Each Other

Percent Matching Each Other

```
[1] "Acc,Abl"
   Percent_Match freq Percent_Trials
1       26.92308    1              2
2       42.30769    1              2
3       46.15385    2              4
4       50.00000    3              6
5       53.84615    1              2
6       57.69231    6             12
7       61.53846    4              8
8       65.38462    3              6
9       69.23077    5             10
10      73.07692    4              8
11      76.92308    2              4
12      80.76923    1              2
13      84.61538    4              8
14      92.30769    6             12
15      96.15385    2              4
16     100.00000    5             10
```

Percent of Acc,Abl Matching Each Other

Percent of Trials

Percent Matching Each Other

```
[1] "Nom,Acc,Abl"
   Percent_Match freq Percent_Trials
1       11.53846    1              2
2       26.92308    1              2
3       30.76923    5             10
4       34.61538    2              4
5       38.46154    2              4
6       42.30769    2              4
7       46.15385    2              4
8       50.00000    6             12
9       53.84615    7             14
10      57.69231    5             10
11      61.53846    6             12
12      65.38462    1              2
13      69.23077    3              6
14      73.07692    1              2
15      76.92308    1              2
16      80.76923    2              4
17      84.61538    2              4
18     100.00000    1              2
```

Percent of Nom,Acc,Abl Matching Each Other

Percent of Trials

Percent Matching Each Other

```
[1] "Gen,Dat"
   Percent_Match freq Percent_Trials
1       15.38462    1              2
2       26.92308    1              2
3       42.30769    1              2
4       46.15385    2              4
5       50.00000    1              2
6       57.69231    4              8
7       65.38462    3              6
8       69.23077    4              8
9       73.07692    1              2
10      76.92308    3              6
11      80.76923    2              4
12      84.61538    3              6
13      88.46154    3              6
14      92.30769    1              2
15      96.15385    6             12
16     100.00000   14             28
```

Percent of Gen,Dat Matching Each Other

Percent Matching Each Other

```
[1] "Nom,Acc,Gen,Dat,Abl"
   Percent_Match freq Percent_Trials
1       0.000000    2              4
2       3.846154    1              2
3       7.692308    7             14
4      11.538462    1              2
5      15.384615    6             12
6      19.230769    4              8
7      23.076923    2              4
8      26.923077    7             14
9      30.769231    4              8
10     34.615385    2              4
11     38.461538    4              8
12     42.307692    4              8
13     46.153846    1              2
14     50.000000    2              4
15     57.692308    2              4
16     80.769231    1              2
```

Percent of Nom,Acc,Gen,Dat,Abl Matching Each Other

Percent Matching Each Other

```
[1] "nPlmPl_exclusive"
  Percent_Match freq Percent_Trials
1      0.000000   37             74
2      6.666667    7             14
3     13.333333    4              8
4     20.000000    2              4
```

Percent of nPlmPl_exclusive Matching Each Other


```
[1] "nPlfPl_exclusive"
  Percent_Match freq Percent_Trials
1      0.000000   46             92
2      6.666667    3              6
3     13.333333    1              2
```

Percent of nPlfPl_exclusive Matching Each Other

Percent Matching Each Other

```
[1] "1Sg(Nom|Acc)_a($|,)"
  Percent_Match freq Percent_Trials
1            75    1               2
2           100   49              98
```

Percent of 1Sg(Nom|Acc) ending in a($|,)

Percent Matching Reality

```
[1] "[24]Sg(Nom|Acc)_o($|,)"
  Percent_Match freq Percent_Trials
1      33.33333    1               2
2      75.00000    3               6
3      91.66667    1               2
4     100.00000   45              90
```

Percent of [24]Sg(Nom|Acc) ending in o($|,)


```
[1] "3Sg(Nom|Acc)_[e-]($|,)"
  Percent_Match freq Percent_Trials
1      50.00000    1               2
2      66.66667    1               2
3     100.00000   48              96
```

Percent of 3Sg(Nom|Acc) ending in [e−]($|,)


```
[1] "3Pl(Nom|Acc)_e?s($|,)"
  Percent_Match freq Percent_Trials
1       0.00000   14             28
2      33.33333    3              6
3      50.00000    4              8
4      66.66667   11             22
5     100.00000   18             36
```

Percent of 3Pl(Nom|Acc) ending in e?s($|,)


```
[1] "[124]Pl(Nom|Acc)_s($|,)"
   Percent_Match freq Percent_Trials
1          0.00   22             44
2          6.25    1              2
3         12.50    3              6
4         18.75    2              4
5         25.00    2              4
6         37.50    1              2
7         50.00    1              2
8         62.50    4              8
9         75.00    3              6
10        87.50    1              2
11        93.75    1              2
12       100.00    9             18
```

Percent of [124]Pl(Nom|Acc) ending in s($|,)


```
[1] "[24]Pl(Nom|Acc)_os($|,)"
  Percent_Match freq Percent_Trials
1             0   48             96
2            50    1              2
3            75    1              2
```

Percent of [24]Pl(Nom|Acc) ending in os($|,)


```
[1] "1Pl(Nom|Acc)_as($|,)"
  Percent_Match freq Percent_Trials
1             0   35             70
2            50    2              4
3           100   13             26
```

Percent of 1Pl(Nom|Acc) ending in as($|,)


```
[1] "n.Pl(Nom|Acc)_a($|,)"
  Percent_Match freq Percent_Trials
1       0.00000   32             64
2      16.66667    3              6
3      33.33333    6             12
4      50.00000    1              2
5      66.66667    8             16
```

Percent of n.Pl(Nom|Acc) ending in a($|,)


```
[1] "n.Pl(Nom|Acc)_as($|,)"
  Percent_Match freq Percent_Trials
1             0   48             96
2            50    2              4
```

Percent of n.Pl(Nom|Acc) ending in as($|,)

```
[1] "n.Pl(Nom|Acc)_os($|,)"
  Percent_Match freq Percent_Trials
1       0.00000   48             96
2      33.33333    1              2
3      50.00000    1              2
```

Percent of n.Pl(Nom|Acc) ending in os($|,)

Percent Matching Reality

```
[1] "m.Pl(Nom|Acc)_as($|,)"
  Percent_Match freq Percent_Trials
1             0   34             68
2            10    3              6
3            20   13             26
```

Percent of m.Pl(Nom|Acc) ending in as($|,)


```
[1] "m.Pl(Nom|Acc)_os($|,)"
  Percent_Match freq Percent_Trials
1             0   48             96
2            20    1              2
3            30    1              2
```

Percent of m.Pl(Nom|Acc) ending in os($|,)


```
[1] "Pl(Nom|Acc)_s($|,)"
   Percent_Match freq Percent_Trials
1        0.00000   12             24
2       11.53846    4              8
3       19.23077    1              2
4       23.07692    3              6
5       26.92308    1              2
6       30.76923    5             10
7       38.46154    1              2
8       46.15385    3              6
9       50.00000    1              2
10      53.84615    1              2
11      61.53846    1              2
12      69.23077    1              2
13      76.92308    3              6
14      80.76923    1              2
15      84.61538    2              4
16      92.30769    1              2
17     100.00000    9             18
```

Percent of Pl(Nom|Acc) ending in s($|,)

Percent of Trials (y-axis), Percent Matching Reality (x-axis)

```
[1] "1Sg(Abl|Acc)_a($|,)"
  Percent_Match freq Percent_Trials
1            75    6             12
2           100   44             88
```

Percent of 1Sg(Abl|Acc) ending in a($|,)

Percent of Trials (y-axis), Percent Matching Reality (x-axis)

```
[1] "[24]Sg(Abl|Acc)_o($|,)"
  Percent_Match freq Percent_Trials
1      33.33333    1              2
2      50.00000    1              2
3      66.66667    1              2
4      75.00000    3              6
5      83.33333    3              6
6      91.66667    6             12
7     100.00000   35             70
```

Percent of [24]Sg(Abl|Acc) ending in o($|,)


```
[1] "3Sg(Abl|Acc)_[e-]($|,)"
  Percent_Match freq Percent_Trials
1      83.33333    3              6
2     100.00000   47             94
```

Percent of 3Sg(Abl|Acc) ending in [e−]($|,)


```
[1] "3Pl(Abl|Acc)_e?s($|,)"
  Percent_Match freq Percent_Trials
1       0.00000   13             26
2      16.66667    1              2
3      33.33333   10             20
4      50.00000    8             16
5      66.66667    5             10
6      83.33333    1              2
7     100.00000   12             24
```

Percent of 3Pl(Abl|Acc) ending in e?s($|,)


```
[1] "[124]Pl(Abl|Acc)_s($|,)"
   Percent_Match freq Percent_Trials
1          0.00   20             40
2         12.50    5             10
3         18.75    1              2
4         25.00    2              4
5         31.25    1              2
6         37.50    3              6
7         43.75    1              2
8         50.00    2              4
9         56.25    1              2
10        62.50    1              2
11        75.00    2              4
12        81.25    2              4
13        87.50    1              2
14       100.00    8             16
```

Percent of [124]Pl(Abl|Acc) ending in s($|,)


```
[1] "[24]Pl(Abl|Acc)_os($|,)"
  Percent_Match freq Percent_Trials
1             0   47             94
2            25    2              4
3            50    1              2
```

Percent of [24]Pl(Abl|Acc) ending in os($|,)


```
[1] "1Pl(Abl|Acc)_as($|,)"
  Percent_Match freq Percent_Trials
1             0   34             68
2            25    1              2
3            50    6             12
4            75    1              2
5           100    8             16
```

Percent of 1Pl(Abl|Acc) ending in as($|,)


```
[1] "n.Pl(Abl|Acc)_a($|,)"
  Percent_Match freq Percent_Trials
1      0.00000   32             64
2     16.66667    6             12
3     33.33333   11             22
4     66.66667    1              2
```

Percent of n.Pl(Abl|Acc) ending in a($|,)


```
[1] "n.Pl(Abl|Acc)_as($|,)"
  Percent_Match freq Percent_Trials
1       0.00000   48             96
2      33.33333    2              4
```

Percent of n.Pl(Abl|Acc) ending in as($|,)

```
[1] "n.Pl(Abl|Acc)_os($|,)"
  Percent_Match freq Percent_Trials
1      0.00000   45            90
2     16.66667    4             8
3     33.33333    1             2
```

Percent of n.Pl(Abl|Acc) ending in os($|,)


```
[1] "m.Pl(Abl|Acc)_as($|,)"
  Percent_Match freq Percent_Trials
1            0   35             70
2           10    7             14
3           20    8             16
```

Percent of m.Pl(Abl|Acc) ending in as($|,)


```
[1] "m.Pl(Abl|Acc)_os($|,)"
  Percent_Match freq Percent_Trials
1             0   45             90
2            10    2              4
3            20    1              2
4            30    2              4
```

Percent of m.Pl(Abl|Acc) ending in os($|,)


```
[1] "Pl(Abl|Acc)_s($|,)"
   Percent_Match freq Percent_Trials
1        0.00000   13             26
2       11.53846    1              2
3       15.38462    3              6
4       19.23077    1              2
5       23.07692    4              8
6       26.92308    2              4
7       30.76923    3              6
8       42.30769    2              4
9       46.15385    2              4
10      50.00000    1              2
11      53.84615    5             10
12      65.38462    1              2
13      69.23077    2              4
14      84.61538    1              2
15      92.30769    1              2
16     100.00000    8             16
```

Percent of Pl(Abl|Acc) ending in s($|,)


```
[1] "1Sg(Nom|Acc|Abl)_a($|,)"
  Percent_Match freq Percent_Trials
1     66.66667    1               2
2     83.33333    5              10
3    100.00000   44              88
```

Percent of 1Sg(Nom|Acc|Abl) ending in a($|,)


```
[1] "[24]Sg(Nom|Acc|Abl)_o($|,)"
  Percent_Match freq Percent_Trials
1      33.33333    1              2
2      66.66667    4              8
3      77.77778    1              2
4      88.88889    3              6
5      94.44444    6             12
6     100.00000   35             70
```

Percent of [24]Sg(Nom|Acc|Abl) ending in o($|,)

Percent of Trials

Percent Matching Reality

```
[1] "3Sg(Nom|Acc|Abl)_[e-]($|,)"
  Percent_Match freq Percent_Trials
1      55.55556    1              2
2      77.77778    1              2
3      88.88889    2              4
4     100.00000   46             92
```

Percent of 3Sg(Nom|Acc|Abl) ending in [e–]($|,)


```
[1] "3Pl(Nom|Acc|Abl)_e?s($|,)"
  Percent_Match freq Percent_Trials
1       0.00000   12             24
2      11.11111    1              2
3      22.22222    2              4
4      33.33333    1              2
5      44.44444    6             12
6      55.55556    3              6
7      66.66667   11             22
8      77.77778    2              4
9     100.00000   12             24
```

Percent of 3Pl(Nom|Acc|Abl) ending in e?s($|,)

Percent of Trials

Percent Matching Reality

```
[1] "[124]Pl(Nom|Acc|Abl)_s($|,)"
   Percent_Match freq Percent_Trials
1       0.000000   20             40
2       8.333333    2              4
3      16.666667    2              4
4      20.833333    1              2
5      29.166667    3              6
6      33.333333    1              2
7      41.666667    3              6
8      45.833333    2              4
9      50.000000    1              2
10     58.333333    1              2
11     62.500000    1              2
12     75.000000    2              4
13     87.500000    2              4
14     91.666667    1              2
15    100.000000    8             16
```

Percent of [124]Pl(Nom|Acc|Abl) ending in s($|,)


```
[1] "[24]Pl(Nom|Acc|Abl)_os($|,)"
  Percent_Match freq Percent_Trials
1      0.00000   47             94
2     16.66667    1              2
3     50.00000    2              4
```

Percent of [24]Pl(Nom|Acc|Abl) ending in os($|,)


```
[1] "1Pl(Nom|Acc|Abl)_as($|,)"
  Percent_Match freq Percent_Trials
1      0.00000   33             66
2     16.66667    1              2
3     33.33333    3              6
4     66.66667    4              8
5     83.33333    1              2
6    100.00000    8             16
```

Percent of 1Pl(Nom|Acc|Abl) ending in as($|,)


```
[1] "n.Pl(Nom|Acc|Abl)_a($|,)"
  Percent_Match freq Percent_Trials
1       0.00000   32             64
2      11.11111    3              6
3      22.22222    5             10
4      33.33333    2              4
5      44.44444    7             14
6      66.66667    1              2
```

Percent of n.Pl(Nom|Acc|Abl) ending in a($|,)


```
[1] "n.Pl(Nom|Acc|Abl)_as($|,)"
  Percent_Match freq Percent_Trials
1       0.00000   48             96
2      33.33333    2              4
```

Percent of n.Pl(Nom|Acc|Abl) ending in as($|,)

```
[1] "n.Pl(Nom|Acc|Abl)_os($|,)"
  Percent_Match freq Percent_Trials
1       0.00000   45             90
2      11.11111    3              6
3      33.33333    2              4
```

Percent of n.Pl(Nom|Acc|Abl) ending in os($|,)

Percent Matching Reality

```
[1] "m.Pl(Nom|Acc|Abl)_as($|,)"
  Percent_Match freq Percent_Trials
1      0.000000   33             66
2      6.666667    4              8
3     13.333333    5             10
4     20.000000    8             16
```

Percent of m.Pl(Nom|Acc|Abl) ending in as($|,)


```
[1] "m.Pl(Nom|Acc|Abl)_os($|,)"
  Percent_Match freq Percent_Trials
1      0.000000   45             90
2      6.666667    1              2
3     20.000000    4              8
```

Percent of m.Pl(Nom|Acc|Abl) ending in os($|,)


```
[1] "Pl(Nom|Acc|Abl)_s($|,)"
   Percent_Match freq Percent_Trials
1       0.000000   12             24
2       7.692308    1              2
3      15.384615    1              2
4      17.948718    1              2
5      20.512821    2              4
6      23.076923    2              4
7      25.641026    2              4
8      28.205128    1              2
9      30.769231    2              4
10     35.897436    1              2
11     38.461538    2              4
12     43.589744    1              2
13     51.282051    3              6
14     53.846154    2              4
15     56.410256    2              4
16     58.974359    1              2
17     64.102564    1              2
18     69.230769    1              2
19     71.794872    1              2
20     79.487179    1              2
21     84.615385    1              2
22     94.871795    1              2
23    100.000000    8             16
```

Percent of Pl(Nom|Acc|Abl) ending in s($|,)


```
[1] "1Sg(Gen|Dat)_e($|,)"
  Percent_Match freq Percent_Trials
1             0   48             96
2            25    2              4
```

Percent of 1Sg(Gen|Dat) ending in e($|,)

```
[1] "Pl(Gen|Dat)_s($|,)"
   Percent_Match freq Percent_Trials
1        0.000000   26             52
2        3.846154    1              2
3       15.384615    3              6
4       23.076923    1              2
5       30.769231    2              4
6       38.461538    1              2
7       46.153846    1              2
8       69.230769    2              4
9       84.615385    3              6
10     100.000000   10             20
```

Percent of Pl(Gen|Dat) ending in s($|,)


```
[1] "[124]Pl(Gen|Dat)_s($|,)"
   Percent_Match freq Percent_Trials
1           0.00   28             56
2          12.50    2              4
3          18.75    1              2
4          25.00    2              4
5          37.50    1              2
6          62.50    2              4
7          75.00    4              8
8         100.00   10             20
```

Percent of [124]PI(Gen|Dat) ending in s($|,)


```
[1] "Sg_nots"
   Percent_Match freq Percent_Trials
1       41.53846    1              2
2       52.30769    1              2
3       60.00000    1              2
4       66.15385    2              4
5       67.69231    1              2
6       69.23077    2              4
7       70.76923    2              4
8       75.38462    1              2
9       78.46154    1              2
10      80.00000    3              6
11      84.61538    2              4
12      86.15385    2              4
13      87.69231    1              2
14      89.23077    1              2
15      90.76923    1              2
16      93.84615    2              4
17      95.38462    2              4
18     100.00000   24             48
```

Percent of Sg ending in nots


```
[1] "Pl_s($|,)"
   Percent_Match freq Percent_Trials
1       0.000000   11             22
2       4.615385    1              2
3       6.153846    1              2
4       9.230769    1              2
5      10.769231    1              2
6      12.307692    2              4
7      15.384615    2              4
8      18.461538    1              2
9      23.076923    4              8
10     26.153846    1              2
11     30.769231    3              6
12     32.307692    2              4
13     33.846154    2              4
14     44.615385    1              2
15     49.230769    1              2
16     55.384615    1              2
17     63.076923    2              4
18     66.153846    1              2
19     72.307692    1              2
20     75.384615    1              2
21     84.615385    1              2
22     96.923077    1              2
23    100.000000    8             16
```

Percent of PI ending in s($|,)


```
[1] "[mf].Pl_s($|,)"
   Percent_Match freq Percent_Trials
1              0   11             22
2              4    1              2
3              8    1              2
4             12    1              2
5             14    1              2
6             16    3              6
7             20    1              2
8             22    1              2
9             24    3              6
10            28    2              4
11            32    3              6
12            34    2              4
13            40    1              2
14            42    1              2
15            46    1              2
16            48    1              2
17            54    1              2
18            56    1              2
19            64    1              2
20            72    2              4
21            76    1              2
22            80    1              2
23           100    9             18
```

Percent of [mf].Pl ending in s($|,)


```
[1] "[124]Pl_s($|,)"
   Percent_Match freq Percent_Trials
1            0.0   18             36
2            5.0    1              2
3            7.5    1              2
4           10.0    3              6
5           17.5    3              6
6           20.0    1              2
7           25.0    2              4
8           27.5    2              4
9           30.0    1              2
10          32.5    1              2
11          40.0    1              2
12          62.5    2              4
13          65.0    2              4
14          75.0    2              4
15          77.5    1              2
16          95.0    1              2
17         100.0    8             16
```

Percent of [124]Pl ending in s($|,)

Percent of Trials (y-axis)

Percent Matching Reality (x-axis)

```
[1] "n.Pl_s($|,)"
   Percent_Match freq Percent_Trials
1       0.000000   20             40
2       6.666667    2              4
3      13.333333    1              2
4      20.000000    3              6
5      26.666667    4              8
6      33.333333    3              6
7      40.000000    1              2
8      60.000000    3              6
9      73.333333    2              4
10     86.666667    1              2
11    100.000000   10             20
```

Percent of n.Pl ending in s($|,)


```
[1] "1Sg_a($|,)"
  Percent_Match freq Percent_Trials
1            60    7             14
2            70    2              4
3            80    8             16
4            90    3              6
5           100   30             60
```

Percent of 1Sg ending in a($|,)


```
[1] "[24]Sg_o($|,)"
   Percent_Match freq Percent_Trials
1       20.00000    1              2
2       40.00000    4              8
3       46.66667    1              2
4       53.33333    3              6
5       56.66667    3              6
6       60.00000   22             44
7       63.33333    1              2
8       66.66667    1              2
9       73.33333    2              4
10      76.66667    4              8
11      80.00000    5             10
12      83.33333    1              2
13      90.00000    1              2
14     100.00000    1              2
```

Percent of [24]Sg ending in o($|,)


```
[1] "3Sg_[e-]($|,)"
  Percent_Match freq Percent_Trials
1      33.33333    1               2
2      53.33333    1               2
3      60.00000    9              18
4      66.66667    1               2
5      73.33333    4               8
6      80.00000    7              14
7      86.66667    2               4
8     100.00000   25              50
```

Percent of 3Sg ending in [e–]($|,)

Percent of Trials (y-axis) vs Percent Matching Reality (x-axis)

```
[1] "3Pl_e?s"
   Percent_Match freq Percent_Trials
1       0.000000   12             24
2       6.666667    1              2
3      13.333333    2              4
4      20.000000    1              2
5      26.666667    4              8
6      33.333333    1              2
7      40.000000    9             18
8      46.666667    1              2
9      53.333333    2              4
10     60.000000    2              4
11     66.666667    1              2
12     80.000000    1              2
13     86.666667    2              4
14    100.000000   11             22
```

Percent of 3PI ending in e?s


```
[1] "[24]Pl_os($|,)"
  Percent_Match freq Percent_Trials
1             0   47             94
2            10    1              2
3            30    2              4
```

Percent of [24]Pl ending in os($|,)

Percent of Trials

Percent Matching Reality

```
[1] "1Pl_as($|,)"
  Percent_Match freq Percent_Trials
1             0   32             64
2            10    1              2
3            20    2              4
4            40    4              8
5            50    1              2
6            60    2              4
7            80    1              2
8           100    7             14
```

Percent of 1PI ending in as($|,)


```
[1] "n.Pl_a($|,)"
  Percent_Match freq Percent_Trials
1      0.000000   32             64
2      6.666667    2              4
3     13.333333    5             10
4     20.000000    1              2
5     26.666667    7             14
6     33.333333    2              4
7     66.666667    1              2
```

Percent of n.Pl ending in a($|,)


```
[1] "n.Pl_as($|,)"
  Percent_Match freq Percent_Trials
1             0   48             96
2            20    2              4
```

Percent of n.Pl ending in as($|,)

```
[1] "n.Pl_os($|,)"
  Percent_Match freq Percent_Trials
1      0.000000   45             90
2      6.666667    2              4
3     13.333333    1              2
4     20.000000    2              4
```

Percent of n.Pl ending in os($|,)

Percent of Trials

Percent Matching Reality

```
[1] "m.Pl_as($|,)"
  Percent_Match freq Percent_Trials
1             0   32             64
2             4    3              6
3             8    5             10
4            12    2              4
5            16    1              2
6            20    7             14
```

Percent of m.Pl ending in as($|,)

Percent of Trials

Percent Matching Reality

```
[1] "m.Pl_os($|,)"
  Percent_Match freq Percent_Trials
1             0   45             90
2             4    1              2
3            12    3              6
4            24    1              2
```

Percent of m.Pl ending in os($|,)


```
[1] "Sg"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2       a   50            100
4       e   50            100
8       o   50            100
1       -   49             98
5      es   18             36
3      as   13             26
10      s   13             26
6       i    5             10
9      os    4              8
7      is    3              6
11      u    1              2
[1] "All Endings Included"
   Suffix freq Percent_Trials
1       -   50            100
2       a   50            100
5       e   50            100
10      o   50            100
7      es   18             36
12      s   15             30
4      as   14             28
3      ao    5             10
8       i    5             10
11     os    4              8
6      eo    3              6
9      is    3              6
13      u    1              2
```

```
[1] "SgNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   50          100
5      o   50          100
1      -   49           98
3      e   49           98
6     os    3            6
4     es    1            2
7      s    1            2
8      u    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   50          100
2      a   50          100
5      o   50          100
3      e   49           98
6     os    3            6
4     es    2            4
7      s    2            4
8      u    1            2
[1] "1SgNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      a   50          100
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   50          100
1      -    1            2
[1] "2SgNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      o   50          100
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      o   50          100
1      -    2            4
[1] "3SgNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   49           98
2      e   49           98
3     es    1            2
4      s    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   50          100
2      e   49           98
3     es    1            2
4      s    1            2
[1] "4SgNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      o   49           98
```

```
2    os   3              6
3    u    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1    o    49             98
2    os   3              6
3    u    1              2
[1] "5SgNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2    e    11             22
1    -    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2    e    49             98
1    -    36             72
3    es   2              4
4    s    2              4
[1] "mSgNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4    o    50             100
2    e    49             98
1    -    44             88
5    os   3              6
3    es   1              2
6    s    1              2
7    u    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2    a    50             100
5    o    50             100
3    e    49             98
1    -    45             90
6    os   3              6
4    es   2              4
7    s    2              4
8    u    1              2
[1] "fSgNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2    a    50             100
3    e    49             98
1    -    44             88
4    es   1              2
5    s    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2    a    50             100
3    e    49             98
5    o    49             98
1    -    44             88
6    os   3              6
4    es   2              4
```

```
7     s   2            4
8     u   1            2
[1] "nSgNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     o   50          100
1     -   49           98
2     e   19           38
4     s   1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -   50          100
3     o   50          100
2     e   19           38
4    os   3            6
5     s   1            2
6     u   1            2
[1] "SgAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2     a   50          100
3     e   50          100
4     o   50          100
1     -   32           64
5    os   4            8
6     s   3            6
7     u   1            2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2      a   50          100
5      e   50          100
8      o   50          100
1      -   36           72
3     ao   5           10
9     os   4            8
6     eo   3            6
10     s   3            6
7     es   2            4
4     as   1            2
11     u   1            2
[1] "1SgAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     a   50          100
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     a   50          100
3    ao   5           10
1     -   1            2
4    as   1            2
[1] "2SgAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     o   50          100
```

```
2     os    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     o    50             100
1     -    10              20
3     os    1               2
[1] "3SgAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2     e    50             100
1     -    32              64
3     s    3               6
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     e    50             100
1     -    32              64
3     s    3               6
[1] "4SgAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2     o    49              98
3     os    4               8
1     -    1               2
4     u    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     o    49              98
1     -    6              12
3     os    4               8
4     u    1               2
[1] "5SgAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     e    47              94
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     e    50             100
3     eo    3               6
1     -    2               4
4     es    2               4
[1] "mSgAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2     e    50             100
3     o    50             100
4     os    4               8
1     -    3               6
5     u    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     a    50             100
4     e    50             100
7     o    50             100
3     ao    5              10
```

```
1      -   4            8
8     os   4            8
5     eo   3            6
6     es   2            4
9      u   1            2
[1] "fSgAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   50          100
3      e   50          100
1      -    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   50          100
4      e   50          100
6      o   49           98
1      -   12           24
7     os    3            6
5     es    2            4
3     as    1            2
8      u    1            2
[1] "nSgAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      o   50          100
1      -   32           64
2      e   28           56
5      s    3            6
4     os    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      o   50          100
1      -   32           64
2      e   28           56
4     os    4            8
5      s    3            6
6      u    1            2
[1] "SgNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   50          100
3      e   50          100
5      o   50          100
1      -   49           98
6     os    4            8
7      s    3            6
4     es    2            4
8      u    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   50          100
2      a   50          100
5      e   50          100
8      o   50          100
```

```
3      ao    5            10
9      os    4             8
10      s    4             8
6      eo    3             6
7      es    3             6
4      as    1             2
11      u    1             2
```
[1] "1SgNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
1      a    50           100
```
[1] "All Endings Included"
```
  Suffix freq Percent_Trials
2      a    50           100
3     ao     5            10
1      -     2             4
4     as     1             2
```
[1] "2SgNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
1      o    50           100
2     os     1             2
```
[1] "All Endings Included"
```
  Suffix freq Percent_Trials
2      o    50           100
1      -    10            20
3     os     1             2
```
[1] "3SgNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
2      e    50           100
1      -    49            98
4      s     3             6
3     es     1             2
```
[1] "All Endings Included"
```
  Suffix freq Percent_Trials
1      -    50           100
2      e    50           100
4      s     3             6
3     es     1             2
```
[1] "4SgNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
2      o    49            98
3     os     4             8
1      -     1             2
4      u     1             2
```
[1] "All Endings Included"
```
  Suffix freq Percent_Trials
2      o    49            98
1      -     6            12
3     os     4             8
4      u     1             2
```
[1] "5SgNom,Acc,Abl"

```
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   47              94
1      -    1               2
3     es    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   50             100
1      -   36              72
3     eo    3               6
4     es    3               6
5      s    2               4
[1] "mSgNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   50             100
4      o   50             100
1      -   44              88
5     os    4               8
3     es    1               2
6      s    1               2
7      u    1               2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       a   50            100
4       e   50            100
7       o   50            100
1       -   45             90
3      ao    5             10
8      os    4              8
5      eo    3              6
6      es    3              6
9       s    2              4
10      u    1              2
[1] "fSgNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   50             100
3      e   50             100
1      -   44              88
4     es    2               4
5      s    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   50             100
4      e   50             100
6      o   49              98
1      -   45              90
7     os    4               8
5     es    3               6
8      s    2               4
3     as    1               2
9      u    1               2
[1] "nSgNom,Acc,Abl"
```

```
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      o   50           100
1      -   49            98
2      e   28            56
5      s    3             6
4     os    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   50           100
3      o   50           100
2      e   28            56
4     os    4             8
5      s    3             6
6      u    1             2
[1] "SgGen,Dat"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2       a   43            86
4       e   41            82
1       -   21            42
5      es   17            34
8       o   15            30
3      as   13            26
10      s   13            26
6       i    5            10
7      is    3             6
9      os    2             4
11      u    1             2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       a   45            90
4       e   42            84
1       -   26            52
5      es   18            36
8       o   16            32
10      s   15            30
3      as   13            26
6       i    5            10
7      is    3             6
9      os    2             4
11      u    1             2
[1] "1SgGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   43            86
3     as   13            26
5      s    2             4
1      -    1             2
4     es    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   45            90
3     as   13            26
```

```
1      -    3             6
7      s    3             6
4      e    2             4
5      es   1             2
6      is   1             2
```
[1] "2SgGen,Dat"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
2      e   26            52
1      -   15            30
6      o    7            14
3      es   6            12
4      i    5            10
7      s    5            10
5      is   2             4
```
[1] "All Endings Included"
```
  Suffix freq Percent_Trials
2      e   26            52
1      -   18            36
3      es   7            14
6      o    7            14
7      s    7            14
4      i    5            10
5      is   2             4
```
[1] "3SgGen,Dat"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
2      e   38            76
3      es  16            32
1      -   14            28
6      s    8            16
5      is   3             6
4      i    2             4
```
[1] "All Endings Included"
```
  Suffix freq Percent_Trials
2      e   39            78
3      es  16            32
1      -   15            30
6      s   10            20
5      is   3             6
4      i    2             4
```
[1] "4SgGen,Dat"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
2      e   18            36
6      o   15            30
1      -   11            22
8      s    8            16
3      es   5            10
4      i    3             6
5      is   2             4
7      os   2             4
9      u    1             2
```
[1] "All Endings Included"

```
   Suffix freq Percent_Trials
2      e   21            42
6      o   16            32
1      -   15            30
3     es    8            16
8      s    8            16
4      i    3             6
5     is    2             4
7     os    2             4
9      u    1             2
[1] "5SgGen,Dat"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2      e   19            38
3     es    6            12
6      s    2             4
1      -    1             2
4      i    1             2
5     is    1             2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2      e   36            72
3     es   16            32
1      -    9            18
6      s    8            16
5     is    3             6
4      i    2             4
[1] "mSgGen,Dat"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2      e   41            82
1      -   18            36
3     es   16            32
6      o   15            30
8      s   11            22
4      i    5            10
5     is    3             6
7     os    2             4
9      u    1             2
[1] "All Endings Included"
    Suffix freq Percent_Trials
2       a   44            88
4       e   42            84
1       -   22            44
5      es   18            36
8       o   16            32
3      as   12            24
10      s   12            24
6       i    5            10
7      is    3             6
9      os    2             4
11      u    1             2
[1] "fSgGen,Dat"
[1] "Endings occuring 10 times or less excluded"
```

```
   Suffix freq Percent_Trials
2       a   43            86
4       e   37            74
5      es   16            32
3      as   13            26
1       -    9            18
8       s    8            16
7      is    3             6
6       i    2             4
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       a   44            88
4       e   41            82
1       -   22            44
5      es   18            36
8       o   15            30
10      s   14            28
3      as   13            26
6       i    3             6
7      is    3             6
9      os    2             4
11      u    1             2
[1] "nSgGen,Dat"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2       e   31            62
1       -   17            34
3      es   12            24
7       s   10            20
6       o    7            14
4       i    5            10
5      is    3             6
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       e   31            62
1       -   20            40
6       o   14            28
3      es   13            26
8       s   11            22
4       i    5            10
5      is    3             6
7      os    2             4
9       u    1             2
[1] "Nom"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2       a   50           100
7       o   50           100
1       -   49            98
9       s   25            50
5      es   20            40
3      as   14            28
4       e   12            24
8      os    3             6
```

```
6      is    1            2
10      u    1            2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       a   50           100
7       o   50           100
1       -   49            98
9       s   25            50
5      es   20            40
3      as   17            34
4       e   16            32
8      os    3             6
6      is    1             2
10      u    1             2
[1] "NomSg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2       a   50           100
5       o   50           100
1       -   48            96
3       e    4             8
6      os    3             6
4      es    1             2
7       s    1             2
8       u    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2       a   50           100
5       o   50           100
1       -   49            98
3       e   11            22
6      os    3             6
4      es    2             4
7       s    2             4
8       u    1             2
[1] "1"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2       a   50           100
4      as   19            38
10     es    6            12
13      s    5            10
1       -    3             6
6     bos    2             4
3      ao    1             2
5     aso    1             2
7       e    1             2
8    ebos    1             2
9      eo    1             2
11      i    1             2
12      o    1             2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       a   50           100
```

```
4      as  22           44
3      ao   6           12
10     es   6           12
7       e   5           10
14      s   5           10
1       -   4            8
6     bos   2            4
5     aso   1            2
8    ebos   1            2
9      eo   1            2
11      i   1            2
12     is   1            2
13      o   1            2
[1] "1Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   50           100
3     as   13            26
5      s    2            4
1      -    1            2
4     es    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   50           100
4     as   14            28
3     ao    5           10
1      -    3            6
8      s    3            6
5      e    2            4
6     es    1            2
7     is    1            2
[1] "1SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      a   50           100
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   50           100
1      -    1            2
[1] "2"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
9       o   50           100
1       -   37            74
4       e   31            62
11      s   24            48
2       a   15            30
6      es   13            26
7       i    6            12
3      as    3            6
5      eo    2            4
8      is    2            4
10     os    2            4
[1] "All Endings Included"
```

```
   Suffix freq Percent_Trials
9       o   50            100
1       -   39             78
4       e   31             62
11      s   25             50
2       a   15             30
6      es   15             30
7       i    6             12
3      as    3              6
5      eo    2              4
8      is    2              4
10     os    2              4
[1] "2Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6       o   50            100
2       e   26             52
1       -   15             30
3      es    6             12
4       i    5             10
8       s    5             10
5      is    2              4
7      os    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
6       o   50            100
2       e   26             52
1       -   23             46
3      es    7             14
8       s    7             14
4       i    5             10
5      is    2              4
7      os    1              2
[1] "2SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1       o   50            100
[1] "All Endings Included"
  Suffix freq Percent_Trials
2       o   50            100
1       -    1              2
[1] "3"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
4       e   50            100
1       -   49             98
7      es   36             72
11      s   22             44
2       a   14             28
6      eo    4              8
8       i    3              6
9      is    3              6
3      as    2              4
5    ebos    2              4
```

```
10      o    2                4
[1] "All Endings Included"
   Suffix freq Percent_Trials
1       -   50              100
4       e   50              100
7      es   36               72
11      s   22               44
2       a   16               32
6      eo    4                8
8       i    3                6
9      is    3                6
3      as    2                4
5    ebos    2                4
10      o    2                4
[1] "3Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2       e   50              100
1       -   49               98
3      es   16               32
6       s    9               18
5      is    3                6
4       i    2                4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1       -   50              100
2       e   50              100
3      es   16               32
6       s   11               22
5      is    3                6
4       i    2                4
[1] "3SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1       -   48               96
2       e    4                8
3      es    1                2
4       s    1                2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1       -   49               98
2       e    4                8
3      es    1                2
4       s    1                2
[1] "4"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
8       o   49               98
1       -   30               60
2       e   26               52
10      s   17               34
4      es   12               24
9      os    5               10
3      eo    4                8
```

```
6       i    4            8
7      is    2            4
5     eso    1            2
11      u    1            2
[1] "All Endings Included"
   Suffix freq Percent_Trials
9       o   49           98
1       -   32           64
3       e   28           56
11      s   21           42
5      es   14           28
10     os    5           10
4      eo    4            8
7       i    4            8
8      is    2            4
2       a    1            2
6     eso    1            2
12      u    1            2
[1] "4Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6       o   49           98
2       e   18           36
1       -   11           22
8       s    8           16
3      es    5           10
7      os    4            8
4       i    3            6
5      is    2            4
9       u    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
6       o   49           98
2       e   21           42
1       -   17           34
3      es    8           16
8       s    8           16
7      os    4            8
4       i    3            6
5      is    2            4
9       u    1            2
[1] "4SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1       o   46           92
2      os    3            6
3       u    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1       o   46           92
2      os    3            6
3       u    1            2
[1] "5"
[1] "Endings occuring 10 times or less excluded"
```

```
   Suffix freq Percent_Trials
3       e   48              96
6      es   27              54
1       -   18              36
10      s    9              18
5      eo    3               6
2       a    2               4
7       i    2               4
4    ebos    1               2
8      is    1               2
9       o    1               2
[1] "All Endings Included"
   Suffix freq Percent_Trials
4       e   50             100
1       -   38              76
7      es   35              70
12      s   18              36
6      eo    6              12
2       a    4               8
8       i    4               8
10     is    3               6
5    ebos    2               4
3      as    1               2
9      io    1               2
11      o    1               2
[1] "5Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2       e   48              96
1       -    9              18
3      es    7              14
6       s    3               6
4       i    1               2
5      is    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2       e   50             100
1       -   37              74
4      es   17              34
7       s    9              18
3      eo    3               6
6      is    3               6
5       i    2               4
[1] "5SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1       -   35              70
2       e   10              20
3      es    2               4
4       s    2               4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1       -   36              72
2       e   11              22
```

```
3      es    2              4
4       s    2              4
[1] "m"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
4        e   50             100
11       o   50             100
1        -   47              94
7       es   36              72
2        a   34              68
13       s   26              52
3       as    7              14
9        i    6              12
12      os    5              10
6       eo    4               8
10      is    3               6
5     ebos    2               4
8      eso    1               2
14       u    1               2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2        a   50             100
7        e   50             100
15       o   50             100
1        -   48              96
10      es   36              72
17       s   27              54
4       as   23              46
3       ao    6              12
9       eo    6              12
12       i    6              12
16      os    5              10
14      is    3               6
6      bos    2               4
8     ebos    2               4
5      aso    1               2
11     eso    1               2
13      io    1               2
18       u    1               2
[1] "mSg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2        e   50             100
6        o   50             100
1        -   45              90
3       es   16              32
8        s   12              24
4        i    5              10
7       os    4               8
5       is    3               6
9        u    1               2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2        a   50             100
```

```
5       e   50          100
10      o   50          100
1       -   47           94
7      es   18           36
4      as   12           24
12      s   12           24
3      ao    5           10
8       i    5           10
11     os    4            8
6      eo    3            6
9      is    3            6
13      u    1            2
[1] "mSgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4       o   50          100
1       -   44           88
2       e    4            8
5      os    3            6
3      es    1            2
6       s    1            2
7       u    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2       a   50          100
5       o   50          100
1       -   45           90
3       e   10           20
6      os    3            6
4      es    2            4
7       s    2            4
8       u    1            2
[1] "m1Sg"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2       a   50          100
4      as   12           24
3      ao    5           10
1       -    3            6
5       e    2            4
8       s    2            4
6      es    1            2
7      is    1            2
[1] "m1SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2       a   50          100
1       -    1            2
```

```
[1] "m2Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6      o   50          100
2      e   26           52
1      -   14           28
3     es    6           12
4      i    5           10
8      s    4            8
5     is    2            4
7     os    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
6      o   50          100
2      e   26           52
1      -   15           30
3     es    7           14
4      i    5           10
8      s    4            8
5     is    2            4
7     os    1            2
[1] "m2SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      o   50          100
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      o   50          100
[1] "m3Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   50          100
1      -   44           88
3     es   16           32
6      s    8           16
5     is    3            6
4      i    2            4
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   50          100
1      -   45           90
3     es   16           32
6      s    8           16
5     is    3            6
4      i    2            4
[1] "m3SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   44           88
2      e    4            8
3     es    1            2
4      s    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
```

```
1      -   45              90
2      e    4               8
3     es    1               2
4      s    1               2
[1] "m4Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6      o   49              98
2      e   18              36
1      -   11              22
8      s    8              16
3     es    5              10
7     os    4               8
4      i    3               6
5     is    2               4
9      u    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
6      o   49              98
2      e   19              38
1      -   14              28
8      s    8              16
3     es    7              14
7     os    4               8
4      i    3               6
5     is    2               4
9      u    1               2
[1] "m4SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      o   46              92
2     os    3               6
3      u    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      o   46              92
2     os    3               6
3      u    1               2
[1] "m5Sg"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   50             100
1      -   37              74
4     es   14              28
7      s    8              16
3     eo    3               6
6     is    3               6
5      i    2               4
[1] "m5SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
```

```
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   36            72
2      e   10            20
3     es    2             4
4      s    2             4
[1] "f"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2       a   50           100
7       e   50           100
1       -   44            88
10     es   36            72
4      as   19            38
15      s   18            36
13      o   16            32
9      eo    4             8
11      i    3             6
12     is    3             6
6     bos    2             4
8    ebos    2             4
3      ao    1             2
5     aso    1             2
14     os    1             2
16      u    1             2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       a   50           100
7       e   50           100
14      o   49            98
1       -   47            94
10     es   36            72
16      s   26            52
4      as   20            40
11      i    5            10
15     os    5            10
9      eo    4             8
13     is    3             6
6     bos    2             4
8    ebos    2             4
3      ao    1             2
5     aso    1             2
12     io    1             2
17      u    1             2
[1] "fSg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   50           100
4      e   50           100
1      -   44            88
5     es   17            34
8      o   15            30
3     as   13            26
```

```
9      s    8             16
7     is    3              6
6      i    2              4
[1] "All Endings Included"
   Suffix freq Percent_Trials
2      a   50            100
4      e   50            100
8      o   49             98
1      -   46             92
5     es   18             36
3     as   14             28
10     s   14             28
9     os    4              8
6      i    3              6
7     is    3              6
11     u    1              2
[1] "fSgNom"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2      a   50            100
1      -   44             88
3      e    4              8
4     es    1              2
5      s    1              2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2      a   50            100
5      o   49             98
1      -   44             88
3      e   11             22
6     os    3              6
4     es    2              4
7      s    2              4
8      u    1              2
[1] "f1Sg"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2      a   50            100
3     as   13             26
5      s    2              4
1      -    1              2
4     es    1              2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2      a   50            100
3     as   14             28
5      s    3              6
1      -    2              4
4     es    1              2
[1] "f1SgNom"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
1      a   50            100
[1] "All Endings Included"
```

```
  Suffix freq Percent_Trials
1      a   50            100
[1] "f2Sg"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix        freq         Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
6      o   49             98
2      e   22             44
1      -   21             42
3     es    6             12
8      s    6             12
4      i    3              6
5     is    2              4
7     os    1              2
[1] "f2SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix        freq         Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      o   49             98
1      -    1              2
[1] "f3Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   50            100
1      -   44             88
3     es   15             30
6      s    8             16
5     is    3              6
4      i    2              4
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   50            100
1      -   44             88
3     es   16             32
6      s   11             22
5     is    3              6
4      i    2              4
[1] "f3SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   44             88
2      e    4              8
3     es    1              2
4      s    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   44             88
2      e    4              8
3     es    1              2
4      s    1              2
```

```
[1] "f4Sg"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
6      o   49             98
2      e   16             32
1      -   14             28
3     es    7             14
8      s    7             14
7     os    4              8
4      i    3              6
5     is    2              4
9      u    1              2
[1] "f4SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      o   46             92
2     os    3              6
3      u    1              2
[1] "f5Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   48             96
1      -    9             18
3     es    8             16
6      s    3              6
4      i    2              4
5     is    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   50            100
1      -   37             74
3     es   17             34
6      s    9             18
5     is    3              6
4      i    2              4
[1] "f5SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   36             72
2      e   11             22
3     es    2              4
4      s    2              4
[1] "n"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
```

```
1         -   50           100
10        o   50           100
4         e   35            70
12        s   23            46
2         a   18            36
7        es   16            32
8         i    6            12
3        as    3             6
6        eo    3             6
9        is    3             6
11       os    3             6
5      ebos    2             4
13        u    1             2
```
[1] "All Endings Included"
```
   Suffix freq Percent_Trials
1         -   50           100
11        o   50           100
4         e   35            70
13        s   25            50
2         a   18            36
7        es   18            36
9         i    6            12
12       os    5            10
6        eo    4             8
3        as    3             6
10       is    3             6
5      ebos    2             4
8       eso    1             2
14        u    1             2
```
[1] "nSg"
[1] "Endings occuring 10 times or less excluded"
```
   Suffix freq Percent_Trials
6         o   50           100
1         -   49            98
2         e   35            70
3        es   12            24
8         s   10            20
4         i    5            10
5        is    3             6
7        os    1             2
```
[1] "All Endings Included"
```
   Suffix freq Percent_Trials
1         -   50           100
6         o   50           100
2         e   35            70
3        es   13            26
8         s   11            22
4         i    5            10
7        os    4             8
5        is    3             6
9         u    1             2
```
[1] "nSgNom"
[1] "Endings occuring 10 times or less excluded"
```
   Suffix freq Percent_Trials
```

```
3     o   50            100
1     -   48             96
2     e    1              2
4     s    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     o   50            100
1     -   49             98
4    os    3              6
2     e    1              2
5     s    1              2
6     u    1              2
[1] "n2Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6     o   50            100
2     e   26             52
1     -   13             26
3    es    6             12
4     i    5             10
8     s    5             10
5    is    2              4
7    os    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
6     o   50            100
2     e   26             52
1     -   15             30
3    es    6             12
4     i    5             10
8     s    5             10
5    is    2              4
7    os    1              2
[1] "n2SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     o   50            100
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     o   50            100
[1] "n3Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     -   49             98
2     e   33             66
3    es   12             24
6     s    9             18
5    is    3              6
4     i    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -   50            100
2     e   33             66
3    es   13             26
```

```
6     s     9              18
5     is    3               6
4     i     1               2
[1] "n3SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     -    48              96
2     e     1               2
3     s     1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -    49              98
2     e     1               2
3     s     1               2
[1] "n4Sg"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
6     o    49              98
2     e    19              38
1     -    10              20
8     s     6              12
3     es    5              10
7     os    4               8
4     i     3               6
5     is    2               4
9     u     1               2
[1] "n4SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     o    46              92
2     os    3               6
3     u     1               2
[1] "Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2     a    50             100
4     e    50             100
6     o    50             100
1     -    45              90
5     es   30              60
8     s    17              34
3     as   14              28
7     os    2               4
9     u     1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     a    50             100
4     e    50             100
```

```
6      o   50          100
1      -   46           92
5     es   31           62
8      s   18           36
3     as   14           28
7     os    2            4
9      u    1            2
[1] "AccSg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   50          100
4      o   50          100
3      e   49           98
1      -   32           64
5      u    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   50          100
4      o   50          100
3      e   49           98
1      -   32           64
5      u    1            2
[1] "1SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      a   50          100
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      a   50          100
[1] "2SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      o   50          100
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      o   50          100
1      -    2            4
[1] "3SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   49           98
1      -   32           64
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   49           98
1      -   32           64
[1] "4SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      o   49           98
2      u    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      o   49           98
```

```
2     u    1              2
[1] "5SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2     e    49             98
1     -    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     e    49             98
1     -    1              2
[1] "mSgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     o    50            100
2     e    49             98
1     -    2              4
4     u    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     a    50            100
4     o    50            100
3     e    49             98
1     -    2              4
5     u    1              2
[1] "m1SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix           freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     a    50            100
[1] "m2SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     o    50            100
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     o    50            100
[1] "m3SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2     e    49             98
1     -    2              4
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     e    49             98
1     -    2              4
[1] "m4SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     o    49             98
2     u    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
```

```
1      o    49          98
2      u    1           2
[1] "m5SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix        freq        Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e    49          98
1      -    1           2
[1] "fSgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a    50          100
3      e    49          98
1      -    1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a    50          100
3      e    49          98
4      o    49          98
1      -    2           4
5      u    1           2
[1] "f1SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      a    50          100
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      a    50          100
[1] "f2SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix        freq        Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      o    48          96
1      -    2           4
[1] "f3SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e    49          98
1      -    1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e    49          98
1      -    1           2
[1] "f4SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix        freq        Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      o    49          98
```

```
2     u    1              2
[1] "f5SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     e   49              98
1     -    1               2
[1] "nSgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     o   50             100
1     -   32              64
2     e   19              38
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     o   50             100
1     -   32              64
2     e   19              38
4     u    1               2
[1] "n2SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     o   50             100
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     o   50             100
[1] "n3SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     -   32              64
2     e   19              38
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -   32              64
2     e   19              38
[1] "n4SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     o   49              98
2     u    1               2
[1] "Gen"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2      a   38              76
7      e   29              58
1      -   25              50
10    es   18              36
16     s   17              34
4     as   12              24
```

```
14      o   11          22
12      i    6          12
9      eo    3           6
13     is    3           6
15     os    2           4
3      ao    1           2
5     aso    1           2
6     bos    1           2
8    ebos    1           2
11    eso    1           2
17      u    1           2
```
[1] "All Endings Included"
```
   Suffix freq Percent_Trials
2       a   39          78
7       e   33          66
1       -   29          58
10     es   20          40
16      s   18          36
4      as   14          28
14      o   11          22
12      i    6          12
9      eo    3           6
13     is    3           6
15     os    2           4
3      ao    1           2
5     aso    1           2
6     bos    1           2
8    ebos    1           2
11    eso    1           2
17      u    1           2
```
[1] "GenSg"
[1] "Endings occuring 10 times or less excluded"
```
   Suffix freq Percent_Trials
2       a   36          72
4       e   28          56
1       -   16          32
5      es   16          32
3      as   12          24
10      s   12          24
8       o   10          20
6       i    5          10
7      is    3           6
9      os    2           4
11      u    1           2
```
[1] "All Endings Included"
```
   Suffix freq Percent_Trials
2       a   37          74
4       e   31          62
1       -   21          42
5      es   16          32
10      s   14          28
3      as   12          24
8       o   10          20
6       i    5          10
```

```
7      is    3           6
9      os    2           4
11      u    1           2
[1] "1SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a    36          72
3     as    12          24
5      s    2            4
1      -    1            2
4     es    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a    37          74
3     as    12          24
1      -    3            6
7      s    3            6
4      e    2            4
5     es    1            2
6     is    1            2
[1] "2SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e    21          42
1      -    11          22
3     es    6           12
4      i    5           10
7      s    5           10
5     is    2            4
6      o    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e    22          44
1      -    15          30
3     es    7           14
7      s    6           12
4      i    5           10
5     is    2            4
6      o    1            2
[1] "3SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e    23          46
3     es    15          30
1      -    9           18
6      s    8           16
5     is    3            6
4      i    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e    23          46
3     es    15          30
6      s    10          20
1      -    9           18
```

```
5     is   3              6
4     i    1              2
[1] "4SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2     e    15             30
6     o    10             20
1     -     7             14
8     s     6             12
3     es    5             10
4     i     2              4
5     is    2              4
7     os    2              4
9     u     1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     e    18             36
1     -    11             22
6     o    10             20
3     es    7             14
8     s     7             14
4     i     2              4
5     is    2              4
7     os    2              4
9     u     1              2
[1] "5SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2     e    19             38
3     es   10             20
6     s     7             14
1     -     3              6
5     is    2              4
4     i     1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     e    25             50
3     es   14             28
6     s     8             16
1     -     6             12
5     is    3              6
4     i     2              4
[1] "mSgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2     e    27             54
3     es   15             30
1     -    13             26
6     o    10             20
8     s    10             20
4     i     5             10
5     is    3              6
7     os    2              4
9     u     1              2
```

```
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       a   33           66
4       e   30           60
1       -   16           32
5      es   16           32
10      s   11           22
3      as   10           20
8       o   10           20
6       i    5           10
7      is    3            6
9      os    2            4
11      u    1            2
[1] "m1SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       a   33           66
3      as   10           20
1       -    3            6
4       e    2            4
7       s    2            4
5      es    1            2
6      is    1            2
[1] "m2SgGen"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2       e   21           42
1       -   11           22
3      es    6           12
4       i    5           10
7       s    4            8
5      is    2            4
6       o    1            2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       e   21           42
1       -   11           22
3      es    7           14
4       i    5           10
7       s    4            8
5      is    2            4
6       o    1            2
[1] "m3SgGen"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2       e   22           44
3      es   15           30
6       s    7           14
1       -    5           10
5      is    3            6
4       i    1            2
```

```
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   22            44
3     es   15            30
6      s    7            14
1      -    5            10
5     is    3             6
4      i    1             2
[1] "m4SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   15            30
6      o   10            20
1      -    7            14
8      s    6            12
3     es    5            10
4      i    2             4
5     is    2             4
7     os    2             4
9      u    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   16            32
1      -   10            20
6      o   10            20
3     es    7            14
8      s    7            14
4      i    2             4
5     is    2             4
7     os    2             4
9      u    1             2
[1] "m5SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   24            48
3     es   11            22
6      s    7            14
1      -    4             8
5     is    3             6
4      i    1             2
[1] "fSgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   36            72
4      e   21            42
5     es   15            30
3     as   12            24
8      s    8            16
1      -    7            14
7     is    3             6
6      i    1             2
```

```
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       a   37           74
4       e   27           54
1       -   18           36
5      es   16           32
10      s   14           28
3      as   12           24
8       o    9           18
6       i    3            6
7      is    3            6
9      os    2            4
11      u    1            2
[1] "f1SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2       a   36           72
3      as   12           24
5       s    2            4
1       -    1            2
4      es    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2       a   37           74
3      as   12           24
5       s    3            6
1       -    2            4
4      es    1            2
[1] "f2SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2       e   19           38
1       -   14           28
3      es    6           12
7       s    5           10
4       i    3            6
5      is    2            4
6       o    1            2
[1] "f3SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2       e   21           42
3      es   14           28
6       s    7           14
1       -    6           12
5      is    3            6
4       i    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2       e   21           42
3      es   15           30
```

```
6      s   10           20
1      -    6           12
5     is    3            6
4      i    1            2
[1] "f4SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   14           28
6      o    9           18
1      -    8           16
8      s    7           14
3     es    6           12
5     is    2            4
7     os    2            4
4      i    1            2
9      u    1            2
[1] "f5SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   22           44
3     es   14           28
6      s    8           16
1      -    6           12
5     is    3            6
4      i    2            4
[1] "nSgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   24           48
1      -   13           26
3     es   12           24
7      s   10           20
4      i    5           10
5     is    3            6
6      o    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   26           52
1      -   15           30
3     es   13           26
8      s   11           22
6      o    9           18
4      i    5           10
5     is    3            6
7     os    2            4
9      u    1            2
[1] "n2SgGen"
[1] "Endings occuring 10 times or less excluded"
```

```
   Suffix freq Percent_Trials
2      e   21           42
1      -   11           22
3     es    6           12
4      i    5           10
7      s    5           10
5     is    2            4
6      o    1            2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2      e   21           42
1      -   12           24
3     es    6           12
4      i    5           10
7      s    5           10
5     is    2            4
6      o    1            2
[1] "n3SgGen"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2      e   20           40
3     es   12           24
1      -    8           16
6      s    8           16
5     is    3            6
4      i    1            2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2      e   21           42
3     es   13           26
1      -    8           16
6      s    8           16
5     is    3            6
4      i    1            2
[1] "n4SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq         Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
   Suffix freq Percent_Trials
2      e   17           34
6      o    9           18
1      -    8           16
3     es    5           10
8      s    5           10
4      i    2            4
5     is    2            4
7     os    2            4
9      u    1            2
[1] "Dat"
[1] "Endings occuring 10 times or less excluded"
    Suffix freq Percent_Trials
2       a   44           88
6       e   40           80
```

```
1       -   26                52
8       es  17                34
11       o  16                32
4       as  15                30
13       s  13                26
9        i   5                10
7       eo   3                 6
10      is   2                 4
3       ao   1                 2
5      aso   1                 2
12      os   1                 2
14       u   1                 2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2        a  45                90
6        e  41                82
1        -  27                54
8       es  18                36
11       o  17                34
13       s  16                32
4       as  15                30
9        i   5                10
7       eo   3                 6
10      is   2                 4
3       ao   1                 2
5      aso   1                 2
12      os   1                 2
14       u   1                 2
[1] "DatSg"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2        a  43                86
4        e  39                78
1        -  19                38
8        o  15                30
10       s  10                20
5       es   7                14
3       as   6                12
6        i   4                 8
7       is   2                 4
9       os   1                 2
11       u   1                 2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2        a  45                90
4        e  40                80
1        -  20                40
8        o  16                32
10       s  10                20
5       es   9                18
3       as   6                12
6        i   4                 8
7       is   2                 4
9       os   1                 2
```

```
11      u    1                2
```
[1] "1SgDat"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
2      a    43            86
3      as    6            12
1      -     1             2
```
[1] "All Endings Included"
```
  Suffix freq Percent_Trials
2      a    45            90
3      as    6            12
1      -     1             2
```
[1] "2SgDat"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
2      e    23            46
1      -    14            28
6      o     7            14
7      s     5            10
4      i     4             8
3      es    3             6
5      is    1             2
```
[1] "All Endings Included"
```
  Suffix freq Percent_Trials
2      e    23            46
1      -    16            32
6      o     7            14
7      s     6            12
4      i     4             8
3      es    3             6
5      is    1             2
```
[1] "3SgDat"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
2      e    37            74
1      -    12            24
3      es    7            14
6      s     6            12
4      i     2             4
5      is    2             4
```
[1] "All Endings Included"
```
  Suffix freq Percent_Trials
2      e    38            76
1      -    13            26
3      es    7            14
6      s     7            14
4      i     2             4
5      is    2             4
```
[1] "4SgDat"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
2      e    15            30
5      o    15            30
1      -     9            18
```

```
7      s     5              10
3     es     3               6
4      i     3               6
6     os     1               2
8      u     1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e    18              36
5      o    16              32
1      -    10              20
7      s     5              10
3     es     4               8
4      i     3               6
6     os     1               2
8      u     1               2
[1] "5SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e    32              64
3     es     8              16
1      -     2               4
4      i     2               4
6      s     2               4
5     is     1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e    35              70
3     es     9              18
1      -     4               8
4      i     2               4
6      s     2               4
5     is     1               2
[1] "mSgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e    39              78
1      -    15              30
6      o    15              30
8      s     7              14
3     es     6              12
4      i     3               6
5     is     2               4
7     os     1               2
9      u     1               2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       a    44              88
4       e    39              78
1       -    17              34
8       o    16              32
5      es     9              18
10      s     7              14
3      as     5              10
6       i     4               8
```

```
7       is    2            4
9       os    1            2
11       u    1            2
[1] "m1SgDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   44            88
3     as    5            10
1      -    1             2
[1] "m2SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   23            46
1      -   13            26
6      o    6            12
7      s    4             8
3     es    3             6
4      i    3             6
5     is    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   23            46
1      -   14            28
6      o    7            14
4      i    4             8
7      s    4             8
3     es    3             6
5     is    1             2
[1] "m3SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   37            74
3     es    6            12
1      -    2             4
4      i    2             4
5     is    2             4
6      s    2             4
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   37            74
3     es    7            14
1      -    2             4
4      i    2             4
5     is    2             4
6      s    2             4
[1] "m4SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   15            30
5      o   15            30
1      -    9            18
```

```
7      s     5              10
3      es    3               6
4      i     3               6
6      os    1               2
8      u     1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e    16              32
5      o    16              32
1      -     9              18
7      s     5              10
3      es    3               6
4      i     3               6
6      os    1               2
8      u     1               2
[1] "m5SgDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e    34              68
3      es    8              16
1      -     3               6
4      i     2               4
6      s     2               4
5      is    1               2
[1] "fSgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a    43              86
4      e    36              72
5      es    7              14
3      as    6              12
1      -     4               8
6      i     2               4
8      s     2               4
7      is    1               2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       a    44              88
4       e    38              76
1       -    18              36
8       o    15              30
5       es    9              18
3       as    6              12
10       s    6              12
6       i    3               6
7       is    1               2
9       os    1               2
11       u    1               2
[1] "f1SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
```

```
2     a   43              86
3    as    6              12
1     -    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     a   44              88
3    as    6              12
1     -    1               2
[1] "f2SgDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     e   18              36
1     -   15              30
6     o    5              10
7     s    5              10
3    es    3               6
4     i    3               6
5    is    1               2
[1] "f3SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2     e   36              72
3    es    7              14
1     -    3               6
4     i    2               4
6     s    2               4
5    is    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     e   36              72
3    es    7              14
1     -    4               8
4     i    2               4
6     s    2               4
5    is    1               2
[1] "f4SgDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
5     o   15              30
2     e   14              28
1     -    9              18
3    es    4               8
7     s    4               8
4     i    3               6
6    os    1               2
8     u    1               2
[1] "f5SgDat"
[1] "Endings occuring 10 times or less excluded"
```

```
[1] Suffix          freq         Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   34             68
3     es    9             18
1      -    4              8
4      i    2              4
6      s    2              4
5     is    1              2
[1] "nSgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   28             56
1      -   14             28
7      s    8             16
6      o    7             14
3     es    5             10
4      i    4              8
5     is    2              4
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   30             60
1      -   16             32
6      o   14             28
8      s    9             18
3     es    5             10
4      i    4              8
5     is    2              4
7     os    1              2
9      u    1              2
[1] "n2SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   23             46
1      -   10             20
6      o    7             14
4      i    4              8
7      s    4              8
3     es    2              4
5     is    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   23             46
1      -   12             24
6      o    7             14
4      i    4              8
7      s    4              8
3     es    3              6
5     is    1              2
[1] "n3SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   25             50
```

```
1      -    11              22
6      s     6              12
3     es     5              10
5     is     2               4
4      i     1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e    27              54
1      -    11              22
6      s     7              14
3     es     5              10
5     is     2               4
4      i     1               2
[1] "n4SgDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e    16              32
5      o    14              28
1      -     8              16
7      s     4               8
3     es     3               6
4      i     3               6
6     os     1               2
8      u     1               2
[1] "Abl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2       a   50             100
5       e   50             100
10      o   49              98
1       -   30              60
8      es   21              42
12      s   17              34
3      as   11              22
11     os    5              10
7      eo    4               8
4     bos    2               4
6    ebos    2               4
9       i    2               4
13      u    1               2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       a   50             100
6       e   50             100
12      o   49              98
1       -   33              66
9      es   21              42
14      s   18              36
4      as   12              24
8      eo    6              12
3      ao    5              10
```

```
13     os    5              10
10      i    3               6
5     bos    2               4
7    ebos    2               4
11     io    1               2
15      u    1               2
[1] "AblSg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   50             100
3      e   50             100
4      o   49              98
1      -   22              44
5     os    4               8
6      s    3               6
7      u    1               2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       a   50             100
5       e   50             100
8       o   49              98
1       -   28              56
3      ao    5              10
9      os    4               8
6      eo    3               6
10      s    3               6
7      es    2               4
4      as    1               2
11      u    1               2
[1] "1SgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      a   50             100
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   50             100
3     ao    5              10
1      -    1               2
4     as    1               2
[1] "2SgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      o   49              98
2     os    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      o   49              98
1      -    9              18
3     os    1               2
[1] "3SgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   50             100
1      -   21              42
```

```
3      s     3              6
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e    50             100
1      -    21              42
3      s     3               6
[1] "4SgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      o    44              88
3     os     4               8
1      -     1               2
4      u     1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      o    45              90
1      -     6              12
3     os     4               8
4      u     1               2
[1] "5SgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      e    44              88
2     es     2               4
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e    48              96
3     eo     3               6
4     es     2               4
1      -     1               2
[1] "mSgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e    50             100
3      o    49              98
4     os     4               8
1      -     1               2
5      u     1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
4      e    50             100
7      o    49              98
2      a    45              90
3     ao     5              10
8     os     4               8
5     eo     3               6
1      -     2               4
6     es     2               4
9      u     1               2
[1] "m1SgAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
```

```
  Suffix freq Percent_Trials
2      a   45            90
3     ao    5            10
1      -    1             2
[1] "m2SgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      o   49            98
2     os    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      o   49            98
2     os    1             2
[1] "m3SgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      e   50           100
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      e   50           100
[1] "m4SgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      o   44            88
3     os    4             8
1      -    1             2
4      u    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      o   44            88
3     os    4             8
1      -    1             2
4      u    1             2
[1] "m5SgAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      e   45            90
2     eo    3             6
3     es    2             4
[1] "fSgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      a   50           100
2      e   50           100
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   50           100
4      e   50           100
6      o   45            90
1      -   11            22
7     os    3             6
```

```
5     es    2              4
3     as    1              2
8      u    1              2
[1] "f1SgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      a    50            100
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      a    50            100
2     as    1              2
[1] "f2SgAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      o    40             80
1      -     9             18
3     os    1              2
[1] "f3SgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      e    50            100
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      e    50            100
[1] "f4SgAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      o    41             82
1      -     6             12
3     os    3              6
4      u    1              2
[1] "f5SgAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e    48             96
3     es    2              4
1      -     1              2
[1] "nSgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      o    49             98
2      e    28             56
1      -    21             42
5      s     3              6
4     os    1              2
```

```
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      o   49           98
2      e   28           56
1      -   22           44
4     os    4            8
5      s    3            6
6      u    1            2
[1] "n2SgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      o   49           98
2     os    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      o   49           98
2     os    1            2
[1] "n3SgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   28           56
1      -   21           42
3      s    3            6
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   28           56
1      -   21           42
3      s    3            6
[1] "n4SgAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      o   44           88
3     os    4            8
1      -    1            2
4      u    1            2
[1] "Pl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2       a   38           76
1       -   35           70
10     es   35           70
7       e   34           68
16      s   27           54
4      as   18           36
14      o   10           20
9      eo    4            8
15     os    3            6
6     bos    2            4
8    ebos    2            4
12      i    2            4
3      ao    1            2
```

```
5     aso    1              2
11    eso    1              2
13     is    1              2
17      u    1              2
```
[1] "All Endings Included"
```
   Suffix freq Percent_Trials
2       a   38             76
1       -   35             70
7       e   35             70
10     es   35             70
17      s   27             54
4      as   22             44
15      o   11             22
9      eo    4              8
12      i    3              6
16     os    3              6
6     bos    2              4
8    ebos    2              4
3      ao    1              2
5     aso    1              2
11    eso    1              2
13     io    1              2
14     is    1              2
18      u    1              2
```
[1] "PlNom,Acc"
[1] "Endings occuring 10 times or less excluded"
```
   Suffix freq Percent_Trials
2       a   36             72
1       -   35             70
5      es   33             66
4       e   26             52
9       s   26             52
3      as   15             30
7       o    8             16
8      os    2              4
6      is    1              2
10      u    1              2
```
[1] "All Endings Included"
```
   Suffix freq Percent_Trials
2       a   36             72
1       -   35             70
5      es   33             66
4       e   27             54
9       s   26             52
3      as   18             36
7       o    9             18
8      os    2              4
6      is    1              2
10      u    1              2
```
[1] "1PlNom,Acc"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
1      a   34             68
2     as   15             30
```

```
3      es    4                8
4       s    1                2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2       a   34               68
3      as   17               34
4      es    4                8
5       s    2                4
1       -    1                2
[1] "2PlNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1       -   31               62
7       s   18               36
2       a   15               30
4       e    6               12
5      es    4                8
3      as    2                4
6      os    1                2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1       -   32               64
7       s   20               40
2       a   15               30
4       e    7               14
5      es    5               10
3      as    3                6
6      os    1                2
[1] "3PlNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5      es   31               62
4       e   22               44
7       s   21               42
1       -   18               36
2       a   14               28
3      as    2                4
6      is    1                2
[1] "All Endings Included"
  Suffix freq Percent_Trials
5      es   32               64
4       e   22               44
7       s   22               44
1       -   18               36
2       a   16               32
3      as    2                4
6      is    1                2
[1] "4PlNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1       -   22               44
6       s   13               26
4       o    8               16
2       e    6               12
```

```
3      es     5                10
5      os     2                 4
7       u     1                 2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1       -    23                46
7       s    15                30
5       o     9                18
3       e     7                14
4      es     6                12
6      os     2                 4
2       a     1                 2
8       u     1                 2
[1] "5PlNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4      es    15                30
1       -     4                 8
2       a     2                 4
3       e     1                 2
5       s     1                 2
[1] "All Endings Included"
  Suffix freq Percent_Trials
5      es    30                60
4       e    19                38
7       s    18                36
1       -    15                30
2       a     4                 8
3      as     1                 2
6      is     1                 2
[1] "mPlNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1       -    34                68
4      es    33                66
3       e    25                50
8       s    23                46
6       o     8                16
2       a     4                 8
7      os     2                 4
5      is     1                 2
9       u     1                 2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1        -    35               70
2        a    34               68
5       es    33               66
4        e    25               50
9        s    25               50
3       as    18               36
7        o     9               18
8       os     2                4
6       is     1                2
10       u     1                2
```

```
[1] "fPlNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   34             68
5     es   31             62
4      e   19             38
7      s   16             32
1      -   15             30
3     as   15             30
6     is    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   34             68
5     es   33             66
1      -   31             62
4      e   26             52
9      s   24             48
3     as   15             30
7      o    8             16
8     os    2              4
6     is    1              2
10     u    1              2
[1] "nPlNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   26             52
7      s   20             40
2      a   18             36
4      e    8             16
5     es    7             14
3     as    2              4
6     os    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   32             64
8      s   22             44
2      a   18             36
4      e   11             22
5     es   10             20
6      o    8             16
3     as    3              6
7     os    2              4
9      u    1              2
[1] "PlAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2       a   37             74
1       -   34             68
5       e   34             68
8      es   34             68
12      s   21             42
3      as   16             32
10      o   10             20
7      eo    4              8
```

```
11      os    3            6
4      bos    2            4
6     ebos    2            4
9        i    2            4
13       u    1            2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2        a   37           74
1        -   35           70
5        e   34           68
8       es   34           68
13       s   22           44
3       as   16           32
11       o   11           22
7       eo    4            8
9        i    3            6
12      os    3            6
4      bos    2            4
6     ebos    2            4
10      io    1            2
14       u    1            2
[1] "1PlAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2        a   36           72
3       as   16           32
8       es    5           10
1        -    2            4
4      bos    2            4
11       s    2            4
5        e    1            2
6     ebos    1            2
7       eo    1            2
9        i    1            2
10       o    1            2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2        a   36           72
3       as   16           32
8       es    5           10
1        -    3            6
4      bos    2            4
5        e    2            4
11       s    2            4
6     ebos    1            2
7       eo    1            2
9        i    1            2
10       o    1            2
[1] "2PlAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1        -   33           66
4        e   18           36
9        s   18           36
```

```
2     a    15           30
6    es     8           16
3    as     2            4
7     i     2            4
8     o     2            4
5    eo     1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -    34           68
4     e    18           36
9     s    18           36
2     a    15           30
6    es     9           18
3    as     3            6
7     i     2            4
8     o     2            4
5    eo     1            2
[1] "3PlAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
7      es   34           68
4       e   31           62
1       -   16           32
10      s   15           30
2       a   14           28
6      eo    4            8
3      as    2            4
5    ebos    2            4
8       i    2            4
9       o    1            2
[1] "All Endings Included"
   Suffix freq Percent_Trials
7      es   34           68
4       e   31           62
1       -   17           34
10      s   17           34
2       a   16           32
6      eo    4            8
3      as    2            4
5    ebos    2            4
8       i    2            4
9       o    1            2
[1] "4PlAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     -    22           44
8     s    14           28
2     e    11           22
6     o     8           16
4    es     5           10
3    eo     3            6
7    os     3            6
5     i     2            4
9     u     1            2
```

```
[1] "All Endings Included"
   Suffix freq Percent_Trials
1       -   24          48
9       s   15          30
3       e   13          26
5      es    9          18
7       o    9          18
4      eo    3           6
8      os    3           6
6       i    2           4
2       a    1           2
10      u    1           2
[1] "5PlAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4      es   13          26
3       e    8          16
1       -    2           4
2       a    1           2
5       s    1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
6      es   33          66
3       e   28          56
1       -    6          12
2       a    4           8
5      eo    4           8
7       i    3           6
4    ebos    2           4
9       s    2           4
8      io    1           2
[1] "mPlAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
1       -   33          66
3       e   33          66
6      es   33          66
10      s   18          36
8       o    9          18
5      eo    4           8
2       a    3           6
9      os    3           6
4    ebos    2           4
7       i    2           4
11      u    1           2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       a   36          72
1       -   34          68
5       e   34          68
8      es   33          66
13      s   18          36
3      as   16          32
11      o   10          20
```

271

```
7      eo    4              8
12     os    3              6
4     bos    2              4
6    ebos    2              4
9      i     2              4
10     io    1              2
14     u     1              2
[1] "fPlAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2      a    36             72
8     es    34             68
5      e    30             60
3     as    16             32
1      -     6             12
11     s     5             10
7     eo     4              8
4    bos     2              4
6   ebos     2              4
9      i     2              4
10     o     1              2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2      a    36             72
8     es    34             68
5      e    33             66
1      -    30             60
13     s    18             36
3     as    16             32
11     o     9             18
7     eo     4              8
9      i     3              6
12    os     3              6
4    bos     2              4
6   ebos     2              4
10    io     1              2
14     u     1              2
[1] "nPlAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
1      -    28             56
2      a    18             36
4      e    18             36
10     s    18             36
7     es    11             22
6     eo     3              6
3     as     2              4
5   ebos     2              4
8      i     2              4
9      o     2              4
[1] "All Endings Included"
   Suffix freq Percent_Trials
1      -    33             66
11     s    20             40
```

```
4       e   19          38
2       a   18          36
7      es   12          24
9       o   10          20
3      as    3           6
6      eo    3           6
10     os    3           6
5    ebos    2           4
8       i    2           4
12      u    1           2
```
[1] "PlNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
```
   Suffix freq Percent_Trials
2       a   37          74
1       -   35          70
5       e   34          68
8      es   34          68
13      s   26          52
3      as   17          34
11      o   10          20
7      eo    4           8
12     os    3           6
4     bos    2           4
6    ebos    2           4
9       i    2           4
10     is    1           2
14      u    1           2
```
[1] "All Endings Included"
```
   Suffix freq Percent_Trials
2       a   37          74
1       -   35          70
5       e   34          68
8      es   34          68
14      s   26          52
3      as   20          40
12      o   11          22
7      eo    4           8
9       i    3           6
13     os    3           6
4     bos    2           4
6    ebos    2           4
10     io    1           2
11     is    1           2
15      u    1           2
```
[1] "1PlNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
```
   Suffix freq Percent_Trials
2       a   36          72
3      as   17          34
8      es    5          10
1       -    2           4
4     bos    2           4
11      s    2           4
5       e    1           2
```

```
6     ebos   1            2
7       eo   1            2
9        i   1            2
10       o   1            2
[1] "All Endings Included"
    Suffix freq Percent_Trials
2        a  36           72
3       as  19           38
8       es   5           10
1        -   3            6
11       s   3            6
4      bos   2            4
5        e   2            4
6     ebos   1            2
7       eo   1            2
9        i   1            2
10       o   1            2
[1] "2PlNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
    Suffix freq Percent_Trials
1        -  33           66
10       s  22           44
4        e  18           36
2        a  15           30
6       es   8           16
3       as   2            4
7        i   2            4
8        o   2            4
5       eo   1            2
9       os   1            2
[1] "All Endings Included"
    Suffix freq Percent_Trials
1        -  34           68
10       s  22           44
4        e  18           36
2        a  15           30
6       es   9           18
3       as   3            6
7        i   2            4
8        o   2            4
5       eo   1            2
9       os   1            2
[1] "3PlNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
    Suffix freq Percent_Trials
7       es  34           68
4        e  31           62
11       s  22           44
1        -  19           38
2        a  14           28
6       eo   4            8
3       as   2            4
5     ebos   2            4
8        i   2            4
```

```
9       is     1            2
10       o     1            2
[1] "All Endings Included"
   Suffix freq Percent_Trials
7       es    34           68
4        e    31           62
11        s    22           44
1        -    19           38
2        a    16           32
6       eo     4            8
3       as     2            4
5     ebos     2            4
8        i     2            4
9       is     1            2
10        o     1            2
[1] "4PlNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
1        -    22           44
8        s    16           32
2        e    11           22
6        o     8           16
4       es     5           10
3       eo     3            6
7       os     3            6
5        i     2            4
9        u     1            2
[1] "All Endings Included"
   Suffix freq Percent_Trials
1        -    24           48
9        s    18           36
3        e    13           26
5       es     9           18
7        o     9           18
4       eo     3            6
8       os     3            6
6        i     2            4
2        a     1            2
10        u     1            2
[1] "5PlNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
4       es    24           48
3        e     8           16
1        -     5           10
2        a     2            4
5        s     1            2
[1] "All Endings Included"
   Suffix freq Percent_Trials
7       es    33           66
4        e    28           56
11        s    18           36
1        -    16           32
2        a     4            8
```

```
6       eo    4               8
8        i    3               6
5     ebos    2               4
3       as    1               2
9       io    1               2
10      is    1               2
[1] "mPlNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
1        -   34              68
6       es   34              68
3        e   33              66
11       s   24              48
9        o    9              18
2        a    4               8
5       eo    4               8
10      os    3               6
4     ebos    2               4
7        i    2               4
8       is    1               2
12       u    1               2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2        a   36              72
1        -   35              70
5        e   34              68
8       es   34              68
14       s   25              50
3       as   20              40
12       o   10              20
7       eo    4               8
13      os    3               6
4      bos    2               4
6     ebos    2               4
9        i    2               4
10      io    1               2
11      is    1               2
15       u    1               2
[1] "fPlNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2        a   36              72
8       es   34              68
5        e   30              60
3       as   17              34
1        -   16              32
12       s   16              32
7       eo    4               8
4      bos    2               4
6     ebos    2               4
9        i    2               4
10      is    1               2
11       o    1               2
[1] "All Endings Included"
```

```
    Suffix freq Percent_Trials
2        a   36             72
8       es   34             68
5        e   33             66
1        -   31             62
14       s   24             48
3       as   17             34
12       o    9             18
7       eo    4              8
9        i    3              6
13      os    3              6
4      bos    2              4
6     ebos    2              4
10      io    1              2
11      is    1              2
15       u    1              2
[1] "nPlNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
    Suffix freq Percent_Trials
1        -   30             60
11       s   22             44
2        a   18             36
4        e   18             36
7       es   11             22
6       eo    3              6
3       as    2              4
5     ebos    2              4
8        i    2              4
9        o    2              4
10      os    1              2
[1] "All Endings Included"
    Suffix freq Percent_Trials
1        -   34             68
11       s   24             48
4        e   19             38
2        a   18             36
7       es   12             24
9        o   10             20
3       as    3              6
6       eo    3              6
10      os    3              6
5     ebos    2              4
8        i    2              4
12       u    1              2
[1] "PlGen,Dat"
[1] "Endings occuring 10 times or less excluded"
    Suffix freq Percent_Trials
2        a   33             66
7        e   26             52
1        -   19             38
10      es   16             32
14       s   14             28
4       as   13             26
9       eo    3              6
```

```
13       o    3              6
12       i    2              4
3       ao    1              2
5      aso    1              2
6      bos    1              2
8     ebos    1              2
11     eso    1              2
15       u    1              2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2        a   33             66
7        e   29             58
1        -   21             42
10      es   18             36
14       s   16             32
4       as   14             28
13       o    4              8
9       eo    3              6
12       i    2              4
3       ao    1              2
5      aso    1              2
6      bos    1              2
8     ebos    1              2
11     eso    1              2
15       u    1              2
[1] "1PlGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2        a   33             66
4       as   13             26
9        s    3              6
1        -    1              2
3       ao    1              2
5      aso    1              2
6      bos    1              2
7        e    1              2
8        o    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2        a   33             66
4       as   14             28
1        -    3              6
9        s    3              6
7        e    2              4
3       ao    1              2
5      aso    1              2
6      bos    1              2
8        o    1              2
[1] "2PlGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1        -   17             34
4        e   17             34
9        s   12             24
```

```
6    es    8              16
2    a     4              8
8    o     3              6
7    i     2              4
3    as    1              2
5    eo    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1    -    19              38
4    e    18              36
9    s    13              26
6    es   10              20
2    a     4              8
8    o     3              6
7    i     2              4
3    as    1              2
5    eo    1              2
[1] "3PlGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3    e    23              46
1    -    16              32
6    es   14              28
9    s    11              22
2    a     3              6
5    eo    3              6
7    i     2              4
8    o     2              4
4    ebos  1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3    e    25              50
1    -    16              32
6    es   15              30
9    s    11              22
2    a     3              6
5    eo    3              6
7    i     2              4
8    o     2              4
4    ebos  1              2
[1] "4PlGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2    e    17              34
1    -    12              24
4    es   10              20
8    s     9              18
3    eo    3              6
6    i     2              4
5    eso   1              2
7    o     1              2
9    u     1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
```

```
2     e   19            38
1     -   12            24
8     s   12            24
4    es   10            20
3    eo    3             6
6     i    2             4
7     o    2             4
5   eso    1             2
9     u    1             2
[1] "5PlGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      e   14            28
5     es    8            16
1      -    6            12
8      s    4             8
4     eo    3             6
6      i    2             4
2      a    1             2
7      o    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e   22            44
6     es   14            28
1      -   11            22
9      s   10            20
5     eo    3             6
7      i    2             4
2      a    1             2
4   ebos    1             2
8      o    1             2
[1] "mPlGen,Dat"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
3       e   25            50
1       -   16            32
6      es   15            30
10      s   13            26
5      eo    3             6
8       i    2             4
9       o    2             4
2       a    1             2
4    ebos    1             2
7     eso    1             2
11      u    1             2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       a   33            66
7       e   29            58
1       -   17            34
10     es   15            30
14      s   14            28
4      as   13            26
9      eo    3             6
```

```
13     o    3              6
12     i    2              4
3     ao    1              2
5    aso    1              2
6    bos    1              2
8   ebos    1              2
11   eso    1              2
15     u    1              2
[1] "fPlGen,Dat"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2      a   33             66
7      e   24             48
10    es   14             28
1      -   13             26
4     as   13             26
13     s   11             22
9     eo    3              6
11     i    2              4
12     o    2              4
3     ao    1              2
5    aso    1              2
6    bos    1              2
8   ebos    1              2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2      a   33             66
7      e   25             50
1      -   20             40
10    es   16             32
13     s   15             30
4     as   14             28
9     eo    3              6
11     i    2              4
12     o    2              4
3     ao    1              2
5    aso    1              2
6    bos    1              2
8   ebos    1              2
14     u    1              2
[1] "nPlGen,Dat"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
1      -   17             34
4      e   15             30
10     s   10             20
7     es    9             18
2      a    5             10
9      o    3              6
6     eo    2              4
8      i    2              4
3     as    1              2
5   ebos    1              2
[1] "All Endings Included"
```

```
    Suffix freq Percent_Trials
4        e   19             38
1        -   18             36
7       es   12             24
11       s   11             22
2        a    5             10
6       eo    3              6
10       o    3              6
9        i    2              4
3       as    1              2
5     ebos    1              2
8      eso    1              2
12       u    1              2
[1] "NomPl"
[1] "Endings occuring 10 times or less excluded"
    Suffix freq Percent_Trials
2        a   35             70
1        -   29             58
9        s   25             50
5       es   20             40
3       as   14             28
4        e    8             16
7        o    6             12
8       os    2              4
6       is    1              2
10       u    1              2
[1] "All Endings Included"
    Suffix freq Percent_Trials
2        a   35             70
1        -   30             60
9        s   25             50
5       es   20             40
3       as   17             34
4        e    8             16
7        o    7             14
8       os    2              4
6       is    1              2
10       u    1              2
[1] "1Pl"
[1] "Endings occuring 10 times or less excluded"
    Suffix freq Percent_Trials
2        a   38             76
4       as   18             36
10      es    5             10
13       s    4              8
1        -    2              4
6      bos    2              4
3       ao    1              2
5      aso    1              2
7        e    1              2
8     ebos    1              2
9       eo    1              2
11       i    1              2
12       o    1              2
```

```
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       a   38          76
4      as   21          42
10     es    5          10
13      s    4           8
1       -    3           6
7       e    3           6
6     bos    2           4
3      ao    1           2
5     aso    1           2
8    ebos    1           2
9      eo    1           2
11      i    1           2
12      o    1           2
[1] "1PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1       a   33          66
2      as   14          28
3      es    2           4
4       s    1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2       a   33          66
3      as   16          32
4      es    2           4
5       s    2           4
1       -    1           2
[1] "2Pl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
1       -   33          66
10      s   23          46
4       e   21          42
2       a   15          30
6      es   12          24
3      as    3           6
8       o    3           6
5      eo    2           4
7       i    2           4
9      os    1           2
[1] "All Endings Included"
   Suffix freq Percent_Trials
1       -   34          68
10      s   24          48
4       e   21          42
2       a   15          30
6      es   14          28
3      as    3           6
8       o    3           6
5      eo    2           4
7       i    2           4
9      os    1           2
```

283

```
[1] "2PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   26          52
7      s   17          34
2      a   11          22
5     es    4           8
4      e    2           4
3     as    1           2
6     os    1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   27          54
7      s   19          38
2      a   11          22
5     es    4           8
4      e    3           6
3     as    1           2
6     os    1           2
[1] "3Pl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
7      es   34          68
4       e   31          62
11      s   22          44
1       -   20          40
2       a   14          28
6      eo    4           8
3      as    2           4
5    ebos    2           4
8       i    2           4
10      o    2           4
9      is    1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
7      es   34          68
4       e   31          62
11      s   22          44
1       -   20          40
2       a   16          32
6      eo    4           8
3      as    2           4
5    ebos    2           4
8       i    2           4
10      o    2           4
9      is    1           2
[1] "3PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
7      s   21          42
5     es   18          36
1      -   17          34
2      a   11          22
4      e    4           8
```

```
3     as   1              2
6     is   1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
7      s   22             44
5     es   19             38
1      -   17             34
2      a   12             24
4      e    4              8
3     as    1              2
6     is    1              2
[1] "4Pl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
1       -   25             50
2       e   19             38
9       s   16             32
4      es   11             22
7       o    8             16
3      eo    4              8
8      os    3              6
6       i    2              4
5     eso    1              2
10      u    1              2
[1] "All Endings Included"
   Suffix freq Percent_Trials
1       -   26             52
3       e   23             46
10      s   20             40
5      es   13             26
8       o    9             18
4      eo    4              8
9      os    3              6
7       i    2              4
2       a    1              2
6     eso    1              2
11      u    1              2
[1] "4PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1       -   19             38
6       s   13             26
4       o    6             12
2       e    5             10
3      es    5             10
5      os    2              4
7       u    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1       -   20             40
6       s   15             30
4       o    7             14
2       e    5             10
3      es    5             10
```

```
5     os    2              4
7      u    1              2
[1] "5Pl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6     es   25             50
3      e   22             44
1      -   11             22
9      s    8             16
5     eo    3              6
2      a    2              4
7      i    2              4
4   ebos    1              2
8      o    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
7      es   33             66
4       e   29             58
12      s   18             36
1       -   17             34
2       a    4              8
6      eo    4              8
8       i    3              6
5    ebos    2              4
3      as    1              2
9      io    1              2
10     is    1              2
11      o    1              2
[1] "5PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4     es   15             30
6      s   13             26
1      -   10             20
2      a    2              4
3      e    1              2
5     is    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
5     es   18             36
7      s   18             36
1      -   15             30
2      a    3              6
4      e    2              4
3     as    1              2
6     is    1              2
[1] "mPl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6     es   35             70
1      -   34             68
3      e   34             68
12     s   25             50
10     o    9             18
```

```
2        a     6              12
5       eo     4               8
11      os     3               6
4     ebos     2               4
8        i     2               4
7      eso     1               2
9       is     1               2
13       u     1               2
[1] "All Endings Included"
    Suffix freq Percent_Trials
2        a    38              76
1        -    35              70
7        e    35              70
10      es    35              70
17       s    26              52
4       as    22              44
15       o    10              20
9       eo     4               8
16      os     3               6
6      bos     2               4
8     ebos     2               4
12       i     2               4
3       ao     1               2
5      aso     1               2
11     eso     1               2
13      io     1               2
14      is     1               2
18       u     1               2
[1] "mPlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1        -    27              54
8        s    22              44
4       es    20              40
3        e     7              14
6        o     6              12
2        a     4               8
7       os     2               4
5       is     1               2
9        u     1               2
[1] "All Endings Included"
    Suffix freq Percent_Trials
2        a    32              64
1        -    28              56
9        s    24              48
5       es    20              40
3       as    17              34
4        e     7              14
7        o     7              14
8       os     2               4
6       is     1               2
10       u     1               2
[1] "m1Pl"
[1] "Endings occuring 10 times or less excluded"
```

```
[1] Suffix         freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       a   38              76
4      as   21              42
10     es    5              10
1       -    3               6
7       e    3               6
13      s    3               6
6     bos    2               4
3      ao    1               2
5     aso    1               2
8    ebos    1               2
9      eo    1               2
11      i    1               2
12      o    1               2
[1] "m1PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   32              64
3     as   16              32
4     es    2               4
5      s    2               4
1      -    1               2
[1] "m2Pl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   31              62
3      e   21              42
9      s   21              42
5     es   12              24
2      a    4               8
4     eo    2               4
6      i    2               4
7      o    2               4
8     os    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   33              66
9      s   23              46
3      e   21              42
5     es   12              24
2      a    4               8
4     eo    2               4
6      i    2               4
7      o    2               4
8     os    1               2
[1] "m2PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
```

```
1       -    24              48
6       s    16              32
2       a     4               8
4      es     4               8
3       e     2               4
5      os     1               2
```
[1] "All Endings Included"
```
  Suffix freq Percent_Trials
1       -    25              50
6       s    18              36
2       a     4               8
4      es     4               8
3       e     2               4
5      os     1               2
```
[1] "m3Pl"
[1] "Endings occuring 10 times or less excluded"
```
   Suffix freq Percent_Trials
6      es    33              66
3       e    31              62
10      s    17              34
1       -    16              32
5      eo     4               8
4    ebos     2               4
7       i     2               4
2       a     1               2
8      is     1               2
9       o     1               2
```
[1] "All Endings Included"
```
  Suffix freq Percent_Trials
6      es    33              66
3       e    31              62
10      s    19              38
1       -    16              32
5      eo     4               8
2       a     2               4
4    ebos     2               4
7       i     2               4
8      is     1               2
9       o     1               2
```
[1] "m3PlNom"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
4      es    17              34
6       s    17              34
1       -    13              26
3       e     3               6
2       a     1               2
5      is     1               2
```
[1] "All Endings Included"
```
  Suffix freq Percent_Trials
6       s    19              38
4      es    17              34
1       -    13              26
3       e     3               6
```

```
2      a    1                2
5      is   1                2
[1] "m4Pl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
1       -    25               50
2       e    19               38
9       s    16               32
4      es    11               22
7       o     8               16
3      eo     4                8
8      os     3                6
6       i     2                4
5     eso     1                2
10      u     1                2
[1] "All Endings Included"
   Suffix freq Percent_Trials
1       -    25               50
2       e    21               42
9       s    17               34
4      es    11               22
7       o     9               18
3      eo     4                8
8      os     3                6
6       i     2                4
5     eso     1                2
10      u     1                2
[1] "m4PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -    18               36
6      s    13               26
4      o     6               12
2      e     5               10
3     es     5               10
5     os     2                4
7      u     1                2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -    19               38
6      s    14               28
4      o     7               14
2      e     5               10
3     es     5               10
5     os     2                4
7      u     1                2
[1] "m5Pl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
   Suffix freq Percent_Trials
7      es    31               62
4       e    29               58
```

```
1        -    15            30
12       s    15            30
2        a     4             8
6       eo     4             8
5     ebos     2             4
8        i     2             4
3       as     1             2
9       io     1             2
10      is     1             2
11       o     1             2
```
[1] "m5PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix   freq   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
```
  Suffix freq Percent_Trials
5     es   15            30
7      s   15            30
1      -   13            26
2      a    3             6
4      e    2             4
3     as    1             2
6     is    1             2
```
[1] "fPl"
[1] "Endings occuring 10 times or less excluded"
```
   Suffix freq Percent_Trials
2       a   38            76
10     es   34            68
7       e   32            64
1       -   19            38
4      as   18            36
14      s   18            36
9      eo    4             8
6     bos    2             4
8    ebos    2             4
11      i    2             4
13      o    2             4
3      ao    1             2
5     aso    1             2
12     is    1             2
```
[1] "All Endings Included"
```
   Suffix freq Percent_Trials
2       a   38            76
7       e   34            68
10     es   34            68
1       -   32            64
16      s   25            50
4      as   19            38
14      o    9            18
9      eo    4             8
11      i    3             6
15     os    3             6
6     bos    2             4
8    ebos    2             4
```

```
3      ao    1          2
5     aso    1          2
12     io    1          2
13     is    1          2
17      u    1          2
[1] "fPlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   33          66
5     es   18          36
7      s   16          32
3     as   14          28
1      -   12          24
4      e    2           4
6     is    1           2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       a   33          66
1       -   27          54
9       s   24          48
5      es   20          40
3      as   14          28
4       e    6          12
7       o    5          10
8      os    2           4
6      is    1           2
10      u    1           2
[1] "f1Pl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2       a   38          76
4      as   18          36
10     es    5          10
13      s    4           8
1       -    2           4
6     bos    2           4
3      ao    1           2
5     aso    1           2
7       e    1           2
8    ebos    1           2
9      eo    1           2
11      i    1           2
12      o    1           2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       a   38          76
4      as   19          38
10     es    5          10
13      s    4           8
1       -    2           4
6     bos    2           4
7       e    2           4
3      ao    1           2
5     aso    1           2
```

```
8    ebos    1              2
9      eo    1              2
11      i    1              2
12      o    1              2
[1] "f1PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      a   33             66
2     as   14             28
3     es    2              4
4      s    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      a   33             66
2     as   14             28
3     es    2              4
4      s    1              2
[1] "f2Pl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   30             60
3      e   20             40
9      s   20             40
5     es   10             20
2      a    4              8
4     eo    2              4
6      i    2              4
7      o    2              4
8     os    1              2
[1] "f2PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   23             46
6      s   16             32
4     es    4              8
2      a    3              6
3      e    3              6
5     os    1              2
[1] "f3Pl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
6      es   34             68
3       e   31             62
10      s   17             34
1       -   16             32
5      eo    4              8
4    ebos    2              4
7       i    2              4
```

```
2       a    1             2
8      is    1             2
9       o    1             2
[1] "All Endings Included"
   Suffix freq Percent_Trials
6      es   34            68
3       e   31            62
10      s   18            36
1       -   16            32
5      eo    4             8
4    ebos    2             4
7       i    2             4
2       a    1             2
8      is    1             2
9       o    1             2
[1] "f3PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4      es   18            36
6       s   16            32
1       -   12            24
3       e    2             4
2       a    1             2
5      is    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
4      es   19            38
6       s   18            36
1       -   12            24
3       e    2             4
2       a    1             2
5      is    1             2
[1] "f4Pl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq         Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
   Suffix freq Percent_Trials
1       -   24            48
3       e   20            40
9       s   16            32
5      es   11            22
7       o    8            16
4      eo    4             8
8      os    3             6
6       i    2             4
2       a    1             2
10      u    1             2
[1] "f4PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq         Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
```

```
1       -   19              38
6       s   13              26
2       e    5              10
3      es    5              10
4       o    5              10
5      os    2               4
7       u    1               2
[1] "f5Pl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6      es   26              52
3       e   22              44
1       -   11              22
9       s    8              16
2       a    3               6
5      eo    3               6
7       i    2               4
4    ebos    1               2
8       o    1               2
[1] "All Endings Included"
   Suffix freq Percent_Trials
6       es   33              66
3        e   29              58
11       s   18              36
1        -   17              34
5       eo    4               8
2        a    3               6
7        i    3               6
4     ebos    2               4
8       io    1               2
9       is    1               2
10       o    1               2
[1] "f5PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
4      es   18              36
6       s   18              36
1       -   15              30
2       a    3               6
3       e    1               2
5      is    1               2
[1] "nPl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
1        -   31              62
11       s   22              44
4        e   21              42
2        a   18              36
7       es   14              28
3       as    3               6
6       eo    3               6
```

```
9      o    3          6
5    ebos   2          4
8      i    2          4
10    os    1          2
[1] "All Endings Included"
    Suffix freq Percent_Trials
1      -    35         70
4      e    25         50
12     s    24         48
2      a    18         36
7     es    16         32
10     o    10         20
6     eo    4          8
3     as    3          6
11    os    3          6
5    ebos   2          4
9      i    2          4
8    eso    1          2
13     u    1          2
[1] "nPlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -    22         44
7      s    19         38
2      a    14         28
5     es    6          12
4      e    3          6
3     as    2          4
6     os    1          2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -    28         56
8      s    21         42
2      a    15         30
5     es    9          18
4      e    5          10
6      o    5          10
3     as    2          4
7     os    2          4
9      u    1          2
[1] "n2Pl"
[1] "Endings occuring 10 times or less excluded"
    Suffix freq Percent_Trials
1      -    31         62
10     s    20         40
4      e    17         34
2      a    15         30
6     es    9          18
3     as    3          6
8      o    3          6
7      i    2          4
5     eo    1          2
9     os    1          2
[1] "All Endings Included"
```

```
     Suffix freq Percent_Trials
1         -   31              62
10        s   20              40
4         e   17              34
2         a   15              30
6        es   10              20
3        as    3               6
8         o    3               6
7         i    2               4
5        eo    1               2
9        os    1               2
[1] "n2PlNom"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
1         -   21              42
7         s   16              32
2         a   11              22
5        es    2               4
3        as    1               2
4         e    1               2
6        os    1               2
[1] "All Endings Included"
   Suffix freq Percent_Trials
1         -   21              42
7         s   16              32
2         a   11              22
5        es    2               4
3        as    1               2
4         e    1               2
6        os    1               2
[1] "n3Pl"
[1] "Endings occuring 10 times or less excluded"
    Suffix freq Percent_Trials
1          -   19              38
4          e   18              36
10         s   17              34
2          a   14              28
7         es   13              26
6         eo    3               6
3         as    2               4
5       ebos    2               4
8          i    2               4
9          o    2               4
[1] "All Endings Included"
    Suffix freq Percent_Trials
10         s   20              40
1          -   19              38
4          e   19              38
2          a   15              30
7         es   14              28
6         eo    3               6
3         as    2               4
5       ebos    2               4
8          i    2               4
```

297

```
9      o    2             4
[1] "n3PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6     s    17            34
1     -    13            26
2     a    11            22
5    es     6            12
4     e     2             4
3    as     1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
6     s    18            36
1     -    13            26
2     a    12            24
5    es     6            12
4     e     2             4
3    as     1             2
[1] "n4Pl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -    26            52
2     e    20            40
9     s    17            34
4    es     9            18
7     o     8            16
3    eo     4             8
8    os     3             6
6     i     2             4
5   eso     1             2
10    u     1             2
[1] "n4PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -    20            40
6     s    14            28
4     o     5            10
2     e     4             8
3    es     4             8
5    os     2             4
7     u     1             2
[1] "AccPl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     -    34            68
2     a    34            68
5    es    30            60
4     e    25            50
```

```
8       s   17              34
3      as   14              28
6       o    8              16
7      os    2               4
9       u    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1       -   35              70
2       a   34              68
5      es   31              62
4       e   26              52
8       s   18              36
3      as   14              28
6       o    9              18
7      os    2               4
9       u    1               2
[1] "1PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1       a   32              64
2      as   14              28
3      es    4               8
[1] "All Endings Included"
  Suffix freq Percent_Trials
2       a   32              64
3      as   14              28
4      es    4               8
1       -    1               2
[1] "2PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1       -   31              62
2       a   15              30
6       s   13              26
4       e    4               8
3      as    2               4
5      es    2               4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1       -   32              64
2       a   15              30
6       s   13              26
4       e    6              12
5      es    4               8
3      as    3               6
[1] "3PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5      es   28              56
4       e   22              44
2       a   14              28
6       s   14              28
1       -   10              20
3      as    2               4
```

```
[1] "All Endings Included"
  Suffix freq Percent_Trials
5    es   29          58
4     e   22          44
2     a   16          32
6     s   14          28
1     -   11          22
3    as    2           4
[1] "4PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     -   21          42
6     s   11          22
4     o    8          16
2     e    4           8
3    es    4           8
5    os    2           4
7     u    1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -   22          44
7     s   12          24
5     o    9          18
3     e    5          10
4    es    5          10
6    os    2           4
2     a    1           2
8     u    1           2
[1] "5PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4    es   24          48
3     e   15          30
1     -    3           6
2     a    2           4
5     s    1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
4    es   27          54
3     e   19          38
1     -    4           8
2     a    4           8
5     s    1           2
[1] "mPlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     -   33          66
4    es   29          58
3     e   24          48
7     s   14          28
5     o    8          16
2     a    3           6
6    os    2           4
8     u    1           2
```

```
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   34            68
2      a   32            64
5     es   30            60
4      e   24            48
3     as   14            28
8      s   14            28
6      o    9            18
7     os    2             4
9      u    1             2
[1] "m1PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   32            64
3     as   14            28
4     es    4             8
1      -    1             2
[1] "m2PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   29            58
5      s   13            26
3      e    4             8
2      a    3             6
4     es    2             4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   30            60
5      s   13            26
3      e    4             8
2      a    3             6
4     es    2             4
[1] "m3PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     es   27            54
2      e   21            42
1      -    4             8
4      s    2             4
[1] "All Endings Included"
  Suffix freq Percent_Trials
4     es   28            56
3      e   21            42
1      -    4             8
5      s    2             4
2      a    1             2
[1] "m4PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   21            42
```

```
6      s   11              22
4      o    8              16
2      e    4               8
3     es    4               8
5     os    2               4
7      u    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   21              42
6      s   11              22
4      o    9              18
2      e    4               8
3     es    4               8
5     os    2               4
7      u    1               2
[1] "m5PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
4     es   25              50
3      e   18              36
1      -    3               6
2      a    3               6
5      s    1               2
[1] "fPlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   32              64
5     es   28              56
4      e   19              38
3     as   14              28
1      -    3               6
6      s    2               4
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   32              64
5     es   31              62
1      -   29              58
4      e   25              50
3     as   14              28
8      s   13              26
6      o    8              16
7     os    2               4
9      u    1               2
[1] "f1PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      a   32              64
2     as   14              28
3     es    4               8
[1] "All Endings Included"
  Suffix freq Percent_Trials
```

```
1      a   32            64
2      as  14            28
3      es   4             8
[1] "f2PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix        freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   26            52
5      s   12            24
3      e    5            10
4      es   4             8
2      a    3             6
[1] "f3PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      es  28            56
2      e   19            38
1      -    3             6
4      s    2             4
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      es  29            58
2      e   20            40
1      -    3             6
4      s    2             4
[1] "f4PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix        freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   18            36
7      s   11            22
5      o    8            16
3      e    5            10
4      es   5            10
6      os   2             4
2      a    1             2
8      u    1             2
[1] "f5PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix        freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
4      es  27            54
3      e   18            36
1      -    4             8
2      a    3             6
5      s    1             2
[1] "nPlAcc"
[1] "Endings occuring 10 times or less excluded"
```

```
  Suffix freq Percent_Trials
1      -   22           44
2      a   18           36
6      s   15           30
4      e    7           14
5     es    6           12
3     as    2            4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   30           60
2      a   18           36
8      s   16           32
4      e   10           20
5     es    8           16
6      o    8           16
3     as    3            6
7     os    2            4
9      u    1            2
[1] "n2PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   20           40
2      a   15           30
6      s   11           22
3     as    2            4
4      e    1            2
5     es    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   22           44
2      a   15           30
6      s   12           24
3     as    3            6
4      e    1            2
5     es    1            2
[1] "n3PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   14           28
6      s   13           26
1      -    9           18
4      e    6           12
5     es    6           12
3     as    2            4
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   15           30
6      s   13           26
1      -   10           20
4      e    8           16
5     es    6           12
3     as    2            4
[1] "n4PlAcc"
[1] "Endings occuring 10 times or less excluded"
```

```
[1] Suffix            freq           Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   22            44
6      s   11            22
4      o    8            16
2      e    3             6
3     es    3             6
5     os    2             4
7      u    1             2
[1] "GenPl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2       a   33            66
7       e   20            40
1       -   19            38
10     es   13            26
14      s   13            26
4      as    8            16
9      eo    3             6
13      o    3             6
12      i    2             4
3      ao    1             2
5     aso    1             2
6     bos    1             2
8    ebos    1             2
11    eso    1             2
15      u    1             2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       a   33            66
7       e   22            44
1       -   21            42
14      s   16            32
10     es   15            30
4      as   10            20
13      o    4             8
9      eo    3             6
12      i    2             4
3      ao    1             2
5     aso    1             2
6     bos    1             2
8    ebos    1             2
11    eso    1             2
15      u    1             2
[1] "1PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   33            66
4     as    8            16
9      s    3             6
1      -    1             2
3     ao    1             2
```

```
5    aso    1             2
6    bos    1             2
7      e    1             2
8      o    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   33            66
4     as   10            20
1      -    3             6
9      s    3             6
7      e    2             4
3     ao    1             2
5    aso    1             2
6    bos    1             2
8      o    1             2
[1] "2PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   17            34
3      e   17            34
8      s   12            24
5     es    8            16
2      a    3             6
7      o    3             6
6      i    2             4
4     eo    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   19            38
4      e   17            34
9      s   12            24
6     es    9            18
2      a    3             6
8      o    3             6
7      i    2             4
3     as    1             2
5     eo    1             2
[1] "3PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      e   17            34
1      -   14            28
6     es   11            22
9      s    9            18
2      a    3             6
5     eo    3             6
7      i    2             4
8      o    2             4
4   ebos    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e   17            34
1      -   15            30
6     es   11            22
```

```
9      s   11                22
2      a    3                 6
5     eo    3                 6
7      i    2                 4
8      o    2                 4
4   ebos    1                 2
[1] "4PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   16                32
4     es   10                20
1      -    9                18
8      s    8                16
3     eo    2                 4
6      i    2                 4
5    eso    1                 2
7      o    1                 2
9      u    1                 2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   17                34
8      s   12                24
1      -   10                20
4     es   10                20
3     eo    3                 6
6      i    2                 4
7      o    2                 4
5    eso    1                 2
9      u    1                 2
[1] "5PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      e   14                28
6     es    9                18
1      -    7                14
9      s    7                14
5     eo    3                 6
7      i    2                 4
2      a    1                 2
4   ebos    1                 2
8      o    1                 2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e   16                32
1      -   11                22
6     es   11                22
9      s   10                20
5     eo    3                 6
7      i    2                 4
2      a    1                 2
4   ebos    1                 2
8      o    1                 2
[1] "mPlGen"
[1] "Endings occuring 10 times or less excluded"
```

```
    Suffix freq Percent_Trials
2        e   19              38
1        -   14              28
5       es   12              24
9        s   12              24
4       eo    3               6
7        i    2               4
8        o    2               4
3     ebos    1               2
6      eso    1               2
10       u    1               2
[1] "All Endings Included"
    Suffix freq Percent_Trials
2        a   31              62
7        e   21              42
1        -   15              30
14       s   14              28
10      es   12              24
4       as    9              18
9       eo    3               6
13       o    3               6
12       i    2               4
3       ao    1               2
5      aso    1               2
6      bos    1               2
8     ebos    1               2
11     eso    1               2
15       u    1               2
[1] "m1PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq         Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   30              60
4     as    9              18
1      -    3               6
9      s    3               6
7      e    2               4
3     ao    1               2
5    aso    1               2
6    bos    1               2
8      o    1               2
[1] "m2PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   17              34
7      s   12              24
1      -   11              22
4     es    8              16
5      i    2               4
6      o    2               4
3     eo    1               2
[1] "All Endings Included"
```

```
   Suffix freq Percent_Trials
3       e   17           34
8       s   12           24
1       -   11           22
5      es    8           16
6       i    2            4
7       o    2            4
2       a    1            2
4      eo    1            2
[1] "m3PlGen"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2       e   17           34
5      es   10           20
1       -    9           18
8       s    8           16
4      eo    3            6
6       i    2            4
3    ebos    1            2
7       o    1            2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       e   17           34
5      es   10           20
1       -    9           18
8       s    9           18
4      eo    3            6
6       i    2            4
3    ebos    1            2
7       o    1            2
[1] "m4PlGen"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2       e   16           32
4      es   10           20
1       -    9           18
8       s    8           16
3      eo    2            4
6       i    2            4
5     eso    1            2
7       o    1            2
9       u    1            2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       e   16           32
1       -   10           20
4      es   10           20
8       s   10           20
3      eo    3            6
6       i    2            4
7       o    2            4
5     eso    1            2
9       u    1            2
[1] "m5PlGen"
```

```
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e   16             32
6     es   10             20
1      -    9             18
9      s    7             14
5     eo    3              6
7      i    2              4
2      a    1              2
4   ebos    1              2
8      o    1              2
[1] "fPlGen"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2       a   33             66
7       e   18             36
10     es   11             22
1       -   10             20
13      s    9             18
4      as    8             16
9      eo    3              6
11      i    2              4
12      o    2              4
3      ao    1              2
5     aso    1              2
6     bos    1              2
8    ebos    1              2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       a   33             66
7       e   20             40
1       -   19             38
13      s   15             30
10     es   13             26
4      as   10             20
9      eo    3              6
11      i    2              4
12      o    2              4
3      ao    1              2
5     aso    1              2
6     bos    1              2
8    ebos    1              2
14      u    1              2
[1] "f1PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   33             66
4     as    8             16
9      s    3              6
1      -    1              2
3     ao    1              2
```

```
5    aso    1             2
6    bos    1             2
7      e    1             2
8      o    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   33            66
4     as   10            20
9      s    3             6
1      -    2             4
3     ao    1             2
5    aso    1             2
6    bos    1             2
7      e    1             2
8      o    1             2
[1] "f2PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   14            28
1      -   13            26
7      s   12            24
4     es    6            12
5      i    2             4
6      o    2             4
3     eo    1             2
[1] "f3PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   16            32
5     es   11            22
1      -    9            18
8      s    8            16
4     eo    3             6
6      i    2             4
3   ebos    1             2
7      o    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   17            34
5     es   11            22
8      s   10            20
1      -    9            18
4     eo    3             6
6      i    2             4
3   ebos    1             2
7      o    1             2
[1] "f4PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
```

```
  Suffix freq Percent_Trials
2      e   16             32
7      s   11             22
1      -    9             18
4     es    8             16
3     eo    3              6
5      i    2              4
6      o    1              2
8      u    1              2
[1] "f5PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e   14             28
1      -   11             22
6     es   11             22
9      s   10             20
5     eo    3              6
7      i    2              4
2      a    1              2
4   ebos    1              2
8      o    1              2
[1] "nPlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   17             34
3      e   13             26
9      s   10             20
6     es    8             16
2      a    3              6
8      o    3              6
5     eo    2              4
7      i    2              4
4   ebos    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
4      e   19             38
1      -   18             36
7     es   11             22
11     s   11             22
2      a    4              8
6     eo    3              6
10     o    3              6
9      i    2              4
3     as    1              2
5   ebos    1              2
8    eso    1              2
12     u    1              2
[1] "n2PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   17             34
```

```
3      e   12             24
7      s   10             20
4     es    5             10
6      o    3              6
2      a    2              4
5      i    2              4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   17             34
4      e   12             24
8      s   10             20
5     es    6             12
2      a    3              6
7      o    3              6
6      i    2              4
3     as    1              2
[1] "n3PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   14             28
3      e   11             22
6     es    8             16
9      s    8             16
2      a    3              6
5     eo    2              4
7      i    2              4
8      o    2              4
4   ebos    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   15             30
3      e   13             26
6     es    8             16
9      s    8             16
2      a    3              6
5     eo    2              4
7      i    2              4
8      o    2              4
4   ebos    1              2
[1] "n4PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   17             34
1      -   10             20
4     es    9             18
8      s    9             18
3     eo    3              6
6      i    2              4
5    eso    1              2
7      o    1              2
9      u    1              2
```

```
[1] "DatPl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2       a   32          64
6       e   26          52
1       -   18          36
8      es   14          28
4      as   13          26
11      s   11          22
7      eo    3           6
10      o    3           6
9       i    2           4
3      ao    1           2
5     aso    1           2
12      u    1           2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       a   32          64
6       e   28          56
1       -   19          38
8      es   15          30
11      s   14          28
4      as   13          26
7      eo    3           6
10      o    3           6
9       i    2           4
3      ao    1           2
5     aso    1           2
12      u    1           2
[1] "1PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   32           64
4     as   13           26
1      -    1            2
3     ao    1            2
5    aso    1            2
6      e    1            2
7      o    1            2
8      s    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   32           64
4     as   13           26
1      -    2            4
8      s    2            4
3     ao    1            2
5    aso    1            2
6      e    1            2
7      o    1            2
[1] "2PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   17           34
```

```
4     e   16            32
9     s   10            20
6    es    6            12
2     a    4             8
8     o    3             6
7     i    2             4
3    as    1             2
5    eo    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -   18            36
4     e   18            36
9     s   12            24
6    es    8            16
2     a    4             8
8     o    3             6
7     i    2             4
3    as    1             2
5    eo    1             2
[1] "3PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     e   23            46
1     -   16            32
5    es   13            26
8     s    9            18
2     a    3             6
4    eo    3             6
6     i    2             4
7     o    2             4
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     e   25            50
1     -   16            32
5    es   15            30
8     s   10            20
2     a    3             6
4    eo    3             6
6     i    2             4
7     o    2             4
[1] "4PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2     e   17            34
1     -   11            22
4    es    8            16
7     s    8            16
3    eo    3             6
5     i    2             4
6     o    1             2
8     u    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     e   18            36
```

```
1      -   11          22
7      s   10          20
4     es    8          16
3     eo    3           6
5      i    2           4
6      o    1           2
8      u    1           2
[1] "5PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      e   20          40
5     es   11          22
1      -    5          10
8      s    4           8
4     eo    3           6
6      i    2           4
2      a    1           2
7      o    1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e   22          44
5     es   12          24
1      -    7          14
8      s    5          10
4     eo    3           6
6      i    2           4
2      a    1           2
7      o    1           2
[1] "mPlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      e   25          50
1      -   14          28
5     es   13          26
8      s   10          20
4     eo    3           6
6      i    2           4
7      o    2           4
2      a    1           2
9      u    1           2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       a   32          64
6       e   28          56
1       -   15          30
8      es   13          26
4      as   12          24
11      s   12          24
7      eo    3           6
9       i    2           4
10      o    2           4
3      ao    1           2
5     aso    1           2
12      u    1           2
```

```
[1] "m1PlDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   32             64
4     as   12             24
1      -    2              4
8      s    2              4
3     ao    1              2
5    aso    1              2
6      e    1              2
7      o    1              2
[1] "m2PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      e   16             32
1      -   14             28
8      s   10             20
5     es    6             12
6      i    2              4
7      o    2              4
2      a    1              2
4     eo    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e   17             34
1      -   14             28
8      s   12             24
5     es    8             16
6      i    2              4
7      o    2              4
2      a    1              2
4     eo    1              2
[1] "m3PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   23             46
4     es   12             24
1      -    7             14
7      s    4              8
3     eo    3              6
5      i    2              4
6      o    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   25             50
4     es   13             26
1      -    7             14
7      s    5             10
3     eo    3              6
5      i    2              4
6      o    1              2
```

```
[1] "m4PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   17            34
1      -   11            22
4     es    8            16
7      s    8            16
3     eo    3             6
5      i    2             4
6      o    1             2
8      u    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   18            36
1      -   11            22
7      s    9            18
4     es    8            16
3     eo    3             6
5      i    2             4
6      o    1             2
8      u    1             2
[1] "m5PlDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix           freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e   22            44
5     es   12            24
1      -    5            10
8      s    4             8
4     eo    3             6
6      i    2             4
2      a    1             2
7      o    1             2
[1] "fPlDat"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2       a   32            64
6       e   22            44
4      as   13            26
8      es   13            26
1       -    8            16
11      s    5            10
7      eo    3             6
9       i    2             4
10      o    2             4
3      ao    1             2
5     aso    1             2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       a   32            64
6       e   25            50
1       -   17            34
```

```
8      es   15            30
4      as   13            26
11      s   13            26
7      eo   3             6
9      i    2             4
10     o    2             4
3      ao   1             2
5      aso  1             2
12     u    1             2
```
[1] "f1PlDat"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
2      a    32            64
4      as   13            26
1      -    1             2
3      ao   1             2
5      aso  1             2
6      e    1             2
7      o    1             2
8      s    1             2
```
[1] "All Endings Included"
```
  Suffix freq Percent_Trials
2      a    32            64
4      as   13            26
1      -    1             2
3      ao   1             2
5      aso  1             2
6      e    1             2
7      o    1             2
8      s    1             2
```
[1] "f2PlDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix   freq   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
```
  Suffix freq Percent_Trials
3      e    15            30
1      -    13            26
8      s    10            20
5      es   6             12
6      i    2             4
7      o    2             4
2      a    1             2
4      eo   1             2
```
[1] "f3PlDat"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
2      e    21            42
4      es   13            26
1      -    7             14
7      s    4             8
3      eo   3             6
5      i    2             4
6      o    1             2
```

```
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   22           44
4     es   14           28
1      -    7           14
7      s    6           12
3     eo    3            6
5      i    2            4
6      o    1            2
[1] "f4PlDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   17           34
1      -   10           20
7      s    9           18
4     es    7           14
3     eo    3            6
5      i    2            4
6      o    1            2
8      u    1            2
[1] "f5PlDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e   21           42
5     es   12           24
1      -    7           14
8      s    5           10
4     eo    3            6
6      i    2            4
2      a    1            2
7      o    1            2
[1] "nPlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   15           30
4      e   15           30
9      s   10           20
6     es    8           16
2      a    5           10
8      o    3            6
5     eo    2            4
7      i    2            4
3     as    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
4       e   18            36
1       -   15            30
6      es   10            20
```

```
9       s   10              20
2       a    5              10
5      eo    3               6
8       o    3               6
7       i    2               4
3      as    1               2
10      u    1               2
[1] "n2PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   15              30
4      e   13              26
8      s   10              20
5     es    5              10
2      a    4               8
7      o    3               6
6      i    2               4
3     as    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   15              30
4      e   13              26
8      s   10              20
5     es    5              10
2      a    4               8
7      o    3               6
6      i    2               4
3     as    1               2
[1] "n3PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   15              30
3      e   12              24
8      s    8              16
5     es    7              14
2      a    3               6
4     eo    2               4
6      i    2               4
7      o    2               4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   15              30
3      e   14              28
5     es    8              16
8      s    8              16
2      a    3               6
4     eo    2               4
6      i    2               4
7      o    2               4
[1] "n4PlDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq           Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
```

```
    Suffix freq Percent_Trials
2      e   17            34
1      -   11            22
4     es    8            16
7      s    8            16
3     eo    3             6
5      i    2             4
6      o    1             2
8      u    1             2
[1] "AblPl"
[1] "Endings occuring 10 times or less excluded"
    Suffix freq Percent_Trials
2      a   31            62
5      e   25            50
8     es   21            42
1      -   17            34
12     s   17            34
3     as   11            22
10     o    5            10
7     eo    4             8
4    bos    2             4
6   ebos    2             4
9      i    2             4
11    os    2             4
13     u    1             2
[1] "All Endings Included"
    Suffix freq Percent_Trials
2      a   31            62
5      e   26            52
8     es   21            42
1      -   18            36
13     s   18            36
3     as   11            22
11     o    5            10
7     eo    4             8
9      i    3             6
4    bos    2             4
6   ebos    2             4
12    os    2             4
10    io    1             2
14     u    1             2
[1] "1PlAbl"
[1] "Endings occuring 10 times or less excluded"
    Suffix freq Percent_Trials
2      a   31            62
3     as   11            22
1      -    2             4
4    bos    2             4
11     s    2             4
5      e    1             2
6   ebos    1             2
7     eo    1             2
8     es    1             2
9      i    1             2
```

```
10      o    1               2
[1] "All Endings Included"
    Suffix freq Percent_Trials
2       a   31              62
3      as   11              22
1       -    2               4
4     bos    2               4
5       e    2               4
11      s    2               4
6    ebos    1               2
7      eo    1               2
8      es    1               2
9       i    1               2
10      o    1               2
[1] "2PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3       e   17              34
8       s   15              30
1       -   14              28
5      es    8              16
2       a    2               4
6       i    2               4
7       o    2               4
4      eo    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3       e   17              34
1       -   15              30
8       s   15              30
5      es    9              18
2       a    2               4
6       i    2               4
7       o    2               4
4      eo    1               2
[1] "3PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3       e   21              42
6      es   21              42
1       -   13              26
9       s    9              18
5      eo    4               8
2       a    2               4
4    ebos    2               4
7       i    2               4
8       o    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3       e   21              42
6      es   21              42
1       -   13              26
9       s   11              22
5      eo    4               8
```

```
2     a    3             6
4    ebos  2             4
7     i    2             4
8     o    1             2
[1] "4PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     -   12            24
8     s   12            24
2     e   10            20
4    es    5            10
3    eo    3             6
6     o    3             6
5     i    2             4
7    os    2             4
9     u    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -   13            26
8     s   13            26
2     e   11            22
4    es    9            18
3    eo    3             6
6     o    3             6
5     i    2             4
7    os    2             4
9     u    1             2
[1] "5PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6    es   18            36
3     e   17            34
5    eo    3             6
1     -    2             4
4   ebos   2             4
7     i    2             4
2     a    1             2
8     s    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     e   19            38
6    es   19            38
1     -    4             8
5    eo    4             8
7     i    3             6
4   ebos   2             4
9     s    2             4
2     a    1             2
8    io    1             2
[1] "mPlAbl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2      e   23            46
5     es   20            40
```

324

```
9         s    15              30
1         -    13              26
4        eo     4               8
7         o     4               8
3      ebos     2               4
6         i     2               4
8        os     2               4
10        u     1               2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2         a    31              62
5         e    26              52
8        es    20              40
13        s    16              32
1         -    14              28
3        as    11              22
7        eo     4               8
11        o     4               8
4       bos     2               4
6      ebos     2               4
9         i     2               4
12       os     2               4
10       io     1               2
14        u     1               2
[1] "m1PlAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq         Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
   Suffix freq Percent_Trials
2         a    31              62
3        as    11              22
4       bos     2               4
5         e     2               4
1         -     1               2
6      ebos     1               2
7        eo     1               2
8        es     1               2
9         i     1               2
10        o     1               2
11        s     1               2
[1] "m2PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2         e    16              32
7         s    14              28
1         -    11              22
4        es     7              14
5         i     2               4
3        eo     1               2
6         o     1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2         e    17              34
```

```
7       s   15              30
1       -   12              24
4      es    7              14
5       i    2               4
3      eo    1               2
6       o    1               2
[1] "m3PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5      es   20              40
2       e   19              38
4      eo    4               8
1       -    2               4
3    ebos    2               4
6       i    2               4
7       s    2               4
[1] "All Endings Included"
  Suffix freq Percent_Trials
2       e   20              40
5      es   20              40
4      eo    4               8
1       -    2               4
3    ebos    2               4
6       i    2               4
7       s    2               4
[1] "m4PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1       -   12              24
8       s   12              24
2       e   10              20
4      es    5              10
3      eo    3               6
6       o    3               6
5       i    2               4
7      os    2               4
9       u    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1       -   12              24
8       s   12              24
2       e   11              22
4      es    5              10
3      eo    3               6
6       o    3               6
5       i    2               4
7      os    2               4
9       u    1               2
[1] "m5PlAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
```

```
6     es   19              38
3      e   18              36
5     eo    3               6
1      -    2               4
4   ebos    2               4
7      i    2               4
9      s    2               4
2      a    1               2
8     io    1               2
[1] "fPlAbl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2       a   31              62
5       e   21              42
8      es   20              40
3      as   11              22
1       -    4               8
7      eo    4               8
11      s    4               8
4     bos    2               4
6    ebos    2               4
9       i    2               4
10      o    1               2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       a   31              62
5       e   23              46
8      es   20              40
1       -   17              34
13      s   15              30
3      as   11              22
7      eo    4               8
11      o    4               8
9       i    3               6
4     bos    2               4
6    ebos    2               4
12     os    2               4
10     io    1               2
14      u    1               2
[1] "f1PlAbl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2       a   31              62
3      as   11              22
1       -    2               4
4     bos    2               4
11      s    2               4
5       e    1               2
6    ebos    1               2
7      eo    1               2
8      es    1               2
9       i    1               2
10      o    1               2
[1] "All Endings Included"
```

```
    Suffix freq Percent_Trials
2        a   31              62
3       as   11              22
1        -    2               4
4      bos    2               4
5        e    2               4
11       s    2               4
6     ebos    1               2
7       eo    1               2
8       es    1               2
9        i    1               2
10       o    1               2
[1] "f2PlAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix           freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2       e   15              30
7       s   14              28
1       -   10              20
4      es    7              14
5       i    2               4
3      eo    1               2
6       o    1               2
[1] "f3PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2       e   20              40
5      es   20              40
4      eo    4               8
1       -    2               4
3    ebos    2               4
6       i    2               4
7       s    2               4
[1] "All Endings Included"
  Suffix freq Percent_Trials
2       e   20              40
5      es   20              40
4      eo    4               8
1       -    2               4
3    ebos    2               4
6       i    2               4
7       s    2               4
[1] "f4PlAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix           freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1       -   12              24
8       s   11              22
4      es    9              18
2       e    8              16
```

```
3     eo    3              6
6      o    3              6
5      i    2              4
7     os    2              4
9      u    1              2
[1] "f5PlAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq           Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e   19             38
6     es   19             38
1      -    4              8
5     eo    4              8
7      i    3              6
4   ebos    2              4
9      s    2              4
2      a    1              2
8     io    1              2
[1] "nPlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   14             28
3      e   14             28
9      s   14             28
6     es    9             18
2      a    3              6
5     eo    3              6
4   ebos    2              4
7      i    2              4
8      o    2              4
[1] "All Endings Included"
   Suffix freq Percent_Trials
10      s   17             34
1       -   16             32
3       e   15             30
6      es   10             20
8       o    5             10
2       a    3              6
5      eo    3              6
4    ebos    2              4
7       i    2              4
9      os    2              4
11      u    1              2
[1] "n2PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
8      s   14             28
1      -   13             26
3      e   13             26
5     es    7             14
2      a    2              4
6      i    2              4
```

```
7     o    2              4
4    eo    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -   14             28
8     s   14             28
3     e   13             26
5    es    7             14
2     a    2              4
6     i    2              4
7     o    2              4
4    eo    1              2
[1] "n3PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     -   13             26
3     e   12             24
6    es    8             16
9     s    8             16
5    eo    3              6
2     a    2              4
4  ebos    2              4
7     i    2              4
8     o    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -   13             26
3     e   12             24
9     s   11             22
6    es    9             18
2     a    3              6
5    eo    3              6
4  ebos    2              4
7     i    2              4
8     o    1              2
[1] "n4PlAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -   13             26
8     s   12             24
2     e   10             20
4    es    4              8
3    eo    3              6
6     o    3              6
5     i    2              4
7    os    2              4
9     u    1              2


[1] "mSg and nSg fully match 100% of the time"


[1] "mPl and nPl fully match 84% of the time"
```

[1] "nPl and fSg fully match 0% of the time"

[1] "Endings that overlap are in trials "

[1] "nPl and fPl fully match 0% of the time"

[1] "Endings that overlap are in trials "

[1] "mPl and fSg fully match 0% of the time"

[1] "Endings that overlap are in trials "

[1] "mPl and fPl fully match 0% of the time"

[1] "Endings that overlap are in trials "

[1] "mSg and nSg at least partially match 100% of the time"

[1] "mPl and nPl at least partially match 98% of the time"

[1] "fSg and nPl at least partially match 8% of the time"

[1] "Endings that overlap are a,a,a,a in trials 9,19,41,48"

[1] "fPl and nPl at least partially match 12% of the time"

[1] "Endings that overlap are a,s,a,o,a,a in trials 9,17,19,26,41,48"

[1] "fSg and mPl at least partially match 2% of the time"

[1] "Endings that overlap are a in trials 41"

[1] "fPl and mPl at least partially match 6% of the time"

[1] "Endings that overlap are s,o,a in trials 17,26,41"

[1] "fPl, mPl, and nPl at least partially match 6% of the time"

[1] "Endings that overlap are s,o,a in trials 17,26,41"