Aggregate Data

$Tyler\ Lau$

July 18, 2016

- [1] "No Sound Change, Token Freq T, Number of cases being considered: 5"
- [1] "Only considering max suffixes: FALSE"
- [1] "Dropping suffixes that appear 10 or less times"

[1	[]	"Sg"		
	Su	ıffix	${\tt freq}$	${\tt Percent_Trials}$
2		е	28	56
6		0	8	16
1		-	7	14
3		es	3	6
7		S	2	4
4		i	1	2
5		is	1	2
[1	[]	"SgNo	om,Aco	c"
	Su	ıffix	freq	${\tt Percent_Trials}$
3		0	48	96
1		-	1	2
2		е	1	2
[1	[]	"1Sgl	Nom, Ac	cc"
	St	ıffix	freq	Percent_Trials
1		a	50	100
[1	[]	"2Sgl	Nom, Ac	cc"
	St	ıffix	freq	Percent_Trials
1		0	50	100
[1	[]	"3Sgl	Nom, Ac	cc"
	St	ıffix	freq	Percent_Trials
1		-	44	88
2		е	5	10
3		s	1	2
[1	[]	"4Sgl	Nom, Ac	cc"
	Su	ıffix	freq	${\tt Percent_Trials}$
1		0	49	98
2		u	1	2
[1	[]	"5Sgl	Nom, Ac	cc"
	St	ıffix	${\tt freq}$	${\tt Percent_Trials}$
1		-	35	70
2		е	15	30
[1	[]	"mSgl	Nom, Ac	cc"
	Su	ıffix	freq	${\tt Percent_Trials}$
2		0	49	98
1		-	1	2
[1	[]	"fSgN	Nom, Ac	cc"
	Su	ıffix	${\tt freq}$	${\tt Percent_Trials}$
2		a	45	90
3		е	4	8

4		
1 -	1	2
[1] "nSgl	Nom, Ac	cc"
Suffix	freq	Percent_Trials
1 o	50	100
[1] "SgAo		
_		
	_	Percent_Trials
1 e	27	54
2 o	23	46
[1] "1Sg <i>l</i>	Acc,Al	01"
Suffix	freq	Percent_Trials
1 a	50	100
[1] "2SgA	Acc. Al	
_		Percent_Trials
1 0	50	100
[1] "3Sg <i>l</i>		
Suffix	_	Percent_Trials
2 e	49	98
1 -	1	2
[1] "4Sg	Acc, Al	01"
_		Percent_Trials
2 0	48	96
1 -	1	2
3 u	1	2
[1] "5Sg <i>l</i>	Acc,Al	01"
Suffix	freq	Percent_Trials
2 е	49	98
1 -	1	2
[1] "mSg/	Acc. Al	ol "
_		Percent_Trials
_	45	90
2 0		
4 -		
1 e	5	10
[1] "fSg/	5 Acc,Al	10 ol"
[1] "fSg/	5 Acc,Al	10
[1] "fSg/	5 Acc,Al	10 ol"
[1] "fSg/ Suffix	5 Acc,Al freq	10 ol" Percent_Trials
[1] "fSg/ Suffix 2 e 1 a	5 Acc,Al freq 47 3	10 ol" Percent_Trials 94 6
[1] "fSga Suffix 2 e 1 a [1] "nSga	5 Acc,Al freq 47 3 Acc,Al	10 ol" Percent_Trials 94 6
[1] "fSga Suffix 2 e 1 a [1] "nSga Suffix	5 Acc,Al freq 47 3 Acc,Al	10 pl" Percent_Trials 94 6 pl" Percent_Trials
[1] "fSga Suffix 2 e 1 a [1] "nSga Suffix 2 o	5 Acc,Al freq 47 3 Acc,Al freq 49	10 ol" Percent_Trials 94 6 ol" Percent_Trials 98
[1] "fSga Suffix 2 e 1 a [1] "nSga Suffix 2 o 1 e	5 Acc,Al freq 47 3 Acc,Al freq 49 1	10 ol" Percent_Trials 94 6 ol" Percent_Trials 98 2
[1] "fSga Suffix 2 e 1 a [1] "nSga Suffix 2 o 1 e [1] "SgNo	5 Acc,Al freq 47 3 Acc,Al freq 49 1 om,Acc	10 cl" Percent_Trials 94 cl" Percent_Trials 98 2 c,Abl"
[1] "fSga Suffix 2 e 1 a [1] "nSga Suffix 2 o 1 e [1] "SgNo Suffix	5 Acc,At freq 47 3 Acc,At freq 49 1 om,Acc freq	10 ol" Percent_Trials 94 6 ol" Percent_Trials 98 2 c,Abl" Percent_Trials
[1] "fSga Suffix 2 e 1 a [1] "nSga Suffix 2 o 1 e [1] "SgNo Suffix 3 o	5 Acc, At freq 47 3 Acc, At freq 49 1 om, Acc freq 47	10 ol" Percent_Trials 94 6 ol" Percent_Trials 98 2 c,Abl" Percent_Trials
[1] "fSga Suffix 2 e 1 a [1] "nSga Suffix 2 o 1 e [1] "SgNo Suffix	5 Acc,At freq 47 3 Acc,At freq 49 1 om,Acc freq	10 cl" Percent_Trials 94 6 cl" Percent_Trials 98 2 c,Abl" Percent_Trials 94 4
[1] "fSga Suffix 2 e 1 a [1] "nSga Suffix 2 o 1 e [1] "SgNo Suffix 3 o	5 Acc, At freq 47 3 Acc, At freq 49 1 om, Acc freq 47	10 ol" Percent_Trials 94 6 ol" Percent_Trials 98 2 c,Abl" Percent_Trials
[1] "fSga Suffix 2 e 1 a [1] "nSga Suffix 2 o 1 e [1] "SgNo Suffix 3 o 2 e 1 -	5 Acc, At freq 47 3 Acc, At freq 49 1 om, Acc freq 47 2 1	10 ol" Percent_Trials 94 6 ol" Percent_Trials 98 2 c,Abl" Percent_Trials 94 4
[1] "fSga Suffix 2 e 1 a [1] "nSga Suffix 2 o 1 e [1] "SgNo Suffix 3 o 2 e 1 - [1] "1Sgl	5 Acc, At freq 47 3 Acc, At freq 49 1 om, Acc freq 47 2 1 Nom, Ac	10 ol" Percent_Trials 94 ol" Percent_Trials 98 2 c,Abl" Percent_Trials 94 4 2 cc,Abl"
[1] "fSga Suffix 2 e 1 a [1] "nSga Suffix 2 o 1 e [1] "SgNo Suffix 3 o 2 e 1 - [1] "1Sga Suffix	5 Acc,At freq 47 3 Acc,At freq 49 1 om,Acc freq 47 2 1 Nom,Ac freq	10 cl" Percent_Trials 94 cl" Percent_Trials 98 2 c,Abl" Percent_Trials 94 4 2 cc,Abl" Percent_Trials
[1] "fSga Suffix 2 e 1 a [1] "nSga Suffix 2 o 1 e [1] "SgNo Suffix 3 o 2 e 1 - [1] "1Sga Suffix 1 a	5 Acc,At freq 47 3 Acc,At freq 49 1 om,Acc freq 47 2 1 Nom,Ac freq 50	10 ol" Percent_Trials 94 ol" Percent_Trials 98 2 c,Abl" Percent_Trials 94 4 2 cc,Abl" Percent_Trials
[1] "fSga Suffix 2 e 1 a [1] "nSga Suffix 2 o 1 e [1] "SgNo Suffix 3 o 2 e 1 - [1] "1Sga Suffix 1 a [1] "2Sga	5 Acc,At freq 47 3 Acc,At freq 49 1 om,Acc freq 47 2 1 Nom,Ac freq 50 Nom,Ac	10 ol" Percent_Trials 94 6 ol" Percent_Trials 98 2 c,Abl" Percent_Trials 94 4 2 cc,Abl" Percent_Trials
[1] "fSga Suffix 2 e 1 a [1] "nSga Suffix 2 o 1 e [1] "SgNo Suffix 3 o 2 e 1 - [1] "1Sgl Suffix 1 a [1] "2Sgl Suffix	5 Acc, At freq 47 3 Acc, At freq 49 1 om, Acc freq 47 2 1 Nom, Ac freq 50 Nom, Ac freq	10 ol" Percent_Trials 94 6 ol" Percent_Trials 98 2 c,Abl" Percent_Trials 94 4 2 cc,Abl" Percent_Trials 100 cc,Abl" Percent_Trials
[1] "fSg/Suffix 2 e 1 a [1] "nSg/Suffix 2 o 1 e [1] "Sg/Suffix 3 o 2 e 1 - [1] "1Sg/Suffix 1 a [1] "2Sg/Suffix 1 a [1] "2Sg/Suffix 1 o 0	5 Acc, At freq 47 3 Acc, At freq 49 1 om, Acc freq 47 2 1 Nom, Ac freq 50 Nom, Ac freq 50	10 cl" Percent_Trials 94 6 cl" Percent_Trials 98 2 c,Abl" Percent_Trials 94 4 2 cc,Abl" Percent_Trials 100 cc,Abl" Percent_Trials
[1] "fSga Suffix 2 e 1 a [1] "nSga Suffix 2 o 1 e [1] "SgNo Suffix 3 o 2 e 1 - [1] "1Sgl Suffix 1 a [1] "2Sgl Suffix 1 o [1] "3Sgl	5 Acc, At freq 47 3 Acc, At freq 49 1 om, Acc freq 47 2 Nom, Acc freq 50 Nom, Acc freq 50 Nom, Acc freq 50 Nom, Acc freq 50	10 ol" Percent_Trials 94 ol" Percent_Trials 98 2 c,Abl" Percent_Trials 94 4 2 cc,Abl" Percent_Trials 100 cc,Abl" Percent_Trials
[1] "fSga Suffix 2 e 1 a [1] "nSga Suffix 2 o 1 e [1] "SgNo Suffix 3 o 2 e 1 - [1] "1Sgl Suffix 1 a [1] "2Sgl Suffix 1 o [1] "3Sgl	5 Acc, At freq 47 3 Acc, At freq 49 1 om, Acc freq 47 2 Nom, Acc freq 50 Nom, Acc freq 50 Nom, Acc freq 50 Nom, Acc freq 50	10 cl" Percent_Trials 94 6 cl" Percent_Trials 98 2 c,Abl" Percent_Trials 94 4 2 cc,Abl" Percent_Trials 100 cc,Abl" Percent_Trials
[1] "fSga Suffix 2 e 1 a [1] "nSga Suffix 2 o 1 e [1] "SgNo Suffix 3 o 2 e 1 - [1] "1Sgl Suffix 1 a [1] "2Sgl Suffix 1 o [1] "3Sgl	5 Acc, At freq 47 3 Acc, At freq 49 1 om, Acc freq 47 2 Nom, Acc freq 50 Nom, Acc freq 50 Nom, Acc freq 50 Nom, Acc freq 50	10 ol" Percent_Trials 94 ol" Percent_Trials 98 2 c,Abl" Percent_Trials 94 4 2 cc,Abl" Percent_Trials 100 cc,Abl" Percent_Trials

```
[1] "4SgNom, Acc, Abl"
  Suffix freq Percent_Trials
           46
1
2
            3
                            6
      os
3
            1
                            2
       u
[1] "5SgNom, Acc, Abl"
  Suffix freq Percent_Trials
           48
       е
1
            1
                            2
3
            1
                            2
      es
[1] "mSgNom, Acc, Abl"
 Suffix freq Percent_Trials
    o 49
                            2
          1
[1] "fSgNom, Acc, Abl"
  Suffix freq Percent_Trials
       a
           46
1
2
            4
                            8
       е
[1] "nSgNom, Acc, Abl"
 Suffix freq Percent_Trials
           50
       0
[1] "SgGen,Dat"
  Suffix freq Percent_Trials
       е
           23
1
            7
                           14
3
      es
            7
                           14
7
       S
            7
                           14
4
       i
             3
                            6
5
            2
                            4
      is
             1
                            2
       0
[1] "1SgGen, Dat"
  {\tt Suffix\ freq\ Percent\_Trials}
2
           43
                           86
       a
3
            6
                           12
      as
                            2
            1
[1] "2SgGen,Dat"
  Suffix freq Percent_Trials
2
       е
           23
                           46
1
           12
                            24
7
            5
                           10
       s
4
       i
            4
                            8
3
             3
                            6
      es
6
       0
             2
                            4
      is
             1
[1] "3SgGen,Dat"
  Suffix freq Percent_Trials
2
           28
                           56
       е
3
            7
      es
                           14
6
            7
                           14
       s
1
            5
                            10
5
            2
                            4
      is
                            2
             1
       i
[1] "4SgGen, Dat"
  Suffix freq Percent_Trials
```

```
16
                             32
       е
5
            11
                             22
            8
                             16
1
7
             5
                             10
       S
3
             4
                             8
      es
4
       i
             3
                              6
6
             2
      os
                              4
8
             1
                              2
       u
[1] "5SgGen,Dat"
  {\tt Suffix\ freq\ Percent\_Trials}
       е
            30
3
             9
                             18
      es
1
             6
                             12
4
       i
             2
                             4
6
       s
             2
                              4
5
             1
                              2
      is
[1] "mSgGen,Dat"
  Suffix freq Percent_Trials
2
            23
       е
             8
1
                             16
3
             7
                             14
      es
7
       s
                             10
5
      is
             3
                             6
             2
4
       i
                              4
             2
6
                              4
       0
[1] "fSgGen,Dat"
  {\tt Suffix\ freq\ Percent\_Trials}
4
       е
            18
2
            15
                             30
       a
5
             7
                             14
      es
8
                             8
             4
       s
1
             3
                              6
3
             1
                              2
      as
6
       i
                              2
             1
      is
[1] "nSgGen,Dat"
  Suffix freq Percent_Trials
2
       е
            22
1
            10
                             20
7
             6
                             12
       s
3
             5
                             10
      es
4
       i
             4
                             8
6
       0
             2
                              4
5
      is
             1
                              2
[1] "Nom"
  Suffix freq Percent_Trials
1
            27
                             54
6
            13
                             26
       s
2
             4
                             8
       a
4
             4
                             8
      es
3
             1
                              2
       е
5
             1
      os
[1] "NomSg"
  Suffix freq Percent_Trials
```

```
1 - 44
                     88
3
        4
                      8
     0
2
        1
                      2
4
          1
                      2
     s
[1] "1"
Suffix freq Percent_Trials
1 a 41
2
        8
                     16
    as
3
    s
         1
                      2
[1] "1Sg"
 Suffix freq Percent_Trials
1 a 50
[1] "1SgNom"
 Suffix freq Percent_Trials
1 a 50
[1] "2"
Suffix freq Percent_Trials
1 -
         15
2
         13
                     26
     е
6
         9
                     18
     s
5
        7
                     14
     0
3
   es
                     8
4
     i
         2
                      4
[1] "2Sg"
Suffix freq Percent_Trials
1 o 50
[1] "2SgNom"
Suffix freq Percent_Trials
1 o 50
[1] "3"
 Suffix freq Percent_Trials
2
  е
         25
4
        9
                     18
     es
         7
                     14
1
7
         6
                     12
     s
3
        1
    eo
                      2
5
     i
                      2
6
     is
          1
[1] "3Sg"
 Suffix freq Percent_Trials
  e 40
                      8
1
         4
3
         2
                      4
    es
6
         2
                      4
     s
     i
          1
5
    is
          1
[1] "3SgNom"
 Suffix freq Percent_Trials
1
         44
2
         4
                      8
     е
3
         1
                      2
    es
          1
     s
[1] "4"
 Suffix freq Percent_Trials
```

```
2 e 11
                22
1
      10
                20
5
   o 10
                20
7
   s 9
                18
3
  es
      5
               10
4
   i 2
                4
6
  os
       2
8
                 2
   u
       1
[1] "4Sg"
Suffix freq Percent_Trials
3 o 45
  os 2
- 1
4
                4
1
                 2
2 es 1
                 2
5
   u 1
[1] "4SgNom"
Suffix freq Percent_Trials
1 o 46
2 os 3
                6
3
   u 1
                 2
[1] "5"
Suffix freq Percent_Trials
3 е
      28 56
5
  es
                20
      10
1 - 4
                8
   s 4
8
2 a 1
4 eo 1
                 2
                 2
6 i 1
7 is 1
                 2
[1] "5Sg"
Suffix freq Percent_Trials
2 e 46
                92
1 - 2
3 es 2
   - 2
                4
                 4
[1] "5SgNom"
Suffix freq Percent_Trials
1 - 35
          70
2
    e 11
                22
3 es 2
               4
4
   s 2
[1] "m"
Suffix freq Percent_Trials
2 e 19 38
   - 11
                22
1
7
   s 9
               18
4 es 7
               14
6 o 2
                4
3 eo 1
                 2
5
   i
       1
[1] "mSg"
Suffix freq Percent_Trials
2 e
       25 50
5 o 17
                34
```

```
6
3
  es 3
                  6
4 i 1 6 s 1
[1] "mSgNom"
Suffix freq Percent_Trials
2 o 46 92
1 - 3
3 s 1
                 6
[1] "m1Sg"
Suffix freq Percent_Trials
1 a 50 100
[1] "m1SgNom"
Suffix freq Percent_Trials
2 a 49 98
1 - 1 2
[1] "m2Sg"
Suffix freq Percent_Trials
1 o 50 100
[1] "m2SgNom"
Suffix freq Percent_Trials
1 o 50 100
[1] "m3Sg"
Suffix freq Percent_Trials
2 e 49 98
   - 1
[1] "m3SgNom"
Suffix freq Percent_Trials
1 - 44 88
2 e 4
3 es 1
4 s 1
                  2
[1] "m4Sg"
Suffix freq Percent_Trials
3 o 45 90
                 4
4 os 2
1 - 1
                 2
2
   es 1
5 u 1
[1] "m4SgNom"
 Suffix freq Percent_Trials
1 o 46 92
2 os 3
3 u 1
                 6
[1] "m5Sg"
Suffix freq Percent_Trials
2 e 46 92
1
   - 2
                 4
3 es 2
[1] "m5SgNom"
Suffix freq Percent_Trials
1 - 36 72
   e 10
2
                  20
3 es 2
                 4
```

```
4 s 2
[1] "f"
Suffix freq Percent_Trials
1 a 35 70
2
   as 4
                  8
3
   e 4
                   8
5
   s 4
4
        3
                   6
   es
[1] "fSg"
Suffix freq Percent_Trials
1 a 46
   e 4
                  8
[1] "fSgNom"
Suffix freq Percent_Trials
1 - 35
2
    a 9
                  18
3 e 4
                  8
                   2
4 es 1
5
   s 1
[1] "f1Sg"
Suffix freq Percent_Trials
1 a 50
[1] "f1SgNom"
Suffix freq Percent Trials
1 a 50 100
[1] "f2Sg"
Suffix freq Percent_Trials
4 o 43 86
   - 5
                  10
1
2
   e 1
                  2
3 es 1
[1] "f2SgNom"
Suffix freq Percent_Trials
2 o 49
1 - 1
                  2
[1] "f3Sg"
Suffix freq Percent_Trials
2 e 48
1 - 2
                  4
[1] "f3SgNom"
 Suffix freq Percent_Trials
1 - 44 88
2
   e 4
                  8
2 e 4
3 es 1
                   2
    s 1
[1] "f4Sg"
Suffix freq Percent_Trials
4 o 43
    - 3
                   6
1
2
                   2
    e 1
3
                   2
  es 1
5 os 1
6 u
                   2
[1] "f4SgNom"
```

```
Suffix freq Percent_Trials
1 o 46
                 92
   os 3
2
                 6
3
   u 1
                  2
[1] "f5Sg"
Suffix freq Percent_Trials
2 e 46
   - 2
1
                 4
3 es 2
                  4
[1] "f5SgNom"
Suffix freq Percent_Trials
1 - 35
   e 11
2
                 22
2 e 11
3 es 2
                 4
   s 2
4
                  4
[1] "n"
Suffix freq Percent_Trials
       17
1 -
   e 12
3
                 24
7
   s 11
                 22
4
  es 4
                 8
6
   o 3
5
   i 2
                  4
2
      1
    a
[1] "nSg"
Suffix freq Percent_Trials
 e 18 36
  o 17
6
                 34
1
   - 9
                18
3 es 2
                 4
  s 2
7
                 4
 is 1
4
                  2
5
[1] "nSgNom"
Suffix freq Percent_Trials
1 o 50 100
[1] "n2Sg"
Suffix freq Percent_Trials
1 o 50
[1] "n2SgNom"
 Suffix freq Percent_Trials
1 o 50 100
[1] "n3Sg"
Suffix freq Percent_Trials
2 e 26
1
       21
                 42
4 s 2
3 es 1
                 4
[1] "n3SgNom"
Suffix freq Percent_Trials
1 - 48 96
2 e 1
3 s 1
                 2
                  2
[1] "n4Sg"
```

Sı	ıffix	freq	Percent_Trials
3	0	45	90
4	os	2	4
1	_	1	2
2	0.0	1	2
5	es		2
	u	1	2
[1]	"n4Sg	gNom"	
Sı	ıffix	freq	Percent_Trials
1	0	46	92
2	os	3	6
3	u	1	2
[1]			2
			D . m . 1
	ıIIIX	_	Percent_Trials
4	е	23	46
1	-	8	16
7	s	8	16
2	a	5	10
5	es	3	6
6		2	4
	0		
3	as	1	2
[1]	"Accs	Sg"	
Sı	ıffix	freq	Percent_Trials
3	0	30	60
2	е	19	38
1	_	1	2
	"1Sg/		2
	_		D . m . 1
	ıIIIX		Percent_Trials
1	a	50	100
[1]	"2Sg/	Acc"	
Sı	ıffix	freq	Percent_Trials
1	0	50	100
[1]	"3Sg/		
	_		Percent_Trials
		_	
2	е	49	98
1	-	1	2
[1]	"4Sg/	Acc"	
Sı	ıffix	freq	Percent_Trials
1	0	49	98
2	u	1	2
	"5Sg/		_
			Domaont Triola
_		_	Percent_Trials
2	е	49	98
1	_	1	2
[1]	"mSg/	Acc"	
Sı	ıffix	freq	Percent_Trials
2	0	49	98
1	_	1	2
_	"m1Sg		2
			D
	IIIIX	_	Percent_Trials
1	a	50	100
[1]	"m2Sg	gAcc"	
Sı	ıffix	freq	Percent_Trials
1	0	50	100
[1]	"m3Sg	Acc"	
		J	

	_	Percent_Trials
2 e	48	96
1 –	2	4
[1] "m4Sg	gAcc"	
Suffix	freq	Percent_Trials
1 o	49	98
2 u	1	2
[1] "m5Sg	gAcc"	
Suffix	freq	Percent_Trials
2 е	49	98
1 -	1	2
[1] "fSg/	Acc"	
_		Percent_Trials
2 е	49	98
1 -	1	2
[1] "f1Sg		-
,	_	Percent_Trials
1 a	50	100
[1] "f2Sg		100
	_	Percent_Trials
_	48	96
2 o 1 -	2	4
		4
[1] "f3Sg	_	D
_	_	Percent_Trials
2 e 1 -	49	98
[1] "f4Sg	1	2
	_	Dorgont Trials
	rreq	Percent_Trials
	40	00
1 0	49	98
2 u	1	98 2
2 u [1] "f5Sg	1 gAcc"	2
2 u [1] "f5Sg Suffix	1 gAcc" freq	2 Percent_Trials
2 u [1] "f5Sg Suffix 2 e	1 gAcc" freq 49	2 Percent_Trials 98
2 u [1] "f5Sg Suffix 2 e 1 -	1 gAcc" freq 49 1	2 Percent_Trials
2 u [1] "f5Sg Suffix 2 e 1 - [1] "nSgJ	1 gAcc" freq 49 1 Acc"	Percent_Trials 98 2
2 u [1] "f5Sg Suffix 2 e 1 - [1] "nSg Suffix	gAcc" freq 49 1 Acc" freq	Percent_Trials 98 2 Percent_Trials
2 u [1] "f5Sg Suffix 2 e 1 - [1] "nSg Suffix 1 o	freq freq 49 1 Acc" freq 50	Percent_Trials 98 2
2 u [1] "f5Sg Suffix 2 e 1 - [1] "nSg Suffix 1 o [1] "n2Sg	1 gAcc" freq 49 1 Acc" freq 50 gAcc"	Percent_Trials 98 2 Percent_Trials 100
2 u [1] "f5Sg Suffix 2 e 1 - [1] "nSg Suffix 1 o [1] "n2Sg Suffix	1 gAcc" freq 49 1 Acc" freq 50 gAcc" freq	Percent_Trials 98 2 Percent_Trials 100 Percent_Trials
2 u [1] "f5Sg Suffix 2 e 1 - [1] "nSg Suffix 1 o [1] "n2Sg Suffix 1 o [1] "n2 Sg	1 gAcc" freq 49 1 Acc" freq 50 gAcc" freq 50	Percent_Trials 98 2 Percent_Trials 100
2 u [1] "f5Sg Suffix 2 e 1 - [1] "nSg Suffix 1 o [1] "n2Sg Suffix 1 o [1] "n3Sg	1 gAcc" freq 49 1 Acc" freq 50 gAcc" freq 50 gAcc"	Percent_Trials 98 2 Percent_Trials 100 Percent_Trials 100
2 u [1] "f5Sg Suffix 2 e 1 - [1] "nSgd Suffix 1 o [1] "n2Sg Suffix 1 o [1] "n3Sg Suffix 5 Suffix	1 gAcc" freq 49 1 Acc" freq 50 gAcc" freq 50 gAcc" freq	Percent_Trials 98 2 Percent_Trials 100 Percent_Trials 100 Percent_Trials
2 u [1] "f5Sg Suffix 2 e 1 - [1] "nSgd Suffix 1 o [1] "n2Sg Suffix 1 o [1] "n3Sg Suffix 1 o [1] "n3Sg	1 gAcc" freq 49 1 Acc" freq 50 gAcc" freq 50 gAcc" freq 32	Percent_Trials 98 2 Percent_Trials 100 Percent_Trials 100 Percent_Trials 64
2 u [1] "f5Sg Suffix 2 e 1 - [1] "nSgd Suffix 1 o [1] "n2Sg Suffix 1 o [1] "n3Sg Suffix 1 o [1] "n3Sg Suffix 1 e	1 gAcc" freq 49 1 Acc" freq 50 gAcc" freq 50 gAcc" freq 32 18	Percent_Trials 98 2 Percent_Trials 100 Percent_Trials 100 Percent_Trials
2 u [1] "f5Sg Suffix 2 e 1 - [1] "nSg Suffix 1 o [1] "n2Sg Suffix 1 o [1] "n3Sg Suffix 1 - 2 e [1] "n4Sg	1 gAcc" freq 49 1 Acc" freq 50 gAcc" freq 32 18 gAcc"	Percent_Trials 98 2 Percent_Trials 100 Percent_Trials 44 36
2 u [1] "f5Sg Suffix 2 e 1 - [1] "nSg Suffix 1 o [1] "n2Sg Suffix 1 o [1] "n3Sg Suffix 1 c [1] "n4Sg Suffix 1 - 2 e [1] "n4Sg Suffix	freq 49 1 Acc" freq 50 SAcc" freq 50 SAcc" freq 18 SAcc" freq freq 72 18	Percent_Trials 98 2 Percent_Trials 100 Percent_Trials 100 Percent_Trials 64 36 Percent_Trials
2 u [1] "f5Sg Suffix 2 e 1 - [1] "nSg Suffix 1 o [1] "n2Sg Suffix 1 o [1] "n3Sg Suffix 1 c [1] "n4Sg Suffix 1 - 2 e [1] "n4Sg Suffix 1 o	1 gAcc" freq 49 1 Acc" freq 50 gAcc" freq 32 18 gAcc" freq 49	Percent_Trials 98 2 Percent_Trials 100 Percent_Trials 100 Percent_Trials 64 36 Percent_Trials 98
2 u [1] "f5Sg Suffix 2 e 1 - [1] "nSg Suffix 1 o [1] "n2Sg Suffix 1 o [1] "n3Sg Suffix 1 c [1] "n4Sg Suffix 1 - 2 e [1] "n4Sg Suffix 1 o 2 u	1 gAcc" freq 49 1 Acc" freq 50 gAcc" freq 32 18 gAcc" freq 49 1	Percent_Trials 98 2 Percent_Trials 100 Percent_Trials 100 Percent_Trials 64 36 Percent_Trials
2 u [1] "f5Sg Suffix 2 e 1 - [1] "nSg, Suffix 1 o [1] "n2Sg Suffix 1 o [1] "n3Sg Suffix 1 - 2 e [1] "n4Sg Suffix 1 - 2 e [1] "n4Sg Suffix 1 o 2 u [1] "Gen	freq 49 1 Acc" freq 50 gAcc" freq 32 18 gAcc" freq 49 1	Percent_Trials 98 2 Percent_Trials 100 Percent_Trials 44 36 Percent_Trials 98 2
2 u [1] "f5Sg Suffix 2 e 1 - [1] "nSg Suffix 1 o [1] "n2Sg Suffix 1 o [1] "n3Sg Suffix 1 - 2 e [1] "n4Sg Suffix 1 - 2 e [1] "n4Sg Suffix 1 c 2 u [1] "Gen' Suffix	1 gAcc" freq 49 1 Acc" freq 50 gAcc" freq 32 18 gAcc" freq 49 1 " freq	Percent_Trials 98 2 Percent_Trials 100 Percent_Trials 100 Percent_Trials 64 36 Percent_Trials 98 2 Percent_Trials
2 u [1] "f5Sg Suffix 2 e 1 - [1] "nSg Suffix 1 o [1] "n2Sg Suffix 1 o [1] "n3Sg Suffix 1 - 2 e [1] "n4Sg Suffix 1 - 2 e [1] "n4Sg Suffix 1 o 2 u [1] "Gen' Suffix 2 e	1 gAcc" freq 49 1 Acc" freq 50 gAcc" freq 32 18 gAcc" freq 49 1 " freq 17	Percent_Trials 98 2 Percent_Trials 100 Percent_Trials 100 Percent_Trials 64 36 Percent_Trials 98 2 Percent_Trials
2 u [1] "f5Sg Suffix 2 e 1 - [1] "nSgd Suffix 1 o [1] "n2Sg Suffix 1 o [1] "n3Sg Suffix 1 - 2 e [1] "n4Sg Suffix 1 o 2 u [1] "Gen' Suffix 2 e 3 es	1 gAcc" freq 49 1 Acc" freq 50 gAcc" freq 32 18 gAcc" freq 49 1 " freq 17 11	Percent_Trials 98 2 Percent_Trials 100 Percent_Trials 100 Percent_Trials 64 36 Percent_Trials 98 2 Percent_Trials
2 u [1] "f5Sg Suffix 2 e 1 - [1] "nSg Suffix 1 o [1] "n2Sg Suffix 1 o [1] "n3Sg Suffix 1 - 2 e [1] "n4Sg Suffix 1 - 2 u [1] "Gen' Suffix 2 e 3 es 1 -	1 gAcc" freq 49 1 Acc" freq 50 gAcc" freq 32 18 gAcc" freq 49 1 " freq 17 11 10	Percent_Trials 98 2 Percent_Trials 100 Percent_Trials 100 Percent_Trials 64 36 Percent_Trials 98 2 Percent_Trials 22 20
2 u [1] "f5Sg Suffix 2 e 1 - [1] "nSgd Suffix 1 o [1] "n2Sg Suffix 1 o [1] "n3Sg Suffix 1 - 2 e [1] "n4Sg Suffix 1 o 2 u [1] "Gen' Suffix 2 e 3 es	1 gAcc" freq 49 1 Acc" freq 50 gAcc" freq 32 18 gAcc" freq 49 1 " freq 17 11	Percent_Trials 98 2 Percent_Trials 100 Percent_Trials 100 Percent_Trials 64 36 Percent_Trials 98 2 Percent_Trials

```
4 i 1
5
    is 1
                   2
6
   0
        1
[1] "GenSg"
Suffix freq Percent_Trials
2
  е
        20
3
   es 11
                   22
7
   s 7
                  14
    - 6
                   12
1
5 is 3
                   6
        2
4
   i
                   4
6
    o 1
                   2
[1] "1SgGen"
Suffix freq Percent_Trials
2 a
        35
3
    as
        11
                   22
5
   s 2
                   4
1
   - 1
                   2
4
   es 1
[1] "2SgGen"
Suffix freq Percent_Trials
2 e
        21
1
        11
                   22
3
       5
                   10
    es
4
   i 5
                   10
7
                   10
   s 5
  is
5
        2
                   4
6
    0
        1
                   2
[1] "3SgGen"
 Suffix freq Percent_Trials
  e 21
2
    es
3
        14
                   28
   s 7
6
                   14
    - 4
                   8
1
5
        3
   is
                   6
4
        1
    i
[1] "4SgGen"
 Suffix freq Percent_Trials
2 e 15
6
        10
                   20
    0
1
   - 7
                  14
8
   s 6
                   12
3
   es 5
                   10
4
    i 2
                   4
5
        2
    is
7
        2
    os
    u
        1
[1] "5SgGen"
 {\tt Suffix\ freq\ Percent\_Trials}
   е
        21
3
    es 12
                   24
6
    s 7
                  14
1
    - 6
                   12
5
    is 3
                   6
```

```
4 i 1
[1] "mSgGen"
 {\tt Suffix\ freq\ Percent\_Trials}
2
   е
       21
3
   es 10
                  20
      8
1
                  16
7
   s 5
                 10
5
   is 3
                  6
   i
4
        2
                  4
   o 1
6
                  2
[1] "m1SgGen"
Suffix freq Percent_Trials
2 a 32
   as 10
3
                  20
1
   - 3
                  6
4
    e 2
                  4
6
   s
        2
                  4
5
   es 1
[1] "m2SgGen"
Suffix freq Percent_Trials
2 e 21
           42
1
   - 11
                  22
3
   es 6
                 12
  i 5
4
                  10
   s 4
7
                  8
5 is 2
                  4
   0
6
        1
                  2
[1] "m3SgGen"
Suffix freq Percent_Trials
2 e
       21
3
                  28
    es
       14
   s 7
6
                  14
1
   - 4
                  8
5 is 3
                  6
                  2
    i
        1
[1] "m4SgGen"
Suffix freq Percent_Trials
2
    е
       15
6
       10
                  20
    0
   - 7
                  14
1
8
                 12
   s 6
3
    es 5
                  10
4
    i 2
                  4
5
   is 2
                  4
7
   os
        1
   u
[1] "m5SgGen"
 Suffix freq Percent_Trials
2
       24
                  48
    е
                  22
3
    es 11
6
   s 7
                  14
1
    - 4
                  8
5
    is 3
                  6
4
   i 1
                  2
```

```
[1] "fSgGen"
  Suffix freq Percent_Trials
3
           17
4
      es
           10
                           20
2
            8
                           16
       a
7
            7
                           14
       s
1
            4
                            8
6
      is
            3
                            6
5
       i
            1
                            2
[1] "f1SgGen"
  Suffix freq Percent_Trials
2
       a
           35
                           70
                           22
3
      as
           11
5
            2
                            4
       s
1
            1
                            2
                            2
4
      es
            1
[1] "f2SgGen"
  Suffix freq Percent_Trials
2
           19
       е
                           28
1
           14
3
            6
                           12
      es
7
       s
            5
                           10
4
       i
            3
                            6
            2
5
      is
                            4
6
            1
                            2
       0
[1] "f3SgGen"
  Suffix freq Percent_Trials
2
       е
           20
3
           14
                           28
      es
6
            7
                           14
       S
1
                           10
            5
5
      is
            3
                            6
       i
            1
                            2
[1] "f4SgGen"
  Suffix freq Percent_Trials
2
           14
       е
            9
                           18
6
1
            8
                           16
8
            7
                           14
       s
3
                           12
            6
      es
5
            2
                            4
      is
7
            2
                            4
      os
4
                            2
       u
            1
[1] "f5SgGen"
  Suffix freq Percent_Trials
2
       е
           21
                           42
3
           12
                           24
      es
6
            7
                           14
       s
1
            6
                           12
5
            3
                            6
      is
                            2
4
            1
       i
[1] "nSgGen"
  Suffix freq Percent_Trials
```

```
21
                       42
      е
1
         11
                       22
3
        5
                       10
     es
4
     i
        5
                       10
7
          5
                       10
5
          2
     is
                        4
          1
                        2
      0
[1] "n2SgGen"
 Suffix freq Percent_Trials
2
      е
         21
         11
                       22
1
3
        5
                       10
     es
    i
        5
4
                       10
7
     s 5
                       10
5
    is
          2
                        4
6
          1
                        2
     0
[1] "n3SgGen"
 Suffix freq Percent_Trials
2
         20
     е
                       22
3
         11
     es
1
         8
                       16
        7
6
     s
                       14
5
     is
          3
                        6
4
     i
          1
                        2
[1] "n4SgGen"
 Suffix freq Percent_Trials
2
     е
         16
6
      0
          9
                       18
1
          8
                       16
3
     es
        5
                       10
8
          5
    s
                       10
4
     i
          2
                        4
5
     is
          2
                        4
7
          2
                        4
     os
          1
      u
[1] "Dat"
 Suffix freq Percent_Trials
3
      е
         21
                       42
1
         11
                       22
4
        7
                       14
     es
                       12
8
    s 6
        2
5
     i
                       4
2
      a
          1
                        2
6
   is
          1
                        2
7
      0
[1] "DatSg"
 Suffix freq Percent_Trials
         28
2
      е
1
          9
                       18
3
                       12
     es
          6
7
     s 3
                        6
4
      i 2
                        4
5
     is
          1
                        2
                        2
6
     0
          1
```

```
[1] "1SgDat"
 Suffix freq Percent_Trials
2 a 43
    as 6
3
                  12
   - 1
                  2
1
[1] "2SgDat"
 Suffix freq Percent_Trials
       23
    е
                  20
1
       10
6
    o 7
                  14
7
                  8
   s 4
4
    i 3
                  6
3
  es 2
                  4
5
   is 1
[1] "3SgDat"
Suffix freq Percent_Trials
2 e 37
                  74
3
    es 6
                  12
1
   - 2
                  4
  is 2
5
                  4
6
   s
        2
                  4
    i
4
[1] "4SgDat"
Suffix freq Percent_Trials
 0
       15
5
    e 14
2
    - 9
1
                  18
7
   s 4
                  8
3
  es 3
                  6
4
   i 3
6
                  2
    os
        1
8
   u
        1
[1] "5SgDat"
 Suffix freq Percent_Trials
 e 33
                  66
3
    es 8
                  16
1
   - 4
                  8
4
   i 2
                  4
6
    s
                  4
5
    is
       1
[1] "mSgDat"
Suffix freq Percent_Trials
2 e 28
1
       6
                  12
6
   o 5
                  10
3
    es 4
                  8
4
   i
        3
                  6
7
   S
        3
                  6
5
   is 1
[1] "m1SgDat"
Suffix freq Percent_Trials
2 a 44
3
    as 5
                  10
1
   - 1
                  2
```

```
[1] "m2SgDat"
 Suffix freq Percent_Trials
 e 23 46
1
       11
                 22
6
      5
                 10
   0
7
   s 4
                 8
3
  es 3
4
   i 3
                 6
5
   is
      1
[1] "m3SgDat"
 Suffix freq Percent_Trials
   e 37 74
3
   es 6
                 12
   - 2
1
                 4
5 is 2
                 4
  S
6
       2
                 4
   i
      1
[1] "m4SgDat"
Suffix freq Percent_Trials
  o 15 30
5
    e 14
2
                 28
1
    - 9
                18
7
   s 4
                 8
3
  es 3
                 6
4
   i 3
                 6
6
  os 1
   u 1
8
[1] "m5SgDat"
Suffix freq Percent_Trials
2 e 34
3
   es 8
                 16
  - 3
1
                 6
4
   i 2
                 4
6
   s 2
                 4
  is 1
5
[1] "fSgDat"
Suffix freq Percent_Trials
4
 e 31
                 62
5
      6
                 12
   es
  - 4
                 8
1
2
   a 3
   i 2
6
                 4
   s 2
8
                 4
3 as 1
                 2
   is 1
7
[1] "f1SgDat"
Suffix freq Percent_Trials
2 a 43
3
  as 6
                 12
   - 1
                 2
1
[1] "f2SgDat"
Suffix freq Percent_Trials
2 e 18
1 - 15
                 30
```

```
6
    o 5
                     10
7
     s 5
                      10
3
       3
                      6
    es
4
     i
          3
                      6
5
    is
                      2
[1] "f3SgDat"
 Suffix freq Percent_Trials
         35
     е
3
         7
                      14
     es
                      6
1
        3
4
     i
        2
                      4
6
          2
                      4
     S
5
    is
          1
[1] "f4SgDat"
 {\tt Suffix\ freq\ Percent\_Trials}
5 o 15
2
     е
         14
                      28
1
     - 9
                      18
3
   es 4
                      8
    s 4
7
                      8
4
     i
         2
                      4
6
    os
8
     u
          1
[1] "f5SgDat"
 Suffix freq Percent_Trials
2
    e 33
3
    es 8
                      16
1
         4
                      8
4
    i 2
                      4
          2
6
    S
5
    is
[1] "nSgDat"
 Suffix freq Percent_Trials
         23
     е
                      20
         10
1
6
     o 7
                      14
7
    s 4
                      8
4
     i 3
                      6
3
    es
          2
                      4
5
          1
    is
[1] "n2SgDat"
 Suffix freq Percent_Trials
2
     е
         23
1
         10
                      20
6
     o 7
                      14
7
     s 4
                      8
4
     i
         3
                      6
3
          2
     es
                      4
    is
5
          1
[1] "n3SgDat"
 Suffix freq Percent_Trials
     e 25
                      50
1
         11
                      22
     s 6
6
                      12
```

```
3 es 5 10
5
  is 2
                  4
                   2
4
   i 1
[1] "n4SgDat"
Suffix freq Percent_Trials
  e 16
   o 14
5
1
    - 8
                 16
7
   s 4
                  8
  es 3
3
                   6
4
   i 3
6
                   2
  os
        1
8
        1
   u
[1] "Abl"
 Suffix freq Percent_Trials
3 e 23
9
    s 8
                  16
6
   es 6
                 12
   - 5
                 10
1
  eo 2
5
                  4
   i 2
7
                  4
8
   o 2
2
   a
        1
4 ebos 1
[1] "AblSg"
Suffix freq Percent_Trials
1 e 30 60
2 o 20 40
[1] "1SgAbl"
 Suffix freq Percent_Trials
1 a 50
[1] "2SgAbl"
 Suffix freq Percent_Trials
1 o 49 98
2 os 1 2
[1] "3SgAbl"
Suffix freq Percent_Trials
1 e 50
[1] "4SgAbl"
Suffix freq Percent_Trials
2 o 44 88
3 os 4
                  8
1 - 1
4 u 1
                   2
[1] "5SgAbl"
Suffix freq Percent_Trials
1 e 48 96
   es 2
2
                 4
[1] "mSgAbl"
Suffix freq Percent_Trials
2 o 44 88
1 e 5
3 os 1
                  10
                  2
[1] "m1SgAbl"
```

Suffix fre	eq Percent_Trials
2 a 4	4 88
3 ao	5 10
1 -	1 2
[1] "m2SgAb]	
_	
	eq Percent_Trials
1 o 4	9 98
2 os	1 2
[1] "m3SgAb]	."
_	eq Percent_Trials
	50 100
[1] "m4SgAb]	
Suffix fre	eq Percent_Trials
2 o 4	4 88
3 os	4 8
1 -	1 2
4 u	1 2
[1] "m5SgAb]	
	eq Percent_Trials
1 e 4	5 90
2 eo	3 6
3 es	2 4
[1] "fSgAbl'	l
_	
_	eq Percent_Trials
	8 96
1 a	2 4
[1] "f1SgAb]	."
Suffix fre	eq Percent_Trials
1 a 5	0 100
	50 100
[1] "f2SgAb]	."
[1] "f2SgAb] Suffix fre	" eq Percent_Trials
[1] "f2SgAbl Suffix free 2 o 4	eq Percent_Trials
[1] "f2SgAb] Suffix fre	" eq Percent_Trials
[1] "f2SgAbl Suffix free 2 o 4	eq Percent_Trials
[1] "f2SgAbl Suffix free 2 o 4 1 - 3 os	eq Percent_Trials 60 80 9 18 1 2
[1] "f2SgAbl Suffix free 2 o 4 1 - 3 os [1] "f3SgAbl	eq Percent_Trials 0 80 9 18 1 2
[1] "f2SgAbl Suffix free 2 o 4 1 - 3 os [1] "f3SgAbl Suffix free	eq Percent_Trials 10 80 19 18 1 2 1 2 1 eq Percent_Trials
[1] "f2SgAbl Suffix free 2 o 4 1 - 3 os [1] "f3SgAbl Suffix free 1 e 5	eq Percent_Trials 0 80 9 18 1 2 eq Percent_Trials 1 100
[1] "f2SgAb] Suffix free 2	eq Percent_Trials 0 80 9 18 1 2 eq Percent_Trials 1 100
[1] "f2SgAbl Suffix fre 2 o 2 1 - 3 os [1] "f3SgAbl Suffix fre 1 e 5 [1] "f4SgAbl Suffix fre	eq Percent_Trials 10 80 11 2 11 2 12 11 11 11 11 11 11 11 11 11 11 11 11 1
[1] "f2SgAbl Suffix fre 2 o 4 1 - 3 os [1] "f3SgAbl Suffix fre 1 e 5 [1] "f4SgAbl Suffix fre 2 o 4	eq Percent_Trials 0 80 9 18 1 2 eq Percent_Trials 1 100
[1] "f2SgAbl Suffix fre 2 o 4 1 - 3 os [1] "f3SgAbl Suffix fre 1 e 5 [1] "f4SgAbl Suffix fre	eq Percent_Trials 10 80 11 2 11 2 12 11 11 11 11 11 11 11 11 11 11 11 11 1
[1] "f2SgAbl Suffix free 2 o 4 1 - 3 os [1] "f3SgAbl Suffix free 1 e 5 [1] "f4SgAbl Suffix free 2 o 4 1 -	eq Percent_Trials 10 80 11 2 11 2 12 14 Percent_Trials 10 100 100
[1] "f2SgAbl Suffix fre 2 o 4 1 - 3 os [1] "f3SgAbl Suffix fre 1 e 5 [1] "f4SgAbl Suffix fre 2 o 4 1 - 3 os	eq Percent_Trials e0 80 9 18 1 2 eq Percent_Trials e0 100 eq Percent_Trials e0 80 6 12 3 6
[1] "f2SgAbla Suffix free 2 o 4 1	eq Percent_Trials eq Percent_T
[1] "f2SgAb] Suffix free 2	eq Percent_Trials 0 80 9 18 1 2 eq Percent_Trials 0 100 eq Percent_Trials 0 80 6 12 3 6 1 2
[1] "f2SgAbla Suffix free 2 o 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	eq Percent_Trials eq Percent_Trials for 80 for 18 for 10 for 100 for 1
[1] "f2SgAbb Suffix free 2 o 4 1 - 3 os [1] "f3SgAbb Suffix free 1 e 5 [1] "f4SgAbb Suffix free 2 o 4 1 - 3 os 4 u [1] "f5SgAbb Suffix free 1 e 4	eq Percent_Trials
[1] "f2SgAbla Suffix free 2 o 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	eq Percent_Trials eq Percent_Trials for 80 for 18 for 10 for 100 for 1
[1] "f2SgAbb Suffix free 2 o 4 1 - 3 os [1] "f3SgAbb Suffix free 1 e 5 [1] "f4SgAbb Suffix free 2 o 4 1 - 3 os 4 u [1] "f5SgAbb Suffix free 1 e 4	eq Percent_Trials
[1] "f2SgAbl Suffix free 2 o 4 1 - 3 os [1] "f3SgAbl Suffix free 1 e 8 [1] "f4SgAbl Suffix free 2 o 4 1 - 3 os 4 u [1] "f5SgAbl Suffix free 1 e 4 2 es [1] "nSgAbl	eq Percent_Trials
[1] "f2SgAbl Suffix free 2 o 2 1 - 3 os [1] "f3SgAbl Suffix free 1 e 5 [1] "f4SgAbl Suffix free 2 o 4 1 - 3 os 4 u [1] "f5SgAbl Suffix free 1 e 4 2 es [1] "nSgAbl' Suffix free	eq Percent_Trials 0 80 9 18 1 2 eq Percent_Trials 0 100 eq Percent_Trials 0 80 6 12 3 6 1 2 eq Percent_Trials 2 96 2 4 eq Percent_Trials
[1] "f2SgAbl Suffix free 2	eq Percent_Trials
[1] "f2SgAbl Suffix free 2 o 2 1 - 3 os [1] "f3SgAbl Suffix free 1 e 5 [1] "f4SgAbl Suffix free 2 o 4 1 - 3 os 4 u [1] "f5SgAbl Suffix free 1 e 2 2 es [1] "nSgAbl' Suffix free 2 o 3	eq Percent_Trials
[1] "f2SgAbla Suffix free 2	eq Percent_Trials
[1] "f2SgAbla Suffix free 2	eq Percent_Trials
[1] "f2SgAbla Suffix free 2	eq Percent_Trials

```
2 os 1
[1] "n3SgAbl"
Suffix freq Percent_Trials
2 e 27 54
    - 20
1
                  40
3
    s 3
                 6
[1] "n4SgAbl"
Suffix freq Percent_Trials
2 o 44
   os 4
3
                  8
   - 1
                  2
1
4 u
      1
                  2
[1] "Pl"
Suffix freq Percent_Trials
3 е
       14
    _
       12
                  24
1
7
   s 10
                  20
5
  es 8
                  16
2
   a 2
                  4
        2
4
  eo
                  4
        2
6
    i
[1] "PlNom, Acc"
 Suffix freq Percent_Trials
1 - 15
6
      13
                  26
    S
   a 10
2
                  20
5 es 9
                  18
3 as 2
                  4
   e 1
                  2
[1] "1PlNom,Acc"
Suffix freq Percent_Trials
1 a 34
2
    as 14
                  28
3
   es 2
                  4
[1] "2PlNom, Acc"
Suffix freq Percent_Trials
1 - 24 48
7
   s 11
                  22
2
   a 10
                  20
3
  as 2
                  4
4
   e 1
5
  es
      1
                  2
6
    os
[1] "3PlNom,Acc"
 Suffix freq Percent_Trials
4 es 17
   s 12
5
                  24
    - 11
                  22
1
3
    e 9
                  18
                  2
2
      1
    a
[1] "4PlNom,Acc"
Suffix freq Percent_Trials
1 - 20
6 s 11
                  22
```

```
12
       е
4
            6
                           12
       0
3
                           8
            4
5
      os
            2
                            4
7
                            2
[1] "5PlNom, Acc"
  Suffix freq Percent_Trials
           26
      es
                           24
1
           12
3
            8
                           16
       е
2
            3
       a
                            6
5
            1
                            2
       s
[1] "mPlNom,Acc"
  Suffix freq Percent_Trials
1
           22
5
           14
                           28
       s
4
      es
           10
                           20
3
           3
                           6
       е
2
            1
                            2
       a
[1] "fPlNom, Acc"
 Suffix freq Percent_Trials
      a
           19
5
      es
           16
                           32
3
            9
                           18
      as
            2
1
                           4
            2
4
       е
6
       S
            2
                            4
[1] "nPlNom,Acc"
  Suffix freq Percent_Trials
1
           18
6
                           26
       s
           13
2
      a
           12
                           24
5
           4
                           8
3
            2
                            4
      as
            1
       е
[1] "PlAcc, Abl"
  Suffix freq Percent_Trials
4
       е
           15
9
           11
                           22
       s
            8
                           16
1
7
            7
                           14
      es
2
            3
                            6
       a
6
      eo
            2
                            4
8
       i
            2
                            4
3
      as
5
            1
    ebos
[1] "1PlAcc,Abl"
  Suffix freq Percent_Trials
2
           34
       a
3
           14
                           28
      as
1
            1
                            2
                            2
            1
      eo
[1] "2PlAcc, Abl"
  Suffix freq Percent_Trials
```

```
24
                       48
7
          10
                       20
                       16
4
         8
2
        3
                        6
      a
5
          3
                        6
     es
3
     as
          1
                        2
      i
[1] "3PlAcc,Abl"
 Suffix freq Percent_Trials
2
     е
          24
5
         15
                       30
     es
4
         3
                        6
     eo
1
          2
                        4
3 ebos
          2
6
      i
          2
7
          2
      s
[1] "4PlAcc, Abl"
 Suffix freq Percent_Trials
          20
1
8
          9
                       18
      S
2
         6
                       12
      е
6
     0
          6
                       12
4
          4
                        8
     es
7
          2
     os
                        4
3
          1
                        2
     eo
5
     i
          1
9
      u
          1
[1] "5PlAcc,Abl"
 Suffix freq Percent_Trials
3
     е
          26
6
                       30
          15
     es
1
          4
                        8
2
          2
                        4
4
                        2
 ebos
          1
5
          1
     eo
7
          1
     s
[1] "mPlAcc, Abl"
 Suffix freq Percent_Trials
2 e
         13
1
          12
                       24
                       22
6
     s 11
                       20
4
     es 10
3
     eo
          2
                        4
     i
          2
[1] "fPlAcc,Abl"
 Suffix freq Percent_Trials
2
      a
         16
                       32
7
          15
                       30
     es
4
          8
                       16
     е
6
          3
                        6
     ео
1
          2
                        4
3
          2
     as
5
          2
   ebos
8
      i
```

```
9 s 1
[1] "nPlAcc, Abl"
 Suffix freq Percent_Trials
         13
1
4
         11
                     22
     е
7
                     22
     s 11
2
    a 6
                     12
5
   es 5
                     10
          2
3
    as
                      4
6
    i
         2
[1] "PlNom, Acc, Abl"
Suffix freq Percent_Trials
7
    s 14
         13
                     26
1
5
        9
                     18
    es
2
        8
   a
                     16
4
    е
         4
                      8
3
                      2
         1
    as
6
    i
        1
                      2
[1] "1PlNom,Acc,Abl"
 Suffix freq Percent_Trials
1 a 34
2
    as 13
                     26
3
        2
    es
                      4
4
     s 1
                      2
[1] "2PlNom, Acc, Abl"
 Suffix freq Percent_Trials
1 -
         25
6
                     22
         11
    s
2
    a 7
                     14
5
        4
                     8
    es
4
    е
         2
                      4
        1
    as
[1] "3PlNom,Acc,Abl"
Suffix freq Percent_Trials
         23
5
  es
                     22
2
     e 11
1
     - 7
                     14
7
                     12
     s
         6
3
         1
                      2
   ebos
                      2
   eo
         1
     i
       1
[1] "4PlNom, Acc, Abl"
 Suffix freq Percent_Trials
         20
6
                     22
         11
     S
        6
4
                     12
     0
2
       5
                     10
     е
3
          5
                     10
    es
         2
5
                      4
    os
         1
                      2
     u
[1] "5PlNom, Acc, Abl"
Suffix freq Percent_Trials
6 es 26
```

```
3
           10
                          20
       е
1
           9
                          18
2
            2
                           4
4
            1
                           2
  ebos
5
                           2
      eo
            1
7
       s
            1
                           2
[1] "mPlNom,Acc,Abl"
  Suffix freq Percent_Trials
1
           20
6
           12
                          24
       s
          9
                          18
4
      es
2
            7
                          14
       е
                           2
3
            1
      eo
5
            1
       i
[1] "fPlNom,Acc,Abl"
  Suffix freq Percent_Trials
2
      a
           23
7
           10
                          20
      es
3
           8
                          16
      as
            2
1
                           4
4
            2
                           4
       е
9
       s
5
            1
                           2
   ebos
6
            1
      eo
8
       i
            1
[1] "nPlNom,Acc,Abl"
  Suffix freq Percent_Trials
1
           17
6
           14
                          28
       s
2
           11
                          22
       a
4
           3
                           6
       е
5
      es
            3
                           6
      as
            2
[1] "PlGen,Dat"
 Suffix freq Percent_Trials
3
           14
      е
           13
                          26
1
5
      es
           8
                          16
8
            8
                          16
      s
4
            3
                           6
      ео
6
            2
       i
                           4
2
            1
                           2
       a
7
       0
            1
[1] "1PlGen,Dat"
  Suffix freq Percent_Trials
2
           33
      a
                          66
4
      as
           10
                          20
8
           2
                           4
      s
1
            1
                           2
                           2
3
            1
      ao
5
                           2
    aso
            1
                           2
6
            1
7
            1
                           2
       0
[1] "2PlGen,Dat"
```

```
Suffix freq Percent_Trials
          17
1
3
          12
                        24
7
          10
                        20
      S
4
          5
                        10
     es
6
     0
           3
                         6
5
      i
           2
2
                         2
           1
      a
[1] "3PlGen,Dat"
 Suffix freq Percent_Trials
      е
          16
1
          10
                        20
5
          10
                        20
     es
8
        7
                        14
     s
     eo 3
4
                         6
6
           2
      i
                         4
3
   ebos
           1
                         2
7
           1
      0
[1] "4PlGen,Dat"
 Suffix freq Percent_Trials
          17
2
      е
                        34
                        20
1
          10
4
         8
                        16
     es
7
                        16
     S
           8
3
           3
                         6
     eo
5
     i
           2
                         4
6
      0
           1
                         2
      u
[1] "5PlGen,Dat"
 {\tt Suffix\ freq\ Percent\_Trials}
          16
3
      е
1
          11
                        22
6
          10
                        20
9
     s 5
                        10
5
           3
                         6
     eo
7
      i
           2
                         4
2
                         2
      a
           1
4
 ebos
           1
                         2
           1
      0
[1] "mPlGen,Dat"
 Suffix freq Percent_Trials
2
          17
                        34
      е
1
          12
                        24
7
         8
                        16
      S
     es 7
4
                        14
3
                         6
     eo
           3
           2
5
      i
                         4
           1
6
[1] "fPlGen,Dat"
  Suffix freq Percent_Trials
2
           13
                         26
      a
4
                         26
           13
      е
7
          9
                         18
      es
10
     s
            4
                          8
```

```
1
6
         3
     eo
8
       2
    i
3
    as
        1
5
  ebos
        1
9
     0
         1
[1] "nPlGen,Dat"
 Suffix freq Percent_Trials
1
        15
3
   е
        13
                   26
7
   s 10
                   20
4
   es 5
                  10
  o 3
6
                   6
2
   a 2
5
    i
        2
[1] "NomPl"
Suffix freq Percent_Trials
        17
6
    s 15
                   30
                   22
4
   es 11
   a 5
2
                  10
3
   e 1
                   2
5
    is
        1
                   2
[1] "1Pl"
 Suffix freq Percent_Trials
  a 32 64
3
   as 14
                   28
1
       1
                   2
4
   e 1
                   2
5
   o 1
6
   s 1
[1] "1PlNom"
 Suffix freq Percent_Trials
1 a 33
2
    as 14
                   28
   es
       2
3
                   4
    s 1
[1] "2P1"
 Suffix freq Percent_Trials
        17
1
                   34
                   22
3
    e 11
7 s 11
                   22
  es 5
4
                   10
   a 2
2
                   4
5
    i
6
    0
[1] "2PlNom"
 Suffix freq Percent_Trials
        21
1
6
    s 15
                   30
2
    a 10
                   20
4
    es 2
                   4
3
    e 1
                   2
5
    os 1
```

```
[1] "3P1"
 Suffix freq Percent_Trials
          16
5
     es
          13
                         26
7
           8
                         16
          7
                         14
1
4
         3
                         6
     eo
6
      i
           2
                          4
   ebos
3
                          2
[1] "3PlNom"
 Suffix freq Percent_Trials
     es
          17
                         32
6
      s
          16
          12
                         24
1
3
      е
         3
                          6
2
                          2
      a
           1
5
     is
           1
                          2
[1] "4P1"
 Suffix freq Percent_Trials
          14
8
          10
                         20
      s
2
      е
         9
                         18
4
           6
                         12
     es
6
                         10
      0
           5
           2
3
                         4
     eo
                          4
5
     i
           2
7
     os
           1
                          2
      u
[1] "4PlNom"
 Suffix freq Percent_Trials
          18
1
6
      s
          13
                         26
4
         6
                         12
2
         5
                         10
      е
3
           5
                         10
     es
5
           2
                          4
     os
                          2
           1
7
      u
[1] "5P1"
 Suffix freq Percent_Trials
3
          17
      е
                         34
                         26
6
          13
     es
1
          9
                         18
8
      s
           4
                          8
5
     ео
        3
                          6
7
           2
      i
2
                          2
           1
      a
   ebos
[1] "5PlNom"
 {\tt Suffix\ freq\ Percent\_Trials}
     es
          18
1
          14
                         28
6
      s 13
                         26
2
      a 3
                          6
3
                          2
      е
           1
```

```
5 is 1
[1] "mPl"
 Suffix freq Percent_Trials
    е
          16
                        22
1
          11
7
                        22
          11
      s
4
     es 7
                        14
3
           2
                         4
     eo
           2
5
      i
                         4
6
           1
                         2
[1] "mPlNom"
 Suffix freq Percent_Trials
          19
1
7
          15
                        30
      S
4
     es
          9
                        18
3
           4
                         8
      е
2
      a
           1
                         2
5
                         2
     is
6
     os
           1
[1] "m1Pl"
 Suffix freq Percent_Trials
      a
          32
3
     as
          12
                        24
1
          2
                         4
6
           2
                         4
      S
4
      е
           1
5
      0
           1
[1] "m1PlNom"
 Suffix freq Percent_Trials
2
          32
      a
3
                         28
          14
     as
         2
4
     es
                         4
1
     _
           1
                         2
5
           1
                         2
      s
[1] "m2P1"
 Suffix freq Percent_Trials
1
          14
3
      е
          14
                        28
8
          11
                        22
      s
5
         6
                        12
     es
6
                         4
     i
2
                         2
      a
           1
4
     eo
                         2
           1
      0
[1] "m2PlNom"
 Suffix freq Percent_Trials
1
          24
                        48
6
          15
                        30
      s
2
         4
                         8
      a
4
           4
                         8
     es
3
           2
                         4
      е
5
           1
     os
[1] "m3P1"
 Suffix freq Percent_Trials
```

```
18
                           36
       е
5
           14
                           28
      es
            7
                           14
1
7
            5
                           10
       S
4
            3
                            6
      eo
6
            2
       i
                            4
    ebos
3
[1] "m3PlNom"
  Suffix freq Percent_Trials
4
      es
           17
6
           16
                           32
       s
1
           12
                           24
3
            3
                            6
       е
2
            1
                            2
       a
5
      is
            1
[1] "m4P1"
  Suffix freq Percent_Trials
           14
8
           10
                           20
       s
2
            9
                           18
4
            6
                           12
      es
6
       0
            5
                           10
3
            2
                            4
      ео
5
       i
            2
                            4
7
      os
            1
                            2
       u
[1] "m4PlNom"
  Suffix freq Percent_Trials
           18
1
6
       s
           13
                           26
4
                           12
            6
       0
2
       е
            5
                           10
3
            5
                           10
      es
5
            2
                            4
      os
7
                            2
       u
[1] "m5Pl"
  Suffix freq Percent_Trials
3
       е
           20
                           40
6
           12
                           24
      es
1
            7
                           14
                            8
8
       s
5
            3
                            6
      eo
7
       i
            2
                            4
2
       a
            1
                            2
            1
    ebos
[1] "m5PlNom"
  Suffix freq Percent_Trials
      es
           15
5
7
           15
                           30
       S
                           26
1
           13
2
            3
                            6
       a
4
            2
                            4
3
            1
                            2
      as
6
      is
            1
```

```
[1] "fPl"
 Suffix freq Percent_Trials
  a 24
6
    es
      9
                 18
3
  as 5
                 10
8 s 4
                  8
   e 3
4
   - 2
1
                  4
      2
5
   eo
                  4
7
   i 1
[1] "fPlNom"
Suffix freq Percent_Trials
4 es 17
6
  s 13
                 26
1
   - 10
                 20
   a 8
2
                 16
3
   e 1
                 2
5
  is 1
                  2
[1] "f1P1"
Suffix freq Percent_Trials
2 a 33
                 66
3
  as 13
                 26
1
   - 1
                 2
   e 1
4
                  2
5 o 1
                  2
   s 1
[1] "f1PlNom"
Suffix freq Percent_Trials
1 a 33
2 as 14
                 28
3 es 2
4 s 1
                 4
                  2
[1] "f2P1"
 Suffix freq Percent_Trials
1 - 17
  e 11
s 11
3
                 22
                 22
8
5
  es 6
                 12
  i 2
6
                 4
2
                  2
   a 1
  eo 1
                  2
4
7
   o 1
[1] "f2PlNom"
 Suffix freq Percent_Trials
1 - 23
6
       16
                 32
    s
4
   es 4
                  8
2
   a 3
                  6
3
        3
                  6
   е
  os
5
        1
                  2
[1] "f3P1"
Suffix freq Percent_Trials
2 e 17
5
  es 15
                 30
```

```
1 - 7
                  14
7
    s 5
                   10
4
    eo 3
                  6
6
   i
        2
                  4
3 ebos
                   2
[1] "f3PlNom"
 Suffix freq Percent_Trials
    es
        18
        16
                   32
6
    S
    - 12
                   24
1
3
   e 2
2 a is
    a 1
                   2
        1
[1] "f4Pl"
 {\tt Suffix\ freq\ Percent\_Trials}
1 - 15
8
    s
       9
                   18
2
   e 8
                  16
4
   es 7
                   14
   o 5
6
                   10
   eo 2
3
                   4
    i 2
5
7
    os
        1
                   2
        1
9
    u
[1] "f4PlNom"
 Suffix freq Percent_Trials
   - 19
1
   s 13
6
                   26
2
   e 5
                  10
3
   es 5
                   10
4
   o 5
                   10
5
    os
        2
                   4
7
        1
   u
[1] "f5Pl"
Suffix freq Percent_Trials
3
        17
  е
        13
                   26
6
    es
1
    - 9
                   18
8
   s 4
                   8
5
    eo 3
                   6
7
   i 2
2
        1
                   2
     a
4 ebos
[1] "f5PlNom"
 Suffix freq Percent_Trials
4 es 18
                   36
                   28
1
        14
6
   s 13
                   26
2
   a 3
                   6
                   2
3
    е
       1
5
        1
    is
[1] "nPl"
Suffix freq Percent_Trials
1 - 16
```

```
3
          11
                         22
      е
7
           11
                         22
4
                         10
         5
      es
2
           3
                          6
      a
5
            2
                          4
            2
6
       0
                           4
[1] "nPlNom"
  Suffix freq Percent_Trials
1
           21
6
           15
                          30
       s
2
         10
                          20
      a
4
           2
                          4
     es
                          2
3
           1
       е
5
            1
      os
[1] "n2Pl"
  Suffix freq Percent_Trials
1
           16
                          32
7
           11
                         22
3
         10
                         20
      е
4
          5
                          10
     es
2
           4
                          8
      a
5
       i
6
       0
           2
[1] "n2PlNom"
  Suffix freq Percent_Trials
1
           21
7
       s
           14
                          28
2
      a
          10
                          20
5
         2
                          4
     es
     as
                          2
3
            1
4
      е
            1
6
      os
            1
                           2
[1] "n3P1"
   Suffix freq Percent_Trials
1
            16
                          32
10
            9
                           18
       s
4
                          16
       е
7
       es
            6
                           12
2
      a
6
            2
       ео
8
      i
3
                            2
       as
            1
5
     ebos
                            2
        0
[1] "n3PlNom"
  Suffix freq Percent_Trials
6
       s
           17
                         34
           13
                         26
1
2
         11
                         22
      a
5
           6
                          12
      es
4
            2
                          4
       е
            1
      as
[1] "n4P1"
  Suffix freq Percent_Trials
```

```
16
                  32
8
        11
                  22
    s
2
       8
                  16
4
    es 5
                  10
6
                   8
    0
        4
3
    eo 2
                   4
5
    i
7
    os
        1
                   2
9
    u
        1
[1] "n4PlNom"
 Suffix freq Percent_Trials
        20
1
  s
6
      14
                  28
   o 5
4
                  10
   e 4
2
                   8
3
    es
       4
                   8
5
   os
        2
                   4
7
   u
[1] "AccPl"
Suffix freq Percent_Trials
5 es
        12
                  24
                  22
1
        11
2
   a 10
                  20
6
    s 9
                  18
4
   e 6
                  12
  as 2
[1] "1PlAcc"
Suffix freq Percent_Trials
1 a 32
2
   as 14
                  28
3
   es 4
                  8
[1] "2PlAcc"
 Suffix freq Percent_Trials
1 -
       20
 20
a 15
2
                  30
6
                  22
  as 2
3
                  4
4
   е
        1
                   2
5
    es
[1] "3PlAcc"
 Suffix freq Percent_Trials
3 es 26 52
2 e 20
1 - 3
                  40
                   6
   s 1
[1] "4PlAcc"
 Suffix freq Percent_Trials
1 -
        20
6
    s 11
                  22
4
       8
                  16
    0
2
    e 4
                   8
3
    es 4
                   8
5
        2
    os
7
   u
        1
```

```
[1] "5PlAcc"
 Suffix freq Percent_Trials
 es 27 54
3
    e 16
                  32
1
       4
                  8
2
   a 2
                  4
    s 1
[1] "mPlAcc"
 Suffix freq Percent_Trials
       20
1 -
3
   es 12
                  24
  s 10
4
                  20
2
   e 8
                  16
[1] "m1PlAcc"
 Suffix freq Percent_Trials
2 a 31
3
    as 14
                  28
   es 4
4
                 8
   - 1
                  2
1
[1] "m2PlAcc"
Suffix freq Percent_Trials
1 - 29
5
   s 13
                  26
2
   a 3
                  6
3
   е 3
                  6
   es 2
[1] "m3PlAcc"
Suffix freq Percent_Trials
3 es 26
   e 19
2
                  38
    - 4
1
                  8
4 s 1
                  2
[1] "m4PlAcc"
 Suffix freq Percent_Trials
1 - 20
          40
6
   s 11
                  22
   o 8
4
                 16
2
   e 4
                  8
3
    es
       4
                  8
5
        2
                  4
   os
7
    u 1
[1] "m5PlAcc"
 Suffix freq Percent_Trials
4 es 25
                  50
3
   e 18
                  36
    - 3
                  6
1
2
   a 3
                  6
5
    s 1
[1] "fPlAcc"
Suffix freq Percent_Trials
4 es 27
                  54
3
                  30
   e 15
2
    a 5
                  10
   - 2
1
```

```
5 s 1
[1] "f1PlAcc"
 Suffix freq Percent_Trials
    a 32
2
          14
                        28
     as
3
     es
          4
                        8
[1] "f2PlAcc"
 Suffix freq Percent_Trials
1
          26
5
          12
                       24
    s
3
     e 5
                       10
4
          4
                        8
     es
2
           3
     a
[1] "f3PlAcc"
 {\tt Suffix\ freq\ Percent\_Trials}
     es 27
2
     е
          19
                        38
      - 2
1
                        4
          2
    S
[1] "f4PlAcc"
 Suffix freq Percent_Trials
          18
7
          10
                       20
      s
5
     0
          8
                       16
3
          5
                       10
    е
4
     es
        5
                       10
6
     os
          2
                        4
2
      a
           1
                        2
           1
                        2
8
      u
[1] "f5PlAcc"
 Suffix freq Percent_Trials
4
     es
          27
                        54
3
     e 16
                        32
1
        4
                        8
          2
2
                        4
      a
5
          1
                         2
      S
[1] "nPlAcc"
 Suffix freq Percent_Trials
          20
  -
2
          15
                       30
     a
6
    s 11
                       22
3
        2
                        4
     as
      е
                        2
     es
          1
[1] "n2PlAcc"
 Suffix freq Percent_Trials
1
          20
                       40
2
          15
                       30
6
     s 11
                       22
3
          2
                        4
     as
4
           1
                        2
      е
           1
     es
[1] "n3PlAcc"
 Suffix freq Percent_Trials
```

```
a 14
                 28
6
   s 13
                 26
   - 9
1
                 18
4
    e 6
                 12
5
       6
                 12
   es
       2
3
   as
[1] "n4PlAcc"
 Suffix freq Percent_Trials
1
       22
                 22
6
       11
   s
4
   o 8
                16
2
   e 3
                 6
 es 3
3
                  6
5 os 2
7
   u
        1
[1] "GenPl"
Suffix freq Percent_Trials
2 e 15
1
   - 11
                 22
5
  es 9
                 18
   s 8
8
                 16
4
  eo 2
                 4
6
   i 2
                 4
7
        2
    0
                  4
3 ebos 1
                  2
[1] "1PlGen"
 Suffix freq Percent_Trials
2
  a 33
4
  as 8
                 16
9
   s 3
                  6
   - 1
                  2
1
3
  ao 1
                  2
5 aso 1
6 bos
                  2
       1
7
  e
0
        1
8
        1
[1] "2PlGen"
 Suffix freq Percent_Trials
1 - 17
3
   e 12
                 24
7
   s 10
                 20
4
 es 5
                 10
6 o 3 5 i 2
                  6
                  4
        1
    a
[1] "3PlGen"
Suffix freq Percent_Trials
2
 e 16
5
   es 10
                 20
1
       9
                 18
8
    s 8
                16
4
   eo 3
                 6
6
    i 2
                  4
3
  ebos 1
```

```
7 o 1
[1] "4PlGen"
 {\tt Suffix\ freq\ Percent\_Trials}
2
          16
4
          10
                         20
     es
1
                         18
           9
8
           8
                         16
      s
3
           2
                          4
     eo
           2
6
      i
                          4
5
           1
                          2
    eso
7
                          2
      0
           1
9
           1
      u
[1] "5PlGen"
 Suffix freq Percent_Trials
3
          14
          11
                         22
1
6
          10
                         20
     es
9
     s 7
                         14
5
                          6
     eo 3
7
           2
      i
                          4
2
                          2
      a
           1
   ebos
8
           1
                          2
      0
[1] "mPlGen"
 Suffix freq Percent_Trials
2
      е
          16
1
          11
                         22
7
      s
           9
                         18
4
         8
                         16
     es
3
     eo
           3
                          6
           2
5
      i
                          4
6
      0
           1
                          2
[1] "m1PlGen"
 Suffix freq Percent_Trials
      a
          30
                         60
4
           8
                         16
     as
1
           3
                          6
9
      s
           3
                          6
7
           2
      е
                          4
3
                          2
           1
     ao
5
    aso
6
           1
                          2
    bos
8
      0
[1] "m2PlGen"
 Suffix freq Percent_Trials
2
          16
      е
                         32
7
      s
          12
                         24
          11
                         22
1
4
         6
                         12
     es
           2
5
      i
                          4
6
           2
                          4
      0
           1
3
     ео
[1] "m3PlGen"
 Suffix freq Percent_Trials
```

```
2
           16
                           32
       е
5
           10
                            20
      es
1
            9
                            18
8
            8
                            16
       s
4
            3
                            6
      eo
6
            2
       i
                            4
3
                            2
    ebos
7
             1
                             2
[1] "m4PlGen"
  {\tt Suffix\ freq\ Percent\_Trials}
       е
           16
4
           10
                            20
      es
                           18
1
            9
8
            8
                            16
       S
3
      ео
            2
                            4
6
            2
                            4
      i
5
     eso
            1
                            2
7
                             2
       0
9
             1
       u
[1] "m5PlGen"
  Suffix freq Percent_Trials
3
       е
           16
6
      es
           10
                           20
1
            9
                           18
9
            7
                            14
       s
5
                            6
      eo
            3
7
       i
            2
                            4
2
       a
            1
                            2
4
            1
                             2
    ebos
       0
[1] "fPlGen"
  {\tt Suffix\ freq\ Percent\_Trials}
3
           12
6
           10
                           20
      es
            8
                           16
1
9
            7
                           14
       s
2
                           12
       a
            6
5
      ео
            3
                            6
7
       i
            2
                            4
4
            1
                            2
    ebos
             1
8
       0
[1] "f1PlGen"
  Suffix freq Percent_Trials
2
       a
           33
                            66
            8
                            16
4
      as
9
            3
                            6
       S
                             2
1
            1
3
                            2
            1
5
            1
                             2
     aso
                             2
6
     bos
             1
7
             1
                             2
       е
             1
8
       0
[1] "f2PlGen"
  Suffix freq Percent_Trials
```

```
1
           13
                          26
7
           12
                          24
4
          6
                          12
     es
5
      i
            2
                           4
6
            2
       0
                           4
3
      eo
[1] "f3PlGen"
  Suffix freq Percent_Trials
2
      е
           16
5
           10
                          20
      es
1
           9
                          18
8
      s
           8
                          16
4
         3
                           6
     eo
6
      i
            2
                           4
3
            1
                           2
    ebos
7
       0
            1
                           2
[1] "f4PlGen"
  Suffix freq Percent_Trials
      е
           16
7
           10
                          20
       s
1
           9
                          18
4
           8
                          16
     es
3
            3
                           6
      eo
5
            2
      i
                           4
6
                           2
       0
            1
8
       u
            1
                           2
[1] "f5PlGen"
  Suffix freq Percent_Trials
3
       е
           14
      _
                          22
1
           11
6
      es
           10
                          20
9
         7
                          14
     S
5
           3
                           6
     eo
7
            2
      i
                           4
2
            1
                           2
       a
4 ebos
            1
                           2
8
       0
            1
[1] "nPlGen"
  Suffix freq Percent_Trials
           17
3
           12
                          24
       е
7
      s
           10
                          20
4
     es
         5
                          10
6
            3
      0
                           6
5
            2
       i
                           4
            1
       a
[1] "n2PlGen"
  {\tt Suffix\ freq\ Percent\_Trials}
1
           17
3
           12
                          24
       е
7
           10
                          20
       S
4
     es 5
                          10
            3
6
      0
                           6
```

е

```
5 i 2
2
      a
           1
                         2
[1] "n3PlGen"
 Suffix freq Percent_Trials
          14
                        22
3
          11
      е
6
     es
         8
                       16
9
           7
                        14
     s
2
     a
           3
                        6
5
          2
                         4
     eo
7
           2
     i
8
           2
4
   ebos
           1
[1] "n4PlGen"
 {\tt Suffix\ freq\ Percent\_Trials}
     е
          16
1
          10
                        20
4
         9
                        18
     es
7
     s 8
                        16
3
         3
                        6
     eo
5
           2
                         4
      i
6
      0
8
      u
[1] "DatPl"
 Suffix freq Percent_Trials
     е
          15
1
          12
                        24
5
   es
          9
                        18
8
    s 7
                        14
4
     eo 3
                        6
6
           2
     i
                         4
2
           1
                         2
[1] "1PlDat"
 Suffix freq Percent_Trials
2
          32
     a
          12
                        24
4
     as
1
     - 1
                        2
3
                         2
     ao
5
                         2
    aso
         1
6
    е
7
           1
                         2
      0
8
      s
[1] "2PlDat"
 Suffix freq Percent_Trials
          14
1
                        28
          13
3
      е
                        26
7
     s 10
                        20
4
     es 5
                        10
2
          3
                        6
      a
6
           3
                         6
      0
      i
           2
[1] "3PlDat"
 Suffix freq Percent_Trials
```

```
e 21
               42
4
   es 12
                24
   - 7
               14
1
7
   s 4
                8
3
      3
                6
  eo
       2
5
  i
                4
    0
[1] "4PlDat"
 Suffix freq Percent_Trials
2 e 17
    - 10
                20
1
4
  es 8
                16
  s 8
7
                16
3 eo 3
                6
5
   i 2
                4
6
   0
       1
  u
8
      1
[1] "5PlDat"
Suffix freq Percent_Trials
 e 21
3
5
       11
                22
  es
1
   - 6
                12
8
   s 5
               10
  eo 3
4
                6
6 i 2
                4
2 a 1
7 o 1
[1] "mPlDat"
 Suffix freq Percent_Trials
2 e 16
   _
      13
1
                26
7
   s 8
                16
4
 es 7
               14
3
  eo 3
                6
  i
       2
5
                 4
6
       1
    0
[1] "m1PlDat"
 Suffix freq Percent_Trials
2 a 31
4
       12
                24
   as
   - 2
1
                4
3
                 2
  ao 1
5 aso 1
                 2
6
  e 1
                 2
7
   o 1
8
   s
       1
[1] "m2PlDat"
 Suffix freq Percent_Trials
3
  e 15
    - 13
                26
1
8
   s 10
                20
5
  es 6
                12
6
   i 2
                4
7
   o 2
                 4
```

```
a 1
4
      eo
            1
                           2
[1] "m3PlDat"
  Suffix freq Percent_Trials
           21
4
                          24
      es
           12
1
                          14
           7
7
            4
                           8
      s
3
            3
      eo
                           6
5
      i
            2
                           4
6
       0
            1
[1] "m4PlDat"
  Suffix freq Percent_Trials
2
           17
1
           10
                          20
4
           8
                          16
      es
7
      s
            8
                          16
3
            3
                           6
      eo
5
            2
                           4
       i
6
                           2
            1
            1
                           2
8
       u
[1] "m5PlDat"
  Suffix freq Percent_Trials
3
           22
       е
           12
                          24
5
      es
                          10
1
           5
8
       s
            4
                           8
4
      eo
            3
                           6
6
            2
      i
                           4
2
       a
            1
                           2
7
[1] "fPlDat"
  Suffix freq Percent_Trials
       е
           19
6
           12
                          24
      es
1
            4
                           8
2
            4
                           8
9
      s
            4
                           8
5
            3
                           6
      ео
7
            2
                           4
      i
3
      as
            1
       0
[1] "f1PlDat"
  Suffix freq Percent_Trials
2
       a
           32
4
           12
                          24
      as
1
                           2
           1
3
                           2
            1
5
            1
                           2
    aso
                           2
6
            1
       е
7
            1
                           2
       0
            1
       S
[1] "f2PlDat"
  Suffix freq Percent_Trials
```

```
1
        13
                     26
8
     s 10
                     20
5
    es 6
                     12
6
     i
       2
                     4
       2
7
     0
                     4
2
                     2
     a
4
         1
                     2
    eo
[1] "f3PlDat"
 Suffix freq Percent_Trials
   е
        20
4
        13
                     26
    es
1
        7
                     14
7
   s 4
                     8
   eo 3
3
                     6
5
   i
         2
                     4
6
     0
         1
                      2
[1] "f4PlDat"
 Suffix freq Percent_Trials
   e 17
        10
                     20
1
7
     s
       9
                    18
4
    es 7
                     14
3
                     6
    eo 3
   i 2
5
                     4
                     2
6
     o 1
8
     u
         1
[1] "f5PlDat"
 Suffix freq Percent_Trials
3
  е
        21
                     42
5
                     22
        11
    es
   - 6
1
                     12
8
    s 5
                     10
4
    eo 3
                     6
         2
6
     i
                     4
2
         1
                     2
     a
         1
7
     0
[1] "nPlDat"
 Suffix freq Percent_Trials
        15
1
                     30
3
        12
                     24
7
   s 10
                     20
4
   es 5
                     10
2
   a 3
                     6
         3
6
     0
         2
5
     i
[1] "n2PlDat"
 Suffix freq Percent_Trials
1
        15
                     30
        12
                     24
3
     е
7
     s 10
                     20
4
    es 5
                     10
2
     a 3
                     6
6
     0
         3
                     6
```

е

```
5 i 2
[1] "n3PlDat"
Suffix freq Percent_Trials
1 - 15
  e 11
3
                22
8
   s 8
               16
5 es 7
2 a 3
                6
  eo 2
4
                4
6 i 2
                4
7
   o 2
[1] "n4PlDat"
Suffix freq Percent_Trials
2 e 16
1
   - 11
                22
4
  es 8
                16
7
  s 8
                16
  eo 3
3
               6
  i 2
5
                4
6 o 1
                2
8
    u
       1
[1] "AblPl"
Suffix freq Percent_Trials
2 e 14
1
      10
                20
5 es 9
               18
7 s 9
4 eo 4
   s 9
               18
                8
3 ebos 2
6 i
       2
[1] "1PlAbl"
Suffix freq Percent_Trials
2 a 29 58
3
   as 11
                22
   - 2
1
                4
4 bos 2
                4
9
 s 2
5
   e 1
                2
6
   eo 1
7
  i 1
                2
   o 1
8
[1] "2PlAbl"
Suffix freq Percent_Trials
3 e 14 28
8
   s 13
                26
1
   - 12
                24
5
  es 6
                12
  i 2
6
                4
2
                2
   a 1
  eo
4
      1
       1
   0
[1] "3PlAbl"
Suffix freq Percent_Trials
2 e 19
```

```
5 es 19
              38
4
  eo 4
               8
   - 2
1
3 ebos 2
 i
     2
6
   s 2
7
[1] "4PlAbl"
 Suffix freq Percent_Trials
1 -
      12
8
      12
                24
   s
2
   e 10
                20
4 es 5
               10
 eo 3
3
                6
6
  o 3
                6
5
   i 2
7
   os
9
   u 1
[1] "5PlAbl"
Suffix freq Percent_Trials
3
  e 18
6
      18
                36
  es
1
   - 4
               8
5
  eo 3
                6
4 ebos 2
                4
7 i 2
                4
2
   a 1
8 io 1
   s 1
9
[1] "mPlAbl"
 Suffix freq Percent_Trials
2 e 15
   s 11
6
                22
   - 9
1
               18
4 es 9
               18
  eo 4
3
                8
5
   i
       2
[1] "m1PlAbl"
 Suffix freq Percent_Trials
2 a 31
3
      9
                18
   as
                4
4
 bos 2
  e 2
- 1
5
1
                 2
6
  eo 1
                 2
7
   es 1
   i 1
8
                 2
   0
      1
9
                 2
10
    s
[1] "m2PlAbl"
Suffix freq Percent_Trials
2 e 15 30
7
   s 14
                28
1
   - 10
                20
4 es 7
                14
```

```
5 i 2
3
   eo 1
                 2
6
   o 1
[1] "m3PlAbl"
Suffix freq Percent_Trials
5 es
      20
2 e 18
4
   eo 4
                8
   - 2
1
                4
3 ebos 2
                 4
6 i 2
7
   s 2
[1] "m4PlAbl"
Suffix freq Percent_Trials
1
      12
8
    s
       12
                24
2
   e 10
                20
4
 es 5
                10
3
  eo 3
                6
  0 3
6
                6
5
   i 2
                4
7
  os 2
9
   u
       1
[1] "m5PlAbl"
 Suffix freq Percent_Trials
6
  es 19 38
3
   e 18
                36
  eo 3
5
                6
1
   - 2
                 4
4 ebos 2
 i 2
7
   s 2
9
                 4
2
   a 1
8 io 1
[1] "fPlAbl"
Suffix freq Percent_Trials
6 es 18 36
   e 16
3
                32
  a 5
2
                10
5 eo 4
                8
1
   - 2
4 ebos 2
                4
7
       2
                 4
8
   s
       1
[1] "f1PlAbl"
 Suffix freq Percent_Trials
2 a 29
                58
3
  as 11
                22
1
   - 2
                4
  bos 2
4
                 4
9
   s 2
                 4
5
   e 1
                 2
6
  eo 1
7
 i
       1
```


```
8 o 1
[1] "f2PlAbl"
Suffix freq Percent_Trials
2 e 15
  s 14
7
                28
               20
1
   - 10
4
  es 7
               14
5 i 2
               4
3
   eo 1
                2
   o 1
6
[1] "f3PlAbl"
Suffix freq Percent_Trials
2 e 19
                38
5 es 19
  eo 4
4
               8
1
  - 2
               4
3 ebos 2
                4
6 i 2
7
   s 2
[1] "f4PlAbl"
Suffix freq Percent_Trials
1 - 12
8
   s 10
               20
4
  es 9
               18
2 e 8
               16
3
  eo 3
               6
  0 3
6
                6
5
   i 2
                4
7 os 2
   u 1
[1] "f5PlAbl"
Suffix freq Percent_Trials
3 e 18 36
6
  es 18
               36
   -
                8
1
      4
5 eo 3
                6
4 ebos 2
   i 2
7
2
   a 1
                2
8
  io 1
                2
9
   s 1
[1] "nPlAbl"
Suffix freq Percent_Trials
3 e 13 26
8
   s 13
                26
1
  - 12
               24
5
  es 6
               12
  i 2
6
               4
7
   o 2
                4
2
     1
                2
   a
       1
   eo
[1] "n2PlAbl"
Suffix freq Percent_Trials
1 - 13
```

```
3
                    26
   e 13
8
        13
                    26
     s
5
                    12
    es 6
6
    i 2
                    4
2
                     2
     a
       1
4
       1
                     2
    eo
     0
[1] "n3PlAbl"
 Suffix freq Percent_Trials
        13
1
3
        11
                    22
     е
6
   es 8
                    16
9
  s 8
                    16
5
   eo 3
                    6
2
   a 2
                     4
 ebos
         2
4
                     4
7
     i
         2
                     4
8
       1
[1] "n4PlAbl"
 Suffix freq Percent_Trials
        13
                    26
1
        12
                    24
8
     s
2
     е
        10
                    20
4
        4
                     8
    es
3
                     6
    eo 3
6
    o 3
                     6
5
         2
     i
                     4
7
    os
         2
                     4
9
         1
     u
```

[1] "common_system_distrib"

	Percent_Match	freq	Percent_Trials
1	28.66667	1	2
2	30.00000	1	2
3	30.66667	1	2
4	32.00000	1	2
5	32.66667	8	16
6	33.33333	1	2
7	34.00000	6	12
8	34.66667	2	4
9	35.33333	3	6
10	36.66667	7	14
11	37.33333	3	6
12	38.00000	1	2
13	38.66667	2	4
14	39.33333	1	2
15	40.00000	3	6
16	40.66667	2	4
17	42.66667	2	4
18	43.33333	2	4
19	44.00000	2	4
20	44.66667	1	2


Percent of common_system_distrib Matching Reality



[1]	"NPLtoFSG	system	distrib"

	Percent Match	fred	Percent_Trials
1	30.66667	1	2
2	32.00000	1	2
3	32.66667	2	4
4	33.33333	2	4
5	34.00000	2	4
6	34.66667	2	4
7	35.33333	2	4
8	36.00000	2	4
9	36.66667	4	8
10	37.33333	8	16
11	38.00000	6	12
12	38.66667	3	6
13	39.33333	2	4
14	40.00000	5	10
15	40.66667	2	4
16	41.33333	1	2
17	42.00000	1	2
18	42.66667	1	2
19	43.33333	1	2
20	45.33333	1	2
21	46.66667	1	2


Percent of NPLtoFSG_system_distrib Matching Reality



Percent Matching True System


[1] "romanian_system_distrib"				
	Percent_Match	${\tt freq}$	Percent_Trials	
1	27.33333	1	2	
2	28.66667	1	2	
3	29.33333	1	2	
4	30.66667	2	4	
5	31.33333	9	18	
6	32.00000	1	2	
7	32.66667	6	12	
8	33.33333	2	4	
9	34.00000	8	16	
10	35.33333	3	6	
11	36.00000	2	4	
12	37.33333	3	6	
13	38.00000	2	4	
14	38.66667	5	10	
15	40.00000	2	4	
16	40.66667	1	2	
17	42.00000	1	2	

Percent of romanian_system_distrib Matching Reality



[1]	"1_common_sy	stem_	_distrib"
P	ercent_Match	freq	Percent_Trials
1	46.66667	2	4
2	50.00000	31	62
3	53.33333	4	3
4	56.66667	5	10
5	60.00000	5	10
6	63.33333	3	6


Percent of 1_common_system_distrib Matching Reality



[1]	"1_	NPI	LtoFSG	_syste	em_distr	ib"
Pe	erce	ent_	_Match	freq	Percent	_Tr:

	Percent_Match	rreq	Percent_IIIais
1	46.66667	2	4
2	50.00000	31	62
3	53.33333	4	8
4	56.66667	5	10
5	60.00000	5	10
6	63.33333	3	6


Percent of 1_NPLtoFSG_system_distrib Matching Reality



[1]] "1_romanian_	syste	em_distrib"
]	Percent_Match	freq	Percent_Trials
1	43.33333	32	64
2	46.66667	3	6
3	50.00000	3	6
4	53.33333	4	8
5	56.66667	1	2

60.00000

Percent of 1_romanian_system_distrib Matching Reality




[:	[1] "2_common_system_distrib"					
	${\tt Percent_Match}$	freq	Percent_Trials			
1	13.33333	1	2			
2	20.00000	41	82			
3	23.33333	1	2			

26.66667

33.33333


Percent of 2_common_system_distrib Matching Reality



Percent Matching True System

[1] "2_NPLtoFSG_	syste	em_distrib"
	Percent_Match	freq	Percent_Trials
1	13.33333	1	2
2	20.00000	26	52
3	23.33333	4	8
4	26.66667	12	24
5	30.00000	2	4
6	33.33333	2	4
7	36.66667	2	4
8	40.00000	1	2


Percent of 2_NPLtoFSG_system_distrib Matching Reality



Percent Matching True System

[1]	"2_romanian_	syste	em_distrib"
Pe	ercent_Match	freq	Percent_Trials
1	13.33333	1	2
2	20.00000	38	76
3	23.33333	4	8
4	26.66667	6	12
5	33.33333	1	2


Percent of 2_romanian_system_distrib Matching Reality



Percent Matching True System

[1] "3_common_system_distrib"					
]	Percent_Match	freq	Percent_Trials		
1	30.00000	1	2		
2	40.00000	3	6		
3	50.00000	12	24		
4	56.66667	3	6		
5	60.00000	4	8		
6	63.33333	5	10		
7	66.66667	1	2		
8	70.00000	7	14		
9	73.33333	2	4		
10	76.66667	2	4		
11	80.00000	1	2		
12	83.33333	1	2		
13	86.66667	2	4		
14	90.00000	6	12		


Percent of 3_common_system_distrib Matching Reality



Percent Matching True System

<pre>[1] "3_NPLtoFSG_system_distrib"</pre>				
1	Percent_Match	freq	Percent_Trials	
1	36.66667	1	2	
2	40.00000	1	2	
3	43.33333	2	4	
4	46.66667	3	6	
5	50.00000	2	4	
6	56.66667	2	4	
7	60.00000	2	4	
8	63.33333	3	6	
9	66.66667	8	16	
10	70.00000	3	6	
11	73.33333	13	26	
12	76.66667	1	2	
13	80.00000	4	8	
14	83.33333	1	2	
15	86.66667	1	2	
16	93.33333	2	4	
17	100.00000	1	2	


Percent of 3_NPLtoFSG_system_distrib Matching Reality



Percent Matching True System

[1] "3_romanian_system_distrib"			
	Percent_Match	freq	Percent_Trials
1	30.00000	1	2
2	36.66667	1	2
3	40.00000	2	4
4	43.33333	2	4
5	46.66667	2	4
6	50.00000	12	24
7	56.66667	4	8
8	60.00000	2	4
9	63.33333	11	22
10	70.00000	4	8
11	73.33333	6	12
12	76.66667	2	4
13	83.33333	1	2


Percent of 3_romanian_system_distrib Matching Reality



Percent Matching True System

[1]	"4_common_sy	stem_	_distrib"
F	Percent_Match	freq	Percent_Trials
1	0.000000	1	2
2	3.333333	1	2
3	6.666667	2	4
4	10.000000	30	60
5	13.333333	6	12
6	16.666667	9	18
7	20.000000	1	2

Percent of 4_common_system_distrib Matching Reality




18

2

[1] "4_NPLtoFSG_system_distrib"			
	Percent_Match	freq	Percent_Trials
1	0.000000	1	2
2	3.333333	1	2
3	6.666667	2	4
4	10.000000	30	60
5	13.333333	6	12

16.666667 20.000000

Percent of 4_NPLtoFSG_system_distrib Matching Reality




2

[1] "4_romanian_system_distrib"			
	Percent_Match	${\tt freq}$	Percent_Trials
1	0.000000	1	2
2	3.333333	1	2
3	6.666667	2	4
4	10.000000	30	60
5	13.333333	6	12
6	16.666667	9	18


1

20.000000

Percent of 4_romanian_system_distrib Matching Reality




Percent of 5_common_system_distrib Matching Reality




[1] "5_NPLtoFSG_system_distrib"

Percent_Match freq Percent_Trials
1 33.33333 50 100

Percent of 5_NPLtoFSG_system_distrib Matching Reality




Percent of 5_romanian_system_distrib Matching Reality



0


<pre>[1] "m_common_system_distrib"</pre>				
I	Percent_Match	${\tt freq}$	${\tt Percent_Trials}$	
1	18	1	2	
2	20	3	6	
3	22	11	22	
4	24	6	12	
5	26	11	22	
6	28	3	6	
7	30	7	14	
8	32	3	6	
9	34	4	8	
10	40	1	2	

Percent of m_common_system_distrib Matching Reality



[1]	"m_NPLtoFSG_s	syster	n_distrib"
	Percent_Match	freq	Percent_Trials
1	18	1	2
2	20	3	6
3	22	11	22
4	24	6	12
5	26	11	22
6	28	3	6


Percent of m_NPLtoFSG_system_distrib Matching Reality



[1]	"m_roma	anian_s	syster	n_distrib"
]	Percent	_Match	${\tt freq}$	Percent_T


	Percent_Match	rreq	Percent_Irials
1	18	1	2
2	20	3	6
3	22	11	22
4	24	6	12
5	26	11	22
6	28	3	6
7	30	7	14
8	32	3	6
9	34	4	8
10	40	1	2

Percent of m_romanian_system_distrib Matching Reality




[1] "f_common_system_distrib"				
I	Percent_Match	${\tt freq}$	Percent_Trials	
1	16	2	4	
2	18	2	4	
3	20	11	22	
4	22	6	12	
5	24	9	18	
6	26	3	6	
7	28	5	10	
8	30	4	8	
9	32	3	6	
10	34	2	4	
11	36	3	6	

Percent of f_common_system_distrib Matching Reality




[1] "f_NPLtoFSG_system_distrib"							
Percent_Match freq Percent_Trials							
1	16	2	4				
2	18	2	4				
3	20	11	22				
4	22	6	12				
5	24	9	18				
6	26	3	6				
7	28	5	10				
8	30	4	8				
9	32	3	6				
10	34	2	4				
11	36	3	6				

Percent of f_NPLtoFSG_system_distrib Matching Reality




[1] "f_roman	ian_s	syster	n_distrib"
Percent_M	latch	freq	Percent_Trials
1	12	1	2
2	14	2	4
3	16	10	20
4	18	7	14
5	20	10	20
6	22	3	6
7	24	4	8
8	26	3	6
9	30	3	6
10	32	3	6
11	34	4	8

Percent of f_romanian_system_distrib Matching Reality




Γ	1] "n_common_sy	vstem	distrib"
-			- Percent_Trials
1	52	1	2
2	54	3	6
3	56	21	42
4	58	7	14
5	60	8	16
6	62	4	8
7	64	4	8
8	66	2	4

Percent of n_common_system_distrib Matching Reality



[1]	"n_NPLtoFSG_s	syster	m_distrib"
]	Percent_Match	freq	Percent_Trials
1	48	1	2
2	50	2	4
3	52	5	10
4	54	6	12
5	56	2	4
6	58	3	6
7	60	1	2
8	62	3	6
9	64	5	10
10	66	10	20
11	68	3	6
12	70	6	12
13	72	1	2
14	76	1	2
15	78	1	2


Percent of n_NPLtoFSG_system_distrib Matching Reality



Percent Matching True System

[1] "n_romanian_system_distrib"					
Pe	ercent_Match	freq	${\tt Percent_Trials}$		
1	50	3	6		
2	52	9	18		
3	54	7	14		
4	56	26	52		
5	58	3	6		
6	60	1	2		
7	62	1	2		

Percent of n_romanian_system_distrib Matching Reality




[1	.] "Nom_common_	syste	em_distrib"
	Percent_Match	freq	Percent_Trials
1	36.66667	16	32
2	40.00000	2	4
3	43.33333	10	20
4	46.66667	12	24

50.00000

56.66667


Percent of Nom_common_system_distrib Matching Reality



Percent Matching True System


[1] "Nom_NPLtoF	SG_sys	stem_dist	trib"
	Percent_Match	freq	Percent	Trials
1	33.33333	1		2
2	40.00000	9		18
3	43.33333	20		40
4	46.66667	16		32
5	50.00000	3		6
6	53.33333	1		2

Percent of Nom_NPLtoFSG_system_distrib Matching Reality



[1]] "Nom_romania	an_sys	stem_distrib"
]	Percent_Match	freq	Percent_Trials
1	33.33333	1	2
2	36.66667	15	30
3	40.00000	2	4
4	43.33333	20	40
5	46.66667	11	22
6	50.00000	1	2


Percent of Nom_romanian_system_distrib Matching Reality



[1] "Acc_common_system_distrib" Percent_Match freq Percent_Tr:

	Percent_Match	rreq	Percent_Irlais
1	36.66667	18	36
2	40.00000	3	6
3	43.33333	9	18
4	46.66667	9	18
5	50.00000	10	20
6	53.33333	1	2


Percent of Acc_common_system_distrib Matching Reality



Percent Matching True System


-	1] "Acc_NPLtoF	SG_sy:	stem_distrib"
	Percent_Match	freq	Percent_Trials
1	36.66667	2	4
2	40.00000	6	12
3	43.33333	19	38
4	46.66667	19	38
Ę	50.00000	3	6
6	53.33333	1	2

Percent of Acc_NPLtoFSG_system_distrib Matching Reality



[1]	"Acc_romania	an_sys	stem_distrib"
Pe	ercent_Match	freq	Percent_Trials
1	36.66667	20	40
2	40.00000	1	2
3	43.33333	15	30
4	46.66667	11	22
5	50.00000	1	2
6	53 33333	2	4


Percent of Acc_romanian_system_distrib Matching Reality



[1] "Gen_common_system_distrib"

	${\tt Percent_Match}$	freq	Percent_Trials
1	13.33333	3	6
2	16.66667	4	8
3	20.00000	2	4
4	23.33333	1	2
5	26.66667	31	62
6	30.00000	7	14
7	36.66667	1	2
8	43.33333	1	2


Percent of Gen_common_system_distrib Matching Reality



Percent Matching True System

[1]	[1] "Gen_NPLtoFSG_system_distrib"				
I	Percent_Match	freq	Percent_Trials		
1	13.33333	2	4		
2	16.66667	2	4		
3	20.00000	4	8		
4	23.33333	15	30		
5	26.66667	2	4		
6	30.00000	17	34		
7	33.33333	4	8		
8	36.66667	2	4		
9	40.00000	1	2		
10	46.66667	1	2		


Percent of Gen_NPLtoFSG_system_distrib Matching Reality



Percent Matching True System

[1]	"Gen_romania	an_sys	stem_distrib"
Pe	ercent_Match	freq	Percent_Trials
1	13.33333	6	12
2	16.66667	3	6
3	20.00000	7	14
4	23.33333	24	48
5	26.66667	8	16
6	33.33333	1	2
7	40.00000	1	2


Percent of Gen_romanian_system_distrib Matching Reality



Percent Matching True System

[1]	"Dat_common_	_syste	em_distrib"
P	ercent_Match	freq	Percent_Trials
1	13.33333	1	2
2	16.66667	4	8
3	26.66667	25	50
4	30.00000	8	16
5	36.66667	4	8
6	40.00000	3	6
7	43.33333	2	4
8	46.66667	1	2
9	50.00000	2	4


Percent of Dat_common_system_distrib Matching Reality



Percent Matching True System

<pre>[1] "Dat_NPLtoFSG_system_distrib"</pre>				
	Percent_Match	freq	Percent_Trials	
1	13.33333	1	2	
2	16.66667	1	2	
3	20.00000	2	4	
4	23.33333	6	12	
5	26.66667	2	4	
6	30.00000	18	36	
7	33.33333	10	20	
8	36.66667	3	6	
9	40.00000	2	4	
10	43.33333	1	2	
11	46.66667	4	8	


Percent of Dat_NPLtoFSG_system_distrib Matching Reality



Percent Matching True System

[1]	"Dat_romanian	n_syst	tem_distrib"
I	Percent_Match	freq	Percent_Trials
1	13.33333	4	8
2	16.66667	1	2
3	20.00000	3	6
4	23.33333	21	42
5	26.66667	8	16
6	30.00000	3	6
7	33.33333	4	8
8	36.66667	2	4
9	40.00000	2	4
10	43.33333	2	4


Percent of Dat_romanian_system_distrib Matching Reality



Percent Matching True System

[1]	"Abl_common_	syste	em_distrib"
P	ercent_Match	freq	Percent_Trials
1	30.00000	1	2
2	33.33333	1	2
3	36.66667	24	48
4	40.00000	2	4
5	43.33333	10	20
6	46.66667	6	12
7	50.00000	5	10
8	53.33333	1	2


Percent of Abl_common_system_distrib Matching Reality



Percent Matching True System


[1]	"Abl_NPLtoFS	G_sys	stem_distrib"
Pe	ercent_Match	freq	Percent_Trials
1	30.00000	1	2
2	33.33333	1	2
3	36.66667	7	14
4	40.00000	19	38
5	43.33333	8	16
6	46.66667	12	24
7	50.00000	2	4

Percent of Abl_NPLtoFSG_system_distrib Matching Reality



[1] "Abl_romanian_system_distrib" Percent_Match freq Percent_Trials 30.00000 33.33333 36.66667 40.00000 43.33333 46.66667 50.00000


Percent of Abl_romanian_system_distrib Matching Reality



[1] "Sg_common_system_distrib"

	${\tt Percent_Match}$	freq	${\tt Percent_Trials}$
1	33.33333	1	2
2	41.33333	3	6
3	42.66667	2	4
4	44.00000	6	12
5	45.33333	2	4
6	46.66667	4	8
7	48.00000	3	6
8	49.33333	4	8
9	50.66667	1	2
10	52.00000	15	30
11	53.33333	1	2
12	54.66667	6	12
13	56.00000	1	2
14	60.00000	1	2


Percent of Sg_common_system_distrib Matching Reality



Percent Matching True System

[1]	"Sg_NPLtoFSG	_syste	em_distrib"
F	Percent_Match	freq	Percent_Trials
1	33.33333	1	2
2	41.33333	3	6
3	42.66667	2	4
4	44.00000	6	12
5	45.33333	2	4
6	46.66667	4	8
7	48.00000	3	6
8	49.33333	4	8
9	50.66667	1	2
10	52.00000	15	30
11	53.33333	1	2
12	54.66667	6	12
13	56.00000	1	2
14	60.00000	1	2


Percent of Sg_NPLtoFSG_system_distrib Matching Reality



Percent Matching True System

[1]	"Sg_romanian_	_syste	em_distrib"
]	Percent_Match	freq	Percent_Trials
1	33.33333	1	2
2	38.66667	1	2
3	41.33333	8	16
4	42.66667	2	4
5	44.00000	3	6
6	45.33333	4	8
7	46.66667	4	8
8	48.00000	1	2
9	49.33333	17	34
10	50.66667	1	2
11	52.00000	6	12
12	53.33333	1	2
13	57.33333	1	2


Percent of Sg_romanian_system_distrib Matching Reality



Percent Matching True System


[1] "Pl_common_system_distrib"				
Perc	cent_Match	freq	Percent_Trials	
1	13.33333	12	24	
2	16.00000	2	4	
3	17.33333	2	4	
4	18.66667	4	8	
5	21.33333	4	8	
6	22.66667	1	2	
7	24.00000	5	10	
8	25.33333	3	6	
9	26.66667	1	2	
10	28.00000	2	4	
11	29.33333	3	6	
12	30.66667	1	2	
13	33.33333	1	2	
14	34.66667	1	2	
15	37.33333	1	2	
16	38.66667	1	2	
17	40.00000	5	10	
18	45.33333	1	2	

Percent of PI_common_system_distrib Matching Reality



[1]	"Pl_NPLtoFSG_	_syste	em_distrib"
I	Percent_Match	freq	Percent_Trials
1	18.66667	3	6
2	20.00000	4	8
3	21.33333	2	4
4	22.66667	7	14
5	24.00000	6	12
6	25.33333	7	14
7	26.66667	3	6
8	28.00000	3	6
9	29.33333	2	4
10	30.66667	3	6
11	32.00000	1	2
12	33.33333	6	12
13	37 33333	3	6


Percent of PI_NPLtoFSG_system_distrib Matching Reality



Г17	"Pl	romanian_	svstem	distrib"
		r omanran	_ D , D O O III _	_u_b_

	Percent_Match	freq	Percent_Trials
1	13.33333	12	24
2	16.00000	3	6
3	17.33333	1	2
4	18.66667	7	14
5	20.00000	1	2
6	21.33333	5	10
7	24.00000	6	12
8	25.33333	1	2
9	26.66667	3	6
10	28.00000	2	4
11	30.66667	2	4
12	32.00000	1	2
13	33.33333	4	8
14	34.66667	1	2
15	37.33333	1	2


Percent of Pl_romanian_system_distrib Matching Reality



Percent Matching True System

[1]	"n.Sg,m.Sg"		
Pe	ercent_Match	${\tt freq}$	Percent_Trials
1	26.66667	1	2
2	40.00000	7	14
3	46.66667	8	16
4	53.33333	9	18
5	60.00000	11	22
6	66.66667	14	28


Percent of n.Sg,m.Sg Matching Each Other



Percent Matching Each Other

[1]	"n.Pl,m.Pl"		
P	ercent_Match	freq	Percent_Trials
1	0.00000	5	10
2	20.00000	1	2
3	26.66667	3	6
4	33.33333	6	12
5	40.00000	5	10
6	46.66667	6	12
7	53.33333	9	18
8	60.00000	4	8
9	66.66667	11	22


Percent of n.PI,m.PI Matching Each Other



Percent Matching Each Other

[1] "n.Pl,f.Sg"		
	Percent_Match	freq	Percent_Trials
1	33.33333	12	24
2	40.00000	16	32
3	46.66667	10	20
4	53.33333	11	22
5	60.00000	1	2


Percent of n.PI,f.Sg Matching Each Other



Percent Matching Each Other

[1] "n.Pl,f.Pl"		
	Percent_Match	freq	Percent_Trials
1	33.33333	8	16
2	40.00000	5	10
3	46.66667	7	14
4	53.33333	12	24
5	60.00000	6	12
6	66.66667	12	24


Percent of n.PI,f.PI Matching Each Other



Percent Matching Each Other


[1] "m.Pl	,f.Pl"		
	Percent	_Match	freq	Percent_Trials
1		32	4	8
2		36	3	6
3		40	43	86

Percent of m.PI,f.PI Matching Each Other



[1] "1,5"
 Percent_Match freq Percent_Trials
1 50 50 100


Percent of 1,5 Matching Each Other



[1] "2,4"

	Percent_Match	freq	Percent_Trials
1	33.33333	1	2
2	43.33333	2	4
3	46.66667	3	6
4	50.00000	8	16
5	53.33333	2	4
6	56.66667	4	8
7	60.00000	6	12
8	63.33333	5	10
9	66.66667	19	38


Percent of 2,4 Matching Each Other



[1] "2Sg,4Sg"

	Percent_Match	freq	Percent_Trials
1	33.33333	1	2
2	40.00000	2	4
3	53.33333	12	24
4	60.00000	9	18
5	66.66667	26	52


Percent of 2Sg,4Sg Matching Each Other



Percent Matching Each Other

[1]	"2P1,4P1"		
F	ercent_Match	freq	Percent_Trials
1	33.33333	4	8
2	40.00000	1	2
3	46.66667	11	22
4	53.33333	6	12
5	60.00000	4	8
6	66.66667	24	48


Percent of 2PI,4PI Matching Each Other



Percent Matching Each Other

[1] "n.	Sg(Nom Ac	cc),m	.Sg(Nom A	Acc)"
	Perce	ent_Match	freq	Percent	Trials
1		33.33333	4		8
2		50.00000	27		54
3		66.66667	19		38


Percent of n.Sg(Nom|Acc),m.Sg(Nom|Acc) Matching Each Other



Percent Matching Each Other

[1]] "n.Pl(Nom Ad	cc),m	.Pl(Nom Acc)"
	Percent_Match	freq	Percent_Trials
1	0.00000	10	20
2	16.66667	2	4
3	33.33333	13	26
4	50.00000	14	28
5	66 66667	11	22


Percent of n.PI(Nom|Acc),m.PI(Nom|Acc) Matching Each Other



Percent Matching Each Other

[1] "n.Pl(Nom Acc),f.Sg(Nom Acc)"			
Pe	ercent_Match	freq	Percent_Trials
1	33.33333	34	68
2	50.00000	14	28
3	66.66667	2	4


Percent of n.PI(Nom|Acc),f.Sg(Nom|Acc) Matching Each Other



Percent Matching Each Other

[[1] "n.Pl(Nom Acc),f.Pl(Nom Acc)"				
	Percent_	Match	freq	Percent_	Trials
1	33.	33333	21		42
2	50.	00000	15		30
3	66.	66667	14		28


Percent of n.PI(Nom|Acc),f.PI(Nom|Acc) Matching Each Other




Percent Matching Each Other

	[1] "m.Pl(Nom Acc),f.Pl(Nom Acc)"			
	Pe	ercent_Match	freq	Percent_Trials
1		20	1	2
2		30	4	8
3		40	45	90

Percent of m.PI(Nom|Acc),f.PI(Nom|Acc) Matching Each Other




Percent of 1.*(Nom|Acc),5.*(Nom|Acc) Matching Each Other



[1] "2.*(Nom|Acc),4.*(Nom|Acc)"

	Percent_Match	freq	Percent_Trials
1	33.33333	1	2
2	41.66667	1	2
3	50.00000	16	32
4	58.33333	5	10
5	66.66667	27	54


Percent of 2.*(Nom|Acc),4.*(Nom|Acc) Matching Each Other



[1] "2Sg(Nom|Acc),4Sg(Nom|Acc)"

Percent_Match freq Percent_Trials
1 33.33333 1 2
2 50.00000 3 6


Percent of 2Sg(Nom|Acc),4Sg(Nom|Acc) Matching Each Other



Percent Matching Each Other

[1] "2P1(Nom Acc),4P1(Nom Acc)"							
	F	Percent_Match	freq	Percent	Trials		
	1	33.33333	17		34		
	2	50.00000	5		10		
	3	66.66667	28		56		


Percent of 2PI(Nom|Acc),4PI(Nom|Acc) Matching Each Other



Percent Matching Each Other

[1] "n.Sg(Abl Ad	cc),m	.Sg(Abl <i>A</i>	lcc)"
	Percent_Match	freq	Percent_	Trials
1	33.33333	24		48
2	50.00000	7		14
3	66.66667	19		38


Percent of n.Sg(Abl|Acc),m.Sg(Abl|Acc) Matching Each Other



Percent Matching Each Other

[1]	"n.Pl(Abl Ad	cc),m	.Pl(Abl Acc)"
Pe	ercent_Match	freq	Percent_Trials
1	0.00000	6	12
2	16.66667	6	12
3	33.33333	16	32
4	50.00000	11	22
5	66.66667	11	22


Percent of n.PI(AbI|Acc),m.PI(AbI|Acc) Matching Each Other



Percent Matching Each Other

[1] "n.Pl(Abl Ao	cc),f	.Sg(Abl A	cc)"
	Percent_Match	freq	Percent_	Γrials
1	33.33333	36		72
2	50.00000	12		24
3	66.66667	2		4


Percent of n.Pl(Abl|Acc),f.Sg(Abl|Acc) Matching Each Other




[1] "n.Pl(Abl|Acc),f.Pl(Abl|Acc)"

Percent_Match freq Percent_Trials
1 33.33333 23 46
2 50.00000 14 28
3 66.66667 13 26

Percent of n.PI(AbI|Acc),f.PI(AbI|Acc) Matching Each Other




Percent of m.PI(AbI|Acc),f.PI(AbI|Acc) Matching Each Other



```
[1] "1.*(Abl|Acc),5.*(Abl|Acc)"
  Percent_Match freq Percent_Trials
1     50     50     100
```

Percent of 1.*(Abl|Acc),5.*(Abl|Acc) Matching Each Other



[1] "2.*(Abl|Acc),4.*(Abl|Acc)"


Percent_Match freq Percent_Trials

1 33.33333 1 2

2 41.66667 2 4

1	33.33333	1	2
2	41.66667	2	4
3	50.00000	10	20
4	58.33333	12	24
5	66 66667	25	50


Percent of 2.*(Abl|Acc),4.*(Abl|Acc) Matching Each Other




Percent Matching Each Other

	1] "2Sg(Abl Aco	c),4Sg	g(Abl Aco	c)"
	Percent_Match	freq	Percent	Trials
1	33.33333	1		2
2	50.00000	4		8
3	66.66667	45		90

Percent of 2Sg(Abl|Acc),4Sg(Abl|Acc) Matching Each Other



Percent of 2PI(AbI|Acc),4PI(AbI|Acc) Matching Each Other




Percent Matching Each Other

L	1] "n.Sg(Nom Ad	cc Ab_	L),m.Sg(Nom Acc Abl)"
	Percent_Match	freq	Percent_Trials
1	33.33333	4	8
2	44.44444	20	40
_		_	

2	44.4444	20	40
3	55.55556	7	14
4	66.66667	19	38

Percent of n.Sg(Nom|Acc|Abl),m.Sg(Nom|Acc|Abl) Matching Each Oth




Percent Matching Each Other

[1	.] "n.Pl(Nom A	cc Ab]	L),m.Pl(Nom Acc Abl)"
	Percent_Match	freq	Percent_Trials
1	0.00000	6	12
2	11.11111	2	4
3	22.22222	4	8
4	33.33333	7	14

5 44.44444 15 30 6 55.55556 5 10 7 66.66667 11 22

121

Percent of n.PI(Nom|Acc|AbI),m.PI(Nom|Acc|AbI) Matching Each Oth




Percent Matching Each Other

[1]	"n.Pl	(No	om	Acc	: Abl)	,f.Sg	(1	om	A	.cc Ab	1)"
_					_			_		_	

	Percent_Match	ireq	Percent_Irlais
1	33.33333	27	54
2	44.44444	18	36
3	55.55556	4	8
4	66.66667	1	2

Percent of n.PI(Nom|Acc|AbI),f.Sg(Nom|Acc|AbI) Matching Each Other




Percent Matching Each Other

[1]	"n.P]	L (1	lom	A	cc	Abl),f	.Pl(1	Vom	1	Acc Abl)"
_					•	_		_		_


	Lercenc_Macch	TIEd	rercent_lilars	
1	33.33333	14	28	
2	44.44444	16	32	
3	55.55556	7	14	
4	66 66667	13	26	

Percent of n.PI(Nom|Acc|AbI),f.PI(Nom|Acc|AbI) Matching Each Othe




Percent Matching Each Other

Percent of m.PI(Nom|Acc|AbI),f.PI(Nom|Acc|AbI) Matching Each Other



[1] "1.*(Nom|Acc|Abl),5.*(Nom|Acc|Abl)"
 Percent_Match freq Percent_Trials
1 50 50 100


Percent of 1.*(Nom|Acc|Abl),5.*(Nom|Acc|Abl) Matching Each Other



[1] "2.*(Nom|Acc|Abl),4.*(Nom|Acc|Abl)"

	Percent_Match	freq	Percent_Trials
1	33.33333	1	2
2	38.88889	1	2
3	44.44444	1	2
4	50.00000	10	20
5	55.55556	7	14
6	61.11111	5	10
7	66.66667	25	50


Percent of 2.*(Nom|Acc|Abl),4.*(Nom|Acc|Abl) Matching Each Other



Percent Matching Each Other

	[1] "2Sg	g(Nom Acc	Abl),	4Sg(Nom Acc Abl)
	Percer	nt_Match	freq P	ercent_Trials
1	. 3	33.33333	1	2
2	2 4	14.44444	3	6
3	3 5	55.5556	1	2
4	<u> </u>	66.66667	45	90


Percent of 2Sg(Nom|Acc|Abl),4Sg(Nom|Acc|Abl) Matching Each Other



[1] "2P1(Nom|Acc|Abl),4P1(Nom|Acc|Abl)"

	Percent_Match	freq	Percent_Trials
1	33.33333	12	24
2	44.44444	7	14
3	55.55556	4	8
4	66.66667	27	54


Percent of 2PI(Nom|Acc|AbI),4PI(Nom|Acc|AbI) Matching Each Othe



Percent Matching Each Other

Г1]	"Nom, Acc"		
	•	freq	Percent Trials
1	73.07692	5	_ 10
2	76.92308	11	22
3	80.76923	6	12
4	84.61538	16	32
5	88.46154	5	10
6	92.30769	4	8
7	100.00000	3	6


Percent of Nom,Acc Matching Each Other



Percent Matching Each Other

[1]	"Acc,Abl"		
	Percent_Match	freq	Percent_Trials
1	65.38462	1	2
2	69.23077	2	4
3	73.07692	7	14
4	76.92308	4	8
5	80.76923	8	16
6	84.61538	8	16
7	88.46154	4	8
8	92.30769	6	12
9	96.15385	3	6
10	100.00000	7	14


Percent of Acc, Abl Matching Each Other



Percent Matching Each Other

[1]	"Nom, Acc, Abl'	1	
F	Percent_Match	freq	Percent_Trials
1	57.69231	1	2
2	61.53846	6	12
3	65.38462	5	10
4	69.23077	6	12
5	73.07692	10	20
6	76.92308	8	16
7	80.76923	4	8
8	84.61538	4	8
9	88.46154	3	6
10	92.30769	2	4
11	100.00000	1	2


Percent of Nom,Acc,Abl Matching Each Other



Percent Matching Each Other

[1	.] "Gen,Dat"		
	Percent_Match	freq	Percent_Trials
1	57.69231	2	4
2	65.38462	1	2
3	69.23077	3	6
4	73.07692	2	4
5	76.92308	3	6
6	80.76923	5	10
7	84.61538	5	10
8	88.46154	3	6
9	92.30769	7	14
10	96.15385	2	4
11	100.00000	17	34


Percent of Gen, Dat Matching Each Other



Percent Matching Each Other

[1]	"Nom, Acc, Gen	,Dat,	Abl"
	Percent_Match	freq	Percent_Trials
1	46.15385	2	4
2	50.00000	8	16
3	53.84615	11	22
4	57.69231	10	20
5	61.53846	4	8
6	65.38462	6	12
7	69.23077	5	10
8	73.07692	1	2
9	76.92308	2	4
10	88.46154	1	2


Percent of Nom, Acc, Gen, Dat, Abl Matching Each Other



Percent Matching Each Other

[1]	"nPlmPl_excl	Lusive	e"
P	ercent_Match	freq	Percent_Trials
1	0.000000	5	10
2	6.666667	1	2
3	13.333333	3	6
4	20.000000	3	6
5	26.666667	7	14
6	33.333333	31	62


Percent of nPImPI_exclusive Matching Each Other



Percent Matching Each Other


[[1] "nPlfPl_exclusive"				
	Percent_Match	freq	Percent_Trials		
1	33.33333	48	96		
2	40.00000	1	2		
3	46.66667	1	2		

Percent of nPlfPl_exclusive Matching Each Other




[1] "1Sg(Nom|Acc)_a(\$|,)"
 Percent_Match freq Percent_Trials
1 50 50 100

Percent of 1Sg(Nom|Acc) ending in a(\$|,)




[1] "[24]Sg(Nom|Acc)_o(\$|,)" Percent_Match freq Percent_Trials 1 33.33333 1 2 2 41.66667 3 6 3 50.00000 46 92

Percent of [24]Sg(Nom|Acc) ending in o(\$|,)




Percent of 3Sg(Nom|Acc) ending in [e-](\$|,)



[1]] "3P1(Nom Aco	c)_e?s	s(\$,)"	
]	Percent_Match	freq	Percent_Ti	rials
1	0.00000	13		26
2	16.66667	1		2
3	33.33333	2		4
4	50.00000	3		6
5	66.66667	13		26
6	100.00000	18		36


Percent of 3PI(Nom|Acc) ending in e?s(\$|,)



Percent Matching Reality


[1] "[124]Pl(Nom Acc)_s(\$,)"					
	Pe	ercent_Match	freq	Percent_Trials	
	1	0.00	22	44	
	2	6.25	4	8	
	3	12.50	5	10	
	4	18.75	1	2	
	5	25.00	1	2	
	6	31.25	2	4	
	7	37.50	4	8	
	8	43.75	2	4	
	9	50.00	9	18	

Percent of [124]PI(Nom|Acc) ending in s(\$|,)




[1] "[24]P1(Nom Acc)_os(\$,)"				
P	ercent_Match	freq	Percent	Trials
1	0.00000	48		96
2	16.66667	1		2
3	33 33333	1		2

Percent of [24]PI(Nom|Acc) ending in os(\$|,)



[1] "1P1(Nom Acc)_as(\$,)"				
	Percent_Match	freq	Percent_Trials	
1	0	35	70	
2	25	2	4	
3	50	13	26	


Percent of 1PI(Nom|Acc) ending in as(\$|,)




[1] "n.Pl(Nom Acc)_a(\$,)"				
Percent_Match freq Percent_Trials				
1	0.00000	32	64	
2	16.66667	3	6	
3	33.33333	5	10	
4	50.00000	2	4	

66.66667


Percent of n.PI(Nom|Acc) ending in a(\$|,)




Percent of n.PI(Nom|Acc) ending in as(\$|,)



Percent of n.PI(Nom|Acc) ending in os(\$|,)




Percent of m.PI(Nom|Acc) ending in as(\$|,)




[1] "m.Pl(Nom Acc)_os(\$,)"					
	Percent_Matc	h	${\tt freq}$	Percent	Trials
1		0	48		96
2	2	0	1		2
3	3	Λ	1		2

Percent of m.PI(Nom|Acc) ending in os(\$|,)




[1]	"Pl(Nom Acc)	s(\$,)"
I	Percent_Match	${\tt freq}$	Percent_Trials
1	0.000000	12	24
2	7.692308	2	4
3	11.538462	3	6
4	15.384615	7	14
5	19.230769	2	4
6	23.076923	4	8
7	26.923077	2	4
8	30.769231	1	2
9	38.461538	1	2
10	42.307692	3	6
11	46.153846	3	6
12	50.000000	1	2
13	53.846154	9	18

Percent of PI(Nom|Acc) ending in s(\$|,)




[1] "1Sg(Abl|Acc)_a(\$|,)"
 Percent_Match freq Percent_Trials
1 50 50 100

Percent of 1Sg(Abl|Acc) ending in a(\$|,)




```
[1] "[24]Sg(Abl|Acc)_o($|,)"
  Percent_Match freq Percent_Trials
       25.00000
1
                                   2
2
       33.33333
                    1
                                   8
3
       41.66667
                    4
4
       50.00000
                  44
                                  88
```

Percent of [24]Sg(Abl|Acc) ending in o(\$|,)




Percent of 3Sg(Abl|Acc) ending in [e-](\$|,)



	[1]	"3P1(Ab1 Aco	c)_e?s	s(\$,)"
	Pe	ercent_Match	freq	Percent_Trials
-	l	0.00000	13	26
2	2	33.33333	10	20
3	3	50.00000	8	16
4	1	66.66667	5	10
Ę	5	83.33333	2	4
6	3	100.00000	12	24


Percent of 3PI(AbI|Acc) ending in e?s(\$|,)



Percent Matching Reality

[1]	[1] "[124]Pl(Abl Acc)_s(\$,)"					
	Percent_Match	freq	${\tt Percent_Trials}$			
1	0.00	20	40			
2	6.25	5	10			
3	12.50	3	6			
4	18.75	4	8			
5	25.00	5	10			
6	37.50	3	6			
7	43.75	2	4			
8	50.00	8	16			


Percent of [124]PI(Abl|Acc) ending in s(\$|,)



[1] "[24]Pl(Abl|Acc)_os(\$|,)" Percent_Match freq Percent_Trials 0.000000


8.333333 16.666667

Percent of [24]PI(AbI|Acc) ending in os(\$|,)




[1] "1P1(Ab1 Acc)_as(\$,)"				
Pe	ercent_Match	freq	Percent_Trials	
1	0	34	68	
2	25	7	14	
3	50	9	18	

Percent of 1PI(AbI|Acc) ending in as(\$|,)




[:	[1] "n.Pl(Abl Acc)_a(\$,)"				
	${\tt Percent_Match}$	freq	Percent	Trials	
1	0.00000	32		64	
2	16.66667	6		12	
2	22 2222	10		20	

Percent of n.PI(Abl|Acc) ending in a(\$|,)




Percent of n.PI(Abl|Acc) ending in as(\$|,)



```
[1] "n.Pl(Abl|Acc)_os($|,)"


Percent_Match freq Percent_Trials
1 0.00000 48 96
2 16.66667 2 4
```

Percent of n.PI(Abl|Acc) ending in os(\$|,)




[1] "m.Pl(Abl|Acc)_as(\$|,)"
 Percent_Match freq Percent_Trials
1 0 50 100

Percent of m.PI(AbI|Acc) ending in as(\$|,)




Percent of m.PI(AbI|Acc) ending in os(\$|,)




[1]	"Pl(Abl Acc)	_s(\$,	,)"
]	Percent_Match	freq	Percent_Trials
1	0.000000	13	26
2	7.692308	4	8
3	11.538462	3	6
4	15.384615	4	8
5	19.230769	3	6
6	23.076923	3	6
7	26.923077	3	6
8	30.769231	3	6
9	34.615385	3	6
10	38.461538	1	2
11	46.153846	1	2
12	50.000000	1	2
13	53.846154	8	16

Percent of PI(AbI|Acc) ending in s(\$|,)




[1] "1Sg(Nom|Acc|Abl)_a(\$|,)"
 Percent_Match freq Percent_Trials
1 50 50 100

Percent of 1Sg(Nom|Acc|Abl) ending in a(\$|,)




[1] "[24]Sg(Nom	Acc	Abl)_o(\$,)"
	Percent_Match	freq	Percent_Trials
1	33.33333	2	4
2	38.88889	3	6
3	44.44444	1	2
4	50.00000	44	88

Percent of [24]Sg(Nom|Acc|Abl) ending in o(\$|,)




[1] "3Sg(Nom|Acc|Abl)_[e-](\$|,)" Percent_Match freq Percent_Trials 55.55556 77.77778 88.88889 100.00000

Percent of 3Sg(Nom|Acc|Abl) ending in [e-](\$|,)



[:	l] "3P1(Nom Ac	c Abl))_e?s(\$,)"
	Percent_Match	freq	Percent_Trials
1	0.00000	12	24
2	22.22222	2	4
3	33.33333	2	4
4	44.44444	5	10
5	55.55556	3	6
6	66.66667	11	22
7	77.77778	3	6
8	100.00000	12	24


Percent of 3PI(Nom|Acc|AbI) ending in e?s(\$|,)



Percent Matching Reality


[1]	"[124]Pl(Nom	Acc <i>I</i>	Abl)_s(\$,)"
	Percent_Match	freq	Percent_Trials
1	0.000000	20	40
2	4.166667	2	4
3	8.333333	1	2
4	12.500000	2	4
5	16.666667	5	10
6	20.833333	3	6
7	25.000000	3	6
8	29.166667	1	2
9	37.500000	2	4
10	41.666667	1	2
11	45.833333	2	4
12	50.000000	8	16

Percent of [124]PI(Nom|Acc|AbI) ending in s(\$|,)




[1	[1] "[24]Pl(Nom Acc Abl)_os(\$,)"				
	Percent_Match	freq	Percent_Trials		
1	0.000000	47	94		
2	5.555556	1	2		

Percent of [24]PI(Nom|Acc|AbI) ending in os(\$|,)



[1] "1Pl(Nom Ac	c Abl)	_as(\$,)"
	Percent_Match	freq	Percent_Trials
1	0.00000	33	66
2	16.66667	4	8
3	33.33333	4	8
4	50.00000	9	18


Percent of 1PI(Nom|Acc|AbI) ending in as(\$|,)



Percent Matching Reality

[1]	"n.Pl(Nom Ac	cc Ab]	L)_a(\$,)"
F	Percent_Match	freq	Percent_Trials
1	0.00000	32	64
2	11.11111	3	6
3	22.22222	4	8
4	33.33333	2	4
5	44.44444	8	16
6	66.66667	1	2


Percent of n.PI(Nom|Acc|Abl) ending in a(\$|,)




[1] "n.Pl(Nom|Acc|Abl)_as(\$|,)"

Percent_Match freq Percent_Trials
1 0.00000 48 96
2 33.33333 2 4

Percent of n.PI(Nom|Acc|Abl) ending in as(\$|,)




Percent of n.PI(Nom|Acc|Abl) ending in os(\$|,)




[1] "m.Pl(Nom|Acc|Abl)_as(\$|,)"
 Percent_Match freq Percent_Trials
1 0 50 100

Percent of m.PI(Nom|Acc|AbI) ending in as(\$|,)



[1]	"m.Pl(Nom Ac	cc Ab]	L)_os(\$,)"
	Pϵ	ercent_Match	freq	Percent	Trials
1		0.000000	45		90
2		6.666667	3		6
3		20 000000	2		Δ


Percent of m.PI(Nom|Acc|AbI) ending in os(\$|,)



L1_	L LAT (Not	n ACC <i>E</i>	ADT) E	3(\$1,)"
	Percent_	_Match	${\tt freq}$	Percen


		Percent_Match	ireq	Percent_Irials
	1	0.000000	12	24
:	2	7.692308	2	4
;	3	10.256410	3	6
4	4	12.820513	1	2
į	5	15.384615	5	10
(6	17.948718	1	2
•	7	23.076923	2	4
8	3	25.641026	3	6
9	9	28.205128	3	6
	10	30.769231	2	4
	11	33.333333	3	6
	12	35.897436	1	2
	13	38.461538	1	2
	14	43.589744	1	2
	15	46.153846	1	2
	16	51.282051	1	2
	17	53.846154	8	16

Percent of PI(Nom|Acc|AbI) ending in s(\$|,)




[1] "1Sg(Gen|Dat)_e(\$|,)"
 Percent_Match freq Percent_Trials
1 0 50 100

Percent of 1Sg(Gen|Dat) ending in e(\$|,)



[1]	"Pl(Gen Dat)	_s(\$,	,)"
]	Percent_Match	freq	${\tt Percent_Trials}$
1	0.000000	26	52
2	7.692308	3	6
3	11.538462	2	4
4	15.384615	2	4
5	23.076923	1	2
6	26.923077	1	2
7	30.769231	1	2
8	38.461538	1	2
9	46.153846	3	6
10	53.846154	10	20


Percent of PI(Gen|Dat) ending in s(\$|,)



[1] "[124]Pl(Gen|Dat)_s(\$|,)" Percent_Match freq Percent_Trials 0.00 6.25 12.50

25.00 37.50 50.00


Percent of [124]PI(Gen|Dat) ending in s(\$|,)



Percent	Matching	Reality
---------	----------	---------


[1]	"Sg_nots"		
	Percent_Match	freq	Percent_Trials
1	69.23077	1	2
2	78.46154	1	2
3	80.00000	1	2
4	81.53846	4	8
5	83.07692	1	2
6	86.15385	1	2
7	87.69231	2	4
8	89.23077	3	6
9	90.76923	3	6
10	92.30769	4	8
11	93.84615	1	2
12	95.38462	2	4
13	96.92308	2	4
14	100.00000	24	48

Percent of Sg ending in nots



[1]	"Pl_s(\$,)"		
	Percent_Match	freq	Percent_Trials
1	0.000000	11	22
2	3.076923	1	2
3	4.615385	2	4
4	6.153846	3	6
5	9.230769	4	8
6	13.846154	2	4
7	15.384615	1	2
8	16.923077	3	6
9	18.461538	3	6
10	20.000000	2	4
11	26.153846	2	4
12	27.692308	1	2
13	33.846154	1	2
14	35.384615	1	2
15	36.923077	1	2
16	38.461538	1	2
17	40.000000	1	2
18	46.153846	1	2
19	52.307692	1	2
20	53.846154	8	16


Percent of PI ending in s(\$|,)



	"[mf].H	T_s(#	۱,)"
	Percent_	_Match	fred
1		0	1:

	Percent_Match	ireq	Percent_Irials
1	0	11	22
2	4	2	4
3	6	1	2
4	8	4	8
5	12	3	6
6	14	1	2
7	16	5	10
8	18	2	4
9	20	1	2
10	22	2	4
11	. 24	2	4
12	28	2	4
13	32	1	2
14	36	2	4
15	38	1	2
16	3 40	1	2
17	50	9	18


Percent of [mf].Pl ending in s(\$|,)



[1]	"[124]F	Pl_s(\$,)"
F	ercent	Match	fre


	Percent_Match	freq	${\tt Percent_Trials}$
1	0.0	18	36
2	2.5	2	4
3	5.0	3	6
4	10.0	5	10
5	12.5	2	4
6	15.0	2	4
7	17.5	1	2
8	25.0	2	4
S	30.0	2	4
1	0 32.5	1	2
1	1 37.5	2	4
1	2 42.5	1	2
1	3 47.5	1	2
1	4 50.0	8	16

Percent of [124]PI ending in s(\$|,)



[1]	"n.Pl_s(\$,)'	1	
]	Percent_Match	${\tt freq}$	Percent_Trials
1	0.000000	22	44
2	6.666667	3	6
3	13.333333	3	6
4	20.000000	2	4
5	26.666667	2	4
6	33.333333	2	4
7	40.000000	2	4
8	46.666667	1	2
9	53.333333	2	4
10	60.000000	1	2
11	66.666667	10	20


Percent of n.Pl ending in s(\$|,)



Percent Matching Reality

[1] "1Sg_a(\$,)"			
Pe	ercent_Match	freq	Percent_Trials
1	30	7	14
2	40	7	14
3	50	36	72


Percent of 1Sg ending in a(\$|,)



Percent Matching Reality


[1] "[24]Sg_o(\$,)"			
F	Percent_Match	freq	Percent_Trials
1	20.00000	2	4
2	23.33333	3	6
3	26.66667	1	2
4	30.00000	29	58
5	33.33333	1	2
6	36.66667	7	14
7	40.00000	5	10
8	43.33333	1	2
9	50.00000	1	2

Percent of [24]Sg ending in o(\$|,)



[1	.] "3Sg_[e-](\$,)"	
	${\tt Percent_Match}$	freq	Percent_Trials
1	33.33333	1	2
2	53.33333	1	2
3	60.00000	9	18
4	66.66667	1	2
5	73.33333	3	6
6	80.00000	8	16
7	86.66667	2	4
8	100.00000	25	50


Percent of 3Sg ending in [e-](\$|,)



[1]	"3P1_e?s"		
	Percent_Match	freq	Percent_Trials
1	0.00000	12	24
2	13.33333	2	4
3	20.00000	2	4
4	26.66667	4	8
5	33.33333	1	2
6	40.00000	7	14
7	46.66667	1	2
8	53.33333	4	8
9	60.00000	2	4
10	66.66667	1	2
11	80.00000	1	2
12	86.66667	2	4

100.00000


Percent of 3PI ending in e?s



Percent Matching Reality


[1] "[24]Pl_os(\$,)"			
	Percent_Match	freq	Percent_Trials
1	0.000000	47	94
2	3.333333	1	2
3	10.000000	1	2
4	13.333333	1	2

Percent of [24]PI ending in os(\$|,)



[1] "1Pl_as(\$,)"			
	Percent_Match	freq	Percent_Trials
1	0	32	64
2	10	3	6
3	20	3	6
4	30	4	8
5	40	1	2
6	50	7	14


Percent of 1PI ending in as(\$|,)



Percent Matching Reality

[1] "n.Pl_a(\$,)"										
	Percent_Match	freq	Percent_Trials							
1	0.000000	32	64							
2	6.666667	2	4							
3	13.333333	4	8							
4	20.000000	2	4							
5	26.666667	7	14							
6	33.333333	1	2							
7	53.333333	1	2							
8	66.666667	1	2							


Percent of n.PI ending in a(\$|,)




Percent Matching Reality

[1] "n.Pl_as(\$,)"										
	Percent_Match	freq	Percent_Trials							
1	0.000000	47	94							
2	6.666667	1	2							
3	20.000000	2	4							

Percent of n.Pl ending in as(\$|,)




Percent of n.Pl ending in os(\$|,)




[1] "m.Pl_as(\$|,)"
 Percent_Match freq Percent_Trials
1 0 50 100

Percent of m.Pl ending in as(\$|,)



Percent of m.Pl ending in os(\$|,)



	[1]	"Sg"						
	[1]	"Endir	ngs oc	curing 10 times	or	less	excluded'	
Suffix freq Percent_Trials								
	2	a	50	100				
	4	е	50	100				
	8	0	50	100				
	1	-	49	98				
	5	es	18	36				
	3	as	13	26				
	10	s	13	26				
	6	i	5	10				
	9	os	4	8				
	7	is	3	6				
	11	u	1	2				
[1] "All Endings Included"								
	Ş	Suffix	freq	Percent_Trials				
	1	-	50	100				
	2	a	50	100				
	5	е	50	100				
	10	0	50	100				
	7	es	18	36				
	12	s	15	30				

```
28
       as
            14
3
                           10
             5
       ao
8
             5
                           10
11
                            8
             4
       os
6
       eo
             3
                            6
9
       is
                            6
             3
13
        u
[1] "SgNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
           50
5
           50
                         100
       0
1
           49
                          98
                          98
3
           49
6
            3
                           6
      os
4
      es
            1
7
                           2
       s
            1
8
       u
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
           50
2
       a
           50
5
                         100
           50
       0
3
           49
                          98
       е
6
           3
                           6
      os
4
      es
            2
7
       s
            2
                           4
8
       u
[1] "1SgNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
       a 50
[1] "All Endings Included"
  Suffix freq Percent_Trials
                         100
       a 50
                           2
1
           1
[1] "2SgNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
      o 50
[1] "All Endings Included"
  Suffix freq Percent_Trials
      o 50
            2
                           4
1
[1] "3SgNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           49
1
2
                          98
       е
           49
                           2
3
            1
      es
            1
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
   - 50
```

```
49
                           98
       е
3
            1
                            2
      es
4
                            2
       s
            1
[1] "4SgNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
       0
           49
2
            3
      os
3
       u
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
           49
2
            3
                             6
      os
                             2
3
            1
       u
[1] "5SgNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           11
       е
[1] "All Endings Included"
  Suffix freq Percent_Trials
           49
1
           36
                           72
            2
3
                            4
      es
4
            2
                             4
       S
[1] "mSgNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
           50
2
           49
                           98
       е
                            88
1
           44
5
            3
                             6
      os
3
                             2
      es
            1
6
                             2
            1
       s
       u
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       a
           50
                           100
5
       0
           50
3
           49
                           98
       е
1
           45
                           90
                            6
6
            3
      os
4
            2
                             4
      es
7
            2
                             4
       s
            1
                             2
       u
[1] "fSgNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           50
       a
                          100
3
           49
                           98
                            88
1
           44
                            2
4
            1
      es
5
       S
            1
[1] "All Endings Included"
```

```
Suffix freq Percent_Trials
2
       a
           50
3
           49
                            98
       е
5
           49
                            98
       0
                            88
1
           44
6
            3
                             6
      os
      es
             2
7
             2
                             4
       s
8
       u
             1
                             2
[1] "nSgNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
       0
           50
           49
                            98
1
2
           19
                            38
       е
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
           50
                           100
3
           50
       0
2
           19
       е
                            38
4
      os
            3
                             6
5
             1
                             2
       s
                             2
       u
[1] "SgAcc, Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
           50
           50
3
                           100
       е
4
           50
                           100
       0
1
           32
                            64
5
      os
             4
                             8
6
             3
                             6
       s
7
             1
       u
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
        a
             50
5
        е
             50
                            100
8
             50
                            100
        0
1
             36
                             72
3
             5
                             10
       ao
9
                              8
       os
              4
6
              3
                              6
       eo
10
              3
                              6
        s
7
              2
       es
                              2
4
       as
              1
11
        u
[1] "1SgAcc, Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           50
       a
[1] "All Endings Included"
  Suffix freq Percent_Trials
       a 50
                           100
```

```
10
      ao
            5
1
            1
                            2
                            2
4
      as
            1
[1] "2SgAcc, Abl"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
       0
           50
            1
      os
[1] "All Endings Included"
 Suffix freq Percent_Trials
       0
           50
           10
                           20
1
3
                            2
            1
      os
[1] "3SgAcc, Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           50
                          100
           32
                           64
1
3
            3
                            6
       S
[1] "All Endings Included"
 Suffix freq Percent_Trials
       е
           50
1
           32
                           64
       s
            3
                            6
[1] "4SgAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
2
           49
3
            4
                            8
      os
1
            1
                            2
       u
            1
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
           49
       0
                           12
            6
3
            4
                            8
      os
                            2
       u
[1] "5SgAcc, Abl"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
       е
           47
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
           50
                          100
       е
3
            3
                            6
      eo
            2
1
                            4
            2
                            4
      es
[1] "mSgAcc, Abl"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
2
           50
       е
3
           50
                          100
       0
4
            4
                            8
      os
            3
1
                            6
```

```
5 u
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           50
       a
                          100
4
           50
7
           50
                          100
3
            5
                           10
      ao
                            8
1
             4
8
      os
             4
                            8
5
             3
                             6
      ео
6
      es
             2
9
             1
       u
[1] "fSgAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           50
       a
3
           50
                           100
       е
            1
                            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           50
4
       е
           50
                           100
6
           49
                           98
       0
1
           12
                            24
7
                            6
            3
      os
5
      es
             2
                             4
3
      as
             1
                             2
8
             1
       u
[1] "nSgAcc, Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
       0
           50
1
           32
                           64
2
           28
                           56
5
            3
                            6
            1
4
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
       0
           50
1
           32
                           64
2
                           56
           28
       е
4
                            8
             4
      os
5
             3
                             6
       S
             1
                             2
       u
[1] "SgNom, Acc, Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
           50
3
           50
                          100
5
           50
                          100
                           98
1
           49
6
            4
                            8
      os
7
       s
            3
                            6
4
             2
                             4
      es
```

```
u
            1
[1] "All Endings Included"
   Suffix freq Percent_Trials
            50
1
2
                           100
        a
            50
5
            50
                           100
        е
8
            50
                           100
        0
3
       ao
             5
                            10
9
       os
             4
                             8
10
                             8
       S
             4
6
       eo
             3
7
                             6
             3
       es
4
                             2
       as
             1
                             2
11
        u
[1] "1SgNom, Acc, Abl"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
      a 50
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
       a
           50
3
      ao
            5
                           10
1
            2
                            4
            1
                            2
      as
[1] "2SgNom, Acc, Abl"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
1
       0
           50
                          100
2
            1
      os
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
       0
           50
                          100
1
           10
                           20
                            2
3
            1
      os
[1] "3SgNom, Acc, Abl"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
2
       е
           50
                          100
1
           49
                           98
4
            3
                            6
       s
      es
            1
[1] "All Endings Included"
 Suffix freq Percent_Trials
           50
1
2
           50
                          100
       е
4
                            6
            3
       s
3
            1
                            2
      es
[1] "4SgNom, Acc, Abl"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
2
           49
       0
            4
3
                            8
      os
1
            1
                            2
4
                            2
       u
```

```
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
            49
                            98
1
             6
                            12
3
             4
                             8
      os
4
             1
                             2
       u
[1] "5SgNom, Acc, Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            47
                            94
                             2
1
             1
3
             1
                             2
      es
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
            50
                           100
            36
                            72
1
3
             3
                             6
      eo
4
             3
                             6
      es
             2
                             4
5
       s
[1] "mSgNom, Acc, Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            50
       е
4
       0
            50
                           100
1
            44
                            88
5
      os
             4
                             8
3
      es
             1
                             2
6
             1
                             2
       s
                             2
7
             1
       u
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
        a
             50
                            100
4
             50
                            100
        е
7
             50
                            100
        0
1
             45
                             90
3
                             10
              5
       ao
8
       os
              4
                              8
5
       eo
              3
                              6
6
       es
              3
                              6
9
              2
                              4
        s
10
        u
[1] "fSgNom, Acc, Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            50
       a
3
            50
                           100
1
            44
                            88
             2
4
                             4
       s
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
            50
       a
4
            50
                           100
       е
6
            49
                            98
       0
```

```
45
                            90
7
             4
                             8
      os
5
             3
                             6
      es
8
             2
                             4
       s
3
                             2
      as
             1
9
             1
                             2
       u
[1] "nSgNom, Acc, Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
            50
                           100
1
            49
                            98
2
            28
                            56
       е
5
             3
                             6
                             2
             1
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
            50
                           100
1
                           100
3
            50
2
            28
                            56
       е
4
             4
                             8
      os
             3
                             6
5
       s
6
       u
             1
                             2
[1] "SgGen, Dat"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2
        a
             43
                             86
4
         е
             41
                             82
1
             21
                             42
5
                             34
             17
       es
8
                             30
        0
             15
                             26
3
       as
             13
10
        s
             13
                             26
6
              5
                             10
        i
7
                               6
       is
              3
9
              2
                               4
       os
                               2
11
        u
              1
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
             45
         a
4
             42
                             84
         е
1
             26
                             52
5
                             36
             18
       es
8
             16
                             32
        0
10
                             30
        s
             15
3
             13
                             26
       as
6
              5
                             10
        i
7
       is
              3
                               6
9
       os
              2
                               4
                               2
11
        u
[1] "1SgGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            43
       a
3
            13
                            26
      as
```

```
s
                             4
1
             1
                             2
4
      es
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
            45
       a
3
      as
            13
                            26
                             6
1
             3
7
       s
             3
                             6
4
             2
                             4
       е
5
      es
             1
                             2
6
                             2
      is
             1
[1] "2SgGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            26
       е
1
            15
                            30
6
             7
                            14
3
             6
                            12
      es
4
             5
                            10
       i
             5
                            10
7
       s
      is
             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
            26
       е
1
            18
                            36
3
             7
                            14
      es
6
             7
                            14
       0
7
             7
                            14
       s
4
       i
             5
                            10
             2
5
      is
                             4
[1] "3SgGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            38
                            76
3
            16
                            32
      es
1
            14
                            28
6
       s
             8
                            16
5
             3
      is
                             6
       i
             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
            39
       е
3
            16
                            32
      es
1
            15
                            30
6
                            20
            10
       s
5
             3
                             6
      is
             2
4
       i
                             4
[1] "4SgGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            18
                            36
            15
                            30
6
       0
```

```
8
             8
                            16
       s
3
             5
                            10
      es
                             6
4
             3
       i
5
      is
             2
                             4
7
             2
      os
                             4
9
       u
             1
                             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       е
            21
6
            16
                            32
       0
            15
                            30
1
3
            8
                            16
      es
8
             8
                            16
       s
4
       i
             3
                             6
5
      is
             2
                             4
7
             2
      os
                             4
9
       u
             1
                             2
[1] "5SgGen, Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            19
                            38
3
      es
             6
                            12
6
             2
                             4
       s
                             2
1
             1
4
       i
             1
                             2
      is
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
            36
       е
3
            16
                            32
      es
                            18
1
            9
6
       s
             8
                            16
5
      is
             3
                             6
4
             2
                             4
       i
[1] "mSgGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       е
            41
                            82
1
            18
                            36
3
            16
                            32
      es
                            30
6
       0
            15
8
                            22
       s
            11
4
       i
             5
                            10
5
      is
             3
                             6
             2
7
      os
9
             1
       u
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
             44
        a
                             84
4
             42
        е
1
             22
                             44
5
                             36
       es
             18
8
             16
                             32
        0
3
       as
             12
                             24
```

```
10
             12
                             24
        s
6
              5
                             10
        i
7
              3
                              6
       is
9
              2
                              4
       os
                              2
11
        u
[1] "fSgGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
            43
4
            37
                            74
       е
5
                            32
      es
            16
3
            13
                            26
      as
1
             9
                            18
8
             8
                            16
       s
7
      is
             3
                             6
             2
6
       i
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
             44
        a
                             82
4
             41
             22
                             44
1
5
       es
             18
                             36
8
             15
                             30
        0
10
        s
             14
                             28
3
             13
                             26
       as
6
       i
              3
                              6
7
       is
              3
                              6
9
       os
              2
                              4
                              2
11
              1
        u
[1] "nSgGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  {\tt Suffix\ freq\ Percent\_Trials}
2
            31
                            62
            17
                            34
1
3
                            24
            12
      es
7
            10
                            20
       S
6
             7
                            14
4
       i
             5
                            10
      is
             3
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
            31
                            62
       е
1
            20
                            40
6
            14
                            28
       0
3
            13
                            26
      es
8
                            22
            11
       s
4
       i
             5
                            10
5
      is
             3
                             6
7
             2
                             4
      os
                             2
[1] "Nom"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
        a 50
                            100
```

```
50
                            100
        0
1
             49
                             98
9
             25
                             50
        s
5
             20
                             40
       es
3
                             28
       as
             14
4
             12
                             24
        е
8
       os
              3
6
                              2
       is
              1
10
        u
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
             50
                            100
7
             50
                            100
        0
                             98
             49
1
9
             25
                             50
        s
5
       es
             20
                             40
3
             17
                             34
       as
4
                             32
        е
             16
8
                              6
              3
       os
                              2
6
       is
                              2
10
        u
[1] "NomSg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            50
       a
5
       0
            50
                           100
1
            48
                            96
3
             4
                             8
       е
6
             3
                             6
      os
4
             1
                             2
      es
7
       s
             1
8
       u
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
            50
                           100
       a
5
            50
                           100
       0
1
            49
                            98
3
            11
                            22
       е
6
             3
                             6
      os
             2
                             4
4
      es
7
             2
       s
8
       u
[1] "1"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2
             50
                            100
        a
4
             19
                             38
       as
                             12
10
              6
13
              5
                             10
        s
1
              3
                              6
6
                              4
      bos
              2
                              2
3
       ao
5
                              2
      aso
              1
7
```

```
8
     ebos
9
                             2
       eo
             1
11
                             2
             1
12
             1
        0
[1] "All Endings Included"
   Suffix freq Percent_Trials
        a
            50
4
            22
                            44
       as
3
       ao
             6
                            12
10
             6
                            12
       es
7
        е
             5
                            10
                            10
14
             5
        s
1
             4
                             8
6
             2
                             4
      bos
5
                             2
      aso
             1
                             2
8
     ebos
9
                             2
       ео
             1
                             2
11
        i
12
       is
                             2
             1
                             2
13
[1] "1Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
           50
                          100
3
           13
                           26
      as
5
       s
            2
                            4
1
            1
                            2
            1
      es
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       a
           50
                          100
4
      as
           14
                           28
3
            5
                           10
      ao
                            6
1
            3
8
            3
       s
                            6
5
            2
                            4
       е
                            2
6
      es
            1
7
      is
            1
                            2
[1] "1SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
       a 50
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           50
                          100
       a
                            2
            1
1
[1] "2"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
9
            50
        0
                           100
            37
                            74
1
4
                            62
            31
                            48
11
        s
            24
2
                            30
            15
```

```
6
             13
                             26
       es
7
                             12
        i
             6
3
              3
                              6
5
                              4
              2
       eo
8
       is
              2
                              4
10
       os
              2
[1] "All Endings Included"
   Suffix freq Percent_Trials
9
        0
             50
1
             39
                            78
4
        е
             31
                             62
11
             25
                             50
        s
2
             15
                             30
        a
6
             15
                             30
       es
7
        i
             6
                             12
3
       as
             3
                              6
5
              2
                              4
       eo
8
                              4
       is
10
       os
              2
[1] "2Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
           50
       0
2
       е
           26
                            52
1
           15
                           30
3
      es
            6
                           12
4
       i
            5
                            10
8
       s
             5
                            10
5
             2
                            4
      is
             1
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
           50
                          100
       0
2
           26
                           52
       е
1
           23
                            46
3
            7
                            14
      es
8
       s
            7
                            14
4
       i
            5
                            10
5
             2
      is
                             4
7
             1
                            2
      os
[1] "2SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           50
1
       0
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           50
                          100
       0
                            2
1
            1
[1] "3"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
4
            50
                            100
        е
             49
                            98
1
7
             36
                            72
       es
```

```
11
             22
                             44
        s
2
             14
                             28
        a
6
             4
                              8
       eo
8
        i
             3
                              6
9
       is
             3
                              6
3
       as
             2
                              4
5
     ebos
              2
10
              2
        0
[1] "All Endings Included"
   Suffix freq Percent_Trials
1
             50
4
             50
                            100
        е
7
             36
                             72
       es
11
             22
                             44
2
             16
                             32
        a
6
       eo
             4
                              8
8
       i
              3
                              6
9
                              6
       is
3
                              4
             2
       as
5
             2
                              4
     ebos
10
        0
[1] "3Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           50
       е
1
           49
                           98
3
           16
                            32
      es
6
            9
                            18
       s
5
            3
      is
                             6
             2
       i
[1] "All Endings Included"
  Suffix freq Percent_Trials
           50
                           100
1
2
           50
                           100
       е
3
           16
                           32
      es
6
                            22
           11
       S
5
      is
            3
                             6
       i
            2
                             4
[1] "3SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
           48
                            96
2
                             8
       е
3
             1
                             2
      es
             1
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
            49
1
2
                             8
             4
                             2
3
             1
      es
                             2
4
             1
       s
[1] "4"
[1] "Endings occuring 10 times or less excluded"
```

Suffix freq Percent_Trials

```
8
             49
                             98
        0
1
             30
                             60
2
             26
                             52
        е
10
             17
                             34
        s
4
       es
             12
                             24
9
              5
                             10
       os
3
                               8
       eo
6
                               8
        i
7
       is
              2
                               4
5
      eso
                               2
              1
11
        u
              1
                               2
[1] "All Endings Included"
   Suffix freq Percent_Trials
             49
9
        0
1
             32
                             64
3
             28
                             56
        е
11
             21
                             42
        s
5
                             28
       es
             14
10
                             10
              5
       os
4
                               8
       eo
              4
7
                               8
        i
              4
8
       is
                               4
2
                               2
        a
6
                               2
      eso
              1
                               2
12
              1
        u
[1] "4Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            49
6
       0
2
            18
                            36
       е
                            22
1
            11
8
       s
             8
                            16
3
             5
                            10
      es
7
             4
                             8
      os
4
             3
                             6
       i
5
             2
                             4
      is
       u
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
            49
                            98
       0
2
       е
            21
                            42
            17
                            34
1
3
             8
                            16
      es
8
             8
                            16
       s
7
      os
             4
                             8
4
                             6
       i
             3
             2
5
      is
                             4
                             2
9
             1
       u
[1] "4SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
            46
                            92
2
             3
                             6
      os
3
             1
                             2
       u
```

```
[1] "All Endings Included"
 Suffix freq Percent_Trials
          46
                         92
1
2
           3
                          6
     os
                          2
3
           1
      u
[1] "5"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
3
       е
           48
6
           27
                          54
      es
1
           18
                          36
10
           9
                          18
       S
5
           3
                           6
      eo
2
          2
      a
7
      i
            2
4
    ebos
8
      is
            1
9
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
           50
4
       е
                         100
1
           38
                          76
7
           35
                          70
      es
12
      s
           18
                          36
6
                          12
           6
      eo
2
      a
8
      i
          4
                          8
10
      is
            3
                           6
5
          2
   ebos
3
      as
            1
                           2
9
      io
            1
11
       0
            1
[1] "5Sg"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
2
          48
      е
1
           9
                         18
3
     es
           7
                         14
6
      S
           3
                          6
4
      i
           1
                          2
     is
           1
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
          50
              100
      е
1
          37
                         74
4
         17
                         34
     es
7
         9
                         18
      S
3
           3
                          6
     eo
6
           3
                          6
     is
           2
5
                          4
[1] "5SgNom"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
1
   - 35
```

```
10
                            20
       е
3
            2
                             4
      es
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
           36
1
2
           11
                            22
       е
3
            2
                             4
      es
4
       s
             2
                             4
[1] "m"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
4
        е
             50
             50
                            100
11
1
             47
                             94
7
       es
             36
                             72
2
             34
                             68
        а
13
             26
                             52
        s
3
             7
                             14
       as
9
                             12
             6
12
       os
             5
                             10
6
       eo
                              8
10
                              6
       is
             3
5
     ebos
              2
                              4
8
                              2
      eso
              1
14
        u
              1
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
             50
                            100
        a
7
             50
                            100
        е
             50
                            100
15
        0
1
             48
                             96
10
             36
                             72
       es
17
             27
                             54
        s
4
       as
             23
                             46
3
                             12
             6
       ao
9
       eo
                             12
12
        i
             6
                             12
                             10
16
       os
             5
14
             3
                              6
       is
6
      bos
              2
                              4
8
                              4
     ebos
             2
5
      aso
                              2
             1
                              2
11
      eso
              1
                              2
13
       io
              1
                              2
18
              1
        u
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           50
       е
                           100
6
           50
       0
1
           45
                            90
3
                            32
      es
           16
8
                            24
       s
           12
```

```
i
             5
                            10
7
             4
                             8
      os
             3
5
                             6
      is
9
       u
             1
                             2
[1] "All Endings Included"
   Suffix freq Percent_Trials
        a
             50
5
             50
                            100
        е
10
        0
             50
                            100
1
             47
                             94
7
       es
             18
                             36
4
             12
                             24
       as
12
             12
                             24
        S
3
             5
                             10
       ao
8
       i
             5
                             10
11
       os
              4
                              8
6
              3
                              6
       eo
9
              3
                              6
       is
13
                              2
        u
[1] "mSgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
       0
           50
                           100
1
           44
                            88
2
             4
                             8
       е
5
      os
             3
                             6
3
      es
             1
                             2
6
       s
             1
                             2
7
             1
       u
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       a
           50
5
           50
                           100
1
           45
                            90
3
                            20
           10
       е
6
            3
                             6
      os
            2
4
      es
                             4
7
       s
             2
                             4
8
                             2
       u
[1] "m1Sg"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                                    Percent_Trials
                    freq
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           50
                           100
       a
4
           12
                            24
      as
3
            5
                            10
      ao
1
             3
                             6
             2
5
                             4
       е
8
             2
                             4
       s
6
                             2
             1
      es
7
             1
                             2
      is
[1] "m1SgNom"
```

```
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
       a 50
                            2
[1] "m2Sg"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
6
       0
           50
2
           26
                           52
       е
1
           14
                           28
3
            6
                           12
      es
4
       i
            5
                           10
8
       s
            4
                            8
5
            2
                            4
      is
      os
            1
[1] "All Endings Included"
 Suffix freq Percent_Trials
6
       0
           50
2
       е
           26
                           52
                           30
1
           15
3
            7
                           14
      es
4
                           10
       i
            5
8
       s
            4
                            8
5
      is
            2
                            4
7
            1
                            2
      os
[1] "m2SgNom"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
1
       0
           50
[1] "All Endings Included"
  Suffix freq Percent_Trials
                          100
       0
           50
[1] "m3Sg"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
2
       е
           50
1
           44
                           88
3
           16
                           32
      es
6
            8
                           16
       S
5
            3
                            6
      is
            2
       i
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
           50
                          100
       е
1
           45
                           90
3
                           32
           16
      es
6
                           16
       s
            8
            3
5
      is
                            6
            2
                            4
4
       i
[1] "m3SgNom"
[1] "Endings occuring 10 times or less excluded"
```

```
Suffix freq Percent_Trials
1
           44
                           88
                            8
2
            4
3
            1
                            2
      es
       s
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
           45
1
2
       е
            4
                            8
3
            1
                            2
      es
4
       s
            1
                            2
[1] "m4Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
       0
           49
2
           18
                           36
1
           11
                           22
8
            8
                           16
3
            5
                           10
      es
7
                            8
      os
            4
4
       i
            3
                            6
5
      is
            2
9
            1
       u
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
       0
           49
2
       е
           19
                           38
1
           14
                           28
8
            8
                           16
       s
3
            7
                           14
      es
7
      os
            4
                            8
4
       i
            3
                            6
5
            2
                            4
      is
                            2
9
            1
       u
[1] "m4SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
       0
           46
                           92
2
            3
                            6
      os
            1
       u
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
       0
           46
2
      os
            3
                            6
                            2
3
            1
       u
[1] "m5Sg"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           50
                          100
       е
           37
                           74
1
4
           14
                           28
      es
```

```
7
                            16
       s
             8
3
             3
                             6
      eo
6
             3
                             6
      is
5
       i
             2
                             4
[1] "m5SgNom"
[1] "Endings occuring 10 times or less excluded"
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
            36
2
            10
                            20
3
            2
                             4
      es
             2
                             4
4
       s
[1] "f"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2
             50
        a
7
             50
                            100
        е
1
             44
                             88
10
       es
             36
                             72
4
       as
             19
                             38
15
             18
                             36
        s
13
             16
                             32
        0
                              8
9
              4
       eo
11
        i
              3
                              6
12
       is
              3
                              6
6
      bos
              2
                              4
8
                              4
     ebos
              2
3
                              2
              1
       ao
                              2
5
      aso
14
       os
              1
                              2
16
        u
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
        a
             50
                            100
7
        е
             50
                            100
14
             49
                             98
        0
                             94
1
             47
10
             36
                             72
       es
16
             26
                             52
        s
4
       as
             20
                             40
11
        i
              5
                             10
15
              5
                             10
       os
9
              4
       ео
                              6
13
       is
              3
6
              2
                              4
      bos
8
                              4
     ebos
3
                              2
       ao
              1
                              2
5
      aso
              1
12
                              2
       io
              1
                              2
17
[1] "fSg"
```

[1] "Endings occuring 10 times or less excluded"

```
Suffix freq Percent_Trials
2
           50
       a
           50
                           100
4
       е
1
           44
                            88
5
                            34
      es
           17
8
           15
                            30
       0
3
      as
           13
                            26
9
            8
                            16
       s
7
      is
             3
                             6
6
       i
             2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
        a
             50
4
             50
                            100
8
             49
                             98
                             92
1
             46
5
             18
                             36
       es
3
                             28
       as
             14
                             28
10
             14
        S
                              8
9
             4
       os
6
                              6
        i
             3
7
       is
11
        u
[1] "fSgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
           50
1
           44
                            88
3
             4
                             8
       е
4
             1
                             2
      es
       s
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       a
           50
5
           49
                            98
       0
1
           44
                            88
3
       е
            11
                            22
6
      os
            3
                             6
             2
4
      es
                             4
             2
7
                             4
       s
                             2
8
       u
[1] "f1Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           50
                           100
       a
3
           13
                            26
      as
5
             2
                             4
       s
                             2
1
             1
      es
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
           50
3
           14
                            28
      as
5
            3
                             6
       S
```

```
4
            1
                            2
      es
[1] "f1SgNom"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
       a 50
[1] "All Endings Included"
 Suffix freq Percent_Trials
1
       a 50
[1] "f2Sg"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
       0
           49
2
           22
                           44
       е
                           42
1
           21
3
            6
                          12
      es
8
       s
            6
                           12
4
       i
            3
                            6
     is
            2
                            4
7
                            2
            1
      os
[1] "f2SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
           49
                           98
       0
                            2
1
[1] "f3Sg"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
       е
           50
1
           44
                          88
3
      es
           15
                          30
6
            8
                           16
       s
5
      is
            3
                            6
       i
            2
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
           50
       е
                          88
1
           44
3
                           32
      es
           16
                           22
6
       S
           11
5
            3
                            6
      is
4
       i
            2
                            4
[1] "f3SgNom"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
1
           44
2
            4
                            8
       е
```

3

1

es

2

```
4 s
            1
[1] "All Endings Included"
 Suffix freq Percent_Trials
           44
1
                            8
2
       е
3
            1
                            2
      es
       S
[1] "f4Sg"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
6
       0
           49
2
           16
                           32
       е
1
           14
                           28
3
            7
                           14
      es
8
       s
            7
                           14
7
            4
                            8
      os
            3
4
       i
                            6
5
      is
            2
                            4
9
       u
            1
                            2
[1] "f4SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
1
           46
2
            3
                            6
      os
                            2
       u
            1
[1] "f5Sg"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
       е
           48
1
            9
                           18
3
      es
            8
                           16
6
            3
                            6
       s
            2
4
       i
                            4
            1
      is
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
           50
       е
           37
                           74
1
3
           17
                           34
      es
6
            9
                           18
       s
5
            3
                            6
      is
4
       i
            2
                            4
[1] "f5SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
```

```
36
                            72
2
           11
                            22
       е
3
            2
                            4
      es
4
       s
             2
                             4
[1] "n"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
             50
                            100
1
             50
                            100
10
        0
             35
                             70
4
        е
                             46
12
        s
             23
2
             18
                             36
        a
7
             16
                             32
       es
8
                             12
        i
             6
3
       as
              3
                              6
6
                              6
       ео
              3
9
       is
              3
                              6
                              6
11
              3
       os
5
              2
                              4
     ebos
13
[1] "All Endings Included"
   Suffix freq Percent_Trials
             50
                            100
1
             50
                            100
11
        0
                             70
4
             35
        е
                             50
13
        s
             25
2
        a
             18
                             36
7
       es
             18
                             36
9
                             12
        i
             6
12
             5
                             10
       os
                              8
6
       eo
              4
3
       as
              3
                              6
10
       is
              3
                              6
5
                              4
     ebos
              2
                              2
8
      eso
14
                              2
        u
[1] "nSg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
           50
       0
                           100
           49
                            98
1
2
           35
                            70
       е
3
      es
           12
                            24
8
           10
                            20
       s
4
       i
            5
                            10
      is
5
             3
                             6
      os
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
           50
6
           50
                           100
       0
2
           35
                           70
       е
3
           13
                            26
      es
8
           11
                            22
       S
```

```
5
                            10
7
             4
                             8
      os
5
             3
                             6
      is
9
       u
             1
                             2
[1] "nSgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           50
3
       0
1
           48
                            96
             1
                             2
       s
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
           50
       0
1
           49
                            98
                             6
4
      os
             3
2
             1
                             2
       е
                             2
5
             1
6
                             2
       u
             1
[1] "n2Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
           50
       0
2
           26
       е
                            52
1
            13
                            26
3
      es
            6
                            12
4
       i
             5
                            10
8
       s
             5
                            10
5
             2
                             4
      is
             1
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
           50
                           100
6
2
           26
                            52
       е
1
                            30
           15
3
                            12
            6
      es
4
       i
            5
                            10
8
       s
             5
                            10
5
      is
             2
                             4
      os
             1
                             2
[1] "n2SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           50
1
       0
[1] "All Endings Included"
  Suffix freq Percent_Trials
           50
                          100
1
       0
[1] "n3Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
           49
2
           33
                            66
       е
3
                            24
      es
           12
6
            9
                            18
       s
```

```
is
                            6
       i
            1
[1] "All Endings Included"
 Suffix freq Percent_Trials
           50
2
           33
                           66
       е
3
           13
                           26
      es
6
            9
                           18
       s
5
      is
            3
                            6
4
                            2
       i
            1
[1] "n3SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           48
1
2
       е
            1
                            2
       s
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
           49
1
                            2
2
       е
            1
3
       s
            1
                            2
[1] "n4Sg"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
6
           49
       0
2
           19
                           38
       е
                           20
1
           10
8
       s
            6
                           12
3
      es
            5
                           10
7
                            8
      os
            4
4
       i
            3
                            6
            2
5
      is
                            4
                            2
9
            1
       u
[1] "n4SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
           46
1
       0
2
            3
                            6
      os
                            2
       u
[1] "Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
           50
                          100
4
           50
                          100
6
           50
                          100
       0
1
           45
                           90
5
      es
           30
                           60
8
                           34
       s
           17
```

```
28
     as
           14
7
            2
                           4
      os
      u
            1
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
       a
           50
4
           50
       е
6
           50
                         100
1
           46
                          92
5
                          62
      es
           31
8
      S
           18
                          36
3
                          28
           14
      as
7
            2
                           4
      os
                           2
9
       u
[1] "AccSg"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
           50
2
       a
4
           50
                         100
       0
3
           49
                          98
1
           32
                          64
       u
            1
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
           50
       a
       0
           50
                         100
3
           49
                          98
       е
1
           32
                          64
                           2
5
            1
       u
[1] "1SgAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
     a 50
[1] "All Endings Included"
 Suffix freq Percent_Trials
      a 50
[1] "2SgAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
      o 50
[1] "All Endings Included"
 Suffix freq Percent_Trials
      o 50
                           4
1
[1] "3SgAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
   е
           49
           32
                          64
[1] "All Endings Included"
 Suffix freq Percent_Trials
       e 49
                          64
1
           32
[1] "4SgAcc"
```

```
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
          49
      0
2
                           2
            1
      11
[1] "All Endings Included"
 Suffix freq Percent_Trials
      0
           49
                           2
      u
            1
[1] "5SgAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
           49
      е
                          98
           1
1
[1] "All Endings Included"
  Suffix freq Percent_Trials
      e 49
                           2
1
           1
[1] "mSgAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
3
      0
           50
2
           49
                          98
           2
1
                           4
           1
      u
[1] "All Endings Included"
 Suffix freq Percent_Trials
      a
           50
4
           50
                         100
      0
3
           49
                          98
            2
1
                           4
                           2
      u
            1
[1] "m1SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
             freq
                                  Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
      a
         50
                         100
[1] "m2SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
      o 50
[1] "All Endings Included"
 Suffix freq Percent_Trials
      0
                         100
[1] "m3SgAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
           49
2
      е
                          98
           2
[1] "All Endings Included"
 Suffix freq Percent Trials
2
      е
           49
            2
                           4
1
```

```
[1] "m4SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
      o 49
1
      u
[1] "All Endings Included"
 Suffix freq Percent_Trials
           49
       0
2
       u
            1
                           2
[1] "m5SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                  Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
       e 49
                           2
1
           1
[1] "fSgAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
2
       a
           50
3
           49
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
      a
           50
3
           49
                          98
       е
4
           49
                          98
       0
           2
1
                           4
                           2
       u
           1
[1] "f1SgAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
      a 50
[1] "All Endings Included"
 Suffix freq Percent_Trials
       a
          50
[1] "f2SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                  freq
                                  Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
           48
                          96
       0
[1] "f3SgAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
2
       е
           49
                          98
           1
                           2
[1] "All Endings Included"
 Suffix freq Percent Trials
2
       е
           49
                           2
            1
```

```
[1] "f4SgAcc"
[1] "Endings occuring 10 times or less excluded"
              freq
                                 Percent Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
      o 49
                          2
      u
           1
[1] "f5SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix freq
                                Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
          49
      е
                          2
1
           1
[1] "nSgAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
      o 50
1
          32
                         64
          19
                         38
      е
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
      0
          50
1
          32
                         64
2
          19
                         38
      е
           1
                          2
4
      u
[1] "n2SgAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
      0
         50
1
[1] "All Endings Included"
 Suffix freq Percent_Trials
      o 50
                        100
[1] "n3SgAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
      _
          32
          19
      е
[1] "All Endings Included"
 Suffix freq Percent_Trials
          32
1
          19
                         38
      е
[1] "n4SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                  freq
                                 Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
          49
                         98
1
      0
2
      u
[1] "Gen"
[1] "Endings occuring 10 times or less excluded"
```

```
Suffix freq Percent_Trials
2
           38
       a
7
           29
                         58
       е
1
           25
                         50
           18
                         36
10
      es
16
      S
           17
                         34
4
      as
           12
                         22
14
           11
      0
12
      i
           6
                         12
9
            3
                         6
      eo
13
     is
            3
15
            2
                          4
     os
3
          1
                          2
     ao
                          2
5
    aso
6
    bos
                          2
8
   ebos
11
     eso
            1
17
       u
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           39
       a
7
       е
           33
                         66
1
           29
                         58
10
                         40
      es
           20
16
           18
                         36
      S
                         28
4
      as
           14
14
      0
           11
                         22
12
      i
           6
                         12
9
                          6
          3
      eo
13
            3
     is
15
            2
    os
3
     ao
            1
                          2
5
    aso
6
                          2
    bos
            1
                          2
8
   ebos
            1
11
                          2
    eso
17
       u
[1] "GenSg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           36
       a
4
           28
                         56
1
           16
                         32
5
           16
                         32
      es
3
           12
                         24
      as
10
                         24
           12
8
           10
                         20
      0
6
      i
           5
                         10
7
                          6
      is
            3
9
            2
                          4
      os
            1
       u
[1] "All Endings Included"
  Suffix freq Percent_Trials
      a 37
```

```
31
                             62
1
             21
                             42
5
                             32
       es
             16
10
             14
                             28
        s
3
       as
             12
                             24
8
             10
                             20
        0
6
        i
              5
                             10
7
                               6
       is
              3
9
       os
              2
                               4
11
                               2
        u
[1] "1SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            36
                            72
3
      as
            12
                            24
5
             2
       s
                             4
1
             1
                             2
             1
      es
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
            37
3
      as
            12
                            24
1
             3
                             6
7
             3
       s
                             6
4
             2
                             4
       е
5
      es
             1
                             2
6
      is
             1
                             2
[1] "2SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            21
2
1
            11
                            22
3
             6
                            12
      es
4
             5
                            10
       i
7
             5
                            10
5
             2
                             4
      is
       0
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
            22
                            44
                            30
1
            15
3
             7
                            14
      es
7
       s
             6
                            12
4
       i
             5
                            10
             2
5
      is
                             4
                             2
6
             1
       0
[1] "3SgGen"
[1] "Endings occuring 10 times or less excluded"
  {\tt Suffix\ freq\ Percent\_Trials}
2
            23
3
            15
                            30
      es
1
             9
                            18
6
             8
                            16
       s
5
             3
                             6
      is
```

```
i
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           23
       е
3
                            30
      es
           15
6
           10
                            20
       s
            9
                            18
             3
5
      is
                             6
4
       i
             1
                             2
[1] "4SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           15
       е
            10
                            20
6
1
            7
                            14
8
       s
             6
                            12
3
             5
                            10
      es
4
             2
       i
                             4
5
      is
             2
                             4
7
             2
                             4
      os
       u
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
       е
           18
1
            11
                            22
6
       0
           10
                            20
3
            7
                            14
      es
8
            7
                            14
       s
             2
4
       i
                             4
5
      is
             2
                             4
7
             2
      os
                             4
9
       u
             1
                             2
[1] "5SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           19
3
      es
           10
                            20
6
            7
                            14
       s
1
             3
                             6
             2
5
                             4
      is
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           25
       е
3
      es
           14
                            28
6
            8
                            16
       s
1
             6
                            12
5
             3
                             6
      is
4
             2
                             4
       i
[1] "mSgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           27
       е
3
           15
                            30
      es
```

```
13
                             26
6
            10
                             20
       0
8
            10
                             20
       s
4
       i
             5
                             10
5
             3
      is
                             6
7
      os
             2
                              4
       u
             1
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
             33
        a
4
         е
             30
                              60
1
             16
                              32
5
             16
                              32
       es
                              22
10
             11
3
             10
                              20
       as
8
        0
             10
                              20
6
        i
              5
                              10
7
       is
              3
                               6
9
                               4
       os
              2
                               2
11
        u
[1] "m1SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                     freq
                                     Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       a
            33
3
      as
            10
                             20
                              6
1
             3
4
             2
                              4
       е
7
             2
       s
                              4
5
      es
             1
                              2
6
                              2
      is
[1] "m2SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            21
1
            11
                            22
3
                             12
      es
             6
4
       i
             5
                             10
7
             4
                             8
       s
5
             2
                              4
      is
6
             1
       0
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
            21
                             42
       е
1
            11
                             22
3
             7
                             14
4
             5
                             10
       i
7
             4
                             8
       s
5
             2
                              4
      is
                              2
             1
6
       0
[1] "m3SgGen"
```

[1] "Endings occuring 10 times or less excluded"

```
Suffix freq Percent_Trials
2
       е
           22
3
           15
                           30
      es
6
            7
                           14
       s
1
            5
                           10
5
      is
            3
                            6
       i
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           22
       е
3
      es
           15
                           30
6
            7
                           14
       s
1
            5
                           10
5
            3
      is
                            6
       i
            1
                            2
[1] "m4SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       е
           15
6
           10
                           20
       0
1
            7
                           14
8
       s
            6
                           12
3
            5
                           10
      es
4
       i
            2
                            4
5
            2
                            4
      is
7
      os
            2
9
       u
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           16
       е
                           20
1
           10
6
           10
                           20
       0
3
            7
                           14
      es
8
            7
                           14
       s
       i
            2
4
                            4
5
            2
      is
                            4
            2
7
      os
                            4
9
       u
            1
                            2
[1] "m5SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                  Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           24
       е
3
                           22
      es
           11
6
            7
                           14
       s
1
            4
                            8
5
            3
                            6
      is
            1
                            2
4
[1] "fSgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
       a 36
```

```
21
                            42
4
       е
5
           15
                            30
      es
3
            12
                            24
      as
8
            8
                            16
       S
             7
1
                            14
7
      is
             3
                             6
       i
             1
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
             37
                             74
        a
4
        е
             27
                             54
1
             18
                             36
5
             16
                             32
       es
                             28
10
             14
        S
3
             12
                             24
       as
8
        0
             9
                             18
6
        i
             3
                              6
7
                              6
       is
              3
9
                              4
       os
              2
                              2
11
        u
[1] "f1SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
           36
                            72
3
           12
                            24
      as
5
       s
             2
                             4
1
             1
                             2
             1
      es
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           37
                            74
       a
3
      as
           12
                            24
5
            3
                             6
       s
             2
                             4
1
                             2
      es
[1] "f2SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           19
       е
                            38
1
           14
                            28
3
            6
                            12
      es
7
             5
                            10
       s
4
       i
             3
                             6
5
      is
             2
                             4
                             2
6
             1
       0
[1] "f3SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           21
                            42
3
           14
                            28
      es
6
            7
                            14
       S
```

```
12
             6
5
             3
                             6
      is
4
       i
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           21
3
      es
           15
                            30
6
                            20
           10
       s
1
             6
                            12
5
             3
                             6
      is
4
       i
             1
                             2
[1] "f4SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
            14
6
             9
                            18
       0
             8
                            16
1
8
       s
             7
                            14
3
      es
             6
                            12
5
             2
                             4
      is
7
      os
             2
                             4
4
                             2
       i
             1
9
       u
             1
[1] "f5SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           22
                            44
3
                            28
            14
      es
6
       s
            8
                            16
             6
1
                            12
5
      is
             3
                             6
4
       i
             2
                             4
[1] "nSgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           24
       е
                            48
1
           13
                            26
3
           12
                            24
      es
7
           10
                            20
       s
4
             5
                            10
       i
5
             3
                             6
      is
6
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           26
                            52
       е
           15
                            30
1
3
      es
           13
                            26
8
                            22
       s
           11
```

```
6
                            18
       0
4
             5
                            10
       i
5
             3
                             6
      is
7
             2
                             4
      os
                             2
9
       u
[1] "n2SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       е
           21
1
            11
                            22
3
      es
            6
                            12
4
             5
                            10
       i
7
             5
                            10
       s
             2
5
      is
                             4
6
       0
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           21
       е
                            24
1
           12
3
            6
                            12
      es
4
       i
            5
                            10
7
       s
             5
                            10
5
      is
             2
                             4
                             2
6
       0
[1] "n3SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       е
           20
3
           12
                            24
      es
1
            8
                            16
6
             8
       s
                            16
5
      is
             3
                             6
             1
       i
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           21
3
      es
           13
                            26
1
            8
                            16
6
       s
             8
                            16
5
      is
             3
                             6
                             2
4
       i
             1
[1] "n4SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       е
            17
                            34
6
                            18
       0
             9
1
             8
                            16
3
             5
                            10
      es
8
             5
                            10
       s
4
             2
                             4
       i
5
      is
             2
                             4
```

```
os
9
       u
            1
                            2
[1] "Dat"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2
        a
            44
            40
6
        е
                            80
1
            26
                            52
8
       es
            17
                            34
11
            16
                            32
       0
4
       as
            15
                            30
13
            13
                            26
9
       i
             5
                            10
7
             3
                             6
       eo
10
       is
             2
                             4
3
                             2
       ao
5
      aso
             1
                             2
12
       os
14
        u
             1
[1] "All Endings Included"
   Suffix freq Percent_Trials
        a
            45
6
            41
                            82
            27
                            54
1
8
            18
                            36
       es
11
        0
            17
                            34
13
        s
            16
                            32
4
            15
                            30
       as
9
       i
             5
                            10
7
             3
                             6
       eo
10
                             4
       is
             2
3
       ao
             1
                             2
5
                             2
      aso
12
                             2
       os
             1
                             2
14
        u
[1] "DatSg"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2
            43
        a
4
            39
                            78
        е
1
                            38
            19
8
                            30
        0
            15
10
        s
            10
                            20
5
             7
                            14
       es
3
             6
                            12
       as
6
                             8
       i
             4
7
       is
             2
                             4
9
       os
             1
11
        u
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
            45
                            90
        a
4
            40
                            80
        е
1
            20
                            40
```

```
8
             16
                             32
        0
10
             10
                             20
        s
5
              9
                             18
3
                             12
              6
       as
                              8
6
        i
7
       is
              2
                              4
9
       os
              1
                              2
11
        u
[1] "1SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            43
                            86
       a
3
      as
             6
                            12
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
            45
                            90
                            12
3
             6
      as
1
             1
                             2
[1] "2SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            23
       е
1
            14
                            28
6
            7
                            14
7
       s
             5
                            10
4
       i
             4
                             8
3
      es
             3
                             6
             1
                             2
5
      is
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       е
            23
1
            16
                            32
6
            7
                            14
       0
7
             6
                            12
       s
4
             4
       i
                             8
             3
3
      es
                             6
5
      is
             1
                             2
[1] "3SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            37
2
       е
                            74
1
            12
                            24
3
            7
                            14
      es
6
             6
                            12
       s
4
             2
       i
                             4
             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
            38
       е
            13
                            26
1
3
            7
                            14
      es
6
            7
                            14
       s
4
       i
             2
                             4
```

```
is
                             4
[1] "4SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           15
5
       0
           15
                            30
1
            9
                            18
7
            5
                            10
       s
3
      es
            3
                            6
4
       i
             3
                             6
                             2
6
      os
             1
8
             1
       u
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           18
       е
                            32
5
           16
1
           10
                            20
7
            5
                            10
3
            4
                            8
      es
4
            3
                            6
       i
6
      os
             1
                             2
8
       u
                             2
[1] "5SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           32
3
      es
            8
                            16
1
            2
                             4
4
       i
            2
                             4
6
             2
       s
5
      is
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       е
           35
3
            9
                            18
      es
1
            4
                            8
            2
4
       i
                            4
6
       s
            2
                             4
5
      is
                             2
[1] "mSgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       е
           39
1
           15
                            30
6
           15
                            30
       0
8
            7
                            14
       s
3
            6
                            12
      es
4
       i
            3
                            6
5
             2
                             4
      is
7
                             2
             1
      os
             1
       u
[1] "All Endings Included"
   Suffix freq Percent_Trials
        a 44
```

```
39
                             78
1
             17
                             34
8
                             32
        0
             16
5
             9
                             18
       es
             7
10
        s
                             14
3
                             10
       as
              5
6
        i
                              8
7
                              4
              2
       is
9
       os
              1
                              2
11
                              2
        u
[1] "m1SgDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           44
                            88
3
             5
                            10
      as
             1
                             2
1
[1] "m2SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           23
       е
1
            13
                            26
6
            6
                            12
7
       s
             4
                             8
3
      es
             3
                             6
4
       i
             3
                             6
                             2
5
             1
      is
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       е
            23
1
            14
                            28
6
            7
                            14
       0
4
                             8
       i
             4
7
             4
                             8
       s
3
      es
             3
                             6
5
      is
             1
                             2
[1] "m3SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           37
                            74
3
      es
             6
                            12
1
             2
                             4
4
       i
             2
                             4
5
      is
             2
                             4
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
           37
            7
                            14
3
      es
            2
1
                             4
4
       i
            2
                             4
5
             2
                             4
      is
```

```
4
       S
[1] "m4SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           15
5
            15
                            30
       0
1
             9
                            18
7
             5
                            10
       s
3
      es
             3
                             6
4
       i
             3
                             6
6
      os
             1
                             2
8
             1
       u
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
            16
       е
                            32
5
       0
            16
1
            9
                            18
7
             5
                            10
3
            3
                             6
      es
4
             3
                             6
       i
6
      os
             1
                             2
8
       u
             1
                             2
[1] "m5SgDat"
[1] "Endings occuring 10 times or less excluded"
                                    Percent_Trials
[1] Suffix
                    freq
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           34
       е
3
             8
                            16
      es
1
             3
                             6
4
       i
             2
                             4
6
             2
                             4
5
                             2
      is
             1
[1] "fSgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
           43
                            86
4
            36
                            72
       е
5
            7
                            14
      es
3
      as
             6
                            12
                             8
1
             4
6
       i
             2
                             4
8
             2
                             4
       s
      is
             1
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
             44
4
             38
                             76
        е
1
             18
                             36
8
                             30
             15
        0
5
             9
                             18
       es
3
       as
              6
                             12
10
                             12
        s
              6
```

```
6
       i
7
       is
             1
                             2
9
                             2
       os
                             2
11
        u
[1] "f1SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           43
       a
3
      as
            6
                           12
            1
1
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
           44
       a
            6
                           12
3
      as
1
            1
                            2
[1] "f2SgDat"
[1] "Endings occuring 10 times or less excluded"
              freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
       е
           18
1
           15
                           30
6
            5
                           10
       0
7
            5
                           10
       S
3
      es
            3
                            6
4
       i
            3
                            6
5
      is
            1
                            2
[1] "f3SgDat"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
2
       е
           36
3
            7
                           14
      es
                            6
1
            3
       i
            2
4
                            4
6
            2
                            4
       s
      is
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
                           72
2
           36
3
      es
            7
                           14
1
            4
                            8
4
       i
            2
                            4
6
            2
                            4
       s
            1
      is
[1] "f4SgDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
5
           15
2
       е
           14
                           28
            9
                           18
1
```

```
3
                             8
      es
7
             4
                             8
       s
4
             3
                             6
       i
6
             1
                             2
      os
8
       u
[1] "f5SgDat"
[1] "Endings occuring 10 times or less excluded"
                                     Percent_Trials
[1] Suffix
                    freq
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
            34
3
            9
                            18
      es
             4
                             8
1
4
       i
             2
                             4
             2
6
                             4
5
      is
             1
                             2
[1] "nSgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       е
            28
1
            14
                            28
7
             8
                            16
       s
             7
6
                            14
       0
3
             5
                            10
      es
4
       i
             4
                             8
5
      is
             2
                             4
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
            30
       е
                            32
            16
1
6
       0
            14
                            28
8
            9
                            18
3
                            10
             5
      es
4
             4
                             8
       i
5
             2
                             4
      is
                             2
7
      os
             1
9
       u
             1
                             2
[1] "n2SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            23
       е
                            46
1
            10
                            20
6
            7
                            14
       0
       i
             4
7
             4
                             8
       s
3
             2
                             4
      es
5
      is
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       е
            23
                            24
1
            12
6
            7
       0
                            14
4
       i
             4
                             8
```

```
7
                             8
       s
3
             3
                             6
      es
                             2
5
             1
      is
[1] "n3SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
       е
           25
1
                            22
           11
6
       s
            6
                            12
3
             5
                            10
      es
5
             2
      is
                             4
             1
                             2
       i
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           27
                            22
1
            11
6
            7
                            14
       s
3
                            10
      es
5
             2
                             4
      is
                             2
4
             1
       i
[1] "n4SgDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       е
            16
5
            14
                            28
       0
            8
                            16
1
7
             4
                             8
       s
3
             3
      es
                             6
4
       i
             3
                             6
6
             1
                             2
      os
                             2
8
       u
             1
[1] "Abl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2
        a
             50
                            100
5
             50
                            100
                             98
10
             49
        0
1
             30
                             60
8
                             42
       es
             21
12
             17
                             34
        S
3
                             22
       as
             11
11
             5
                             10
       os
7
                              8
              4
       eo
4
              2
                              4
      bos
6
     ebos
              2
9
              2
                              4
        i
13
        u
              1
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
             50
                            100
        a
6
             50
                            100
```

```
12
            49
                            98
        0
1
            33
                            66
9
            21
                            42
       es
14
            18
                           36
        S
4
       as
            12
                            24
8
             6
                           12
       eo
3
             5
                            10
       ao
13
                            10
       os
             5
10
        i
             3
                             6
5
             2
                            4
      bos
7
     ebos
             2
                             2
11
       io
             1
15
                             2
        u
[1] "AblSg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           50
                         100
                         100
3
           50
4
           49
                          98
       0
1
           22
                           44
5
      os
            4
                           8
6
       s
            3
7
            1
       u
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
        a
            50
5
        е
            50
                           100
8
            49
                            98
        0
1
            28
                            56
3
                            10
             5
       ao
9
       os
             4
                             8
6
       ео
             3
                             6
10
             3
                             6
       s
7
                             4
             2
       es
                             2
4
                             2
11
        u
[1] "1SgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
       a 50
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       a
           50
3
            5
                          10
      ao
1
            1
                           2
                            2
4
      as
            1
[1] "2SgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           49
     0
      os
                            2
            1
[1] "All Endings Included"
 Suffix freq Percent_Trials
2 o 49
```

```
18
3
                            2
            1
      os
[1] "3SgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       е
           50
           21
                           42
            3
       S
[1] "All Endings Included"
  Suffix freq Percent_Trials
       е
           50
           21
                           42
1
3
            3
                            6
       s
[1] "4SgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           44
                           88
3
            4
                            8
      os
            1
                            2
1
            1
       u
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           45
       0
1
            6
                           12
3
                            8
      os
       u
                            2
[1] "5SgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
       е
           44
1
            2
      es
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           48
3
            3
                            6
      ео
4
            2
                            4
      es
                            2
[1] "mSgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       е
           50
3
                           98
           49
4
            4
                            8
      os
1
            1
                            2
            1
       u
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
           50
7
                           98
       0
           49
2
           45
                           90
       a
3
            5
                           10
      ao
8
            4
      os
                            8
5
      eo
            3
                            6
1
                            4
```

```
es
9
       u
            1
                           2
[1] "m1SgAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                  Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
       a
           45
3
            5
                          10
      ao
1
            1
                           2
[1] "m2SgAbl"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
           49
      0
      os
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
           49
       0
                           2
2
      os
            1
[1] "m3SgAbl"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
       e 50
[1] "All Endings Included"
  Suffix freq Percent_Trials
           50
[1] "m4SgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
       0
           44
3
      os
            4
                           8
            1
                           2
1
            1
       u
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
       0
           44
3
     os
            4
                           8
1
                           2
                           2
            1
       u
[1] "m5SgAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
              freq
                                  Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
           45
                          90
1
       е
2
            3
                           6
      eo
            2
3
      es
                           4
[1] "fSgAbl"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent Trials
1
       a
           50
2
       е
           50
                         100
```

```
[1] "All Endings Included"
  Suffix freq Percent_Trials
           50
2
4
           50
                         100
       e
6
       0
           45
                          90
1
           11
                          22
7
           3
     os
5
            2
                           4
      es
3
      as
            1
                           2
8
                           2
      u
            1
[1] "f1SgAbl"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
           50
      a
[1] "All Endings Included"
  Suffix freq Percent_Trials
           50
                         100
       a
                           2
2
      as
            1
[1] "f2SgAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                  Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent Trials
2
           40
       0
1
                          18
3
      os
            1
                           2
[1] "f3SgAbl"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
      e 50
[1] "All Endings Included"
 Suffix freq Percent_Trials
       е
                         100
[1] "f4SgAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                  freq
                                  Percent Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
      0
           41
1
            6
                          12
3
            3
                           6
     os
                           2
            1
       u
[1] "f5SgAbl"
[1] "Endings occuring 10 times or less excluded"
                                  Percent_Trials
[1] Suffix
                   freq
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
           48
                          96
       е
3
           2
                           4
      es
                           2
[1] "nSgAbl"
```

```
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           49
3
2
           28
                            56
       е
1
           21
                            42
5
            3
                             6
       S
             1
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
           49
       0
2
       е
           28
                            56
           22
                            44
1
4
             4
                            8
      os
             3
5
                             6
       s
6
             1
                             2
       u
[1] "n2SgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
       0
           49
                            98
                             2
      os
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
           49
                            98
       0
1
      os
             1
                             2
[1] "n3SgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           28
                            56
       е
                            42
           21
1
            3
       S
[1] "All Endings Included"
  Suffix freq Percent_Trials
           28
       е
                            42
1
           21
                             6
3
       s
[1] "n4SgAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           44
                            88
3
             4
                            8
      os
             1
                             2
1
                             2
       u
[1] "Pl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2
        a
             38
                             76
             35
                             70
1
             35
10
                             70
       es
                             68
7
             34
16
        s
             27
                             54
4
       as
             18
                             36
```

```
14
             10
                             20
        0
9
              4
                               8
       eo
15
              3
                               6
       os
6
              2
                               4
      bos
                               4
8
     ebos
              2
12
        i
              2
                               4
                               2
3
              1
       ao
5
                               2
      aso
              1
                               2
11
      eso
              1
                               2
13
       is
              1
                               2
17
        u
              1
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
             38
        a
1
             35
                             70
7
                             70
        е
             35
10
             35
                             70
       es
17
             27
                             54
        s
4
                             44
             22
       as
                             22
15
        0
             11
                               8
9
       ео
              4
12
        i
              3
                               6
16
                               6
              3
       os
6
      bos
              2
                               4
8
                               4
              2
     ebos
3
       ao
              1
                               2
5
      aso
              1
                               2
11
      eso
              1
                               2
                               2
13
       io
                               2
14
       is
              1
                               2
18
        u
              1
[1] "PlNom, Acc"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2
             36
        a
1
             35
                             70
5
       es
             33
                             66
4
             26
                             52
        е
9
                             52
        s
             26
3
                             30
             15
       as
7
        0
              8
                             16
8
                               4
       os
              2
6
       is
              1
                               2
10
        u
              1
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
             36
                             72
         a
                             70
1
             35
5
             33
                             66
       es
4
             27
                             54
        е
9
                             52
             26
        s
3
             18
                             36
       as
7
                             18
        0
              9
8
              2
                               4
       os
```

```
is
              1
10
        u
              1
                              2
[1] "1PlNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
            34
       a
2
      as
            15
                            30
3
             4
                             8
      es
       s
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
       a
            34
3
            17
                            34
      as
4
                             8
             4
      es
5
             2
                             4
       s
                             2
1
             1
[1] "2PlNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
            31
                            36
7
       s
            18
2
       a
            15
                            30
4
            6
                            12
       е
5
      es
             4
                             8
3
             2
                             4
      as
      os
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
            32
7
            20
                            40
       s
2
                            30
       a
            15
4
       е
            7
                            14
5
             5
                            10
      es
3
                             6
             3
      as
                             2
             1
6
      os
[1] "3PlNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
            31
      es
4
            22
                            44
       е
7
                            42
            21
       s
            18
                            36
1
2
            14
                            28
       a
3
             2
                             4
      as
      is
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
      es
            32
4
            22
                            44
       е
7
            22
                            44
       s
                            36
1
            18
2
            16
                            32
3
            2
                             4
      as
6
             1
                             2
      is
```

```
[1] "4PlNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
            22
6
            13
                            26
       s
4
            8
                            16
2
             6
                            12
       е
3
             5
                            10
      es
5
      os
             2
                             4
             1
       u
[1] "All Endings Included"
  Suffix freq Percent_Trials
            23
1
7
                            30
            15
       s
5
            9
                            18
       0
3
             7
       е
                            14
4
             6
                            12
      es
6
             2
                             4
      os
2
                             2
             1
       a
                             2
8
             1
[1] "5PlNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
      es
            15
1
             4
                             8
2
       a
             2
                             4
3
             1
                             2
       е
             1
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
      es
            30
4
       е
            19
                            38
7
            18
                            36
       s
            15
                            30
1
2
                             8
       a
            4
3
             1
                             2
      as
                             2
6
      is
             1
[1] "mPlNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
            34
4
            33
                            66
      es
3
            25
                            50
       е
8
            23
                            46
       s
6
            8
                            16
       0
2
             4
                             8
       a
7
             2
                             4
      os
                             2
5
      is
             1
       u
             1
[1] "All Endings Included"
   Suffix freq Percent_Trials
1
             35
                             70
2
             34
                             68
        a
5
```

es

```
25
                             50
        е
9
             25
                             50
        s
3
                             36
       as
             18
7
              9
                             18
        0
8
       os
              2
                              4
6
       is
                              2
              1
10
        u
[1] "fPlNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
            34
5
            31
                            62
      es
4
            19
                            38
       е
7
                            32
            16
1
            15
                            30
3
      as
            15
                            30
6
      is
             1
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
             34
             33
5
       es
                             66
1
             31
                             62
4
             26
                             52
        е
9
        s
             24
                             48
3
                             30
             15
       as
7
        0
              8
                             16
8
       os
              2
                              4
6
       is
              1
                              2
                              2
10
              1
        u
[1] "nPlNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            26
                            52
1
7
            20
                            40
       s
2
                            36
            18
       a
4
                            16
            8
            7
5
      es
                            14
3
      as
             2
                             4
             1
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
            32
1
8
       s
            22
                            44
2
            18
                            36
       a
4
            11
                            22
       е
5
                            20
            10
      es
6
            8
                            16
       0
3
             3
                             6
7
             2
                             4
      os
             1
                             2
[1] "PlAcc, Abl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
        a 37
                             74
```

```
1
             34
                             68
5
             34
                             68
        е
8
             34
                             68
       es
12
             21
                             42
        s
3
                             32
       as
             16
10
             10
                             20
        0
7
       eo
              4
                              8
                              6
11
              3
       os
4
      bos
              2
                              4
                              4
6
     ebos
              2
9
                              4
        i
              2
13
                              2
        u
              1
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
             37
             35
                             70
1
5
             34
                             68
        е
8
             34
                             68
       es
13
             22
                             44
        s
3
             16
                             32
       as
                             22
11
        0
             11
7
       ео
              4
                              8
9
                              6
        i
              3
                              6
12
       os
              3
4
              2
                              4
      bos
                              4
6
     ebos
              2
                              2
10
       io
              1
14
        u
              1
                              2
[1] "1PlAcc, Abl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2
        a
             36
3
             16
                             32
       as
8
              5
                             10
       es
              2
                              4
1
4
                              4
      bos
              2
11
        s
                              4
5
        е
                              2
6
                              2
     ebos
              1
7
                              2
       ео
              1
9
                              2
        i
              1
10
        0
              1
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
        a
             36
                             72
3
                             32
             16
       as
8
              5
                             10
       es
1
              3
                              6
4
              2
                              4
      bos
5
              2
                              4
11
              2
                              4
        s
                              2
6
     ebos
7
                              2
       ео
              1
                              2
9
        i
```

```
0
              1
[1] "2PlAcc, Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            33
4
            18
                            36
       е
9
            18
                            36
       s
2
                            30
            15
       a
6
      es
             8
                            16
3
             2
                             4
      as
7
       i
             2
                             4
8
             2
                             4
       0
5
             1
      eo
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
            34
4
            18
                            36
       е
9
            18
                            36
2
                            30
            15
       a
6
             9
                            18
      es
3
      as
             3
                             6
7
       i
             2
                             4
8
             2
                             4
       0
5
      eo
                             2
[1] "3PlAcc, Abl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
7
       es
             34
                             62
4
             31
        е
1
             16
                             32
10
             15
                             30
2
        a
             14
                             28
6
              4
                              8
       ео
3
                              4
              2
       as
5
              2
                              4
     ebos
8
                              4
        i
              2
9
[1] "All Endings Included"
   Suffix freq Percent_Trials
7
       es
             34
                             68
4
        е
             31
                             62
             17
                             34
1
10
             17
                             34
        s
2
             16
                             32
        a
6
              4
       ео
3
                              4
              2
       as
5
     ebos
              2
                              4
8
              2
                              4
        i
9
                              2
        0
[1] "4PlAcc, Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            22
1
8
       s
            14
                            28
```

```
11
                            22
       е
6
             8
                            16
       0
4
             5
                            10
      es
3
             3
                             6
      ео
7
             3
                             6
      os
5
       i
             2
                             4
       u
             1
[1] "All Endings Included"
   Suffix freq Percent_Trials
1
             24
                             30
9
        s
             15
3
             13
                             26
        е
5
             9
                             18
       es
7
              9
                             18
4
              3
                              6
       eo
8
                              6
       os
              3
6
        i
              2
                              4
                              2
2
        a
10
                              2
        u
[1] "5PlAcc, Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
      es
            13
3
             8
       е
                            16
1
             2
                             4
                             2
2
       a
             1
5
       s
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
      es
            33
                            56
3
            28
       е
1
             6
                            12
2
             4
                             8
5
             4
                             8
      ео
7
             3
                             6
       i
4
             2
                             4
    ebos
             2
9
                             4
8
      io
             1
                             2
[1] "mPlAcc, Abl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
             33
1
                             66
3
        е
             33
                             66
6
             33
                             66
       es
10
             18
                             36
        s
8
              9
                             18
        0
5
              4
                              8
       eo
2
              3
                              6
        a
9
                              6
       os
              3
4
              2
                              4
     ebos
7
              2
                              4
        i
11
              1
[1] "All Endings Included"
```

Suffix freq Percent_Trials

```
36
                             72
        a
1
             34
                             68
5
             34
                             68
        е
8
             33
                             66
       es
13
        s
             18
                             36
3
             16
                             32
       as
11
        0
             10
                             20
7
                              8
       eo
              4
12
       os
              3
                              6
4
              2
                              4
      bos
6
     ebos
              2
                              4
9
              2
                              4
        i
10
       io
              1
                              2
                              2
14
              1
        u
[1] "fPlAcc, Abl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2
             36
        a
8
             34
                             68
       es
5
             30
                             60
3
                             32
       as
             16
1
              6
                             12
                             10
11
              5
        s
7
       eo
              4
                              8
4
              2
                              4
      bos
6
     ebos
              2
                              4
9
        i
              2
                              4
10
        0
              1
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
             36
                             72
8
       es
             34
                             68
5
             33
                             66
        е
             30
                             60
1
             18
                             36
13
        s
3
                             32
       as
             16
11
        0
              9
                             18
7
       ео
              4
                              8
9
                              6
        i
              3
12
              3
                              6
       os
4
      bos
              2
6
                              4
     ebos
              2
10
       io
              1
                              2
14
                              2
        u
              1
[1] "nPlAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
1
             28
2
             18
                             36
        a
4
             18
                             36
        е
10
                             36
             18
        s
7
                             22
       es
             11
6
                              6
       eo
              3
3
              2
                              4
       as
```

```
5
     ebos
8
             2
                             4
        i
             2
[1] "All Endings Included"
   Suffix freq Percent_Trials
1
            33
                            40
11
        s
            20
4
            19
                            38
        е
2
        a
            18
                            36
7
            12
                            24
       es
9
       0
            10
                            20
3
             3
                             6
       as
6
             3
                             6
       eo
10
                             6
             3
       os
5
     ebos
             2
8
             2
                             4
12
        u
             1
                             2
[1] "PlNom, Acc, Abl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2
            37
        a
                            74
1
            35
                            70
5
            34
                            68
        е
8
                            68
       es
            34
13
            26
                            52
       s
3
       as
            17
                            34
11
       0
            10
                            20
7
       ео
             4
                             8
12
                             6
             3
       os
      bos
4
             2
6
             2
                             4
     ebos
9
        i
             2
                             4
10
       is
14
        u
             1
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
        a
            37
1
            35
                            70
5
            34
                            68
        е
8
                            68
            34
       es
                            52
14
       s
            26
3
            20
                            40
       as
12
        0
            11
                            22
7
             4
                             8
       ео
9
       i
             3
13
                             6
       os
             3
4
      bos
             2
6
     ebos
10
                             2
       io
             1
                             2
11
       is
             1
15
             1
        u
[1] "1PlNom, Acc, Abl"
[1] "Endings occuring 10 times or less excluded"
```

Suffix freq Percent_Trials

```
36
                             72
        a
3
             17
                             34
       as
8
                             10
       es
              5
1
              2
                              4
4
      bos
              2
                              4
11
              2
                              4
        s
5
        е
              1
6
                              2
     ebos
              1
7
       eo
              1
                              2
9
                              2
        i
              1
10
        0
              1
                              2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
             36
        a
3
       as
             19
                             38
8
                             10
       es
              5
1
              3
                              6
11
                              6
        s
4
                              4
              2
      bos
5
                              4
6
                              2
     ebos
              1
7
       eo
9
                              2
        i
              1
10
        0
              1
[1] "2PlNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
1
             33
10
             22
                             44
        s
4
             18
                             36
        е
2
                             30
        a
             15
6
       es
              8
                             16
3
                              4
       as
7
                              4
        i
              2
8
              2
                              4
        0
5
                              2
       eo
              1
       os
[1] "All Endings Included"
   Suffix freq Percent_Trials
             34
1
                             68
             22
10
        s
                             44
4
                             36
        е
             18
2
        a
             15
                             30
6
              9
                             18
       es
3
              3
                              6
       as
7
                              4
              2
        i
8
              2
                              4
        0
                              2
5
              1
9
                              2
       os
[1] "3PlNom, Acc, Abl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
7
       es
             34
4
             31
                             62
```

```
22
                             44
11
        S
1
             19
                             38
2
             14
                             28
        a
6
              4
                               8
       eo
3
       as
              2
                               4
5
              2
                               4
     ebos
8
        i
              2
9
                               2
       is
              1
10
        0
              1
[1] "All Endings Included"
   Suffix freq Percent_Trials
7
             34
       es
4
             31
                             62
        е
             22
                             44
11
1
             19
                             38
2
        a
             16
                             32
6
              4
                               8
       eo
3
                               4
       as
5
                               4
              2
     ebos
8
              2
                               4
9
                               2
       is
              1
10
        0
[1] "4PlNom, Acc, Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
            22
                            44
8
       s
            16
                             32
2
            11
                             22
       е
6
             8
                            16
       0
4
             5
                             10
      es
3
      eo
             3
                             6
7
      os
             3
                             6
5
             2
                             4
       i
9
                             2
             1
       u
[1] "All Endings Included"
   Suffix freq Percent_Trials
1
             24
9
        s
             18
                             36
3
                             26
        е
             13
                             18
5
              9
       es
7
        0
                             18
4
                               6
              3
       eo
8
              3
                               6
       os
6
              2
                               4
         i
                               2
2
              1
        a
                               2
10
        u
              1
[1] "5PlNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
            24
      es
3
             8
                            16
       е
             5
1
                            10
2
             2
                             4
       a
5
             1
                             2
       s
```

```
[1] "All Endings Included"
   Suffix freq Percent_Trials
7
             33
4
             28
                             56
         е
                             36
11
        s
             18
1
             16
                             32
2
              4
                              8
        a
6
                              8
       eo
              4
8
        i
              3
                              6
5
              2
                              4
     ebos
                              2
3
       as
              1
9
                              2
       io
              1
10
                              2
       is
              1
[1] "mPlNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
1
             34
                             68
6
             34
                             68
       es
3
             33
                             66
        е
             24
                             48
11
        s
                             18
9
        0
              9
2
        a
                              8
5
                              8
       eo
              4
10
       os
              3
                              6
                              4
4
              2
     ebos
7
        i
              2
                              4
                              2
8
       is
              1
12
              1
                               2
        u
[1] "All Endings Included"
   Suffix freq Percent_Trials
             36
2
                             72
1
             35
                             70
5
             34
                             68
        е
8
                             68
             34
       es
             25
                             50
14
        s
                             40
3
       as
             20
12
        0
             10
                             20
7
       ео
              4
                              8
13
       os
              3
                              6
4
                              4
      bos
              2
6
     ebos
              2
                              4
9
                              4
         i
              2
10
       io
              1
                              2
       is
                              2
11
              1
15
              1
                              2
        u
[1] "fPlNom, Acc, Abl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2
             36
        a
                             72
8
             34
                             68
       es
5
             30
                             60
        е
3
                             34
       as
             17
                             32
1
             16
12
                             32
             16
```

```
7
       eo
4
                             4
      bos
             2
6
     ebos
9
        i
             2
10
       is
11
             1
        0
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
        a
            36
8
            34
                            68
       es
5
        е
            33
                            66
1
            31
                            62
14
            24
                            48
        s
3
            17
                            34
       as
12
             9
                            18
       0
7
       ео
                             8
9
       i
             3
                             6
13
       os
4
      bos
             2
6
                             4
     ebos
                             2
10
       io
11
       is
15
        u
[1] "nPlNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
1
            30
11
            22
                            44
        s
2
                            36
            18
4
            18
                            36
        е
7
                            22
            11
6
       eo
             3
                             6
3
       as
5
             2
     ebos
8
                             4
9
        0
             2
       os
[1] "All Endings Included"
   Suffix freq Percent_Trials
1
            34
                            68
                            48
11
        s
            24
4
            19
                            38
        е
2
        a
            18
                            36
7
            12
                            24
       es
9
            10
                            20
       0
3
             3
                             6
       as
6
             3
       eo
10
       os
5
             2
                             4
     ebos
8
                             4
12
        u
[1] "PlGen, Dat"
[1] "Endings occuring 10 times or less excluded"
```

Suffix freq Percent_Trials

```
2
             33
                              66
        a
7
             26
                              52
        е
1
             19
                              38
10
             16
                              32
       es
                              28
14
        s
             14
4
             13
                              26
       as
9
       eo
              3
                               6
                               6
13
              3
        0
12
        i
              2
                               4
                               2
3
       ao
              1
5
                               2
      aso
              1
                               2
6
      bos
              1
                               2
8
     ebos
              1
                               2
11
      eso
15
        u
              1
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
             33
        a
7
             29
                              58
        е
                              42
1
             21
                              36
10
       es
             18
14
        s
             16
                              32
4
             14
                              28
       as
13
        0
              4
                               8
9
                               6
              3
       eo
12
        i
              2
                               4
                               2
3
       ao
              1
5
      aso
              1
                               2
6
                               2
      bos
                               2
8
     ebos
                               2
11
      eso
              1
15
        u
              1
                               2
[1] "1PlGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  {\tt Suffix\ freq\ Percent\_Trials}
2
            33
       a
4
      as
            13
                             26
9
       S
             3
                              6
1
                              2
             1
3
             1
                              2
      ao
5
                              2
     aso
             1
6
                              2
     bos
             1
7
       е
             1
                              2
8
             1
       0
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       a
            33
                             66
4
            14
                             28
      as
1
             3
                              6
9
             3
                              6
       s
7
             2
                              4
       е
                              2
3
             1
      ao
5
                              2
     aso
             1
                              2
6
             1
     bos
```

```
[1] "2PlGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            17
4
            17
                             34
       е
9
            12
                            24
       s
6
      es
             8
                             16
2
       a
             4
                             8
8
             3
                              6
       0
7
       i
             2
                              4
3
                              2
             1
      as
5
             1
      eo
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
            19
4
            18
                             36
       е
                            26
9
            13
6
                            20
            10
      es
2
                             8
       a
             4
8
       0
             3
                              6
7
       i
             2
                              4
3
                              2
      as
             1
      eo
                              2
[1] "3PlGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
       е
            23
                             32
            16
1
            14
6
                             28
      es
9
                             22
       s
            11
2
       a
             3
                              6
5
             3
                              6
      ео
7
             2
       i
                              4
             2
8
                              4
4
             1
    ebos
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
       е
            25
                            32
1
            16
                            30
6
            15
      es
9
                             22
       s
            11
2
             3
                              6
       a
5
             3
                              6
      ео
7
       i
             2
                              4
8
             2
                              4
       0
    ebos
             1
                              2
[1] "4PlGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            17
                             34
       е
1
            12
                            24
4
                            20
      es
            10
8
             9
                             18
       s
```

```
3
             3
                             6
      eo
6
             2
                             4
       i
                             2
5
             1
     eso
7
             1
                             2
       0
       u
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
            19
1
            12
                            24
                            24
8
            12
       s
                            20
4
      es
            10
3
             3
                             6
      eo
6
       i
             2
                             4
7
             2
                             4
       0
5
     eso
             1
                             2
9
                             2
       u
             1
[1] "5PlGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
            14
5
             8
                            16
      es
1
             6
                            12
8
             4
                             8
       s
             3
4
      eo
                             6
6
       i
             2
                             4
2
       a
             1
7
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
            22
       е
                            28
6
            14
      es
1
            11
                            22
9
            10
                            20
5
                             6
            3
      eo
7
             2
                             4
       i
2
             1
                             2
       a
4
    ebos
             1
                             2
       0
             1
                             2
[1] "mPlGen,Dat"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
3
             25
        е
                             50
1
             16
                             32
6
             15
                             30
       es
10
             13
                             26
        s
5
                              6
              3
       eo
8
        i
              2
9
              2
                              4
2
                              2
        a
              1
                              2
4
     ebos
              1
7
                              2
      eso
              1
11
              1
        u
[1] "All Endings Included"
```

Suffix freq Percent_Trials

```
2
             33
                             66
        a
7
             29
                             58
        е
                             34
1
             17
10
             15
                             30
       es
14
        s
             14
                             28
4
             13
                             26
       as
9
       eo
              3
                              6
                              6
13
        0
              3
12
        i
              2
                              4
3
                              2
       ao
              1
                              2
5
      aso
              1
6
                              2
      bos
              1
                              2
8
     ebos
              1
                              2
11
      eso
              1
15
              1
                              2
        u
[1] "fPlGen,Dat"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2
             33
        a
7
             24
                             48
                             28
10
       es
             14
1
             13
                             26
4
                             26
             13
       as
13
        s
             11
                             22
                              6
9
              3
       eo
11
        i
              2
                              4
12
        0
              2
                              4
3
              1
                              2
       ao
5
                              2
      aso
              1
6
      bos
                              2
              1
8
     ebos
              1
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
             33
        a
7
             25
                             50
        е
1
             20
                             40
10
       es
             16
                             32
13
        s
             15
                             30
                             28
4
       as
             14
9
              3
                              6
       ео
11
        i
              2
                              4
12
                              4
        0
              2
3
              1
                              2
       ao
5
                              2
      aso
              1
                              2
6
      bos
              1
                              2
8
     ebos
              1
                              2
14
              1
        u
[1] "nPlGen,Dat"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
1
             17
4
                             30
        е
             15
                             20
10
        s
             10
7
              9
                             18
       es
```

```
5
                             10
        a
9
                              6
              3
        0
6
              2
                              4
       eo
8
              2
                              4
        i
3
                              2
       as
              1
5
     ebos
              1
[1] "All Endings Included"
   Suffix freq Percent_Trials
4
        е
             19
1
             18
                             36
7
       es
             12
                             24
                             22
11
             11
        s
2
              5
                             10
        a
6
              3
                              6
       eo
10
              3
                              6
        0
9
        i
              2
                              4
3
              1
                              2
       as
                              2
5
     ebos
8
                              2
      eso
                              2
12
[1] "NomPl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
             35
2
        a
                             70
1
             29
                             58
9
        s
             25
                             50
5
             20
                             40
       es
3
             14
                             28
       as
4
                             16
              8
        е
7
              6
                             12
        0
8
                              4
       os
              2
6
       is
              1
                              2
10
        u
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
             35
        a
                             60
1
             30
9
        s
             25
                             50
5
                             40
       es
             20
3
             17
                             34
       as
4
        е
              8
                             16
7
                             14
        0
              7
8
              2
                              4
       os
6
       is
                              2
              1
10
        u
[1] "1Pl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2
             38
                             76
        a
4
             18
                             36
       as
10
                             10
       es
              5
13
              4
                              8
        s
1
                              4
              2
6
                              4
      bos
```

```
3
       ao
5
                              2
      aso
              1
                              2
7
        е
8
                              2
     ebos
              1
                              2
9
       eo
              1
11
        i
                              2
              1
        0
              1
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
             38
                             76
        a
4
       as
             21
                             42
10
             5
                             10
       es
13
              4
                              8
        s
                              6
1
              3
7
        е
              3
                              6
6
      bos
                              4
3
                              2
       ao
              1
5
                              2
      aso
8
                              2
     ebos
              1
                              2
9
       eo
                              2
11
        i
              1
                              2
12
        0
[1] "1PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
       a
           33
                            66
2
      as
           14
                            28
3
      es
             2
                             4
             1
                             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       a
           33
3
            16
                            32
      as
4
            2
                             4
      es
5
             2
                             4
       s
1
             1
                             2
[1] "2P1"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
             33
1
                             66
10
             23
                             46
        s
4
             21
                             42
        е
2
        a
             15
                             30
6
             12
                             24
       es
3
             3
       as
8
                              6
              3
        0
5
              2
       eo
7
        i
              2
       os
[1] "All Endings Included"
   Suffix freq Percent_Trials
             34
1
                             68
10
             24
                             48
        s
4
             21
                             42
```

```
15
                             30
        a
6
             14
                             28
       es
3
              3
                              6
       as
8
              3
                              6
        0
5
                              4
       eo
              2
7
        i
              2
                              4
9
       os
[1] "2PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
            26
7
            17
                            34
       s
2
            11
                            22
       a
5
                             8
             4
      es
4
             2
                             4
       е
3
      as
             1
6
      os
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
                            38
7
       s
            19
2
       a
            11
                            22
5
             4
                             8
      es
             3
4
       е
                             6
3
                             2
             1
      as
                             2
6
      os
             1
[1] "3P1"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
7
       es
             34
4
             31
                             62
11
        s
             22
                             44
1
             20
                             40
2
                             28
             14
        a
6
                              8
       ео
3
                              4
              2
       as
5
     ebos
8
        i
              2
                              4
10
              2
                              4
        0
9
       is
              1
[1] "All Endings Included"
   Suffix freq Percent_Trials
7
       es
             34
4
             31
                             62
        е
11
             22
                             44
        s
             20
                             40
1
2
             16
                             32
        a
6
                              8
              4
3
              2
                              4
       as
5
              2
                              4
     ebos
8
                              4
              2
        i
                              4
10
              2
9
                              2
       is
[1] "3PlNom"
```

```
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
7
            21
5
            18
                            36
      es
                            34
1
            17
                            22
2
            11
       a
4
                             8
       е
3
                             2
             1
      as
6
      is
[1] "All Endings Included"
  Suffix freq Percent_Trials
7
            22
       s
5
      es
            19
                            38
            17
                            34
1
2
       a
            12
                            24
4
             4
                             8
3
             1
                             2
      as
                             2
6
      is
             1
[1] "4P1"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
             25
2
             19
                             38
        е
9
        s
             16
                             32
4
                             22
             11
       es
7
        0
              8
                             16
3
              4
                              8
       eo
8
              3
                              6
       os
6
                              4
              2
        i
5
                              2
      eso
              1
10
        u
              1
[1] "All Endings Included"
   Suffix freq Percent_Trials
             26
1
3
             23
                             46
        е
10
             20
                             40
        s
5
       es
             13
                             26
8
        0
              9
                             18
                              8
4
       eo
              4
9
              3
                              6
       os
7
        i
                              4
2
                              2
        a
              1
6
      eso
              1
                              2
11
              1
                              2
        u
[1] "4PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
            19
6
            13
                            26
       s
4
             6
                            12
2
             5
                            10
       е
3
             5
                            10
      es
5
             2
                             4
      os
7
             1
                             2
       u
```

```
[1] "All Endings Included"
  Suffix freq Percent_Trials
            20
1
6
            15
                            30
       S
4
             7
                            14
       0
2
             5
                            10
       е
3
      es
             5
                            10
5
             2
                             4
      os
                             2
7
       u
             1
[1] "5P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
      es
            25
3
            22
                            44
       е
1
            11
                            22
9
       s
             8
                            16
5
             3
                             6
      ео
2
             2
                             4
       a
7
             2
                             4
       i
                             2
4
             1
    ebos
8
             1
[1] "All Endings Included"
   Suffix freq Percent_Trials
7
             33
4
             29
                             58
        е
12
        s
             18
                             36
1
             17
                             34
2
        a
              4
                              8
6
                              8
              4
       ео
8
        i
              3
                              6
5
              2
                              4
     ebos
3
       as
              1
                              2
9
                              2
       io
10
                              2
       is
                              2
11
[1] "5PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
            15
      es
6
            13
                            26
       s
            10
                            20
1
2
             2
                             4
       a
3
             1
                             2
       е
      is
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
      es
            18
                            36
7
            18
                            36
       s
1
            15
                            30
2
             3
                             6
       a
4
             2
                             4
       е
                             2
3
      as
             1
6
             1
                             2
      is
[1] "mPl"
```

```
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
6
       es
             35
                             70
1
             34
                             68
3
             34
                             68
        е
12
             25
                             50
        s
10
        0
              9
                             18
2
                             12
        a
              6
5
       eo
              4
                              8
11
              3
                              6
       os
4
     ebos
              2
                              4
8
              2
                              4
        i
7
                              2
      eso
              1
                              2
9
       is
13
        u
              1
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
             38
        a
1
             35
                             70
7
             35
                             70
        е
             35
                             70
10
       es
17
        s
             26
                             52
4
             22
                             44
       as
15
        0
             10
                             20
9
              4
                              8
       eo
16
       os
              3
                              6
6
      bos
              2
                              4
8
     ebos
              2
                              4
                              4
12
              2
        i
3
                              2
       ao
              1
                              2
5
      aso
11
      eso
              1
                              2
13
                              2
       io
14
                              2
       is
              1
                              2
18
[1] "mPlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
            27
8
            22
                            44
       s
                            40
4
      es
            20
3
             7
                            14
       е
6
       0
             6
                            12
2
             4
                             8
       a
             2
7
      os
                             4
5
                             2
      is
             1
9
             1
       u
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
             32
        a
             28
                             56
1
9
                             48
             24
        s
5
                             40
       es
             20
3
             17
                             34
       as
```

```
14
        е
7
             7
                             14
        0
8
                             4
       os
6
       is
                              2
             1
                              2
10
[1] "m1P1"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
             38
                             76
        a
4
             21
                             42
       as
                             10
10
             5
       es
1
             3
                              6
7
             3
                              6
13
             3
                              6
        s
6
                              4
      bos
3
                              2
       ao
             1
                              2
5
      aso
                              2
8
     ebos
             1
9
       eo
                              2
11
        i
             1
12
[1] "m1PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       a
           32
3
      as
           16
                            32
4
            2
                            4
      es
5
            2
                             4
       s
                             2
             1
1
[1] "m2P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
           31
3
           21
                           42
       е
9
       s
           21
                           42
5
                            24
      es
           12
2
            4
                            8
       a
4
            2
                             4
      ео
6
       i
             2
7
             2
       0
             1
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
           33
1
9
           23
                           46
       s
3
           21
                           42
5
                           24
      es
           12
2
            4
                            8
       a
```

```
ео
6
             2
                             4
       i
7
             2
8
             1
                             2
      os
[1] "m2PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            24
1
6
       s
            16
                            32
2
            4
                             8
       a
      es
                             8
3
             2
                             4
       е
5
             1
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
            25
1
6
            18
                            36
       s
                             8
2
            4
       a
4
             4
                             8
      es
3
             2
                             4
                             2
5
      os
             1
[1] "m3P1"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
6
             33
       es
3
        е
             31
                             62
10
        s
             17
                             34
1
             16
                             32
5
                              8
       eo
4
              2
     ebos
7
                              4
2
        a
              1
                              2
8
       is
9
        0
              1
[1] "All Endings Included"
   Suffix freq Percent_Trials
6
       es
             33
3
        е
             31
                             62
             19
                             38
10
        s
                             32
1
             16
5
                              8
       eo
2
                              4
        a
              2
4
     ebos
              2
7
                              4
        i
8
       is
              1
9
        0
[1] "m3PlNom"
[1] "Endings occuring 10 times or less excluded"
  {\tt Suffix\ freq\ Percent\_Trials}
4
            17
      es
6
            17
                            34
       s
                            26
1
            13
3
            3
                             6
       е
2
             1
                             2
```

```
is
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
       s
           19
           17
                           34
4
      es
                           26
1
           13
3
       е
            3
                            6
2
            1
                            2
       a
5
      is
                            2
[1] "m4P1"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
1
            25
2
                            38
             19
9
        s
             16
                            32
                            22
4
       es
             11
7
             8
                            16
       0
3
                             8
       eo
8
                              6
             3
       os
6
             2
                              4
5
      eso
                              2
             1
10
        u
[1] "All Endings Included"
   Suffix freq Percent_Trials
            25
1
2
        е
             21
                            42
9
        s
             17
                            34
4
             11
                            22
       es
7
                            18
       0
3
       ео
8
                              6
       os
             3
6
        i
             2
                              4
5
                              2
      eso
10
                              2
        u
[1] "m4PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
           18
6
           13
                           26
       s
4
            6
                           12
       0
            5
                           10
       е
3
            5
                            10
      es
5
      os
             2
                            4
             1
       u
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
           19
                            38
6
           14
                           28
       s
4
            7
                           14
       0
2
            5
                            10
3
            5
                           10
      es
            2
5
                            4
      os
7
             1
                            2
       u
[1] "m5P1"
```

```
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
   Suffix freq Percent_Trials
7
       es
            31
4
        е
            29
1
            15
                            30
12
        s
            15
                            30
2
             4
                             8
        a
6
       ео
5
             2
                             4
     ebos
8
             2
                             4
        i
3
                             2
       as
9
       io
                             2
             1
                             2
10
       is
11
        0
             1
[1] "m5PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                  freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
      es
           15
7
           15
                           30
       s
1
           13
                           26
2
            3
                            6
       a
4
            2
                            4
       е
                            2
3
            1
      as
6
            1
      is
[1] "fPl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2
            38
        a
            34
                            68
10
       es
            32
                            64
7
        е
1
            19
                            38
4
       as
            18
                            36
14
        s
            18
                            36
9
             4
                             8
       eo
6
      bos
             2
                             4
8
     ebos
             2
11
        i
             2
                             4
13
                             4
        0
             2
3
                             2
       ao
             1
5
                             2
      aso
             1
12
             1
       is
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
            38
        a
7
            34
                            68
        е
10
            34
                            68
       es
1
            32
                            64
```

```
4
             19
                             38
       as
14
              9
                             18
        0
9
              4
                              8
       eo
11
        i
              3
                              6
                              6
15
       os
              3
6
      bos
              2
                              4
8
     ebos
3
                              2
       ao
                              2
5
      aso
              1
                              2
12
       io
              1
                              2
13
       is
                              2
17
        u
[1] "fPlNom"
[1] "Endings occuring 10 times or less excluded"
  {\tt Suffix\ freq\ Percent\_Trials}
2
           33
       a
5
      es
           18
                            36
7
                            32
           16
       s
3
           14
                            28
      as
                            24
1
           12
4
            2
                             4
       е
6
      is
             1
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
             33
        a
1
             27
                             54
9
        s
             24
                             48
5
       es
             20
                             40
3
                             28
             14
       as
4
              6
                             12
        е
7
                             10
        0
              5
8
       os
              2
                              4
6
       is
                              2
10
                              2
        u
[1] "f1P1"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2
        a
             38
4
             18
                             36
       as
                             10
10
              5
       es
13
                              8
        s
                              4
1
              2
6
      bos
              2
                              4
3
                              2
       ao
                              2
5
      aso
              1
7
                              2
                              2
8
     ebos
              1
9
                              2
       eo
11
                              2
        i
              1
12
        0
              1
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
             38
        a
4
       as
             19
                             38
```

```
10
                            10
       es
13
             4
                             8
        S
                             4
1
6
             2
      bos
7
        е
3
                             2
       ao
             1
5
      aso
                             2
8
     ebos
             1
9
       ео
             1
                             2
11
                             2
        i
             1
12
        0
                             2
[1] "f1PlNom"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
1
           33
       a
2
           14
      as
                           28
3
            2
                            4
      es
            1
       s
[1] "All Endings Included"
 Suffix freq Percent_Trials
1
       a
           33
2
      as
           14
                           28
3
            2
                            4
      es
                            2
       s
[1] "f2P1"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                  freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
           30
1
3
       е
           20
                           40
9
           20
                           40
5
           10
                           20
      es
2
                            8
       a
4
            2
                            4
      eo
6
       i
            2
7
       0
            2
                            2
8
      os
            1
[1] "f2PlNom"
[1] "Endings occuring 10 times or less excluded"
                                    Percent_Trials
[1] Suffix
                   freq
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
           23
1
                           46
6
           16
                           32
       s
4
            4
                            8
      es
2
                            6
       a
            3
3
            3
                            6
5
                            2
            1
      os
[1] "f3P1"
[1] "Endings occuring 10 times or less excluded"
```

Suffix freq Percent_Trials

```
6
             34
                             68
       es
3
             31
                             62
        е
10
                             34
        s
             17
1
             16
                             32
5
                              8
       eo
             4
4
             2
                              4
     ebos
7
        i
              2
2
                              2
        a
              1
8
       is
              1
                              2
9
        0
              1
[1] "All Endings Included"
   Suffix freq Percent_Trials
6
       es
             34
3
             31
                             62
        е
10
             18
                             36
        s
1
             16
                             32
5
             4
                              8
       eo
4
                              4
     ebos
7
                              4
             2
        i
2
                              2
        a
8
                              2
       is
              1
                              2
9
        0
[1] "f3PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
      es
           18
                            36
6
       s
           16
                            32
1
           12
                            24
3
            2
                             4
                             2
2
             1
       a
5
      is
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
      es
           19
6
           18
                            36
       s
           12
                            24
1
3
            2
                             4
2
       a
             1
                             2
5
      is
             1
                             2
[1] "f4P1"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                                    Percent_Trials
                    freq
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
   Suffix freq Percent_Trials
             24
                             48
1
3
             20
                             40
        е
9
             16
                             32
        s
5
                             22
       es
             11
7
             8
                             16
4
             4
                              8
       ео
8
                              6
             3
       os
6
                              4
        i
              2
2
                              2
```

```
u
           1
[1] "f4PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                                  Percent_Trials
             freq
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
           19
1
6
       s
           13
                           26
2
            5
                          10
       е
3
      es
            5
                          10
4
            5
                           10
       0
5
            2
                            4
      os
                            2
7
            1
       u
[1] "f5P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           26
6
      es
3
           22
                           44
       е
                           22
1
           11
9
       s
            8
                           16
2
            3
                           6
       a
5
            3
                            6
      eo
7
       i
            2
                            4
4
                            2
            1
    ebos
       0
            1
[1] "All Endings Included"
   Suffix freq Percent_Trials
            33
6
       es
3
            29
                            58
        е
11
            18
                            36
1
            17
                            34
5
                             8
       ео
             4
2
             3
                             6
        a
7
        i
             3
                             6
4
     ebos
             2
                             4
                             2
8
       io
9
       is
             1
                             2
10
        0
[1] "f5PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
      es
           18
                           36
6
           18
                           36
       s
                           30
1
           15
2
                           6
            3
       a
3
                            2
            1
5
                            2
      is
            1
[1] "nPl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
```

```
31
                             62
1
11
             22
                             44
        S
4
             21
                             42
        е
2
             18
                             36
        a
7
                             28
       es
             14
3
              3
                               6
       as
6
              3
                               6
       eo
9
                               6
        0
              3
5
     ebos
              2
                               4
8
              2
                               4
         i
10
       os
              1
                               2
[1] "All Endings Included"
   Suffix freq Percent_Trials
             35
1
4
         е
             25
                             50
             24
                             48
12
        s
2
             18
                             36
        a
7
                             32
       es
             16
10
                             20
             10
        0
6
                               8
       eo
              4
3
       as
              3
                               6
11
       os
5
                               4
     ebos
              2
9
         i
                               4
8
                               2
              1
      eso
                               2
13
        u
[1] "nPlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
            22
7
            19
                             38
       s
2
       a
            14
                            28
5
             6
                             12
      es
4
                             6
             3
       е
             2
3
                             4
      as
             1
6
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
            28
8
                            42
            21
       S
                            30
2
       a
            15
5
             9
                            18
      es
4
             5
                             10
       е
6
             5
                             10
       0
             2
3
                             4
      as
7
             2
                             4
      os
                             2
9
       u
[1] "n2P1"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
             31
1
10
             20
                             40
        S
4
                             34
        е
             17
2
                             30
             15
```

```
6
                             18
       es
3
                              6
       as
             3
8
             3
                              6
       0
7
        i
             2
                              4
                              2
5
       eo
              1
9
       os
              1
[1] "All Endings Included"
   Suffix freq Percent_Trials
             31
1
10
             20
                             40
        s
4
        е
             17
                             34
2
             15
                             30
        a
6
            10
                             20
       es
3
       as
             3
                              6
8
        0
             3
                              6
7
             2
        i
                              4
5
              1
                              2
       ео
9
       os
[1] "n2PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
           21
7
           16
                           32
       s
2
                            22
       a
           11
5
            2
                            4
      es
                             2
3
      as
             1
4
       е
             1
                             2
      os
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
           21
1
7
       s
           16
                            32
2
           11
                            22
5
            2
                            4
      es
                             2
3
      as
4
             1
                             2
       е
                             2
6
      os
             1
[1] "n3P1"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
1
             19
4
             18
                             36
        е
10
        s
             17
                             34
2
             14
                             28
        a
7
             13
                             26
       es
6
                              6
             3
       ео
3
              2
       as
5
     ebos
              2
8
              2
        i
              2
[1] "All Endings Included"
   Suffix freq Percent_Trials
10
        s
            20
1
             19
                             38
```

```
19
                             38
        е
2
                             30
             15
        a
7
       es
             14
                             28
6
              3
                              6
       eo
3
       as
              2
                              4
5
              2
                              4
     ebos
8
        i
9
        0
[1] "n3PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            17
6
       s
1
            13
                            26
2
            11
                            22
       a
5
             6
                            12
      es
             2
4
       е
                             4
3
             1
      as
[1] "All Endings Included"
  Suffix freq Percent_Trials
            18
6
       s
1
            13
                            26
2
            12
                            24
       a
5
             6
                            12
      es
4
       е
             2
                             4
3
             1
                             2
      as
[1] "n4P1"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
   Suffix freq Percent_Trials
1
             26
2
             20
                             40
        е
9
             17
                             34
        S
4
       es
              9
                             18
7
              8
                             16
        0
3
       eo
                              8
8
              3
                              6
       os
6
        i
                              4
5
                              2
      eso
              1
                              2
10
        u
[1] "n4PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
            20
1
6
            14
                            28
       s
4
            5
                            10
2
             4
                             8
       е
3
             4
                             8
      es
             2
5
      os
                             4
7
       u
```

```
[1] "AccPl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
           34
2
           34
                            68
       a
5
           30
                            60
      es
4
           25
                            50
       е
8
           17
                            34
       s
3
      as
           14
                            28
6
            8
                            16
       0
7
      os
             2
                             4
                             2
             1
       u
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
           35
2
                            68
       a
           34
5
           31
                            62
      es
                            52
4
       е
           26
                            36
8
           18
       S
3
                            28
      as
           14
6
       0
            9
                            18
7
      os
             2
                             4
             1
                             2
       u
[1] "1PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
       a
           32
2
      as
           14
                            28
             4
3
                             8
      es
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       a
           32
3
            14
                            28
      as
4
             4
                             8
      es
                             2
[1] "2PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           31
1
2
           15
                            30
       a
                            26
6
           13
4
             4
                             8
3
             2
                             4
      as
             2
      es
[1] "All Endings Included"
  Suffix freq Percent_Trials
           32
                            64
1
                            30
2
           15
6
           13
                            26
       s
4
            6
                            12
5
             4
                             8
      es
             3
                             6
3
      as
[1] "3PlAcc"
[1] "Endings occuring 10 times or less excluded"
```

```
Suffix freq Percent_Trials
           28
5
      es
                           44
4
           22
2
           14
                           28
       a
                           28
6
           14
1
           10
                           20
      as
            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
      es
           29
4
       е
           22
                           44
2
           16
                           32
       a
6
           14
                           28
       s
           11
                           22
1
3
      as
            2
                            4
[1] "4PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
           21
                           42
                            22
6
           11
       s
4
                            16
       0
            8
2
       е
            4
                            8
3
      es
             4
                            8
             2
5
      os
             1
       u
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
           22
7
           12
                           24
       s
5
            9
                           18
       0
3
            5
                            10
       е
4
      es
            5
                            10
6
             2
                            4
      os
2
                            2
             1
       a
                            2
8
[1] "5PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
      es
           24
3
           15
                            30
       е
            3
                            6
1
2
            2
                            4
       a
5
             1
       S
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
           27
      es
                            54
                            38
3
           19
       е
            4
                            8
1
2
             4
                            8
       a
5
             1
                            2
[1] "mPlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
    - 33
```

```
29
                           58
      es
3
           24
                            48
       е
7
           14
                            28
5
            8
                            16
       0
2
            3
                            6
6
             2
                             4
      os
             1
       u
[1] "All Endings Included"
  Suffix freq Percent_Trials
           34
1
2
       a
           32
                            64
5
           30
                           60
      es
4
           24
                           48
       е
3
                           28
           14
      as
8
           14
                           28
       S
6
       0
            9
                            18
7
            2
                            4
      os
                             2
9
             1
       u
[1] "m1PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       a
           32
3
      as
           14
                            28
4
      es
            4
                            8
1
                             2
[1] "m2PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
           29
5
           13
                            26
3
            4
                            8
       е
2
             3
                             6
            2
4
      es
[1] "All Endings Included"
  Suffix freq Percent_Trials
           30
1
                           26
5
           13
       s
3
            4
                            8
2
            3
                             6
       a
                             4
      es
[1] "m3PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
           27
                            54
                            42
2
           21
1
             4
                            8
            2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
           28
                           56
      es
3
           21
                           42
       е
```

```
8
5
             2
                             4
                             2
2
             1
[1] "m4PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            21
6
                            22
       s
            11
4
       0
             8
                            16
2
             4
                             8
       е
3
      es
                             8
5
             2
                             4
      os
7
             1
       u
[1] "All Endings Included"
  Suffix freq Percent_Trials
            21
1
6
            11
                            22
       s
4
            9
                            18
2
             4
                             8
       е
3
             4
                             8
      es
             2
5
      os
                             4
7
       u
             1
                             2
[1] "m5PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                                    Percent_Trials
                    freq
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
      es
            25
3
            18
                            36
       е
            3
                             6
1
2
       a
             3
                             6
5
             1
                             2
[1] "fPlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
            32
5
      es
            28
                            56
4
            19
                            38
       е
                            28
3
            14
      as
1
             3
                             6
6
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
            32
       a
5
            31
                            62
      es
1
            29
                            58
            25
                            50
4
3
            14
                            28
      as
8
            13
                            26
       s
6
                            16
             8
       0
             2
7
                             4
      os
9
                             2
       u
             1
[1] "f1PlAcc"
```

```
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           32
1
                           64
2
           14
                           28
      as
      es
            4
                            8
[1] "All Endings Included"
  Suffix freq Percent_Trials
           32
1
       a
2
      as
           14
                           28
3
            4
                            8
      es
[1] "f2PlAcc"
[1] "Endings occuring 10 times or less excluded"
                  freq
[1] Suffix
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
           26
                           52
1
5
           12
                           24
                           10
3
            5
       е
            4
                            8
4
      es
2
       a
            3
                            6
[1] "f3PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent Trials
3
      es
           28
2
       е
           19
                           38
1
            3
                            6
            2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
           29
3
      es
2
       е
           20
                           40
            3
                            6
1
            2
4
                            4
       s
[1] "f4PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
           18
7
           11
                           22
       S
5
            8
                           16
       0
3
            5
                           10
       е
4
            5
                           10
      es
            2
6
                            4
      os
2
            1
                            2
       a
8
            1
                            2
[1] "f5PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
```

```
4
           27
                            54
      es
3
            18
                            36
       е
                             8
1
            4
2
             3
                             6
       a
5
                             2
[1] "nPlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
            22
2
            18
                            36
       a
                            30
6
       s
           15
4
            7
                            14
5
             6
                            12
      es
             2
3
      as
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
           30
                            36
2
           18
8
           16
                            32
       s
                            20
4
           10
5
                            16
      es
            8
6
       0
             8
                            16
3
             3
                             6
      as
7
             2
      os
                             4
9
             1
                             2
       u
[1] "n2PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           20
1
2
           15
                            30
       a
                            22
6
       s
            11
3
      as
             2
                             4
4
             1
                             2
       е
5
             1
      es
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
           22
2
       a
           15
                            30
6
            12
                            24
                             6
3
            3
      as
                             2
4
       е
             1
5
             1
                             2
      es
[1] "n3PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           14
       a
6
            13
                            26
       s
1
            9
                            18
4
             6
                            12
       е
5
             6
                            12
      es
             2
      as
[1] "All Endings Included"
  Suffix freq Percent_Trials
       a 15
```

```
6
           13
                           26
1
           10
                           20
4
            8
                           16
5
            6
                           12
      es
3
                            4
      as
[1] "n4PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
           22
1
6
           11
                           22
       s
4
            8
                           16
2
       е
            3
                            6
3
            3
      es
                            6
5
      os
            2
                            4
7
                            2
            1
       u
[1] "GenPl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
        a
            33
7
            20
                            40
            19
                            38
1
                            26
10
            13
       es
14
       s
            13
                            26
4
       as
             8
                            16
9
       ео
             3
                             6
                             6
13
       0
12
       i
             2
3
                             2
       ao
5
      aso
             1
                             2
6
      bos
                             2
8
                             2
     ebos
             1
                             2
11
      eso
             1
15
        u
             1
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
            33
        a
7
            22
                            44
        е
                            42
1
            21
14
            16
                            32
        s
10
       es
            15
                            30
4
       as
            10
                            20
13
       0
9
                             6
             3
       ео
      i
12
             2
                             4
                             2
3
5
                             2
      aso
             1
                             2
6
      bos
8
                             2
     ebos
             1
                             2
11
      eso
15
        u
```

[1] "1PlGen"

```
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            33
                             66
4
             8
                             16
      as
9
             3
                             6
       s
1
             1
                             2
3
      ao
             1
                              2
5
                              2
     aso
             1
6
     bos
             1
                              2
7
             1
                              2
       е
8
       0
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
            33
       a
4
      as
            10
                             20
                             6
1
             3
9
             3
                              6
       s
7
             2
                              4
       е
3
                              2
             1
      ao
                              2
5
     aso
             1
                              2
6
     bos
             1
8
       0
                              2
[1] "2PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
            17
3
       е
            17
                             34
8
       s
            12
                             24
5
             8
                            16
      es
2
             3
                              6
       a
7
             3
                              6
       0
6
       i
             2
                              4
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
            19
1
4
            17
                            34
9
       S
            12
                            24
6
      es
             9
                             18
2
             3
                              6
       a
8
             3
                              6
       0
7
             2
                              4
       i
3
      as
             1
                              2
5
             1
                              2
      ео
[1] "3PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
            17
       е
            14
                            28
1
                             22
6
            11
      es
9
                             18
             9
       s
2
             3
                             6
       a
5
             3
                             6
      eo
7
       i
             2
                              4
```

```
8
             2
       0
4
    ebos
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
            17
       е
                            30
1
            15
                            22
6
      es
            11
9
                            22
       s
            11
2
       a
             3
                             6
5
             3
                             6
      ео
7
             2
       i
                             4
8
             2
                             4
       0
4
    ebos
             1
                             2
[1] "4PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            16
                            32
            10
                            20
4
      es
1
             9
                            18
8
             8
                            16
       s
3
             2
      ео
                             4
6
       i
             2
                             4
5
             1
                             2
     eso
7
       0
             1
9
             1
       u
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       е
            17
8
            12
                            24
       s
1
            10
                            20
                            20
4
      es
            10
3
      ео
             3
                             6
6
             2
                             4
       i
7
             2
                             4
       0
                             2
5
             1
     eso
9
             1
                             2
       u
[1] "5PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
            14
       е
                            28
6
                            18
      es
             9
1
             7
                            14
9
             7
                            14
       s
5
             3
                             6
      ео
7
       i
             2
                             4
2
                             2
             1
       a
4
    ebos
             1
                             2
8
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
            16
                            32
       е
                            22
1
            11
6
                            22
      es
            11
9
            10
                            20
       S
```

```
5
    eo 3
                         6
7
    i
           2
                         4
2
         1
4 ebos
           1
                         2
8
[1] "mPlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       е
           19
1
           14
                         28
5
      es
           12
                         24
9
           12
                         24
      S
4
           3
     eo
7
          2
      i
8
            2
      0
3
   ebos
6
     eso
            1
10
       u
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       a
           31
7
       е
           21
                         42
1
           15
                         30
                         28
14
           14
10
          12
                         24
      es
4
      as
                         18
9
      eo
          3
                          6
13
           3
      0
12
      i
          2
3
     ao
          1
                          2
5
     aso
            1
6
     bos
            1
                          2
8
   ebos
                         2
                          2
11 eso
            1
15
[1] "m1PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                 freq
                               Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
                        60
      a 30
4
     as
           9
                        18
1
           3
                         6
9
           3
      S
7
           2
                         4
      е
3
           1
                         2
     ao
                         2
5
           1
    aso
6
           1
    bos
                         2
8
[1] "m2PlGen"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
  e 17
```

```
12
                            24
       s
1
            11
                             22
4
             8
                             16
      es
5
       i
             2
                             4
6
             2
                             4
3
      ео
             1
                             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
       е
            17
8
            12
                            24
       s
                            22
1
            11
5
             8
                             16
      es
6
       i
             2
                             4
7
             2
                             4
2
       a
             1
                             2
                             2
4
      ео
             1
[1] "m3PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            17
5
            10
                            20
      es
1
             9
                            18
8
             8
                             16
       s
4
      eo
             3
                             6
6
             2
                             4
       i
3
    ebos
             1
                             2
7
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
            17
       е
5
                             20
      es
            10
1
             9
                             18
8
             9
                             18
4
             3
                             6
      eo
             2
6
                             4
3
             1
                             2
    ebos
             1
                             2
7
       0
[1] "m4PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       е
            16
4
            10
                            20
      es
1
             9
                             18
8
             8
                             16
       s
3
             2
                             4
      eo
6
             2
                             4
       i
5
             1
                             2
     eso
7
                             2
             1
       u
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
            16
                            32
1
            10
                            20
4
            10
                             20
      es
```

```
8
            10
                            20
       s
3
            3
                             6
      eo
6
             2
                             4
       i
7
             2
                             4
       0
5
             1
                             2
     eso
9
             1
                             2
       u
[1] "m5PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
            16
       е
                            20
6
            10
      es
1
            9
                            18
9
             7
       s
                            14
5
             3
                             6
      ео
7
             2
                             4
       i
2
                             2
             1
       a
                             2
4
             1
    ebos
                             2
8
             1
[1] "fPlGen"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2
             33
        a
7
        е
             18
                             36
                             22
10
       es
             11
1
             10
                             20
13
              9
                             18
        s
4
              8
                             16
       as
9
                              6
       eo
              3
11
       i
              2
                              4
12
                              4
3
                              2
       ao
              1
                              2
5
      aso
              1
6
      bos
                              2
              1
     ebos
              1
[1] "All Endings Included"
   Suffix freq Percent_Trials
             33
2
                             66
        a
7
             20
                             40
        е
1
             19
                             38
13
        s
             15
                             30
10
             13
                             26
       es
4
             10
                             20
       as
9
                              6
              3
       ео
11
        i
              2
                              4
12
                              4
              2
3
                              2
       ao
              1
                              2
5
      aso
6
                              2
      bos
              1
                              2
8
     ebos
14
                              2
        u
```

[1] "f1PlGen"

```
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            33
                            66
4
             8
                            16
      as
9
             3
                             6
       s
1
             1
                             2
3
      ao
             1
                             2
5
                             2
             1
     aso
6
     bos
             1
                             2
7
             1
                             2
       е
8
       0
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
            33
       a
4
      as
            10
                            20
9
                             6
       s
             3
1
             2
                             4
                             2
3
             1
      ao
5
                             2
             1
     aso
                             2
6
     bos
             1
7
       е
             1
                             2
8
       0
             1
                             2
[1] "f2PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                     Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       е
            14
1
            13
                            26
7
                            24
            12
       s
4
      es
             6
                            12
5
             2
                             4
       i
6
             2
                             4
       0
                             2
3
             1
      eo
[1] "f3PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       е
            16
                            22
5
            11
      es
1
             9
                            18
8
             8
                            16
       s
4
             3
                             6
      eo
6
             2
                             4
       i
                             2
3
    ebos
             1
             1
       0
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
            17
                            34
       е
                            22
5
            11
      es
8
            10
                            20
       s
1
             9
                            18
4
             3
                             6
      eo
6
       i
             2
                             4
```

```
ebos
7
                            2
       0
            1
[1] "f4PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       е
           16
7
           11
                           22
       s
1
            9
                           18
4
            8
                           16
      es
3
            3
                            6
      eo
5
            2
                            4
       i
6
            1
                            2
       0
                            2
8
       u
            1
[1] "f5PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
           14
                           28
       е
1
           11
                           22
6
                           22
           11
      es
9
       s
           10
                           20
5
            3
                            6
      eo
7
       i
            2
                            4
2
                            2
            1
       a
            1
                            2
    ebos
                            2
8
[1] "nPlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           17
3
                           26
           13
       е
9
       s
           10
                           20
6
            8
                           16
      es
2
       a
            3
                            6
8
            3
                            6
       0
5
            2
      eo
7
            2
       i
                            4
4
    ebos
            1
[1] "All Endings Included"
   Suffix freq Percent_Trials
4
            19
        е
1
            18
                            36
7
            11
                            22
                            22
11
        S
            11
2
             4
                             8
        a
6
             3
                             6
       ео
10
             3
9
                             4
        i
             2
```

as

```
5
     ebos
8
      eso
                              2
              1
                              2
12
[1] "n2PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            17
3
            12
                            24
       е
7
       s
            10
                            20
4
            5
                            10
      es
6
       0
             3
                             6
2
             2
                             4
       a
5
             2
       i
[1] "All Endings Included"
  Suffix freq Percent_Trials
            17
1
4
            12
                            24
       е
                            20
8
            10
5
                            12
             6
      es
2
             3
                             6
7
                             6
       0
             3
6
       i
             2
                             4
3
             1
                             2
      as
[1] "n3PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
            14
3
            11
                            22
       е
6
             8
                            16
      es
9
             8
                            16
       s
2
       a
             3
                             6
5
      eo
             2
                             4
7
             2
       i
8
             2
             1
    ebos
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
            15
3
            13
                            26
       е
6
             8
                            16
      es
9
       s
             8
                            16
2
                             6
             3
       a
5
             2
                             4
      eo
7
             2
                             4
       i
8
       0
             2
                             2
    ebos
             1
[1] "n4PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                                     {\tt Percent\_Trials}
                    freq
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
            17
                            34
       е
            10
                            20
```

```
4
                            18
      es
8
             9
                            18
       s
             3
3
                             6
      eo
6
       i
             2
                             4
5
                             2
     eso
             1
7
             1
                             2
       0
                             2
9
       u
[1] "DatPl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2
        a
             32
6
             26
                             52
        е
1
             18
                             36
                             28
8
             14
       es
4
             13
                             26
       as
                             22
11
        S
             11
7
             3
                              6
       eo
10
             3
                              6
        0
9
                              4
        i
             2
3
                              2
       ao
5
                              2
      aso
              1
        u
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
             32
        a
6
        е
             28
                             56
1
             19
                             38
8
       es
             15
                             30
                             28
11
             14
        S
4
             13
                             26
       as
7
                              6
             3
10
        0
             3
                              6
9
        i
                              4
3
                              2
       ao
              1
                              2
5
      aso
12
                              2
        u
[1] "1PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           32
2
                            64
           13
                            26
4
      as
1
             1
                             2
3
             1
                             2
      ao
5
             1
                             2
     aso
                             2
6
             1
       е
7
             1
       0
             1
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
           32
4
           13
                            26
      as
1
            2
                             4
8
            2
                             4
       s
3
             1
                             2
      ao
```

```
5
     aso
6
             1
                              2
       е
                              2
7
             1
[1] "2PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            17
4
            16
                             32
       е
9
       s
            10
                             20
6
             6
                             12
      es
2
       a
             4
                             8
8
             3
                              6
       0
7
       i
             2
                              4
                              2
3
             1
      as
5
      ео
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
            18
4
            18
                            36
       е
9
                            24
            12
                             16
6
      es
             8
2
       a
             4
                             8
8
             3
                              6
       0
7
             2
       i
                              4
3
                              2
             1
      as
5
      eo
                              2
[1] "3PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
            23
       е
            16
                             32
1
5
      es
            13
                            26
8
             9
                             18
       s
2
                             6
             3
       a
4
             3
                              6
      eo
6
             2
                              4
       i
       0
             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
            25
                            50
       е
                            32
1
            16
5
            15
                            30
      es
8
       s
            10
                             20
2
             3
                             6
       a
4
             3
                              6
      eo
6
             2
       i
                              4
             2
       0
[1] "4PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            17
                             34
       е
                            22
1
            11
4
                            16
      es
             8
7
             8
                             16
       s
```

```
3
                             6
      eo
5
             2
                             4
       i
6
             1
8
             1
       u
[1] "All Endings Included"
  Suffix freq Percent_Trials
       е
            18
            11
                            22
1
7
       s
            10
                            20
4
            8
                            16
      es
3
      eo
             3
                             6
5
             2
                             4
       i
6
             1
                             2
       0
                             2
8
       u
[1] "5PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
            20
       е
5
                            22
            11
      es
1
             5
                            10
8
             4
       s
                             8
4
      eo
             3
                             6
6
       i
             2
2
       a
             1
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
       е
            22
5
            12
                            24
      es
1
             7
                            14
8
                            10
       s
             5
4
      ео
             3
                             6
6
             2
                             4
       i
2
                             2
             1
       a
                             2
7
[1] "mPlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
            25
       е
            14
                            28
1
5
                            26
      es
            13
8
            10
                            20
       s
4
             3
                             6
      eo
6
       i
             2
                             4
7
       0
             2
                             4
2
                             2
             1
       a
9
             1
       u
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
             32
6
             28
                             56
        е
                             30
1
             15
8
                             26
       es
             13
4
             12
                             24
       as
```

```
11
             12
                             24
        S
7
             3
                              6
       eo
9
              2
                              4
        i
10
                              4
              2
        0
3
                              2
       ao
5
      aso
                              2
              1
        u
[1] "m1PlDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           32
       a
4
      as
            12
                            24
             2
1
                             4
8
             2
                             4
       s
                             2
3
      ao
             1
5
                             2
             1
     aso
                             2
6
                             2
7
       0
             1
[1] "m2P1Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
           16
       е
1
            14
                            28
8
       s
           10
                            20
5
             6
                            12
      es
6
             2
                             4
       i
             2
       0
2
             1
      ео
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
       е
            17
            14
                            28
1
8
       s
            12
                            24
5
      es
            8
                            16
             2
6
       i
                             4
7
             2
                             4
                             2
2
4
                             2
      eo
[1] "m3PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           23
       е
4
            12
                            24
      es
1
            7
                            14
7
             4
                             8
       s
3
             3
                             6
      ео
5
             2
                             4
       i
             1
       0
[1] "All Endings Included"
```

Suffix freq Percent_Trials

```
25
                            50
       е
4
            13
                            26
      es
            7
                            14
1
7
             5
                            10
       S
3
             3
      ео
                             6
5
       i
             2
                             4
                             2
6
       0
[1] "m4PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       е
            17
1
            11
                            22
4
             8
                            16
      es
7
             8
                            16
       s
3
      ео
             3
                             6
5
             2
       i
                             4
6
             1
                             2
       0
8
       u
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       е
            18
1
            11
                            22
7
             9
                            18
       s
4
      es
             8
                            16
3
             3
                             6
      eo
5
       i
             2
                             4
6
             1
                             2
8
             1
       u
[1] "m5PlDat"
[1] "Endings occuring 10 times or less excluded"
                    freq
[1] Suffix
                                     Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
            22
5
            12
                            24
      es
1
             5
                            10
8
       s
             4
                             8
             3
4
      ео
                             6
6
       i
             2
                             4
                             2
2
       a
7
                             2
             1
[1] "fPlDat"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2
             32
        a
6
             22
                             44
        е
                             26
4
             13
       as
8
             13
                             26
       es
              8
                             16
1
                             10
11
              5
        s
7
              3
                              6
       eo
9
                              4
        i
              2
10
                              4
```

```
ao
              1
              1
5
      aso
[1] "All Endings Included"
   Suffix freq Percent_Trials
             32
6
             25
                             50
        е
             17
                             34
8
             15
                             30
       es
4
       as
             13
                             26
11
             13
                             26
       s
7
       ео
             3
9
             2
                              4
        i
10
             2
                              4
        0
                              2
3
       ao
5
      aso
                              2
              1
12
        u
[1] "f1PlDat"
[1] "Endings occuring 10 times or less excluded"
  {\tt Suffix\ freq\ Percent\_Trials}
2
           32
       a
4
      as
           13
                            26
1
            1
                             2
3
                             2
             1
      ao
5
     aso
6
                             2
             1
       е
7
       0
             1
8
       s
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           32
       a
                            26
4
      as
            13
1
            1
                             2
3
                             2
      ao
5
                             2
     aso
             1
                             2
6
       е
7
                             2
             1
       0
8
       s
             1
[1] "f2PlDat"
[1] "Endings occuring 10 times or less excluded"
                    freq
[1] Suffix
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
                            30
       е
           15
1
           13
                            26
8
                            20
           10
       s
5
            6
                            12
      es
6
       i
             2
                             4
7
                             4
       0
             2
2
             1
                             2
                             2
             1
      eo
[1] "f3PlDat"
[1] "Endings occuring 10 times or less excluded"
```

Suffix freq Percent_Trials

```
21
                            42
       е
4
            13
                            26
      es
                            14
1
            7
7
             4
                             8
       S
             3
3
      eo
                             6
5
       i
             2
                             4
       0
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
            22
4
      es
            14
1
            7
                            14
7
             6
                            12
       S
3
             3
                             6
      eo
5
       i
             2
                             4
                             2
6
       0
             1
[1] "f4PlDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
            17
       е
1
            10
                            20
7
            9
                            18
       S
4
      es
             7
                            14
3
      eo
             3
                             6
5
       i
             2
                             4
                             2
6
             1
8
             1
       u
[1] "f5PlDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
            21
                            42
5
      es
            12
                            24
            7
1
                            14
8
             5
                            10
       s
4
             3
                             6
      eo
6
             2
                             4
       i
2
             1
                             2
       a
7
                             2
       0
[1] "nPlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            15
1
4
            15
                            30
       е
9
            10
                            20
6
            8
                            16
      es
2
            5
                            10
8
                             6
       0
             3
5
             2
                             4
      eo
```

```
i
             2
3
             1
      as
[1] "All Endings Included"
   Suffix freq Percent_Trials
4
        е
             18
1
             15
                             30
6
       es
             10
                             20
9
                             20
             10
        s
2
        a
              5
                             10
5
              3
                              6
       eo
8
        0
              3
                              6
7
        i
              2
                              4
3
                              2
       as
              1
                              2
10
        u
[1] "n2PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            15
1
4
            13
                            26
       е
8
                            20
            10
5
                            10
      es
             5
2
       a
             4
                             8
7
             3
                             6
       0
             2
6
       i
             1
3
      as
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
            15
4
            13
                            26
       е
8
            10
                            20
       s
5
      es
             5
                            10
2
       a
             4
                             8
7
             3
                             6
       0
6
             2
       i
                             4
                             2
3
      as
[1] "n3PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
            15
3
            12
                            24
       е
                            16
8
       s
             8
5
             7
                            14
      es
2
       a
             3
                             6
4
             2
                             4
      ео
             2
       i
7
             2
       0
[1] "All Endings Included"
  Suffix freq Percent_Trials
            15
1
                            28
3
            14
       е
5
                            16
             8
      es
8
             8
                            16
       s
2
             3
                             6
       a
4
             2
                             4
      eo
```

```
i
7
            2
       0
[1] "n4PlDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       е
           17
1
           11
                           22
4
            8
                           16
      es
7
                           16
            8
       s
3
            3
                            6
      eo
            2
5
                            4
       i
6
            1
                            2
       0
                            2
8
       u
[1] "AblPl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2
            31
        a
            25
5
        е
                            50
8
       es
            21
                            42
            17
                            34
1
12
        s
            17
                            34
3
                            22
       as
            11
10
       0
             5
                            10
7
       ео
             4
                             8
4
      bos
             2
                             4
6
     ebos
             2
9
             2
        i
11
       os
             2
13
        u
             1
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
            31
        a
5
            26
                            52
        е
8
       es
            21
                            42
1
            18
                            36
13
        s
            18
                            36
3
                            22
            11
       as
11
       0
             5
                            10
7
                             8
             4
       eo
9
        i
             3
                             6
4
             2
      bos
6
     ebos
             2
12
             2
       os
10
             1
                             2
       io
                             2
14
[1] "1PlAbl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2
            31
        a
3
                            22
       as
            11
1
             2
                             4
```

```
bos
4
11
                              4
              2
        s
5
        е
6
                              2
     ebos
                              2
7
       eo
              1
8
                              2
       es
              1
9
        i
              1
10
        0
              1
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
        a
             31
3
                             22
       as
             11
1
              2
                              4
4
              2
      bos
5
              2
        е
11
        s
6
     ebos
                              2
              1
7
                              2
       eo
8
                              2
       es
                              2
9
10
        0
[1] "2PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
           17
       е
8
       S
           15
                            30
1
           14
                            28
5
            8
                            16
      es
2
             2
                             4
       a
6
       i
             2
7
             2
       0
4
      ео
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
           17
       е
1
           15
                            30
                            30
8
       s
           15
5
      es
            9
                            18
2
             2
       a
                             4
6
             2
       i
                             4
7
4
      eo
[1] "3PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
           21
       е
6
           21
                            42
      es
                            26
1
            13
9
            9
                            18
       s
5
             4
                             8
      ео
2
             2
                             4
       a
4
             2
    ebos
7
             2
       i
8
```

```
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
           21
6
           21
                            42
      es
                            26
1
           13
                            22
9
           11
       s
5
      eo
            4
                             8
2
             3
                             6
       a
4
    ebos
             2
                             4
7
             2
                             4
       i
8
       0
             1
[1] "4PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
           12
8
           12
                            24
       s
2
       е
           10
                            20
4
            5
                            10
      es
3
            3
                             6
      eo
             3
6
                             6
       0
5
       i
             2
                             4
7
      os
             2
             1
       u
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
           13
8
       s
           13
                            26
2
       е
           11
                            22
4
                            18
            9
      es
3
             3
                             6
      eo
6
             3
                             6
       0
5
       i
             2
                             4
7
             2
                             4
      os
9
                             2
       u
             1
[1] "5PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           18
6
      es
                            36
3
           17
                            34
       е
5
                             6
            3
      eo
             2
1
                             4
4
             2
                             4
    ebos
7
       i
             2
                             4
2
             1
                             2
       a
       s
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
            19
6
           19
                            38
      es
1
            4
                             8
5
             4
                             8
      eo
7
            3
       i
                             6
4
             2
    ebos
                             4
             2
9
       s
```

```
a
            1
8
                            2
      io
            1
[1] "mPlAbl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2
        е
            23
5
       es
             20
                            40
9
                            30
        s
             15
1
             13
                            26
4
                              8
       ео
             4
7
        0
3
             2
                              4
     ebos
6
             2
                              4
        i
8
             2
       os
10
             1
        u
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
             31
        a
5
             26
                            52
        е
8
             20
                            40
       es
13
        s
             16
                            32
1
             14
                            28
3
                            22
             11
       as
7
       ео
                              8
                              8
11
       0
             4
4
      bos
             2
6
     ebos
             2
                              4
9
        i
             2
                              4
                              4
12
             2
       os
10
                              2
       io
             1
                              2
14
        u
[1] "m1PlAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                                    Percent_Trials
                   freq
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
        a
            31
3
                            22
       as
             11
4
      bos
             2
                              4
5
             2
        е
                              2
1
             1
6
     ebos
                              2
             1
7
                              2
       eo
             1
8
                              2
       es
             1
9
                              2
        i
             1
10
                              2
        0
             1
                              2
11
[1] "m2PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           16
                           32
7
           14
       s
                           28
1
           11
                           22
```

```
4
             7
                            14
      es
5
             2
                             4
       i
                             2
3
             1
      eo
6
             1
                             2
       0
[1] "All Endings Included"
  Suffix freq Percent_Trials
       е
            17
7
            15
                            30
       s
1
            12
                            24
4
            7
                            14
      es
5
       i
             2
                             4
3
                             2
      eo
             1
6
             1
                             2
       0
[1] "m3PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
      es
            20
                            40
                            38
2
            19
       е
4
             4
                             8
      ео
             2
1
                             4
3
             2
    ebos
                             4
6
       i
             2
7
             2
       S
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       е
            20
5
      es
            20
                            40
4
      ео
             4
                             8
             2
1
                             4
3
    ebos
             2
             2
6
       i
                             4
7
       s
             2
                             4
[1] "m4PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            12
1
8
            12
                            24
2
       е
            10
                            20
4
                            10
      es
             5
3
             3
                             6
      ео
6
       0
             3
5
             2
                             4
       i
7
      os
             2
                             4
             1
       u
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
            12
                            24
8
            12
                            24
       s
2
            11
                            22
       е
4
             5
                            10
      es
3
             3
                             6
      ео
6
             3
                             6
       0
5
       i
             2
                             4
7
             2
      os
```

```
2
      u 1
[1] "m5PlAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix freq
                                 Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
           19
6
      es
3
       е
           18
                          36
5
            3
                           6
      eo
1
            2
                           4
4
            2
                           4
    ebos
7
            2
                           4
       i
            2
9
2
            1
                           2
       a
8
      io
            1
[1] "fPlAbl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2
            31
        a
5
        е
            21
                           42
8
       es
            20
                           40
3
                           22
            11
       as
1
             4
7
                            8
       eo
             4
11
       s
             4
                            8
4
      bos
             2
                            4
6
     ebos
             2
                            4
9
        i
             2
10
        0
             1
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
            31
        a
5
            23
                           46
        е
8
            20
                           40
       es
1
            17
                           34
13
       s
            15
                           30
3
       as
            11
                           22
7
                            8
       eo
             4
                            8
11
             4
       0
9
       i
4
                            4
      bos
             2
6
     ebos
             2
                            4
12
                            4
       os
             2
10
       io
                            2
             1
                            2
14
        u
[1] "f1PlAbl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2
            31
        a
3
                           22
            11
       as
1
             2
                            4
4
      bos
             2
11
      S
```

```
5
       е
6
                             2
     ebos
7
                             2
       eo
8
                             2
       es
             1
9
                             2
             1
10
             1
        0
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
        a
            31
3
            11
                            22
       as
1
4
             2
      bos
5
             2
        е
11
       S
6
                             2
     ebos
             1
7
                             2
       ео
8
                             2
       es
             1
                             2
9
        i
10
        0
[1] "f2PlAbl"
[1] "Endings occuring 10 times or less excluded"
                   freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       е
           15
7
       s
           14
                           28
1
           10
                           20
4
            7
                           14
      es
5
            2
                            4
       i
                            2
3
      eo
            1
6
       0
            1
                            2
[1] "f3PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           20
       е
5
      es
           20
                           40
4
      ео
            4
                            8
1
                            4
3
            2
                            4
    ebos
            2
6
       i
7
            2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           20
       е
5
                           40
           20
      es
4
            4
                            8
      eo
1
            2
                            4
3
            2
   ebos
                            4
6
            2
                            4
7
            2
       s
[1] "f4PlAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                   Percent_Trials
```

```
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
            12
                            22
8
       s
            11
4
             9
                            18
      es
2
             8
                            16
       е
3
      ео
             3
                             6
6
       0
             3
                             6
5
       i
             2
                             4
7
      os
             2
                             4
9
             1
       u
[1] "f5PlAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                     {\tt Percent\_Trials}
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
            19
       е
6
            19
                            38
      es
                             8
1
             4
5
      ео
                             8
7
             3
                             6
       i
4
    ebos
             2
                             4
9
             2
                             4
       S
2
       a
             1
                             2
8
      io
             1
                             2
[1] "nPlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            14
1
3
       е
            14
                             28
9
            14
                            28
       s
6
             9
                             18
      es
2
             3
       a
                             6
5
                             6
             3
      eo
4
    ebos
             2
                             4
7
       i
             2
                             4
             2
       0
[1] "All Endings Included"
   Suffix freq Percent_Trials
10
        s
             17
                             34
1
             16
                             32
3
             15
                             30
        е
6
             10
                             20
       es
8
                             10
              5
        0
2
              3
                               6
        a
5
              3
                               6
       eo
4
                               4
     ebos
              2
7
              2
                               4
9
                               4
       os
              2
                               2
11
        u
[1] "n2PlAbl"
```

[1] "Endings occuring 10 times or less excluded"

```
Suffix freq Percent_Trials
            14
8
       s
                            26
1
            13
3
            13
                            26
       е
5
             7
      es
                            14
2
             2
                             4
       a
6
       i
             2
7
             2
       0
      ео
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
            14
1
8
            14
                            28
       s
3
            13
                            26
       е
5
             7
                            14
      es
2
             2
       a
                             4
6
       i
             2
                             4
7
             2
4
                             2
      eo
             1
[1] "n3PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            13
1
3
            12
       е
                            24
6
             8
                            16
      es
9
       s
             8
                            16
5
             3
                             6
      eo
2
             2
                             4
       a
             2
4
                             4
    ebos
7
             2
       i
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
            13
                            24
3
            12
       е
9
                            22
       s
            11
6
      es
             9
                            18
2
       a
             3
                             6
5
             3
      ео
                             6
             2
4
                             4
    ebos
7
       i
8
             1
[1] "n4PlAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                     Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
            13
                            26
1
                            24
8
       s
            12
2
            10
                            20
       е
4
             4
                             8
      es
3
             3
                             6
      eo
6
             3
                             6
       0
```

- 5 i 2 4 7 os 2 9 u 1
- [1] "mSg and nSg fully match 100% of the time"
- [1] "mPl and nPl fully match 84% of the time"
- [1] "nPl and fSg fully match 8% of the time"
- [1] "Endings that overlap are a,a,a,a in trials 9,19,41,48"
- [1] "nPl and fPl fully match 12% of the time"
- [1] "Endings that overlap are a,s,a,o,a,a in trials 9,17,19,26,41,48"
- [1] "mPl and fSg fully match 2% of the time"
- [1] "Endings that overlap are a in trials 41"
- [1] "mPl and fPl fully match 6% of the time"
- [1] "Endings that overlap are s,o,a in trials 17,26,41"
- [1] "mSg and nSg at least partially match 100% of the time"
- [1] "mPl and nPl at least partially match 98% of the time"
- [1] "fSg and nPl at least partially match 8% of the time"
- [1] "Endings that overlap are a,a,a,a in trials 9,19,41,48"
- [1] "fPl and nPl at least partially match 12% of the time"
- [1] "Endings that overlap are a,s,a,o,a,a in trials 9,17,19,26,41,48"
- [1] "fSg and mPl at least partially match 2% of the time"
- [1] "Endings that overlap are a in trials 41"
- [1] "fPl and mPl at least partially match 6% of the time"
- [1] "Endings that overlap are s,o,a in trials 17,26,41"
- [1] "fPl, mPl, and nPl at least partially match 6% of the time"
- [1] "Endings that overlap are s,o,a in trials 17,26,41"