Aggregate Data

Tyler Lau

July 18, 2016

[1] "No Sound Change, Token Freq T, Number of cases being considered: 5"

[1] "Only considering max suffixes: TRUE"

[1] "Sg"

	Suffix	freq	Percent_Trials
2	e	28	56
6	o	8	16
1	-	7	14
3	es	3	6
7	s	2	4
4	i	1	2
5	is	1	2

[1] "1SgNom,Acc"

	Suffix	freq	Percent_Trials
1	a	50	100

[1] "2SgNom,Acc"

	Suffix	freq	Percent_Trials
1	o	50	100

[1] "3SgNom,Acc"

	Suffix	freq	Percent_Trials
1	-	44	88
2	e	5	10
3	s	1	2

[1] "4SgNom,Acc"

	Suffix	freq	Percent_Trials
1	o	49	98
2	u	1	2

[1] "5SgNom,Acc"

	Suffix	freq	Percent_Trials
1	-	35	70
2	e	15	30

[1] "1SgAcc,Abl"

	Suffix	freq	Percent_Trials
1	a	50	100

[1] "2SgAcc,Abl"

	Suffix	freq	Percent_Trials
1	o	50	100

[1] "3SgAcc,Abl"

	Suffix	freq	Percent_Trials
2	e	49	98
1	-	1	2

[1] "4SgAcc,Abl"

	Suffix	freq	Percent_Trials
2	o	48	96
1	-	1	2
3	u	1	2

```
[1] "5SgAcc,Abl"
  Suffix freq Percent_Trials
2      e   49             98
1      -    1              2
[1] "1SgNom,Acc,Abl"
  Suffix freq Percent_Trials
1      a   50            100
[1] "2SgNom,Acc,Abl"
  Suffix freq Percent_Trials
1      o   50            100
[1] "3SgNom,Acc,Abl"
  Suffix freq Percent_Trials
2      e   49             98
1      -    1              2
[1] "4SgNom,Acc,Abl"
  Suffix freq Percent_Trials
1      o   46             92
2     os    3              6
3      u    1              2
[1] "5SgNom,Acc,Abl"
  Suffix freq Percent_Trials
2      e   48             96
1      -    1              2
3     es    1              2
[1] "1SgGen,Dat"
  Suffix freq Percent_Trials
2      a   43             86
3     as    6             12
1      -    1              2
[1] "2SgGen,Dat"
  Suffix freq Percent_Trials
2      e   23             46
1      -   12             24
7      s    5             10
4      i    4              8
3     es    3              6
6      o    2              4
5     is    1              2
[1] "3SgGen,Dat"
  Suffix freq Percent_Trials
2      e   28             56
3     es    7             14
6      s    7             14
1      -    5             10
5     is    2              4
4      i    1              2
[1] "4SgGen,Dat"
  Suffix freq Percent_Trials
2      e   16             32
5      o   11             22
1      -    8             16
7      s    5             10
3     es    4              8
4      i    3              6
```

```
6     os    2                4
8      u    1                2
[1] "5SgGen,Dat"
  Suffix freq Percent_Trials
2      e   30               60
3     es    9               18
1      -    6               12
4      i    2                4
6      s    2                4
5     is    1                2
[1] "Nom"
  Suffix freq Percent_Trials
1      -   27               54
6      s   13               26
2      a    4                8
4     es    4                8
3      e    1                2
5     os    1                2
[1] "NomSg"
  Suffix freq Percent_Trials
1      -   44               88
3      o    4                8
2      e    1                2
4      s    1                2
[1] "1"
  Suffix freq Percent_Trials
1      a   41               82
2     as    8               16
3      s    1                2
[1] "1Sg"
  Suffix freq Percent_Trials
1      a   50              100
[1] "1SgNom"
  Suffix freq Percent_Trials
1      a   50              100
[1] "2"
  Suffix freq Percent_Trials
1      -   15               30
2      e   13               26
6      s    9               18
5      o    7               14
3     es    4                8
4      i    2                4
[1] "2Sg"
  Suffix freq Percent_Trials
1      o   50              100
[1] "2SgNom"
  Suffix freq Percent_Trials
1      o   50              100
[1] "3"
  Suffix freq Percent_Trials
2      e   25               50
4     es    9               18
1      -    7               14
```

```
7      s    6              12
3     eo    1               2
5      i    1               2
6     is    1               2
[1] "3Sg"
  Suffix freq Percent_Trials
2      e   40             80
1      -    4              8
3     es    2              4
6      s    2              4
4      i    1              2
5     is    1              2
[1] "3SgNom"
  Suffix freq Percent_Trials
1      -   44             88
2      e    4              8
3     es    1              2
4      s    1              2
[1] "4"
  Suffix freq Percent_Trials
2      e   11             22
1      -   10             20
5      o   10             20
7      s    9             18
3     es    5             10
4      i    2              4
6     os    2              4
8      u    1              2
[1] "4Sg"
  Suffix freq Percent_Trials
3      o   45             90
4     os    2              4
1      -    1              2
2     es    1              2
5      u    1              2
[1] "4SgNom"
  Suffix freq Percent_Trials
1      o   46             92
2     os    3              6
3      u    1              2
[1] "5"
  Suffix freq Percent_Trials
3      e   28             56
5     es   10             20
1      -    4              8
8      s    4              8
2      a    1              2
4     eo    1              2
6      i    1              2
7     is    1              2
[1] "5Sg"
  Suffix freq Percent_Trials
2      e   46             92
1      -    2              4
```

```
3      es     2                4
[1] "5SgNom"
  Suffix freq Percent_Trials
1      -    35              70
2      e    11              22
3     es     2               4
4      s     2               4
[1] "m"
  Suffix freq Percent_Trials
2      e    19              38
1      -    11              22
7      s     9              18
4     es     7              14
6      o     2               4
3     eo     1               2
5      i     1               2
[1] "mSg"
  Suffix freq Percent_Trials
2      e    25              50
5      o    17              34
1      -     3               6
3     es     3               6
4      i     1               2
6      s     1               2
[1] "mSgNom"
  Suffix freq Percent_Trials
2      o    46              92
1      -     3               6
3      s     1               2
[1] "m1SgNom"
  Suffix freq Percent_Trials
2      a    49              98
1      -     1               2
[1] "m2SgNom"
  Suffix freq Percent_Trials
1      o    50             100
[1] "m3SgNom"
  Suffix freq Percent_Trials
1      -    44              88
2      e     4               8
3     es     1               2
4      s     1               2
[1] "m4SgNom"
  Suffix freq Percent_Trials
1      o    46              92
2     os     3               6
3      u     1               2
[1] "m5SgNom"
  Suffix freq Percent_Trials
1      -    36              72
2      e    10              20
3     es     2               4
4      s     2               4
[1] "f"
```

```
  Suffix freq Percent_Trials
1      a   35             70
2     as    4              8
3      e    4              8
5      s    4              8
4     es    3              6
[1] "fSg"
  Suffix freq Percent_Trials
1      a   46             92
2      e    4              8
[1] "fSgNom"
  Suffix freq Percent_Trials
1      -   35             70
2      a    9             18
3      e    4              8
4     es    1              2
5      s    1              2
[1] "f1SgNom"
  Suffix freq Percent_Trials
1      a   50            100
[1] "f2SgNom"
  Suffix freq Percent_Trials
2      o   49             98
1      -    1              2
[1] "f3SgNom"
  Suffix freq Percent_Trials
1      -   44             88
2      e    4              8
3     es    1              2
4      s    1              2
[1] "f4SgNom"
  Suffix freq Percent_Trials
1      o   46             92
2     os    3              6
3      u    1              2
[1] "f5SgNom"
  Suffix freq Percent_Trials
1      -   35             70
2      e   11             22
3     es    2              4
4      s    2              4
[1] "n"
  Suffix freq Percent_Trials
1      -   17             34
3      e   12             24
7      s   11             22
4     es    4              8
6      o    3              6
5      i    2              4
2      a    1              2
[1] "nSg"
  Suffix freq Percent_Trials
2      e   18             36
6      o   17             34
```

```
1      -    9                18
3     es    2                 4
7      s    2                 4
4      i    1                 2
5     is    1                 2
[1] "nSgNom"
  Suffix freq Percent_Trials
1      o   50               100
[1] "n2SgNom"
  Suffix freq Percent_Trials
1      o   50               100
[1] "n3SgNom"
  Suffix freq Percent_Trials
1      -   48                96
2      e    1                 2
3      s    1                 2
[1] "n4SgNom"
  Suffix freq Percent_Trials
1      o   46                92
2     os    3                 6
3      u    1                 2
[1] "Acc"
  Suffix freq Percent_Trials
4      e   23                46
1      -    8                16
7      s    8                16
2      a    5                10
5     es    3                 6
6      o    2                 4
3     as    1                 2
[1] "AccSg"
  Suffix freq Percent_Trials
3      o   30                60
2      e   19                38
1      -    1                 2
[1] "1SgAcc"
  Suffix freq Percent_Trials
1      a   50               100
[1] "2SgAcc"
  Suffix freq Percent_Trials
1      o   50               100
[1] "3SgAcc"
  Suffix freq Percent_Trials
2      e   49                98
1      -    1                 2
[1] "4SgAcc"
  Suffix freq Percent_Trials
1      o   49                98
2      u    1                 2
[1] "5SgAcc"
  Suffix freq Percent_Trials
2      e   49                98
1      -    1                 2
[1] "mSgAcc"
```

```
   Suffix freq Percent_Trials
2       o   49              98
1       -    1               2
[1] "m1SgAcc"
   Suffix freq Percent_Trials
1       a   50             100
[1] "m2SgAcc"
   Suffix freq Percent_Trials
1       o   50             100
[1] "m3SgAcc"
   Suffix freq Percent_Trials
2       e   48              96
1       -    2               4
[1] "m4SgAcc"
   Suffix freq Percent_Trials
1       o   49              98
2       u    1               2
[1] "m5SgAcc"
   Suffix freq Percent_Trials
2       e   49              98
1       -    1               2
[1] "fSgAcc"
   Suffix freq Percent_Trials
2       e   49              98
1       -    1               2
[1] "f1SgAcc"
   Suffix freq Percent_Trials
1       a   50             100
[1] "f2SgAcc"
   Suffix freq Percent_Trials
2       o   48              96
1       -    2               4
[1] "f3SgAcc"
   Suffix freq Percent_Trials
2       e   49              98
1       -    1               2
[1] "f4SgAcc"
   Suffix freq Percent_Trials
1       o   49              98
2       u    1               2
[1] "f5SgAcc"
   Suffix freq Percent_Trials
2       e   49              98
1       -    1               2
[1] "nSgAcc"
   Suffix freq Percent_Trials
1       o   50             100
[1] "n2SgAcc"
   Suffix freq Percent_Trials
1       o   50             100
[1] "n3SgAcc"
   Suffix freq Percent_Trials
1       -   32              64
2       e   18              36
```

```
[1] "n4SgAcc"
  Suffix freq Percent_Trials
1      o   49             98
2      u    1              2
[1] "Gen"
  Suffix freq Percent_Trials
2      e   17             34
3     es   11             22
1      -   10             20
7      s    9             18
4      i    1              2
5     is    1              2
6      o    1              2
[1] "GenSg"
  Suffix freq Percent_Trials
2      e   20             40
3     es   11             22
7      s    7             14
1      -    6             12
5     is    3              6
4      i    2              4
6      o    1              2
[1] "1SgGen"
  Suffix freq Percent_Trials
2      a   35             70
3     as   11             22
5      s    2              4
1      -    1              2
4     es    1              2
[1] "2SgGen"
  Suffix freq Percent_Trials
2      e   21             42
1      -   11             22
3     es    5             10
4      i    5             10
7      s    5             10
5     is    2              4
6      o    1              2
[1] "3SgGen"
  Suffix freq Percent_Trials
2      e   21             42
3     es   14             28
6      s    7             14
1      -    4              8
5     is    3              6
4      i    1              2
[1] "4SgGen"
  Suffix freq Percent_Trials
2      e   15             30
6      o   10             20
1      -    7             14
8      s    6             12
3     es    5             10
4      i    2              4
```

```
5    is    2            4
7    os    2            4
9     u    1            2
[1] "5SgGen"
  Suffix freq Percent_Trials
2     e   21            42
3    es   12            24
6     s    7            14
1     -    6            12
5    is    3             6
4     i    1             2
[1] "mSgGen"
  Suffix freq Percent_Trials
2     e   21            42
3    es   10            20
1     -    8            16
7     s    5            10
5    is    3             6
4     i    2             4
6     o    1             2
[1] "m1SgGen"
  Suffix freq Percent_Trials
2     a   32            64
3    as   10            20
1     -    3             6
4     e    2             4
6     s    2             4
5    es    1             2
[1] "m2SgGen"
  Suffix freq Percent_Trials
2     e   21            42
1     -   11            22
3    es    6            12
4     i    5            10
7     s    4             8
5    is    2             4
6     o    1             2
[1] "m3SgGen"
  Suffix freq Percent_Trials
2     e   21            42
3    es   14            28
6     s    7            14
1     -    4             8
5    is    3             6
4     i    1             2
[1] "m4SgGen"
  Suffix freq Percent_Trials
2     e   15            30
6     o   10            20
1     -    7            14
8     s    6            12
3    es    5            10
4     i    2             4
5    is    2             4
```

```
7    os    2              4
9     u    1              2
[1] "m5SgGen"
  Suffix freq Percent_Trials
2     e   24             48
3    es   11             22
6     s    7             14
1     -    4              8
5    is    3              6
4     i    1              2
[1] "fSgGen"
  Suffix freq Percent_Trials
3     e   17             34
4    es   10             20
2     a    8             16
7     s    7             14
1     -    4              8
6    is    3              6
5     i    1              2
[1] "f1SgGen"
  Suffix freq Percent_Trials
2     a   35             70
3    as   11             22
5     s    2              4
1     -    1              2
4    es    1              2
[1] "f2SgGen"
  Suffix freq Percent_Trials
2     e   19             38
1     -   14             28
3    es    6             12
7     s    5             10
4     i    3              6
5    is    2              4
6     o    1              2
[1] "f3SgGen"
  Suffix freq Percent_Trials
2     e   20             40
3    es   14             28
6     s    7             14
1     -    5             10
5    is    3              6
4     i    1              2
[1] "f4SgGen"
  Suffix freq Percent_Trials
2     e   14             28
6     o    9             18
1     -    8             16
8     s    7             14
3    es    6             12
5    is    2              4
7    os    2              4
4     i    1              2
9     u    1              2
```

```
[1] "f5SgGen"
  Suffix freq Percent_Trials
2      e   21             42
3     es   12             24
6      s    7             14
1      -    6             12
5     is    3              6
4      i    1              2
[1] "nSgGen"
  Suffix freq Percent_Trials
2      e   21             42
1      -   11             22
3     es    5             10
4      i    5             10
7      s    5             10
5     is    2              4
6      o    1              2
[1] "n2SgGen"
  Suffix freq Percent_Trials
2      e   21             42
1      -   11             22
3     es    5             10
4      i    5             10
7      s    5             10
5     is    2              4
6      o    1              2
[1] "n3SgGen"
  Suffix freq Percent_Trials
2      e   20             40
3     es   11             22
1      -    8             16
6      s    7             14
5     is    3              6
4      i    1              2
[1] "n4SgGen"
  Suffix freq Percent_Trials
2      e   16             32
6      o    9             18
1      -    8             16
3     es    5             10
8      s    5             10
4      i    2              4
5     is    2              4
7     os    2              4
9      u    1              2
[1] "Dat"
  Suffix freq Percent_Trials
3      e   21             42
1      -   11             22
4     es    7             14
8      s    6             12
5      i    2              4
2      a    1              2
6     is    1              2
```

```
7        o    1                2
[1] "DatSg"
   Suffix freq Percent_Trials
2      e   28               56
1      -    9               18
3     es    6               12
7      s    3                6
4      i    2                4
5     is    1                2
6      o    1                2
[1] "1SgDat"
   Suffix freq Percent_Trials
2      a   43               86
3     as    6               12
1      -    1                2
[1] "2SgDat"
   Suffix freq Percent_Trials
2      e   23               46
1      -   10               20
6      o    7               14
7      s    4                8
4      i    3                6
3     es    2                4
5     is    1                2
[1] "3SgDat"
   Suffix freq Percent_Trials
2      e   37               74
3     es    6               12
1      -    2                4
5     is    2                4
6      s    2                4
4      i    1                2
[1] "4SgDat"
   Suffix freq Percent_Trials
5      o   15               30
2      e   14               28
1      -    9               18
7      s    4                8
3     es    3                6
4      i    3                6
6     os    1                2
8      u    1                2
[1] "5SgDat"
   Suffix freq Percent_Trials
2      e   33               66
3     es    8               16
1      -    4                8
4      i    2                4
6      s    2                4
5     is    1                2
[1] "mSgDat"
   Suffix freq Percent_Trials
2      e   28               56
1      -    6               12
```

```
6    o    5          10
3    es   4           8
4    i    3           6
7    s    3           6
5    is   1           2
[1] "m1SgDat"
  Suffix freq Percent_Trials
2    a    44          88
3    as   5           10
1    -    1            2
[1] "m2SgDat"
  Suffix freq Percent_Trials
2    e    23          46
1    -    11          22
6    o    5           10
7    s    4            8
3    es   3            6
4    i    3            6
5    is   1            2
[1] "m3SgDat"
  Suffix freq Percent_Trials
2    e    37          74
3    es   6           12
1    -    2            4
5    is   2            4
6    s    2            4
4    i    1            2
[1] "m4SgDat"
  Suffix freq Percent_Trials
5    o    15          30
2    e    14          28
1    -    9           18
7    s    4            8
3    es   3            6
4    i    3            6
6    os   1            2
8    u    1            2
[1] "m5SgDat"
  Suffix freq Percent_Trials
2    e    34          68
3    es   8           16
1    -    3            6
4    i    2            4
6    s    2            4
5    is   1            2
[1] "fSgDat"
  Suffix freq Percent_Trials
4    e    31          62
5    es   6           12
1    -    4            8
2    a    3            6
6    i    2            4
8    s    2            4
3    as   1            2
```

```
7      is    1               2
[1] "f1SgDat"
   Suffix freq Percent_Trials
2      a    43              86
3     as     6              12
1      -     1               2
[1] "f2SgDat"
   Suffix freq Percent_Trials
2      e    18              36
1      -    15              30
6      o     5              10
7      s     5              10
3     es     3               6
4      i     3               6
5     is     1               2
[1] "f3SgDat"
   Suffix freq Percent_Trials
2      e    35              70
3     es     7              14
1      -     3               6
4      i     2               4
6      s     2               4
5     is     1               2
[1] "f4SgDat"
   Suffix freq Percent_Trials
5      o    15              30
2      e    14              28
1      -     9              18
3     es     4               8
7      s     4               8
4      i     2               4
6     os     1               2
8      u     1               2
[1] "f5SgDat"
   Suffix freq Percent_Trials
2      e    33              66
3     es     8              16
1      -     4               8
4      i     2               4
6      s     2               4
5     is     1               2
[1] "nSgDat"
   Suffix freq Percent_Trials
2      e    23              46
1      -    10              20
6      o     7              14
7      s     4               8
4      i     3               6
3     es     2               4
5     is     1               2
[1] "n2SgDat"
   Suffix freq Percent_Trials
2      e    23              46
1      -    10              20
```

```
6     o    7              14
7     s    4               8
4     i    3               6
3    es    2               4
5    is    1               2
[1] "n3SgDat"
   Suffix freq Percent_Trials
2     e   25             50
1     -   11             22
6     s    6             12
3    es    5             10
5    is    2              4
4     i    1              2
[1] "n4SgDat"
   Suffix freq Percent_Trials
2     e   16             32
5     o   14             28
1     -    8             16
7     s    4              8
3    es    3              6
4     i    3              6
6    os    1              2
8     u    1              2
[1] "Abl"
   Suffix freq Percent_Trials
3     e   23             46
9     s    8             16
6    es    6             12
1     -    5             10
5    eo    2              4
7     i    2              4
8     o    2              4
2     a    1              2
4  ebos    1              2
[1] "AblSg"
   Suffix freq Percent_Trials
1     e   30             60
2     o   20             40
[1] "1SgAbl"
   Suffix freq Percent_Trials
1     a   50            100
[1] "2SgAbl"
   Suffix freq Percent_Trials
1     o   49             98
2    os    1              2
[1] "3SgAbl"
   Suffix freq Percent_Trials
1     e   50            100
[1] "4SgAbl"
   Suffix freq Percent_Trials
2     o   44             88
3    os    4              8
1     -    1              2
4     u    1              2
```

```
[1] "5SgAbl"
  Suffix freq Percent_Trials
1      e   48             96
2     es    2              4
[1] "mSgAbl"
  Suffix freq Percent_Trials
2      o   44             88
1      e    5             10
3     os    1              2
[1] "m1SgAbl"
  Suffix freq Percent_Trials
2      a   44             88
3     ao    5             10
1      -    1              2
[1] "m2SgAbl"
  Suffix freq Percent_Trials
1      o   49             98
2     os    1              2
[1] "m3SgAbl"
  Suffix freq Percent_Trials
1      e   50            100
[1] "m4SgAbl"
  Suffix freq Percent_Trials
2      o   44             88
3     os    4              8
1      -    1              2
4      u    1              2
[1] "m5SgAbl"
  Suffix freq Percent_Trials
1      e   45             90
2     eo    3              6
3     es    2              4
[1] "fSgAbl"
  Suffix freq Percent_Trials
2      e   48             96
1      a    2              4
[1] "f1SgAbl"
  Suffix freq Percent_Trials
1      a   50            100
[1] "f2SgAbl"
  Suffix freq Percent_Trials
2      o   40             80
1      -    9             18
3     os    1              2
[1] "f3SgAbl"
  Suffix freq Percent_Trials
1      e   50            100
[1] "f4SgAbl"
  Suffix freq Percent_Trials
2      o   40             80
1      -    6             12
3     os    3              6
4      u    1              2
[1] "f5SgAbl"
```

```
  Suffix freq Percent_Trials
1      e   48             96
2     es    2              4
[1] "nSgAbl"
  Suffix freq Percent_Trials
1      o   49             98
2     os    1              2
[1] "n2SgAbl"
  Suffix freq Percent_Trials
1      o   49             98
2     os    1              2
[1] "n3SgAbl"
  Suffix freq Percent_Trials
2      e   27             54
1      -   20             40
3      s    3              6
[1] "n4SgAbl"
  Suffix freq Percent_Trials
2      o   44             88
3     os    4              8
1      -    1              2
4      u    1              2
[1] "Pl"
  Suffix freq Percent_Trials
3      e   14             28
1      -   12             24
7      s   10             20
5     es    8             16
2      a    2              4
4     eo    2              4
6      i    2              4
[1] "1PlNom,Acc"
  Suffix freq Percent_Trials
1      a   34             68
2     as   14             28
3     es    2              4
[1] "2PlNom,Acc"
  Suffix freq Percent_Trials
1      -   24             48
7      s   11             22
2      a   10             20
3     as    2              4
4      e    1              2
5     es    1              2
6     os    1              2
[1] "3PlNom,Acc"
  Suffix freq Percent_Trials
4     es   17             34
5      s   12             24
1      -   11             22
3      e    9             18
2      a    1              2
[1] "4PlNom,Acc"
  Suffix freq Percent_Trials
```

```
1      -   20            40
6      s   11            22
2      e    6            12
4      o    6            12
3     es    4             8
5     os    2             4
7      u    1             2
[1] "5PlNom,Acc"
  Suffix freq Percent_Trials
4     es   26            52
1      -   12            24
3      e    8            16
2      a    3             6
5      s    1             2
[1] "1PlAcc,Abl"
  Suffix freq Percent_Trials
2      a   34            68
3     as   14            28
1      -    1             2
4     eo    1             2
[1] "2PlAcc,Abl"
  Suffix freq Percent_Trials
1      -   24            48
7      s   10            20
4      e    8            16
2      a    3             6
5     es    3             6
3     as    1             2
6      i    1             2
[1] "3PlAcc,Abl"
  Suffix freq Percent_Trials
2      e   24            48
5     es   15            30
4     eo    3             6
1      -    2             4
3   ebos    2             4
6      i    2             4
7      s    2             4
[1] "4PlAcc,Abl"
  Suffix freq Percent_Trials
1      -   20            40
8      s    9            18
2      e    6            12
6      o    6            12
4     es    4             8
7     os    2             4
3     eo    1             2
5      i    1             2
9      u    1             2
[1] "5PlAcc,Abl"
  Suffix freq Percent_Trials
3      e   26            52
6     es   15            30
1      -    4             8
```

```
2      a    2              4
4   ebos    1              2
5     eo    1              2
7      s    1              2
[1] "1PlNom,Acc,Abl"
  Suffix freq Percent_Trials
1      a   34             68
2     as   13             26
3     es    2              4
4      s    1              2
[1] "2PlNom,Acc,Abl"
  Suffix freq Percent_Trials
1      -   25             50
6      s   11             22
2      a    7             14
5     es    4              8
4      e    2              4
3     as    1              2
[1] "3PlNom,Acc,Abl"
  Suffix freq Percent_Trials
5     es   23             46
2      e   11             22
1      -    7             14
7      s    6             12
3   ebos    1              2
4     eo    1              2
6      i    1              2
[1] "4PlNom,Acc,Abl"
  Suffix freq Percent_Trials
1      -   20             40
6      s   11             22
4      o    6             12
2      e    5             10
3     es    5             10
5     os    2              4
7      u    1              2
[1] "5PlNom,Acc,Abl"
  Suffix freq Percent_Trials
6     es   26             52
3      e   10             20
1      -    9             18
2      a    2              4
4   ebos    1              2
5     eo    1              2
7      s    1              2
[1] "1PlGen,Dat"
  Suffix freq Percent_Trials
2      a   33             66
4     as   10             20
8      s    2              4
1      -    1              2
3     ao    1              2
5    aso    1              2
6      e    1              2
```

```
7       o    1               2
[1] "2PlGen,Dat"
  Suffix freq Percent_Trials
1      -   17              34
3      e   12              24
7      s   10              20
4     es    5              10
6      o    3               6
5      i    2               4
2      a    1               2
[1] "3PlGen,Dat"
  Suffix freq Percent_Trials
2      e   16              32
1      -   10              20
5     es   10              20
8      s    7              14
4     eo    3               6
6      i    2               4
3   ebos    1               2
7      o    1               2
[1] "4PlGen,Dat"
  Suffix freq Percent_Trials
2      e   17              34
1      -   10              20
4     es    8              16
7      s    8              16
3     eo    3               6
5      i    2               4
6      o    1               2
8      u    1               2
[1] "5PlGen,Dat"
  Suffix freq Percent_Trials
3      e   16              32
1      -   11              22
6     es   10              20
9      s    5              10
5     eo    3               6
7      i    2               4
2      a    1               2
4   ebos    1               2
8      o    1               2
[1] "NomPl"
  Suffix freq Percent_Trials
1      -   17              34
6      s   15              30
4     es   11              22
2      a    5              10
3      e    1               2
5     is    1               2
[1] "1Pl"
  Suffix freq Percent_Trials
2      a   32              64
3     as   14              28
1      -    1               2
```

```
4       e    1                2
5       o    1                2
6       s    1                2
[1] "1PlNom"
   Suffix freq Percent_Trials
1       a   33               66
2      as   14               28
3      es    2                4
4       s    1                2
[1] "2Pl"
   Suffix freq Percent_Trials
1       -   17               34
3       e   11               22
7       s   11               22
4      es    5               10
2       a    2                4
5       i    2                4
6       o    2                4
[1] "2PlNom"
   Suffix freq Percent_Trials
1       -   21               42
6       s   15               30
2       a   10               20
4      es    2                4
3       e    1                2
5      os    1                2
[1] "3Pl"
   Suffix freq Percent_Trials
2       e   16               32
5      es   13               26
7       s    8               16
1       -    7               14
4      eo    3                6
6       i    2                4
3    ebos    1                2
[1] "3PlNom"
   Suffix freq Percent_Trials
4      es   17               34
6       s   16               32
1       -   12               24
3       e    3                6
2       a    1                2
5      is    1                2
[1] "4Pl"
   Suffix freq Percent_Trials
1       -   14               28
8       s   10               20
2       e    9               18
4      es    6               12
6       o    5               10
3      eo    2                4
5       i    2                4
7      os    1                2
9       u    1                2
```

```
[1] "4PlNom"
  Suffix freq Percent_Trials
1      -   18              36
6      s   13              26
4      o    6              12
2      e    5              10
3     es    5              10
5     os    2               4
7      u    1               2
[1] "5Pl"
  Suffix freq Percent_Trials
3      e   17              34
6     es   13              26
1      -    9              18
8      s    4               8
5     eo    3               6
7      i    2               4
2      a    1               2
4   ebos    1               2
[1] "5PlNom"
  Suffix freq Percent_Trials
4     es   18              36
1      -   14              28
6      s   13              26
2      a    3               6
3      e    1               2
5     is    1               2
[1] "mPl"
  Suffix freq Percent_Trials
2      e   16              32
1      -   11              22
7      s   11              22
4     es    7              14
3     eo    2               4
5      i    2               4
6      o    1               2
[1] "mPlNom"
  Suffix freq Percent_Trials
1      -   19              38
7      s   15              30
4     es    9              18
3      e    4               8
2      a    1               2
5     is    1               2
6     os    1               2
[1] "m1PlNom"
  Suffix freq Percent_Trials
2      a   32              64
3     as   14              28
4     es    2               4
1      -    1               2
5      s    1               2
[1] "m2PlNom"
  Suffix freq Percent_Trials
```

```
1      -   24              48
6      s   15              30
2      a    4               8
4     es    4               8
3      e    2               4
5     os    1               2
[1] "m3PlNom"
  Suffix freq Percent_Trials
4     es   17              34
6      s   16              32
1      -   12              24
3      e    3               6
2      a    1               2
5     is    1               2
[1] "m4PlNom"
  Suffix freq Percent_Trials
1      -   18              36
6      s   13              26
4      o    6              12
2      e    5              10
3     es    5              10
5     os    2               4
7      u    1               2
[1] "m5PlNom"
  Suffix freq Percent_Trials
5     es   15              30
7      s   15              30
1      -   13              26
2      a    3               6
4      e    2               4
3     as    1               2
6     is    1               2
[1] "fPl"
  Suffix freq Percent_Trials
2      a   24              48
6     es    9              18
3     as    5              10
8      s    4               8
4      e    3               6
1      -    2               4
5     eo    2               4
7      i    1               2
[1] "fPlNom"
  Suffix freq Percent_Trials
4     es   17              34
6      s   13              26
1      -   10              20
2      a    8              16
3      e    1               2
5     is    1               2
[1] "f1PlNom"
  Suffix freq Percent_Trials
1      a   33              66
2     as   14              28
```

```
3    es    2              4
4     s    1              2
[1] "f2PlNom"
   Suffix freq Percent_Trials
1     -   23             46
6     s   16             32
4    es    4              8
2     a    3              6
3     e    3              6
5    os    1              2
[1] "f3PlNom"
   Suffix freq Percent_Trials
4    es   18             36
6     s   16             32
1     -   12             24
3     e    2              4
2     a    1              2
5    is    1              2
[1] "f4PlNom"
   Suffix freq Percent_Trials
1     -   19             38
6     s   13             26
2     e    5             10
3    es    5             10
4     o    5             10
5    os    2              4
7     u    1              2
[1] "f5PlNom"
   Suffix freq Percent_Trials
4    es   18             36
1     -   14             28
6     s   13             26
2     a    3              6
3     e    1              2
5    is    1              2
[1] "nPl"
   Suffix freq Percent_Trials
1     -   16             32
3     e   11             22
7     s   11             22
4    es    5             10
2     a    3              6
5     i    2              4
6     o    2              4
[1] "nPlNom"
   Suffix freq Percent_Trials
1     -   21             42
6     s   15             30
2     a   10             20
4    es    2              4
3     e    1              2
5    os    1              2
[1] "n2PlNom"
   Suffix freq Percent_Trials
```

```
1      -   21             42
7      s   14             28
2      a   10             20
5     es    2              4
3     as    1              2
4      e    1              2
6     os    1              2
[1] "n3PlNom"
  Suffix freq Percent_Trials
6      s   17             34
1      -   13             26
2      a   11             22
5     es    6             12
4      e    2              4
3     as    1              2
[1] "n4PlNom"
  Suffix freq Percent_Trials
1      -   20             40
6      s   14             28
4      o    5             10
2      e    4              8
3     es    4              8
5     os    2              4
7      u    1              2
[1] "AccPl"
  Suffix freq Percent_Trials
5     es   12             24
1      -   11             22
2      a   10             20
6      s    9             18
4      e    6             12
3     as    2              4
[1] "1PlAcc"
  Suffix freq Percent_Trials
1      a   32             64
2     as   14             28
3     es    4              8
[1] "2PlAcc"
  Suffix freq Percent_Trials
1      -   20             40
2      a   15             30
6      s   11             22
3     as    2              4
4      e    1              2
5     es    1              2
[1] "3PlAcc"
  Suffix freq Percent_Trials
3     es   26             52
2      e   20             40
1      -    3              6
4      s    1              2
[1] "4PlAcc"
  Suffix freq Percent_Trials
1      -   20             40
```

```
6       s   11              22
4       o    8              16
2       e    4               8
3      es    4               8
5      os    2               4
7       u    1               2
[1] "5PlAcc"
   Suffix freq Percent_Trials
4      es   27              54
3       e   16              32
1       -    4               8
2       a    2               4
5       s    1               2
[1] "mPlAcc"
   Suffix freq Percent_Trials
1       -   20              40
3      es   12              24
4       s   10              20
2       e    8              16
[1] "m1PlAcc"
   Suffix freq Percent_Trials
2       a   31              62
3      as   14              28
4      es    4               8
1       -    1               2
[1] "m2PlAcc"
   Suffix freq Percent_Trials
1       -   29              58
5       s   13              26
2       a    3               6
3       e    3               6
4      es    2               4
[1] "m3PlAcc"
   Suffix freq Percent_Trials
3      es   26              52
2       e   19              38
1       -    4               8
4       s    1               2
[1] "m4PlAcc"
   Suffix freq Percent_Trials
1       -   20              40
6       s   11              22
4       o    8              16
2       e    4               8
3      es    4               8
5      os    2               4
7       u    1               2
[1] "m5PlAcc"
   Suffix freq Percent_Trials
4      es   25              50
3       e   18              36
1       -    3               6
2       a    3               6
5       s    1               2
```

```
[1] "fPlAcc"
  Suffix freq Percent_Trials
4     es   27             54
3      e   15             30
2      a    5             10
1      -    2              4
5      s    1              2
[1] "f1PlAcc"
  Suffix freq Percent_Trials
1      a   32             64
2     as   14             28
3     es    4              8
[1] "f2PlAcc"
  Suffix freq Percent_Trials
1      -   26             52
5      s   12             24
3      e    5             10
4     es    4              8
2      a    3              6
[1] "f3PlAcc"
  Suffix freq Percent_Trials
3     es   27             54
2      e   19             38
1      -    2              4
4      s    2              4
[1] "f4PlAcc"
  Suffix freq Percent_Trials
1      -   18             36
7      s   10             20
5      o    8             16
3      e    5             10
4     es    5             10
6     os    2              4
2      a    1              2
8      u    1              2
[1] "f5PlAcc"
  Suffix freq Percent_Trials
4     es   27             54
3      e   16             32
1      -    4              8
2      a    2              4
5      s    1              2
[1] "nPlAcc"
  Suffix freq Percent_Trials
1      -   20             40
2      a   15             30
6      s   11             22
3     as    2              4
4      e    1              2
5     es    1              2
[1] "n2PlAcc"
  Suffix freq Percent_Trials
1      -   20             40
2      a   15             30
```

```
6      s   11            22
3     as    2             4
4      e    1             2
5     es    1             2
[1] "n3PlAcc"
  Suffix freq Percent_Trials
2      a   14            28
6      s   13            26
1      -    9            18
4      e    6            12
5     es    6            12
3     as    2             4
[1] "n4PlAcc"
  Suffix freq Percent_Trials
1      -   22            44
6      s   11            22
4      o    8            16
2      e    3             6
3     es    3             6
5     os    2             4
7      u    1             2
[1] "GenPl"
  Suffix freq Percent_Trials
2      e   15            30
1      -   11            22
5     es    9            18
8      s    8            16
4     eo    2             4
6      i    2             4
7      o    2             4
3   ebos    1             2
[1] "1PlGen"
  Suffix freq Percent_Trials
2      a   33            66
4     as    8            16
9      s    3             6
1      -    1             2
3     ao    1             2
5    aso    1             2
6    bos    1             2
7      e    1             2
8      o    1             2
[1] "2PlGen"
  Suffix freq Percent_Trials
1      -   17            34
3      e   12            24
7      s   10            20
4     es    5            10
6      o    3             6
5      i    2             4
2      a    1             2
[1] "3PlGen"
  Suffix freq Percent_Trials
2      e   16            32
```

```
5       es   10              20
1        -    9              18
8        s    8              16
4       eo    3               6
6        i    2               4
3     ebos    1               2
7        o    1               2
[1] "4PlGen"
  Suffix freq Percent_Trials
2        e   16              32
4       es   10              20
1        -    9              18
8        s    8              16
3       eo    2               4
6        i    2               4
5      eso    1               2
7        o    1               2
9        u    1               2
[1] "5PlGen"
  Suffix freq Percent_Trials
3        e   14              28
1        -   11              22
6       es   10              20
9        s    7              14
5       eo    3               6
7        i    2               4
2        a    1               2
4     ebos    1               2
8        o    1               2
[1] "mPlGen"
  Suffix freq Percent_Trials
2        e   16              32
1        -   11              22
7        s    9              18
4       es    8              16
3       eo    3               6
5        i    2               4
6        o    1               2
[1] "m1PlGen"
  Suffix freq Percent_Trials
2        a   30              60
4       as    8              16
1        -    3               6
9        s    3               6
7        e    2               4
3       ao    1               2
5      aso    1               2
6      bos    1               2
8        o    1               2
[1] "m2PlGen"
  Suffix freq Percent_Trials
2        e   16              32
7        s   12              24
1        -   11              22
```

```
4     es     6          12
5      i     2           4
6      o     2           4
3     eo     1           2
[1]  "m3PlGen"
   Suffix freq Percent_Trials
2      e    16          32
5     es    10          20
1      -     9          18
8      s     8          16
4     eo     3           6
6      i     2           4
3   ebos     1           2
7      o     1           2
[1]  "m4PlGen"
   Suffix freq Percent_Trials
2      e    16          32
4     es    10          20
1      -     9          18
8      s     8          16
3     eo     2           4
6      i     2           4
5    eso     1           2
7      o     1           2
9      u     1           2
[1]  "m5PlGen"
   Suffix freq Percent_Trials
3      e    16          32
6     es    10          20
1      -     9          18
9      s     7          14
5     eo     3           6
7      i     2           4
2      a     1           2
4   ebos     1           2
8      o     1           2
[1]  "fPlGen"
   Suffix freq Percent_Trials
3      e    12          24
6     es    10          20
1      -     8          16
9      s     7          14
2      a     6          12
5     eo     3           6
7      i     2           4
4   ebos     1           2
8      o     1           2
[1]  "f1PlGen"
   Suffix freq Percent_Trials
2      a    33          66
4     as     8          16
9      s     3           6
1      -     1           2
3     ao     1           2
```

```
5     aso    1              2
6     bos    1              2
7       e    1              2
8       o    1              2
[1] "f2PlGen"
   Suffix freq Percent_Trials
2       e   14             28
1       -   13             26
7       s   12             24
4      es    6             12
5       i    2              4
6       o    2              4
3      eo    1              2
[1] "f3PlGen"
   Suffix freq Percent_Trials
2       e   16             32
5      es   10             20
1       -    9             18
8       s    8             16
4      eo    3              6
6       i    2              4
3    ebos    1              2
7       o    1              2
[1] "f4PlGen"
   Suffix freq Percent_Trials
2       e   16             32
7       s   10             20
1       -    9             18
4      es    8             16
3      eo    3              6
5       i    2              4
6       o    1              2
8       u    1              2
[1] "f5PlGen"
   Suffix freq Percent_Trials
3       e   14             28
1       -   11             22
6      es   10             20
9       s    7             14
5      eo    3              6
7       i    2              4
2       a    1              2
4    ebos    1              2
8       o    1              2
[1] "nPlGen"
   Suffix freq Percent_Trials
1       -   17             34
3       e   12             24
7       s   10             20
4      es    5             10
6       o    3              6
5       i    2              4
2       a    1              2
[1] "n2PlGen"
```

```
   Suffix freq Percent_Trials
1        -   17             34
3        e   12             24
7        s   10             20
4       es    5             10
6        o    3              6
5        i    2              4
2        a    1              2
[1] "n3PlGen"
   Suffix freq Percent_Trials
1        -   14             28
3        e   11             22
6       es    8             16
9        s    7             14
2        a    3              6
5       eo    2              4
7        i    2              4
8        o    2              4
4     ebos    1              2
[1] "n4PlGen"
   Suffix freq Percent_Trials
2        e   16             32
1        -   10             20
4       es    9             18
7        s    8             16
3       eo    3              6
5        i    2              4
6        o    1              2
8        u    1              2
[1] "DatPl"
   Suffix freq Percent_Trials
3        e   15             30
1        -   12             24
5       es    9             18
8        s    7             14
4       eo    3              6
6        i    2              4
2        a    1              2
7        o    1              2
[1] "1PlDat"
   Suffix freq Percent_Trials
2        a   32             64
4       as   12             24
1        -    1              2
3       ao    1              2
5      aso    1              2
6        e    1              2
7        o    1              2
8        s    1              2
[1] "2PlDat"
   Suffix freq Percent_Trials
1        -   14             28
3        e   13             26
7        s   10             20
```

```
4     es    5              10
2      a    3               6
6      o    3               6
5      i    2               4
[1] "3PlDat"
  Suffix freq Percent_Trials
2      e   21             42
4     es   12             24
1      -    7             14
7      s    4              8
3     eo    3              6
5      i    2              4
6      o    1              2
[1] "4PlDat"
  Suffix freq Percent_Trials
2      e   17             34
1      -   10             20
4     es    8             16
7      s    8             16
3     eo    3              6
5      i    2              4
6      o    1              2
8      u    1              2
[1] "5PlDat"
  Suffix freq Percent_Trials
3      e   21             42
5     es   11             22
1      -    6             12
8      s    5             10
4     eo    3              6
6      i    2              4
2      a    1              2
7      o    1              2
[1] "mPlDat"
  Suffix freq Percent_Trials
2      e   16             32
1      -   13             26
7      s    8             16
4     es    7             14
3     eo    3              6
5      i    2              4
6      o    1              2
[1] "m1PlDat"
  Suffix freq Percent_Trials
2      a   31             62
4     as   12             24
1      -    2              4
3     ao    1              2
5    aso    1              2
6      e    1              2
7      o    1              2
8      s    1              2
[1] "m2PlDat"
  Suffix freq Percent_Trials
```

```
3       e    15                30
1       -    13                26
8       s    10                20
5      es     6                12
6       i     2                 4
7       o     2                 4
2       a     1                 2
4      eo     1                 2
[1] "m3PlDat"
   Suffix freq Percent_Trials
2       e    21                42
4      es    12                24
1       -     7                14
7       s     4                 8
3      eo     3                 6
5       i     2                 4
6       o     1                 2
[1] "m4PlDat"
   Suffix freq Percent_Trials
2       e    17                34
1       -    10                20
4      es     8                16
7       s     8                16
3      eo     3                 6
5       i     2                 4
6       o     1                 2
8       u     1                 2
[1] "m5PlDat"
   Suffix freq Percent_Trials
3       e    22                44
5      es    12                24
1       -     5                10
8       s     4                 8
4      eo     3                 6
6       i     2                 4
2       a     1                 2
7       o     1                 2
[1] "fPlDat"
   Suffix freq Percent_Trials
4       e    19                38
6      es    12                24
1       -     4                 8
2       a     4                 8
9       s     4                 8
5      eo     3                 6
7       i     2                 4
3      as     1                 2
8       o     1                 2
[1] "f1PlDat"
   Suffix freq Percent_Trials
2       a    32                64
4      as    12                24
1       -     1                 2
3      ao     1                 2
```

```
5     aso    1              2
6      e     1              2
7      o     1              2
8      s     1              2
[1] "f2PlDat"
   Suffix freq Percent_Trials
3      e    15             30
1      -    13             26
8      s    10             20
5     es     6             12
6      i     2              4
7      o     2              4
2      a     1              2
4     eo     1              2
[1] "f3PlDat"
   Suffix freq Percent_Trials
2      e    20             40
4     es    13             26
1      -     7             14
7      s     4              8
3     eo     3              6
5      i     2              4
6      o     1              2
[1] "f4PlDat"
   Suffix freq Percent_Trials
2      e    17             34
1      -    10             20
7      s     9             18
4     es     7             14
3     eo     3              6
5      i     2              4
6      o     1              2
8      u     1              2
[1] "f5PlDat"
   Suffix freq Percent_Trials
3      e    21             42
5     es    11             22
1      -     6             12
8      s     5             10
4     eo     3              6
6      i     2              4
2      a     1              2
7      o     1              2
[1] "nPlDat"
   Suffix freq Percent_Trials
1      -    15             30
3      e    12             24
7      s    10             20
4     es     5             10
2      a     3              6
6      o     3              6
5      i     2              4
[1] "n2PlDat"
   Suffix freq Percent_Trials
```

```
1      -    15             30
3      e    12             24
7      s    10             20
4     es     5             10
2      a     3              6
6      o     3              6
5      i     2              4
[1] "n3PlDat"
  Suffix freq Percent_Trials
1      -    15             30
3      e    11             22
8      s     8             16
5     es     7             14
2      a     3              6
4     eo     2              4
6      i     2              4
7      o     2              4
[1] "n4PlDat"
  Suffix freq Percent_Trials
2      e    16             32
1      -    11             22
4     es     8             16
7      s     8             16
3     eo     3              6
5      i     2              4
6      o     1              2
8      u     1              2
[1] "AblPl"
  Suffix freq Percent_Trials
2      e    14             28
1      -    10             20
5     es     9             18
7      s     9             18
4     eo     4              8
3   ebos     2              4
6      i     2              4
[1] "1PlAbl"
  Suffix freq Percent_Trials
2      a    29             58
3     as    11             22
1      -     2              4
4    bos     2              4
9      s     2              4
5      e     1              2
6     eo     1              2
7      i     1              2
8      o     1              2
[1] "2PlAbl"
  Suffix freq Percent_Trials
3      e    14             28
8      s    13             26
1      -    12             24
5     es     6             12
6      i     2              4
```

```
2      a   1              2
4     eo   1              2
7      o   1              2
[1] "3PlAbl"
   Suffix freq Percent_Trials
2      e  19             38
5     es  19             38
4     eo   4              8
1      -   2              4
3   ebos   2              4
6      i   2              4
7      s   2              4
[1] "4PlAbl"
   Suffix freq Percent_Trials
1      -  12             24
8      s  12             24
2      e  10             20
4     es   5             10
3     eo   3              6
6      o   3              6
5      i   2              4
7     os   2              4
9      u   1              2
[1] "5PlAbl"
   Suffix freq Percent_Trials
3      e  18             36
6     es  18             36
1      -   4              8
5     eo   3              6
4   ebos   2              4
7      i   2              4
2      a   1              2
8     io   1              2
9      s   1              2
[1] "mPlAbl"
   Suffix freq Percent_Trials
2      e  15             30
6      s  11             22
1      -   9             18
4     es   9             18
3     eo   4              8
5      i   2              4
[1] "m1PlAbl"
   Suffix freq Percent_Trials
2      a  31             62
3     as   9             18
4    bos   2              4
5      e   2              4
1      -   1              2
6     eo   1              2
7     es   1              2
8      i   1              2
9      o   1              2
10     s   1              2
```

```
[1] "m2PlAbl"
  Suffix freq Percent_Trials
2      e   15              30
7      s   14              28
1      -   10              20
4     es    7              14
5      i    2               4
3     eo    1               2
6      o    1               2
[1] "m3PlAbl"
  Suffix freq Percent_Trials
5     es   20              40
2      e   18              36
4     eo    4               8
1      -    2               4
3   ebos    2               4
6      i    2               4
7      s    2               4
[1] "m4PlAbl"
  Suffix freq Percent_Trials
1      -   12              24
8      s   12              24
2      e   10              20
4     es    5              10
3     eo    3               6
6      o    3               6
5      i    2               4
7     os    2               4
9      u    1               2
[1] "m5PlAbl"
  Suffix freq Percent_Trials
6     es   19              38
3      e   18              36
5     eo    3               6
1      -    2               4
4   ebos    2               4
7      i    2               4
9      s    2               4
2      a    1               2
8     io    1               2
[1] "fPlAbl"
  Suffix freq Percent_Trials
6     es   18              36
3      e   16              32
2      a    5              10
5     eo    4               8
1      -    2               4
4   ebos    2               4
7      i    2               4
8      s    1               2
[1] "f1PlAbl"
  Suffix freq Percent_Trials
2      a   29              58
3     as   11              22
```

```
1      -    2                4
4    bos    2                4
9      s    2                4
5      e    1                2
6     eo    1                2
7      i    1                2
8      o    1                2
[1] "f2PlAbl"
  Suffix freq Percent_Trials
2      e   15               30
7      s   14               28
1      -   10               20
4     es    7               14
5      i    2                4
3     eo    1                2
6      o    1                2
[1] "f3PlAbl"
  Suffix freq Percent_Trials
2      e   19               38
5     es   19               38
4     eo    4                8
1      -    2                4
3   ebos    2                4
6      i    2                4
7      s    2                4
[1] "f4PlAbl"
  Suffix freq Percent_Trials
1      -   12               24
8      s   10               20
4     es    9               18
2      e    8               16
3     eo    3                6
6      o    3                6
5      i    2                4
7     os    2                4
9      u    1                2
[1] "f5PlAbl"
  Suffix freq Percent_Trials
3      e   18               36
6     es   18               36
1      -    4                8
5     eo    3                6
4   ebos    2                4
7      i    2                4
2      a    1                2
8     io    1                2
9      s    1                2
[1] "nPlAbl"
  Suffix freq Percent_Trials
3      e   13               26
8      s   13               26
1      -   12               24
5     es    6               12
6      i    2                4
```

```
7       o    2               4
2       a    1               2
4      eo    1               2
[1] "n2PlAbl"
  Suffix freq Percent_Trials
1      -   13             26
3      e   13             26
8      s   13             26
5     es    6             12
6      i    2              4
2      a    1              2
4     eo    1              2
7      o    1              2
[1] "n3PlAbl"
  Suffix freq Percent_Trials
1      -   13             26
3      e   11             22
6     es    8             16
9      s    8             16
5     eo    3              6
2      a    2              4
4   ebos    2              4
7      i    2              4
8      o    1              2
[1] "n4PlAbl"
  Suffix freq Percent_Trials
1      -   13             26
8      s   12             24
2      e   10             20
4     es    4              8
3     eo    3              6
6      o    3              6
5      i    2              4
7     os    2              4
9      u    1              2


[1] "common_system_distrib"
   Percent_Match freq Percent_Trials
1       40.00000    1              2
2       42.66667    2              4
3       43.33333    2              4
4       44.00000    1              2
5       44.66667    1              2
6       46.00000    4              8
7       47.33333    1              2
8       48.00000    3              6
9       48.66667    3              6
10      50.00000    2              4
11      50.66667    1              2
12      51.33333    1              2
13      52.00000    2              4
14      52.66667    1              2
15      53.33333    2              4
16      54.00000    2              4
```

17	54.66667	1	2
18	55.33333	3	6
19	56.00000	1	2
20	56.66667	3	6
21	57.33333	2	4
22	58.00000	2	4
23	58.66667	1	2
24	59.33333	1	2
25	60.00000	1	2
26	61.33333	1	2
27	65.33333	1	2
28	66.66667	2	4
29	67.33333	1	2
30	68.66667	1	2

Percent of common_system_distrib Matching Reality

Percent Matching True System

```
[1] "NPLtoFSG_system_distrib"
   Percent_Match freq Percent_Trials
1       42.00000    1              2
2       42.66667    1              2
3       44.66667    1              2
4       45.33333    1              2
5       46.00000    2              4
6       46.66667    1              2
7       47.33333    2              4
8       48.66667    1              2
9       49.33333    3              6
10      50.00000    2              4
11      50.66667    1              2
12      51.33333    1              2
```

```
13      52.00000    2           4
14      52.66667    2           4
15      53.33333    2           4
16      54.00000    1           2
17      54.66667    4           8
18      55.33333    2           4
19      56.00000    4           8
20      56.66667    2           4
21      58.00000    3           6
22      58.66667    1           2
23      59.33333    1           2
24      60.00000    1           2
25      61.33333    1           2
26      62.00000    2           4
27      63.33333    1           2
28      64.00000    1           2
29      65.33333    1           2
30      68.00000    1           2
31      70.66667    1           2
```

Percent of NPLtoFSG_system_distrib Matching Reality


```
[1] "romanian_system_distrib"
   Percent_Match freq Percent_Trials
1       38.66667    1           2
2       39.33333    1           2
3       40.66667    2           4
4       41.33333    2           4
5       42.66667    2           4
6       43.33333    3           6
7       44.00000    1           2
```

```
8       44.66667    2           4
9       45.33333    2           4
10      46.00000    1           2
11      47.33333    2           4
12      48.00000    1           2
13      48.66667    2           4
14      49.33333    5           10
15      50.00000    2           4
16      50.66667    2           4
17      51.33333    2           4
18      52.00000    2           4
19      53.33333    1           2
20      54.00000    3           6
21      54.66667    2           4
22      55.33333    1           2
23      57.33333    2           4
24      58.66667    1           2
25      60.66667    3           6
26      64.00000    1           2
27      64.66667    1           2
```

## Percent of romanian_system_distrib Matching Reality


```
[1] "1_common_system_distrib"
  Percent_Match freq Percent_Trials
1      56.66667    1           2
2      60.00000    3           6
3      63.33333    3           6
4      66.66667   27           54
5      70.00000    3           6
6      73.33333    1           2
```

```
7       80.00000    4           8
8       86.66667    5          10
9       93.33333    3           6
```

Percent of 1_common_system_distrib Matching Reality

Percent Matching True System

```
[1] "1_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      56.66667    1           2
2      60.00000    3           6
3      63.33333    3           6
4      66.66667   27          54
5      70.00000    3           6
6      73.33333    1           2
7      80.00000    4           8
8      86.66667    5          10
9      93.33333    3           6
```

Percent of 1_NPLtoFSG_system_distrib Matching Reality


```
[1] "1_romanian_system_distrib"
   Percent_Match freq Percent_Trials
1       46.66667    1              2
2       50.00000    3              6
3       53.33333   27             54
4       56.66667    2              4
5       60.00000    2              4
6       63.33333    1              2
7       66.66667    3              6
8       70.00000    1              2
9       73.33333    1              2
10      76.66667    1              2
11      80.00000    1              2
12      83.33333    1              2
13      86.66667    6             12
```

Percent of 1_romanian_system_distrib Matching Reality


```
[1] "2_common_system_distrib"
  Percent_Match freq Percent_Trials
1      20.00000    2              4
2      26.66667    7             14
3      30.00000   33             66
4      33.33333    2              4
5      36.66667    2              4
6      40.00000    3              6
7      50.00000    1              2
```

Percent of 2_common_system_distrib Matching Reality


```
[1] "2_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      20.00000    2              4
2      26.66667    4              8
3      30.00000   23             46
4      33.33333    4              8
5      36.66667   11             22
6      40.00000    2              4
7      46.66667    2              4
8      50.00000    2              4
```

Percent of 2_NPLtoFSG_system_distrib Matching Reality


```
[1] "2_romanian_system_distrib"
  Percent_Match freq Percent_Trials
1      20.00000    2              4
2      26.66667    7             14
3      30.00000   31             62
4      33.33333    4              8
5      36.66667    2              4
6      40.00000    3              6
7      50.00000    1              2
```

Percent of 2_romanian_system_distrib Matching Reality


```
[1] "3_common_system_distrib"
   Percent_Match freq Percent_Trials
1       30.00000   1              2
2       40.00000   3              6
3       50.00000  12             24
4       53.33333   1              2
5       56.66667   3              6
6       60.00000   3              6
7       63.33333   5             10
8       66.66667   1              2
9       70.00000   9             18
10      73.33333   2              4
11      80.00000   1              2
12      83.33333   1              2
13      86.66667   3              6
14      90.00000   5             10
```

Percent of 3_common_system_distrib Matching Reality


```
[1] "3_NPLtoFSG_system_distrib"
   Percent_Match freq Percent_Trials
1       36.66667    1              2
2       40.00000    1              2
3       43.33333    2              4
4       46.66667    3              6
5       50.00000    2              4
6       56.66667    2              4
7       60.00000    2              4
8       63.33333    3              6
9       66.66667    8             16
10      70.00000    5             10
11      73.33333   12             24
12      80.00000    5             10
13      86.66667    2              4
14      90.00000    1              2
15     100.00000    1              2
```

Percent of 3_NPLtoFSG_system_distrib Matching Reality


```
[1] "3_romanian_system_distrib"
   Percent_Match freq Percent_Trials
1        30.00000    1              2
2        36.66667    1              2
3        40.00000    2              4
4        43.33333    2              4
5        46.66667    2              4
6        50.00000   12             24
7        53.33333    1              2
8        56.66667    4              8
9        60.00000    1              2
10       63.33333   11             22
11       66.66667    1              2
12       70.00000    5             10
13       73.33333    6             12
14       83.33333    1              2
```

Percent of 3_romanian_system_distrib Matching Reality


```
[1] "4_common_system_distrib"
   Percent_Match freq Percent_Trials
1        0.00000    1               2
2       10.00000    1               2
3       20.00000    2               4
4       26.66667    5              10
5       30.00000   23              46
6       33.33333    2               4
7       36.66667    1               2
8       40.00000    5              10
9       46.66667    1               2
10      50.00000    8              16
11      53.33333    1               2
```

Percent of 4_common_system_distrib Matching Reality


```
[1] "4_NPLtoFSG_system_distrib"
   Percent_Match freq Percent_Trials
1        0.00000    1               2
2       10.00000    1               2
3       20.00000    2               4
4       26.66667    6              12
5       30.00000   24              48
6       33.33333    1               2
7       36.66667    1               2
8       40.00000    3               6
9       43.33333    1               2
10      46.66667    1               2
11      50.00000    2               4
12      53.33333    1               2
13      56.66667    2               4
14      60.00000    4               8
```

Percent of 4_NPLtoFSG_system_distrib Matching Reality

[1] "4_romanian_system_distrib"

	Percent_Match	freq	Percent_Trials
1	0.00000	1	2
2	10.00000	1	2
3	20.00000	2	4
4	26.66667	6	12
5	30.00000	24	48
6	33.33333	1	2
7	36.66667	1	2
8	40.00000	4	8
9	46.66667	1	2
10	50.00000	9	18

Percent of 4_romanian_system_distrib Matching Reality


```
[1] "5_common_system_distrib"
   Percent_Match freq Percent_Trials
1       46.66667    3               6
2       50.00000    1               2
3       53.33333    9              18
4       60.00000    9              18
5       63.33333    3               6
6       66.66667    5              10
7       70.00000    4               8
8       73.33333    6              12
9       76.66667    1               2
10      80.00000    4               8
11      86.66667    2               4
12      90.00000    1               2
13      93.33333    2               4
```

Percent of 5_common_system_distrib Matching Reality


```
[1] "5_NPLtoFSG_system_distrib"
   Percent_Match freq Percent_Trials
1      46.66667   3              6
2      50.00000   1              2
3      53.33333   9             18
4      60.00000   9             18
5      63.33333   3              6
6      66.66667   5             10
7      70.00000   4              8
8      73.33333   6             12
9      76.66667   1              2
10     80.00000   4              8
11     86.66667   2              4
12     90.00000   1              2
13     93.33333   2              4
```

Percent of 5_NPLtoFSG_system_distrib Matching Reality


```
[1] "5_romanian_system_distrib"
   Percent_Match freq Percent_Trials
1       46.66667    3              6
2       50.00000    1              2
3       53.33333    9             18
4       60.00000    9             18
5       63.33333    3              6
6       66.66667    5             10
7       70.00000    4              8
8       73.33333    6             12
9       76.66667    1              2
10      80.00000    4              8
11      86.66667    2              4
12      90.00000    1              2
13      93.33333    2              4
```

## Percent of 5_romanian_system_distrib Matching Reality


```
[1] "m_common_system_distrib"
   Percent_Match freq Percent_Trials
1            30    2             4
2            34    2             4
3            36    3             6
4            40    8            16
5            42    3             6
6            44    4             8
7            46    3             6
8            48    3             6
9            50    8            16
10           52    4             8
11           54    3             6
12           56    1             2
13           58    1             2
14           62    1             2
15           64    2             4
16           66    1             2
17           68    1             2
```

Percent of m_common_system_distrib Matching Reality


```
[1] "m_NPLtoFSG_system_distrib"
   Percent_Match freq Percent_Trials
1             30    2              4
2             34    2              4
3             36    3              6
4             40    8             16
5             42    3              6
6             44    4              8
7             46    3              6
8             48    3              6
9             50    8             16
10            52    4              8
11            54    3              6
12            56    1              2
13            58    1              2
14            62    1              2
15            64    2              4
16            66    1              2
17            68    1              2
```

Percent of m_NPLtoFSG_system_distrib Matching Reality


```
[1] "m_romanian_system_distrib"
   Percent_Match freq Percent_Trials
1             28    1              2
2             30    2              4
3             32    1              2
4             34    2              4
5             36    8             16
6             38    3              6
7             40    5             10
8             42    3              6
9             44    3              6
10            46    5             10
11            48    2              4
12            50    5             10
13            52    3              6
14            54    1              2
15            56    1              2
16            60    2              4
17            62    2              4
18            66    1              2
```

**Percent of m_romanian_system_distrib Matching Reality**

[1] "f_common_system_distrib"

```
   Percent_Match freq Percent_Trials
1             32    1              2
2             34    4              8
3             36    4              8
4             38    1              2
5             40    6             12
6             42    4              8
7             44    1              2
8             46    4              8
9             48    5             10
10            50    4              8
11            52    3              6
12            54    6             12
13            58    2              4
14            62    2              4
15            64    1              2
16            66    1              2
17            68    1              2
```

Percent of f_common_system_distrib Matching Reality


```
[1] "f_NPLtoFSG_system_distrib"
   Percent_Match freq Percent_Trials
1            32    1              2
2            34    4              8
3            36    4              8
4            38    1              2
5            40    6             12
6            42    4              8
7            44    1              2
8            46    4              8
9            48    5             10
10           50    4              8
11           52    3              6
12           54    6             12
13           58    2              4
14           62    2              4
15           64    1              2
16           66    1              2
17           68    1              2
```

Percent of f_NPLtoFSG_system_distrib Matching Reality


```
[1] "f_romanian_system_distrib"
   Percent_Match freq Percent_Trials
1             28    1              2
2             30    2              4
3             32    4              8
4             34    3              6
5             36    5             10
6             38    4              8
7             40    2              4
8             42    4              8
9             44    4              8
10            46    4              8
11            48    1              2
12            50    4              8
13            52    5             10
14            54    1              2
15            58    2              4
16            60    1              2
17            62    1              2
18            64    1              2
19            66    1              2
```

Percent of f_romanian_system_distrib Matching Reality


```
[1] "n_common_system_distrib"
   Percent_Match freq Percent_Trials
1            56    1              2
2            58    1              2
3            60    3              6
4            62   16             32
5            64    2              4
6            66   15             30
7            68    3              6
8            70    5             10
9            72    3              6
10           74    1              2
```

Percent of n_common_system_distrib Matching Reality


```
[1] "n_NPLtoFSG_system_distrib"
   Percent_Match freq Percent_Trials
1             50    1              2
2             54    1              2
3             56    3              6
4             58    4              8
5             60    3              6
6             62    3              6
7             64    2              4
8             66    3              6
9             68    3              6
10            70    4              8
11            72    6             12
12            74    4              8
13            76    6             12
14            80    2              4
15            82    3              6
16            86    1              2
17            88    1              2
```

Percent of n_NPLtoFSG_system_distrib Matching Reality


```
[1] "n_romanian_system_distrib"
   Percent_Match freq Percent_Trials
1             50    1              2
2             54    1              2
3             56    4              8
4             58    8             16
5             60    3              6
6             62   20             40
7             64    4              8
8             66    6             12
9             68    2              4
10            70    1              2
```

Percent of n_romanian_system_distrib Matching Reality


```
[1] "Nom_common_system_distrib"
   Percent_Match freq Percent_Trials
1       46.66667    2              4
2       50.00000   12             24
3       53.33333    1              2
4       56.66667    5             10
5       60.00000    5             10
6       63.33333    5             10
7       66.66667   12             24
8       70.00000    4              8
9       73.33333    2              4
10      80.00000    1              2
11      90.00000    1              2
```

Percent of Nom_common_system_distrib Matching Reality


```
[1] "Nom_NPLtoFSG_system_distrib"
   Percent_Match freq Percent_Trials
1       43.33333    1              2
2       50.00000    1              2
3       53.33333    8             16
4       56.66667    8             16
5       60.00000    5             10
6       63.33333   14             28
7       66.66667    4              8
8       70.00000    4              8
9       76.66667    4              8
10      80.00000    1              2
```

Percent of Nom_NPLtoFSG_system_distrib Matching Reality



```
[1] "Nom_romanian_system_distrib"
   Percent_Match freq Percent_Trials
1       43.33333    1               2
2       46.66667    1               2
3       50.00000   12              24
4       53.33333    1               2
5       56.66667    9              18
6       60.00000    2               4
7       63.33333   16              32
8       70.00000    6              12
9       76.66667    1               2
10      80.00000    1               2
```

Percent of Nom_romanian_system_distrib Matching Reality


```
[1] "Acc_common_system_distrib"
  Percent_Match freq Percent_Trials
1      50.00000    1               2
2      56.66667   19              38
3      60.00000    3               6
4      66.66667    2               4
5      70.00000    5              10
6      73.33333    7              14
7      76.66667    2               4
8      80.00000   10              20
9      90.00000    1               2
```

Percent of Acc_common_system_distrib Matching Reality


```
[1] "Acc_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      53.33333    1              2
2      56.66667    2              4
3      60.00000    6             12
4      63.33333   11             22
5      66.66667    3              6
6      70.00000    5             10
7      73.33333    7             14
8      76.66667   13             26
9      83.33333    2              4
```

Percent of Acc_NPLtoFSG_system_distrib Matching Reality


```
[1] "Acc_romanian_system_distrib"
  Percent_Match freq Percent_Trials
1      50.00000    1              2
2      56.66667   21             42
3      60.00000    1              2
4      66.66667    2              4
5      70.00000   12             24
6      76.66667   10             20
7      83.33333    3              6
```

Percent of Acc_romanian_system_distrib Matching Reality

Percent of Trials

Percent Matching True System

```
[1] "Gen_common_system_distrib"
   Percent_Match freq Percent_Trials
1       13.33333    2              4
2       16.66667    2              4
3       20.00000    3              6
4       23.33333    2              4
5       26.66667    1              2
6       30.00000    9             18
7       33.33333    2              4
8       36.66667   19             38
9       40.00000    2              4
10      43.33333    1              2
11      46.66667    6             12
12      63.33333    1              2
```

Percent of Gen_common_system_distrib Matching Reality


```
[1] "Gen_NPLtoFSG_system_distrib"
   Percent_Match freq Percent_Trials
1      13.33333    1              2
2      16.66667    2              4
3      20.00000    4              8
4      23.33333    2              4
5      26.66667    5             10
6      30.00000    1              2
7      33.33333    9             18
8      36.66667    5             10
9      40.00000   13             26
10     43.33333    1              2
11     50.00000    5             10
12     53.33333    1              2
13     66.66667    1              2
```

Percent of Gen_NPLtoFSG_system_distrib Matching Reality

Percent of Trials

Percent Matching True System

```
[1] "Gen_romanian_system_distrib"
   Percent_Match freq Percent_Trials
1       13.33333    4              8
2       16.66667    1              2
3       20.00000    6             12
4       23.33333    4              8
5       26.66667    6             12
6       30.00000   15             30
7       33.33333    6             12
8       36.66667    1              2
9       40.00000    6             12
10      56.66667    1              2
```

Percent of Gen_romanian_system_distrib Matching Reality


```
[1] "Dat_common_system_distrib"
   Percent_Match freq Percent_Trials
1       13.33333    1               2
2       20.00000    3               6
3       23.33333    1               2
4       30.00000    1               2
5       33.33333    3               6
6       36.66667   22              44
7       40.00000    2               4
8       43.33333    1               2
9       46.66667    5              10
10      50.00000    3               6
11      53.33333    2               4
12      63.33333    1               2
13      66.66667    1               2
14      70.00000    2               4
15      80.00000    2               4
```

Percent of Dat_common_system_distrib Matching Reality


```
[1] "Dat_NPLtoFSG_system_distrib"
   Percent_Match freq Percent_Trials
1       13.33333    1              2
2       20.00000    1              2
3       23.33333    1              2
4       26.66667    3              6
5       30.00000    1              2
6       33.33333    4              8
7       36.66667    3              6
8       40.00000   17             34
9       43.33333    1              2
10      46.66667    5             10
11      50.00000    6             12
12      53.33333    1              2
13      63.33333    1              2
14      66.66667    1              2
15      70.00000    1              2
16      73.33333    1              2
17      76.66667    2              4
```

Percent of Dat_NPLtoFSG_system_distrib Matching Reality


```
[1] "Dat_romanian_system_distrib"
   Percent_Match freq Percent_Trials
1       13.33333    4              8
2       23.33333    1              2
3       26.66667    6             12
4       30.00000   18             36
5       33.33333    3              6
6       36.66667    3              6
7       40.00000    6             12
8       43.33333    2              4
9       46.66667    1              2
10      56.66667    2              4
11      60.00000    1              2
12      63.33333    1              2
13      70.00000    2              4
```

Percent of Dat_romanian_system_distrib Matching Reality

Percent of Trials (y-axis) vs Percent Matching True System (x-axis)

```
[1] "Abl_common_system_distrib"
   Percent_Match freq Percent_Trials
1       36.66667    1              2
2       43.33333    1              2
3       50.00000    4              8
4       53.33333    6             12
5       56.66667   15             30
6       60.00000    2              4
7       63.33333    3              6
8       66.66667    4              8
9       70.00000    6             12
10      73.33333    3              6
11      80.00000    4              8
12      86.66667    1              2
```

Percent of Abl_common_system_distrib Matching Reality


```
[1] "Abl_NPLtoFSG_system_distrib"
   Percent_Match freq Percent_Trials
1       36.66667    1               2
2       46.66667    1               2
3       50.00000    2               4
4       53.33333    4               8
5       56.66667    7              14
6       60.00000   14              28
7       63.33333    5              10
8       66.66667    3               6
9       70.00000    3               6
10      73.33333    4               8
11      76.66667    5              10
12      80.00000    1               2
```

Percent of Abl_NPLtoFSG_system_distrib Matching Reality


```
[1] "Abl_romanian_system_distrib"
   Percent_Match freq Percent_Trials
1       36.66667    1               2
2       43.33333    1               2
3       50.00000    5              10
4       53.33333    6              12
5       56.66667   14              28
6       60.00000    4               8
7       63.33333    5              10
8       66.66667    1               2
9       70.00000    8              16
10      76.66667    4               8
11      80.00000    1               2
```

## Percent of Abl_romanian_system_distrib Matching Reality


```
[1] "Sg_common_system_distrib"
   Percent_Match freq Percent_Trials
1       49.33333    1               2
2       57.33333    1               2
3       58.66667    1               2
4       61.33333    2               4
5       62.66667    2               4
6       66.66667    2               4
7       68.00000    3               6
8       69.33333    2               4
9       70.66667    3               6
10      72.00000    2               4
11      73.33333    1               2
12      76.00000    4               8
13      77.33333    2               4
14      78.66667    4               8
15      80.00000    1               2
16      81.33333    7              14
17      82.66667    1               2
18      84.00000    2               4
19      85.33333    2               4
20      86.66667    1               2
21      88.00000    2               4
22      89.33333    1               2
23      90.66667    1               2
24      92.00000    1               2
25      94.66667    1               2
```

Percent of Sg_common_system_distrib Matching Reality


```
[1] "Sg_NPLtoFSG_system_distrib"
   Percent_Match freq Percent_Trials
1      49.33333    1               2
2      57.33333    1               2
3      58.66667    1               2
4      61.33333    2               4
5      62.66667    2               4
6      66.66667    2               4
7      68.00000    3               6
8      69.33333    2               4
9      70.66667    3               6
10     72.00000    2               4
11     73.33333    1               2
12     76.00000    4               8
13     77.33333    2               4
14     78.66667    4               8
15     80.00000    1               2
16     81.33333    7              14
17     82.66667    1               2
18     84.00000    2               4
19     85.33333    2               4
20     86.66667    1               2
21     88.00000    2               4
22     89.33333    1               2
23     90.66667    1               2
24     92.00000    1               2
25     94.66667    1               2
```

Percent of Sg_NPLtoFSG_system_distrib Matching Reality


```
[1] "Sg_romanian_system_distrib"
   Percent_Match freq Percent_Trials
1        49.33333    1               2
2        54.66667    1               2
3        56.00000    1               2
4        57.33333    1               2
5        60.00000    1               2
6        61.33333    2               4
7        62.66667    4               8
8        64.00000    1               2
9        65.33333    1               2
10       66.66667    2               4
11       68.00000    1               2
12       69.33333    3               6
13       70.66667    3               6
14       72.00000    1               2
15       73.33333    4               8
16       74.66667    3               6
17       76.00000    7              14
18       77.33333    1               2
19       78.66667    2               4
20       80.00000    3               6
21       81.33333    1               2
22       82.66667    2               4
23       84.00000    1               2
24       85.33333    1               2
25       86.66667    1               2
26       89.33333    1               2
```

Percent of Sg_romanian_system_distrib Matching Reality


```
[1] "Pl_common_system_distrib"
   Percent_Match freq Percent_Trials
1       13.33333   12             24
2       16.00000    1              2
3       17.33333    1              2
4       18.66667    2              4
5       21.33333    1              2
6       22.66667    1              2
7       24.00000    3              6
8       25.33333    1              2
9       26.66667    5             10
10      29.33333    3              6
11      30.66667    1              2
12      32.00000    1              2
13      33.33333    2              4
14      34.66667    1              2
15      38.66667    1              2
16      40.00000    2              4
17      41.33333    1              2
18      44.00000    1              2
19      45.33333    1              2
20      46.66667    1              2
21      49.33333    2              4
22      52.00000    1              2
23      54.66667    2              4
24      56.00000    1              2
25      60.00000    1              2
26      72.00000    1              2
```

Percent of PI_common_system_distrib Matching Reality


```
[1] "Pl_NPLtoFSG_system_distrib"
   Percent_Match freq Percent_Trials
1       18.66667    3              6
2       20.00000    3              6
3       21.33333    1              2
4       22.66667    5             10
5       24.00000    3              6
6       25.33333    1              2
7       26.66667    3              6
8       28.00000    4              8
9       30.66667    3              6
10      32.00000    1              2
11      33.33333    2              4
12      34.66667    5             10
13      36.00000    2              4
14      40.00000    1              2
15      42.66667    3              6
16      44.00000    2              4
17      45.33333    1              2
18      46.66667    1              2
19      48.00000    3              6
20      49.33333    1              2
21      53.33333    1              2
22      61.33333    1              2
```

Percent of PI_NPLtoFSG_system_distrib Matching Reality


```
[1] "Pl_romanian_system_distrib"
   Percent_Match freq Percent_Trials
1       13.33333   12             24
2       16.00000    2              4
3       18.66667    3              6
4       21.33333    1              2
5       22.66667    1              2
6       24.00000    6             12
7       26.66667    5             10
8       28.00000    1              2
9       29.33333    2              4
10      33.33333    1              2
11      34.66667    4              8
12      40.00000    3              6
13      42.66667    2              4
14      44.00000    1              2
15      45.33333    1              2
16      48.00000    2              4
17      49.33333    1              2
18      53.33333    1              2
19      61.33333    1              2
```

Percent of PI_romanian_system_distrib Matching Reality


```
[1] "n.Sg,m.Sg"
  Percent_Match freq Percent_Trials
1      60.00000    1               2
2      66.66667    2               4
3      73.33333    5              10
4      80.00000    8              16
5      86.66667    9              18
6      93.33333    8              16
7     100.00000   17              34
```

Percent of n.Sg,m.Sg Matching Each Other


```
[1] "n.Pl,m.Pl"
   Percent_Match freq Percent_Trials
1       13.33333    1               2
2       33.33333    3               6
3       40.00000    1               2
4       46.66667    1               2
5       60.00000    3               6
6       66.66667    5              10
7       73.33333    5              10
8       80.00000    7              14
9       86.66667    8              16
10      93.33333    6              12
11     100.00000   10              20
```

Percent of n.Pl,m.Pl Matching Each Other

Percent Matching Each Other

```
[1] "n.Pl,f.Sg"
   Percent_Match freq Percent_Trials
1       0.000000    5             10
2       6.666667    5             10
3      13.333333    6             12
4      20.000000    5             10
5      26.666667    8             16
6      33.333333    4              8
7      40.000000    7             14
8      46.666667    7             14
9      60.000000    2              4
10     66.666667    1              2
```

Percent of n.Pl,f.Sg Matching Each Other


```
[1] "n.Pl,f.Pl"
   Percent_Match freq Percent_Trials
1       13.33333   1               2
2       33.33333   3               6
3       40.00000   1               2
4       46.66667   2               4
5       60.00000   4               8
6       66.66667   8              16
7       73.33333   4               8
8       80.00000   4               8
9       86.66667   8              16
10      93.33333   6              12
11     100.00000   9              18
```

Percent of n.Pl,f.Pl Matching Each Other

Percent Matching Each Other

```
[1] "m.Pl,f.Pl"
  Percent_Match freq Percent_Trials
1            80    1              2
2            84    3              6
3            88    7             14
4            92    5             10
5            96   10             20
6           100   24             48
```

Percent of m.PI,f.PI Matching Each Other


```
[1] "1,5"
  Percent_Match freq Percent_Trials
1             0   34             68
2             5    4              8
3            10    6             12
4            20    4              8
5            30    1              2
6            50    1              2
```

Percent of 1,5 Matching Each Other


```
[1] "2,4"
   Percent_Match freq Percent_Trials
1        0.00000    1               2
2       30.00000    1               2
3       40.00000    1               2
4       43.33333    3               6
5       46.66667    5              10
6       50.00000    3               6
7       56.66667    1               2
8       63.33333    2               4
9       66.66667    1               2
10      70.00000    2               4
11      76.66667    2               4
12      80.00000    2               4
13      86.66667    3               6
14      90.00000    3               6
15      93.33333    5              10
16      96.66667    2               4
17     100.00000   13              26
```

Percent of 2,4 Matching Each Other


```
[1] "Nom,Acc"
   Percent_Match freq Percent_Trials
1       46.15385    2              4
2       50.00000    4              8
3       57.69231    1              2
4       61.53846    8             16
5       65.38462    4              8
6       69.23077   12             24
7       73.07692    2              4
8       76.92308    4              8
9       80.76923    4              8
10      84.61538    4              8
11      88.46154    2              4
12     100.00000    3              6
```

Percent of Nom,Acc Matching Each Other


```
[1] "Acc,Abl"
   Percent_Match freq Percent_Trials
1       26.92308    1               2
2       42.30769    1               2
3       46.15385    2               4
4       50.00000    3               6
5       53.84615    1               2
6       57.69231    6              12
7       61.53846    4               8
8       65.38462    3               6
9       69.23077    5              10
10      73.07692    4               8
11      76.92308    2               4
12      80.76923    1               2
13      84.61538    4               8
14      92.30769    6              12
15      96.15385    2               4
16     100.00000    5              10
```

Percent of Acc,Abl Matching Each Other


```
[1] "Nom,Acc,Abl"
   Percent_Match freq Percent_Trials
1       11.53846    1               2
2       26.92308    1               2
3       30.76923    5              10
4       34.61538    2               4
5       38.46154    2               4
6       42.30769    2               4
7       46.15385    2               4
8       50.00000    6              12
9       53.84615    7              14
10      57.69231    5              10
11      61.53846    6              12
12      65.38462    1               2
13      69.23077    3               6
14      73.07692    1               2
15      76.92308    1               2
16      80.76923    2               4
17      84.61538    2               4
18     100.00000    1               2
```

Percent of Nom,Acc,Abl Matching Each Other

Percent of Trials

Percent Matching Each Other

```
[1] "Gen,Dat"
   Percent_Match freq Percent_Trials
1       15.38462    1              2
2       26.92308    1              2
3       42.30769    1              2
4       46.15385    2              4
5       50.00000    1              2
6       57.69231    4              8
7       65.38462    3              6
8       69.23077    4              8
9       73.07692    1              2
10      76.92308    3              6
11      80.76923    2              4
12      84.61538    3              6
13      88.46154    3              6
14      92.30769    1              2
15      96.15385    6             12
16     100.00000   14             28
```

Percent of Gen,Dat Matching Each Other

Percent Matching Each Other

```
[1] "nPlmPl_exclusive"
  Percent_Match freq Percent_Trials
1      0.000000   37             74
2      6.666667    7             14
3     13.333333    4              8
4     20.000000    2              4
```

Percent of nPlmPl_exclusive Matching Each Other

Percent of Trials

Percent Matching Each Other

```
[1] "nPlfPl_exclusive"
  Percent_Match freq Percent_Trials
1      0.000000   46             92
2      6.666667    3              6
3     13.333333    1              2
```

Percent of nPlfPl_exclusive Matching Each Other


```
[1] "1Sg(Nom|Acc)_a($|,)"
  Percent_Match freq Percent_Trials
1            75    1              2
2           100   49             98
```

Percent of 1Sg(Nom|Acc) ending in a($|,)

```
[1] "[24]Sg(Nom|Acc)_o($|,)"
  Percent_Match freq Percent_Trials
1      33.33333    1              2
2      75.00000    3              6
3      91.66667    1              2
4     100.00000   45             90
```

Percent of [24]Sg(Nom|Acc) ending in o($|,)

Percent Matching Reality

```
[1] "3Sg(Nom|Acc)_[e-]($|,)"
  Percent_Match freq Percent_Trials
1      50.00000    1              2
2      66.66667    1              2
3     100.00000   48             96
```

Percent of 3Sg(Nom|Acc) ending in [e−]($|,)


```
[1] "3Pl(Nom|Acc)_e?s($|,)"
  Percent_Match freq Percent_Trials
1       0.00000   14              28
2      33.33333    3               6
3      50.00000    4               8
4      66.66667   11              22
5     100.00000   18              36
```

Percent of 3Pl(Nom|Acc) ending in e?s($|,)


```
[1] "[124]Pl(Nom|Acc)_s($|,)"
   Percent_Match freq Percent_Trials
1           0.00   22             44
2           6.25    1              2
3          12.50    3              6
4          18.75    2              4
5          25.00    2              4
6          37.50    1              2
7          50.00    1              2
8          62.50    4              8
9          75.00    3              6
10         87.50    1              2
11         93.75    1              2
12        100.00    9             18
```

Percent of [124]Pl(Nom|Acc) ending in s($|,)


```
[1] "[24]Pl(Nom|Acc)_os($|,)"
  Percent_Match freq Percent_Trials
1             0   48             96
2            50    1              2
3            75    1              2
```

## Percent of [24]Pl(Nom|Acc) ending in os($|,)


```
[1] "1Pl(Nom|Acc)_as($|,)"
  Percent_Match freq Percent_Trials
1             0   35             70
2            50    2              4
3           100   13             26
```

**Percent of 1Pl(Nom|Acc) ending in as($|,)**


```
[1] "n.Pl(Nom|Acc)_a($|,)"
  Percent_Match freq Percent_Trials
1       0.00000   32             64
2      16.66667    3              6
3      33.33333    6             12
4      50.00000    1              2
5      66.66667    8             16
```

Percent of n.Pl(Nom|Acc) ending in a($|,)



```
[1] "n.Pl(Nom|Acc)_as($|,)"
  Percent_Match freq Percent_Trials
1             0   48             96
2            50    2              4
```

Percent of n.Pl(Nom|Acc) ending in as($|,)

```
[1] "n.Pl(Nom|Acc)_os($|,)"
  Percent_Match freq Percent_Trials
1       0.00000   48             96
2      33.33333    1              2
3      50.00000    1              2
```

Percent of n.Pl(Nom|Acc) ending in os($|,)


```
[1] "m.Pl(Nom|Acc)_as($|,)"
  Percent_Match freq Percent_Trials
1             0   34             68
2            10    3              6
3            20   13             26
```

Percent of m.Pl(Nom|Acc) ending in as($|,)


```
[1] "m.Pl(Nom|Acc)_os($|,)"
  Percent_Match freq Percent_Trials
1             0   48             96
2            20    1              2
3            30    1              2
```

Percent of m.Pl(Nom|Acc) ending in os($|,)


```
[1] "Pl(Nom|Acc)_s($|,)"
   Percent_Match freq Percent_Trials
1        0.00000   12             24
2       11.53846    4              8
3       19.23077    1              2
4       23.07692    3              6
5       26.92308    1              2
6       30.76923    5             10
7       38.46154    1              2
8       46.15385    3              6
9       50.00000    1              2
10      53.84615    1              2
11      61.53846    1              2
12      69.23077    1              2
13      76.92308    3              6
14      80.76923    1              2
15      84.61538    2              4
16      92.30769    1              2
17     100.00000    9             18
```

Percent of Pl(Nom|Acc) ending in s($|,)


```
[1] "1Sg(Abl|Acc)_a($|,)"
  Percent_Match freq Percent_Trials
1            75    6             12
2           100   44             88
```

Percent of 1Sg(Abl|Acc) ending in a($|,)

```
[1] "[24]Sg(Abl|Acc)_o($|,)"
  Percent_Match freq Percent_Trials
1      33.33333    1              2
2      50.00000    1              2
3      66.66667    1              2
4      75.00000    3              6
5      83.33333    3              6
6      91.66667    6             12
7     100.00000   35             70
```

Percent of [24]Sg(Abl|Acc) ending in o($|,)


```
[1] "3Sg(Abl|Acc)_[e-]($|,)"
  Percent_Match freq Percent_Trials
1      83.33333    3              6
2     100.00000   47             94
```

Percent of 3Sg(Abl|Acc) ending in [e−]($|,)


```
[1] "3Pl(Abl|Acc)_e?s($|,)"
  Percent_Match freq Percent_Trials
1       0.00000   13             26
2      16.66667    1              2
3      33.33333   10             20
4      50.00000    8             16
5      66.66667    5             10
6      83.33333    1              2
7     100.00000   12             24
```

Percent of 3Pl(Abl|Acc) ending in e?s($|,)

Percent of Trials (y-axis), Percent Matching Reality (x-axis)

```
[1] "[124]Pl(Abl|Acc)_s($|,)"
   Percent_Match freq Percent_Trials
1          0.00   20             40
2         12.50    5             10
3         18.75    1              2
4         25.00    2              4
5         31.25    1              2
6         37.50    3              6
7         43.75    1              2
8         50.00    2              4
9         56.25    1              2
10        62.50    1              2
11        75.00    2              4
12        81.25    2              4
13        87.50    1              2
14       100.00    8             16
```

Percent of [124]Pl(Abl|Acc) ending in s($|,)

Percent of Trials

Percent Matching Reality

```
[1] "[24]Pl(Abl|Acc)_os($|,)"
  Percent_Match freq Percent_Trials
1             0   47             94
2            25    2              4
3            50    1              2
```

Percent of [24]Pl(Abl|Acc) ending in os($|,)


```
[1] "1Pl(Abl|Acc)_as($|,)"
  Percent_Match freq Percent_Trials
1             0   34             68
2            25    1              2
3            50    6             12
4            75    1              2
5           100    8             16
```

Percent of 1Pl(Abl|Acc) ending in as($|,)


```
[1] "n.Pl(Abl|Acc)_a($|,)"
  Percent_Match freq Percent_Trials
1      0.00000   32             64
2     16.66667    6             12
3     33.33333   11             22
4     66.66667    1              2
```

Percent of n.Pl(Abl|Acc) ending in a($|,)


```
[1] "n.Pl(Abl|Acc)_as($|,)"
  Percent_Match freq Percent_Trials
1      0.00000   48            96
2     33.33333    2             4
```

Percent of n.Pl(Abl|Acc) ending in as($|,)

```
[1] "n.Pl(Abl|Acc)_os($|,)"
  Percent_Match freq Percent_Trials
1       0.00000   45             90
2      16.66667    4              8
3      33.33333    1              2
```

## Percent of n.Pl(Abl|Acc) ending in os($|,)


```
[1] "m.Pl(Abl|Acc)_as($|,)"
  Percent_Match freq Percent_Trials
1             0   35             70
2            10    7             14
3            20    8             16
```

Percent of m.Pl(Abl|Acc) ending in as($|,)

Percent of Trials

Percent Matching Reality

```
[1] "m.Pl(Abl|Acc)_os($|,)"
  Percent_Match freq Percent_Trials
1             0   45             90
2            10    2              4
3            20    1              2
4            30    2              4
```

Percent of m.Pl(Abl|Acc) ending in os($|,)



```
[1] "Pl(Abl|Acc)_s($|,)"
   Percent_Match freq Percent_Trials
1        0.00000   13             26
2       11.53846    1              2
3       15.38462    3              6
4       19.23077    1              2
5       23.07692    4              8
6       26.92308    2              4
7       30.76923    3              6
8       42.30769    2              4
9       46.15385    2              4
10      50.00000    1              2
11      53.84615    5             10
12      65.38462    1              2
13      69.23077    2              4
14      84.61538    1              2
15      92.30769    1              2
16     100.00000    8             16
```

Percent of Pl(Abl|Acc) ending in s($|,)

Percent Matching Reality

```
[1] "1Sg(Nom|Acc|Abl)_a($|,)"
  Percent_Match freq Percent_Trials
1      66.66667    1              2
2      83.33333    5             10
3     100.00000   44             88
```

Percent of 1Sg(Nom|Acc|Abl) ending in a($|,)


```
[1] "[24]Sg(Nom|Acc|Abl)_o($|,)"
  Percent_Match freq Percent_Trials
1      33.33333    1              2
2      66.66667    4              8
3      77.77778    1              2
4      88.88889    3              6
5      94.44444    6             12
6     100.00000   35             70
```

Percent of [24]Sg(Nom|Acc|Abl) ending in o($|,)


```
[1] "3Sg(Nom|Acc|Abl)_[e-]($|,)"
  Percent_Match freq Percent_Trials
1      55.55556    1              2
2      77.77778    1              2
3      88.88889    2              4
4     100.00000   46             92
```

Percent of 3Sg(Nom|Acc|Abl) ending in [e−]($|,)


```
[1] "3Pl(Nom|Acc|Abl)_e?s($|,)"
  Percent_Match freq Percent_Trials
1       0.00000   12             24
2      11.11111    1              2
3      22.22222    2              4
4      33.33333    1              2
5      44.44444    6             12
6      55.55556    3              6
7      66.66667   11             22
8      77.77778    2              4
9     100.00000   12             24
```

Percent of 3Pl(Nom|Acc|Abl) ending in e?s($|,)


```
[1] "[124]Pl(Nom|Acc|Abl)_s($|,)"
   Percent_Match freq Percent_Trials
1       0.000000   20             40
2       8.333333    2              4
3      16.666667    2              4
4      20.833333    1              2
5      29.166667    3              6
6      33.333333    1              2
7      41.666667    3              6
8      45.833333    2              4
9      50.000000    1              2
10     58.333333    1              2
11     62.500000    1              2
12     75.000000    2              4
13     87.500000    2              4
14     91.666667    1              2
15    100.000000    8             16
```

Percent of [124]Pl(Nom|Acc|Abl) ending in s($|,)


```
[1] "[24]Pl(Nom|Acc|Abl)_os($|,)"
  Percent_Match freq Percent_Trials
1       0.00000   47             94
2      16.66667    1              2
3      50.00000    2              4
```

Percent of [24]Pl(Nom|Acc|Abl) ending in os($|,)


```
[1] "1Pl(Nom|Acc|Abl)_as($|,)"
  Percent_Match freq Percent_Trials
1       0.00000   33             66
2      16.66667    1              2
3      33.33333    3              6
4      66.66667    4              8
5      83.33333    1              2
6     100.00000    8             16
```

Percent of 1Pl(Nom|Acc|Abl) ending in as($|,)


```
[1] "n.Pl(Nom|Acc|Abl)_a($|,)"
  Percent_Match freq Percent_Trials
1       0.00000   32             64
2      11.11111    3              6
3      22.22222    5             10
4      33.33333    2              4
5      44.44444    7             14
6      66.66667    1              2
```

Percent of n.Pl(Nom|Acc|Abl) ending in a($|,)


```
[1] "n.Pl(Nom|Acc|Abl)_as($|,)"
  Percent_Match freq Percent_Trials
1      0.00000   48             96
2     33.33333    2              4
```

Percent of n.Pl(Nom|Acc|Abl) ending in as($|,)

```
[1] "n.Pl(Nom|Acc|Abl)_os($|,)"
  Percent_Match freq Percent_Trials
1      0.00000   45             90
2     11.11111    3              6
3     33.33333    2              4
```

Percent of n.Pl(Nom|Acc|Abl) ending in os($|,)


```
[1] "m.Pl(Nom|Acc|Abl)_as($|,)"
  Percent_Match freq Percent_Trials
1     0.000000   33             66
2     6.666667    4              8
3    13.333333    5             10
4    20.000000    8             16
```

Percent of m.Pl(Nom|Acc|Abl) ending in as($|,)


```
[1] "m.Pl(Nom|Acc|Abl)_os($|,)"
  Percent_Match freq Percent_Trials
1      0.000000   45             90
2      6.666667    1              2
3     20.000000    4              8
```

Percent of m.Pl(Nom|Acc|Abl) ending in os($|,)


```
[1] "Pl(Nom|Acc|Abl)_s($|,)"
   Percent_Match freq Percent_Trials
1       0.000000   12             24
2       7.692308    1              2
3      15.384615    1              2
4      17.948718    1              2
5      20.512821    2              4
6      23.076923    2              4
7      25.641026    2              4
8      28.205128    1              2
9      30.769231    2              4
10     35.897436    1              2
11     38.461538    2              4
12     43.589744    1              2
13     51.282051    3              6
14     53.846154    2              4
15     56.410256    2              4
16     58.974359    1              2
17     64.102564    1              2
18     69.230769    1              2
19     71.794872    1              2
20     79.487179    1              2
21     84.615385    1              2
22     94.871795    1              2
23    100.000000    8             16
```

Percent of Pl(Nom|Acc|Abl) ending in s($|,)

Percent of Trials

Percent Matching Reality

```
[1] "1Sg(Gen|Dat)_e($|,)"
  Percent_Match freq Percent_Trials
1             0   48             96
2            25    2              4
```

Percent of 1Sg(Gen|Dat) ending in e($|,)

Percent of Trials

Percent Matching Reality

```
[1] "Pl(Gen|Dat)_s($|,)"
   Percent_Match freq Percent_Trials
1       0.000000   26             52
2       3.846154    1              2
3      15.384615    3              6
4      23.076923    1              2
5      30.769231    2              4
6      38.461538    1              2
7      46.153846    1              2
8      69.230769    2              4
9      84.615385    3              6
10    100.000000   10             20
```

Percent of Pl(Gen|Dat) ending in s($|,)


```
[1] "[124]Pl(Gen|Dat)_s($|,)"
   Percent_Match freq Percent_Trials
1          0.00   28             56
2         12.50    2              4
3         18.75    1              2
4         25.00    2              4
5         37.50    1              2
6         62.50    2              4
7         75.00    4              8
8        100.00   10             20
```

Percent of [124]PI(Gen|Dat) ending in s($|,)

Percent of Trials

Percent Matching Reality

```
[1] "Sg_nots"
   Percent_Match freq Percent_Trials
1       41.53846    1               2
2       52.30769    1               2
3       60.00000    1               2
4       66.15385    2               4
5       67.69231    1               2
6       69.23077    2               4
7       70.76923    2               4
8       75.38462    1               2
9       78.46154    1               2
10      80.00000    3               6
11      84.61538    2               4
12      86.15385    2               4
13      87.69231    1               2
14      89.23077    1               2
15      90.76923    1               2
16      93.84615    2               4
17      95.38462    2               4
18     100.00000   24              48
```

Percent of Sg ending in nots


```
[1] "Pl_s($|,)"
   Percent_Match freq Percent_Trials
1       0.000000   11             22
2       4.615385    1              2
3       6.153846    1              2
4       9.230769    1              2
5      10.769231    1              2
6      12.307692    2              4
7      15.384615    2              4
8      18.461538    1              2
9      23.076923    4              8
10     26.153846    1              2
11     30.769231    3              6
12     32.307692    2              4
13     33.846154    2              4
14     44.615385    1              2
15     49.230769    1              2
16     55.384615    1              2
17     63.076923    2              4
18     66.153846    1              2
19     72.307692    1              2
20     75.384615    1              2
21     84.615385    1              2
22     96.923077    1              2
23    100.000000    8             16
```

Percent of PI ending in s($|,)

Percent of Trials (y-axis)

Percent Matching Reality (x-axis)

```
[1] "[mf].Pl_s($|,)"
   Percent_Match freq Percent_Trials
1              0   11             22
2              4    1              2
3              8    1              2
4             12    1              2
5             14    1              2
6             16    3              6
7             20    1              2
8             22    1              2
9             24    3              6
10            28    2              4
11            32    3              6
12            34    2              4
13            40    1              2
14            42    1              2
15            46    1              2
16            48    1              2
17            54    1              2
18            56    1              2
19            64    1              2
20            72    2              4
21            76    1              2
22            80    1              2
23           100    9             18
```

Percent of [mf].Pl ending in s($|,)

Percent of Trials (y-axis)

Percent Matching Reality (x-axis)

```
[1] "[124]Pl_s($|,)"
   Percent_Match freq Percent_Trials
1            0.0   18             36
2            5.0    1              2
3            7.5    1              2
4           10.0    3              6
5           17.5    3              6
6           20.0    1              2
7           25.0    2              4
8           27.5    2              4
9           30.0    1              2
10          32.5    1              2
11          40.0    1              2
12          62.5    2              4
13          65.0    2              4
14          75.0    2              4
15          77.5    1              2
16          95.0    1              2
17         100.0    8             16
```

Percent of [124]PI ending in s($|,)


```
[1] "n.Pl_s($|,)"
   Percent_Match freq Percent_Trials
1       0.000000   20             40
2       6.666667    2              4
3      13.333333    1              2
4      20.000000    3              6
5      26.666667    4              8
6      33.333333    3              6
7      40.000000    1              2
8      60.000000    3              6
9      73.333333    2              4
10     86.666667    1              2
11    100.000000   10             20
```

Percent of n.Pl ending in s($|,)


```
[1] "1Sg_a($|,)"
  Percent_Match freq Percent_Trials
1            60    7             14
2            70    2              4
3            80    8             16
4            90    3              6
5           100   30             60
```

Percent of 1Sg ending in a($|,)


```
[1] "[24]Sg_o($|,)"
   Percent_Match freq Percent_Trials
1       20.00000    1              2
2       40.00000    4              8
3       46.66667    1              2
4       53.33333    3              6
5       56.66667    3              6
6       60.00000   22             44
7       63.33333    1              2
8       66.66667    1              2
9       73.33333    2              4
10      76.66667    4              8
11      80.00000    5             10
12      83.33333    1              2
13      90.00000    1              2
14     100.00000    1              2
```

Percent of [24]Sg ending in o($|,)

Percent Matching Reality

```
[1] "3Sg_[e-]($|,)"
  Percent_Match freq Percent_Trials
1      33.33333    1              2
2      53.33333    1              2
3      60.00000    9             18
4      66.66667    1              2
5      73.33333    4              8
6      80.00000    7             14
7      86.66667    2              4
8     100.00000   25             50
```

Percent of 3Sg ending in [e−]($|,)


```
[1] "3Pl_e?s"
   Percent_Match freq Percent_Trials
1        0.000000   12             24
2        6.666667    1              2
3       13.333333    2              4
4       20.000000    1              2
5       26.666667    4              8
6       33.333333    1              2
7       40.000000    9             18
8       46.666667    1              2
9       53.333333    2              4
10      60.000000    2              4
11      66.666667    1              2
12      80.000000    1              2
13      86.666667    2              4
14     100.000000   11             22
```

Percent of 3PI ending in e?s


```
[1] "[24]Pl_os($|,)"
  Percent_Match freq Percent_Trials
1             0   47             94
2            10    1              2
3            30    2              4
```

Percent of [24]Pl ending in os($|,)


```
[1] "1Pl_as($|,)"
  Percent_Match freq Percent_Trials
1             0   32             64
2            10    1              2
3            20    2              4
4            40    4              8
5            50    1              2
6            60    2              4
7            80    1              2
8           100    7             14
```

Percent of 1Pl ending in as($|,)

Percent of Trials (y-axis)

Percent Matching Reality (x-axis)

```
[1] "n.Pl_a($|,)"
  Percent_Match freq Percent_Trials
1      0.000000   32             64
2      6.666667    2              4
3     13.333333    5             10
4     20.000000    1              2
5     26.666667    7             14
6     33.333333    2              4
7     66.666667    1              2
```

Percent of n.Pl ending in a($|,)


```
[1] "n.Pl_as($|,)"
  Percent_Match freq Percent_Trials
1             0   48             96
2            20    2              4
```

Percent of n.Pl ending in as($|,)

```
[1] "n.Pl_os($|,)"
  Percent_Match freq Percent_Trials
1      0.000000   45             90
2      6.666667    2              4
3     13.333333    1              2
4     20.000000    2              4
```

Percent of n.Pl ending in os($|,)

Percent of Trials (y-axis), Percent Matching Reality (x-axis)

```
[1] "m.Pl_as($|,)"
  Percent_Match freq Percent_Trials
1             0   32             64
2             4    3              6
3             8    5             10
4            12    2              4
5            16    1              2
6            20    7             14
```

# Percent of m.Pl ending in as($|,)


```
[1] "m.Pl_os($|,)"
  Percent_Match freq Percent_Trials
1             0   45             90
2             4    1              2
3            12    3              6
4            24    1              2
```

Percent of m.Pl ending in os($|,)


```
[1] "Sg"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2       a   50            100
4       e   50            100
8       o   50            100
1       -   49             98
5      es   18             36
3      as   13             26
10      s   13             26
6       i    5             10
9      os    4              8
7      is    3              6
11      u    1              2
[1] "All Endings Included"
   Suffix freq Percent_Trials
1       -   50            100
2       a   50            100
5       e   50            100
10      o   50            100
7      es   18             36
12      s   15             30
4      as   14             28
3      ao    5             10
8       i    5             10
11     os    4              8
6      eo    3              6
9      is    3              6
13      u    1              2
```

153

```
[1] "1SgNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      a   50           100
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   50           100
1      -    1             2
[1] "2SgNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      o   50           100
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      o   50           100
1      -    2             4
[1] "3SgNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   49            98
2      e   49            98
3     es    1             2
4      s    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   50           100
2      e   49            98
3     es    1             2
4      s    1             2
[1] "4SgNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      o   49            98
2     os    3             6
3      u    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      o   49            98
2     os    3             6
3      u    1             2
[1] "5SgNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   11            22
1      -    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   49            98
1      -   36            72
3     es    2             4
4      s    2             4
[1] "1SgAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
```

154

```
1      a   50          100
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   50          100
3     ao    5           10
1      -    1            2
4     as    1            2
[1] "2SgAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      o   50          100
2     os    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      o   50          100
1      -   10           20
3     os    1            2
[1] "3SgAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   50          100
1      -   32           64
3      s    3            6
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   50          100
1      -   32           64
3      s    3            6
[1] "4SgAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      o   49           98
3     os    4            8
1      -    1            2
4      u    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      o   49           98
1      -    6           12
3     os    4            8
4      u    1            2
[1] "5SgAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      e   47           94
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   50          100
3     eo    3            6
1      -    2            4
4     es    2            4
[1] "1SgNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
```

```
1      a    50           100
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a    50           100
3     ao     5            10
1      -     2             4
4     as     1             2
[1] "2SgNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      o    50           100
2     os     1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      o    50           100
1      -    10            20
3     os     1             2
[1] "3SgNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e    50           100
1      -    49            98
4      s     3             6
3     es     1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -    50           100
2      e    50           100
4      s     3             6
3     es     1             2
[1] "4SgNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      o    49            98
3     os     4             8
1      -     1             2
4      u     1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      o    49            98
1      -     6            12
3     os     4             8
4      u     1             2
[1] "5SgNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e    47            94
1      -     1             2
3     es     1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e    50           100
1      -    36            72
3     eo     3             6
```

```
4     es    3              6
5      s    2              4
[1] "1SgGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   43             86
3     as   13             26
5      s    2              4
1      -    1              2
4     es    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   45             90
3     as   13             26
1      -    3              6
7      s    3              6
4      e    2              4
5     es    1              2
6     is    1              2
[1] "2SgGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   26             52
1      -   15             30
6      o    7             14
3     es    6             12
4      i    5             10
7      s    5             10
5     is    2              4
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   26             52
1      -   18             36
3     es    7             14
6      o    7             14
7      s    7             14
4      i    5             10
5     is    2              4
[1] "3SgGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   38             76
3     es   16             32
1      -   14             28
6      s    8             16
5     is    3              6
4      i    2              4
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   39             78
3     es   16             32
1      -   15             30
6      s   10             20
5     is    3              6
```

```
4      i    2              4
```
[1] "4SgGen,Dat"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
2      e   18             36
6      o   15             30
1      -   11             22
8      s    8             16
3     es    5             10
4      i    3              6
5     is    2              4
7     os    2              4
9      u    1              2
```
[1] "All Endings Included"
```
  Suffix freq Percent_Trials
2      e   21             42
6      o   16             32
1      -   15             30
3     es    8             16
8      s    8             16
4      i    3              6
5     is    2              4
7     os    2              4
9      u    1              2
```
[1] "5SgGen,Dat"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
2      e   19             38
3     es    6             12
6      s    2              4
1      -    1              2
4      i    1              2
5     is    1              2
```
[1] "All Endings Included"
```
  Suffix freq Percent_Trials
2      e   36             72
3     es   16             32
1      -    9             18
6      s    8             16
5     is    3              6
4      i    2              4
```
[1] "Nom"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
2      a   50            100
7      o   50            100
1      -   49             98
9      s   25             50
5     es   20             40
3     as   14             28
4      e   12             24
8     os    3              6
6     is    1              2
10     u    1              2
```

```
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       a   50          100
7       o   50          100
1       -   49           98
9       s   25           50
5      es   20           40
3      as   17           34
4       e   16           32
8      os    3            6
6      is    1            2
10      u    1            2
[1] "NomSg"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2       a   50          100
5       o   50          100
1       -   48           96
3       e    4            8
6      os    3            6
4      es    1            2
7       s    1            2
8       u    1            2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       a   50          100
5       o   50          100
1       -   49           98
3       e   11           22
6      os    3            6
4      es    2            4
7       s    2            4
8       u    1            2
[1] "1"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2       a   50          100
4      as   19           38
10     es    6           12
13      s    5           10
1       -    3            6
6     bos    2            4
3      ao    1            2
5     aso    1            2
7       e    1            2
8    ebos    1            2
9      eo    1            2
11      i    1            2
12      o    1            2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       a   50          100
4      as   22           44
3      ao    6           12
```

```
10    es    6           12
7     e     5           10
14    s     5           10
1     -     4            8
6    bos    2            4
5    aso    1            2
8   ebos    1            2
9     eo    1            2
11     i    1            2
12    is    1            2
13     o    1            2
[1] "1Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2     a    50          100
3    as    13           26
5     s     2            4
1     -     1            2
4    es     1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     a    50          100
4    as    14           28
3    ao     5           10
1     -     3            6
8     s     3            6
5     e     2            4
6    es     1            2
7    is     1            2
[1] "1SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     a    50          100
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     a    50          100
1     -     1            2
[1] "2"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
9     o    50          100
1     -    37           74
4     e    31           62
11     s    24           48
2     a    15           30
6    es    13           26
7     i     6           12
3    as     3            6
5    eo     2            4
8    is     2            4
10    os     2            4
[1] "All Endings Included"
   Suffix freq Percent_Trials
9     o    50          100
```

```
1      -   39              78
4      e   31              62
11     s   25              50
2      a   15              30
6     es   15              30
7      i    6              12
3     as    3               6
5     eo    2               4
8     is    2               4
10    os    2               4
[1] "2Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6      o   50             100
2      e   26              52
1      -   15              30
3     es    6              12
4      i    5              10
8      s    5              10
5     is    2               4
7     os    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
6      o   50             100
2      e   26              52
1      -   23              46
3     es    7              14
8      s    7              14
4      i    5              10
5     is    2               4
7     os    1               2
[1] "2SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      o   50             100
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      o   50             100
1      -    1               2
[1] "3"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
4       e   50             100
1       -   49              98
7      es   36              72
11      s   22              44
2       a   14              28
6      eo    4               8
8       i    3               6
9      is    3               6
3      as    2               4
5    ebos    2               4
10      o    2               4
[1] "All Endings Included"
```

```
    Suffix freq Percent_Trials
1        -   50           100
4        e   50           100
7       es   36            72
11       s   22            44
2        a   16            32
6       eo    4             8
8        i    3             6
9       is    3             6
3       as    2             4
5     ebos    2             4
10       o    2             4
[1] "3Sg"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2        e   50           100
1        -   49            98
3       es   16            32
6        s    9            18
5       is    3             6
4        i    2             4
[1] "All Endings Included"
   Suffix freq Percent_Trials
1        -   50           100
2        e   50           100
3       es   16            32
6        s   11            22
5       is    3             6
4        i    2             4
[1] "3SgNom"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
1        -   48            96
2        e    4             8
3       es    1             2
4        s    1             2
[1] "All Endings Included"
   Suffix freq Percent_Trials
1        -   49            98
2        e    4             8
3       es    1             2
4        s    1             2
[1] "4"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
8        o   49            98
1        -   30            60
2        e   26            52
10       s   17            34
4       es   12            24
9       os    5            10
3       eo    4             8
6        i    4             8
7       is    2             4
```

```
5     eso   1              2
11     u    1              2
[1] "All Endings Included"
   Suffix freq Percent_Trials
9      o    49             98
1      -    32             64
3      e    28             56
11     s    21             42
5      es   14             28
10     os   5              10
4      eo   4              8
7      i    4              8
8      is   2              4
2      a    1              2
6      eso  1              2
12     u    1              2
[1] "4Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6      o    49             98
2      e    18             36
1      -    11             22
8      s    8              16
3      es   5              10
7      os   4              8
4      i    3              6
5      is   2              4
9      u    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
6      o    49             98
2      e    21             42
1      -    17             34
3      es   8              16
8      s    8              16
7      os   4              8
4      i    3              6
5      is   2              4
9      u    1              2
[1] "4SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      o    46             92
2      os   3              6
3      u    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      o    46             92
2      os   3              6
3      u    1              2
[1] "5"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
3      e    48             96
```

```
6       es   27             54
1        -   18             36
10       s    9             18
5       eo    3              6
2        a    2              4
7        i    2              4
4     ebos    1              2
8       is    1              2
9        o    1              2
[1] "All Endings Included"
    Suffix freq Percent_Trials
4        e   50            100
1        -   38             76
7       es   35             70
12       s   18             36
6       eo    6             12
2        a    4              8
8        i    4              8
10      is    3              6
5     ebos    2              4
3       as    1              2
9       io    1              2
11       o    1              2
[1] "5Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2        e   48             96
1        -    9             18
3       es    7             14
6        s    3              6
4        i    1              2
5       is    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2        e   50            100
1        -   37             74
4       es   17             34
7        s    9             18
3       eo    3              6
6       is    3              6
5        i    2              4
[1] "5SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1        -   35             70
2        e   10             20
3       es    2              4
4        s    2              4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1        -   36             72
2        e   11             22
3       es    2              4
4        s    2              4
```

```
[1] "m"
[1] "Endings occuring 10 times or less excluded"
    Suffix freq Percent_Trials
4       e   50           100
11      o   50           100
1       -   47            94
7      es   36            72
2       a   34            68
13      s   26            52
3      as    7            14
9       i    6            12
12     os    5            10
6      eo    4             8
10     is    3             6
5    ebos    2             4
8     eso    1             2
14      u    1             2
[1] "All Endings Included"
    Suffix freq Percent_Trials
2       a   50           100
7       e   50           100
15      o   50           100
1       -   48            96
10     es   36            72
17      s   27            54
4      as   23            46
3      ao    6            12
9      eo    6            12
12      i    6            12
16     os    5            10
14     is    3             6
6     bos    2             4
8    ebos    2             4
5     aso    1             2
11    eso    1             2
13     io    1             2
18      u    1             2
[1] "mSg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2       e   50           100
6       o   50           100
1       -   45            90
3      es   16            32
8       s   12            24
4       i    5            10
7      os    4             8
5      is    3             6
9       u    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2       a   50           100
5       e   50           100
10      o   50           100
```

165

```
1       -   47          94
7      es   18          36
4      as   12          24
12      s   12          24
3      ao    5          10
8       i    5          10
11     os    4           8
6      eo    3           6
9      is    3           6
13      u    1           2
[1] "mSgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4      o   50          100
1      -   44           88
2      e    4            8
5     os    3            6
3     es    1            2
6      s    1            2
7      u    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   50          100
5      o   50          100
1      -   45           90
3      e   10           20
6     os    3            6
4     es    2            4
7      s    2            4
8      u    1            2
[1] "m1SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   50          100
1      -    1            2
[1] "m2SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      o   50          100
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      o   50          100
[1] "m3SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   44           88
2      e    4            8
3     es    1            2
4      s    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
```

```
1        -    45             90
2        e    4              8
3       es    1              2
4        s    1              2
[1] "m4SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1        o    46             92
2       os    3              6
3        u    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1        o    46             92
2       os    3              6
3        u    1              2
[1] "m5SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1        -    36             72
2        e    10             20
3       es    2              4
4        s    2              4
[1] "f"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2        a    50             100
7        e    50             100
1        -    44             88
10      es    36             72
4       as    19             38
15       s    18             36
13       o    16             32
9       eo    4              8
11       i    3              6
12      is    3              6
6      bos    2              4
8     ebos    2              4
3       ao    1              2
5      aso    1              2
14      os    1              2
16       u    1              2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2        a    50             100
7        e    50             100
14       o    49             98
1        -    47             94
10      es    36             72
16       s    26             52
4       as    20             40
11       i    5              10
```

```
15      os      5               10
9       eo      4                8
13      is      3                6
6      bos      2                4
8     ebos      2                4
3       ao      1                2
5      aso      1                2
12      io      1                2
17       u      1                2
[1] "fSg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2       a   50            100
4       e   50            100
1       -   44             88
5      es   17             34
8       o   15             30
3      as   13             26
9       s    8             16
7      is    3              6
6       i    2              4
[1] "All Endings Included"
  Suffix freq Percent_Trials
2       a   50            100
4       e   50            100
8       o   49             98
1       -   46             92
5      es   18             36
3      as   14             28
10      s   14             28
9      os    4              8
6       i    3              6
7      is    3              6
11      u    1              2
[1] "fSgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2       a   50            100
1       -   44             88
3       e    4              8
4      es    1              2
5       s    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2       a   50            100
5       o   49             98
1       -   44             88
3       e   11             22
6      os    3              6
4      es    2              4
7       s    2              4
8       u    1              2
[1] "f1SgNom"
[1] "Endings occuring 10 times or less excluded"
```

```
    Suffix freq Percent_Trials
1      a   50            100
[1] "All Endings Included"
    Suffix freq Percent_Trials
1      a   50            100
[1] "f2SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
    Suffix freq Percent_Trials
2      o   49             98
1      -    1              2
[1] "f3SgNom"
[1] "Endings occuring 10 times or less excluded"
    Suffix freq Percent_Trials
1      -   44             88
2      e    4              8
3     es    1              2
4      s    1              2
[1] "All Endings Included"
    Suffix freq Percent_Trials
1      -   44             88
2      e    4              8
3     es    1              2
4      s    1              2
[1] "f4SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
    Suffix freq Percent_Trials
1      o   46             92
2     os    3              6
3      u    1              2
[1] "f5SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
    Suffix freq Percent_Trials
1      -   36             72
2      e   11             22
3     es    2              4
4      s    2              4
[1] "n"
[1] "Endings occuring 10 times or less excluded"
     Suffix freq Percent_Trials
1       -   50            100
10      o   50            100
4       e   35             70
12      s   23             46
2       a   18             36
7      es   16             32
```

```
8       i    6              12
3       as   3               6
6       eo   3               6
9       is   3               6
11      os   3               6
5       ebos 2               4
13      u    1               2
[1] "All Endings Included"
   Suffix freq Percent_Trials
1       -    50             100
11      o    50             100
4       e    35              70
13      s    25              50
2       a    18              36
7       es   18              36
9       i     6              12
12      os    5              10
6       eo    4               8
3       as    3               6
10      is    3               6
5       ebos  2               4
8       eso   1               2
14      u     1               2
[1] "nSg"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
6       o    50             100
1       -    49              98
2       e    35              70
3       es   12              24
8       s    10              20
4       i     5              10
5       is    3               6
7       os    1               2
[1] "All Endings Included"
   Suffix freq Percent_Trials
1       -    50             100
6       o    50             100
2       e    35              70
3       es   13              26
8       s    11              22
4       i     5              10
7       os    4               8
5       is    3               6
9       u     1               2
[1] "nSgNom"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
3       o    50             100
1       -    48              96
2       e     1               2
4       s     1               2
[1] "All Endings Included"
   Suffix freq Percent_Trials
```

170

```
3      o   50           100
1      -   49            98
4     os    3             6
2      e    1             2
5      s    1             2
6      u    1             2
[1] "n2SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      o   50           100
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      o   50           100
[1] "n3SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   48            96
2      e    1             2
3      s    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   49            98
2      e    1             2
3      s    1             2
[1] "n4SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq         Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      o   46            92
2     os    3             6
3      u    1             2
[1] "Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   50           100
4      e   50           100
6      o   50           100
1      -   45            90
5     es   30            60
8      s   17            34
3     as   14            28
7     os    2             4
9      u    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   50           100
4      e   50           100
6      o   50           100
1      -   46            92
5     es   31            62
8      s   18            36
3     as   14            28
```

```
7     os    2               4
9     u     1               2
[1] "AccSg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2     a     50             100
4     o     50             100
3     e     49              98
1     -     32              64
5     u     1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     a     50             100
4     o     50             100
3     e     49              98
1     -     32              64
5     u     1               2
[1] "1SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     a     50             100
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     a     50             100
[1] "2SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     o     50             100
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     o     50             100
1     -     2               4
[1] "3SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2     e     49              98
1     -     32              64
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     e     49              98
1     -     32              64
[1] "4SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     o     49              98
2     u     1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     o     49              98
2     u     1               2
[1] "5SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2     e     49              98
```

```
1      -    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     e   49            98
1     -    1             2
[1] "mSgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     o   50           100
2     e   49            98
1     -    2             4
4     u    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     a   50           100
4     o   50           100
3     e   49            98
1     -    2             4
5     u    1             2
[1] "m1SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     a   50           100
[1] "m2SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     o   50           100
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     o   50           100
[1] "m3SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2     e   49            98
1     -    2             4
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     e   49            98
1     -    2             4
[1] "m4SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     o   49            98
2     u    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     o   49            98
2     u    1             2
[1] "m5SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
```

```
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   49           98
1      -    1            2
[1] "fSgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   50          100
3      e   49           98
1      -    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   50          100
3      e   49           98
4      o   49           98
1      -    2            4
5      u    1            2
[1] "f1SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      a   50          100
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      a   50          100
[1] "f2SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix        freq           Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      o   48           96
1      -    2            4
[1] "f3SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   49           98
1      -    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   49           98
1      -    1            2
[1] "f4SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix        freq           Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      o   49           98
2      u    1            2
[1] "f5SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix        freq           Percent_Trials
<0 rows> (or 0-length row.names)
```

```
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   49          98
1      -    1           2
[1] "nSgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      o   50          100
1      -   32           64
2      e   19           38
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      o   50          100
1      -   32           64
2      e   19           38
4      u    1            2
[1] "n2SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      o   50          100
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      o   50          100
[1] "n3SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   32           64
2      e   19           38
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   32           64
2      e   19           38
[1] "n4SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix        freq         Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      o   49           98
2      u    1            2
[1] "Gen"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2       a   38           76
7       e   29           58
1       -   25           50
10     es   18           36
16      s   17           34
4      as   12           24
14      o   11           22
12      i    6           12
9      eo    3            6
13     is    3            6
15     os    2            4
```

```
3      ao    1              2
5     aso    1              2
6     bos    1              2
8    ebos    1              2
11    eso    1              2
17      u    1              2
```
[1] "All Endings Included"
```
    Suffix freq Percent_Trials
2       a    39             78
7       e    33             66
1       -    29             58
10     es    20             40
16      s    18             36
4      as    14             28
14      o    11             22
12      i     6             12
9      eo     3              6
13     is     3              6
15     os     2              4
3      ao     1              2
5     aso     1              2
6     bos     1              2
8    ebos     1              2
11    eso     1              2
17      u     1              2
```
[1] "GenSg"
[1] "Endings occuring 10 times or less excluded"
```
    Suffix freq Percent_Trials
2       a    36             72
4       e    28             56
1       -    16             32
5      es    16             32
3      as    12             24
10      s    12             24
8       o    10             20
6       i     5             10
7      is     3              6
9      os     2              4
11      u     1              2
```
[1] "All Endings Included"
```
    Suffix freq Percent_Trials
2       a    37             74
4       e    31             62
1       -    21             42
5      es    16             32
10      s    14             28
3      as    12             24
8       o    10             20
6       i     5             10
7      is     3              6
9      os     2              4
11      u     1              2
```
[1] "1SgGen"
[1] "Endings occuring 10 times or less excluded"

```
   Suffix freq Percent_Trials
2      a   36           72
3     as   12           24
5      s    2            4
1      -    1            2
4     es    1            2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2      a   37           74
3     as   12           24
1      -    3            6
7      s    3            6
4      e    2            4
5     es    1            2
6     is    1            2
[1] "2SgGen"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2      e   21           42
1      -   11           22
3     es    6           12
4      i    5           10
7      s    5           10
5     is    2            4
6      o    1            2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2      e   22           44
1      -   15           30
3     es    7           14
7      s    6           12
4      i    5           10
5     is    2            4
6      o    1            2
[1] "3SgGen"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2      e   23           46
3     es   15           30
1      -    9           18
6      s    8           16
5     is    3            6
4      i    1            2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2      e   23           46
3     es   15           30
6      s   10           20
1      -    9           18
5     is    3            6
4      i    1            2
[1] "4SgGen"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
```

```
2      e   15            30
6      o   10            20
1      -    7            14
8      s    6            12
3     es    5            10
4      i    2             4
5     is    2             4
7     os    2             4
9      u    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   18            36
1      -   11            22
6      o   10            20
3     es    7            14
8      s    7            14
4      i    2             4
5     is    2             4
7     os    2             4
9      u    1             2
[1] "5SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   19            38
3     es   10            20
6      s    7            14
1      -    3             6
5     is    2             4
4      i    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   25            50
3     es   14            28
6      s    8            16
1      -    6            12
5     is    3             6
4      i    2             4
[1] "mSgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   27            54
3     es   15            30
1      -   13            26
6      o   10            20
8      s   10            20
4      i    5            10
5     is    3             6
7     os    2             4
9      u    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   33            66
4      e   30            60
1      -   16            32
```

```
5       es    16             32
10       s    11             22
3       as    10             20
8        o    10             20
6        i     5             10
7       is     3              6
9       os     2              4
11       u     1              2
[1] "m1SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   33             66
3     as   10             20
1      -    3              6
4      e    2              4
7      s    2              4
5     es    1              2
6     is    1              2
[1] "m2SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   21             42
1      -   11             22
3     es    6             12
4      i    5             10
7      s    4              8
5     is    2              4
6      o    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   21             42
1      -   11             22
3     es    7             14
4      i    5             10
7      s    4              8
5     is    2              4
6      o    1              2
[1] "m3SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   22             44
3     es   15             30
6      s    7             14
1      -    5             10
5     is    3              6
4      i    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   22             44
3     es   15             30
6      s    7             14
```

```
1       -    5            10
5      is    3             6
4       i    1             2
[1] "m4SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2       e   15            30
6       o   10            20
1       -    7            14
8       s    6            12
3      es    5            10
4       i    2             4
5      is    2             4
7      os    2             4
9       u    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2       e   16            32
1       -   10            20
6       o   10            20
3      es    7            14
8       s    7            14
4       i    2             4
5      is    2             4
7      os    2             4
9       u    1             2
[1] "m5SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2       e   24            48
3      es   11            22
6       s    7            14
1       -    4             8
5      is    3             6
4       i    1             2
[1] "fSgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2       a   36            72
4       e   21            42
5      es   15            30
3      as   12            24
8       s    8            16
1       -    7            14
7      is    3             6
6       i    1             2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2        a   37            74
4        e   27            54
1        -   18            36
```

```
5      es   16            32
10      s   14            28
3      as   12            24
8       o    9            18
6       i    3             6
7      is    3             6
9      os    2             4
11      u    1             2
```
[1] "f1SgGen"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
2      a   36            72
3      as   12            24
5       s    2             4
1       -    1             2
4      es    1             2
```
[1] "All Endings Included"
```
  Suffix freq Percent_Trials
2      a   37            74
3      as   12            24
5       s    3             6
1       -    2             4
4      es    1             2
```
[1] "f2SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix   freq   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
```
  Suffix freq Percent_Trials
2      e   19            38
1      -   14            28
3     es    6            12
7      s    5            10
4      i    3             6
5     is    2             4
6      o    1             2
```
[1] "f3SgGen"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
2      e   21            42
3     es   14            28
6      s    7            14
1      -    6            12
5     is    3             6
4      i    1             2
```
[1] "All Endings Included"
```
  Suffix freq Percent_Trials
2      e   21            42
3     es   15            30
6      s   10            20
1      -    6            12
5     is    3             6
4      i    1             2
```
[1] "f4SgGen"

```
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   14             28
6      o    9             18
1      -    8             16
8      s    7             14
3     es    6             12
5     is    2              4
7     os    2              4
4      i    1              2
9      u    1              2
[1] "f5SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   22             44
3     es   14             28
6      s    8             16
1      -    6             12
5     is    3              6
4      i    2              4
[1] "nSgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   24             48
1      -   13             26
3     es   12             24
7      s   10             20
4      i    5             10
5     is    3              6
6      o    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   26             52
1      -   15             30
3     es   13             26
8      s   11             22
6      o    9             18
4      i    5             10
5     is    3              6
7     os    2              4
9      u    1              2
[1] "n2SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   21             42
1      -   11             22
3     es    6             12
4      i    5             10
```

```
7      s    5            10
5     is    2             4
6      o    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   21            42
1      -   12            24
3     es    6            12
4      i    5            10
7      s    5            10
5     is    2             4
6      o    1             2
[1] "n3SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   20            40
3     es   12            24
1      -    8            16
6      s    8            16
5     is    3             6
4      i    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   21            42
3     es   13            26
1      -    8            16
6      s    8            16
5     is    3             6
4      i    1             2
[1] "n4SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   17            34
6      o    9            18
1      -    8            16
3     es    5            10
8      s    5            10
4      i    2             4
5     is    2             4
7     os    2             4
9      u    1             2
[1] "Dat"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2       a   44            88
6       e   40            80
1       -   26            52
8      es   17            34
11      o   16            32
4      as   15            30
13      s   13            26
```

```
9       i    5              10
7       eo   3               6
10      is   2               4
3       ao   1               2
5      aso   1               2
12      os   1               2
14       u   1               2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2        a   45              90
6        e   41              82
1        -   27              54
8       es   18              36
11       o   17              34
13       s   16              32
4       as   15              30
9        i    5              10
7       eo    3               6
10      is    2               4
3       ao    1               2
5      aso    1               2
12      os    1               2
14       u    1               2
[1] "DatSg"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2        a   43              86
4        e   39              78
1        -   19              38
8        o   15              30
10       s   10              20
5       es    7              14
3       as    6              12
6        i    4               8
7       is    2               4
9       os    1               2
11       u    1               2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2        a   45              90
4        e   40              80
1        -   20              40
8        o   16              32
10       s   10              20
5       es    9              18
3       as    6              12
6        i    4               8
7       is    2               4
9       os    1               2
11       u    1               2
[1] "1SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2        a   43              86
```

```
3    as    6            12
1    -     1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2    a    45            90
3    as    6            12
1    -     1             2
[1] "2SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2    e    23            46
1    -    14            28
6    o     7            14
7    s     5            10
4    i     4             8
3    es    3             6
5    is    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2    e    23            46
1    -    16            32
6    o     7            14
7    s     6            12
4    i     4             8
3    es    3             6
5    is    1             2
[1] "3SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2    e    37            74
1    -    12            24
3    es    7            14
6    s     6            12
4    i     2             4
5    is    2             4
[1] "All Endings Included"
  Suffix freq Percent_Trials
2    e    38            76
1    -    13            26
3    es    7            14
6    s     7            14
4    i     2             4
5    is    2             4
[1] "4SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2    e    15            30
5    o    15            30
1    -     9            18
7    s     5            10
3    es    3             6
4    i     3             6
6    os    1             2
8    u     1             2
```

```
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     e   18           36
5     o   16           32
1     -   10           20
7     s    5           10
3    es    4            8
4     i    3            6
6    os    1            2
8     u    1            2
[1] "5SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2     e   32           64
3    es    8           16
1     -    2            4
4     i    2            4
6     s    2            4
5    is    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     e   35           70
3    es    9           18
1     -    4            8
4     i    2            4
6     s    2            4
5    is    1            2
[1] "mSgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2     e   39           78
1     -   15           30
6     o   15           30
8     s    7           14
3    es    6           12
4     i    3            6
5    is    2            4
7    os    1            2
9     u    1            2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2      a   44           88
4      e   39           78
1      -   17           34
8      o   16           32
5     es    9           18
10     s    7           14
3     as    5           10
6      i    4            8
7     is    2            4
9     os    1            2
11     u    1            2
[1] "m1SgDat"
[1] "Endings occuring 10 times or less excluded"
```

```
[1] Suffix        freq           Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   44             88
3     as    5             10
1      -    1              2
[1] "m2SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   23             46
1      -   13             26
6      o    6             12
7      s    4              8
3     es    3              6
4      i    3              6
5     is    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   23             46
1      -   14             28
6      o    7             14
4      i    4              8
7      s    4              8
3     es    3              6
5     is    1              2
[1] "m3SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   37             74
3     es    6             12
1      -    2              4
4      i    2              4
5     is    2              4
6      s    2              4
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   37             74
3     es    7             14
1      -    2              4
4      i    2              4
5     is    2              4
6      s    2              4
[1] "m4SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   15             30
5      o   15             30
1      -    9             18
7      s    5             10
3     es    3              6
4      i    3              6
6     os    1              2
8      u    1              2
```

```
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     e   16          32
5     o   16          32
1     -    9          18
7     s    5          10
3    es    3           6
4     i    3           6
6    os    1           2
8     u    1           2
[1] "m5SgDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix           freq            Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     e   34          68
3    es    8          16
1     -    3           6
4     i    2           4
6     s    2           4
5    is    1           2
[1] "fSgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2     a   43          86
4     e   36          72
5    es    7          14
3    as    6          12
1     -    4           8
6     i    2           4
8     s    2           4
7    is    1           2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2      a   44          88
4      e   38          76
1      -   18          36
8      o   15          30
5     es    9          18
3     as    6          12
10     s    6          12
6      i    3           6
7     is    1           2
9     os    1           2
11     u    1           2
[1] "f1SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2     a   43          86
3    as    6          12
1     -    1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
```

```
2      a   44              88
3     as    6              12
1      -    1               2
[1] "f2SgDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix           freq            Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   18              36
1      -   15              30
6      o    5              10
7      s    5              10
3     es    3               6
4      i    3               6
5     is    1               2
[1] "f3SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   36              72
3     es    7              14
1      -    3               6
4      i    2               4
6      s    2               4
5     is    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   36              72
3     es    7              14
1      -    4               8
4      i    2               4
6      s    2               4
5     is    1               2
[1] "f4SgDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix           freq            Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
5      o   15              30
2      e   14              28
1      -    9              18
3     es    4               8
7      s    4               8
4      i    3               6
6     os    1               2
8      u    1               2
[1] "f5SgDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix           freq            Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   34              68
```

```
3      es    9              18
1       -    4               8
4       i    2               4
6       s    2               4
5      is    1               2
[1] "nSgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2       e   28              56
1       -   14              28
7       s    8              16
6       o    7              14
3      es    5              10
4       i    4               8
5      is    2               4
[1] "All Endings Included"
  Suffix freq Percent_Trials
2       e   30              60
1       -   16              32
6       o   14              28
8       s    9              18
3      es    5              10
4       i    4               8
5      is    2               4
7      os    1               2
9       u    1               2
[1] "n2SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2       e   23              46
1       -   10              20
6       o    7              14
4       i    4               8
7       s    4               8
3      es    2               4
5      is    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2       e   23              46
1       -   12              24
6       o    7              14
4       i    4               8
7       s    4               8
3      es    3               6
5      is    1               2
[1] "n3SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2       e   25              50
1       -   11              22
6       s    6              12
3      es    5              10
5      is    2               4
4       i    1               2
```

190

```
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   27            54
1      -   11            22
6      s    7            14
3     es    5            10
5     is    2             4
4      i    1             2
[1] "n4SgDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq         Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   16            32
5      o   14            28
1      -    8            16
7      s    4             8
3     es    3             6
4      i    3             6
6     os    1             2
8      u    1             2
[1] "Abl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2       a   50           100
5       e   50           100
10      o   49            98
1       -   30            60
8      es   21            42
12      s   17            34
3      as   11            22
11     os    5            10
7      eo    4             8
4     bos    2             4
6    ebos    2             4
9       i    2             4
13      u    1             2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       a   50           100
6       e   50           100
12      o   49            98
1       -   33            66
9      es   21            42
14      s   18            36
4      as   12            24
8      eo    6            12
3      ao    5            10
13     os    5            10
10      i    3             6
5     bos    2             4
7    ebos    2             4
11     io    1             2
```

```
15     u    1             2
[1] "AblSg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2    a   50            100
3    e   50            100
4    o   49             98
1    -   22             44
5   os    4              8
6    s    3              6
7    u    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2    a   50            100
5    e   50            100
8    o   49             98
1    -   28             56
3   ao    5             10
9   os    4              8
6   eo    3              6
10   s    3              6
7   es    2              4
4   as    1              2
11   u    1              2
[1] "1SgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1    a   50            100
[1] "All Endings Included"
  Suffix freq Percent_Trials
2    a   50            100
3   ao    5             10
1    -    1              2
4   as    1              2
[1] "2SgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1    o   49             98
2   os    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2    o   49             98
1    -    9             18
3   os    1              2
[1] "3SgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2    e   50            100
1    -   21             42
3    s    3              6
[1] "All Endings Included"
  Suffix freq Percent_Trials
2    e   50            100
1    -   21             42
```

```
3      s    3               6
[1] "4SgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      o   44              88
3     os    4               8
1      -    1               2
4      u    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      o   45              90
1      -    6              12
3     os    4               8
4      u    1               2
[1] "5SgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      e   44              88
2     es    2               4
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   48              96
3     eo    3               6
4     es    2               4
1      -    1               2
[1] "mSgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   50             100
3      o   49              98
4     os    4               8
1      -    1               2
5      u    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
4      e   50             100
7      o   49              98
2      a   45              90
3     ao    5              10
8     os    4               8
5     eo    3               6
1      -    2               4
6     es    2               4
9      u    1               2
[1] "m1SgAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq            Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   45              90
3     ao    5              10
1      -    1               2
[1] "m2SgAbl"
```

```
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     o   49              98
2    os    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     o   49              98
2    os    1               2
[1] "m3SgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     e   50             100
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     e   50             100
[1] "m4SgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2     o   44              88
3    os    4               8
1     -    1               2
4     u    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     o   44              88
3    os    4               8
1     -    1               2
4     u    1               2
[1] "m5SgAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     e   45              90
2    eo    3               6
3    es    2               4
[1] "fSgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     a   50             100
2     e   50             100
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     a   50             100
4     e   50             100
6     o   45              90
1     -   11              22
7    os    3               6
5    es    2               4
3    as    1               2
8     u    1               2
[1] "f1SgAbl"
[1] "Endings occuring 10 times or less excluded"
```

```
  Suffix freq Percent_Trials
1      a   50          100
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      a   50          100
2     as    1            2
[1] "f2SgAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq         Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      o   40           80
1      -    9           18
3     os    1            2
[1] "f3SgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      e   50          100
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      e   50          100
[1] "f4SgAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq         Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      o   41           82
1      -    6           12
3     os    3            6
4      u    1            2
[1] "f5SgAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq         Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   48           96
3     es    2            4
1      -    1            2
[1] "nSgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      o   49           98
2      e   28           56
1      -   21           42
5      s    3            6
4     os    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      o   49           98
2      e   28           56
1      -   22           44
```

```
4    os   4              8
5     s   3              6
6     u   1              2
[1] "n2SgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     o   49             98
2    os    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     o   49             98
2    os    1              2
[1] "n3SgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2     e   28             56
1     -   21             42
3     s    3              6
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     e   28             56
1     -   21             42
3     s    3              6
[1] "n4SgAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix        freq        Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     o   44             88
3    os    4              8
1     -    1              2
4     u    1              2
[1] "Pl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2      a   38             76
1      -   35             70
10    es   35             70
7      e   34             68
16     s   27             54
4     as   18             36
14     o   10             20
9     eo    4              8
15    os    3              6
6    bos    2              4
8   ebos    2              4
12     i    2              4
3     ao    1              2
5    aso    1              2
11   eso    1              2
13    is    1              2
17     u    1              2
[1] "All Endings Included"
```

```
    Suffix freq Percent_Trials
2        a   38             76
1        -   35             70
7        e   35             70
10      es   35             70
17       s   27             54
4       as   22             44
15       o   11             22
9       eo    4              8
12       i    3              6
16      os    3              6
6      bos    2              4
8     ebos    2              4
3       ao    1              2
5      aso    1              2
11     eso    1              2
13      io    1              2
14      is    1              2
18       u    1              2
[1] "1PlNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1       a   34             68
2      as   15             30
3      es    4              8
4       s    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2       a   34             68
3      as   17             34
4      es    4              8
5       s    2              4
1       -    1              2
[1] "2PlNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1       -   31             62
7       s   18             36
2       a   15             30
4       e    6             12
5      es    4              8
3      as    2              4
6      os    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1       -   32             64
7       s   20             40
2       a   15             30
4       e    7             14
5      es    5             10
3      as    3              6
6      os    1              2
[1] "3PlNom,Acc"
[1] "Endings occuring 10 times or less excluded"
```

```
  Suffix freq Percent_Trials
5     es   31            62
4      e   22            44
7      s   21            42
1      -   18            36
2      a   14            28
3     as    2             4
6     is    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
5     es   32            64
4      e   22            44
7      s   22            44
1      -   18            36
2      a   16            32
3     as    2             4
6     is    1             2
[1] "4PlNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   22            44
6      s   13            26
4      o    8            16
2      e    6            12
3     es    5            10
5     os    2             4
7      u    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   23            46
7      s   15            30
5      o    9            18
3      e    7            14
4     es    6            12
6     os    2             4
2      a    1             2
8      u    1             2
[1] "5PlNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4     es   15            30
1      -    4             8
2      a    2             4
3      e    1             2
5      s    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
5     es   30            60
4      e   19            38
7      s   18            36
1      -   15            30
2      a    4             8
3     as    1             2
6     is    1             2
```

```
[1] "1PlAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2       a   36          72
3      as   16          32
8      es    5          10
1       -    2           4
4     bos    2           4
11      s    2           4
5       e    1           2
6    ebos    1           2
7      eo    1           2
9       i    1           2
10      o    1           2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       a   36          72
3      as   16          32
8      es    5          10
1       -    3           6
4     bos    2           4
5       e    2           4
11      s    2           4
6    ebos    1           2
7      eo    1           2
9       i    1           2
10      o    1           2
[1] "2PlAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   33          66
4      e   18          36
9      s   18          36
2      a   15          30
6     es    8          16
3     as    2           4
7      i    2           4
8      o    2           4
5     eo    1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   34          68
4      e   18          36
9      s   18          36
2      a   15          30
6     es    9          18
3     as    3           6
7      i    2           4
8      o    2           4
5     eo    1           2
[1] "3PlAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
7      es   34          68
```

```
4        e   31                62
1        -   16                32
10       s   15                30
2        a   14                28
6       eo    4                 8
3       as    2                 4
5     ebos    2                 4
8        i    2                 4
9        o    1                 2
[1] "All Endings Included"
   Suffix freq Percent_Trials
7       es   34                68
4        e   31                62
1        -   17                34
10       s   17                34
2        a   16                32
6       eo    4                 8
3       as    2                 4
5     ebos    2                 4
8        i    2                 4
9        o    1                 2
[1] "4PlAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1        -   22                44
8        s   14                28
2        e   11                22
6        o    8                16
4       es    5                10
3       eo    3                 6
7       os    3                 6
5        i    2                 4
9        u    1                 2
[1] "All Endings Included"
   Suffix freq Percent_Trials
1        -   24                48
9        s   15                30
3        e   13                26
5       es    9                18
7        o    9                18
4       eo    3                 6
8       os    3                 6
6        i    2                 4
2        a    1                 2
10       u    1                 2
[1] "5PlAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4       es   13                26
3        e    8                16
1        -    2                 4
2        a    1                 2
5        s    1                 2
[1] "All Endings Included"
```

```
   Suffix freq Percent_Trials
6     es   33          66
3      e   28          56
1      -    6          12
2      a    4           8
5     eo    4           8
7      i    3           6
4   ebos    2           4
9      s    2           4
8     io    1           2
```
[1] "1PlNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
```
   Suffix freq Percent_Trials
2      a   36          72
3     as   17          34
8     es    5          10
1      -    2           4
4    bos    2           4
11     s    2           4
5      e    1           2
6   ebos    1           2
7     eo    1           2
9      i    1           2
10     o    1           2
```
[1] "All Endings Included"
```
   Suffix freq Percent_Trials
2      a   36          72
3     as   19          38
8     es    5          10
1      -    3           6
11     s    3           6
4    bos    2           4
5      e    2           4
6   ebos    1           2
7     eo    1           2
9      i    1           2
10     o    1           2
```
[1] "2PlNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
```
   Suffix freq Percent_Trials
1      -   33          66
10     s   22          44
4      e   18          36
2      a   15          30
6     es    8          16
3     as    2           4
7      i    2           4
8      o    2           4
5     eo    1           2
9     os    1           2
```
[1] "All Endings Included"
```
   Suffix freq Percent_Trials
1      -   34          68
10     s   22          44
```

```
4        e   18            36
2        a   15            30
6       es    9            18
3       as    3             6
7        i    2             4
8        o    2             4
5       eo    1             2
9       os    1             2
[1] "3PlNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
7       es   34            68
4        e   31            62
11       s   22            44
1        -   19            38
2        a   14            28
6       eo    4             8
3       as    2             4
5     ebos    2             4
8        i    2             4
9       is    1             2
10       o    1             2
[1] "All Endings Included"
   Suffix freq Percent_Trials
7       es   34            68
4        e   31            62
11       s   22            44
1        -   19            38
2        a   16            32
6       eo    4             8
3       as    2             4
5     ebos    2             4
8        i    2             4
9       is    1             2
10       o    1             2
[1] "4PlNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1        -   22            44
8        s   16            32
2        e   11            22
6        o    8            16
4       es    5            10
3       eo    3             6
7       os    3             6
5        i    2             4
9        u    1             2
[1] "All Endings Included"
   Suffix freq Percent_Trials
1        -   24            48
9        s   18            36
3        e   13            26
5       es    9            18
7        o    9            18
```

```
4      eo    3              6
8      os    3              6
6       i    2              4
2       a    1              2
10      u    1              2
[1] "5PlNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4      es   24              48
3       e    8              16
1       -    5              10
2       a    2               4
5       s    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
7      es   33              66
4       e   28              56
11      s   18              36
1       -   16              32
2       a    4               8
6      eo    4               8
8       i    3               6
5    ebos    2               4
3      as    1               2
9      io    1               2
10     is    1               2
[1] "1PlGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2       a   33              66
4      as   13              26
9       s    3               6
1       -    1               2
3      ao    1               2
5     aso    1               2
6     bos    1               2
7       e    1               2
8       o    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2       a   33              66
4      as   14              28
1       -    3               6
9       s    3               6
7       e    2               4
3      ao    1               2
5     aso    1               2
6     bos    1               2
8       o    1               2
[1] "2PlGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1       -   17              34
4       e   17              34
```

```
9      s   12              24
6     es    8              16
2      a    4               8
8      o    3               6
7      i    2               4
3     as    1               2
5     eo    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   19              38
4      e   18              36
9      s   13              26
6     es   10              20
2      a    4               8
8      o    3               6
7      i    2               4
3     as    1               2
5     eo    1               2
[1] "3PlGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      e   23              46
1      -   16              32
6     es   14              28
9      s   11              22
2      a    3               6
5     eo    3               6
7      i    2               4
8      o    2               4
4   ebos    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e   25              50
1      -   16              32
6     es   15              30
9      s   11              22
2      a    3               6
5     eo    3               6
7      i    2               4
8      o    2               4
4   ebos    1               2
[1] "4PlGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   17              34
1      -   12              24
4     es   10              20
8      s    9              18
3     eo    3               6
6      i    2               4
5    eso    1               2
7      o    1               2
9      u    1               2
[1] "All Endings Included"
```

```
   Suffix freq Percent_Trials
2      e   19            38
1      -   12            24
8      s   12            24
4     es   10            20
3     eo    3             6
6      i    2             4
7      o    2             4
5    eso    1             2
9      u    1             2
[1] "5PlGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      e   14            28
5     es    8            16
1      -    6            12
8      s    4             8
4     eo    3             6
6      i    2             4
2      a    1             2
7      o    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e   22            44
6     es   14            28
1      -   11            22
9      s   10            20
5     eo    3             6
7      i    2             4
2      a    1             2
4   ebos    1             2
8      o    1             2
[1] "NomPl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2       a   35            70
1       -   29            58
9       s   25            50
5      es   20            40
3      as   14            28
4       e    8            16
7       o    6            12
8      os    2             4
6      is    1             2
10      u    1             2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       a   35            70
1       -   30            60
9       s   25            50
5      es   20            40
3      as   17            34
4       e    8            16
7       o    7            14
```

```
8      os   2          4
6      is   1          2
10      u   1          2
[1] "1Pl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2       a   38         76
4      as   18         36
10     es    5         10
13      s    4          8
1       -    2          4
6     bos    2          4
3      ao    1          2
5     aso    1          2
7       e    1          2
8    ebos    1          2
9      eo    1          2
11      i    1          2
12      o    1          2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       a   38         76
4      as   21         42
10     es    5         10
13      s    4          8
1       -    3          6
7       e    3          6
6     bos    2          4
3      ao    1          2
5     aso    1          2
8    ebos    1          2
9      eo    1          2
11      i    1          2
12      o    1          2
[1] "1PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1       a   33         66
2      as   14         28
3      es    2          4
4       s    1          2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2       a   33         66
3      as   16         32
4      es    2          4
5       s    2          4
1       -    1          2
[1] "2Pl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
1       -   33         66
10      s   23         46
4       e   21         42
```

```
2       a   15              30
6      es   12              24
3      as    3               6
8       o    3               6
5      eo    2               4
7       i    2               4
9      os    1               2
[1] "All Endings Included"
   Suffix freq Percent_Trials
1        -   34              68
10       s   24              48
4        e   21              42
2        a   15              30
6       es   14              28
3       as    3               6
8        o    3               6
5       eo    2               4
7        i    2               4
9       os    1               2
[1] "2PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1       -   26              52
7       s   17              34
2       a   11              22
5      es    4               8
4       e    2               4
3      as    1               2
6      os    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1       -   27              54
7       s   19              38
2       a   11              22
5      es    4               8
4       e    3               6
3      as    1               2
6      os    1               2
[1] "3Pl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
7       es   34              68
4        e   31              62
11       s   22              44
1        -   20              40
2        a   14              28
6       eo    4               8
3       as    2               4
5     ebos    2               4
8        i    2               4
10       o    2               4
9       is    1               2
[1] "All Endings Included"
   Suffix freq Percent_Trials
```

```
7      es   34             68
4       e   31             62
11      s   22             44
1       -   20             40
2       a   16             32
6      eo    4              8
3      as    2              4
5    ebos    2              4
8       i    2              4
10      o    2              4
9      is    1              2
[1] "3PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
7       s   21             42
5      es   18             36
1       -   17             34
2       a   11             22
4       e    4              8
3      as    1              2
6      is    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
7       s   22             44
5      es   19             38
1       -   17             34
2       a   12             24
4       e    4              8
3      as    1              2
6      is    1              2
[1] "4Pl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
1        -   25             50
2        e   19             38
9        s   16             32
4       es   11             22
7        o    8             16
3       eo    4              8
8       os    3              6
6        i    2              4
5      eso    1              2
10       u    1              2
[1] "All Endings Included"
   Suffix freq Percent_Trials
1        -   26             52
3        e   23             46
10       s   20             40
5       es   13             26
8        o    9             18
4       eo    4              8
9       os    3              6
7        i    2              4
2        a    1              2
```

```
6     eso    1                 2
11      u    1                 2
[1] "4PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   19                38
6      s   13                26
4      o    6                12
2      e    5                10
3     es    5                10
5     os    2                 4
7      u    1                 2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   20                40
6      s   15                30
4      o    7                14
2      e    5                10
3     es    5                10
5     os    2                 4
7      u    1                 2
[1] "5Pl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6     es   25                50
3      e   22                44
1      -   11                22
9      s    8                16
5     eo    3                 6
2      a    2                 4
7      i    2                 4
4   ebos    1                 2
8      o    1                 2
[1] "All Endings Included"
   Suffix freq Percent_Trials
7      es   33                66
4       e   29                58
12      s   18                36
1       -   17                34
2       a    4                 8
6      eo    4                 8
8       i    3                 6
5    ebos    2                 4
3      as    1                 2
9      io    1                 2
10     is    1                 2
11      o    1                 2
[1] "5PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4     es   15                30
6      s   13                26
1      -   10                20
2      a    2                 4
```

```
3      e    1              2
5     is    1              2
[1] "All Endings Included"
   Suffix freq Percent_Trials
5     es   18             36
7      s   18             36
1      -   15             30
2      a    3              6
4      e    2              4
3     as    1              2
6     is    1              2
[1] "mPl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
6     es   35             70
1      -   34             68
3      e   34             68
12     s   25             50
10     o    9             18
2      a    6             12
5     eo    4              8
11    os    3              6
4   ebos    2              4
8      i    2              4
7    eso    1              2
9     is    1              2
13     u    1              2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2      a   38             76
1      -   35             70
7      e   35             70
10    es   35             70
17     s   26             52
4     as   22             44
15     o   10             20
9     eo    4              8
16    os    3              6
6    bos    2              4
8   ebos    2              4
12     i    2              4
3     ao    1              2
5    aso    1              2
11   eso    1              2
13    io    1              2
14    is    1              2
18     u    1              2
[1] "mPlNom"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
1      -   27             54
8      s   22             44
4     es   20             40
3      e    7             14
```

```
6      o    6            12
2      a    4             8
7     os    2             4
5     is    1             2
9      u    1             2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2      a   32            64
1      -   28            56
9      s   24            48
5     es   20            40
3     as   17            34
4      e    7            14
7      o    7            14
8     os    2             4
6     is    1             2
10     u    1             2
[1] "m1PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix        freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     a   32            64
3    as   16            32
4    es    2             4
5     s    2             4
1     -    1             2
[1] "m2PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     -   24            48
6     s   16            32
2     a    4             8
4    es    4             8
3     e    2             4
5    os    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -   25            50
6     s   18            36
2     a    4             8
4    es    4             8
3     e    2             4
5    os    1             2
[1] "m3PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4    es   17            34
6     s   17            34
1     -   13            26
3     e    3             6
2     a    1             2
5    is    1             2
```

```
[1] "All Endings Included"
  Suffix freq Percent_Trials
6     s   19          38
4    es   17          34
1     -   13          26
3     e    3           6
2     a    1           2
5    is    1           2
[1] "m4PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     -   18          36
6     s   13          26
4     o    6          12
2     e    5          10
3    es    5          10
5    os    2           4
7     u    1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -   19          38
6     s   14          28
4     o    7          14
2     e    5          10
3    es    5          10
5    os    2           4
7     u    1           2
[1] "m5PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
5    es   15          30
7     s   15          30
1     -   13          26
2     a    3           6
4     e    2           4
3    as    1           2
6    is    1           2
[1] "fPl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2      a   38          76
10    es   34          68
7      e   32          64
1      -   19          38
4     as   18          36
14     s   18          36
9     eo    4           8
6    bos    2           4
8   ebos    2           4
11     i    2           4
13     o    2           4
```

```
3      ao    1            2
5     aso    1            2
12     is    1            2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       a   38           76
7       e   34           68
10     es   34           68
1       -   32           64
16      s   25           50
4      as   19           38
14      o    9           18
9      eo    4            8
11      i    3            6
15     os    3            6
6     bos    2            4
8    ebos    2            4
3      ao    1            2
5     aso    1            2
12     io    1            2
13     is    1            2
17      u    1            2
[1] "fPlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2       a   33           66
5      es   18           36
7       s   16           32
3      as   14           28
1       -   12           24
4       e    2            4
6      is    1            2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       a   33           66
1       -   27           54
9       s   24           48
5      es   20           40
3      as   14           28
4       e    6           12
7       o    5           10
8      os    2            4
6      is    1            2
10      u    1            2
[1] "f1PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1       a   33           66
2      as   14           28
3      es    2            4
4       s    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1       a   33           66
```

```
2    as   14          28
3    es    2           4
4     s    1           2
[1] "f2PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix        freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   23          46
6      s   16          32
4     es    4           8
2      a    3           6
3      e    3           6
5     os    1           2
[1] "f3PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4     es   18          36
6      s   16          32
1      -   12          24
3      e    2           4
2      a    1           2
5     is    1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
4     es   19          38
6      s   18          36
1      -   12          24
3      e    2           4
2      a    1           2
5     is    1           2
[1] "f4PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix        freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   19          38
6      s   13          26
2      e    5          10
3     es    5          10
4      o    5          10
5     os    2           4
7      u    1           2
[1] "f5PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix        freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
4     es   18          36
6      s   18          36
1      -   15          30
```

```
2     a    3           6
3     e    1           2
5     is   1           2
[1] "nPl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
1      -   31          62
11     s   22          44
4      e   21          42
2      a   18          36
7     es   14          28
3     as    3           6
6     eo    3           6
9      o    3           6
5   ebos    2           4
8      i    2           4
10    os    1           2
[1] "All Endings Included"
   Suffix freq Percent_Trials
1      -   35          70
4      e   25          50
12     s   24          48
2      a   18          36
7     es   16          32
10     o   10          20
6     eo    4           8
3     as    3           6
11    os    3           6
5   ebos    2           4
9      i    2           4
8    eso    1           2
13     u    1           2
[1] "nPlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     -   22          44
7     s   19          38
2     a   14          28
5    es    6          12
4     e    3           6
3    as    2           4
6    os    1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -   28          56
8     s   21          42
2     a   15          30
5    es    9          18
4     e    5          10
6     o    5          10
3    as    2           4
7    os    2           4
9     u    1           2
[1] "n2PlNom"
```

```
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   21             42
7      s   16             32
2      a   11             22
5     es    2              4
3     as    1              2
4      e    1              2
6     os    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   21             42
7      s   16             32
2      a   11             22
5     es    2              4
3     as    1              2
4      e    1              2
6     os    1              2
[1] "n3PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6      s   17             34
1      -   13             26
2      a   11             22
5     es    6             12
4      e    2              4
3     as    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
6      s   18             36
1      -   13             26
2      a   12             24
5     es    6             12
4      e    2              4
3     as    1              2
[1] "n4PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   20             40
6      s   14             28
4      o    5             10
2      e    4              8
3     es    4              8
5     os    2              4
7      u    1              2
[1] "AccPl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   34             68
2      a   34             68
5     es   30             60
```

```
4      e   25             50
8      s   17             34
3     as   14             28
6      o    8             16
7     os    2              4
9      u    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   35             70
2      a   34             68
5     es   31             62
4      e   26             52
8      s   18             36
3     as   14             28
6      o    9             18
7     os    2              4
9      u    1              2
[1] "1PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      a   32             64
2     as   14             28
3     es    4              8
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   32             64
3     as   14             28
4     es    4              8
1      -    1              2
[1] "2PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   31             62
2      a   15             30
6      s   13             26
4      e    4              8
3     as    2              4
5     es    2              4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   32             64
2      a   15             30
6      s   13             26
4      e    6             12
5     es    4              8
3     as    3              6
[1] "3PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5     es   28             56
4      e   22             44
2      a   14             28
6      s   14             28
1      -   10             20
```

```
3      as    2              4
[1] "All Endings Included"
  Suffix freq Percent_Trials
5      es   29             58
4       e   22             44
2       a   16             32
6       s   14             28
1       -   11             22
3      as    2              4
[1] "4PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1       -   21             42
6       s   11             22
4       o    8             16
2       e    4              8
3      es    4              8
5      os    2              4
7       u    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1       -   22             44
7       s   12             24
5       o    9             18
3       e    5             10
4      es    5             10
6      os    2              4
2       a    1              2
8       u    1              2
[1] "5PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4      es   24             48
3       e   15             30
1       -    3              6
2       a    2              4
5       s    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
4      es   27             54
3       e   19             38
1       -    4              8
2       a    4              8
5       s    1              2
[1] "mPlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1       -   33             66
4      es   29             58
3       e   24             48
7       s   14             28
5       o    8             16
2       a    3              6
6      os    2              4
```

```
8      u    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   34             68
2      a   32             64
5     es   30             60
4      e   24             48
3     as   14             28
8      s   14             28
6      o    9             18
7     os    2              4
9      u    1              2
[1] "m1PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq         Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   32             64
3     as   14             28
4     es    4              8
1      -    1              2
[1] "m2PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   29             58
5      s   13             26
3      e    4              8
2      a    3              6
4     es    2              4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   30             60
5      s   13             26
3      e    4              8
2      a    3              6
4     es    2              4
[1] "m3PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     es   27             54
2      e   21             42
1      -    4              8
4      s    2              4
[1] "All Endings Included"
  Suffix freq Percent_Trials
4     es   28             56
3      e   21             42
1      -    4              8
5      s    2              4
2      a    1              2
[1] "m4PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
```

```
1       -    21              42
6       s    11              22
4       o     8              16
2       e     4               8
3      es     4               8
5      os     2               4
7       u     1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1       -    21              42
6       s    11              22
4       o     9              18
2       e     4               8
3      es     4               8
5      os     2               4
7       u     1               2
[1] "m5PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix           freq           Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
4      es    25              50
3       e    18              36
1       -     3               6
2       a     3               6
5       s     1               2
[1] "fPlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2       a    32              64
5      es    28              56
4       e    19              38
3      as    14              28
1       -     3               6
6       s     2               4
[1] "All Endings Included"
  Suffix freq Percent_Trials
2       a    32              64
5      es    31              62
1       -    29              58
4       e    25              50
3      as    14              28
8       s    13              26
6       o     8              16
7      os     2               4
9       u     1               2
[1] "f1PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1       a    32              64
2      as    14              28
3      es     4               8
[1] "All Endings Included"
```

```
  Suffix freq Percent_Trials
1      a   32           64
2     as   14           28
3     es    4            8
[1] "f2PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq         Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   26           52
5      s   12           24
3      e    5           10
4     es    4            8
2      a    3            6
[1] "f3PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     es   28           56
2      e   19           38
1      -    3            6
4      s    2            4
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     es   29           58
2      e   20           40
1      -    3            6
4      s    2            4
[1] "f4PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq         Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   18           36
7      s   11           22
5      o    8           16
3      e    5           10
4     es    5           10
6     os    2            4
2      a    1            2
8      u    1            2
[1] "f5PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq         Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
4     es   27           54
3      e   18           36
1      -    4            8
2      a    3            6
5      s    1            2
[1] "nPlAcc"
```

```
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   22          44
2      a   18          36
6      s   15          30
4      e    7          14
5     es    6          12
3     as    2           4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   30          60
2      a   18          36
8      s   16          32
4      e   10          20
5     es    8          16
6      o    8          16
3     as    3           6
7     os    2           4
9      u    1           2
[1] "n2PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   20          40
2      a   15          30
6      s   11          22
3     as    2           4
4      e    1           2
5     es    1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   22          44
2      a   15          30
6      s   12          24
3     as    3           6
4      e    1           2
5     es    1           2
[1] "n3PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   14          28
6      s   13          26
1      -    9          18
4      e    6          12
5     es    6          12
3     as    2           4
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   15          30
6      s   13          26
1      -   10          20
4      e    8          16
5     es    6          12
3     as    2           4
[1] "n4PlAcc"
```

```
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   22             44
6      s   11             22
4      o    8             16
2      e    3              6
3     es    3              6
5     os    2              4
7      u    1              2
[1] "GenPl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2       a   33             66
7       e   20             40
1       -   19             38
10     es   13             26
14      s   13             26
4      as    8             16
9      eo    3              6
13      o    3              6
12      i    2              4
3      ao    1              2
5     aso    1              2
6     bos    1              2
8    ebos    1              2
11    eso    1              2
15      u    1              2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       a   33             66
7       e   22             44
1       -   21             42
14      s   16             32
10     es   15             30
4      as   10             20
13      o    4              8
9      eo    3              6
12      i    2              4
3      ao    1              2
5     aso    1              2
6     bos    1              2
8    ebos    1              2
11    eso    1              2
15      u    1              2
[1] "1PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   33             66
4     as    8             16
9      s    3              6
1      -    1              2
```

223

```
3     ao    1             2
5    aso    1             2
6    bos    1             2
7      e    1             2
8      o    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   33            66
4     as   10            20
1      -    3             6
9      s    3             6
7      e    2             4
3     ao    1             2
5    aso    1             2
6    bos    1             2
8      o    1             2
[1] "2PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   17            34
3      e   17            34
8      s   12            24
5     es    8            16
2      a    3             6
7      o    3             6
6      i    2             4
4     eo    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   19            38
4      e   17            34
9      s   12            24
6     es    9            18
2      a    3             6
8      o    3             6
7      i    2             4
3     as    1             2
5     eo    1             2
[1] "3PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      e   17            34
1      -   14            28
6     es   11            22
9      s    9            18
2      a    3             6
5     eo    3             6
7      i    2             4
8      o    2             4
4   ebos    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e   17            34
1      -   15            30
```

```
6     es   11          22
9      s   11          22
2      a    3           6
5     eo    3           6
7      i    2           4
8      o    2           4
4   ebos    1           2
[1] "4PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   16          32
4     es   10          20
1      -    9          18
8      s    8          16
3     eo    2           4
6      i    2           4
5    eso    1           2
7      o    1           2
9      u    1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   17          34
8      s   12          24
1      -   10          20
4     es   10          20
3     eo    3           6
6      i    2           4
7      o    2           4
5    eso    1           2
9      u    1           2
[1] "5PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      e   14          28
6     es    9          18
1      -    7          14
9      s    7          14
5     eo    3           6
7      i    2           4
2      a    1           2
4   ebos    1           2
8      o    1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e   16          32
1      -   11          22
6     es   11          22
9      s   10          20
5     eo    3           6
7      i    2           4
2      a    1           2
4   ebos    1           2
8      o    1           2
[1] "mPlGen"
```

```
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2       e   19          38
1       -   14          28
5      es   12          24
9       s   12          24
4      eo    3           6
7       i    2           4
8       o    2           4
3    ebos    1           2
6     eso    1           2
10      u    1           2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       a   31          62
7       e   21          42
1       -   15          30
14      s   14          28
10     es   12          24
4      as    9          18
9      eo    3           6
13      o    3           6
12      i    2           4
3      ao    1           2
5     aso    1           2
6     bos    1           2
8    ebos    1           2
11    eso    1           2
15      u    1           2
[1] "m1PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2       a   30          60
4      as    9          18
1       -    3           6
9       s    3           6
7       e    2           4
3      ao    1           2
5     aso    1           2
6     bos    1           2
8       o    1           2
[1] "m2PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2       e   17          34
7       s   12          24
1       -   11          22
4      es    8          16
5       i    2           4
6       o    2           4
3      eo    1           2
```

```
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e   17            34
8      s   12            24
1      -   11            22
5     es    8            16
6      i    2             4
7      o    2             4
2      a    1             2
4     eo    1             2
[1] "m3PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   17            34
5     es   10            20
1      -    9            18
8      s    8            16
4     eo    3             6
6      i    2             4
3   ebos    1             2
7      o    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   17            34
5     es   10            20
1      -    9            18
8      s    9            18
4     eo    3             6
6      i    2             4
3   ebos    1             2
7      o    1             2
[1] "m4PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   16            32
4     es   10            20
1      -    9            18
8      s    8            16
3     eo    2             4
6      i    2             4
5    eso    1             2
7      o    1             2
9      u    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   16            32
1      -   10            20
4     es   10            20
8      s   10            20
3     eo    3             6
6      i    2             4
7      o    2             4
5    eso    1             2
9      u    1             2
```

```
[1] "m5PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e   16             32
6     es   10             20
1      -    9             18
9      s    7             14
5     eo    3              6
7      i    2              4
2      a    1              2
4   ebos    1              2
8      o    1              2
[1] "fPlGen"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2       a   33             66
7       e   18             36
10     es   11             22
1       -   10             20
13      s    9             18
4      as    8             16
9      eo    3              6
11      i    2              4
12      o    2              4
3      ao    1              2
5     aso    1              2
6     bos    1              2
8    ebos    1              2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       a   33             66
7       e   20             40
1       -   19             38
13      s   15             30
10     es   13             26
4      as   10             20
9      eo    3              6
11      i    2              4
12      o    2              4
3      ao    1              2
5     aso    1              2
6     bos    1              2
8    ebos    1              2
14      u    1              2
[1] "f1PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   33             66
4     as    8             16
9      s    3              6
1      -    1              2
```

```
3      ao    1               2
5     aso    1               2
6     bos    1               2
7       e    1               2
8       o    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2       a   33              66
4      as   10              20
9       s    3               6
1       -    2               4
3      ao    1               2
5     aso    1               2
6     bos    1               2
7       e    1               2
8       o    1               2
[1] "f2PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix        freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2       e   14              28
1       -   13              26
7       s   12              24
4      es    6              12
5       i    2               4
6       o    2               4
3      eo    1               2
[1] "f3PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2       e   16              32
5      es   11              22
1       -    9              18
8       s    8              16
4      eo    3               6
6       i    2               4
3    ebos    1               2
7       o    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2       e   17              34
5      es   11              22
8       s   10              20
1       -    9              18
4      eo    3               6
6       i    2               4
3    ebos    1               2
7       o    1               2
[1] "f4PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix        freq          Percent_Trials
<0 rows> (or 0-length row.names)
```

229

```
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     e   16           32
7     s   11           22
1     -    9           18
4    es    8           16
3    eo    3            6
5     i    2            4
6     o    1            2
8     u    1            2
[1] "f5PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     e   14           28
1     -   11           22
6    es   11           22
9     s   10           20
5    eo    3            6
7     i    2            4
2     a    1            2
4  ebos    1            2
8     o    1            2
[1] "nPlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     -   17           34
3     e   13           26
9     s   10           20
6    es    8           16
2     a    3            6
8     o    3            6
5    eo    2            4
7     i    2            4
4  ebos    1            2
[1] "All Endings Included"
   Suffix freq Percent_Trials
4      e   19           38
1      -   18           36
7     es   11           22
11     s   11           22
2      a    4            8
6     eo    3            6
10     o    3            6
9      i    2            4
3     as    1            2
5   ebos    1            2
8    eso    1            2
12     u    1            2
[1] "n2PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
```

```
1      -   17            34
3      e   12            24
7      s   10            20
4     es    5            10
6      o    3             6
2      a    2             4
5      i    2             4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   17            34
4      e   12            24
8      s   10            20
5     es    6            12
2      a    3             6
7      o    3             6
6      i    2             4
3     as    1             2
[1] "n3PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   14            28
3      e   11            22
6     es    8            16
9      s    8            16
2      a    3             6
5     eo    2             4
7      i    2             4
8      o    2             4
4   ebos    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   15            30
3      e   13            26
6     es    8            16
9      s    8            16
2      a    3             6
5     eo    2             4
7      i    2             4
8      o    2             4
4   ebos    1             2
[1] "n4PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq           Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   17            34
1      -   10            20
4     es    9            18
8      s    9            18
3     eo    3             6
6      i    2             4
5    eso    1             2
7      o    1             2
```

```
9     u    1              2
[1] "DatPl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2      a   32             64
6      e   26             52
1      -   18             36
8     es   14             28
4     as   13             26
11     s   11             22
7     eo    3              6
10     o    3              6
9      i    2              4
3     ao    1              2
5    aso    1              2
12     u    1              2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2      a   32             64
6      e   28             56
1      -   19             38
8     es   15             30
11     s   14             28
4     as   13             26
7     eo    3              6
10     o    3              6
9      i    2              4
3     ao    1              2
5    aso    1              2
12     u    1              2
[1] "1PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   32             64
4     as   13             26
1      -    1              2
3     ao    1              2
5    aso    1              2
6      e    1              2
7      o    1              2
8      s    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   32             64
4     as   13             26
1      -    2              4
8      s    2              4
3     ao    1              2
5    aso    1              2
6      e    1              2
7      o    1              2
[1] "2PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
```

```
1     -   17            34
4     e   16            32
9     s   10            20
6    es    6            12
2     a    4             8
8     o    3             6
7     i    2             4
3    as    1             2
5    eo    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -   18            36
4     e   18            36
9     s   12            24
6    es    8            16
2     a    4             8
8     o    3             6
7     i    2             4
3    as    1             2
5    eo    1             2
[1] "3PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     e   23            46
1     -   16            32
5    es   13            26
8     s    9            18
2     a    3             6
4    eo    3             6
6     i    2             4
7     o    2             4
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     e   25            50
1     -   16            32
5    es   15            30
8     s   10            20
2     a    3             6
4    eo    3             6
6     i    2             4
7     o    2             4
[1] "4PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2     e   17            34
1     -   11            22
4    es    8            16
7     s    8            16
3    eo    3             6
5     i    2             4
6     o    1             2
8     u    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
```

```
2      e   18            36
1      -   11            22
7      s   10            20
4     es    8            16
3     eo    3             6
5      i    2             4
6      o    1             2
8      u    1             2
```
[1] "5PlDat"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
3      e   20            40
5     es   11            22
1      -    5            10
8      s    4             8
4     eo    3             6
6      i    2             4
2      a    1             2
7      o    1             2
```
[1] "All Endings Included"
```
  Suffix freq Percent_Trials
3      e   22            44
5     es   12            24
1      -    7            14
8      s    5            10
4     eo    3             6
6      i    2             4
2      a    1             2
7      o    1             2
```
[1] "mPlDat"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
3      e   25            50
1      -   14            28
5     es   13            26
8      s   10            20
4     eo    3             6
6      i    2             4
7      o    2             4
2      a    1             2
9      u    1             2
```
[1] "All Endings Included"
```
   Suffix freq Percent_Trials
2       a   32            64
6       e   28            56
1       -   15            30
8      es   13            26
4      as   12            24
11      s   12            24
7      eo    3             6
9       i    2             4
10      o    2             4
3      ao    1             2
5     aso    1             2
```

234

```
12      u    1                    2
[1] "m1PlDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   32              64
4     as   12              24
1      -    2               4
8      s    2               4
3     ao    1               2
5    aso    1               2
6      e    1               2
7      o    1               2
[1] "m2PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      e   16              32
1      -   14              28
8      s   10              20
5     es    6              12
6      i    2               4
7      o    2               4
2      a    1               2
4     eo    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e   17              34
1      -   14              28
8      s   12              24
5     es    8              16
6      i    2               4
7      o    2               4
2      a    1               2
4     eo    1               2
[1] "m3PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   23              46
4     es   12              24
1      -    7              14
7      s    4               8
3     eo    3               6
5      i    2               4
6      o    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   25              50
4     es   13              26
1      -    7              14
7      s    5              10
3     eo    3               6
5      i    2               4
```

```
6       o    1                 2
[1] "m4PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2       e   17                34
1       -   11                22
4      es    8                16
7       s    8                16
3      eo    3                 6
5       i    2                 4
6       o    1                 2
8       u    1                 2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2       e   18                36
1       -   11                22
7       s    9                18
4      es    8                16
3      eo    3                 6
5       i    2                 4
6       o    1                 2
8       u    1                 2
[1] "m5PlDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3       e   22                44
5      es   12                24
1       -    5                10
8       s    4                 8
4      eo    3                 6
6       i    2                 4
2       a    1                 2
7       o    1                 2
[1] "fPlDat"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2        a   32                64
6        e   22                44
4       as   13                26
8       es   13                26
1        -    8                16
11       s    5                10
7       eo    3                 6
9        i    2                 4
10       o    2                 4
3       ao    1                 2
5      aso    1                 2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2        a   32                64
6        e   25                50
```

```
1        -    17           34
8       es    15           30
4       as    13           26
11       s    13           26
7       eo     3            6
9        i     2            4
10        o     2            4
3       ao     1            2
5      aso     1            2
12        u     1            2
[1] "f1PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2        a    32           64
4       as    13           26
1        -     1            2
3       ao     1            2
5      aso     1            2
6        e     1            2
7        o     1            2
8        s     1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2        a    32           64
4       as    13           26
1        -     1            2
3       ao     1            2
5      aso     1            2
6        e     1            2
7        o     1            2
8        s     1            2
[1] "f2PlDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3        e    15           30
1        -    13           26
8        s    10           20
5       es     6           12
6        i     2            4
7        o     2            4
2        a     1            2
4       eo     1            2
[1] "f3PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2        e    21           42
4       es    13           26
1        -     7           14
7        s     4            8
3       eo     3            6
5        i     2            4
```

```
6      o    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   22            44
4     es   14            28
1      -    7            14
7      s    6            12
3     eo    3             6
5      i    2             4
6      o    1             2
[1] "f4PlDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix        freq           Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   17            34
1      -   10            20
7      s    9            18
4     es    7            14
3     eo    3             6
5      i    2             4
6      o    1             2
8      u    1             2
[1] "f5PlDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix        freq           Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e   21            42
5     es   12            24
1      -    7            14
8      s    5            10
4     eo    3             6
6      i    2             4
2      a    1             2
7      o    1             2
[1] "nPlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   15            30
4      e   15            30
9      s   10            20
6     es    8            16
2      a    5            10
8      o    3             6
5     eo    2             4
7      i    2             4
3     as    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
4      e   18            36
1      -   15            30
```

```
6      es   10           20
9       s   10           20
2       a    5           10
5      eo    3            6
8       o    3            6
7       i    2            4
3      as    1            2
10      u    1            2
[1] "n2PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   15           30
4      e   13           26
8      s   10           20
5     es    5           10
2      a    4            8
7      o    3            6
6      i    2            4
3     as    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   15           30
4      e   13           26
8      s   10           20
5     es    5           10
2      a    4            8
7      o    3            6
6      i    2            4
3     as    1            2
[1] "n3PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   15           30
3      e   12           24
8      s    8           16
5     es    7           14
2      a    3            6
4     eo    2            4
6      i    2            4
7      o    2            4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   15           30
3      e   14           28
5     es    8           16
8      s    8           16
2      a    3            6
4     eo    2            4
6      i    2            4
7      o    2            4
[1] "n4PlDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq         Percent_Trials
<0 rows> (or 0-length row.names)
```

```
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   17           34
1      -   11           22
4     es    8           16
7      s    8           16
3     eo    3            6
5      i    2            4
6      o    1            2
8      u    1            2
[1] "AblPl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2       a   31           62
5       e   25           50
8      es   21           42
1       -   17           34
12      s   17           34
3      as   11           22
10      o    5           10
7      eo    4            8
4     bos    2            4
6    ebos    2            4
9       i    2            4
11     os    2            4
13      u    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2       a   31           62
5       e   26           52
8      es   21           42
1       -   18           36
13      s   18           36
3      as   11           22
11      o    5           10
7      eo    4            8
9       i    3            6
4     bos    2            4
6    ebos    2            4
12     os    2            4
10     io    1            2
14      u    1            2
[1] "1PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2       a   31           62
3      as   11           22
1       -    2            4
4     bos    2            4
11      s    2            4
5       e    1            2
6    ebos    1            2
7      eo    1            2
8      es    1            2
```

```
9       i   1           2
10      o   1           2
```
[1] "All Endings Included"
```
  Suffix freq Percent_Trials
2      a   31          62
3     as   11          22
1      -    2           4
4    bos    2           4
5      e    2           4
11     s    2           4
6   ebos    1           2
7     eo    1           2
8     es    1           2
9      i    1           2
10     o    1           2
```
[1] "2PlAbl"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
3      e   17          34
8      s   15          30
1      -   14          28
5     es    8          16
2      a    2           4
6      i    2           4
7      o    2           4
4     eo    1           2
```
[1] "All Endings Included"
```
  Suffix freq Percent_Trials
3      e   17          34
1      -   15          30
8      s   15          30
5     es    9          18
2      a    2           4
6      i    2           4
7      o    2           4
4     eo    1           2
```
[1] "3PlAbl"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
3      e   21          42
6     es   21          42
1      -   13          26
9      s    9          18
5     eo    4           8
2      a    2           4
4   ebos    2           4
7      i    2           4
8      o    1           2
```
[1] "All Endings Included"
```
  Suffix freq Percent_Trials
3      e   21          42
6     es   21          42
1      -   13          26
9      s   11          22
```

```
5    eo   4            8
2     a   3            6
4  ebos   2            4
7     i   2            4
8     o   1            2
[1] "4PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     -   12           24
8     s   12           24
2     e   10           20
4    es   5            10
3    eo   3             6
6     o   3             6
5     i   2             4
7    os   2             4
9     u   1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -   13           26
8     s   13           26
2     e   11           22
4    es   9            18
3    eo   3             6
6     o   3             6
5     i   2             4
7    os   2             4
9     u   1             2
[1] "5PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6    es   18           36
3     e   17           34
5    eo   3             6
1     -   2             4
4  ebos   2             4
7     i   2             4
2     a   1             2
8     s   1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     e   19           38
6    es   19           38
1     -   4             8
5    eo   4             8
7     i   3             6
4  ebos   2             4
9     s   2             4
2     a   1             2
8    io   1             2
[1] "mPlAbl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2      e   23           46
```

```
5     es   20            40
9      s   15            30
1      -   13            26
4     eo    4             8
7      o    4             8
3   ebos    2             4
6      i    2             4
8     os    2             4
10     u    1             2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2      a   31            62
5      e   26            52
8     es   20            40
13     s   16            32
1      -   14            28
3     as   11            22
7     eo    4             8
11     o    4             8
4    bos    2             4
6   ebos    2             4
9      i    2             4
12    os    2             4
10    io    1             2
14     u    1             2
[1] "m1PlAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq         Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
   Suffix freq Percent_Trials
2      a   31            62
3     as   11            22
4    bos    2             4
5      e    2             4
1      -    1             2
6   ebos    1             2
7     eo    1             2
8     es    1             2
9      i    1             2
10     o    1             2
11     s    1             2
[1] "m2PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   16            32
7      s   14            28
1      -   11            22
4     es    7            14
5      i    2             4
3     eo    1             2
6      o    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
```

```
2      e   17           34
7      s   15           30
1      -   12           24
4     es    7           14
5      i    2            4
3     eo    1            2
6      o    1            2
[1] "m3PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5     es   20           40
2      e   19           38
4     eo    4            8
1      -    2            4
3   ebos    2            4
6      i    2            4
7      s    2            4
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   20           40
5     es   20           40
4     eo    4            8
1      -    2            4
3   ebos    2            4
6      i    2            4
7      s    2            4
[1] "m4PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   12           24
8      s   12           24
2      e   10           20
4     es    5           10
3     eo    3            6
6      o    3            6
5      i    2            4
7     os    2            4
9      u    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   12           24
8      s   12           24
2      e   11           22
4     es    5           10
3     eo    3            6
6      o    3            6
5      i    2            4
7     os    2            4
9      u    1            2
[1] "m5PlAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq           Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
```

```
   Suffix freq Percent_Trials
6     es   19             38
3      e   18             36
5     eo    3              6
1      -    2              4
4   ebos    2              4
7      i    2              4
9      s    2              4
2      a    1              2
8     io    1              2
[1] "fPlAbl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2      a   31             62
5      e   21             42
8     es   20             40
3     as   11             22
1      -    4              8
7     eo    4              8
11     s    4              8
4    bos    2              4
6   ebos    2              4
9      i    2              4
10     o    1              2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2      a   31             62
5      e   23             46
8     es   20             40
1      -   17             34
13     s   15             30
3     as   11             22
7     eo    4              8
11     o    4              8
9      i    3              6
4    bos    2              4
6   ebos    2              4
12    os    2              4
10    io    1              2
14     u    1              2
[1] "f1PlAbl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2      a   31             62
3     as   11             22
1      -    2              4
4    bos    2              4
11     s    2              4
5      e    1              2
6   ebos    1              2
7     eo    1              2
8     es    1              2
9      i    1              2
10     o    1              2
```

```
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       a   31           62
3      as   11           22
1       -    2            4
4     bos    2            4
5       e    2            4
11      s    2            4
6    ebos    1            2
7      eo    1            2
8      es    1            2
9       i    1            2
10      o    1            2
[1] "f2PlAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       e   15           30
7       s   14           28
1       -   10           20
4      es    7           14
5       i    2            4
3      eo    1            2
6       o    1            2
[1] "f3PlAbl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2       e   20           40
5      es   20           40
4      eo    4            8
1       -    2            4
3    ebos    2            4
6       i    2            4
7       s    2            4
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       e   20           40
5      es   20           40
4      eo    4            8
1       -    2            4
3    ebos    2            4
6       i    2            4
7       s    2            4
[1] "f4PlAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
   Suffix freq Percent_Trials
1       -   12           24
8       s   11           22
4      es    9           18
```

```
2      e    8           16
3     eo    3            6
6      o    3            6
5      i    2            4
7     os    2            4
9      u    1            2
[1] "f5PlAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq         Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e   19             38
6     es   19             38
1      -    4              8
5     eo    4              8
7      i    3              6
4   ebos    2              4
9      s    2              4
2      a    1              2
8     io    1              2
[1] "nPlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   14             28
3      e   14             28
9      s   14             28
6     es    9             18
2      a    3              6
5     eo    3              6
4   ebos    2              4
7      i    2              4
8      o    2              4
[1] "All Endings Included"
   Suffix freq Percent_Trials
10      s   17             34
1       -   16             32
3       e   15             30
6      es   10             20
8       o    5             10
2       a    3              6
5      eo    3              6
4    ebos    2              4
7       i    2              4
9      os    2              4
11      u    1              2
[1] "n2PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
8      s   14             28
1      -   13             26
3      e   13             26
5     es    7             14
2      a    2              4
```

```
6       i    2              4
7       o    2              4
4      eo    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1       -   14             28
8       s   14             28
3       e   13             26
5      es    7             14
2       a    2              4
6       i    2              4
7       o    2              4
4      eo    1              2
[1] "n3PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1       -   13             26
3       e   12             24
6      es    8             16
9       s    8             16
5      eo    3              6
2       a    2              4
4    ebos    2              4
7       i    2              4
8       o    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1       -   13             26
3       e   12             24
9       s   11             22
6      es    9             18
2       a    3              6
5      eo    3              6
4    ebos    2              4
7       i    2              4
8       o    1              2
[1] "n4PlAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1       -   13             26
8       s   12             24
2       e   10             20
4      es    4              8
3      eo    3              6
6       o    3              6
5       i    2              4
7      os    2              4
9       u    1              2
```