Aggregate Data

Tyler Lau

July 18, 2016

```
[1] "Common Sound Change, T, Only considering max suffixes: TRUE"


[1] "Dropping suffixes that appear 10 or less times"


[1] "Sg_systems"

   e    -   es    i    o    s
0.62 0.26 0.06 0.02 0.02 0.02
[1] "Proportion of Sg systems without s ending: 0.92"
[1] "Nom_Acc_Sg_systems"

   e    o  -,o    -  -,e
0.40 0.28 0.24 0.04 0.04
[1] "Proportion of Nom_AccSg systems without s ending: 1"
[1] "Acc_Abl_Sg_systems"

   o    e    -  o,e
0.50 0.44 0.04 0.02
[1] "Proportion of Acc_AblSg systems without s ending: 1"
[1] "Nom_Acc_Abl_Sg_systems"

    e    o  -,o    -  -,e -,o,e
 0.40 0.28 0.22 0.04 0.04 0.02
[1] "Proportion of Nom_Acc_AblSg systems without s ending: 1"
[1] "Gen_Dat_Sg_systems"

   e    -  -,e   es    s    i
0.52 0.22 0.10 0.10 0.04 0.02
[1] "Proportion of Gen_DatSg systems without s ending: 0.86"
[1] "Sg_1_systems"

   a    -    e
0.88 0.10 0.02
[1] "Proportion of Sg1 systems with a ending: 0.88"
[1] "Nom_Acc_Sg_1_systems"
a
1
[1] "Proportion of Nom_AccSg1 systems with a ending: 1"
[1] "Acc_Abl_Sg_1_systems"

   a  a,-  a,e
0.88 0.10 0.02
[1] "Proportion of Acc_AblSg1 systems with a ending: 1"
[1] "Nom_Acc_Abl_Sg_1_systems"

   a  a,-  a,e
0.88 0.10 0.02
```

```
[1] "Proportion of Nom_Acc_AblSg1 systems with a ending: 1"
[1] "Gen_Dat_Sg_1_systems"

   e    -  -,e   es    s    i
0.52 0.22 0.10 0.10 0.04 0.02
[1] "Proportion of Gen_DatSg1 systems with a ending: 0"
[1] "Sg_2_systems"
o
1
[1] "Proportion of Sg2 systems with o ending: 1"
[1] "Nom_Acc_Sg_2_systems"
o
1
[1] "Proportion of Nom_AccSg2 systems with o ending: 1"
[1] "Acc_Abl_Sg_2_systems"
o
1
[1] "Proportion of Acc_AblSg2 systems with o ending: 1"
[1] "Nom_Acc_Abl_Sg_2_systems"
o
1
[1] "Proportion of Nom_Acc_AblSg2 systems with o ending: 1"
[1] "Gen_Dat_Sg_2_systems"

   -    s    e    o   es    i
0.60 0.16 0.08 0.08 0.04 0.04
[1] "Proportion of Gen_DatSg2 systems with o ending: 0.08"
[1] "Sg_3_systems"

   e    -   es    i    s
0.86 0.06 0.04 0.02 0.02
[1] "Proportion of Sg3 systems with e ending: 0.92"
[1] "Nom_Acc_Sg_3_systems"

   e  -,e    -  s,e
0.66 0.28 0.04 0.02
[1] "Proportion of Nom_AccSg3 systems with e ending: 1"
[1] "Acc_Abl_Sg_3_systems"

   e    -
0.96 0.04
[1] "Proportion of Acc_AblSg3 systems with e ending: 1"
[1] "Nom_Acc_Abl_Sg_3_systems"

   e  -,e    -  s,e
0.66 0.28 0.04 0.02
[1] "Proportion of Nom_Acc_AblSg3 systems with e ending: 1"
[1] "Gen_Dat_Sg_3_systems"

   e   es  -,e    -    i s,es
0.80 0.10 0.04 0.02 0.02 0.02
[1] "Proportion of Gen_DatSg3 systems with e ending: 0.86"
[1] "Sg_4_systems"
```

```
     o   os
0.98 0.02
[1] "Proportion of Sg4 systems with o ending: 0.98"
[1] "Nom_Acc_Sg_4_systems"

     o   os
0.98 0.02
[1] "Proportion of Nom_AccSg4 systems with o ending: 0.98"
[1] "Acc_Abl_Sg_4_systems"

     o   os
0.98 0.02
[1] "Proportion of Acc_AblSg4 systems with o ending: 0.98"
[1] "Nom_Acc_Abl_Sg_4_systems"

     o   os
0.98 0.02
[1] "Proportion of Nom_Acc_AblSg4 systems with o ending: 0.98"
[1] "Gen_Dat_Sg_4_systems"

   -    s    o    e   es    i   os
0.60 0.14 0.12 0.04 0.04 0.04 0.02
[1] "Proportion of Gen_DatSg4 systems with o ending: 0.12"
[1] "Sg_5_systems"

   e    -   es
0.92 0.04 0.04
[1] "Proportion of Sg5 systems with e ending: 0.92"
[1] "Nom_Acc_Sg_5_systems"

   e  -,e    -   es  s,e
0.66 0.24 0.04 0.04 0.02
[1] "Proportion of Nom_AccSg5 systems with e ending: 0.92"
[1] "Acc_Abl_Sg_5_systems"

   e    -   es
0.92 0.04 0.04
[1] "Proportion of Acc_AblSg5 systems with e ending: 0.92"
[1] "Nom_Acc_Abl_Sg_5_systems"

   e  -,e    -   es  s,e
0.66 0.24 0.04 0.04 0.02
[1] "Proportion of Nom_Acc_AblSg5 systems with e ending: 0.92"
[1] "Gen_Dat_Sg_5_systems"

   e   es  -,e    -    i s,es
0.80 0.10 0.04 0.02 0.02 0.02
[1] "Proportion of Gen_DatSg5 systems with e ending: 0.84"
[1] "Sg_m_systems"

   e    o    -   es    i   os    s
0.74 0.12 0.06 0.02 0.02 0.02 0.02
[1] "Proportion of Sgm systems with oe ending: 0.92"
[1] "Nom_Acc_Sg_m_systems"
```

```
        o    e
     0.98 0.02
[1] "Proportion of Nom_AccSgm systems with oe ending: 1"
[1] "Acc_Abl_Sg_m_systems"

        o    e
     0.98 0.02
[1] "Proportion of Acc_AblSgm systems with oe ending: 1"
[1] "Nom_Acc_Abl_Sg_m_systems"

        o    e
     0.98 0.02
[1] "Proportion of Nom_Acc_AblSgm systems with oe ending: 1"
[1] "Gen_Dat_Sg_m_systems"

        -    s    e    o   es    i
     0.58 0.14 0.10 0.08 0.06 0.04
[1] "Proportion of Gen_DatSgm systems with oe ending: 0.76"
[1] "Sg_f_systems"

        e   es    -    i    s
     0.80 0.10 0.06 0.02 0.02
[1] "Proportion of Sgf systems with ae ending: 0.86"
[1] "Nom_Acc_Sg_f_systems"

        e  -,e    -  a,e  -,a    a   es
     0.64 0.22 0.04 0.04 0.02 0.02 0.02
[1] "Proportion of Nom_AccSgf systems with ae ending: 0.98"
[1] "Acc_Abl_Sg_f_systems"

        e    -    a   es
     0.90 0.04 0.04 0.02
[1] "Proportion of Acc_AblSgf systems with ae ending: 0.98"
[1] "Nom_Acc_Abl_Sg_f_systems"

        e  -,e    -  a,e  -,a    a   es
     0.64 0.22 0.04 0.04 0.02 0.02 0.02
[1] "Proportion of Nom_Acc_AblSgf systems with ae ending: 0.98"
[1] "Gen_Dat_Sg_f_systems"

        e    -  -,e   es    i s,es
     0.54 0.20 0.12 0.10 0.02 0.02
[1] "Proportion of Gen_DatSgf systems with ae ending: 0.86"
[1] "Sg_n_systems"

        -    o    e   es    i    s
     0.44 0.38 0.08 0.04 0.04 0.02
[1] "Proportion of Sgn systems with oe ending: 0.9"
[1] "Nom_Acc_Sg_n_systems"
o
1
[1] "Proportion of Nom_AccSgn systems with oe ending: 1"
[1] "Acc_Abl_Sg_n_systems"
```

```
o
1
[1] "Proportion of Acc_AblSgn systems with oe ending: 1"
[1] "Nom_Acc_Abl_Sg_n_systems"
o
1
[1] "Proportion of Nom_Acc_AblSgn systems with oe ending: 1"
[1] "Gen_Dat_Sg_n_systems"

   -    s    e    o   es    i
0.60 0.16 0.08 0.08 0.04 0.04
[1] "Proportion of Gen_DatSgn systems with oe ending: 0.76"
[1] "Sg_mf_systems"

   e    -  o,e o,es   es    i os,es    s
0.74 0.06 0.06 0.06 0.02 0.02 0.02 0.02
[1] "Proportion of Sgmf systems with aoe ending: 0.92"
[1] "Nom_Acc_Sg_mf_systems"

 o,e o,-,e  o,- o,a,e e,es o,-,a  o,a
0.64 0.22 0.04 0.04 0.02 0.02 0.02
[1] "Proportion of Nom_AccSgmf systems with aoe ending: 1"
[1] "Acc_Abl_Sg_mf_systems"

 o,e  o,- o,a e,es
0.90 0.04 0.04 0.02
[1] "Proportion of Acc_AblSgmf systems with aoe ending: 1"
[1] "Nom_Acc_Abl_Sg_mf_systems"

 o,e o,-,e  o,- o,a,e e,es o,-,a  o,a
0.64 0.22 0.04 0.04 0.02 0.02 0.02
[1] "Proportion of Nom_Acc_AblSgmf systems with aoe ending: 1"
[1] "Gen_Dat_Sg_mf_systems"

 -,e    - s,e    e   es  o,e -,es    i i,e o,es s,es
0.36 0.20 0.12 0.10 0.06 0.06 0.02 0.02 0.02 0.02 0.02
[1] "Proportion of Gen_DatSgmf systems with aoe ending: 0.9"
[1] "Pl_systems"

   e    -    s   es    i    o
0.32 0.28 0.20 0.16 0.02 0.02
[1] "Proportion of Pl systems with s ending: 0.36"
[1] "Nom_Acc_Pl_systems"

   e    -    s   es    a -,a s,es   as s,as
0.24 0.20 0.16 0.12 0.10 0.06 0.06 0.04 0.02
[1] "Proportion of Nom_AccPl systems with s ending: 0.4"
[1] "Acc_Abl_Pl_systems"

   e    -    a   es    s   as a,- es,a es,s s,o
0.24 0.20 0.14 0.14 0.14 0.06 0.02 0.02 0.02 0.02
[1] "Proportion of Acc_AblPl systems with s ending: 0.4"
[1] "Nom_Acc_Abl_Pl_systems"
```

```
       e       -       s       a      es     -,a      as    s,es    es,s    s,as
    0.24    0.20    0.14    0.10    0.10    0.06    0.04    0.04    0.02    0.02
 s,es,a     s,o
    0.02    0.02
```
[1] "Proportion of Nom_Acc_AblPl systems with s ending: 0.4"
[1] "Gen_Dat_Pl_systems"

```
   e   es    -    s -,e   eo    i s,es
0.40 0.22 0.12 0.12 0.08 0.02 0.02 0.02
```
[1] "Proportion of Gen_DatPl systems with s ending: 0.36"
[1] "Pl_1_systems"

```
   a   as    -    s    e
0.50 0.32 0.08 0.08 0.02
```
[1] "Proportion of Pl1 systems with s ending: 0.4"
[1] "Nom_Acc_Pl_1_systems"

```
   a   as    s    -
0.60 0.34 0.04 0.02
```
[1] "Proportion of Nom_AccPl1 systems with s ending: 0.38"
[1] "Acc_Abl_Pl_1_systems"

```
    a   as  a,-    s    - a,e  a,s as,ao as,s
 0.50 0.30 0.06 0.04 0.02 0.02 0.02 0.02 0.02
```
[1] "Proportion of Acc_AblPl1 systems with s ending: 0.4"
[1] "Nom_Acc_Abl_Pl_1_systems"

```
    a   as  a,-    s    - a,e  a,s as,ao as,s
 0.50 0.30 0.06 0.04 0.02 0.02 0.02 0.02 0.02
```
[1] "Proportion of Nom_Acc_AblPl1 systems with s ending: 0.4"
[1] "Gen_Dat_Pl_1_systems"

```
   e   es    -    s -,e    a   eo    i s,es
0.36 0.22 0.14 0.12 0.08 0.02 0.02 0.02 0.02
```
[1] "Proportion of Gen_DatPl1 systems with s ending: 0.36"
[1] "Pl_2_systems"

```
   -    s    e    o    a   es   as
0.48 0.30 0.06 0.06 0.04 0.04 0.02
```
[1] "Proportion of Pl2 systems with s ending: 0.36"
[1] "Nom_Acc_Pl_2_systems"

```
   -    s    a   as -,o a,as    e    o
0.32 0.26 0.24 0.10 0.02 0.02 0.02 0.02
```
[1] "Proportion of Nom_AccPl2 systems with s ending: 0.38"
[1] "Acc_Abl_Pl_2_systems"

```
   -    s    a   as  a,- as,s    e    o  o,-  s,o
0.32 0.24 0.20 0.10 0.04 0.02 0.02 0.02 0.02 0.02
```
[1] "Proportion of Acc_AblPl2 systems with s ending: 0.38"
[1] "Nom_Acc_Abl_Pl_2_systems"

```
   -    s    a   as  a,- -,o a,as as,s    e    o  s,o
0.32 0.24 0.20 0.08 0.04 0.02 0.02 0.02 0.02 0.02 0.02
```

```
[1] "Proportion of Nom_Acc_AblPl2 systems with s ending: 0.38"
[1] "Gen_Dat_Pl_2_systems"

   -    s    e   es    o   as    i
0.44 0.32 0.10 0.06 0.04 0.02 0.02
[1] "Proportion of Gen_DatPl2 systems with s ending: 0.4"
[1] "Pl_3_systems"

   e   es    -   eo    i
0.54 0.36 0.06 0.02 0.02
[1] "Proportion of Pl3 systems with s ending: 0.36"
[1] "Nom_Acc_Pl_3_systems"

   e   es -,e s,es    -
0.42 0.28 0.14 0.12 0.04
[1] "Proportion of Nom_AccPl3 systems with s ending: 0.4"
[1] "Acc_Abl_Pl_3_systems"

    e   es    - es,eo
 0.56 0.38 0.04 0.02
[1] "Proportion of Acc_AblPl3 systems with s ending: 0.4"
[1] "Nom_Acc_Abl_Pl_3_systems"

    e   es  -,e s,es    - es,eo
 0.42 0.26 0.14 0.12 0.04 0.02
[1] "Proportion of Nom_Acc_AblPl3 systems with s ending: 0.4"
[1] "Gen_Dat_Pl_3_systems"

   e   es    -  -,e   eo    i s,es
0.54 0.34 0.04 0.02 0.02 0.02 0.02
[1] "Proportion of Gen_DatPl3 systems with s ending: 0.36"
[1] "Pl_4_systems"

   -    s    o    e   es   os
0.48 0.34 0.12 0.02 0.02 0.02
[1] "Proportion of Pl4 systems with s ending: 0.38"
[1] "Nom_Acc_Pl_4_systems"

   -    s    o  -,o    e   es   os
0.46 0.36 0.10 0.02 0.02 0.02 0.02
[1] "Proportion of Nom_AccPl4 systems with s ending: 0.4"
[1] "Acc_Abl_Pl_4_systems"

   -    s    o    e   es  o,-   os  s,o
0.46 0.34 0.10 0.02 0.02 0.02 0.02 0.02
[1] "Proportion of Acc_AblPl4 systems with s ending: 0.4"
[1] "Nom_Acc_Abl_Pl_4_systems"

   -    s    o  -,o    e   es   os  s,o
0.46 0.34 0.10 0.02 0.02 0.02 0.02 0.02
[1] "Proportion of Nom_Acc_AblPl4 systems with s ending: 0.4"
[1] "Gen_Dat_Pl_4_systems"

   -    s    e   es    o    i
```

```
0.40 0.32 0.12 0.10 0.04 0.02
[1] "Proportion of Gen_DatPl4 systems with s ending: 0.42"
[1] "Pl_5_systems"

   e   es    -   eo
0.60 0.34 0.04 0.02
[1] "Proportion of Pl5 systems with s ending: 0.34"
[1] "Nom_Acc_Pl_5_systems"

   e   es  -,e s,es    - s,e
0.42 0.30 0.14 0.08 0.04 0.02
[1] "Proportion of Nom_AccPl5 systems with s ending: 0.4"
[1] "Acc_Abl_Pl_5_systems"

    e    es     - es,eo
 0.58  0.36  0.04  0.02
[1] "Proportion of Acc_AblPl5 systems with s ending: 0.38"
[1] "Nom_Acc_Abl_Pl_5_systems"

    e    es   -,e s,es     - es,eo   s,e
 0.42  0.28  0.14  0.08  0.04  0.02  0.02
[1] "Proportion of Nom_Acc_AblPl5 systems with s ending: 0.4"
[1] "Gen_Dat_Pl_5_systems"

   e   es    -  -,e   eo    i s,es
0.56 0.32 0.04 0.02 0.02 0.02 0.02
[1] "Proportion of Gen_DatPl5 systems with s ending: 0.34"
[1] "Pl_m_systems"

    -    s    e   es    o
0.40 0.32 0.14 0.10 0.04
[1] "Proportion of Plm systems with s ending: 0.42"
[1] "Nom_Acc_Pl_m_systems"

    -    s   es    e    o  -,o s,es
0.42 0.34 0.08 0.06 0.06 0.02 0.02
[1] "Proportion of Nom_AccPlm systems with s ending: 0.44"
[1] "Acc_Abl_Pl_m_systems"

    -    s   es    e    o es,-  o,-  s,o
0.42 0.32 0.08 0.06 0.06 0.02 0.02 0.02
[1] "Proportion of Acc_AblPlm systems with s ending: 0.44"
[1] "Nom_Acc_Abl_Pl_m_systems"

     -     s    es     e     o   -,o s,es,-    s,o
  0.42  0.32  0.08  0.06  0.06  0.02  0.02  0.02
[1] "Proportion of Nom_Acc_AblPlm systems with s ending: 0.44"
[1] "Gen_Dat_Pl_m_systems"

    -    s    e   es    o    i
0.38 0.32 0.14 0.10 0.04 0.02
[1] "Proportion of Gen_DatPlm systems with s ending: 0.42"
[1] "Pl_f_systems"
```

```
   e   es    -    s   eo    i
0.54 0.32 0.06 0.04 0.02 0.02
[1] "Proportion of Plf systems with s ending: 0.36"
[1] "Nom_Acc_Pl_f_systems"

   e    es   -,e  s,es    -   -,a as,es  s,as
 0.42  0.28  0.12  0.08  0.04  0.02  0.02  0.02
[1] "Proportion of Nom_AccPlf systems with s ending: 0.4"
[1] "Acc_Abl_Pl_f_systems"

   e    es    -   e,-    a   as es,eo
 0.50  0.36  0.04  0.04  0.02  0.02  0.02
[1] "Proportion of Acc_AblPlf systems with s ending: 0.4"
[1] "Nom_Acc_Abl_Pl_f_systems"

   e    es   -,e  s,es    -   -,a as,es  e,- es,eo  s,as
 0.40  0.26  0.12  0.08  0.04  0.02  0.02  0.02  0.02  0.02
[1] "Proportion of Nom_Acc_AblPlf systems with s ending: 0.4"
[1] "Gen_Dat_Pl_f_systems"

   e   es    -  -,e s,es   eo    i
0.42 0.30 0.12 0.08 0.04 0.02 0.02
[1] "Proportion of Gen_DatPlf systems with s ending: 0.34"
[1] "Pl_n_systems"

   -    s    a   as    e    o   es
0.36 0.26 0.12 0.12 0.08 0.04 0.02
[1] "Proportion of Pln systems with a ending: 0.12"
[1] "Nom_Acc_Pl_n_systems"

   -    s    a   as  -,o a,as    e    o
0.32 0.26 0.24 0.10 0.02 0.02 0.02 0.02
[1] "Proportion of Nom_AccPln systems with a ending: 0.26"
[1] "Acc_Abl_Pl_n_systems"

   -    s    a   as  a,- as,s    e    o  o,-  s,o
0.32 0.24 0.20 0.10 0.04 0.02 0.02 0.02 0.02 0.02
[1] "Proportion of Acc_AblPln systems with a ending: 0.24"
[1] "Nom_Acc_Abl_Pl_n_systems"

   -    s    a   as  a,-  -,o a,as as,s    e    o  s,o
0.32 0.24 0.20 0.08 0.04 0.02 0.02 0.02 0.02 0.02 0.02
[1] "Proportion of Nom_Acc_AblPln systems with a ending: 0.26"
[1] "Gen_Dat_Pl_n_systems"

   -    s    e   es    o   as    i
0.44 0.32 0.10 0.06 0.04 0.02 0.02
[1] "Proportion of Gen_DatPln systems with a ending: 0"
[1] "Pl_mf_systems"

 -,e s,es    e   es  s,e    -  -,es    s  -,i  o,e o,eo
0.28 0.18 0.14 0.10 0.10 0.06 0.04 0.04 0.02 0.02 0.02
[1] "Proportion of Plmf systems with s ending: 0.46"
[1] "Nom_Acc_Pl_mf_systems"
```

```
     -,e     s,es      s,e        es         e      -,es       o,e         -         -,a
    0.34     0.22     0.10      0.08      0.06      0.04      0.04      0.02      0.02
     -,o     o,es     s,as  s,as,es
    0.02     0.02     0.02      0.02
[1] "Proportion of Nom_AccPlmf systems with s ending: 0.5"
[1] "Acc_Abl_Pl_mf_systems"


     -,e     s,es      s,e        es         e      -,es       o,e
    0.34     0.20     0.10      0.08      0.06      0.04      0.04
       -      -,a     es,-       o,-       o,es     s,as s,es,o,eo
    0.02     0.02     0.02      0.02      0.02      0.02      0.02
[1] "Proportion of Acc_AblPlmf systems with s ending: 0.5"
[1] "Nom_Acc_Abl_Pl_mf_systems"


     -,e     s,es      s,e        es         e      -,es       o,e
    0.34     0.18     0.10      0.08      0.06      0.04      0.04
       -      -,a      -,o       o,es      s,as  s,as,es    s,es,-
    0.02     0.02     0.02      0.02      0.02      0.02      0.02
s,es,o,eo
    0.02
[1] "Proportion of Nom_Acc_AblPlmf systems with s ending: 0.5"
[1] "Gen_Dat_Pl_mf_systems"


 -,e s,es    e    -   es  s,e -,es    i  o,e o,eo
0.24 0.22 0.14 0.12 0.10 0.10 0.02 0.02 0.02 0.02
[1] "Proportion of Gen_DatPlmf systems with s ending: 0.44"


$Nom_Acc_Sg_same
[1] "70%"


$Acc_Abl_Sg_same
[1] "88%"


$Nom_Acc_Abl_Sg_same
[1] "62%"


$Gen_Dat_Sg_same
[1] "94%"


$m_Sg_n_Sg_same
[1] "60%"


$Pl_same
[1] "4%"


$Nom_Acc_Pl_same
[1] "70%"


$Acc_Abl_Pl_same
[1] "84%"


$Nom_Acc_Abl_Pl_same
[1] "60%"
```

```
$Gen_Dat_Pl_same
[1] "96%"

$m_Pl_f_Pl_same
[1] "4%"

$m_Pl_n_Pl_same
[1] "38%"

$n_Pl_f_Sg_same
[1] "6%"

$n_Pl_f_Pl_same
[1] "16%"

$m_n_same
[1] "38%"

$Dec_24_same
[1] "100%"
```