Aggregate Data

Tyler Lau

July 18, 2016

```
[1] "Common Sound Change, Token Freq F, Number of cases being considered: 3"
```

```
[1] "Sg"
  Suffix freq Percent_Trials
1      -   26             52
2      e   18             36
3     es    3              6
4      o    3              6
[1] "1SgNom,Acc"
  Suffix freq Percent_Trials
1      -   30             60
3      e   13             26
2      a    5             10
4     es    2              4
[1] "2SgNom,Acc"
  Suffix freq Percent_Trials
3      o   26             52
1      -   20             40
2      e    2              4
4     os    1              2
5      s    1              2
[1] "3SgNom,Acc"
  Suffix freq Percent_Trials
1      -   25             50
2      e   20             40
3     es    5             10
[1] "4SgNom,Acc"
  Suffix freq Percent_Trials
3      o   26             52
1      -   18             36
2      e    4              8
4     os    1              2
5      s    1              2
[1] "5SgNom,Acc"
  Suffix freq Percent_Trials
1      -   28             56
3      e   17             34
4     es    4              8
2      a    1              2
[1] "1SgAcc,Gen"
  Suffix freq Percent_Trials
1      -   29             58
3      e   14             28
2      a    5             10
4     es    2              4
[1] "2SgAcc,Gen"
  Suffix freq Percent_Trials
```

```
3      o   24          48
1      -   20          40
2      e    4           8
4     os    1           2
5      s    1           2
[1] "3SgAcc,Gen"
  Suffix freq Percent_Trials
1      -   24          48
2      e   21          42
3     es    5          10
[1] "4SgAcc,Gen"
  Suffix freq Percent_Trials
3      o   24          48
1      -   18          36
2      e    6          12
4     os    1           2
5      s    1           2
[1] "5SgAcc,Gen"
  Suffix freq Percent_Trials
1      -   28          56
3      e   17          34
4     es    4           8
2      a    1           2
[1] "1SgNom,Gen"
  Suffix freq Percent_Trials
1      -   30          60
3      e   13          26
2      a    5          10
4     es    2           4
[1] "2SgNom,Gen"
  Suffix freq Percent_Trials
3      o   24          48
1      -   20          40
2      e    4           8
4     os    1           2
5      s    1           2
[1] "3SgNom,Gen"
  Suffix freq Percent_Trials
1      -   25          50
2      e   20          40
3     es    5          10
[1] "4SgNom,Gen"
  Suffix freq Percent_Trials
3      o   24          48
1      -   18          36
2      e    6          12
4     os    1           2
5      s    1           2
[1] "5SgNom,Gen"
  Suffix freq Percent_Trials
1      -   28          56
3      e   17          34
4     es    4           8
2      a    1           2
```

```
[1] "1SgNom,Acc,Gen"
  Suffix freq Percent_Trials
1      -   30             60
3      e   13             26
2      a    5             10
4     es    2              4
[1] "2SgNom,Acc,Gen"
  Suffix freq Percent_Trials
3      o   26             52
1      -   20             40
2      e    2              4
4     os    1              2
5      s    1              2
[1] "3SgNom,Acc,Gen"
  Suffix freq Percent_Trials
1      -   25             50
2      e   20             40
3     es    5             10
[1] "4SgNom,Acc,Gen"
  Suffix freq Percent_Trials
3      o   26             52
1      -   18             36
2      e    4              8
4     os    1              2
5      s    1              2
[1] "5SgNom,Acc,Gen"
  Suffix freq Percent_Trials
1      -   28             56
3      e   17             34
4     es    4              8
2      a    1              2
[1] "Nom"
  Suffix freq Percent_Trials
1      -   26             52
2      e   18             36
3     es    3              6
4      o    3              6
[1] "NomSg"
  Suffix freq Percent_Trials
1      -   26             52
2      e   18             36
3     es    3              6
4      o    3              6
[1] "1"
  Suffix freq Percent_Trials
1      -   30             60
3      e   13             26
2      a    5             10
4     es    2              4
[1] "1Sg"
  Suffix freq Percent_Trials
1      -   30             60
3      e   13             26
2      a    5             10
```

```
4      es     2               4
[1] "1SgNom"
  Suffix freq Percent_Trials
1      -   30             60
3      e   13             26
2      a    5             10
4     es    2              4
[1] "2"
  Suffix freq Percent_Trials
3      o   26             52
1      -   20             40
2      e    2              4
4     os    1              2
5      s    1              2
[1] "2Sg"
  Suffix freq Percent_Trials
3      o   26             52
1      -   20             40
2      e    2              4
4     os    1              2
5      s    1              2
[1] "2SgNom"
  Suffix freq Percent_Trials
3      o   26             52
1      -   20             40
2      e    2              4
4     os    1              2
5      s    1              2
[1] "3"
  Suffix freq Percent_Trials
1      -   25             50
2      e   20             40
3     es    5             10
[1] "3Sg"
  Suffix freq Percent_Trials
1      -   25             50
2      e   20             40
3     es    5             10
[1] "3SgNom"
  Suffix freq Percent_Trials
1      -   25             50
2      e   20             40
3     es    5             10
[1] "4"
  Suffix freq Percent_Trials
3      o   26             52
1      -   18             36
2      e    4              8
4     os    1              2
5      s    1              2
[1] "4Sg"
  Suffix freq Percent_Trials
3      o   26             52
1      -   18             36
```

```
2       e    4               8
4      os    1               2
5       s    1               2
[1] "4SgNom"
  Suffix freq Percent_Trials
3       o   26              52
1       -   18              36
2       e    4               8
4      os    1               2
5       s    1               2
[1] "5"
  Suffix freq Percent_Trials
1       -   28              56
3       e   17              34
4      es    4               8
2       a    1               2
[1] "5Sg"
  Suffix freq Percent_Trials
1       -   28              56
3       e   17              34
4      es    4               8
2       a    1               2
[1] "5SgNom"
  Suffix freq Percent_Trials
1       -   28              56
3       e   17              34
4      es    4               8
2       a    1               2
[1] "m"
  Suffix freq Percent_Trials
3       o   24              48
1       -   18              36
2       e    6              12
4      os    1               2
5       s    1               2
[1] "mSg"
  Suffix freq Percent_Trials
3       o   24              48
1       -   18              36
2       e    6              12
4      os    1               2
5       s    1               2
[1] "mSgNom"
  Suffix freq Percent_Trials
3       o   26              52
1       -   18              36
2       e    4               8
4      os    1               2
5       s    1               2
[1] "m1SgNom"
  Suffix freq Percent_Trials
1       -   30              60
3       e   15              30
2       a    2               4
```

```
4       es    2                 4
5        o    1                 2
[1] "m2SgNom"
  Suffix freq Percent_Trials
3        o   26                52
1        -   20                40
2        e    2                 4
4       os    1                 2
5        s    1                 2
[1] "m3SgNom"
  Suffix freq Percent_Trials
1        -   25                50
2        e   20                40
3       es    5                10
[1] "m4SgNom"
  Suffix freq Percent_Trials
3        o   26                52
1        -   18                36
2        e    4                 8
4       os    1                 2
5        s    1                 2
[1] "m5SgNom"
  Suffix freq Percent_Trials
1        -   29                58
3        e   16                32
4       es    4                 8
2        a    1                 2
[1] "f"
  Suffix freq Percent_Trials
1        -   28                56
3        e   17                34
4       es    4                 8
2        a    1                 2
[1] "fSg"
  Suffix freq Percent_Trials
1        -   28                56
3        e   17                34
4       es    4                 8
2        a    1                 2
[1] "fSgNom"
  Suffix freq Percent_Trials
1        -   28                56
3        e   17                34
4       es    4                 8
2        a    1                 2
[1] "f1SgNom"
  Suffix freq Percent_Trials
1        -   30                60
3        e   13                26
2        a    5                10
4       es    2                 4
[1] "f2SgNom"
  Suffix freq Percent_Trials
3        o   26                52
```

```
1       -    19              38
2       e     3               6
4      os     1               2
5       s     1               2
[1] "f3SgNom"
   Suffix freq Percent_Trials
1       -    25              50
2       e    20              40
3      es     5              10
[1] "f4SgNom"
   Suffix freq Percent_Trials
3       o    24              48
1       -    19              38
2       e     5              10
4      os     1               2
5       s     1               2
[1] "f5SgNom"
   Suffix freq Percent_Trials
1       -    28              56
3       e    17              34
4      es     4               8
2       a     1               2
[1] "n"
   Suffix freq Percent_Trials
3       o    24              48
1       -    20              40
2       e     4               8
4      os     1               2
5       s     1               2
[1] "nSg"
   Suffix freq Percent_Trials
3       o    24              48
1       -    20              40
2       e     4               8
4      os     1               2
5       s     1               2
[1] "nSgNom"
   Suffix freq Percent_Trials
3       o    26              52
1       -    20              40
2       e     2               4
4      os     1               2
5       s     1               2
[1] "n2SgNom"
   Suffix freq Percent_Trials
3       o    26              52
1       -    20              40
2       e     2               4
4      os     1               2
5       s     1               2
[1] "n3SgNom"
   Suffix freq Percent_Trials
1       -    27              54
2       e    18              36
```

```
3      es    2                 4
4       o    2                 4
5       s    1                 2
[1] "n4SgNom"
  Suffix freq Percent_Trials
3       o   26             52
1       -   18             36
2       e    4              8
4      os    1              2
5       s    1              2
[1] "Acc"
  Suffix freq Percent_Trials
1       -   26             52
2       e   18             36
3      es    3              6
4       o    3              6
[1] "AccSg"
  Suffix freq Percent_Trials
1       -   26             52
2       e   18             36
3      es    3              6
4       o    3              6
[1] "1SgAcc"
  Suffix freq Percent_Trials
1       -   30             60
3       e   13             26
2       a    5             10
4      es    2              4
[1] "2SgAcc"
  Suffix freq Percent_Trials
3       o   26             52
1       -   20             40
2       e    2              4
4      os    1              2
5       s    1              2
[1] "3SgAcc"
  Suffix freq Percent_Trials
1       -   25             50
2       e   20             40
3      es    5             10
[1] "4SgAcc"
  Suffix freq Percent_Trials
3       o   26             52
1       -   18             36
2       e    4              8
4      os    1              2
5       s    1              2
[1] "5SgAcc"
  Suffix freq Percent_Trials
1       -   28             56
3       e   17             34
4      es    4              8
2       a    1              2
[1] "mSgAcc"
```

```
   Suffix freq Percent_Trials
3      o   26              52
1      -   18              36
2      e    4               8
4     os    1               2
5      s    1               2
[1] "m1SgAcc"
   Suffix freq Percent_Trials
1      -   31              62
3      e   14              28
2      a    2               4
4     es    2               4
5      o    1               2
[1] "m2SgAcc"
   Suffix freq Percent_Trials
3      o   26              52
1      -   20              40
2      e    2               4
4     os    1               2
5      s    1               2
[1] "m3SgAcc"
   Suffix freq Percent_Trials
1      -   25              50
2      e   20              40
3     es    5              10
[1] "m4SgAcc"
   Suffix freq Percent_Trials
3      o   26              52
1      -   18              36
2      e    4               8
4     os    1               2
5      s    1               2
[1] "m5SgAcc"
   Suffix freq Percent_Trials
1      -   31              62
2      e   15              30
3     es    4               8
[1] "fSgAcc"
   Suffix freq Percent_Trials
1      -   27              54
3      e   18              36
4     es    4               8
2      a    1               2
[1] "f1SgAcc"
   Suffix freq Percent_Trials
1      -   29              58
3      e   14              28
2      a    5              10
4     es    2               4
[1] "f2SgAcc"
   Suffix freq Percent_Trials
3      o   26              52
1      -   19              38
2      e    3               6
```

```
4       os    1                2
5        s    1                2
[1] "f3SgAcc"
   Suffix freq Percent_Trials
1       -   24               48
2       e   21               42
3      es    5               10
[1] "f4SgAcc"
   Suffix freq Percent_Trials
3       o   24               48
1       -   19               38
2       e    5               10
4      os    1                2
5       s    1                2
[1] "f5SgAcc"
   Suffix freq Percent_Trials
1       -   28               56
3       e   17               34
4      es    4                8
2       a    1                2
[1] "nSgAcc"
   Suffix freq Percent_Trials
3       o   26               52
1       -   20               40
2       e    2                4
4      os    1                2
5       s    1                2
[1] "n2SgAcc"
   Suffix freq Percent_Trials
3       o   26               52
1       -   20               40
2       e    2                4
4      os    1                2
5       s    1                2
[1] "n3SgAcc"
   Suffix freq Percent_Trials
1       -   27               54
2       e   18               36
3      es    2                4
4       o    2                4
5       s    1                2
[1] "n4SgAcc"
   Suffix freq Percent_Trials
3       o   26               52
1       -   18               36
2       e    4                8
4      os    1                2
5       s    1                2
[1] "Gen"
   Suffix freq Percent_Trials
1       -   26               52
2       e   18               36
3      es    3                6
4       o    3                6
```

```
[1] "GenSg"
  Suffix freq Percent_Trials
1      -   26             52
2      e   18             36
3     es    3              6
4      o    3              6
[1] "1SgGen"
  Suffix freq Percent_Trials
1      -   29             58
3      e   14             28
2      a    5             10
4     es    2              4
[1] "2SgGen"
  Suffix freq Percent_Trials
3      o   24             48
1      -   20             40
2      e    4              8
4     os    1              2
5      s    1              2
[1] "3SgGen"
  Suffix freq Percent_Trials
1      -   24             48
2      e   21             42
3     es    5             10
[1] "4SgGen"
  Suffix freq Percent_Trials
3      o   24             48
1      -   18             36
2      e    6             12
4     os    1              2
5      s    1              2
[1] "5SgGen"
  Suffix freq Percent_Trials
1      -   27             54
3      e   18             36
4     es    4              8
2      a    1              2
[1] "mSgGen"
  Suffix freq Percent_Trials
3      o   24             48
1      -   18             36
2      e    6             12
4     os    1              2
5      s    1              2
[1] "m1SgGen"
  Suffix freq Percent_Trials
1      -   30             60
3      e   15             30
2      a    2              4
4     es    2              4
5      o    1              2
[1] "m2SgGen"
  Suffix freq Percent_Trials
3      o   24             48
```

```
1       -   20              40
2       e    4               8
4      os    1               2
5       s    1               2
[1] "m3SgGen"
   Suffix freq Percent_Trials
1       -   24              48
2       e   21              42
3      es    5              10
[1] "m4SgGen"
   Suffix freq Percent_Trials
3       o   24              48
1       -   18              36
2       e    6              12
4      os    1               2
5       s    1               2
[1] "m5SgGen"
   Suffix freq Percent_Trials
1       -   28              56
3       e   17              34
4      es    4               8
2       a    1               2
[1] "fSgGen"
   Suffix freq Percent_Trials
1       -   27              54
3       e   18              36
4      es    4               8
2       a    1               2
[1] "f1SgGen"
   Suffix freq Percent_Trials
1       -   29              58
3       e   14              28
2       a    5              10
4      es    2               4
[1] "f2SgGen"
   Suffix freq Percent_Trials
3       o   24              48
1       -   19              38
2       e    5              10
4      os    1               2
5       s    1               2
[1] "f3SgGen"
   Suffix freq Percent_Trials
1       -   24              48
2       e   21              42
3      es    5              10
[1] "f4SgGen"
   Suffix freq Percent_Trials
3       o   23              46
1       -   19              38
2       e    6              12
4      os    1               2
5       s    1               2
[1] "f5SgGen"
```

```
   Suffix freq Percent_Trials
1       -   27             54
3       e   18             36
4      es    4              8
2       a    1              2
[1] "nSgGen"
   Suffix freq Percent_Trials
3       o   24             48
1       -   20             40
2       e    4              8
4      os    1              2
5       s    1              2
[1] "n2SgGen"
   Suffix freq Percent_Trials
3       o   24             48
1       -   20             40
2       e    4              8
4      os    1              2
5       s    1              2
[1] "n3SgGen"
   Suffix freq Percent_Trials
1       -   27             54
2       e   18             36
3      es    2              4
4       o    2              4
5       s    1              2
[1] "n4SgGen"
   Suffix freq Percent_Trials
3       o   24             48
1       -   18             36
2       e    6             12
4      os    1              2
5       s    1              2
[1] "Pl"
   Suffix freq Percent_Trials
1       -   26             52
2       e   18             36
3      es    3              6
4       o    3              6
[1] "1PlNom,Acc"
   Suffix freq Percent_Trials
1       -   30             60
3       e   13             26
2       a    5             10
4      es    2              4
[1] "2PlNom,Acc"
   Suffix freq Percent_Trials
3       o   26             52
1       -   20             40
2       e    2              4
4      os    1              2
5       s    1              2
[1] "3PlNom,Acc"
   Suffix freq Percent_Trials
```

```
1      -    25              50
2      e    20              40
3      es    5              10
[1] "4PlNom,Acc"
  Suffix freq Percent_Trials
3      o    26              52
1      -    18              36
2      e     4               8
4      os    1               2
5       s    1               2
[1] "5PlNom,Acc"
  Suffix freq Percent_Trials
1      -    28              56
3      e    17              34
4      es    4               8
2       a    1               2
[1] "1PlAcc,Gen"
  Suffix freq Percent_Trials
1      -    29              58
3      e    14              28
2       a    5              10
4      es    2               4
[1] "2PlAcc,Gen"
  Suffix freq Percent_Trials
3      o    24              48
1      -    20              40
2      e     4               8
4      os    1               2
5       s    1               2
[1] "3PlAcc,Gen"
  Suffix freq Percent_Trials
1      -    24              48
2      e    21              42
3      es    5              10
[1] "4PlAcc,Gen"
  Suffix freq Percent_Trials
3      o    24              48
1      -    18              36
2      e     6              12
4      os    1               2
5       s    1               2
[1] "5PlAcc,Gen"
  Suffix freq Percent_Trials
1      -    28              56
3      e    17              34
4      es    4               8
2       a    1               2
[1] "1PlNom,Gen"
  Suffix freq Percent_Trials
1      -    30              60
3      e    13              26
2       a    5              10
4      es    2               4
[1] "2PlNom,Gen"
```

```
   Suffix freq Percent_Trials
3       o   24             48
1       -   20             40
2       e    4              8
4      os    1              2
5       s    1              2
[1] "3PlNom,Gen"
   Suffix freq Percent_Trials
1       -   25             50
2       e   20             40
3      es    5             10
[1] "4PlNom,Gen"
   Suffix freq Percent_Trials
3       o   24             48
1       -   18             36
2       e    6             12
4      os    1              2
5       s    1              2
[1] "5PlNom,Gen"
   Suffix freq Percent_Trials
1       -   28             56
3       e   17             34
4      es    4              8
2       a    1              2
[1] "1PlNom,Acc,Gen"
   Suffix freq Percent_Trials
1       -   30             60
3       e   13             26
2       a    5             10
4      es    2              4
[1] "2PlNom,Acc,Gen"
   Suffix freq Percent_Trials
3       o   26             52
1       -   20             40
2       e    2              4
4      os    1              2
5       s    1              2
[1] "3PlNom,Acc,Gen"
   Suffix freq Percent_Trials
1       -   25             50
2       e   20             40
3      es    5             10
[1] "4PlNom,Acc,Gen"
   Suffix freq Percent_Trials
3       o   26             52
1       -   18             36
2       e    4              8
4      os    1              2
5       s    1              2
[1] "5PlNom,Acc,Gen"
   Suffix freq Percent_Trials
1       -   28             56
3       e   17             34
4      es    4              8
```

```
2      a    1              2
[1] "NomPl"
  Suffix freq Percent_Trials
1      -   26             52
2      e   18             36
3     es    3              6
4      o    3              6
[1] "1Pl"
  Suffix freq Percent_Trials
1      -   30             60
3      e   13             26
2      a    5             10
4     es    2              4
[1] "1PlNom"
  Suffix freq Percent_Trials
1      -   30             60
3      e   13             26
2      a    5             10
4     es    2              4
[1] "2Pl"
  Suffix freq Percent_Trials
3      o   26             52
1      -   20             40
2      e    2              4
4     os    1              2
5      s    1              2
[1] "2PlNom"
  Suffix freq Percent_Trials
3      o   26             52
1      -   20             40
2      e    2              4
4     os    1              2
5      s    1              2
[1] "3Pl"
  Suffix freq Percent_Trials
1      -   25             50
2      e   20             40
3     es    5             10
[1] "3PlNom"
  Suffix freq Percent_Trials
1      -   25             50
2      e   20             40
3     es    5             10
[1] "4Pl"
  Suffix freq Percent_Trials
3      o   26             52
1      -   18             36
2      e    4              8
4     os    1              2
5      s    1              2
[1] "4PlNom"
  Suffix freq Percent_Trials
3      o   26             52
1      -   18             36
```

```
2      e    4               8
4     os    1               2
5      s    1               2
[1] "5Pl"
  Suffix freq Percent_Trials
1      -   28             56
3      e   17             34
4     es    4              8
2      a    1              2
[1] "5PlNom"
  Suffix freq Percent_Trials
1      -   28             56
3      e   17             34
4     es    4              8
2      a    1              2
[1] "mPl"
  Suffix freq Percent_Trials
3      o   24             48
1      -   18             36
2      e    6             12
4     os    1              2
5      s    1              2
[1] "mPlNom"
  Suffix freq Percent_Trials
3      o   26             52
1      -   18             36
2      e    4              8
4     os    1              2
5      s    1              2
[1] "m1PlNom"
  Suffix freq Percent_Trials
1      -   30             60
3      e   15             30
2      a    2              4
4     es    2              4
5      o    1              2
[1] "m2PlNom"
  Suffix freq Percent_Trials
3      o   26             52
1      -   20             40
2      e    2              4
4     os    1              2
5      s    1              2
[1] "m3PlNom"
  Suffix freq Percent_Trials
1      -   25             50
2      e   20             40
3     es    5             10
[1] "m4PlNom"
  Suffix freq Percent_Trials
3      o   26             52
1      -   18             36
2      e    4              8
4     os    1              2
```

```
5       s    1                2
[1] "m5PlNom"
   Suffix freq Percent_Trials
1        -   29               58
3        e   16               32
4       es    4                8
2        a    1                2
[1] "fPl"
   Suffix freq Percent_Trials
1        -   28               56
3        e   17               34
4       es    4                8
2        a    1                2
[1] "fPlNom"
   Suffix freq Percent_Trials
1        -   28               56
3        e   17               34
4       es    4                8
2        a    1                2
[1] "f1PlNom"
   Suffix freq Percent_Trials
1        -   30               60
3        e   13               26
2        a    5               10
4       es    2                4
[1] "f2PlNom"
   Suffix freq Percent_Trials
3        o   26               52
1        -   19               38
2        e    3                6
4       os    1                2
5        s    1                2
[1] "f3PlNom"
   Suffix freq Percent_Trials
1        -   25               50
2        e   20               40
3       es    5               10
[1] "f4PlNom"
   Suffix freq Percent_Trials
3        o   24               48
1        -   19               38
2        e    5               10
4       os    1                2
5        s    1                2
[1] "f5PlNom"
   Suffix freq Percent_Trials
1        -   28               56
3        e   17               34
4       es    4                8
2        a    1                2
[1] "nPl"
   Suffix freq Percent_Trials
3        o   24               48
1        -   20               40
```

```
2      e    4               8
4     os    1               2
5      s    1               2
[1] "nPlNom"
  Suffix freq Percent_Trials
3      o   26             52
1      -   20             40
2      e    2              4
4     os    1              2
5      s    1              2
[1] "n2PlNom"
  Suffix freq Percent_Trials
3      o   26             52
1      -   20             40
2      e    2              4
4     os    1              2
5      s    1              2
[1] "n3PlNom"
  Suffix freq Percent_Trials
1      -   27             54
2      e   18             36
3     es    2              4
4      o    2              4
5      s    1              2
[1] "n4PlNom"
  Suffix freq Percent_Trials
3      o   26             52
1      -   18             36
2      e    4              8
4     os    1              2
5      s    1              2
[1] "AccPl"
  Suffix freq Percent_Trials
1      -   26             52
2      e   18             36
3     es    3              6
4      o    3              6
[1] "1PlAcc"
  Suffix freq Percent_Trials
1      -   30             60
3      e   13             26
2      a    5             10
4     es    2              4
[1] "2PlAcc"
  Suffix freq Percent_Trials
3      o   26             52
1      -   20             40
2      e    2              4
4     os    1              2
5      s    1              2
[1] "3PlAcc"
  Suffix freq Percent_Trials
1      -   25             50
2      e   20             40
```

```
3     es    5               10
[1] "4PlAcc"
   Suffix freq Percent_Trials
3      o   26               52
1      -   18               36
2      e    4                8
4     os    1                2
5      s    1                2
[1] "5PlAcc"
   Suffix freq Percent_Trials
1      -   28               56
3      e   17               34
4     es    4                8
2      a    1                2
[1] "mPlAcc"
   Suffix freq Percent_Trials
3      o   26               52
1      -   18               36
2      e    4                8
4     os    1                2
5      s    1                2
[1] "m1PlAcc"
   Suffix freq Percent_Trials
1      -   30               60
3      e   15               30
2      a    2                4
4     es    2                4
5      o    1                2
[1] "m2PlAcc"
   Suffix freq Percent_Trials
3      o   26               52
1      -   20               40
2      e    2                4
4     os    1                2
5      s    1                2
[1] "m3PlAcc"
   Suffix freq Percent_Trials
1      -   25               50
2      e   20               40
3     es    5               10
[1] "m4PlAcc"
   Suffix freq Percent_Trials
3      o   26               52
1      -   18               36
2      e    4                8
4     os    1                2
5      s    1                2
[1] "m5PlAcc"
   Suffix freq Percent_Trials
1      -   30               60
2      e   16               32
3     es    4                8
[1] "fPlAcc"
   Suffix freq Percent_Trials
```

```
1     -   27          54
3     e   18          36
4    es    4           8
2     a    1           2
[1] "f1PlAcc"
  Suffix freq Percent_Trials
1     -   29          58
3     e   14          28
2     a    5          10
4    es    2           4
[1] "f2PlAcc"
  Suffix freq Percent_Trials
3     o   26          52
1     -   19          38
2     e    3           6
4    os    1           2
5     s    1           2
[1] "f3PlAcc"
  Suffix freq Percent_Trials
1     -   24          48
2     e   21          42
3    es    5          10
[1] "f4PlAcc"
  Suffix freq Percent_Trials
3     o   24          48
1     -   19          38
2     e    5          10
4    os    1           2
5     s    1           2
[1] "f5PlAcc"
  Suffix freq Percent_Trials
1     -   28          56
3     e   17          34
4    es    4           8
2     a    1           2
[1] "nPlAcc"
  Suffix freq Percent_Trials
3     o   26          52
1     -   20          40
2     e    2           4
4    os    1           2
5     s    1           2
[1] "n2PlAcc"
  Suffix freq Percent_Trials
3     o   26          52
1     -   20          40
2     e    2           4
4    os    1           2
5     s    1           2
[1] "n3PlAcc"
  Suffix freq Percent_Trials
1     -   27          54
2     e   18          36
3    es    2           4
```

```
4       o    2                4
5       s    1                2
[1] "n4PlAcc"
  Suffix freq Percent_Trials
3       o   26             52
1       -   18             36
2       e    4              8
4      os    1              2
5       s    1              2
[1] "GenPl"
  Suffix freq Percent_Trials
1       -   26             52
2       e   18             36
3      es    3              6
4       o    3              6
[1] "1PlGen"
  Suffix freq Percent_Trials
1       -   29             58
3       e   14             28
2       a    5             10
4      es    2              4
[1] "2PlGen"
  Suffix freq Percent_Trials
3       o   24             48
1       -   20             40
2       e    4              8
4      os    1              2
5       s    1              2
[1] "3PlGen"
  Suffix freq Percent_Trials
1       -   24             48
2       e   21             42
3      es    5             10
[1] "4PlGen"
  Suffix freq Percent_Trials
3       o   24             48
1       -   18             36
2       e    6             12
4      os    1              2
5       s    1              2
[1] "5PlGen"
  Suffix freq Percent_Trials
1       -   28             56
3       e   17             34
4      es    4              8
2       a    1              2
[1] "mPlGen"
  Suffix freq Percent_Trials
3       o   24             48
1       -   18             36
2       e    6             12
4      os    1              2
5       s    1              2
[1] "m1PlGen"
```

```
   Suffix freq Percent_Trials
1      -   30             60
3      e   15             30
2      a    2              4
4     es    2              4
5      o    1              2
[1] "m2PlGen"
   Suffix freq Percent_Trials
3      o   24             48
1      -   20             40
2      e    4              8
4     os    1              2
5      s    1              2
[1] "m3PlGen"
   Suffix freq Percent_Trials
1      -   24             48
2      e   21             42
3     es    5             10
[1] "m4PlGen"
   Suffix freq Percent_Trials
3      o   24             48
1      -   18             36
2      e    6             12
4     os    1              2
5      s    1              2
[1] "m5PlGen"
   Suffix freq Percent_Trials
1      -   29             58
3      e   16             32
4     es    4              8
2      a    1              2
[1] "fPlGen"
   Suffix freq Percent_Trials
1      -   27             54
3      e   18             36
4     es    4              8
2      a    1              2
[1] "f1PlGen"
   Suffix freq Percent_Trials
1      -   29             58
3      e   14             28
2      a    5             10
4     es    2              4
[1] "f2PlGen"
   Suffix freq Percent_Trials
3      o   24             48
1      -   19             38
2      e    5             10
4     os    1              2
5      s    1              2
[1] "f3PlGen"
   Suffix freq Percent_Trials
1      -   24             48
2      e   21             42
```

```
3    es    5              10
[1] "f4PlGen"
   Suffix freq Percent_Trials
3     o   23              46
1     -   19              38
2     e    6              12
4    os    1               2
5     s    1               2
[1] "f5PlGen"
   Suffix freq Percent_Trials
1     -   27              54
3     e   18              36
4    es    4               8
2     a    1               2
[1] "nPlGen"
   Suffix freq Percent_Trials
3     o   24              48
1     -   20              40
2     e    4               8
4    os    1               2
5     s    1               2
[1] "n2PlGen"
   Suffix freq Percent_Trials
3     o   24              48
1     -   20              40
2     e    4               8
4    os    1               2
5     s    1               2
[1] "n3PlGen"
   Suffix freq Percent_Trials
1     -   27              54
2     e   18              36
3    es    2               4
4     o    2               4
5     s    1               2
[1] "n4PlGen"
   Suffix freq Percent_Trials
3     o   24              48
1     -   18              36
2     e    6              12
4    os    1               2
5     s    1               2


[1] "common_system_distrib"
   Percent_Match freq Percent_Trials
1       54.00000   18              36
2       55.33333    1               2
3       56.00000    1               2
4       57.33333    1               2
5       58.00000    2               4
6       64.00000    1               2
7       64.66667    1               2
8       66.00000    9              18
9       70.00000   11              22
```

```
10      71.33333    1               2
11      72.00000    4               8
```

Percent of common_system_distrib Matching Reality


```
[1] "NPLtoFSG_system_distrib"
   Percent_Match freq Percent_Trials
1       56.00000   19              38
2       57.33333    1               2
3       58.00000    1               2
4       59.33333    1               2
5       60.00000    1               2
6       64.00000    1               2
7       69.33333    1               2
8       70.00000    1               2
9       70.66667    1               2
10      72.00000    9              18
11      76.00000   11              22
12      77.33333    1               2
13      78.00000    2               4
```

Percent of NPLtoFSG_system_distrib Matching Reality


```
[1] "romanian_system_distrib"
    Percent_Match freq Percent_Trials
1        54.00000   18             36
2        56.00000    2              4
3        57.33333    1              2
4        58.66667    1              2
5        59.33333    1              2
6        64.00000    2              4
7        66.00000    9             18
8        67.33333    1              2
9        68.00000    1              2
10       70.00000    1              2
11       70.66667    3              6
12       71.33333    8             16
13       72.00000    2              4
```

Percent of romanian_system_distrib Matching Reality


```
[1] "1_common_system_distrib"
  Percent_Match freq Percent_Trials
1            60   45             90
2            70    3              6
3            80    2              4
```

Percent of 1_common_system_distrib Matching Reality


```
[1] "1_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1            60   45             90
2            70    3              6
3            80    2              4
```

Percent of 1_NPLtoFSG_system_distrib Matching Reality


```
[1] "1_romanian_system_distrib"
  Percent_Match freq Percent_Trials
1      60.00000   31             62
2      63.33333    1              2
3      66.66667   14             28
4      70.00000    2              4
5      73.33333    2              4
```

Percent of 1_romanian_system_distrib Matching Reality


```
[1] "2_common_system_distrib"
  Percent_Match freq Percent_Trials
1            40   23             46
2            60    2              4
3            70   25             50
```

Percent of 2_common_system_distrib Matching Reality


```
[1] "2_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      40.00000   23             46
2      60.00000    1              2
3      66.66667    2              4
4      80.00000   24             48
```

Percent of 2_NPLtoFSG_system_distrib Matching Reality


```
[1] "2_romanian_system_distrib"
  Percent_Match freq Percent_Trials
1            40   23             46
2            60    3              6
3            70   24             48
```

## Percent of 2_romanian_system_distrib Matching Reality


```
[1] "3_common_system_distrib"
  Percent_Match freq Percent_Trials
1            60    2              4
2            70   48             96
```

## Percent of 3_common_system_distrib Matching Reality

```
[1] "3_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1            60    5             10
2            80   45             90
```

Percent of 3_NPLtoFSG_system_distrib Matching Reality


```
[1] "3_romanian_system_distrib"
  Percent_Match freq Percent_Trials
1            60    5             10
2            70   45             90
```

Percent of 3_romanian_system_distrib Matching Reality


```
[1] "4_common_system_distrib"
  Percent_Match freq Percent_Trials
1      40.00000   23             46
2      53.33333    1              2
3      60.00000    2              4
4      70.00000   24             48
```

Percent of 4_common_system_distrib Matching Reality


```
[1] "4_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      40.00000   23             46
2      60.00000    2              4
3      66.66667    1              2
4      70.00000    1              2
5      80.00000   23             46
```

Percent of 4_NPLtoFSG_system_distrib Matching Reality


```
[1] "4_romanian_system_distrib"
  Percent_Match freq Percent_Trials
1      40.00000   23             46
2      53.33333    1              2
3      60.00000    3              6
4      70.00000   23             46
```

Percent of 4_romanian_system_distrib Matching Reality


```
[1] "5_common_system_distrib"
  Percent_Match freq Percent_Trials
1      60.00000   27             54
2      66.66667    1              2
3      70.00000    1              2
4      76.66667    2              4
5      80.00000   19             38
```

Percent of 5_common_system_distrib Matching Reality


```
[1] "5_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      60.00000   27             54
2      66.66667    1              2
3      70.00000    1              2
4      76.66667    2              4
5      80.00000   19             38
```

Percent of 5_NPLtoFSG_system_distrib Matching Reality


```
[1] "5_romanian_system_distrib"
  Percent_Match freq Percent_Trials
1      60.00000   27             54
2      66.66667    1              2
3      70.00000    1              2
4      76.66667    2              4
5      80.00000   19             38
```

Percent of 5_romanian_system_distrib Matching Reality


```
[1] "m_common_system_distrib"
  Percent_Match freq Percent_Trials
1            46   19             38
2            48    1              2
3            50    1              2
4            52    2              4
5            58    9             18
6            60    2              4
7            62    1              2
8            64   13             26
9            70    2              4
```

Percent of m_common_system_distrib Matching Reality


```
[1] "m_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1            46   19             38
2            48    1              2
3            50    1              2
4            52    2              4
5            58    9             18
6            60    2              4
7            62    1              2
8            64   13             26
9            70    2              4
```

Percent of m_NPLtoFSG_system_distrib Matching Reality


```
[1] "m_romanian_system_distrib"
  Percent_Match freq Percent_Trials
1            46   18             36
2            48    2              4
3            52    2              4
4            54    1              2
5            58    9             18
6            62    3              6
7            64    3              6
8            66   10             20
9            68    2              4
```

Percent of m_romanian_system_distrib Matching Reality


```
[1] "f_common_system_distrib"
  Percent_Match freq Percent_Trials
1           46   18             36
2           48    1              2
3           52    5             10
4           56    1              2
5           58    8             16
6           60    1              2
7           64   11             22
8           70    5             10
```

Percent of f_common_system_distrib Matching Reality


```
[1] "f_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1            46   18             36
2            48    1              2
3            52    5             10
4            56    1              2
5            58    8             16
6            60    1              2
7            64   11             22
8            70    5             10
```

Percent of f_NPLtoFSG_system_distrib Matching Reality


```
[1] "f_romanian_system_distrib"
  Percent_Match freq Percent_Trials
1            46   18             36
2            50    1              2
3            52    2              4
4            54    3              6
5            58    9             18
6            62    1              2
7            64    3              6
8            66    8             16
9            68    5             10
```

Percent of f_romanian_system_distrib Matching Reality


```
[1] "n_common_system_distrib"
  Percent_Match freq Percent_Trials
1            70   23             46
2            76    2              4
3            78    2              4
4            82   23             46
```

Percent of n_common_system_distrib Matching Reality


```
[1] "n_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1            64    2              4
2            76   22             44
3            88    3              6
4            92    2              4
5           100   21             42
```

Percent of n_NPLtoFSG_system_distrib Matching Reality


```
[1] "n_romanian_system_distrib"
  Percent_Match freq Percent_Trials
1            64    2              4
2            70   22             44
3            76    3              6
4            78    2              4
5            82   21             42
```

Percent of n_romanian_system_distrib Matching Reality


```
[1] "Nom_common_system_distrib"
  Percent_Match freq Percent_Trials
1      23.33333   19             38
2      26.66667    1              2
3      30.00000    3              6
4      40.00000    1              2
5      43.33333    8             16
6      46.66667    1              2
7      50.00000   12             24
8      53.33333    5             10
```

Percent of Nom_common_system_distrib Matching Reality


```
[1] "Nom_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1     26.66667   20             40
2     30.00000    1              2
3     33.33333    2              4
4     40.00000    1              2
5     50.00000    1              2
6     53.33333    9             18
7     56.66667    1              2
8     60.00000   12             24
9     63.33333    3              6
```

Percent of Nom_NPLtoFSG_system_distrib Matching Reality


```
[1] "Nom_romanian_system_distrib"
  Percent_Match freq Percent_Trials
1      23.33333   19             38
2      26.66667    2              4
3      30.00000    2              4
4      40.00000    2              4
5      43.33333    8             16
6      46.66667    2              4
7      50.00000   10             20
8      53.33333    5             10
```

Percent of Nom_romanian_system_distrib Matching Reality


```
[1] "Acc_common_system_distrib"
  Percent_Match freq Percent_Trials
1     23.33333   19             38
2     26.66667    2              4
3     30.00000    2              4
4     40.00000    1              2
5     43.33333    8             16
6     46.66667    1              2
7     50.00000   13             26
8     53.33333    4              8
```

Percent of Acc_common_system_distrib Matching Reality


```
[1] "Acc_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      26.66667   20             40
2      30.00000    2              4
3      33.33333    1              2
4      40.00000    1              2
5      50.00000    1              2
6      53.33333    9             18
7      56.66667    1              2
8      60.00000   13             26
9      63.33333    2              4
```

Percent of Acc_NPLtoFSG_system_distrib Matching Reality


```
[1] "Acc_romanian_system_distrib"
  Percent_Match freq Percent_Trials
1      23.33333   19             38
2      26.66667    3              6
3      30.00000    1              2
4      40.00000    2              4
5      43.33333    8             16
6      46.66667    2              4
7      50.00000   11             22
8      53.33333    4              8
```

Percent of Acc_romanian_system_distrib Matching Reality

[1] "Gen_common_system_distrib"

	Percent_Match	freq	Percent_Trials
1	23.33333	18	36
2	26.66667	1	2
3	30.00000	6	12
4	40.00000	1	2
5	43.33333	8	16
6	50.00000	11	22
7	53.33333	5	10

## Percent of Gen_common_system_distrib Matching Reality


```
[1] "Gen_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      26.66667   19             38
2      30.00000    1              2
3      33.33333    5             10
4      40.00000    1              2
5      50.00000    1              2
6      53.33333    9             18
7      60.00000   11             22
8      63.33333    3              6
```

# Percent of Gen_NPLtoFSG_system_distrib Matching Reality


```
[1] "Gen_romanian_system_distrib"
   Percent_Match freq Percent_Trials
1       23.33333   18             36
2       26.66667    1              2
3       33.33333    2              4
4       36.66667    4              8
5       40.00000    2              4
6       43.33333    8             16
7       46.66667    3              6
8       50.00000    2              4
9       53.33333    2              4
10      56.66667    8             16
```

Percent of Gen_romanian_system_distrib Matching Reality


```
[1] "Sg_common_system_distrib"
   Percent_Match freq Percent_Trials
1       48.00000    2              4
2       52.00000    1              2
3       60.00000   17             34
4       62.66667    1              2
5       64.00000    1              2
6       66.66667    1              2
7       68.00000    1              2
8       72.00000    1              2
9       80.00000    2              4
10      81.33333    1              2
11      84.00000    9             18
12      92.00000    9             18
13      94.66667    1              2
14      96.00000    3              6
```

Percent of Sg_common_system_distrib Matching Reality


```
[1] "Sg_NPLtoFSG_system_distrib"
   Percent_Match freq Percent_Trials
1       48.00000    2              4
2       52.00000    1              2
3       60.00000   17             34
4       62.66667    1              2
5       64.00000    1              2
6       66.66667    1              2
7       68.00000    1              2
8       72.00000    1              2
9       80.00000    2              4
10      81.33333    1              2
11      84.00000    9             18
12      92.00000    9             18
13      94.66667    1              2
14      96.00000    3              6
```

Percent of Sg_NPLtoFSG_system_distrib Matching Reality


```
[1] "Sg_romanian_system_distrib"
   Percent_Match freq Percent_Trials
1       48.00000    2              4
2       52.00000    1              2
3       60.00000   17             34
4       64.00000    1              2
5       66.66667    1              2
6       69.33333    1              2
7       70.66667    1              2
8       72.00000    1              2
9       77.33333    1              2
10      80.00000    1              2
11      84.00000    9             18
12      86.66667    1              2
13      92.00000    1              2
14      93.33333    2              4
15      94.66667    8             16
16      96.00000    2              4
```

Percent of Sg_romanian_system_distrib Matching Reality


```
[1] "Pl_common_system_distrib"
  Percent_Match freq Percent_Trials
1            48   45             90
2            56    1              2
3            64    1              2
4            68    2              4
5            92    1              2
```

Percent of PI_common_system_distrib Matching Reality


```
[1] "Pl_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      52.00000   21             42
2      56.00000    1              2
3      57.33333    2              4
4      60.00000   22             44
5      64.00000    1              2
6      72.00000    2              4
7      80.00000    1              2
```

Percent of PI_NPLtoFSG_system_distrib Matching Reality


```
[1] "Pl_romanian_system_distrib"
  Percent_Match freq Percent_Trials
1            48   45             90
2            56    1              2
3            64    3              6
4            80    1              2
```

Percent of PI_romanian_system_distrib Matching Reality


```
[1] "n.Sg,m.Sg"
  Percent_Match freq Percent_Trials
1      66.66667    5              10
2      88.88889    1               2
3     100.00000   44              88
```

Percent of n.Sg,m.Sg Matching Each Other

Percent Matching Each Other

```
[1] "n.Pl,m.Pl"
  Percent_Match freq Percent_Trials
1      66.66667    5              10
2      88.88889    1               2
3     100.00000   44              88
```

Percent of n.Pl,m.Pl Matching Each Other

Percent Matching Each Other

```
[1] "n.Pl,f.Sg"
  Percent_Match freq Percent_Trials
1      66.66667    7              14
2      77.77778    2               4
3     100.00000   41              82
```

Percent of n.Pl,f.Sg Matching Each Other


```
[1] "n.Pl,f.Pl"
  Percent_Match freq Percent_Trials
1      66.66667    7             14
2      77.77778    2              4
3     100.00000   41             82
```

Percent of n.Pl,f.Pl Matching Each Other


```
[1] "m.Pl,f.Pl"
  Percent_Match freq Percent_Trials
1      60.00000    1              2
2      73.33333    2              4
3      80.00000    4              8
4      86.66667    1              2
5     100.00000   42             84
```

Percent of m.Pl,f.Pl Matching Each Other


```
[1] "1,5"
  Percent_Match freq Percent_Trials
1       0.00000    4              8
2      50.00000    4              8
3      66.66667    1              2
4      75.00000    1              2
5     100.00000   40             80
```

Percent of 1,5 Matching Each Other


```
[1] "2,4"
  Percent_Match freq Percent_Trials
1       0.00000    1              2
2      33.33333    1              2
3      66.66667    1              2
4      77.77778    1              2
5     100.00000   46             92
```

Percent of 2,4 Matching Each Other


```
[1] "Nom,Acc"
  Percent_Match freq Percent_Trials
1      84.61538    1              2
2      92.30769    2              4
3     100.00000   47             94
```

Percent of Nom,Acc Matching Each Other

Percent of Trials

Percent Matching Each Other

```
[1] "Acc,Gen"
  Percent_Match freq Percent_Trials
1      53.84615    1              2
2      61.53846    1              2
3      80.76923    1              2
4      92.30769    2              4
5     100.00000   45             90
```

Percent of Acc,Gen Matching Each Other

Percent Matching Each Other

```
[1] "Nom,Gen"
  Percent_Match freq Percent_Trials
1      53.84615    1              2
2      61.53846    1              2
3      65.38462    1              2
4     100.00000   47             94
```

Percent of Nom,Gen Matching Each Other

Percent of Trials

Percent Matching Each Other

```
[1] "Nom,Acc,Gen"
  Percent_Match freq Percent_Trials
1      53.84615    1              2
2      61.53846    1              2
3      65.38462    1              2
4      92.30769    2              4
5     100.00000   45             90
```

Percent of Nom,Acc,Gen Matching Each Other


```
[1] "nPlmPl_exclusive"
  Percent_Match freq Percent_Trials
1       0.00000  46              92
2      11.11111   1               2
3      22.22222   1               2
4      33.33333   2               4
```

Percent of nPlmPl_exclusive Matching Each Other


```
[1] "nPlfPl_exclusive"
  Percent_Match freq Percent_Trials
1             0   50            100
```

## Percent of nPlfPl_exclusive Matching Each Other


```
[1] "1Sg(Nom|Acc)_a($|,)"
```

```
   Percent_Match freq Percent_Trials
1              0   45             90
2             50    3              6
3            100    2              4
```

## Percent of 1Sg(Nom|Acc) ending in a($|,)


```
[1] "[24]Sg(Nom|Acc)_o($|,)"
   Percent_Match freq Percent_Trials
1        0.00000   24             48
2       83.33333    2              4
3      100.00000   24             48
```

Percent of [24]Sg(Nom|Acc) ending in o($|,)


```
[1] "3Sg(Nom|Acc)_[e-]($|,)"
  Percent_Match freq Percent_Trials
1       0.00000    4              8
2      33.33333    1              2
3      66.66667    1              2
4     100.00000   44             88
```

Percent of 3Sg(Nom|Acc) ending in [e−]($|,)


```
[1] "3Pl(Nom|Acc)_e?s($|,)"
  Percent_Match freq Percent_Trials
1       0.00000   45             90
2      66.66667    2              4
3     100.00000    3              6
```

Percent of 3Pl(Nom|Acc) ending in e?s($|,)


```
[1] "[124]Pl(Nom|Acc)_s($|,)"
  Percent_Match freq Percent_Trials
1             0   48             96
2           100    2              4
```

Percent of [124]Pl(Nom|Acc) ending in s($|,)

```
[1] "[24]Pl(Nom|Acc)_os($|,)"
  Percent_Match freq Percent_Trials
1             0   49             98
2           100    1              2
```

Percent of [24]Pl(Nom|Acc) ending in os($|,)


```
[1] "1Pl(Nom|Acc)_as($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of 1Pl(Nom|Acc) ending in as($|,)

[1] "n.Pl(Nom|Acc)_a($|,)"
  Percent_Match freq Percent_Trials
1   0   50   100

Percent of n.Pl(Nom|Acc) ending in a($|,)

```
[1] "n.Pl(Nom|Acc)_as($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of n.Pl(Nom|Acc) ending in as($|,)

Percent Matching Reality

```
[1] "n.Pl(Nom|Acc)_os($|,)"
  Percent_Match freq Percent_Trials
1       0.00000   49             98
2      66.66667    1              2
```

Percent of n.Pl(Nom|Acc) ending in os($|,)

Percent of Trials

Percent Matching Reality

```
[1] "m.Pl(Nom|Acc)_as($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of m.Pl(Nom|Acc) ending in as($|,)

Percent of Trials

Percent Matching Reality

```
[1] "m.Pl(Nom|Acc)_os($|,)"
  Percent_Match freq Percent_Trials
1             0   49             98
2            40    1              2
```

Percent of m.Pl(Nom|Acc) ending in os($|,)


```
[1] "Pl(Nom|Acc)_s($|,)"
  Percent_Match freq Percent_Trials
1       0.00000   45             90
2      15.38462    1              2
3      30.76923    1              2
4      38.46154    1              2
5     100.00000    2              4
```

Percent of Pl(Nom|Acc) ending in s($|,)


```
[1] "1Sg(Gen|Acc)_a($|,)"
  Percent_Match freq Percent_Trials
1             0   45             90
2            50    3              6
3           100    2              4
```

Percent of 1Sg(Gen|Acc) ending in a($|,)


```
[1] "[24]Sg(Gen|Acc)_o($|,)"
  Percent_Match freq Percent_Trials
1       0.00000   24              48
2      41.66667    1               2
3      50.00000    1               2
4      83.33333    1               2
5     100.00000   23              46
```

Percent of [24]Sg(Gen|Acc) ending in o($|,)


```
[1] "3Sg(Gen|Acc)_[e-]($|,)"
  Percent_Match freq Percent_Trials
1       0.00000    4              8
2      33.33333    1              2
3      66.66667    1              2
4     100.00000   44             88
```

Percent of 3Sg(Gen|Acc) ending in [e–]($|,)


```
[1] "3Pl(Gen|Acc)_e?s($|,)"
  Percent_Match freq Percent_Trials
1      0.00000   45              90
2     66.66667    2               4
3    100.00000    3               6
```

Percent of 3Pl(Gen|Acc) ending in e?s($|,)


```
[1] "[124]Pl(Gen|Acc)_s($|,)"
  Percent_Match freq Percent_Trials
1             0   48             96
2           100    2              4
```

Percent of [124]Pl(Gen|Acc) ending in s($|,)

```
[1] "[24]Pl(Gen|Acc)_os($|,)"
  Percent_Match freq Percent_Trials
1             0   49             98
2           100    1              2
```

Percent of [24]Pl(Gen|Acc) ending in os($|,)

Percent of Trials

Percent Matching Reality

```
[1] "1Pl(Gen|Acc)_as($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of 1Pl(Gen|Acc) ending in as($|,)



```
[1] "n.Pl(Gen|Acc)_a($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of n.Pl(Gen|Acc) ending in a($|,)

```
[1] "n.Pl(Gen|Acc)_as($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of n.Pl(Gen|Acc) ending in as($|,)

Percent of Trials

Percent Matching Reality

```
[1] "n.Pl(Gen|Acc)_os($|,)"
  Percent_Match freq Percent_Trials
1       0.00000   49             98
2      66.66667    1              2
```

Percent of n.Pl(Gen|Acc) ending in os($|,)


```
[1] "m.Pl(Gen|Acc)_as($|,)"
   Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of m.Pl(Gen|Acc) ending in as($|,)

```
[1] "m.Pl(Gen|Acc)_os($|,)"
  Percent_Match freq Percent_Trials
1   0   49   98
2   40   1   2
```

## Percent of m.Pl(Gen|Acc) ending in os($|,)



```
[1] "Pl(Gen|Acc)_s($|,)"
  Percent_Match freq Percent_Trials
1   0.00000   45   90
2   15.38462   1   2
3   30.76923   1   2
4   38.46154   1   2
5   100.00000   2   4
```

**Percent of Pl(Gen|Acc) ending in s($|,)**



[1] "1Sg(Nom|Gen)_a($|,)"
```
  Percent_Match freq Percent_Trials
1   0   45   90
2   50   3   6
3   100   2   4
```

**Percent of 1Sg(Nom|Gen) ending in a($|,)**



Percent of Trials

Percent Matching Reality

```
[1] "[24]Sg(Nom|Gen)_o($|,)"
  Percent_Match freq Percent_Trials
1   0.00000   24   48
2   41.66667   1   2
3   50.00000   1   2
4   83.33333   1   2
5   100.00000   23   46
```

**Percent of [24]Sg(Nom|Gen) ending in o($|,)**



```
[1] "3Sg(Nom|Gen)_[e-]($|,)"
  Percent_Match freq Percent_Trials
1   0.00000   4   8
2   33.33333   1   2
3   66.66667   1   2
4   100.00000   44   88
```

**Percent of 3Sg(Nom|Gen) ending in [e−]($|,)**



```
[1] "3Pl(Nom|Gen)_e?s($|,)"
  Percent_Match freq Percent_Trials
1       0.00000   45             90
2      66.66667    2              4
3     100.00000    3              6
```

Percent of 3Pl(Nom|Gen) ending in e?s($|,)


```
[1] "[124]Pl(Nom|Gen)_s($|,)"
  Percent_Match freq Percent_Trials
1             0   48             96
2           100    2              4
```

Percent of [124]Pl(Nom|Gen) ending in s($|,)

```
[1] "[24]Pl(Nom|Gen)_os($|,)"
  Percent_Match freq Percent_Trials
1             0   49             98
2           100    1              2
```

Percent of [24]Pl(Nom|Gen) ending in os($|,)

Percent Matching Reality

```
[1] "1Pl(Nom|Gen)_as($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of 1Pl(Nom|Gen) ending in as($|,)

Percent of Trials (y-axis)

Percent Matching Reality (x-axis)

```
[1] "n.Pl(Nom|Gen)_a($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of n.Pl(Nom|Gen) ending in a($|,)

Percent of Trials (y-axis)

Percent Matching Reality (x-axis)

```
[1] "n.Pl(Nom|Gen)_as($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of n.Pl(Nom|Gen) ending in as($|,)


```
[1] "n.Pl(Nom|Gen)_os($|,)"
  Percent_Match freq Percent_Trials
1      0.00000   49             98
2     66.66667    1              2
```

Percent of n.Pl(Nom|Gen) ending in os($|,)


```
[1] "m.Pl(Nom|Gen)_as($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of m.Pl(Nom|Gen) ending in as($|,)

```
[1] "m.Pl(Nom|Gen)_os($|,)"
  Percent_Match freq Percent_Trials
1             0   49             98
2            40    1              2
```

Percent of m.Pl(Nom|Gen) ending in os($|,)


```
[1] "Pl(Nom|Gen)_s($|,)"
  Percent_Match freq Percent_Trials
1       0.00000   45             90
2      15.38462    1              2
3      30.76923    1              2
4      38.46154    1              2
5     100.00000    2              4
```

Percent of PI(Nom|Gen) ending in s($|,)


```
[1] "Sg_nots"
  Percent_Match freq Percent_Trials
1       0.00000    2              4
2      61.53846    1              2
3      69.23077    1              2
4      84.61538    1              2
5     100.00000   45             90
```

Percent of Sg ending in nots


```
[1] "Pl_s($|,)"
  Percent_Match freq Percent_Trials
1       0.00000   45             90
2      15.38462    1              2
3      30.76923    1              2
4      38.46154    1              2
5     100.00000    2              4
```

Percent of PI ending in s($|,)

Percent of Trials

Percent Matching Reality

```
[1] "[mf].Pl_s($|,)"
  Percent_Match freq Percent_Trials
1             0   45             90
2            20    1              2
3            40    2              4
4           100    2              4
```

Percent of [mf].Pl ending in s($|,)


```
[1] "[124]Pl_s($|,)"
  Percent_Match freq Percent_Trials
1             0   48             96
2           100    2              4
```

Percent of [124]Pl ending in s($|,)

```
[1] "n.Pl_s($|,)"
  Percent_Match freq Percent_Trials
1       0.00000   47              94
2      33.33333    1               2
3     100.00000    2               4
```

Percent of n.Pl ending in s($|,)


```
[1] "1Sg_a($|,)"
  Percent_Match freq Percent_Trials
1             0   45              90
2            50    3               6
3           100    2               4
```

Percent of 1Sg ending in a($|,)


```
[1] "[24]Sg_o($|,)"
  Percent_Match freq Percent_Trials
1      0.00000   24             48
2     55.55556    1              2
3     66.66667    1              2
4     83.33333    1              2
5    100.00000   23             46
```

Percent of [24]Sg ending in o($|,)


```
[1] "3Sg_[e-]($|,)"
  Percent_Match freq Percent_Trials
1       0.00000    4              8
2      33.33333    1              2
3      66.66667    1              2
4     100.00000   44             88
```

Percent of 3Sg ending in [e−]($|,)


```
[1] "3Pl_e?s"
  Percent_Match freq Percent_Trials
1       0.00000   45             90
2      66.66667    2              4
3     100.00000    3              6
```

Percent of 3Pl ending in e?s


```
[1] "[24]Pl_os($|,)"
  Percent_Match freq Percent_Trials
1             0   49             98
2           100    1              2
```

Percent of [24]Pl ending in os($|,)

```
[1] "1Pl_as($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of 1Pl ending in as($|,)


```
[1] "n.Pl_a($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of n.Pl ending in a($|,)


```
[1] "n.Pl_as($|,)"
   Percent_Match freq Percent_Trials
1             0   50           100
```

Percent of n.Pl ending in as($|,)

```
[1] "n.Pl_os($|,)"
  Percent_Match freq Percent_Trials
1      0.00000   49              98
2     66.66667    1               2
```

Percent of n.Pl ending in os($|,)

Percent Matching Reality

```
[1] "m.Pl_as($|,)"
  Percent_Match freq Percent_Trials
1             0   50             100
```

Percent of m.PI ending in as($|,)

Percent of Trials

Percent Matching Reality

```
[1] "m.Pl_os($|,)"
  Percent_Match freq Percent_Trials
1             0   49             98
2            40    1              2
```

Percent of m.PI ending in os($|,)

Percent of Trials

Percent Matching Reality

```
[1] "Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   32             64
5      o   27             54
3      e   21             42
2      a    6             12
4     es    5             10
6     os    1              2
7      s    1              2
[1] "All Endings Included"
   Suffix freq Percent_Trials
1       -   33             66
8       o   27             54
5       e   22             44
2       a    7             14
6      es    5             10
3     ars    1              2
4      bs    1              2
7     ess    1              2
9      os    1              2
10      s    1              2
[1] "1SgNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   30             60
3      e   14             28
2      a    6             12
4     es    2              4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   32             64
3      e   17             34
2      a    6             12
4     es    2              4
5      o    1              2
[1] "2SgNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      o   27             54
1      -   21             42
2      e    3              6
4     os    1              2
5      s    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      o   27             54
1      -   21             42
2      e    3              6
4     os    1              2
5      s    1              2
[1] "3SgNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
```

```
1     -   27              54
2     e   21              42
3    es    5              10
4     o    3               6
5     s    1               2
```
[1] "All Endings Included"
```
  Suffix freq Percent_Trials
1     -   27              54
3     e   21              42
4    es    5              10
5     o    3               6
2     a    1               2
6     s    1               2
```
[1] "4SgNom,Acc"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
3     o   26              52
1     -   18              36
2     e    4               8
4    os    1               2
5     s    1               2
```
[1] "All Endings Included"
```
  Suffix freq Percent_Trials
3     o   26              52
1     -   20              40
2     e    5              10
4    os    1               2
5     s    1               2
```
[1] "5SgNom,Acc"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
1     -   27              54
3     e   17              34
4    es    4               8
2     a    1               2
```
[1] "All Endings Included"
```
  Suffix freq Percent_Trials
1     -   31              62
5     e   19              38
6    es    4               8
2     a    3               6
3   ars    1               2
4    bs    1               2
7   ess    1               2
```
[1] "1SgAcc,Gen"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
1     -   30              60
3     e   14              28
2     a    6              12
4    es    2               4
```
[1] "All Endings Included"
```
  Suffix freq Percent_Trials
1     -   32              64
```

```
3     e    17              34
2     a     6              12
4    es     2               4
5     o     1               2
[1] "2SgAcc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     o    27              54
1     -    21              42
2     e     5              10
4    os     1               2
5     s     1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     o    27              54
1     -    21              42
2     e     5              10
4    os     1               2
5     s     1               2
[1] "3SgAcc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     -    27              54
2     e    21              42
3    es     5              10
4     o     3               6
5     s     1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -    27              54
3     e    21              42
4    es     5              10
5     o     3               6
2     a     1               2
6     s     1               2
[1] "4SgAcc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     o    26              52
1     -    18              36
2     e     6              12
4    os     1               2
5     s     1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     o    26              52
1     -    20              40
2     e     7              14
4    os     1               2
5     s     1               2
[1] "5SgAcc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     -    27              54
```

```
3     e   17          34
4    es    4           8
2     a    1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -   31          62
5     e   19          38
6    es    4           8
2     a    3           6
3   ars    1           2
4    bs    1           2
7   ess    1           2
[1] "1SgNom,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     -   30          60
3     e   14          28
2     a    6          12
4    es    2           4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -   31          62
3     e   17          34
2     a    6          12
4    es    2           4
5     o    1           2
[1] "2SgNom,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     o   26          52
1     -   21          42
2     e    5          10
4    os    1           2
5     s    1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     o   27          54
1     -   21          42
2     e    5          10
4    os    1           2
5     s    1           2
[1] "3SgNom,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     -   27          54
2     e   21          42
3    es    5          10
4     o    3           6
5     s    1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -   27          54
3     e   21          42
4    es    5          10
```

```
5     o   3              6
2     a   1              2
6     s   1              2
[1] "4SgNom,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     o   26             52
1     -   18             36
2     e    6             12
4    os    1              2
5     s    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     o   26             52
1     -   19             38
2     e    7             14
4    os    1              2
5     s    1              2
[1] "5SgNom,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     -   28             56
3     e   17             34
4    es    4              8
2     a    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -   29             58
3     e   19             38
4    es    4              8
2     a    2              4
[1] "1SgNom,Acc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     -   30             60
3     e   14             28
2     a    6             12
4    es    2              4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -   32             64
3     e   17             34
2     a    6             12
4    es    2              4
5     o    1              2
[1] "2SgNom,Acc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     o   27             54
1     -   21             42
2     e    5             10
4    os    1              2
5     s    1              2
[1] "All Endings Included"
```

```
   Suffix freq Percent_Trials
3      o   27            54
1      -   21            42
2      e    5            10
4     os    1             2
5      s    1             2
[1] "3SgNom,Acc,Gen"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
1      -   27            54
2      e   21            42
3     es    5            10
4      o    3             6
5      s    1             2
[1] "All Endings Included"
   Suffix freq Percent_Trials
1      -   27            54
3      e   21            42
4     es    5            10
5      o    3             6
2      a    1             2
6      s    1             2
[1] "4SgNom,Acc,Gen"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
3      o   26            52
1      -   18            36
2      e    6            12
4     os    1             2
5      s    1             2
[1] "All Endings Included"
   Suffix freq Percent_Trials
3      o   26            52
1      -   20            40
2      e    7            14
4     os    1             2
5      s    1             2
[1] "5SgNom,Acc,Gen"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
1      -   28            56
3      e   17            34
4     es    4             8
2      a    1             2
[1] "All Endings Included"
   Suffix freq Percent_Trials
1      -   31            62
5      e   19            38
6     es    4             8
2      a    3             6
3    ars    1             2
4     bs    1             2
7    ess    1             2
[1] "Nom"
```

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	-	32	64
5	o	26	52
3	e	20	40
2	a	6	12
4	es	5	10
6	os	1	2
7	s	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	33	66
5	o	27	54
3	e	22	44
2	a	6	12
4	es	5	10
6	os	1	2
7	s	1	2

[1] "NomSg"
[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	-	32	64
5	o	26	52
3	e	20	40
2	a	6	12
4	es	5	10
6	os	1	2
7	s	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	33	66
5	o	27	54
3	e	22	44
2	a	6	12
4	es	5	10
6	os	1	2
7	s	1	2

[1] "1"
[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	-	31	62
3	e	17	34
2	a	6	12
4	es	2	4
5	o	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	32	64
3	e	17	34
2	a	6	12
4	es	2	4
5	o	1	2

[1] "1Sg"
[1] "Endings occuring 10 times or less excluded"

```
  Suffix freq Percent_Trials
1      -   30             60
3      e   14             28
2      a    6             12
4     es    2              4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   32             64
3      e   17             34
2      a    6             12
4     es    2              4
5      o    1              2
[1] "1SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   30             60
3      e   13             26
2      a    6             12
4     es    2              4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   31             62
3      e   16             32
2      a    6             12
4     es    2              4
5      o    1              2
[1] "2"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      o   27             54
1      -   21             42
2      e    5             10
4     os    1              2
5      s    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      o   27             54
1      -   21             42
2      e    5             10
4     os    1              2
5      s    1              2
[1] "2Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      o   27             54
1      -   21             42
2      e    5             10
4     os    1              2
5      s    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      o   27             54
1      -   21             42
2      e    5             10
```

```
4     os    1            2
5      s    1            2
[1] "2SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      o   26           52
1      -   21           42
2      e    3            6
4     os    1            2
5      s    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      o   27           54
1      -   21           42
2      e    3            6
4     os    1            2
5      s    1            2
[1] "3"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   27           54
3      e   21           42
4     es    5           10
5      o    3            6
2      a    1            2
6      s    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   27           54
3      e   21           42
4     es    5           10
5      o    3            6
2      a    1            2
6      s    1            2
[1] "3Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   27           54
2      e   21           42
3     es    5           10
4      o    3            6
5      s    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   27           54
3      e   21           42
4     es    5           10
5      o    3            6
2      a    1            2
6      s    1            2
[1] "3SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   27           54
```

```
2     e   20            40
3    es    5            10
4     o    3             6
5     s    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   27            54
3      e   21            42
4     es    5            10
5      o    3             6
2      a    1             2
6      s    1             2
[1] "4"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      o   26            52
1      -   18            36
2      e    6            12
4     os    1             2
5      s    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      o   26            52
1      -   20            40
2      e    7            14
4     os    1             2
5      s    1             2
[1] "4Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      o   26            52
1      -   18            36
2      e    6            12
4     os    1             2
5      s    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      o   26            52
1      -   20            40
2      e    7            14
4     os    1             2
5      s    1             2
[1] "4SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      o   26            52
1      -   18            36
2      e    4             8
4     os    1             2
5      s    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      o   26            52
1      -   19            38
```

```
2      e    5              10
4      os   1               2
5      s    1               2
[1] "5"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   28              56
3      e   18              36
4     es    4               8
2      a    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   31              62
6      e   19              38
7     es    4               8
2      a    3               6
3    ars    1               2
4     as    1               2
5     bs    1               2
8    ess    1               2
[1] "5Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   28              56
3      e   17              34
4     es    4               8
2      a    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   31              62
5      e   19              38
6     es    4               8
2      a    3               6
3    ars    1               2
4     bs    1               2
7    ess    1               2
[1] "5SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   27              54
3      e   16              32
4     es    3               6
2      a    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   29              58
3      e   18              36
4     es    4               8
2      a    2               4
[1] "m"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   33              66
5      o   26              52
```

```
3      e   21          42
4     es    5          10
2      a    2           4
6     os    1           2
7      s    1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   33          66
5      o   26          52
3      e   21          42
4     es    5          10
2      a    3           6
6     os    1           2
7      s    1           2
[1] "mSg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   29          58
4      o   26          52
2      e   21          42
3     es    5          10
5     os    1           2
6      s    1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   33          66
5      o   26          52
3      e   21          42
4     es    5          10
2      a    3           6
6     os    1           2
7      s    1           2
[1] "mSgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   29          58
4      o   26          52
2      e   20          40
3     es    5          10
5     os    1           2
6      s    1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   33          66
5      o   26          52
3      e   20          40
4     es    5          10
2      a    3           6
6     os    1           2
7      s    1           2
[1] "m1SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq          Percent_Trials
<0 rows> (or 0-length row.names)
```

```
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   30           60
3      e   15           30
2      a    2            4
4     es    2            4
5      o    1            2
[1] "m2SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      o   26           52
1      -   21           42
2      e    3            6
4     os    1            2
5      s    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      o   26           52
1      -   21           42
2      e    3            6
4     os    1            2
5      s    1            2
[1] "m3SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   25           50
2      e   20           40
3     es    5           10
4      o    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   25           50
2      e   20           40
3     es    5           10
4      o    1            2
[1] "m4SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      o   26           52
1      -   18           36
2      e    4            8
4     os    1            2
5      s    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      o   26           52
1      -   18           36
2      e    4            8
4     os    1            2
5      s    1            2
[1] "m5SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq            Percent_Trials
<0 rows> (or 0-length row.names)
```

```
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   29             58
3      e   16             32
4     es    4              8
2      a    1              2
[1] "f"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   30             60
5      o   24             48
3      e   21             42
2      a    6             12
4     es    5             10
6     os    1              2
7      s    1              2
[1] "All Endings Included"
   Suffix freq Percent_Trials
1       -   31             62
9       o   26             52
6       e   22             44
2       a    7             14
7      es    5             10
3     ars    1              2
4      as    1              2
5      bs    1              2
8     ess    1              2
10     os    1              2
11      s    1              2
[1] "fSg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   30             60
3      e   21             42
2      a    6             12
4     es    5             10
[1] "All Endings Included"
   Suffix freq Percent_Trials
1       -   31             62
8       o   26             52
5       e   22             44
2       a    7             14
6      es    5             10
3     ars    1              2
4      bs    1              2
7     ess    1              2
9      os    1              2
10      s    1              2
[1] "fSgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   30             60
3      e   20             40
2      a    6             12
```

```
4    es    5             10
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -   30            60
5     o   26            52
3     e   22            44
2     a    6            12
4    es    5            10
6    os    1             2
7     s    1             2
[1] "f1SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     -   30            60
3     e   13            26
2     a    6            12
4    es    2             4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -   30            60
3     e   14            28
2     a    6            12
4    es    2             4
[1] "f2SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     o   26            52
1     -   19            38
2     e    3             6
4    os    1             2
5     s    1             2
[1] "f3SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     -   25            50
2     e   20            40
3    es    5            10
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -   25            50
3     e   21            42
4    es    5            10
2     a    1             2
[1] "f4SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     o   25            50
1     -   19            38
```

```
2     e     5           10
4     os    1           2
5     s     1           2
[1] "f5SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq           Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   28          56
3      e   18          36
4     es    4           8
2      a    2           4
[1] "n"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   30          60
4      o   27          54
2      e   19          38
3     es    2           4
5     os    1           2
6      s    1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   30          60
4      o   27          54
2      e   19          38
3     es    2           4
5     os    1           2
6      s    1           2
[1] "nSg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   30          60
4      o   27          54
2      e   19          38
3     es    2           4
5     os    1           2
6      s    1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   30          60
4      o   27          54
2      e   19          38
3     es    2           4
5     os    1           2
6      s    1           2
[1] "nSgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   30          60
4      o   26          52
2      e   18          36
3     es    2           4
```

```
5    os   1            2
6     s   1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -   30           60
4     o   27           54
2     e   18           36
3    es    2            4
5    os    1            2
6     s    1            2
[1] "n2SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     o   26           52
1     -   21           42
2     e    2            4
4    os    1            2
5     s    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     o   27           54
1     -   21           42
2     e    2            4
4    os    1            2
5     s    1            2
[1] "n3SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     -   27           54
2     e   18           36
3    es    2            4
4     o    2            4
5     s    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -   27           54
2     e   18           36
3    es    2            4
4     o    2            4
5     s    1            2
[1] "n4SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     o   26           52
1     -   18           36
2     e    4            8
4    os    1            2
5     s    1            2
[1] "Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
```

```
1      -   32           64
5      o   27           54
3      e   21           42
2      a    6           12
4     es    5           10
6     os    1            2
7      s    1            2
```
[1] "All Endings Included"
```
   Suffix freq Percent_Trials
1       -   33           66
9       o   27           54
6       e   22           44
2       a    7           14
7      es    5           10
3     ars    1            2
4      as    1            2
5      bs    1            2
8     ess    1            2
10     os    1            2
11      s    1            2
```
[1] "AccSg"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
1      -   32           64
5      o   27           54
3      e   21           42
2      a    6           12
4     es    5           10
6     os    1            2
7      s    1            2
```
[1] "All Endings Included"
```
   Suffix freq Percent_Trials
1       -   33           66
8       o   27           54
5       e   22           44
2       a    7           14
6      es    5           10
3     ars    1            2
4      bs    1            2
7     ess    1            2
9      os    1            2
10      s    1            2
```
[1] "1SgAcc"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
1      -   30           60
3      e   14           28
2      a    6           12
4     es    2            4
```
[1] "All Endings Included"
```
  Suffix freq Percent_Trials
1      -   32           64
3      e   17           34
2      a    6           12
```

```
4    es   2              4
5     o   1              2
[1] "2SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      o   27             54
1      -   21             42
2      e    3              6
4     os    1              2
5      s    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      o   27             54
1      -   21             42
2      e    3              6
4     os    1              2
5      s    1              2
[1] "3SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   27             54
2      e   21             42
3     es    5             10
4      o    3              6
5      s    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   27             54
3      e   21             42
4     es    5             10
5      o    3              6
2      a    1              2
6      s    1              2
[1] "4SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      o   26             52
1      -   18             36
2      e    4              8
4     os    1              2
5      s    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      o   26             52
1      -   20             40
2      e    5             10
4     os    1              2
5      s    1              2
[1] "5SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   24             48
2      e   15             30
3     es    2              4
```

```
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -   31           62
5     e   19           38
6    es    4            8
2     a    3            6
3   ars    1            2
4    bs    1            2
7   ess    1            2
[1] "mSgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     -   29           58
4     o   26           52
2     e   21           42
3    es    5           10
5    os    1            2
6     s    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -   33           66
5     o   26           52
3     e   21           42
4    es    5           10
2     a    2            4
6    os    1            2
7     s    1            2
[1] "m1SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix        freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -   31           62
3     e   15           30
2     a    2            4
4    es    2            4
5     o    1            2
[1] "m2SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     o   26           52
1     -   21           42
2     e    3            6
4    os    1            2
5     s    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     o   26           52
1     -   21           42
2     e    3            6
4    os    1            2
5     s    1            2
[1] "m3SgAcc"
```

```
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   25           50
2      e   21           42
3     es    5           10
4      o    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   25           50
2      e   21           42
3     es    5           10
4      o    1            2
[1] "m4SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      o   26           52
1      -   18           36
2      e    4            8
4     os    1            2
5      s    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      o   26           52
1      -   19           38
2      e    4            8
4     os    1            2
5      s    1            2
[1] "m5SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq         Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   31           62
2      e   15           30
3     es    4            8
[1] "fSgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   30           60
3      e   21           42
2      a    6           12
4     es    5           10
[1] "All Endings Included"
   Suffix freq Percent_Trials
1       -   31           62
8       o   26           52
5       e   22           44
2       a    7           14
6      es    5           10
3     ars    1            2
4      bs    1            2
7     ess    1            2
9      os    1            2
```

```
10      s    1                  2
[1] "f1SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   30              60
3      e   14              28
2      a    6              12
4     es    2               4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   30              60
3      e   15              30
2      a    6              12
4     es    2               4
[1] "f2SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix        freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      o   26              52
1      -   19              38
2      e    3               6
4     os    1               2
5      s    1               2
[1] "f3SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   25              50
2      e   21              42
3     es    5              10
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   25              50
3      e   21              42
4     es    5              10
2      a    1               2
[1] "f4SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix        freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      o   25              50
1      -   19              38
2      e    5              10
4     os    1               2
5      s    1               2
[1] "f5SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix        freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
```

```
1      -   29           58
5      e   19           38
6     es    4            8
2      a    3            6
3    ars    1            2
4     bs    1            2
7    ess    1            2
[1] "nSgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   30           60
4      o   27           54
2      e   18           36
3     es    2            4
5     os    1            2
6      s    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   30           60
4      o   27           54
2      e   19           38
3     es    2            4
5     os    1            2
6      s    1            2
[1] "n2SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      o   27           54
1      -   21           42
2      e    2            4
4     os    1            2
5      s    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      o   27           54
1      -   21           42
2      e    2            4
4     os    1            2
5      s    1            2
[1] "n3SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   27           54
2      e   18           36
3     es    2            4
4      o    2            4
5      s    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   27           54
2      e   19           38
3     es    2            4
4      o    2            4
5      s    1            2
```

```
[1] "n4SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      o   26             52
1      -   18             36
2      e    4              8
4     os    1              2
5      s    1              2
[1] "Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   32             64
5      o   24             48
3      e   21             42
2      a    6             12
4     es    5             10
6     os    1              2
7      s    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   33             66
5      o   24             48
3      e   21             42
2      a    6             12
4     es    5             10
6     os    1              2
7      s    1              2
[1] "GenSg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   32             64
5      o   24             48
3      e   21             42
2      a    6             12
4     es    5             10
6     os    1              2
7      s    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   33             66
5      o   24             48
3      e   21             42
2      a    6             12
4     es    5             10
6     os    1              2
7      s    1              2
[1] "1SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   30             60
3      e   14             28
```

```
2    a    6          12
4    es   2           4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -   31          62
3     e   17          34
2     a    6          12
4    es    2           4
5     o    1           2
[1] "2SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     o   24          48
1     -   21          42
2     e    5          10
4    os    1           2
5     s    1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     o   24          48
1     -   21          42
2     e    5          10
4    os    1           2
5     s    1           2
[1] "3SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     -   27          54
2     e   21          42
3    es    5          10
4     o    3           6
5     s    1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -   27          54
3     e   21          42
4    es    5          10
5     o    3           6
2     a    1           2
6     s    1           2
[1] "4SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     o   24          48
1     -   18          36
2     e    6          12
4    os    1           2
5     s    1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     o   24          48
1     -   19          38
2     e    7          14
4    os    1           2
```

```
5       s    1               2
[1] "5SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1       -   26              52
3       e   16              32
4      es    4               8
2       a    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1       -   29              58
3       e   18              36
4      es    4               8
2       a    2               4
[1] "mSgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1       -   28              56
4       o   24              48
2       e   21              42
3      es    5              10
5      os    1               2
6       s    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1       -   33              66
5       o   24              48
3       e   21              42
4      es    5              10
2       a    3               6
6      os    1               2
7       s    1               2
[1] "m1SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix        freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1       -   30              60
3       e   16              32
2       a    2               4
4      es    2               4
5       o    1               2
[1] "m2SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3       o   24              48
1       -   20              40
2       e    5              10
4      os    1               2
5       s    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3       o   24              48
```

```
1      -    21            42
2      e     5            10
4     os     1             2
5      s     1             2
[1] "m3SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -    25            50
2      e    21            42
3     es     5            10
4      o     1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -    25            50
2      e    21            42
3     es     5            10
4      o     1             2
[1] "m4SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      o    24            48
1      -    18            36
2      e     6            12
4     os     1             2
5      s     1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      o    24            48
1      -    18            36
2      e     7            14
4     os     1             2
5      s     1             2
[1] "m5SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -    28            56
3      e    17            34
4     es     4             8
2      a     1             2
[1] "fSgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -    30            60
3      e    21            42
2      a     6            12
4     es     5            10
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -    30            60
5      o    24            48
3      e    21            42
```

```
2    a    6          12
4    es   5          10
6    os   1           2
7    s    1           2
[1] "f1SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1    -    30          60
3    e    14          28
2    a    6           12
4    es   2            4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1    -    30          60
3    e    15          30
2    a    6           12
4    es   2            4
[1] "f2SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3    o    24          48
1    -    19          38
2    e    5           10
4    os   1            2
5    s    1            2
[1] "f3SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1    -    24          48
2    e    21          42
3    es   5           10
[1] "All Endings Included"
  Suffix freq Percent_Trials
1    -    25          50
3    e    21          42
4    es   5           10
2    a    1            2
[1] "f4SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3    o    24          48
1    -    19          38
2    e    6           12
4    os   1            2
5    s    1            2
[1] "f5SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq          Percent_Trials
```

```
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   28             56
3      e   18             36
4     es    4              8
2      a    2              4
[1] "nSgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   30             60
4      o   24             48
2      e   18             36
3     es    2              4
5     os    1              2
6      s    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   30             60
4      o   24             48
2      e   19             38
3     es    2              4
5     os    1              2
6      s    1              2
[1] "n2SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      o   24             48
1      -   21             42
2      e    4              8
4     os    1              2
5      s    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      o   24             48
1      -   21             42
2      e    4              8
4     os    1              2
5      s    1              2
[1] "n3SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   27             54
2      e   18             36
3     es    2              4
4      o    2              4
5      s    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   27             54
2      e   19             38
3     es    2              4
4      o    2              4
5      s    1              2
```

```
[1] "n4SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      o   24             48
1      -   18             36
2      e    6             12
4     os    1              2
5      s    1              2
[1] "Pl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   32             64
5      o   26             52
3      e   21             42
2      a    6             12
4     es    5             10
6     os    1              2
7      s    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   33             66
6      o   26             52
4      e   21             42
2      a    6             12
5     es    5             10
3     as    1              2
7     os    1              2
8      s    1              2
[1] "1PlNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   30             60
3      e   14             28
2      a    6             12
4     es    2              4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   31             62
3      e   17             34
2      a    6             12
4     es    2              4
5      o    1              2
[1] "2PlNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      o   26             52
1      -   21             42
2      e    3              6
4     os    1              2
5      s    1              2
[1] "All Endings Included"
```

```
  Suffix freq Percent_Trials
3      o   26             52
1      -   21             42
2      e    3              6
4     os    1              2
5      s    1              2
[1] "3PlNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   27             54
2      e   21             42
3     es    5             10
4      o    3              6
5      s    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   27             54
3      e   21             42
4     es    5             10
5      o    3              6
2      a    1              2
6      s    1              2
[1] "4PlNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      o   26             52
1      -   18             36
2      e    4              8
4     os    1              2
5      s    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      o   26             52
1      -   19             38
2      e    5             10
4     os    1              2
5      s    1              2
[1] "5PlNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   28             56
3      e   17             34
4     es    4              8
2      a    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   30             60
4      e   18             36
5     es    4              8
2      a    2              4
3     as    1              2
[1] "1PlAcc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
```

```
1       -   30              60
3       e   14              28
2       a    6              12
4      es    2               4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1       -   31              62
3       e   17              34
2       a    6              12
4      es    2               4
5       o    1               2
[1] "2PlAcc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3       o   26              52
1       -   21              42
2       e    5              10
4      os    1               2
5       s    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3       o   26              52
1       -   21              42
2       e    5              10
4      os    1               2
5       s    1               2
[1] "3PlAcc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1       -   27              54
2       e   21              42
3      es    5              10
4       o    3               6
5       s    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1       -   27              54
3       e   21              42
4      es    5              10
5       o    3               6
2       a    1               2
6       s    1               2
[1] "4PlAcc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3       o   26              52
1       -   18              36
2       e    6              12
4      os    1               2
5       s    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3       o   26              52
1       -   19              38
```

```
2     e     6              12
4     os    1               2
5     s     1               2
[1] "5PlAcc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     -     28             56
3     e     17             34
4     es    4               8
2     a     1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -     30             60
4     e     18             36
5     es    4               8
2     a     2               4
3     as    1               2
[1] "1PlNom,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     -     30             60
3     e     14             28
2     a     6              12
4     es    2               4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -     31             62
3     e     17             34
2     a     6              12
4     es    2               4
5     o     1               2
[1] "2PlNom,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     o     26             52
1     -     21             42
2     e     5              10
4     os    1               2
5     s     1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     o     26             52
1     -     21             42
2     e     5              10
4     os    1               2
5     s     1               2
[1] "3PlNom,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     -     27             54
2     e     21             42
3     es    5              10
4     o     3               6
5     s     1               2
```

```
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   27          54
3      e   21          42
4     es    5          10
5      o    3           6
2      a    1           2
6      s    1           2
[1] "4PlNom,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      o   26          52
1      -   18          36
2      e    6          12
4     os    1           2
5      s    1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      o   26          52
1      -   19          38
2      e    6          12
4     os    1           2
5      s    1           2
[1] "5PlNom,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   28          56
3      e   17          34
4     es    4           8
2      a    1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   29          58
3      e   18          36
4     es    4           8
2      a    2           4
[1] "1PlNom,Acc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   30          60
3      e   14          28
2      a    6          12
4     es    2           4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   31          62
3      e   17          34
2      a    6          12
4     es    2           4
5      o    1           2
[1] "2PlNom,Acc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      o   26          52
```

```
1      -    21            42
2      e     5            10
4     os     1             2
5      s     1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      o    26            52
1      -    21            42
2      e     5            10
4     os     1             2
5      s     1             2
[1] "3PlNom,Acc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -    27            54
2      e    21            42
3     es     5            10
4      o     3             6
5      s     1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -    27            54
3      e    21            42
4     es     5            10
5      o     3             6
2      a     1             2
6      s     1             2
[1] "4PlNom,Acc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      o    26            52
1      -    18            36
2      e     6            12
4     os     1             2
5      s     1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      o    26            52
1      -    19            38
2      e     6            12
4     os     1             2
5      s     1             2
[1] "5PlNom,Acc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -    28            56
3      e    17            34
4     es     4             8
2      a     1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -    30            60
4      e    18            36
5     es     4             8
```

```
2    a    2             4
3    as   1             2
[1] "NomPl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   32            64
5      o   26            52
3      e   20            40
2      a    5            10
4     es    5            10
6     os    1             2
7      s    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   33            66
5      o   26            52
3      e   20            40
2      a    6            12
4     es    5            10
6     os    1             2
7      s    1             2
[1] "1Pl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   30            60
3      e   14            28
2      a    6            12
4     es    2             4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   31            62
3      e   17            34
2      a    6            12
4     es    2             4
5      o    1             2
[1] "1PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   30            60
3      e   13            26
2      a    5            10
4     es    2             4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   31            62
3      e   16            32
2      a    6            12
4     es    2             4
5      o    1             2
[1] "2Pl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      o   26            52
1      -   21            42
```

```
2     e     5           10
4     os    1            2
5     s     1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     o    26           52
1     -    21           42
2     e     5           10
4     os    1            2
5     s     1            2
[1] "2PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     o    26           52
1     -    21           42
2     e     3            6
4     os    1            2
5     s     1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     o    26           52
1     -    21           42
2     e     3            6
4     os    1            2
5     s     1            2
[1] "3Pl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     -    27           54
2     e    21           42
3     es    5           10
4     o     3            6
5     s     1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -    27           54
3     e    21           42
4     es    5           10
5     o     3            6
2     a     1            2
6     s     1            2
[1] "3PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     -    27           54
2     e    20           40
3     es    5           10
4     o     3            6
5     s     1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -    27           54
2     e    20           40
3     es    5           10
```

```
4       o    3              6
5       s    1              2
[1] "4Pl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3       o   26             52
1       -   18             36
2       e    6             12
4      os    1              2
5       s    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3       o   26             52
1       -   19             38
2       e    6             12
4      os    1              2
5       s    1              2
[1] "4PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3       o   26             52
1       -   18             36
2       e    4              8
4      os    1              2
5       s    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3       o   26             52
1       -   19             38
2       e    5             10
4      os    1              2
5       s    1              2
[1] "5Pl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1       -   28             56
3       e   17             34
4      es    4              8
2       a    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1       -   30             60
4       e   18             36
5      es    4              8
2       a    2              4
3      as    1              2
[1] "5PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1       -   27             54
3       e   16             32
4      es    4              8
2       a    1              2
[1] "All Endings Included"
```

```
  Suffix freq Percent_Trials
1      -   29             58
3      e   17             34
4     es    4              8
2      a    2              4
[1] "mPl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   29             58
4      o   26             52
2      e   21             42
3     es    5             10
5     os    1              2
6      s    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   33             66
5      o   26             52
3      e   21             42
4     es    5             10
2      a    3              6
6     os    1              2
7      s    1              2
[1] "mPlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   28             56
4      o   26             52
2      e   20             40
3     es    5             10
5     os    1              2
6      s    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   33             66
5      o   26             52
3      e   20             40
4     es    5             10
2      a    3              6
6     os    1              2
7      s    1              2
[1] "m1PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix        freq           Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   30             60
3      e   15             30
2      a    2              4
4     es    2              4
5      o    1              2
[1] "m2PlNom"
[1] "Endings occuring 10 times or less excluded"
```

```
     Suffix freq Percent_Trials
3       o   26             52
1       -   20             40
2       e    3              6
4      os    1              2
5       s    1              2
[1] "All Endings Included"
     Suffix freq Percent_Trials
3       o   26             52
1       -   21             42
2       e    3              6
4      os    1              2
5       s    1              2
[1] "m3PlNom"
[1] "Endings occuring 10 times or less excluded"
     Suffix freq Percent_Trials
1       -   25             50
2       e   20             40
3      es    5             10
4       o    1              2
[1] "All Endings Included"
     Suffix freq Percent_Trials
1       -   25             50
2       e   20             40
3      es    5             10
4       o    1              2
[1] "m4PlNom"
[1] "Endings occuring 10 times or less excluded"
     Suffix freq Percent_Trials
3       o   26             52
1       -   18             36
2       e    4              8
4      os    1              2
5       s    1              2
[1] "All Endings Included"
     Suffix freq Percent_Trials
3       o   26             52
1       -   18             36
2       e    4              8
4      os    1              2
5       s    1              2
[1] "m5PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
     Suffix freq Percent_Trials
1       -   29             58
3       e   16             32
4      es    4              8
2       a    1              2
[1] "fPl"
[1] "Endings occuring 10 times or less excluded"
     Suffix freq Percent_Trials
```

```
1      -    30          60
3      e    21          42
2      a     6          12
4     es     5          10
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -    30          60
6      o    26          52
4      e    21          42
2      a     6          12
5     es     5          10
3     as     1           2
7     os     1           2
8      s     1           2
[1] "fPlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -    30          60
3      e    20          40
2      a     5          10
4     es     5          10
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -    30          60
5      o    26          52
3      e    20          40
2      a     6          12
4     es     5          10
6     os     1           2
7      s     1           2
[1] "f1PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -    30          60
3      e    13          26
2      a     5          10
4     es     2           4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -    30          60
3      e    14          28
2      a     6          12
4     es     2           4
[1] "f2PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      o    26          52
1      -    19          38
2      e     3           6
4     os     1           2
5      s     1           2
```

```
[1] "f3PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   25             50
2      e   20             40
3     es    5             10
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   25             50
2      e   20             40
3     es    5             10
[1] "f4PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      o   24             48
1      -   19             38
2      e    5             10
4     os    1              2
5      s    1              2
[1] "f5PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   28             56
3      e   17             34
4     es    4              8
2      a    2              4
[1] "nPl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   30             60
4      o   26             52
2      e   18             36
3     es    2              4
5     os    1              2
6      s    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   30             60
4      o   26             52
2      e   19             38
3     es    2              4
5     os    1              2
6      s    1              2
[1] "nPlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   30             60
4      o   26             52
```

```
2     e   18             36
3     es   2              4
5     os   1              2
6      s   1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -  30             60
4      o  26             52
2      e  18             36
3     es   2              4
5     os   1              2
6      s   1              2
[1] "n2PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      o  26             52
1      -  21             42
2      e   2              4
4     os   1              2
5      s   1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      o  26             52
1      -  21             42
2      e   2              4
4     os   1              2
5      s   1              2
[1] "n3PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -  27             54
2      e  18             36
3     es   2              4
4      o   2              4
5      s   1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -  27             54
2      e  18             36
3     es   2              4
4      o   2              4
5      s   1              2
[1] "n4PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      o  26             52
1      -  18             36
2      e   4              8
4     os   1              2
5      s   1              2
[1] "AccPl"
```

```
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   32           64
5      o   26           52
3      e   21           42
2      a    6           12
4     es    5           10
6     os    1            2
7      s    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   33           66
6      o   26           52
4      e   21           42
2      a    6           12
5     es    5           10
3     as    1            2
7     os    1            2
8      s    1            2
[1] "1PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   30           60
3      e   14           28
2      a    6           12
4     es    2            4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   31           62
3      e   17           34
2      a    6           12
4     es    2            4
5      o    1            2
[1] "2PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      o   26           52
1      -   21           42
2      e    3            6
4     os    1            2
5      s    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      o   26           52
1      -   21           42
2      e    3            6
4     os    1            2
5      s    1            2
[1] "3PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   27           54
2      e   21           42
3     es    5           10
```

```
4      o    3             6
5      s    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   27            54
3      e   21            42
4     es    5            10
5      o    3             6
2      a    1             2
6      s    1             2
[1] "4PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      o   26            52
1      -   18            36
2      e    4             8
4     os    1             2
5      s    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      o   26            52
1      -   19            38
2      e    5            10
4     os    1             2
5      s    1             2
[1] "5PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   26            52
2      e   16            32
3     es    3             6
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   30            60
4      e   18            36
5     es    4             8
2      a    2             4
3     as    1             2
[1] "mPlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   29            58
4      o   26            52
2      e   21            42
3     es    5            10
5     os    1             2
6      s    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   33            66
5      o   26            52
3      e   21            42
4     es    5            10
2      a    2             4
```

```
6      os    1               2
7       s    1               2
[1] "m1PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix        freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   30              60
3      e   15              30
2      a    2               4
4     es    2               4
5      o    1               2
[1] "m2PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      o   26              52
1      -   21              42
2      e    3               6
4     os    1               2
5      s    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      o   26              52
1      -   21              42
2      e    3               6
4     os    1               2
5      s    1               2
[1] "m3PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   25              50
2      e   21              42
3     es    5              10
4      o    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   25              50
2      e   21              42
3     es    5              10
4      o    1               2
[1] "m4PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      o   26              52
1      -   18              36
2      e    4               8
4     os    1               2
5      s    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      o   26              52
1      -   18              36
2      e    4               8
```

```
4    os    1              2
5     s    1              2
[1] "m5PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq         Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -   30             60
2     e   16             32
3    es    4              8
[1] "fPlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     -   30             60
3     e   21             42
2     a    6             12
4    es    5             10
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -   30             60
6     o   26             52
4     e   21             42
2     a    6             12
5    es    5             10
3    as    1              2
7    os    1              2
8     s    1              2
[1] "f1PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     -   30             60
3     e   14             28
2     a    6             12
4    es    2              4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -   30             60
3     e   15             30
2     a    6             12
4    es    2              4
[1] "f2PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq         Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     o   26             52
1     -   19             38
2     e    3              6
4    os    1              2
5     s    1              2
[1] "f3PlAcc"
[1] "Endings occuring 10 times or less excluded"
```

```
   Suffix freq Percent_Trials
1      -   25           50
2      e   21           42
3     es    5           10
[1] "All Endings Included"
   Suffix freq Percent_Trials
1      -   25           50
3      e   21           42
4     es    5           10
2      a    1            2
[1] "f4PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
   Suffix freq Percent_Trials
3      o   24           48
1      -   19           38
2      e    5           10
4     os    1            2
5      s    1            2
[1] "f5PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
   Suffix freq Percent_Trials
1      -   28           56
4      e   18           36
5     es    4            8
2      a    2            4
3     as    1            2
[1] "nPlAcc"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
1      -   30           60
4      o   26           52
2      e   18           36
3     es    2            4
5     os    1            2
6      s    1            2
[1] "All Endings Included"
   Suffix freq Percent_Trials
1      -   30           60
4      o   26           52
2      e   19           38
3     es    2            4
5     os    1            2
6      s    1            2
[1] "n2PlAcc"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
3      o   26           52
1      -   21           42
```

```
2       e    2             4
4      os    1             2
5       s    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3       o   26            52
1       -   21            42
2       e    2             4
4      os    1             2
5       s    1             2
[1] "n3PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1       -   27            54
2       e   18            36
3      es    2             4
4       o    2             4
5       s    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1       -   27            54
2       e   19            38
3      es    2             4
4       o    2             4
5       s    1             2
[1] "n4PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3       o   26            52
1       -   18            36
2       e    4             8
4      os    1             2
5       s    1             2
[1] "GenPl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1       -   32            64
5       o   24            48
3       e   21            42
2       a    6            12
4      es    5            10
6      os    1             2
7       s    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1       -   33            66
5       o   24            48
3       e   21            42
2       a    6            12
4      es    5            10
6      os    1             2
```

```
7       s    1               2
[1] "1PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   30              60
3      e   14              28
2      a    6              12
4     es    2               4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   31              62
3      e   17              34
2      a    6              12
4     es    2               4
5      o    1               2
[1] "2PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      o   24              48
1      -   21              42
2      e    5              10
4     os    1               2
5      s    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      o   24              48
1      -   21              42
2      e    5              10
4     os    1               2
5      s    1               2
[1] "3PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   27              54
2      e   21              42
3     es    5              10
4      o    3               6
5      s    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   27              54
3      e   21              42
4     es    5              10
5      o    3               6
2      a    1               2
6      s    1               2
[1] "4PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      o   24              48
1      -   18              36
2      e    6              12
4     os    1               2
5      s    1               2
```

```
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     o   24          48
1     -   19          38
2     e    6          12
4    os    1           2
5     s    1           2
[1] "5PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     -   26          52
3     e   16          32
4    es    4           8
2     a    1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -   29          58
3     e   18          36
4    es    4           8
2     a    2           4
[1] "mPlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     -   28          56
4     o   24          48
2     e   21          42
3    es    5          10
5    os    1           2
6     s    1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -   33          66
5     o   24          48
3     e   21          42
4    es    5          10
2     a    3           6
6    os    1           2
7     s    1           2
[1] "m1PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq         Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -   30          60
3     e   16          32
2     a    2           4
4    es    2           4
5     o    1           2
[1] "m2PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     o   24          48
1     -   20          40
```

```
2     e    5          10
4    os    1           2
5     s    1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     o   24          48
1     -   21          42
2     e    5          10
4    os    1           2
5     s    1           2
[1] "m3PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     -   25          50
2     e   21          42
3    es    5          10
4     o    1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -   25          50
2     e   21          42
3    es    5          10
4     o    1           2
[1] "m4PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     o   24          48
1     -   18          36
2     e    6          12
4    os    1           2
5     s    1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     o   24          48
1     -   18          36
2     e    6          12
4    os    1           2
5     s    1           2
[1] "m5PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -   29          58
3     e   16          32
4    es    4           8
2     a    1           2
[1] "fPlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     -   30          60
3     e   21          42
2     a    6          12
```

```
4     es    5              10
[1] "All Endings Included"
   Suffix freq Percent_Trials
1      -   30              60
5      o   24              48
3      e   21              42
2      a    6              12
4     es    5              10
6     os    1               2
7      s    1               2
[1] "f1PlGen"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
1      -   30              60
3      e   14              28
2      a    6              12
4     es    2               4
[1] "All Endings Included"
   Suffix freq Percent_Trials
1      -   30              60
3      e   15              30
2      a    6              12
4     es    2               4
[1] "f2PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq           Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
   Suffix freq Percent_Trials
3      o   24              48
1      -   19              38
2      e    5              10
4     os    1               2
5      s    1               2
[1] "f3PlGen"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
1      -   24              48
2      e   21              42
3     es    5              10
[1] "All Endings Included"
   Suffix freq Percent_Trials
1      -   25              50
3      e   21              42
4     es    5              10
2      a    1               2
[1] "f4PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq           Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
   Suffix freq Percent_Trials
3      o   23              46
1      -   19              38
```

```
2     e     6              12
4     os    1              2
5     s     1              2
[1] "f5PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq           Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   28              56
3      e   18              36
4     es    4              8
2      a    2              4
[1] "nPlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   30              60
4      o   24              48
2      e   18              36
3     es    2              4
5     os    1              2
6      s    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   30              60
4      o   24              48
2      e   19              38
3     es    2              4
5     os    1              2
6      s    1              2
[1] "n2PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      o   24              48
1      -   21              42
2      e    4              8
4     os    1              2
5      s    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      o   24              48
1      -   21              42
2      e    4              8
4     os    1              2
5      s    1              2
[1] "n3PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   27              54
2      e   18              36
3     es    2              4
4      o    2              4
5      s    1              2
[1] "All Endings Included"
```

```
   Suffix freq Percent_Trials
1       -   27           54
2       e   19           38
3      es    2            4
4       o    2            4
5       s    1            2
[1] "n4PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix           freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
   Suffix freq Percent_Trials
3       o   24           48
1       -   18           36
2       e    6           12
4      os    1            2
5       s    1            2
```