Aggregate Data

Tyler Lau

July 18, 2016

[1] "No Sound Change, Token Freq F, Number of cases being considered: 3"

[1] "Only considering max suffixes: TRUE"

[1] "Sg"

	Suffix	freq	Percent_Trials
1	-	44	88
4	s	3	6
2	e	2	4
3	o	1	2

[1] "1SgNom,Acc"

	Suffix	freq	Percent_Trials
1	-	37	74
2	a	11	22
3	o	1	2
4	s	1	2

[1] "2SgNom,Acc"

	Suffix	freq	Percent_Trials
2	o	25	50
1	-	24	48
3	s	1	2

[1] "3SgNom,Acc"

	Suffix	freq	Percent_Trials
1	-	43	86
2	e	3	6
4	s	3	6
3	o	1	2

[1] "4SgNom,Acc"

	Suffix	freq	Percent_Trials
1	-	25	50
3	o	21	42
2	e	2	4
4	s	2	4

[1] "5SgNom,Acc"

	Suffix	freq	Percent_Trials
1	-	37	74
2	a	9	18
3	e	2	4
4	o	1	2
5	s	1	2

[1] "1SgAcc,Gen"

	Suffix	freq	Percent_Trials
1	-	37	74
2	a	9	18
5	s	2	4
3	e	1	2
4	o	1	2

1

```
[1] "2SgAcc,Gen"
  Suffix freq Percent_Trials
1      -   31             62
2      o   18             36
3      s    1              2
[1] "3SgAcc,Gen"
  Suffix freq Percent_Trials
1      -   42             84
4      s    4              8
2      e    3              6
3      o    1              2
[1] "4SgAcc,Gen"
  Suffix freq Percent_Trials
1      -   31             62
3      o   15             30
2      e    2              4
4      s    2              4
[1] "5SgAcc,Gen"
  Suffix freq Percent_Trials
1      -   37             74
2      a    7             14
3      e    3              6
5      s    2              4
4      o    1              2
[1] "1SgNom,Gen"
  Suffix freq Percent_Trials
1      -   37             74
2      a    9             18
5      s    2              4
3      e    1              2
4      o    1              2
[1] "2SgNom,Gen"
  Suffix freq Percent_Trials
1      -   31             62
2      o   18             36
3      s    1              2
[1] "3SgNom,Gen"
  Suffix freq Percent_Trials
1      -   42             84
4      s    4              8
2      e    3              6
3      o    1              2
[1] "4SgNom,Gen"
  Suffix freq Percent_Trials
1      -   31             62
3      o   14             28
4      s    3              6
2      e    2              4
[1] "5SgNom,Gen"
  Suffix freq Percent_Trials
1      -   37             74
2      a    6             12
3      e    3              6
5      s    3              6
```

```
4     o    1           2
[1] "1SgNom,Acc,Gen"
  Suffix freq Percent_Trials
1      -   37           74
2      a   11           22
3      o    1            2
4      s    1            2
[1] "2SgNom,Acc,Gen"
  Suffix freq Percent_Trials
2      o   25           50
1      -   24           48
3      s    1            2
[1] "3SgNom,Acc,Gen"
  Suffix freq Percent_Trials
1      -   42           84
4      s    4            8
2      e    3            6
3      o    1            2
[1] "4SgNom,Acc,Gen"
  Suffix freq Percent_Trials
1      -   25           50
3      o   21           42
2      e    2            4
4      s    2            4
[1] "5SgNom,Acc,Gen"
  Suffix freq Percent_Trials
1      -   38           76
2      a    8           16
3      e    2            4
4      o    1            2
5      s    1            2
[1] "Nom"
  Suffix freq Percent_Trials
1      -   41           82
5      s    5           10
3      e    2            4
2      a    1            2
4      o    1            2
[1] "NomSg"
  Suffix freq Percent_Trials
1      -   44           88
2      e    2            4
3      o    2            4
4      s    2            4
[1] "1"
  Suffix freq Percent_Trials
1      -   36           72
2      a   10           20
4      s    3            6
3      o    1            2
[1] "1Sg"
  Suffix freq Percent_Trials
1      -   37           74
2      a   11           22
```

```
3      o   1              2
4      s   1              2
[1] "1SgNom"
   Suffix freq Percent_Trials
1      -  37             74
2      a  11             22
3      o   1              2
4      s   1              2
[1] "2"
   Suffix freq Percent_Trials
1      -  38             76
2      o  10             20
3      s   2              4
[1] "2Sg"
   Suffix freq Percent_Trials
2      o  25             50
1      -  24             48
3      s   1              2
[1] "2SgNom"
   Suffix freq Percent_Trials
2      o  25             50
1      -  24             48
3      s   1              2
[1] "3"
   Suffix freq Percent_Trials
1      -  40             80
4      s   5             10
2      e   4              8
3      o   1              2
[1] "3Sg"
   Suffix freq Percent_Trials
1      -  42             84
4      s   4              8
2      e   3              6
3      o   1              2
[1] "3SgNom"
   Suffix freq Percent_Trials
1      -  43             86
2      e   3              6
4      s   3              6
3      o   1              2
[1] "4"
   Suffix freq Percent_Trials
1      -  36             72
3      o   9             18
4      s   3              6
2      e   2              4
[1] "4Sg"
   Suffix freq Percent_Trials
1      -  25             50
3      o  21             42
2      e   2              4
4      s   2              4
[1] "4SgNom"
```

```
   Suffix freq Percent_Trials
1       -   25              50
3       o   21              42
2       e    2               4
4       s    2               4
[1] "5"
   Suffix freq Percent_Trials
1       -   36              72
2       a    6              12
5       s    4               8
3       e    3               6
4       o    1               2
[1] "5Sg"
   Suffix freq Percent_Trials
1       -   38              76
2       a    8              16
3       e    2               4
4       o    1               2
5       s    1               2
[1] "5SgNom"
   Suffix freq Percent_Trials
1       -   38              76
2       a    8              16
3       e    2               4
4       o    1               2
5       s    1               2
[1] "m"
   Suffix freq Percent_Trials
1       -   35              70
3       o    8              16
4       s    4               8
2       e    3               6
[1] "mSg"
   Suffix freq Percent_Trials
1       -   30              60
3       o   14              28
2       e    3               6
4       s    3               6
[1] "mSgNom"
   Suffix freq Percent_Trials
1       -   24              48
3       o   21              42
2       e    3               6
4       s    2               4
[1] "m1SgNom"
   Suffix freq Percent_Trials
1       -   45              90
2       a    3               6
3       o    1               2
4       s    1               2
[1] "m2SgNom"
   Suffix freq Percent_Trials
2       o   26              52
1       -   23              46
```

```
3      s    1                2
[1] "m3SgNom"
   Suffix freq Percent_Trials
1       -   43               86
2       e    3                6
4       s    3                6
3       o    1                2
[1] "m4SgNom"
   Suffix freq Percent_Trials
1       -   25               50
3       o   21               42
2       e    2                4
4       s    2                4
[1] "m5SgNom"
   Suffix freq Percent_Trials
1       -   40               80
2       a    5               10
3       e    2                4
4       o    2                4
5       s    1                2
[1] "f"
   Suffix freq Percent_Trials
1       -   36               72
2       a    5               10
5       s    5               10
3       e    3                6
4       o    1                2
[1] "fSg"
   Suffix freq Percent_Trials
1       -   38               76
2       a    7               14
3       e    2                4
5       s    2                4
4       o    1                2
[1] "fSgNom"
   Suffix freq Percent_Trials
1       -   39               78
2       a    6               12
3       e    2                4
5       s    2                4
4       o    1                2
[1] "f1SgNom"
   Suffix freq Percent_Trials
1       -   37               74
2       a   11               22
3       o    1                2
4       s    1                2
[1] "f2SgNom"
   Suffix freq Percent_Trials
1       -   31               62
2       o   18               36
3       s    1                2
[1] "f3SgNom"
   Suffix freq Percent_Trials
```

```
1        -   42              84
4        s    4               8
2        e    3               6
3        o    1               2
[1] "f4SgNom"
  Suffix freq Percent_Trials
1        -   36              72
3        o   10              20
2        e    2               4
4        s    2               4
[1] "f5SgNom"
  Suffix freq Percent_Trials
1        -   37              74
2        a    9              18
3        e    2               4
4        o    1               2
5        s    1               2
[1] "n"
  Suffix freq Percent_Trials
1        -   36              72
2        o   10              20
3        s    4               8
[1] "nSg"
  Suffix freq Percent_Trials
1        -   31              62
2        o   17              34
3        s    2               4
[1] "nSgNom"
  Suffix freq Percent_Trials
2        o   25              50
1        -   24              48
3        s    1               2
[1] "n2SgNom"
  Suffix freq Percent_Trials
2        o   26              52
1        -   23              46
3        s    1               2
[1] "n3SgNom"
  Suffix freq Percent_Trials
1        -   43              86
4        s    3               6
2        e    2               4
3        o    2               4
[1] "n4SgNom"
  Suffix freq Percent_Trials
1        -   25              50
3        o   21              42
2        e    2               4
4        s    2               4
[1] "Acc"
  Suffix freq Percent_Trials
1        -   41              82
5        s    4               8
3        e    3               6
```

```
2      a    1            2
4      o    1            2
[1] "AccSg"
   Suffix freq Percent_Trials
1      -   43           86
2      e    3            6
3      o    2            4
4      s    2            4
[1] "1SgAcc"
   Suffix freq Percent_Trials
1      -   36           72
2      a   12           24
3      o    1            2
4      s    1            2
[1] "2SgAcc"
   Suffix freq Percent_Trials
2      o   25           50
1      -   24           48
3      s    1            2
[1] "3SgAcc"
   Suffix freq Percent_Trials
1      -   43           86
2      e    4            8
4      s    2            4
3      o    1            2
[1] "4SgAcc"
   Suffix freq Percent_Trials
1      -   25           50
3      o   21           42
2      e    2            4
4      s    2            4
[1] "5SgAcc"
   Suffix freq Percent_Trials
1      -   37           74
2      a    9           18
3      e    2            4
4      o    1            2
5      s    1            2
[1] "mSgAcc"
   Suffix freq Percent_Trials
1      -   25           50
3      o   20           40
2      e    3            6
4      s    2            4
[1] "m1SgAcc"
   Suffix freq Percent_Trials
1      -   45           90
2      a    3            6
3      o    1            2
4      s    1            2
[1] "m2SgAcc"
   Suffix freq Percent_Trials
2      o   25           50
1      -   24           48
```

```
3      s    1              2
[1] "m3SgAcc"
   Suffix freq Percent_Trials
1      -   43              86
2      e    4               8
4      s    2               4
3      o    1               2
[1] "m4SgAcc"
   Suffix freq Percent_Trials
1      -   25              50
3      o   21              42
2      e    2               4
4      s    2               4
[1] "m5SgAcc"
   Suffix freq Percent_Trials
1      -   39              78
2      a    5              10
4      o    3               6
3      e    2               4
5      s    1               2
[1] "fSgAcc"
   Suffix freq Percent_Trials
1      -   38              76
2      a    7              14
3      e    2               4
5      s    2               4
4      o    1               2
[1] "f1SgAcc"
   Suffix freq Percent_Trials
1      -   36              72
2      a   12              24
3      o    1               2
4      s    1               2
[1] "f2SgAcc"
   Suffix freq Percent_Trials
1      -   32              64
2      o   17              34
3      s    1               2
[1] "f3SgAcc"
   Suffix freq Percent_Trials
1      -   42              84
2      e    4               8
4      s    3               6
3      o    1               2
[1] "f4SgAcc"
   Suffix freq Percent_Trials
1      -   34              68
3      o   12              24
2      e    2               4
4      s    2               4
[1] "f5SgAcc"
   Suffix freq Percent_Trials
1      -   37              74
2      a    9              18
```

```
3     e    2           4
4     o    1           2
5     s    1           2
[1] "nSgAcc"
  Suffix freq Percent_Trials
2     o   25           50
1     -   24           48
3     s    1           2
[1] "n2SgAcc"
  Suffix freq Percent_Trials
2     o   26           52
1     -   23           46
3     s    1           2
[1] "n3SgAcc"
  Suffix freq Percent_Trials
1     -   42           84
2     e    3           6
4     s    3           6
3     o    2           4
[1] "n4SgAcc"
  Suffix freq Percent_Trials
1     -   25           50
3     o   21           42
2     e    2           4
4     s    2           4
[1] "Gen"
  Suffix freq Percent_Trials
1     -   39           78
5     s    6           12
3     e    3           6
2     a    1           2
4     o    1           2
[1] "GenSg"
  Suffix freq Percent_Trials
1     -   40           80
4     s    6           12
2     e    3           6
3     o    1           2
[1] "1SgGen"
  Suffix freq Percent_Trials
1     -   35           70
2     a    9           18
5     s    4           8
3     e    1           2
4     o    1           2
[1] "2SgGen"
  Suffix freq Percent_Trials
1     -   31           62
2     o   15           30
3     s    4           8
[1] "3SgGen"
  Suffix freq Percent_Trials
1     -   39           78
4     s    6           12
```

```
2       e    4                8
3       o    1                2
[1] "4SgGen"
   Suffix freq Percent_Trials
1       -   30               60
3       o   13               26
4       s    5               10
2       e    2                4
[1] "5SgGen"
   Suffix freq Percent_Trials
1       -   36               72
2       a    6               12
5       s    4                8
3       e    3                6
4       o    1                2
[1] "mSgGen"
   Suffix freq Percent_Trials
1       -   29               58
3       o   13               26
4       s    5               10
2       e    3                6
[1] "m1SgGen"
   Suffix freq Percent_Trials
1       -   40               80
5       s    5               10
2       a    3                6
3       e    1                2
4       o    1                2
[1] "m2SgGen"
   Suffix freq Percent_Trials
1       -   31               62
2       o   15               30
3       s    4                8
[1] "m3SgGen"
   Suffix freq Percent_Trials
1       -   39               78
4       s    6               12
2       e    4                8
3       o    1                2
[1] "m4SgGen"
   Suffix freq Percent_Trials
1       -   30               60
3       o   13               26
4       s    5               10
2       e    2                4
[1] "m5SgGen"
   Suffix freq Percent_Trials
1       -   36               72
2       a    5               10
5       s    5               10
3       e    3                6
4       o    1                2
[1] "fSgGen"
   Suffix freq Percent_Trials
```

```
1      -    35              70
2      a    7               14
5      s    4                8
3      e    3                6
4      o    1                2
[1] "f1SgGen"
  Suffix freq Percent_Trials
1      -    35              70
2      a    9               18
5      s    4                8
3      e    1                2
4      o    1                2
[1] "f2SgGen"
  Suffix freq Percent_Trials
1      -    34              68
2      o   12               24
3      s    4                8
[1] "f3SgGen"
  Suffix freq Percent_Trials
1      -    39              78
4      s    6               12
2      e    4                8
3      o    1                2
[1] "f4SgGen"
  Suffix freq Percent_Trials
1      -    34              68
3      o    8               16
4      s    6               12
2      e    2                4
[1] "f5SgGen"
  Suffix freq Percent_Trials
1      -    35              70
2      a    7               14
5      s    4                8
3      e    3                6
4      o    1                2
[1] "nSgGen"
  Suffix freq Percent_Trials
1      -    31              62
2      o   15               30
3      s    4                8
[1] "n2SgGen"
  Suffix freq Percent_Trials
1      -    30              60
2      o   16               32
3      s    4                8
[1] "n3SgGen"
  Suffix freq Percent_Trials
1      -    39              78
4      s    6               12
2      e    3                6
3      o    2                4
[1] "n4SgGen"
  Suffix freq Percent_Trials
```

```
1       -   29              58
3       o   14              28
4       s    5              10
2       e    2               4
[1] "Pl"
  Suffix freq Percent_Trials
1       -   39              78
5       s    6              12
3       e    3               6
2       a    1               2
4       o    1               2
[1] "1PlNom,Acc"
  Suffix freq Percent_Trials
1       -   38              76
2       a    9              18
3       s    3               6
[1] "2PlNom,Acc"
  Suffix freq Percent_Trials
1       -   38              76
2       o   10              20
3       s    2               4
[1] "3PlNom,Acc"
  Suffix freq Percent_Trials
1       -   39              78
5       s    5              10
3       e    4               8
2       a    1               2
4       o    1               2
[1] "4PlNom,Acc"
  Suffix freq Percent_Trials
1       -   36              72
3       o    9              18
4       s    3               6
2       e    2               4
[1] "5PlNom,Acc"
  Suffix freq Percent_Trials
1       -   36              72
2       a    7              14
5       s    4               8
3       e    2               4
4       o    1               2
[1] "1PlAcc,Gen"
  Suffix freq Percent_Trials
1       -   36              72
2       a    9              18
5       s    3               6
3       e    1               2
4       o    1               2
[1] "2PlAcc,Gen"
  Suffix freq Percent_Trials
1       -   37              74
2       o   10              20
3       s    3               6
[1] "3PlAcc,Gen"
```

```
   Suffix freq Percent_Trials
1       -   39             78
5       s    5             10
3       e    4              8
2       a    1              2
4       o    1              2
[1] "4PlAcc,Gen"
   Suffix freq Percent_Trials
1       -   35             70
3       o    9             18
4       s    4              8
2       e    2              4
[1] "5PlAcc,Gen"
   Suffix freq Percent_Trials
1       -   36             72
2       a    6             12
5       s    4              8
3       e    3              6
4       o    1              2
[1] "1PlNom,Gen"
   Suffix freq Percent_Trials
1       -   36             72
2       a    8             16
5       s    4              8
3       e    1              2
4       o    1              2
[1] "2PlNom,Gen"
   Suffix freq Percent_Trials
1       -   35             70
2       o   10             20
3       s    5             10
[1] "3PlNom,Gen"
   Suffix freq Percent_Trials
1       -   38             76
5       s    6             12
3       e    4              8
2       a    1              2
4       o    1              2
[1] "4PlNom,Gen"
   Suffix freq Percent_Trials
1       -   34             68
3       o    9             18
4       s    5             10
2       e    2              4
[1] "5PlNom,Gen"
   Suffix freq Percent_Trials
1       -   35             70
2       a    6             12
5       s    5             10
3       e    3              6
4       o    1              2
[1] "1PlNom,Acc,Gen"
   Suffix freq Percent_Trials
1       -   36             72
```

```
2      a    9              18
4      s    4               8
3      o    1               2
[1] "2PlNom,Acc,Gen"
  Suffix freq Percent_Trials
1      -   36              72
2      o   10              20
3      s    4               8
[1] "3PlNom,Acc,Gen"
  Suffix freq Percent_Trials
1      -   38              76
5      s    6              12
3      e    4               8
2      a    1               2
4      o    1               2
[1] "4PlNom,Acc,Gen"
  Suffix freq Percent_Trials
1      -   35              70
3      o    9              18
4      s    4               8
2      e    2               4
[1] "5PlNom,Acc,Gen"
  Suffix freq Percent_Trials
1      -   35              70
2      a    6              12
5      s    5              10
3      e    3               6
4      o    1               2
[1] "NomPl"
  Suffix freq Percent_Trials
1      -   39              78
5      s    6              12
3      e    3               6
2      a    1               2
4      o    1               2
[1] "1Pl"
  Suffix freq Percent_Trials
1      -   36              72
2      a    9              18
4      s    4               8
3      o    1               2
[1] "1PlNom"
  Suffix freq Percent_Trials
1      -   37              74
2      a    9              18
3      s    4               8
[1] "2Pl"
  Suffix freq Percent_Trials
1      -   36              72
2      o   10              20
3      s    4               8
[1] "2PlNom"
  Suffix freq Percent_Trials
1      -   36              72
```

```
2       o     10              20
3       s      4               8
[1] "3Pl"
   Suffix freq Percent_Trials
1       -     38              76
5       s      6              12
3       e      4               8
2       a      1               2
4       o      1               2
[1] "3PlNom"
   Suffix freq Percent_Trials
1       -     38              76
5       s      6              12
3       e      4               8
2       a      1               2
4       o      1               2
[1] "4Pl"
   Suffix freq Percent_Trials
1       -     35              70
3       o      9              18
4       s      4               8
2       e      2               4
[1] "4PlNom"
   Suffix freq Percent_Trials
1       -     35              70
3       o      9              18
4       s      4               8
2       e      2               4
[1] "5Pl"
   Suffix freq Percent_Trials
1       -     35              70
2       a      6              12
5       s      5              10
3       e      3               6
4       o      1               2
[1] "5PlNom"
   Suffix freq Percent_Trials
1       -     35              70
2       a      7              14
5       s      5              10
3       e      2               4
4       o      1               2
[1] "mPl"
   Suffix freq Percent_Trials
1       -     32              64
3       o      8              16
4       s      6              12
2       e      4               8
[1] "mPlNom"
   Suffix freq Percent_Trials
1       -     35              70
3       o      8              16
4       s      4               8
2       e      3               6
```

```
[1] "m1PlNom"
  Suffix freq Percent_Trials
1      -   41             82
4      s    5             10
2      a    3              6
3      e    1              2
[1] "m2PlNom"
  Suffix freq Percent_Trials
1      -   36             72
2      o   10             20
3      s    4              8
[1] "m3PlNom"
  Suffix freq Percent_Trials
1      -   38             76
5      s    6             12
3      e    4              8
2      a    1              2
4      o    1              2
[1] "m4PlNom"
  Suffix freq Percent_Trials
1      -   35             70
3      o    9             18
4      s    4              8
2      e    2              4
[1] "m5PlNom"
  Suffix freq Percent_Trials
1      -   35             70
2      a    5             10
6      s    5             10
4      e    3              6
3     as    1              2
5      o    1              2
[1] "fPl"
  Suffix freq Percent_Trials
1      -   36             72
5      s    6             12
2      a    4              8
3      e    3              6
4      o    1              2
[1] "fPlNom"
  Suffix freq Percent_Trials
1      -   38             76
4      s    5             10
2      a    4              8
3      e    3              6
[1] "f1PlNom"
  Suffix freq Percent_Trials
1      -   37             74
2      a    9             18
3      s    4              8
[1] "f2PlNom"
  Suffix freq Percent_Trials
1      -   35             70
2      o   10             20
```

```
3      s      5                    10
[1] "f3PlNom"
   Suffix freq Percent_Trials
1      -     39                    78
4      s      6                    12
3      e      4                     8
2      a      1                     2
[1] "f4PlNom"
   Suffix freq Percent_Trials
1      -     38                    76
3      o      5                    10
4      s      5                    10
2      e      2                     4
[1] "f5PlNom"
   Suffix freq Percent_Trials
1      -     35                    70
2      a      7                    14
5      s      5                    10
3      e      2                     4
4      o      1                     2
[1] "nPl"
   Suffix freq Percent_Trials
1      -     33                    66
3      o     10                    20
4      s      6                    12
2      e      1                     2
[1] "nPlNom"
   Suffix freq Percent_Trials
1      -     36                    72
2      o     10                    20
3      s      4                     8
[1] "n2PlNom"
   Suffix freq Percent_Trials
1      -     36                    72
2      o     10                    20
3      s      4                     8
[1] "n3PlNom"
   Suffix freq Percent_Trials
1      -     38                    76
5      s      6                    12
3      e      3                     6
4      o      2                     4
2      a      1                     2
[1] "n4PlNom"
   Suffix freq Percent_Trials
1      -     35                    70
3      o      9                    18
4      s      4                     8
2      e      2                     4
[1] "AccPl"
   Suffix freq Percent_Trials
1      -     39                    78
5      s      5                    10
3      e      4                     8
```

```
2      a    1              2
4      o    1              2
[1] "1PlAcc"
  Suffix freq Percent_Trials
1      -   35             70
2      a   11             22
4      s    3              6
3      o    1              2
[1] "2PlAcc"
  Suffix freq Percent_Trials
1      -   38             76
2      o   10             20
3      s    2              4
[1] "3PlAcc"
  Suffix freq Percent_Trials
1      -   38             76
3      e    5             10
5      s    5             10
2      a    1              2
4      o    1              2
[1] "4PlAcc"
  Suffix freq Percent_Trials
1      -   36             72
3      o    9             18
4      s    3              6
2      e    2              4
[1] "5PlAcc"
  Suffix freq Percent_Trials
1      -   35             70
2      a    8             16
3      e    3              6
5      s    3              6
4      o    1              2
[1] "mPlAcc"
  Suffix freq Percent_Trials
1      -   36             72
3      o    8             16
2      e    3              6
4      s    3              6
[1] "m1PlAcc"
  Suffix freq Percent_Trials
1      -   42             84
4      s    4              8
2      a    3              6
3      e    1              2
[1] "m2PlAcc"
  Suffix freq Percent_Trials
1      -   38             76
2      o   10             20
3      s    2              4
[1] "m3PlAcc"
  Suffix freq Percent_Trials
1      -   38             76
3      e    5             10
```

```
5       s    5            10
2       a    1             2
4       o    1             2
[1] "m4PlAcc"
  Suffix freq Percent_Trials
1      -   36            72
3      o    9            18
4      s    3             6
2      e    2             4
[1] "m5PlAcc"
  Suffix freq Percent_Trials
1      -   37            74
2      a    5            10
4      e    3             6
6      s    3             6
3     as    1             2
5      o    1             2
[1] "fPlAcc"
  Suffix freq Percent_Trials
1      -   38            76
2      a    5            10
3      e    3             6
5      s    3             6
4      o    1             2
[1] "f1PlAcc"
  Suffix freq Percent_Trials
1      -   35            70
2      a   11            22
4      s    3             6
3      o    1             2
[1] "f2PlAcc"
  Suffix freq Percent_Trials
1      -   38            76
2      o   10            20
3      s    2             4
[1] "f3PlAcc"
  Suffix freq Percent_Trials
1      -   38            76
3      e    5            10
5      s    5            10
2      a    1             2
4      o    1             2
[1] "f4PlAcc"
  Suffix freq Percent_Trials
1      -   38            76
3      o    6            12
4      s    4             8
2      e    2             4
[1] "f5PlAcc"
  Suffix freq Percent_Trials
1      -   35            70
2      a    8            16
3      e    3             6
5      s    3             6
```

```
4       o    1               2
[1] "nPlAcc"
  Suffix freq Percent_Trials
1      -   38              76
2      o   10              20
3      s    2               4
[1] "n2PlAcc"
  Suffix freq Percent_Trials
1      -   38              76
2      o   10              20
3      s    2               4
[1] "n3PlAcc"
  Suffix freq Percent_Trials
1      -   38              76
5      s    5              10
3      e    4               8
4      o    2               4
2      a    1               2
[1] "n4PlAcc"
  Suffix freq Percent_Trials
1      -   35              70
3      o   10              20
4      s    3               6
2      e    2               4
[1] "GenPl"
  Suffix freq Percent_Trials
1      -   39              78
5      s    6              12
3      e    3               6
2      a    1               2
4      o    1               2
[1] "1PlGen"
  Suffix freq Percent_Trials
1      -   35              70
2      a    8              16
6      s    4               8
3     as    1               2
4      e    1               2
5      o    1               2
[1] "2PlGen"
  Suffix freq Percent_Trials
1      -   33              66
3      o   10              20
4      s    6              12
2      e    1               2
[1] "3PlGen"
  Suffix freq Percent_Trials
1      -   38              76
5      s    6              12
3      e    4               8
2      a    1               2
4      o    1               2
[1] "4PlGen"
  Suffix freq Percent_Trials
```

```
1       -    32               64
3       o     9               18
4       s     6               12
2       e     3                6
[1] "5PlGen"
  Suffix freq Percent_Trials
1       -    35               70
2       a     5               10
6       s     5               10
4       e     3                6
3      as     1                2
5       o     1                2
[1] "mPlGen"
  Suffix freq Percent_Trials
1       -    32               64
3       o     8               16
4       s     6               12
2       e     4                8
[1] "m1PlGen"
  Suffix freq Percent_Trials
1       -    39               78
5       s     6               12
2       a     3                6
3       e     1                2
4       o     1                2
[1] "m2PlGen"
  Suffix freq Percent_Trials
1       -    33               66
3       o    10               20
4       s     6               12
2       e     1                2
[1] "m3PlGen"
  Suffix freq Percent_Trials
1       -    38               76
5       s     6               12
3       e     4                8
2       a     1                2
4       o     1                2
[1] "m4PlGen"
  Suffix freq Percent_Trials
1       -    32               64
3       o     9               18
4       s     6               12
2       e     3                6
[1] "m5PlGen"
  Suffix freq Percent_Trials
1       -    35               70
5       s     6               12
2       a     5               10
3       e     3                6
4       o     1                2
[1] "fPlGen"
  Suffix freq Percent_Trials
1       -    36               72
```

```
5       s    6              12
2       a    4               8
3       e    3               6
4       o    1               2
[1] "f1PlGen"
  Suffix freq Percent_Trials
1      -   35              70
2      a    8              16
6      s    4               8
3     as    1               2
4      e    1               2
5      o    1               2
[1] "f2PlGen"
  Suffix freq Percent_Trials
1      -   33              66
3      o   10              20
4      s    6              12
2      e    1               2
[1] "f3PlGen"
  Suffix freq Percent_Trials
1      -   38              76
5      s    6              12
3      e    4               8
2      a    1               2
4      o    1               2
[1] "f4PlGen"
  Suffix freq Percent_Trials
1      -   35              70
3      o    6              12
4      s    6              12
2      e    3               6
[1] "f5PlGen"
  Suffix freq Percent_Trials
1      -   35              70
2      a    5              10
6      s    5              10
4      e    3               6
3     as    1               2
5      o    1               2
[1] "nPlGen"
  Suffix freq Percent_Trials
1      -   34              68
3      o    9              18
4      s    6              12
2      e    1               2
[1] "n2PlGen"
  Suffix freq Percent_Trials
1      -   33              66
3      o   10              20
4      s    6              12
2      e    1               2
[1] "n3PlGen"
  Suffix freq Percent_Trials
1      -   38              76
```

```
5       s    6              12
3       e    3               6
4       o    2               4
2       a    1               2
[1] "n4PlGen"
  Suffix freq Percent_Trials
1      -   32             64
3      o    9             18
4      s    6             12
2      e    3              6


[1] "common_system_distrib"
   Percent_Match freq Percent_Trials
1        54.00000   18             36
2        56.00000    3              6
3        58.00000    5             10
4        58.66667    1              2
5        59.33333    2              4
6        60.00000    2              4
7        60.66667    1              2
8        62.00000    1              2
9        62.66667    2              4
10       63.33333    1              2
11       64.00000    3              6
12       64.66667    1              2
13       66.00000    5             10
14       66.66667    1              2
15       70.66667    1              2
16       72.00000    1              2
17       74.00000    2              4
```

Percent of common_system_distrib Matching Reality


```
[1] "NPLtoFSG_system_distrib"
   Percent_Match freq Percent_Trials
1       52.00000    1               2
2       55.33333    1               2
3       56.00000   17              34
4       56.66667    1               2
5       58.00000    2               4
6       60.00000    5              10
7       61.33333    3               6
8       62.00000    1               2
9       62.66667    1               2
10      64.00000    2               4
11      64.66667    2               4
12      66.00000    1               2
13      68.00000    3               6
14      68.66667    2               4
15      70.00000    1               2
16      70.66667    2               4
17      72.00000    2               4
18      74.00000    1               2
19      80.00000    2               4
```

Percent of NPLtoFSG_system_distrib Matching Reality



```
[1] "romanian_system_distrib"
   Percent_Match freq Percent_Trials
1        52.00000    1               2
2        54.00000   17              34
3        54.66667    1               2
4        55.33333    1               2
5        56.00000    2               4
6        57.33333    1               2
7        58.00000    4               8
8        58.66667    1               2
9        59.33333    1               2
10       60.00000    2               4
11       60.66667    1               2
12       61.33333    1               2
13       62.00000    2               4
14       62.66667    1               2
15       64.00000    4               8
16       64.66667    1               2
17       66.00000    3               6
18       66.66667    1               2
19       67.33333    1               2
20       68.00000    1               2
21       70.66667    1               2
22       72.66667    2               4
```

Percent of romanian_system_distrib Matching Reality

[1] "1_common_system_distrib"
```
  Percent_Match freq Percent_Trials
1     60.00000   38            76
2     63.33333    1             2
3     66.66667    2             4
4     70.00000    5            10
5     73.33333    1             2
6     80.00000    3             6
```

Percent of 1_common_system_distrib Matching Reality


```
[1] "1_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      60.00000   38             76
2      63.33333    1              2
3      66.66667    2              4
4      70.00000    5             10
5      73.33333    1              2
6      80.00000    3              6
```

Percent of 1_NPLtoFSG_system_distrib Matching Reality


```
[1] "1_romanian_system_distrib"
  Percent_Match freq Percent_Trials
1      60.00000   38             76
2      63.33333    1              2
3      66.66667    6             12
4      70.00000    1              2
5      73.33333    4              8
```

Percent of 1_romanian_system_distrib Matching Reality



```
[1] "2_common_system_distrib"
  Percent_Match freq Percent_Trials
1      40.00000   23             46
2      43.33333    1              2
3      50.00000    1              2
4      53.33333    4              8
5      56.66667    1              2
6      60.00000    8             16
7      70.00000   12             24
```

Percent of 2_common_system_distrib Matching Reality


```
[1] "2_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      40.00000   23             46
2      43.33333    1              2
3      50.00000    1              2
4      53.33333    4              8
5      56.66667    1              2
6      60.00000    8             16
7      70.00000    2              4
8      80.00000   10             20
```

Percent of 2_NPLtoFSG_system_distrib Matching Reality


```
[1] "2_romanian_system_distrib"
  Percent_Match freq Percent_Trials
1      40.00000   23             46
2      43.33333    1              2
3      50.00000    1              2
4      53.33333    4              8
5      56.66667    1              2
6      60.00000    8             16
7      70.00000   12             24
```

Percent of 2_romanian_system_distrib Matching Reality


```
[1] "3_common_system_distrib"
  Percent_Match freq Percent_Trials
1      40.00000    1              2
2      60.00000    1              2
3      70.00000   44             88
4      76.66667    1              2
5      80.00000    1              2
6      83.33333    1              2
7      90.00000    1              2
```

Percent of 3_common_system_distrib Matching Reality


```
[1] "3_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      40.00000    1              2
2      60.00000    3              6
3      66.66667    1              2
4      73.33333    1              2
5      76.66667    1              2
6      80.00000   43             86
```

Percent of 3_NPLtoFSG_system_distrib Matching Reality


```
[1] "3_romanian_system_distrib"
  Percent_Match freq Percent_Trials
1      40.00000    1              2
2      60.00000    3              6
3      66.66667    1              2
4      70.00000   42             84
5      73.33333    2              4
6      80.00000    1              2
```

Percent of 3_romanian_system_distrib Matching Reality


```
[1] "4_common_system_distrib"
  Percent_Match freq Percent_Trials
1      40.00000   28             56
2      46.66667    1              2
3      50.00000    1              2
4      53.33333    4              8
5      56.66667    1              2
6      60.00000    6             12
7      63.33333    1              2
8      70.00000    8             16
```

Percent of 4_common_system_distrib Matching Reality


```
[1] "4_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      40.00000   28             56
2      46.66667    1              2
3      53.33333    4              8
4      56.66667    1              2
5      60.00000    6             12
6      70.00000    2              4
7      73.33333    2              4
8      80.00000    6             12
```

Percent of 4_NPLtoFSG_system_distrib Matching Reality


```
[1] "4_romanian_system_distrib"
  Percent_Match freq Percent_Trials
1      40.00000   28             56
2      46.66667    1              2
3      50.00000    1              2
4      53.33333    4              8
5      56.66667    1              2
6      60.00000    6             12
7      63.33333    1              2
8      70.00000    8             16
```

Percent of 4_romanian_system_distrib Matching Reality


```
[1] "5_common_system_distrib"
  Percent_Match freq Percent_Trials
1      60.00000   39             78
2      66.66667    1              2
3      70.00000    1              2
4      73.33333    2              4
5      80.00000    6             12
6      86.66667    1              2
```

Percent of 5_common_system_distrib Matching Reality


```
[1] "5_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      60.00000   39             78
2      66.66667    1              2
3      70.00000    1              2
4      73.33333    2              4
5      80.00000    6             12
6      86.66667    1              2
```

Percent of 5_NPLtoFSG_system_distrib Matching Reality


```
[1] "5_romanian_system_distrib"
  Percent_Match freq Percent_Trials
1      60.00000   39             78
2      66.66667    1              2
3      70.00000    1              2
4      73.33333    2              4
5      80.00000    6             12
6      86.66667    1              2
```

Percent of 5_romanian_system_distrib Matching Reality


```
[1] "m_common_system_distrib"
  Percent_Match freq Percent_Trials
1            46   21             42
2            48    1              2
3            50    2              4
4            52    5             10
5            54    4              8
6            56    2              4
7            58   11             22
8            64    1              2
9            70    3              6
```

Percent of m_common_system_distrib Matching Reality


```
[1] "m_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1            46   21             42
2            48    1              2
3            50    2              4
4            52    5             10
5            54    4              8
6            56    2              4
7            58   11             22
8            64    1              2
9            70    3              6
```

Percent of m_NPLtoFSG_system_distrib Matching Reality


```
[1] "m_romanian_system_distrib"
  Percent_Match freq Percent_Trials
1            46   21             42
2            48    1              2
3            50    2              4
4            52    5             10
5            54    4              8
6            56    1              2
7            58   12             24
8            64    1              2
9            68    3              6
```

Percent of m_romanian_system_distrib Matching Reality


```
[1] "f_common_system_distrib"
  Percent_Match freq Percent_Trials
1            46   22             44
2            48    3              6
3            50    2              4
4            52    8             16
5            54    1              2
6            58    8             16
7            60    1              2
8            64    2              4
9            70    3              6
```

Percent of f_common_system_distrib Matching Reality


```
[1] "f_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1            46   22             44
2            48    3              6
3            50    2              4
4            52    8             16
5            54    1              2
6            58    8             16
7            60    1              2
8            64    2              4
9            70    3              6
```

Percent of f_NPLtoFSG_system_distrib Matching Reality


```
[1] "f_romanian_system_distrib"
   Percent_Match freq Percent_Trials
1             46   22             44
2             48    3              6
3             50    4              8
4             52    6             12
5             54    1              2
6             56    3              6
7             58    5             10
8             60    1              2
9             62    1              2
10            66    1              2
11            68    3              6
```

Percent of f_romanian_system_distrib Matching Reality


```
[1] "n_common_system_distrib"
  Percent_Match freq Percent_Trials
1            70   23             46
2            72    1              2
3            74    3              6
4            76    4              8
5            78    5             10
6            82   14             28
```

Percent of n_common_system_distrib Matching Reality


```
[1] "n_NPLtoFSG_system_distrib"
   Percent_Match freq Percent_Trials
1             64    1              2
2             68    1              2
3             70    1              2
4             72    1              2
5             76   24             48
6             80    2              4
7             82    2              4
8             84    4              8
9             88    6             12
10            96    1              2
11           100    7             14
```

Percent of n_NPLtoFSG_system_distrib Matching Reality


```
[1] "n_romanian_system_distrib"
  Percent_Match freq Percent_Trials
1            64    1              2
2            68    2              4
3            70   22             44
4            72    1              2
5            74    2              4
6            76    6             12
7            78    4              8
8            82   12             24
```

Percent of n_romanian_system_distrib Matching Reality


```
[1] "Nom_common_system_distrib"
   Percent_Match freq Percent_Trials
1       23.33333   18             36
2       26.66667    2              4
3       30.00000    4              8
4       33.33333    5             10
5       36.66667    3              6
6       40.00000    7             14
7       43.33333    3              6
8       46.66667    2              4
9       50.00000    1              2
10      53.33333    3              6
11      56.66667    2              4
```

Percent of Nom_common_system_distrib Matching Reality


```
[1] "Nom_NPLtoFSG_system_distrib"
   Percent_Match freq Percent_Trials
1       20.00000    1              2
2       26.66667   17             34
3       30.00000    4              8
4       33.33333    4              8
5       36.66667    2              4
6       40.00000    3              6
7       43.33333    5             10
8       46.66667    2              4
9       50.00000    6             12
10      53.33333    3              6
11      56.66667    1              2
12      66.66667    2              4
```

Percent of Nom_NPLtoFSG_system_distrib Matching Reality


```
[1] "Nom_romanian_system_distrib"
   Percent_Match freq Percent_Trials
1       20.00000   1              2
2       23.33333  17             34
3       26.66667   2              4
4       30.00000   6             12
5       33.33333   3              6
6       36.66667   3              6
7       40.00000   7             14
8       43.33333   4              8
9       46.66667   1              2
10      50.00000   3              6
11      53.33333   1              2
12      56.66667   2              4
```

Percent of Nom_romanian_system_distrib Matching Reality


```
[1] "Acc_common_system_distrib"
   Percent_Match freq Percent_Trials
1       23.33333   19             38
2       26.66667    2              4
3       30.00000    5             10
4       33.33333    3              6
5       36.66667    3              6
6       40.00000    6             12
7       43.33333    4              8
8       46.66667    2              4
9       50.00000    1              2
10      53.33333    2              4
11      56.66667    2              4
12      63.33333    1              2
```

Percent of Acc_common_system_distrib Matching Reality


```
[1] "Acc_NPLtoFSG_system_distrib"
   Percent_Match freq Percent_Trials
1        20.00000    1              2
2        26.66667   18             36
3        30.00000    3              6
4        33.33333    5             10
5        36.66667    1              2
6        40.00000    3              6
7        43.33333    5             10
8        46.66667    2              4
9        50.00000    3              6
10       53.33333    5             10
11       56.66667    1              2
12       60.00000    1              2
13       66.66667    2              4
```

Percent of Acc_NPLtoFSG_system_distrib Matching Reality


```
[1] "Acc_romanian_system_distrib"
   Percent_Match freq Percent_Trials
1        20.00000    1               2
2        23.33333   18              36
3        26.66667    2               4
4        30.00000    6              12
5        33.33333    2               4
6        36.66667    3               6
7        40.00000    6              12
8        43.33333    5              10
9        46.66667    1               2
10       50.00000    2               4
11       53.33333    1               2
12       56.66667    2               4
13       60.00000    1               2
```

Percent of Acc_romanian_system_distrib Matching Reality


```
[1] "Gen_common_system_distrib"
  Percent_Match freq Percent_Trials
1      23.33333   25             50
2      26.66667    3              6
3      30.00000    5             10
4      33.33333    3              6
5      36.66667    3              6
6      40.00000    5             10
7      43.33333    3              6
8      53.33333    1              2
9      56.66667    2              4
```

Percent of Gen_common_system_distrib Matching Reality


```
[1] "Gen_NPLtoFSG_system_distrib"
   Percent_Match freq Percent_Trials
1       20.00000    4              8
2       23.33333    1              2
3       26.66667   21             42
4       30.00000    2              4
5       33.33333    6             12
6       36.66667    2              4
7       40.00000    2              4
8       43.33333    2              4
9       46.66667    2              4
10      50.00000    3              6
11      53.33333    2              4
12      56.66667    1              2
13      66.66667    2              4
```

Percent of Gen_NPLtoFSG_system_distrib Matching Reality


```
[1] "Gen_romanian_system_distrib"
    Percent_Match freq Percent_Trials
1       20.00000    5             10
2       23.33333   22             44
3       26.66667    2              4
4       30.00000    6             12
5       33.33333    1              2
6       36.66667    3              6
7       40.00000    5             10
8       43.33333    3              6
9       46.66667    1              2
10      50.00000    2              4
```

Percent of Gen_romanian_system_distrib Matching Reality



```
[1] "Sg_common_system_distrib"
   Percent_Match freq Percent_Trials
1       48.00000    1              2
2       56.00000    1              2
3       57.33333    1              2
4       60.00000   17             34
5       64.00000    2              4
6       66.66667    1              2
7       68.00000    5             10
8       70.66667    2              4
9       72.00000    3              6
10      73.33333    1              2
11      76.00000    2              4
12      77.33333    2              4
13      80.00000    3              6
14      81.33333    1              2
15      84.00000    4              8
16      85.33333    1              2
17      96.00000    1              2
18     100.00000    2              4
```

Percent of Sg_common_system_distrib Matching Reality


```
[1] "Sg_NPLtoFSG_system_distrib"
   Percent_Match freq Percent_Trials
1        48.00000    1              2
2        56.00000    1              2
3        57.33333    1              2
4        60.00000   17             34
5        64.00000    2              4
6        66.66667    1              2
7        68.00000    5             10
8        70.66667    2              4
9        72.00000    3              6
10       73.33333    1              2
11       76.00000    2              4
12       77.33333    2              4
13       80.00000    3              6
14       81.33333    1              2
15       84.00000    4              8
16       85.33333    1              2
17       96.00000    1              2
18      100.00000    2              4
```

Percent of Sg_NPLtoFSG_system_distrib Matching Reality


```
[1] "Sg_romanian_system_distrib"
   Percent_Match freq Percent_Trials
1       48.00000    1               2
2       56.00000    2               4
3       60.00000   17              34
4       62.66667    1               2
5       64.00000    1               2
6       66.66667    2               4
7       68.00000    4               8
8       69.33333    1               2
9       70.66667    1               2
10      72.00000    3               6
11      73.33333    1               2
12      74.66667    1               2
13      76.00000    2               4
14      77.33333    1               2
15      80.00000    3               6
16      81.33333    1               2
17      84.00000    3               6
18      85.33333    1               2
19      86.66667    1               2
20      93.33333    1               2
21      97.33333    2               4
```

Percent of Sg_romanian_system_distrib Matching Reality


```
[1] "Pl_common_system_distrib"
  Percent_Match freq Percent_Trials
1      48.00000   44             88
2      56.00000    1              2
3      60.00000    4              8
4      65.33333    1              2
```

Percent of PI_common_system_distrib Matching Reality


```
[1] "Pl_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      52.00000   34            68
2      54.66667    1             2
3      56.00000    6            12
4      57.33333    1             2
5      60.00000    7            14
6      61.33333    1             2
```

Percent of PI_NPLtoFSG_system_distrib Matching Reality


```
[1] "Pl_romanian_system_distrib"
  Percent_Match freq Percent_Trials
1      48.00000   44             88
2      53.33333    1              2
3      56.00000    4              8
4      61.33333    1              2
```

Percent of PI_romanian_system_distrib Matching Reality


```
[1] "n.Sg,m.Sg"
  Percent_Match freq Percent_Trials
1      33.33333   1              2
2      66.66667   2              4
3      77.77778   1              2
4      88.88889   2              4
5     100.00000  44             88
```

Percent of n.Sg,m.Sg Matching Each Other


```
[1] "n.Pl,m.Pl"
  Percent_Match freq Percent_Trials
1      33.33333    1               2
2      66.66667    1               2
3      77.77778    1               2
4     100.00000   47              94
```

Percent of n.Pl,m.Pl Matching Each Other


```
[1] "n.Pl,f.Sg"
  Percent_Match freq Percent_Trials
1      11.11111    1              2
2      33.33333    4              8
3      66.66667    5             10
4      77.77778    5             10
5      88.88889    1              2
6     100.00000   34             68
```

Percent of n.Pl,f.Sg Matching Each Other


```
[1] "n.Pl,f.Pl"
  Percent_Match freq Percent_Trials
1      33.33333    1               2
2      55.55556    1               2
3      66.66667    3               6
4      77.77778    1               2
5      88.88889    2               4
6     100.00000   42              84
```

Percent of n.Pl,f.Pl Matching Each Other

Percent Matching Each Other

```
[1] "m.Pl,f.Pl"
  Percent_Match freq Percent_Trials
1      53.33333    1               2
2      73.33333    3               6
3      80.00000    6              12
4      86.66667    2               4
5      93.33333    2               4
6     100.00000   36              72
```

Percent of m.PI,f.PI Matching Each Other


```
[1] "1,5"
  Percent_Match freq Percent_Trials
1       0.00000    2              4
2      33.33333    1              2
3      50.00000    1              2
4      66.66667    3              6
5      75.00000    1              2
6      83.33333    2              4
7      91.66667    3              6
8     100.00000   37             74
```

Percent of 1,5 Matching Each Other

Percent Matching Each Other

```
[1] "2,4"
  Percent_Match freq Percent_Trials
1       0.00000    2              4
2      33.33333    2              4
3      66.66667    2              4
4      72.22222    1              2
5      77.77778    2              4
6      83.33333    5             10
7      88.88889    4              8
8      94.44444    2              4
9     100.00000   30             60
```

Percent of 2,4 Matching Each Other


```
[1] "Nom,Acc"
  Percent_Match freq Percent_Trials
1      50.00000    1               2
2      76.92308    2               4
3      84.61538    1               2
4      92.30769    3               6
5      96.15385    7              14
6     100.00000   36              72
```

Percent of Nom,Acc Matching Each Other


```
[1] "Acc,Gen"
   Percent_Match freq Percent_Trials
1        0.00000    1              2
2       23.07692    1              2
3       26.92308    1              2
4       38.46154    1              2
5       46.15385    1              2
6       65.38462    1              2
7       76.92308    1              2
8       80.76923    1              2
9       84.61538    3              6
10      88.46154    1              2
11      92.30769    3              6
12      96.15385    6             12
13     100.00000   29             58
```

Percent of Acc,Gen Matching Each Other


```
[1] "Nom,Gen"
   Percent_Match freq Percent_Trials
1       19.23077    1               2
2       26.92308    1               2
3       38.46154    1               2
4       50.00000    1               2
5       57.69231    1               2
6       80.76923    2               4
7       84.61538    2               4
8       88.46154    2               4
9       92.30769    3               6
10      96.15385    1               2
11     100.00000   35              70
```

Percent of Nom,Gen Matching Each Other

Percent Matching Each Other

```
[1] "Nom,Acc,Gen"
   Percent_Match freq Percent_Trials
1        0.00000    1              2
2       19.23077    1              2
3       26.92308    1              2
4       38.46154    1              2
5       46.15385    1              2
6       65.38462    1              2
7       76.92308    1              2
8       80.76923    2              4
9       84.61538    3              6
10      88.46154    1              2
11      92.30769    3              6
12      96.15385    5             10
13     100.00000   29             58
```

Percent of Nom,Acc,Gen Matching Each Other


```
[1] "nPlmPl_exclusive"
  Percent_Match freq Percent_Trials
1       0.00000   44             88
2      11.11111    2              4
3      22.22222    1              2
4      33.33333    2              4
5      44.44444    1              2
```

Percent of nPlmPl_exclusive Matching Each Other



```
[1] "nPlfPl_exclusive"
   Percent_Match freq Percent_Trials
1       0.00000   49             98
2      22.22222    1              2
```

Percent of nPlfPl_exclusive Matching Each Other

```
[1] "1Sg(Nom|Acc)_a($|,)"
  Percent_Match freq Percent_Trials
1             0   38             76
2            25    1              2
3            50    8             16
4           100    3              6
```

Percent of 1Sg(Nom|Acc) ending in a($|,)

Percent Matching Reality

```
[1] "[24]Sg(Nom|Acc)_o($|,)"
   Percent_Match freq Percent_Trials
1       0.000000   23             46
2       8.333333    1              2
3      16.666667    1              2
4      33.333333    3              6
5      50.000000    1              2
6      66.666667    3              6
7      75.000000    1              2
8      83.333333    6             12
9      91.666667    2              4
10    100.000000    9             18
```

Percent of [24]Sg(Nom|Acc) ending in o($|,)


```
[1] "3Sg(Nom|Acc)_[e-]($|,)"
  Percent_Match freq Percent_Trials
1       0.00000    3              6
2      33.33333    1              2
3      66.66667    2              4
4     100.00000   44             88
```

**Percent of 3Sg(Nom|Acc) ending in [e−]($|,)**


```
[1] "3Pl(Nom|Acc)_e?s($|,)"
  Percent_Match freq Percent_Trials
1             0   44             88
2            50    1              2
3           100    5             10
```

Percent of 3Pl(Nom|Acc) ending in e?s($|,)

Percent of Trials

Percent Matching Reality

```
[1] "[124]Pl(Nom|Acc)_s($|,)"
  Percent_Match freq Percent_Trials
1          0.00   44             88
2         25.00    1              2
3         50.00    2              4
4         56.25    1              2
5         81.25    1              2
6        100.00    1              2
```

**Percent of [124]Pl(Nom|Acc) ending in s($|,)**


```
[1] "[24]Pl(Nom|Acc)_os($|,)"
  Percent_Match freq Percent_Trials
1            0   50            100
```

Percent of [24]Pl(Nom|Acc) ending in os($|,)

```
[1] "1Pl(Nom|Acc)_as($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of 1Pl(Nom|Acc) ending in as($|,)

Percent of Trials (y-axis)

Percent Matching Reality (x-axis)

```
[1] "n.Pl(Nom|Acc)_a($|,)"
  Percent_Match freq Percent_Trials
1       0.00000   49             98
2      33.33333    1              2
```

Percent of n.Pl(Nom|Acc) ending in a($|,)


```
[1] "n.Pl(Nom|Acc)_as($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of n.Pl(Nom|Acc) ending in as($|,)

```
[1] "n.Pl(Nom|Acc)_os($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of n.Pl(Nom|Acc) ending in os($|,)

Percent Matching Reality

```
[1] "m.Pl(Nom|Acc)_as($|,)"
  Percent_Match freq Percent_Trials
1             0   49             98
2            20    1              2
```

Percent of m.Pl(Nom|Acc) ending in as($|,)



```
[1] "m.Pl(Nom|Acc)_os($|,)"
  Percent_Match freq Percent_Trials
1            0   50            100
```

Percent of m.Pl(Nom|Acc) ending in os($|,)

```
[1] "Pl(Nom|Acc)_s($|,)"
  Percent_Match freq Percent_Trials
1       0.00000   44             88
2      50.00000    1              2
3      53.84615    1              2
4      65.38462    1              2
5      69.23077    1              2
6      80.76923    1              2
7     100.00000    1              2
```

Percent of Pl(Nom|Acc) ending in s($|,)


```
[1] "1Sg(Gen|Acc)_a($|,)"
  Percent_Match freq Percent_Trials
1             0   38             76
2            25    3              6
3            50    6             12
4           100    3              6
```

Percent of 1Sg(Gen|Acc) ending in a($|,)


```
[1] "[24]Sg(Gen|Acc)_o($|,)"
   Percent_Match freq Percent_Trials
1        0.00000   24             48
2       16.66667    3              6
3       25.00000    1              2
4       33.33333    3              6
5       41.66667    2              4
6       50.00000    3              6
7       66.66667    2              4
8       83.33333    4              8
9       91.66667    1              2
10     100.00000    7             14
```

Percent of [24]Sg(Gen|Acc) ending in o($|,)


```
[1] "3Sg(Gen|Acc)_[e-]($|,)"
  Percent_Match freq Percent_Trials
1       0.00000    3              6
2      33.33333    2              4
3      50.00000    2              4
4      66.66667    1              2
5     100.00000   42             84
```

Percent of 3Sg(Gen|Acc) ending in [e−]($|,)


```
[1] "3Pl(Gen|Acc)_e?s($|,)"
  Percent_Match freq Percent_Trials
1             0   44             88
2            50    1              2
3           100    5             10
```

Percent of 3Pl(Gen|Acc) ending in e?s($|,)

Percent of Trials (y-axis)

Percent Matching Reality (x-axis)

```
[1] "[124]Pl(Gen|Acc)_s($|,)"
  Percent_Match freq Percent_Trials
1          0.0   44             88
2         50.0    1              2
3         62.5    2              4
4         75.0    1              2
5         87.5    1              2
6        100.0    1              2
```

Percent of [124]Pl(Gen|Acc) ending in s($|,)

[1] "[24]Pl(Gen|Acc)_os($|,)"
  Percent_Match freq Percent_Trials
1   0   50   100

Percent of [24]Pl(Gen|Acc) ending in os($|,)

```
[1] "1Pl(Gen|Acc)_as($|,)"
  Percent_Match freq Percent_Trials
1             0   49             98
2            25    1              2
```

Percent of 1Pl(Gen|Acc) ending in as($|,)


```
[1] "n.Pl(Gen|Acc)_a($|,)"
  Percent_Match freq Percent_Trials
1      0.00000   49             98
2     33.33333    1              2
```

Percent of n.Pl(Gen|Acc) ending in a($|,)


```
[1] "n.Pl(Gen|Acc)_as($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of n.Pl(Gen|Acc) ending in as($|,)

```
[1] "n.Pl(Gen|Acc)_os($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of n.Pl(Gen|Acc) ending in os($|,)

Percent of Trials (y-axis)

Percent Matching Reality (x-axis)

```
[1] "m.Pl(Gen|Acc)_as($|,)"
  Percent_Match freq Percent_Trials
1             0   49             98
2            10    1              2
```

Percent of m.Pl(Gen|Acc) ending in as($|,)

Percent of Trials

Percent Matching Reality

```
[1] "m.Pl(Gen|Acc)_os($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of m.Pl(Gen|Acc) ending in os($|,)

Percent of Trials

Percent Matching Reality

```
[1] "Pl(Gen|Acc)_s($|,)"
  Percent_Match freq Percent_Trials
1       0.00000   44             88
2      50.00000    1              2
3      69.23077    1              2
4      76.92308    1              2
5      84.61538    1              2
6      88.46154    1              2
7     100.00000    1              2
```

Percent of Pl(Gen|Acc) ending in s($|,)

Percent Matching Reality

```
[1] "1Sg(Nom|Gen)_a($|,)"
  Percent_Match freq Percent_Trials
1             0   39             78
2            25    2              4
3            50    6             12
4           100    3              6
```

Percent of 1Sg(Nom|Gen) ending in a($|,)


```
[1] "[24]Sg(Nom|Gen)_o($|,)"
   Percent_Match freq Percent_Trials
1       0.000000   23             46
2       8.333333    1              2
3      16.666667    3              6
4      25.000000    1              2
5      33.333333    2              4
6      41.666667    4              8
7      50.000000    2              4
8      66.666667    2              4
9      83.333333    5             10
10    100.000000    7             14
```

Percent of [24]Sg(Nom|Gen) ending in o($|,)

Percent of Trials

Percent Matching Reality

```
[1] "3Sg(Nom|Gen)_[e-]($|,)"
  Percent_Match freq Percent_Trials
1       0.00000    4              8
2      33.33333    1              2
3      50.00000    2              4
4      66.66667    1              2
5     100.00000   42             84
```

Percent of 3Sg(Nom|Gen) ending in [e−]($|,)

[1] "3Pl(Nom|Gen)_e?s($|,)"

```
  Percent_Match freq Percent_Trials
1             0   44             88
2           100    6             12
```

Percent of 3Pl(Nom|Gen) ending in e?s($|,)

```
[1] "[124]Pl(Nom|Gen)_s($|,)"
  Percent_Match freq Percent_Trials
1          0.00   44             88
2         62.50    1              2
3         75.00    1              2
4         81.25    1              2
5         93.75    1              2
6        100.00    2              4
```

Percent of [124]Pl(Nom|Gen) ending in s($|,)

Percent Matching Reality

```
[1] "[24]Pl(Nom|Gen)_os($|,)"
  Percent_Match freq Percent_Trials
1             0   50             100
```

Percent of [24]Pl(Nom|Gen) ending in os($|,)


```
[1] "1Pl(Nom|Gen)_as($|,)"
  Percent_Match freq Percent_Trials
1             0   49             98
2            25    1              2
```

Percent of 1Pl(Nom|Gen) ending in as($|,)

```
[1] "n.Pl(Nom|Gen)_a($|,)"
  Percent_Match freq Percent_Trials
1      0.00000   49             98
2     33.33333    1              2
```

Percent of n.Pl(Nom|Gen) ending in a($|,)


```
[1] "n.Pl(Nom|Gen)_as($|,)"
  Percent_Match freq Percent_Trials
1            0   50            100
```

Percent of n.Pl(Nom|Gen) ending in as($|,)


```
[1] "n.Pl(Nom|Gen)_os($|,)"
   Percent_Match freq Percent_Trials
1            0   50           100
```

Percent of n.Pl(Nom|Gen) ending in os($|,)

```
[1] "m.Pl(Nom|Gen)_as($|,)"
  Percent_Match freq Percent_Trials
1             0   49             98
2            10    1              2
```

Percent of m.Pl(Nom|Gen) ending in as($|,)

Percent of Trials

Percent Matching Reality

```
[1] "m.Pl(Nom|Gen)_os($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of m.Pl(Nom|Gen) ending in os($|,)


```
[1] "Pl(Nom|Gen)_s($|,)"
  Percent_Match freq Percent_Trials
1       0.00000   44             88
2      76.92308    1              2
3      84.61538    1              2
4      88.46154    1              2
5      92.30769    1              2
6     100.00000    2              4
```

Percent of Pl(Nom|Gen) ending in s($|,)


```
[1] "Sg_nots"
  Percent_Match freq Percent_Trials
1       0.00000    1              2
2      53.84615    1              2
3      64.10256    1              2
4      66.66667    2              4
5      71.79487    1              2
6     100.00000   44             88
```

Percent of Sg ending in nots


```
[1] "Pl_s($|,)"
  Percent_Match freq Percent_Trials
1       0.00000   44             88
2      66.66667    1              2
3      69.23077    1              2
4      74.35897    1              2
5      79.48718    1              2
6      87.17949    1              2
7     100.00000    1              2
```

Percent of PI ending in s($|,)


```
[1] "[mf].Pl_s($|,)"
  Percent_Match freq Percent_Trials
1       0.00000   44             88
2      66.66667    1              2
3      70.00000    1              2
4      73.33333    1              2
5      83.33333    1              2
6      86.66667    1              2
7     100.00000    1              2
```

Percent of [mf].Pl ending in s($|,)


```
[1] "[124]Pl_s($|,)"
  Percent_Match freq Percent_Trials
1       0.00000   44             88
2      50.00000    1              2
3      66.66667    3              6
4      87.50000    1              2
5     100.00000    1              2
```

Percent of [124]PI ending in s($|,)


```
[1] "n.Pl_s($|,)"
  Percent_Match freq Percent_Trials
1       0.00000   44             88
2      55.55556    2              4
3      66.66667    1              2
4      88.88889    1              2
5     100.00000    2              4
```

Percent of n.Pl ending in s($|,)

Percent of Trials

Percent Matching Reality

```
[1] "1Sg_a($|,)"
  Percent_Match freq Percent_Trials
1       0.00000   38             76
2      16.66667    1              2
3      33.33333    2              4
4      50.00000    6             12
5     100.00000    3              6
```

Percent of 1Sg ending in a($|,)


```
[1] "[24]Sg_o($|,)"
   Percent_Match freq Percent_Trials
1       0.000000   23             46
2       5.555556    1              2
3      16.666667    1              2
4      22.222222    2              4
5      33.333333    2              4
6      44.444444    1              2
7      50.000000    1              2
8      55.555556    2              4
9      61.111111    1              2
10     66.666667    4              8
11     83.333333    4              8
12     88.888889    1              2
13    100.000000    7             14
```

Percent of [24]Sg ending in o($|,)

Percent Matching Reality

```
[1] "3Sg_[e-]($|,)"
  Percent_Match freq Percent_Trials
1       0.00000   3              6
2      22.22222   1              2
3      44.44444   1              2
4      66.66667   3              6
5     100.00000  42             84
```

Percent of 3Sg ending in [e−]($|,)


```
[1] "3Pl_e?s"
  Percent_Match freq Percent_Trials
1       0.00000   44             88
2      66.66667    1              2
3     100.00000    5             10
```

Percent of 3PI ending in e?s

Percent of Trials

Percent Matching Reality

```
[1] "[24]Pl_os($|,)"
  Percent_Match freq Percent_Trials
1   0   50   100
```

## Percent of [24]PI ending in os($|,)



Percent of Trials

Percent Matching Reality

```
[1] "1Pl_as($|,)"
  Percent_Match freq Percent_Trials
1       0.00000   49              98
2      16.66667    1               2
```

Percent of 1Pl ending in as($|,)


```
[1] "n.Pl_a($|,)"
  Percent_Match freq Percent_Trials
1       0.00000   49              98
2      33.33333    1               2
```

Percent of n.Pl ending in a($|,)

Percent Matching Reality

```
[1] "n.Pl_as($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of n.Pl ending in as($|,)

Percent Matching Reality

```
[1] "n.Pl_os($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of n.Pl ending in os($|,)

Percent of Trials

Percent Matching Reality

```
[1] "m.Pl_as($|,)"
  Percent_Match freq Percent_Trials
1       0.00000   49             98
2      13.33333    1              2
```

Percent of m.Pl ending in as($|,)

Percent of Trials

Percent Matching Reality

```
[1] "m.Pl_os($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of m.Pl ending in os($|,)

Percent of Trials

Percent Matching Reality

```
[1] "Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   49             98
4      o   29             58
2      a   13             26
5      s    6             12
3      e    5             10
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   49             98
6      o   29             58
2      a   14             28
8      s    8             16
5      e    6             12
4     as    2              4
3     ab    1              2
7      r    1              2
[1] "1SgNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   43             86
2      a   13             26
4      s    2              4
3      o    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   46             92
2      a   14             28
4      s    2              4
3      o    1              2
[1] "2SgNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      o   29             58
1      -   24             48
3      s    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   32             64
2      o   29             58
3      s    1              2
[1] "3SgNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   46             92
2      e    4              8
4      s    4              8
3      o    2              4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   46             92
2      e    4              8
4      s    4              8
```

```
3     o    2              4
[1] "4SgNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   26             52
3      o   23             46
2      e    2              4
4      s    2              4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   36             72
3      o   24             48
2      e    2              4
4      s    2              4
[1] "5SgNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   37             74
2      a    7             14
3      e    2              4
4      o    1              2
5      s    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   43             86
2      a   14             28
8      s    4              8
5      e    3              6
6      o    3              6
3     ab    1              2
4     as    1              2
7      r    1              2
[1] "1SgAcc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   43             86
2      a   13             26
5      s    4              8
3      e    1              2
4      o    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   46             92
2      a   14             28
5      s    6             12
3      e    1              2
4      o    1              2
[1] "2SgAcc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   33             66
2      o   29             58
3      s    4              8
[1] "All Endings Included"
```

```
  Suffix freq Percent_Trials
1      -   37          74
2      o   29          58
3      s    5          10
[1] "3SgAcc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   46          92
4      s    6          12
2      e    5          10
3      o    2           4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   46          92
4      s    6          12
2      e    5          10
3      o    2           4
[1] "4SgAcc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   31          62
3      o   22          44
4      s    5          10
2      e    2           4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   36          72
3      o   24          48
4      s    6          12
2      e    2           4
[1] "5SgAcc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   34          68
2      a    6          12
3      e    2           4
4      o    1           2
5      s    1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   43          86
2      a   14          28
8      s    7          14
5      e    4           8
6      o    3           6
4     as    2           4
3     ab    1           2
7      r    1           2
[1] "1SgNom,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   43          86
2      a   13          26
5      s    4           8
```

```
3      e    1            2
4      o    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   46           92
2      a   14           28
5      s    6           12
3      e    1            2
4      o    1            2
[1] "2SgNom,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   33           66
2      o   28           56
3      s    4            8
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   37           74
2      o   29           58
3      s    5           10
[1] "3SgNom,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   46           92
4      s    6           12
2      e    4            8
3      o    2            4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   46           92
4      s    6           12
2      e    4            8
3      o    2            4
[1] "4SgNom,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   31           62
3      o   23           46
4      s    5           10
2      e    2            4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   37           74
3      o   24           48
4      s    6           12
2      e    2            4
[1] "5SgNom,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   34           68
2      a    6           12
3      e    2            4
4      o    1            2
5      s    1            2
```

```
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   43          86
2      a   13          26
7      s    6          12
4      e    3           6
3     as    2           4
5      o    2           4
6      r    1           2
[1] "1SgNom,Acc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   43          86
2      a   13          26
5      s    4           8
3      e    1           2
4      o    1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   46          92
2      a   14          28
5      s    6          12
3      e    1           2
4      o    1           2
[1] "2SgNom,Acc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   33          66
2      o   29          58
3      s    4           8
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   37          74
2      o   29          58
3      s    5          10
[1] "3SgNom,Acc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   46          92
4      s    6          12
2      e    5          10
3      o    2           4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   46          92
4      s    6          12
2      e    5          10
3      o    2           4
[1] "4SgNom,Acc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   31          62
3      o   23          46
4      s    5          10
```

```
2     e    2              4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1       -   37             74
3       o   24             48
4       s    6             12
2       e    2              4
[1] "5SgNom,Acc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1       -   38             76
2       a    9             18
3       e    2              4
4       o    1              2
5       s    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1       -   43             86
2       a   14             28
8       s    7             14
5       e    4              8
6       o    3              6
4      as    2              4
3      ab    1              2
7       r    1              2
[1] "Nom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1       -   49             98
4       o   28             56
2       a   13             26
5       s    6             12
3       e    4              8
[1] "All Endings Included"
  Suffix freq Percent_Trials
1       -   49             98
5       o   29             58
2       a   14             28
7       s    7             14
4       e    4              8
3      as    3              6
6       r    1              2
[1] "NomSg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1       -   48             96
4       o   28             56
2       a   13             26
5       s    4              8
3       e    3              6
[1] "All Endings Included"
  Suffix freq Percent_Trials
1       -   49             98
5       o   29             58
```

```
2      a   14          28
7      s    5          10
4      e    3           6
3     as    1           2
6      r    1           2
[1] "1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   43          86
2      a   13          26
6      s    5          10
3     as    1           2
4      e    1           2
5      o    1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   46          92
2      a   14          28
6      s    8          16
3     as    1           2
4      e    1           2
5      o    1           2
[1] "1Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   43          86
2      a   13          26
5      s    4           8
3      e    1           2
4      o    1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   46          92
2      a   14          28
5      s    6          12
3      e    1           2
4      o    1           2
[1] "1SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   40          80
2      a   13          26
4      s    2           4
3      o    1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   46          92
2      a   14          28
4      s    2           4
3      o    1           2
[1] "2"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   39          78
```

```
3      o   29           58
4      s   6            12
2      e   1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   40           80
3      o   29           58
4      s   6            12
2      e   1            2
[1] "2Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   33           66
2      o   29           58
3      s   4            8
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   37           74
2      o   29           58
3      s   5            10
[1] "2SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      o   28           56
1      -   24           48
3      s   1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   31           62
2      o   29           58
3      s   1            2
[1] "3"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   46           92
5      s   6            12
3      e   5            10
4      o   2            4
2      a   1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   46           92
5      s   6            12
3      e   5            10
2      a   2            4
4      o   2            4
[1] "3Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   46           92
4      s   6            12
2      e   5            10
3      o   2            4
[1] "All Endings Included"
```

```
  Suffix freq Percent_Trials
1      -   46           92
4      s    6           12
2      e    5           10
3      o    2            4
[1] "3SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   46           92
4      s    4            8
2      e    3            6
3      o    2            4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   46           92
4      s    4            8
2      e    3            6
3      o    2            4
[1] "4"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   38           76
3      o   24           48
4      s    6           12
2      e    3            6
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   41           82
3      o   24           48
4      s    6           12
2      e    3            6
[1] "4Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   31           62
3      o   23           46
4      s    5           10
2      e    2            4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   37           74
3      o   24           48
4      s    6           12
2      e    2            4
[1] "4SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   25           50
3      o   22           44
2      e    2            4
4      s    2            4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   36           72
```

```
3      o    24          48
2      e     2           4
4      s     2           4
[1] "5"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -    39          78
2      a     9          18
5      s     5          10
3      e     3           6
4      o     1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -    43          86
2      a    14          28
8      s     8          16
5      e     4           8
4     as     3           6
6      o     3           6
3     ab     1           2
7      r     1           2
[1] "5Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -    38          76
2      a     9          18
3      e     2           4
4      o     1           2
5      s     1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -    43          86
2      a    14          28
8      s     7          14
5      e     4           8
6      o     3           6
4     as     2           4
3     ab     1           2
7      r     1           2
[1] "5SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -    29          58
2      a     5          10
3      e     2           4
4      s     1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -    42          84
2      a    13          26
4      e     2           4
5      o     2           4
7      s     2           4
3     as     1           2
```

```
6       r    1                2
[1] "m"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   49             98
4      o   28             56
5      s    6             12
3      e    5             10
2      a    3              6
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   49             98
5      o   29             58
6      s    8             16
2      a    7             14
4      e    5             10
3     as    1              2
[1] "mSg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   48             96
3      o   28             56
4      s    6             12
2      e    5             10
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   49             98
4      o   29             58
2      a    7             14
5      s    7             14
3      e    5             10
[1] "mSgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   46             92
3      o   26             52
2      e    3              6
4      s    3              6
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   49             98
4      o   28             56
2      a    6             12
3      e    3              6
5      s    3              6
[1] "m1SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   45             90
2      a    4              8
3      o    1              2
```

```
4       s    1               2
[1] "m2SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      o   26              52
1      -   24              48
3      s    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      o   28              56
1      -   24              48
3      s    1               2
[1] "m3SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   43              86
2      e    3               6
4      s    3               6
3      o    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   44              88
2      e    3               6
4      s    3               6
3      o    1               2
[1] "m4SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   25              50
3      o   22              44
2      e    2               4
4      s    2               4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   26              52
3      o   23              46
2      e    2               4
4      s    2               4
[1] "m5SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   40              80
2      a    5              10
3      e    2               4
4      o    2               4
5      s    1               2
[1] "f"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   49              98
2      a   14              28
```

```
5       o      8              16
6       s      6              12
4       e      5              10
3      as      1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1       -     49              98
6       o     19              38
2       a     14              28
8       s      9              18
5       e      6              12
4      as      3               6
3      ab      1               2
7       r      1               2
[1] "fSg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1       -     49              98
2       a     13              26
5       s      6              12
3       e      5              10
4       o      1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1       -     49              98
6       o     19              38
2       a     14              28
8       s      8              16
5       e      6              12
4      as      2               4
3      ab      1               2
7       r      1               2
[1] "fSgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1       -     48              96
2       a     13              26
5       s      4               8
3       e      3               6
4       o      1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1       -     49              98
5       o     19              38
2       a     14              28
7       s      5              10
4       e      3               6
3      as      1               2
6       r      1               2
[1] "f1SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1       -     40              80
2       a     13              26
```

```
4    s    2         4
3    o    1         2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1    -    44         88
2    a    14         28
4    s    2          4
3    o    1          2
[1] "f2SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix        freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1    -    31         62
2    o    18         36
3    s    1          2
[1] "f3SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1    -    44         88
4    s    4          8
2    e    3          6
3    o    1          2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1    -    44         88
4    s    4          8
2    e    3          6
3    o    1          2
[1] "f4SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix        freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1    -    36         72
3    o    13         26
2    e    2          4
4    s    2          4
[1] "f5SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix        freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1    -    41         82
2    a    13         26
4    e    2          4
7    s    2          4
3    as   1          2
5    o    1          2
6    r    1          2
[1] "n"
```

135

```
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   46            92
4      o   29            58
5      s    6            12
3      e    4             8
2      a    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   47            94
4      o   29            58
5      s    6            12
3      e    4             8
2      a    1             2
[1] "nSg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   46            92
3      o   29            58
4      s    6            12
2      e    4             8
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   47            94
3      o   29            58
4      s    6            12
2      e    4             8
[1] "nSgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   45            90
3      o   28            56
4      s    3             6
2      e    2             4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   46            92
3      o   29            58
4      s    3             6
2      e    2             4
[1] "n2SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      o   28            56
1      -   24            48
3      s    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      o   29            58
1      -   25            50
3      s    1             2
[1] "n3SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
```

```
1       -    43          86
4       s     3           6
2       e     2           4
3       o     2           4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1       -    44          88
4       s     3           6
2       e     2           4
3       o     2           4
[1] "n4SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq           Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1       -    25          50
3       o    22          44
2       e     2           4
4       s     2           4
[1] "Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1       -    49          98
4       o    28          56
2       a    13          26
3       e     5          10
5       s     5          10
[1] "All Endings Included"
  Suffix freq Percent_Trials
1       -    49          98
6       o    29          58
2       a    14          28
8       s     8          16
5       e     6          12
4      as     3           6
3      ab     1           2
7       r     1           2
[1] "AccSg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1       -    48          96
4       o    28          56
2       a    13          26
3       e     4           8
5       s     4           8
[1] "All Endings Included"
  Suffix freq Percent_Trials
1       -    49          98
5       o    29          58
2       a    14          28
4       e     5          10
7       s     5          10
3      ab     1           2
```

```
6      r    1              2
[1] "1SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   41             82
2      a   13             26
4      s    2              4
3      o    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   46             92
2      a   14             28
4      s    2              4
3      o    1              2
[1] "2SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      o   28             56
1      -   24             48
3      s    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   32             64
2      o   29             58
3      s    1              2
[1] "3SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   45             90
2      e    4              8
4      s    4              8
3      o    2              4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   45             90
2      e    4              8
4      s    4              8
3      o    2              4
[1] "4SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   25             50
3      o   22             44
2      e    2              4
4      s    2              4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   34             68
3      o   24             48
2      e    2              4
4      s    2              4
[1] "5SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
```

```
1      -    28          56
2      a     5          10
3      e     1           2
4      s     1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -    43          86
2      a    14          28
4      e     3           6
5      o     3           6
7      s     3           6
3     ab     1           2
6      r     1           2
[1] "mSgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -    46          92
3      o    26          52
2      e     4           8
4      s     3           6
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -    49          98
4      o    29          58
2      a     6          12
3      e     4           8
5      s     3           6
[1] "m1SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -    45          90
2      a     4           8
3      o     1           2
4      s     1           2
[1] "m2SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      o    26          52
1      -    24          48
3      s     1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      o    29          58
1      -    24          48
3      s     1           2
[1] "m3SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -    43          86
2      e     4           8
4      s     3           6
```

```
3      o    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   44              88
2      e    4               8
4      s    3               6
3      o    1               2
[1] "m4SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   25              50
3      o   22              44
2      e    2               4
4      s    2               4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   26              52
3      o   23              46
2      e    2               4
4      s    2               4
[1] "m5SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   39              78
2      a    5              10
4      o    3               6
3      e    2               4
5      s    1               2
[1] "fSgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   48              96
2      a   13              26
3      e    4               8
5      s    3               6
4      o    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   49              98
5      o   18              36
2      a   14              28
4      e    5              10
7      s    4               8
3     ab    1               2
6      r    1               2
[1] "f1SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   40              80
2      a   13              26
4      s    2               4
```

```
3      o   1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   44             88
2      a   14             28
4      s    2              4
3      o    1              2
[1] "f2SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix        freq         Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   32             64
2      o   17             34
3      s    1              2
[1] "f3SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   43             86
2      e    4              8
4      s    3              6
3      o    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   43             86
2      e    4              8
4      s    3              6
3      o    1              2
[1] "f4SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix        freq         Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   34             68
3      o   13             26
2      e    2              4
4      s    2              4
[1] "f5SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix        freq         Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   41             82
2      a   14             28
4      e    3              6
7      s    3              6
3     ab    1              2
5      o    1              2
6      r    1              2
[1] "nSgAcc"
[1] "Endings occuring 10 times or less excluded"
```

```
  Suffix freq Percent_Trials
1      -   44           88
3      o   28           56
2      e    3            6
4      s    3            6
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   45           90
3      o   29           58
2      e    3            6
4      s    3            6
[1] "n2SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      o   28           56
1      -   24           48
3      s    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      o   29           58
1      -   25           50
3      s    1            2
[1] "n3SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   42           84
2      e    3            6
4      s    3            6
3      o    2            4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   43           86
2      e    3            6
4      s    3            6
3      o    2            4
[1] "n4SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   25           50
3      o   22           44
2      e    2            4
4      s    2            4
[1] "Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   46           92
5      o   16           32
2      a   11           22
6      s    6           12
4      e    4            8
3     as    1            2
```

```
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   48          96
5      o   19          38
2      a   13          26
6      s    7          14
4      e    4           8
3     as    3           6
[1] "GenSg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   46          92
4      o   16          32
2      a   11          22
5      s    6          12
3      e    4           8
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   48          96
5      o   19          38
2      a   13          26
6      s    7          14
4      e    4           8
3     as    2           4
[1] "1SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   37          74
2      a   11          22
5      s    4           8
3      e    1           2
4      o    1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   41          82
2      a   13          26
5      s    6          12
3      e    1           2
4      o    1           2
[1] "2SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   32          64
2      o   16          32
3      s    4           8
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   36          72
2      o   19          38
3      s    5          10
[1] "3SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   41          82
```

```
4     s   6            12
2     e   4             8
3     o   2             4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   41            82
4      s    6            12
2      e    4             8
3      o    2             4
[1] "4SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   30            60
3      o   13            26
4      s    5            10
2      e    2             4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   35            70
3      o   15            30
4      s    6            12
2      e    2             4
[1] "5SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   29            58
2      a    5            10
4      s    4             8
3      e    2             4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   38            76
2      a   11            22
6      s    6            12
4      e    3             6
3     as    2             4
5      o    1             2
[1] "mSgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   45            90
3      o   15            30
4      s    6            12
2      e    4             8
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   46            92
4      o   18            36
5      s    7            14
2      a    5            10
3      e    4             8
[1] "m1SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq           Percent_Trials
```

```
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   40            80
5      s    6            12
2      a    4             8
3      e    1             2
4      o    1             2
[1] "m2SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   31            62
2      o   15            30
3      s    4             8
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   33            66
2      o   18            36
3      s    4             8
[1] "m3SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   39            78
4      s    6            12
2      e    4             8
3      o    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   39            78
4      s    6            12
2      e    4             8
3      o    1             2
[1] "m4SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   30            60
3      o   13            26
4      s    5            10
2      e    2             4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   30            60
3      o   14            28
4      s    5            10
2      e    2             4
[1] "m5SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq           Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   36            72
2      a    5            10
5      s    5            10
```

```
3      e    3              6
4      o    1              2
[1] "fSgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -    43             86
2      a   11             22
5      s    6             12
3      e    4              8
4      o    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -    46             92
2      a   13             26
5      o   13             26
6      s    7             14
4      e    4              8
3     as    2              4
[1] "f1SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -    37             74
2      a   11             22
5      s    4              8
3      e    1              2
4      o    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -    40             80
2      a   13             26
5      s    4              8
3      e    1              2
4      o    1              2
[1] "f2SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq         Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -    34             68
2      o   12             24
3      s    4              8
[1] "f3SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -    40             80
4      s    6             12
2      e    4              8
3      o    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -    40             80
4      s    6             12
2      e    4              8
```

```
3       o     1               2
[1] "f4SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq         Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1       -    34              68
3       o     8              16
4       s     6              12
2       e     2               4
[1] "f5SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq         Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1       -    38              76
2       a    11              22
6       s     5              10
4       e     3               6
3      as     2               4
5       o     1               2
[1] "nSgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1       -    44              88
3       o    16              32
4       s     6              12
2       e     3               6
[1] "All Endings Included"
  Suffix freq Percent_Trials
1       -    44              88
3       o    19              38
4       s     6              12
2       e     3               6
[1] "n2SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1       -    32              64
2       o    16              32
3       s     4               8
[1] "All Endings Included"
  Suffix freq Percent_Trials
1       -    32              64
2       o    19              38
3       s     4               8
[1] "n3SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1       -    39              78
4       s     6              12
2       e     3               6
3       o     2               4
```

```
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   39          78
4      s    6          12
2      e    3           6
3      o    2           4
[1] "n4SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix        freq        Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   29          58
3      o   14          28
4      s    5          10
2      e    2           4
[1] "Pl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   48          96
2      a   13          26
5      o   12          24
6      s    6          12
4      e    5          10
3     as    1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   49          98
2      a   14          28
5      o   13          26
6      s    8          16
4      e    5          10
3     as    3           6
[1] "1PlNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   41          82
2      a   13          26
5      s    4           8
3      e    1           2
4      o    1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   42          84
2      a   14          28
5      s    7          14
3      e    1           2
4      o    1           2
[1] "2PlNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   39          78
2      o   12          24
3      s    4           8
```

```
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -   40          80
2     o   13          26
3     s    5          10
[1] "3PlNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     -   41          82
5     s    6          12
3     e    5          10
4     o    2           4
2     a    1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -   41          82
5     s    6          12
3     e    5          10
2     a    2           4
4     o    2           4
[1] "4PlNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     -   37          74
3     o    9          18
4     s    4           8
2     e    2           4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -   40          80
3     o   11          22
4     s    5          10
2     e    2           4
[1] "5PlNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     -   33          66
2     a    6          12
5     s    3           6
3     e    2           4
4     o    1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -   39          78
2     a   13          26
6     s    6          12
3    as    3           6
4     e    3           6
5     o    1           2
[1] "1PlAcc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     -   40          80
2     a   13          26
```

```
6      s    5            10
3     as    1             2
4      e    1             2
5      o    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   42            84
2      a   14            28
6      s    7            14
3     as    1             2
4      e    1             2
5      o    1             2
[1] "2PlAcc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   39            78
3      o   10            20
4      s    6            12
2      e    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   40            80
3      o   13            26
4      s    6            12
2      e    1             2
[1] "3PlAcc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   41            82
5      s    6            12
3      e    5            10
4      o    2             4
2      a    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   41            82
5      s    6            12
3      e    5            10
2      a    2             4
4      o    2             4
[1] "4PlAcc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   37            74
3      o    9            18
4      s    6            12
2      e    3             6
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   40            80
3      o   10            20
4      s    6            12
2      e    3             6
[1] "5PlAcc,Gen"
```

```
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   33           66
2      a    5           10
3      e    3            6
5      s    3            6
4      o    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   39           78
2      a   13           26
6      s    6           12
3     as    3            6
4      e    3            6
5      o    1            2
[1] "1PlNom,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   39           78
2      a   13           26
6      s    5           10
3     as    1            2
4      e    1            2
5      o    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   41           82
2      a   14           28
6      s    6           12
3     as    1            2
4      e    1            2
5      o    1            2
[1] "2PlNom,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   37           74
3      o   12           24
4      s    6           12
2      e    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   37           74
3      o   12           24
4      s    6           12
2      e    1            2
[1] "3PlNom,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   40           80
5      s    6           12
3      e    4            8
4      o    2            4
2      a    1            2
[1] "All Endings Included"
```

```
  Suffix freq Percent_Trials
1      -   40             80
5      s    6             12
3      e    4              8
4      o    2              4
2      a    1              2
[1] "4PlNom,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   36             72
3      o    9             18
4      s    6             12
2      e    3              6
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   39             78
3      o   11             22
4      s    6             12
2      e    3              6
[1] "5PlNom,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   35             70
2      a    5             10
5      s    5             10
3      e    3              6
4      o    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   36             72
2      a   12             24
6      s    7             14
3     as    3              6
4      e    3              6
5      o    1              2
[1] "1PlNom,Acc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   41             82
2      a   13             26
6      s    5             10
3     as    1              2
4      e    1              2
5      o    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   42             84
2      a   14             28
6      s    7             14
3     as    1              2
4      e    1              2
5      o    1              2
[1] "2PlNom,Acc,Gen"
[1] "Endings occuring 10 times or less excluded"
```

```
  Suffix freq Percent_Trials
1      -   39            78
3      o   12            24
4      s    6            12
2      e    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   40            80
3      o   13            26
4      s    6            12
2      e    1             2
[1] "3PlNom,Acc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   41            82
5      s    6            12
3      e    5            10
4      o    2             4
2      a    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   41            82
5      s    6            12
3      e    5            10
2      a    2             4
4      o    2             4
[1] "4PlNom,Acc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   37            74
3      o    9            18
4      s    6            12
2      e    3             6
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   40            80
3      o   11            22
4      s    6            12
2      e    3             6
[1] "5PlNom,Acc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   35            70
2      a    6            12
5      s    5            10
3      e    3             6
4      o    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   39            78
2      a   13            26
6      s    7            14
3     as    3             6
4      e    3             6
```

```
5      o     1                 2
```
[1] "NomPl"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
1      -    46              92
2      a    13              26
4      o    11              22
5      s     6              12
3      e     4               8
```
[1] "All Endings Included"
```
  Suffix freq Percent_Trials
1      -    47              94
2      a    14              28
5      o    12              24
6      s     7              14
4      e     4               8
3     as     3               6
```
[1] "1Pl"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
1      -    41              82
2      a    13              26
6      s     5              10
3     as     1               2
4      e     1               2
5      o     1               2
```
[1] "All Endings Included"
```
  Suffix freq Percent_Trials
1      -    42              84
2      a    14              28
6      s     7              14
3     as     1               2
4      e     1               2
5      o     1               2
```
[1] "1PlNom"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
1      -    37              74
2      a    13              26
5      s     4               8
3      e     1               2
4      o     1               2
```
[1] "All Endings Included"
```
  Suffix freq Percent_Trials
1      -    41              82
2      a    14              28
5      s     6              12
3      e     1               2
4      o     1               2
```
[1] "2Pl"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
1      -    39              78
3      o    12              24
```

```
4       s    6            12
2       e    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1       -   40            80
3       o   13            26
4       s    6            12
2       e    1             2
[1] "2PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1       -   37            74
2       o   11            22
3       s    4             8
[1] "All Endings Included"
  Suffix freq Percent_Trials
1       -   37            74
2       o   12            24
3       s    5            10
[1] "3Pl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1       -   41            82
5       s    6            12
3       e    5            10
4       o    2             4
2       a    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1       -   41            82
5       s    6            12
3       e    5            10
2       a    2             4
4       o    2             4
[1] "3PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1       -   40            80
5       s    6            12
3       e    4             8
4       o    2             4
2       a    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1       -   40            80
5       s    6            12
3       e    4             8
4       o    2             4
2       a    1             2
[1] "4Pl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1       -   37            74
3       o    9            18
```

```
4      s    6              12
2      e    3               6
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   40              80
3      o   11              22
4      s    6              12
2      e    3               6
[1] "4PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   36              72
3      o    9              18
4      s    4               8
2      e    2               4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   39              78
3      o   11              22
4      s    5              10
2      e    2               4
[1] "5Pl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   35              70
2      a    6              12
5      s    5              10
3      e    3               6
4      o    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   39              78
2      a   13              26
6      s    7              14
3     as    3               6
4      e    3               6
5      o    1               2
[1] "5PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   29              58
2      a    5              10
4      s    4               8
3      e    2               4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   36              72
2      a   11              22
6      s    6              12
3     as    3               6
4      e    3               6
5      o    1               2
[1] "mPl"
[1] "Endings occuring 10 times or less excluded"
```

```
  Suffix freq Percent_Trials
1      -   48             96
4      o   11             22
5      s    6             12
3      e    5             10
2      a    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   48             96
5      o   11             22
6      s    7             14
2      a    5             10
4      e    5             10
3     as    1              2
[1] "mPlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   45             90
4      o   11             22
5      s    6             12
3      e    4              8
2      a    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   47             94
5      o   11             22
6      s    6             12
2      a    5             10
4      e    4              8
3     as    1              2
[1] "m1PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   41             82
5      s    6             12
2      a    4              8
3      e    1              2
4      o    1              2
[1] "m2PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   36             72
2      o   10             20
3      s    4              8
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   37             74
2      o   11             22
3      s    4              8
[1] "m3PlNom"
[1] "Endings occuring 10 times or less excluded"
```

```
  Suffix freq Percent_Trials
1      -   38            76
5      s    6            12
3      e    4             8
2      a    1             2
4      o    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   39            78
5      s    6            12
3      e    4             8
2      a    1             2
4      o    1             2
[1] "m4PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   35            70
3      o    9            18
4      s    4             8
2      e    2             4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   36            72
3      o   10            20
4      s    4             8
2      e    2             4
[1] "m5PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   35            70
2      a    5            10
6      s    5            10
4      e    3             6
3     as    1             2
5      o    1             2
[1] "fPl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   43            86
2      a   13            26
6      s    6            12
4      e    5            10
3     as    1             2
5      o    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   48            96
2      a   14            28
5      o   10            20
6      s    8            16
4      e    5            10
```

```
3      as    3                6
[1] "fPlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -    42               84
2      a    13               26
5      s     6               12
3      e     4                8
4      o     1                2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -    45               90
2      a    14               28
5      o    10               20
6      s     7               14
4      e     4                8
3      as    2                4
[1] "f1PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -    37               74
2      a    13               26
4      s     4                8
3      o     1                2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -    40               80
2      a    14               28
5      s     4                8
3      e     1                2
4      o     1                2
[1] "f2PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -    35               70
2      o    10               20
3      s     5               10
[1] "f3PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -    39               78
5      s     6               12
3      e     4                8
2      a     1                2
4      o     1                2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -    39               78
5      s     6               12
3      e     4                8
2      a     1                2
```

```
4    o    1             2
[1] "f4PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix        freq        Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1    -    38            76
3    o    6             12
4    s    5             10
2    e    2              4
[1] "f5PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix        freq        Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1    -    36            72
2    a   11            22
6    s    6            12
4    e    3             6
3   as    2             4
5    o    1             2
[1] "nPl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1    -    46            92
4    o   12            24
5    s    6            12
3    e    4             8
2    a    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1    -    47            94
4    o   13            26
5    s    6            12
3    e    4             8
2    a    1             2
[1] "nPlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1    -    44            88
4    o   11            22
5    s    6            12
3    e    3             6
2    a    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1    -    45            90
4    o   12            24
5    s    6            12
3    e    3             6
2    a    1             2
[1] "n2PlNom"
```

```
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   37           74
2      o   11           22
3      s    4            8
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   37           74
2      o   12           24
3      s    4            8
[1] "n3PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   38           76
5      s    6           12
3      e    3            6
4      o    2            4
2      a    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   39           78
5      s    6           12
3      e    3            6
4      o    2            4
2      a    1            2
[1] "n4PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   35           70
3      o   10           20
4      s    4            8
2      e    2            4
[1] "AccPl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   48           96
2      a   13           26
4      o   10           20
3      e    5           10
5      s    5           10
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   49           98
2      a   14           28
5      o   13           26
6      s    7           14
4      e    5           10
3     as    3            6
[1] "1PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
```

161

```
1      -   38            76
2      a   13            26
5      s    3             6
3      e    1             2
4      o    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   42            84
2      a   14            28
5      s    5            10
3      e    1             2
4      o    1             2
[1] "2PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   38            76
2      o   10            20
3      s    2             4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   40            80
2      o   13            26
3      s    3             6
[1] "3PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   40            80
3      e    5            10
5      s    5            10
4      o    2             4
2      a    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   40            80
3      e    5            10
5      s    5            10
2      a    2             4
4      o    2             4
[1] "4PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   36            72
3      o    9            18
4      s    3             6
2      e    2             4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   39            78
3      o   10            20
4      s    4             8
2      e    2             4
[1] "5PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
```

```
1        -   28          56
2        a   5           10
4        s   3            6
3        e   1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1        -   39          78
2        a   13          26
6        s   4            8
3       as   3            6
4        e   3            6
5        o   1            2
[1] "mPlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1        -   46          92
4        o   10          20
3        e   5           10
5        s   5           10
2        a   1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1        -   48          96
5        o   11          22
6        s   6           12
2        a   5           10
4        e   5           10
3       as   1            2
[1] "m1PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1        -   42          84
5        s   5           10
2        a   4            8
3        e   1            2
4        o   1            2
[1] "m2PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1        -   38          76
2        o   10          20
3        s   2            4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1        -   39          78
2        o   11          22
3        s   2            4
[1] "m3PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1        -   38          76
```

```
3        e     5              10
5        s     5              10
2        a     1               2
4        o     1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1        -    39              78
3        e     5              10
5        s     5              10
2        a     1               2
4        o     1               2
[1] "m4PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1        -    36              72
3        o     9              18
4        s     3               6
2        e     2               4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1        -    37              74
3        o     9              18
4        s     3               6
2        e     2               4
[1] "m5PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq            Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1        -    37              74
2        a     5              10
4        e     3               6
6        s     3               6
3       as     1               2
5        o     1               2
[1] "fPlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1        -    43              86
2        a    13              26
3        e     5              10
5        s     5              10
4        o     1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1        -    48              96
2        a    14              28
5        o    10              20
6        s     7              14
4        e     5              10
3       as     2               4
[1] "f1PlAcc"
[1] "Endings occuring 10 times or less excluded"
```

```
  Suffix freq Percent_Trials
1      -   38            76
2      a   13            26
5      s    3             6
3      e    1             2
4      o    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   41            82
2      a   14            28
5      s    4             8
3      e    1             2
4      o    1             2
[1] "f2PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   38            76
2      o   10            20
3      s    2             4
[1] "f3PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   39            78
3      e    5            10
5      s    5            10
2      a    1             2
4      o    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   39            78
3      e    5            10
5      s    5            10
2      a    2             4
4      o    1             2
[1] "f4PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   38            76
3      o    7            14
4      s    4             8
2      e    2             4
[1] "f5PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   39            78
```

```
2    a   13            26
6    s    4             8
4    e    3             6
3   as    2             4
5    o    1             2
[1] "nPlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1    -   45            90
4    o   10            20
5    s    5            10
3    e    4             8
2    a    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1    -   46            92
4    o   13            26
5    s    5            10
3    e    4             8
2    a    1             2
[1] "n2PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1    -   38            76
2    o   10            20
3    s    2             4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1    -   39            78
2    o   13            26
3    s    2             4
[1] "n3PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1    -   38            76
5    s    5            10
3    e    4             8
4    o    2             4
2    a    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1    -   39            78
5    s    5            10
3    e    4             8
4    o    2             4
2    a    1             2
[1] "n4PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1    -   35            70
3    o   10            20
```

```
4      s    3              6
2      e    2              4
[1] "GenPl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -    43             86
5      o    10             20
2      a    9              18
6      s    6              12
4      e    4               8
3      as   1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -    43             86
2      a    12             24
5      o    11             22
6      s    6              12
4      e    4               8
3      as   3               6
[1] "1PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -    37             74
2      a    9              18
6      s    5              10
3      as   1               2
4      e    1               2
5      o    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -    40             80
2      a    11             22
6      s    6              12
3      as   1               2
4      e    1               2
5      o    1               2
[1] "2PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -    34             68
3      o    10             20
4      s    6              12
2      e    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -    34             68
3      o    11             22
4      s    6              12
2      e    1               2
[1] "3PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -    40             80
5      s    6              12
```

```
3     e    4              8
4     o    2              4
2     a    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   40             80
5      s    6             12
3      e    4              8
4      o    2              4
2      a    1              2
[1] "4PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   33             66
3      o    9             18
4      s    6             12
2      e    3              6
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   35             70
3      o   10             20
4      s    6             12
2      e    3              6
[1] "5PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   29             58
2      a    5             10
4      s    4              8
3      e    3              6
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   36             72
2      a   10             20
6      s    6             12
3     as    3              6
4      e    3              6
5      o    1              2
[1] "mPlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   42             84
4      o   10             20
5      s    6             12
3      e    4              8
2      a    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   43             86
4      o   10             20
5      s    6             12
2      a    5             10
3      e    4              8
[1] "m1PlGen"
```

```
[1] "Endings occuring 10 times or less excluded"
[1] Suffix        freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   39             78
5      s    6             12
2      a    4              8
3      e    1              2
4      o    1              2
[1] "m2PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   33             66
3      o   10             20
4      s    6             12
2      e    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   34             68
3      o   10             20
4      s    6             12
2      e    1              2
[1] "m3PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   38             76
5      s    6             12
3      e    4              8
2      a    1              2
4      o    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   39             78
5      s    6             12
3      e    4              8
2      a    1              2
4      o    1              2
[1] "m4PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   33             66
3      o    9             18
4      s    6             12
2      e    3              6
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   33             66
3      o    9             18
4      s    6             12
2      e    3              6
[1] "m5PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix        freq          Percent_Trials
```

```
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   35           70
5      s    6           12
2      a    5           10
3      e    3            6
4      o    1            2
[1] "fPlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   42           84
2      a    9           18
6      s    6           12
4      e    4            8
3     as    1            2
5      o    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   43           86
2      a   12           24
5      o   10           20
6      s    6           12
4      e    4            8
3     as    3            6
[1] "f1PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   37           74
2      a    9           18
6      s    5           10
3     as    1            2
4      e    1            2
5      o    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   40           80
2      a   11           22
6      s    5           10
3     as    1            2
4      e    1            2
5      o    1            2
[1] "f2PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   33           66
3      o   10           20
4      s    6           12
2      e    1            2
[1] "f3PlGen"
[1] "Endings occuring 10 times or less excluded"
```

```
  Suffix freq Percent_Trials
1      -   39             78
5      s    6             12
3      e    4              8
2      a    1              2
4      o    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   39             78
5      s    6             12
3      e    4              8
2      a    1              2
4      o    1              2
[1] "f4PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   35             70
3      o    6             12
4      s    6             12
2      e    3              6
[1] "f5PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   36             72
2      a   10             20
6      s    6             12
3     as    3              6
4      e    3              6
5      o    1              2
[1] "nPlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   41             82
4      o   10             20
5      s    6             12
3      e    3              6
2      a    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   41             82
4      o   11             22
5      s    6             12
3      e    3              6
2      a    1              2
[1] "n2PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   34             68
```

```
3      o   10            20
4      s   6             12
2      e   1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   34            68
3      o   11            22
4      s   6             12
2      e   1              2
[1] "n3PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   38            76
5      s   6             12
3      e   3              6
4      o   2              4
2      a   1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   38            76
5      s   6             12
3      e   3              6
4      o   2              4
2      a   1              2
[1] "n4PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   32            64
3      o   10            20
4      s   6             12
2      e   3              6
```