⚠ This commit does not belong to any branch on this repository, and may belong to a fork outside of the repository.

Commit 9f79ee4

RianPuth authored 4 hours ago Verified

```
Merge pull request #1 from tylerwnevin/Extended-main

Added animal and datahandler classes
```

2 parents a348724 + e2c47e1 commit 9f79ee4

23 files changed +542

Top

Filter files...

- BaobabRidgeWildlifeRecords/Project-PRG2782-main
  - BaobabRidgeWildlifeRecords
    - BaobabRidgeWildlifeRecords.sln
    - BaobabRidgeWildlifeRecords
      - Animal.cs
      - BaobabRidgeWildlifeRecords.csproj.user
      - BaobabRidgeWildlifeRecords.csproj
      - DataHandler.cs
      - Form1.cs
      - Program.cs
      - obj

BaobabRidgeWildlifeRecords.csproj.nuget.dgspec.json

BaobabRidgeWildlifeRecords.csproj.nuget.g.props

BaobabRidgeWildlifeRecords.csproj.nuget.g.targets

Debug/net8.0-windows

BaobabRidgeWildlifeRecords.AssemblyInfo.cs

BaobabRidgeWildlifeRecords.AssemblyInfoInputs.cache

BaobabRidgeWildlifeRecords.GeneratedMSBuildEditorConfig.editorconfig

BaobabRidgeWildlifeRecords.GlobalUsings.g.cs

BaobabRidgeWildlifeRecords.assets.cache

Release/net8.0-windows

BaobabRidgeWildlifeRecords.AssemblyInfo.cs

BaobabRidgeWildlifeRecords.AssemblyInfoInputs.cache

BaobabRidgeWildlifeRecords.GeneratedMSBuildEditorConfig.editorconfig

BaobabRidgeWildlifeRecords.GlobalUsings.g.cs

project.assets.json

project.nuget.cache

README.md

README.md

Search within code

...WildlifeRecords/BaobabRidgeWildlifeRecords.sln

```
@@ -0,0 +1,18 @@
+ Microsoft Visual Studio Solution File, Format Version 12.00
+ # Visual Studio Version 17
+ VisualStudioVersion = 17.0.31903.59
+ MinimumVisualStudioVersion = 10.0.40219.1
+ Project("{FAE04EC0-301F-11D3-BF4B-00C04F79EFBC}") = "BaobabRidgeWildlifeRecords", "BaobabRidgeWildlifeRecords\BaobabRidgeWildlifeRecords.csproj", "{A9B7C6D5-E4F3-4210-9876-123456789ABC}"
+ EndProject
+ Global
+     GlobalSection(SolutionConfigurationPlatforms) = preSolution
```

```
+         Debug|Any CPU = Debug|Any CPU
+         Release|Any CPU = Release|Any CPU
+     EndGlobalSection
+     GlobalSection(ProjectConfigurationPlatforms) = postSolution
+         {A9B7C6D5-E4F3-4210-9876-123456789ABC}.Debug|Any CPU.ActiveCfg = Debug|Any CPU
+         {A9B7C6D5-E4F3-4210-9876-123456789ABC}.Debug|Any CPU.Build.0 = Debug|Any CPU
+         {A9B7C6D5-E4F3-4210-9876-123456789ABC}.Release|Any CPU.ActiveCfg = Release|Any CPU
+         {A9B7C6D5-E4F3-4210-9876-123456789ABC}.Release|Any CPU.Build.0 = Release|Any CPU
+     EndGlobalSection
+ EndGlobal
```

...feRecords/BaobabRidgeWildlifeRecords/Animal.cs

```
@@ -0,0 +1,60 @@
+ using System;
+ using System.Collections.Generic;
+ using System.Linq;
+ using System.Text;
+ using System.Threading.Tasks;
+
+ namespace BaobabRidgeWildlifeRecords
+ {
+     internal class Animal
+     {
+
+         public string AnimalID { get; }
+         public string Name { get; set; }
+         public string Species { get; set; }
+         public int Age { get; set; }
+         public int RecoveryScore { get; set; }
+         public string Status { get; private set; }
+         public string HousingUnit { get; private set; }
+
+         public Animal(string animalID, string name, string species, int age, int recoveryscore)
+         {
+             AnimalID = animalID;
```

```
23  +              Name = name;
24  +              Species = species;
25  +              Age = age;
26  +              RecoveryScore = recoveryscore;
27  +              Recalculate();
28  +          }
29  +
30  +          public void Recalculate()
31  +          {
32  +              if (RecoveryScore > 0 && RecoveryScore < 20)
33  +              {
34  +                  Status = "Critical";
35  +                  HousingUnit = "Intensive Care Unit";
36  +              }
37  +              else if (RecoveryScore > 19 &&  RecoveryScore < 40)
38  +              {
39  +                  Status = "Serious";
40  +                  HousingUnit = "High-Dependency Ward";
41  +              }
42  +              else if (RecoveryScore > 39 && RecoveryScore < 60)
43  +              {
44  +                  Status = "Stable";
45  +                  HousingUnit = "Recovery Ward";
46  +              }
47  +              else if (RecoveryScore > 59 && RecoveryScore < 80)
48  +              {
49  +                  Status = "Recovering";
50  +                  HousingUnit = "Outdoor Enclosure";
51  +              }
52  +              else
53  +              {
54  +                  Status = "Release-Ready";
55  +                  HousingUnit = "Pre-Release Camp";
56  +              }
57  +
58  +          }
59  +      }
60  + }
```

...dlifeRecords/BaobabRidgeWildlifeRecords.csproj

```
@@ -0,0 +1,9 @@
+ <Project Sdk="Microsoft.NET.Sdk">
+   <PropertyGroup>
+     <OutputType>WinExe</OutputType>
+     <TargetFramework>net8.0-windows</TargetFramework>
+     <UseWindowsForms>true</UseWindowsForms>
+     <Nullable>enable</Nullable>
+     <ImplicitUsings>enable</ImplicitUsings>
+   </PropertyGroup>
+ </Project>
```

...Records/BaobabRidgeWildlifeRecords.csproj.user

```
@@ -0,0 +1,9 @@
+ <?xml version="1.0" encoding="utf-8"?>
+ <Project ToolsVersion="Current" xmlns="http://schemas.microsoft.com/developer/
msbuild/2003">
+   <PropertyGroup />
+   <ItemGroup>
+     <Compile Update="Form1.cs">
+       <SubType>Form</SubType>
+     </Compile>
+   </ItemGroup>
+ </Project>
```

⊖

...ords/BaobabRidgeWildlifeRecords/DataHandler.cs

```
@@ -0,0 +1,50 @@
+ using System;
+ using System.Collections.Generic;
+ using System.Linq;
+ using System.Text;
+ using System.Threading.Tasks;
+
+ namespace BaobabRidgeWildlifeRecords
+ {
+     internal class DataHandler
```

```
10  +     {
11  +
12  +         private List<Animal> Animals {  get; set; }
13  +
14  +         public DataHandler()//Constructor to load from the file on creation;
15  +         {
16  +
17  +         }
18  +
19  +
20  +         public void AddAnimal() //Adds animal to list
21  +         {
22  +
23  +         }
24  +
25  +         public void RemoveAnimal() //Removes animal from list
26  +         {
27  +
28  +         }
29  +
30  +         public List<Animal> ViewAnimals() //Sends animal list to program for viewing
31  +         {
32  +             return Animals;
33  +         }
34  +
35  +         public void UpdateAnimal() //Changes an animal in list
36  +         {
37  +
38  +         }
39  +
40  +         public void GenerateSummary() //Generates summary
41  +         {
42  +
43  +         }
44  +
45  +         public void WriteToAnimalFile() //Writes list to file
46  +         {
47  +
48  +         }
49  +     }
```

```
50  + }
```

…ifeRecords/BaobabRidgeWildlifeRecords/Form1.cs

```
    @@ -0,0 +1,30 @@
1   + namespace BaobabRidgeWildlifeRecords;
2   +
3   + /// <summary>
4   + /// The initial blank main form for the wildlife records application.
5   + /// </summary>
6   + public partial class Form1 : Form
7   + {
8   +     /// <summary>
9   +     /// Creates the main form.
10  +     /// </summary>
11  +     public Form1()
12  +     {
13  +         InitializeComponent();
14  +     }
15  +
16  +     /// <summary>
17  +     /// Initializes the blank form's basic properties.
18  +     /// </summary>
19  +     private void InitializeComponent()
20  +     {
21  +         SuspendLayout();
22  +         AutoScaleDimensions = new SizeF(7F, 15F);
23  +         AutoScaleMode = AutoScaleMode.Font;
24  +         ClientSize = new Size(1000, 600);
25  +         Name = "Form1";
26  +         StartPosition = FormStartPosition.CenterScreen;
27  +         Text = "Baobab Ridge Wildlife Rehabilitation Records System";
28  +         ResumeLayout(false);
29  +     }
30  + }
```

…eRecords/BaobabRidgeWildlifeRecords/Program.cs

```
    @@ -0,0 +1,17 @@
1   + namespace BaobabRidgeWildlifeRecords;
```

```
+
+ /// <summary>
+ /// Starts the Windows Forms application.
+ /// </summary>
+ internal static class Program
+ {
+     /// <summary>
+     /// Configures Windows Forms and opens the main form.
+     /// </summary>
+     [STAThread]
+     static void Main()
+     {
+         ApplicationConfiguration.Initialize();
+         Application.Run(new Form1());
+     }
+ }
```

…bRidgeWildlifeRecords.csproj.nuget.dgspec.json

```
@@ -0,0 +1,79 @@
+ {
+   "format": 1,
+   "restore": {
+     "C:\\Users\\rianp\\OneDrive\\Desktop\\Pron\\Universiteit\\PRG282\\Project\
\Project-PRG2782-main\\BaobabRidgeWildlifeRecords\\BaobabRidgeWildlifeRecords\
\BaobabRidgeWildlifeRecords.csproj": {}
+   },
+   "projects": {
+     "C:\\Users\\rianp\\OneDrive\\Desktop\\Pron\\Universiteit\\PRG282\\Project\
\Project-PRG2782-main\\BaobabRidgeWildlifeRecords\\BaobabRidgeWildlifeRecords\
\BaobabRidgeWildlifeRecords.csproj": {
+       "version": "1.0.0",
+       "restore": {
+         "projectUniqueName": "C:\\Users\\rianp\\OneDrive\\Desktop\\Pron\
\Universiteit\\PRG282\\Project\\Project-PRG2782-main\\BaobabRidgeWildlifeRecords\
\BaobabRidgeWildlifeRecords\\BaobabRidgeWildlifeRecords.csproj",
+         "projectName": "BaobabRidgeWildlifeRecords",
+         "projectPath": "C:\\Users\\rianp\\OneDrive\\Desktop\\Pron\\Universiteit\
\PRG282\\Project\\Project-PRG2782-main\\BaobabRidgeWildlifeRecords\
\BaobabRidgeWildlifeRecords\\BaobabRidgeWildlifeRecords.csproj",
```

```
+         "packagesPath": "C:\\Users\\rianp\\.nuget\\packages\\",
+         "outputPath": "C:\\Users\\rianp\\OneDrive\\Desktop\\Pron\\Universiteit\
\PRG282\\Project\\Project-PRG2782-main\\BaobabRidgeWildlifeRecords\
\BaobabRidgeWildlifeRecords\\obj\\",
+         "projectStyle": "PackageReference",
+         "fallbackFolders": [
+           "C:\\Program Files (x86)\\Microsoft Visual Studio\\Shared\\NuGetPackages"
+         ],
+         "configFilePaths": [
+           "C:\\Users\\rianp\\AppData\\Roaming\\NuGet\\NuGet.Config",
+           "C:\\Program Files (x86)\\NuGet\\Config\
\Microsoft.VisualStudio.FallbackLocation.config",
+           "C:\\Program Files (x86)\\NuGet\\Config\
\Microsoft.VisualStudio.Offline.config"
+         ],
+         "originalTargetFrameworks": [
+           "net8.0-windows"
+         ],
+         "sources": {
+           "C:\\Program Files (x86)\\Microsoft SDKs\\NuGetPackages\\": {},
+           "C:\\Program Files\\dotnet\\library-packs": {},
+           "https://api.nuget.org/v3/index.json": {}
+         },
+         "frameworks": {
+           "net8.0-windows": {
+             "framework": "net8.0-windows7.0",
+             "targetAlias": "net8.0-windows",
+             "projectReferences": {}
+           }
+         },
+         "warningProperties": {
+           "warnAsError": [
+             "NU1605"
+           ]
+         },
+         "restoreAuditProperties": {
+           "enableAudit": "true",
+           "auditLevel": "low",
+           "auditMode": "direct"
+         },
```

```
49  +         "SdkAnalysisLevel": "10.0.400"
50  +       },
51  +       "frameworks": {
52  +         "net8.0-windows": {
53  +           "framework": "net8.0-windows7.0",
54  +           "targetAlias": "net8.0-windows",
55  +           "imports": [
56  +             "net461",
57  +             "net462",
58  +             "net47",
59  +             "net471",
60  +             "net472",
61  +             "net48",
62  +             "net481"
63  +           ],
64  +           "assetTargetFallback": true,
65  +           "warn": true,
66  +           "frameworkReferences": {
67  +             "Microsoft.NETCore.App": {
68  +               "privateAssets": "all"
69  +             },
70  +             "Microsoft.WindowsDesktop.App.WindowsForms": {
71  +               "privateAssets": "none"
72  +             }
73  +           },
74  +           "runtimeIdentifierGraphPath": "C:\\Program Files\\dotnet\\sdk\\10.0.402/
      PortableRuntimeIdentifierGraph.json"
75  +         }
76  +       }
77  +     }
78  +   }
79  + }
```

⛔

...aobabRidgeWildlifeRecords.csproj.nuget.g.props

```
•••   @@ -0,0 +1,16 @@
1   + <?xml version="1.0" encoding="utf-8" standalone="no"?>
2   + <Project ToolsVersion="14.0" xmlns="http://schemas.microsoft.com/developer/
      msbuild/2003">
```

```
3   +   <PropertyGroup Condition=" '$(ExcludeRestorePackageImports)' != 'true' ">
4   +     <RestoreSuccess Condition=" '$(RestoreSuccess)' == '' ">True</RestoreSuccess>
5   +     <RestoreTool Condition=" '$(RestoreTool)' == '' ">NuGet</RestoreTool>
6   +     <ProjectAssetsFile Condition=" '$(ProjectAssetsFile)' == ''
      ">$(MSBuildThisFileDirectory)project.assets.json</ProjectAssetsFile>
7   +     <NuGetPackageRoot Condition=" '$(NuGetPackageRoot)' == ''
      ">$(UserProfile)\.nuget\packages\</NuGetPackageRoot>
8   +     <NuGetPackageFolders Condition=" '$(NuGetPackageFolders)' == '' ">C:
      \Users\rianp\.nuget\packages\;C:\Program Files (x86)\Microsoft Visual
      Studio\Shared\NuGetPackages</NuGetPackageFolders>
9   +     <NuGetProjectStyle Condition=" '$(NuGetProjectStyle)' == '' ">PackageReference</
      NuGetProjectStyle>
10  +     <NuGetToolVersion Condition=" '$(NuGetToolVersion)' == '' ">7.0.0</
      NuGetToolVersion>
11  +   </PropertyGroup>
12  +   <ItemGroup Condition=" '$(ExcludeRestorePackageImports)' != 'true' ">
13  +     <SourceRoot Include="C:\Users\rianp\.nuget\packages\" />
14  +     <SourceRoot Include="C:\Program Files (x86)\Microsoft Visual
      Studio\Shared\NuGetPackages\" />
15  +   </ItemGroup>
16  + </Project>
```

…babRidgeWildlifeRecords.csproj.nuget.g.targets

```
•••   @@ -0,0 +1,2 @@
1   + <?xml version="1.0" encoding="utf-8" standalone="no"?>
2   + <Project ToolsVersion="14.0" xmlns="http://schemas.microsoft.com/developer/
      msbuild/2003" />
```

…ows/BaobabRidgeWildlifeRecords.AssemblyInfo.cs

```
•••   @@ -0,0 +1,25 @@
1   + //------------------------------------------------------------------------------
2   + // <auto-generated>
3   + //     This code was generated by a tool.
4   + //     Runtime Version:4.0.30319.42000
5   + //
6   + //     Changes to this file may cause incorrect behavior and will be lost if
```

```
7   + //     the code is regenerated.
8   + // </auto-generated>
9   + //------------------------------------------------------------------------------
10  +
11  + using System;
12  + using System.Reflection;
13  +
14  + [assembly: System.Reflection.AssemblyCompanyAttribute("BaobabRidgeWildlifeRecords")]
15  + [assembly: System.Reflection.AssemblyConfigurationAttribute("Debug")]
16  + [assembly: System.Reflection.AssemblyFileVersionAttribute("1.0.0.0")]
17  + [assembly: System.Reflection.AssemblyInformationalVersionAttribute("1.0.0")]
18  + [assembly: System.Reflection.AssemblyProductAttribute("BaobabRidgeWildlifeRecords")]
19  + [assembly: System.Reflection.AssemblyTitleAttribute("BaobabRidgeWildlifeRecords")]
20  + [assembly: System.Reflection.AssemblyVersionAttribute("1.0.0.0")]
21  + [assembly: System.Runtime.Versioning.TargetPlatformAttribute("Windows7.0")]
22  + [assembly: System.Runtime.Versioning.SupportedOSPlatformAttribute("Windows7.0")]
23  +
24  + // Generated by the MSBuild WriteCodeFragment class.
25  +
```

…bRidgeWildlifeRecords.AssemblyInfoInputs.cache

```
•••   @@ -0,0 +1 @@
1   + a4d467e47bff21456093153506666e115cb65faa73b2921f53af21ed50356305
```

…ords.GeneratedMSBuildEditorConfig.editorconfig

```
•••   @@ -0,0 +1,25 @@
1   + is_global = true
2   + build_property.ApplicationManifest =
3   + build_property.StartupObject =
4   + build_property.ApplicationDefaultFont =
5   + build_property.ApplicationHighDpiMode =
6   + build_property.ApplicationUseCompatibleTextRendering =
7   + build_property.ApplicationVisualStyles =
8   + build_property.TargetFramework = net8.0-windows
9   + build_property.TargetFrameworkIdentifier = .NETCoreApp
10  + build_property.TargetFrameworkVersion = v8.0
11  + build_property.TargetPlatformMinVersion = 7.0
12  + build_property.UsingMicrosoftNETSdkWeb =
```

```
13  + build_property.ProjectTypeGuids =
14  + build_property.InvariantGlobalization =
15  + build_property.PlatformNeutralAssembly =
16  + build_property.EnforceExtendedAnalyzerRules =
17  + build_property.EntryPointFilePath =
18  + build_property._SupportedPlatformList = Linux,macOS,Windows
19  + build_property.RootNamespace = BaobabRidgeWildlifeRecords
20  + build_property.ProjectDir = C:
      \Users\rianp\OneDrive\Desktop\Pron\Universiteit\PRG282\Project\Project-PRG2782-
      main\BaobabRidgeWildlifeRecords\BaobabRidgeWildlifeRecords\
21  + build_property.EnableComHosting =
22  + build_property.EnableGeneratedComInterfaceComImportInterop =
23  + build_property.CsWinRTUseWindowsUIXamlProjections = false
24  + build_property.EffectiveAnalysisLevelStyle = 8.0
25  + build_property.EnableCodeStyleSeverity =
```

...s/BaobabRidgeWildlifeRecords.GlobalUsings.g.cs

```
•••   @@ -0,0 +1,10 @@
1   + // <auto-generated/>
2   + global using System;
3   + global using System.Collections.Generic;
4   + global using System.Drawing;
5   + global using System.IO;
6   + global using System.Linq;
7   + global using System.Net.Http;
8   + global using System.Threading;
9   + global using System.Threading.Tasks;
10  + global using System.Windows.Forms;
```

...indows/BaobabRidgeWildlifeRecords.assets.cache 228 Bytes

Binary file not shown.

...ows/BaobabRidgeWildlifeRecords.AssemblyInfo.cs

```
•••   @@ -0,0 +1,25 @@
1   + //------------------------------------------------------------------------------
2   + // <auto-generated>
3   + //     This code was generated by a tool.
```

```
+ //     Runtime Version:4.0.30319.42000
+ //
+ //     Changes to this file may cause incorrect behavior and will be lost if
+ //     the code is regenerated.
+ // </auto-generated>
+ //------------------------------------------------------------------------------
+
+ using System;
+ using System.Reflection;
+
+ [assembly: System.Reflection.AssemblyCompanyAttribute("BaobabRidgeWildlifeRecords")]
+ [assembly: System.Reflection.AssemblyConfigurationAttribute("Release")]
+ [assembly: System.Reflection.AssemblyFileVersionAttribute("1.0.0.0")]
+ [assembly: System.Reflection.AssemblyInformationalVersionAttribute("1.0.0")]
+ [assembly: System.Reflection.AssemblyProductAttribute("BaobabRidgeWildlifeRecords")]
+ [assembly: System.Reflection.AssemblyTitleAttribute("BaobabRidgeWildlifeRecords")]
+ [assembly: System.Reflection.AssemblyVersionAttribute("1.0.0.0")]
+ [assembly: System.Runtime.Versioning.TargetPlatformAttribute("Windows7.0")]
+ [assembly: System.Runtime.Versioning.SupportedOSPlatformAttribute("Windows7.0")]
+
+ // Generated by the MSBuild WriteCodeFragment class.
+
```

…bRidgeWildlifeRecords.AssemblyInfoInputs.cache

```
@@ -0,0 +1 @@
+ f25e8101bdadc9f2d31a36d89f86a3a2945019c4f40aa796c149281ab3355102
```

…ords.GeneratedMSBuildEditorConfig.editorconfig

```
@@ -0,0 +1,25 @@
+ is_global = true
+ build_property.ApplicationManifest =
+ build_property.StartupObject =
+ build_property.ApplicationDefaultFont =
+ build_property.ApplicationHighDpiMode =
+ build_property.ApplicationUseCompatibleTextRendering =
+ build_property.ApplicationVisualStyles =
+ build_property.TargetFramework = net8.0-windows
+ build_property.TargetFrameworkIdentifier = .NETCoreApp
```

```
10  + build_property.TargetFrameworkVersion = v8.0
11  + build_property.TargetPlatformMinVersion = 7.0
12  + build_property.UsingMicrosoftNETSdkWeb =
13  + build_property.ProjectTypeGuids =
14  + build_property.InvariantGlobalization =
15  + build_property.PlatformNeutralAssembly =
16  + build_property.EnforceExtendedAnalyzerRules =
17  + build_property.EntryPointFilePath =
18  + build_property._SupportedPlatformList = Linux,macOS,Windows
19  + build_property.RootNamespace = BaobabRidgeWildlifeRecords
20  + build_property.ProjectDir = C:
      \Users\user\Desktop\BaobabRidgeWildlifeRecords\BaobabRidgeWildlifeRecords\
21  + build_property.EnableComHosting =
22  + build_property.EnableGeneratedComInterfaceComImportInterop =
23  + build_property.CsWinRTUseWindowsUIXamlProjections = false
24  + build_property.EffectiveAnalysisLevelStyle = 8.0
25  + build_property.EnableCodeStyleSeverity =
```

…s/BaobabRidgeWildlifeRecords.GlobalUsings.g.cs

```
•••   @@ -0,0 +1,10 @@
1   + // <auto-generated/>
2   + global using System;
3   + global using System.Collections.Generic;
4   + global using System.Drawing;
5   + global using System.IO;
6   + global using System.Linq;
7   + global using System.Net.Http;
8   + global using System.Threading;
9   + global using System.Threading.Tasks;
10  + global using System.Windows.Forms;
```

…abRidgeWildlifeRecords/obj/project.assets.json

```
•••   @@ -0,0 +1,85 @@
1   + {
2   +   "version": 4,
3   +   "targets": {
4   +     "net8.0-windows": {}
5   +   },
```

```
+   "libraries": {},
+   "projectFileDependencyGroups": {
+     "net8.0-windows": []
+   },
+   "packageFolders": {
+     "C:\\Users\\rianp\\.nuget\\packages\\": {},
+     "C:\\Program Files (x86)\\Microsoft Visual Studio\\Shared\\NuGetPackages": {}
+   },
+   "project": {
+     "version": "1.0.0",
+     "restore": {
+       "projectUniqueName": "C:\\Users\\rianp\\OneDrive\\Desktop\\Pron\\Universiteit\
\PRG282\\Project\\Project-PRG2782-main\\BaobabRidgeWildlifeRecords\
\BaobabRidgeWildlifeRecords\\BaobabRidgeWildlifeRecords.csproj",
+       "projectName": "BaobabRidgeWildlifeRecords",
+       "projectPath": "C:\\Users\\rianp\\OneDrive\\Desktop\\Pron\\Universiteit\
\PRG282\\Project\\Project-PRG2782-main\\BaobabRidgeWildlifeRecords\
\BaobabRidgeWildlifeRecords\\BaobabRidgeWildlifeRecords.csproj",
+       "packagesPath": "C:\\Users\\rianp\\.nuget\\packages\\",
+       "outputPath": "C:\\Users\\rianp\\OneDrive\\Desktop\\Pron\\Universiteit\
\PRG282\\Project\\Project-PRG2782-main\\BaobabRidgeWildlifeRecords\
\BaobabRidgeWildlifeRecords\\obj\\",
+       "projectStyle": "PackageReference",
+       "fallbackFolders": [
+         "C:\\Program Files (x86)\\Microsoft Visual Studio\\Shared\\NuGetPackages"
+       ],
+       "configFilePaths": [
+         "C:\\Users\\rianp\\AppData\\Roaming\\NuGet\\NuGet.Config",
+         "C:\\Program Files (x86)\\NuGet\\Config\
\Microsoft.VisualStudio.FallbackLocation.config",
+         "C:\\Program Files (x86)\\NuGet\\Config\
\Microsoft.VisualStudio.Offline.config"
+       ],
+       "originalTargetFrameworks": [
+         "net8.0-windows"
+       ],
+       "sources": {
+         "C:\\Program Files (x86)\\Microsoft SDKs\\NuGetPackages\\": {},
+         "C:\\Program Files\\dotnet\\library-packs": {},
+         "https://api.nuget.org/v3/index.json": {}
```

```
38  +        },
39  +        "frameworks": {
40  +          "net8.0-windows": {
41  +            "framework": "net8.0-windows7.0",
42  +            "targetAlias": "net8.0-windows",
43  +            "projectReferences": {}
44  +          }
45  +        },
46  +        "warningProperties": {
47  +          "warnAsError": [
48  +            "NU1605"
49  +          ]
50  +        },
51  +        "restoreAuditProperties": {
52  +          "enableAudit": "true",
53  +          "auditLevel": "low",
54  +          "auditMode": "direct"
55  +        },
56  +        "SdkAnalysisLevel": "10.0.400"
57  +      },
58  +      "frameworks": {
59  +        "net8.0-windows": {
60  +          "framework": "net8.0-windows7.0",
61  +          "targetAlias": "net8.0-windows",
62  +          "imports": [
63  +            "net461",
64  +            "net462",
65  +            "net47",
66  +            "net471",
67  +            "net472",
68  +            "net48",
69  +            "net481"
70  +          ],
71  +          "assetTargetFallback": true,
72  +          "warn": true,
73  +          "frameworkReferences": {
74  +            "Microsoft.NETCore.App": {
75  +              "privateAssets": "all"
76  +            },
77  +            "Microsoft.WindowsDesktop.App.WindowsForms": {
```

```
78  +             "privateAssets": "none"
79  +           }
80  +         },
81  +         "runtimeIdentifierGraphPath": "C:\\Program Files\\dotnet\\sdk\\10.0.402/
      PortableRuntimeIdentifierGraph.json"
82  +       }
83  +     }
84  +   }
85  + }
```

⊖

…abRidgeWildlifeRecords/obj/project.nuget.cache

```
@@ -0,0 +1,8 @@
1  + {
2  +   "version": 2,
3  +   "dgSpecHash": "TvjdluM984M=",
4  +   "success": true,
5  +   "projectFilePath": "C:\\Users\\rianp\\OneDrive\\Desktop\\Pron\\Universiteit\
      \PRG282\\Project\\Project-PRG2782-main\\BaobabRidgeWildlifeRecords\
      \BaobabRidgeWildlifeRecords\\BaobabRidgeWildlifeRecords.csproj",
6  +   "expectedPackageFiles": [],
7  +   "logs": []
8  + }
```

⊖

…2782-main/BaobabRidgeWildlifeRecords/README.md

```
@@ -0,0 +1,36 @@
1  + # Baobab Ridge Wildlife Rehabilitation Records System
2  +
3  + ## Project overview
4  + A C# Windows Forms application for managing animal rehabilitation records at the
      fictional Baobab Ridge Wildlife Rehabilitation Centre.
5  +
6  + ## Team members
7  + - Person A: [Name] — [Student number]
8  + - Person B: [Name] — [Student number]
9  + - Person C: [Name] — [Student number]
10 + - Person D: [Name] — [Student number]
```

```
11  +
12  + ## Technologies
13  + - C#
14  + - Windows Forms
15  + - .NET 8.0 or newer
16  + - Git and GitHub
17  + - Plain text file storage
18  +
19  + ## Features
20  + - Add animal records
21  + - View all animal records
22  + - Update animal records
23  + - Delete animal records
24  + - Generate a summary report
25  +
26  + ## File formats
27  + - `animals.txt`: Animal records stored as pipe-separated fields.
28  + - `summary.txt`: Generated summary report.
29  +
30  + ## How to build and run
31  + 1. Open `BaobabRidgeWildlifeRecords.sln` in Visual Studio.
32  + 2. Build the solution.
33  + 3. Run the application.
34  +
35  + ## Known limitations
36  + This is the initial blank project scaffold. Application features have not yet been
    implemented.
```

…WildlifeRecords/Project-PRG2782-main/README.md

```
•••   @@ -0,0 +1 @@
1   + # Project-PRG2782
```

Comments 0

Lock conversation

Comment

Subscribe You're not receiving notifications from this thread.