⚠ This commit does not belong to any branch on this repository, and may belong to a fork outside of the repository.

Commit e2c47e1

RianPuth authored 4 hours ago Verified

```
Added animal and datahandler classes

Added the missing animal class for defining what an animal is and calculating its status and housing
unit and the datahandler class template for all the file and data handling such as adding/deleting/
viewing etc.
```


1 parent a348724 commit e2c47e1

23 files changed +542

Top

Filter files...

- BaobabRidgeWildlifeRecords/Project-PRG2782-main
  - BaobabRidgeWildlifeRecords
    - BaobabRidgeWildlifeRecords.sln
    - BaobabRidgeWildlifeRecords
      - Animal.cs
      - BaobabRidgeWildlifeRecords.csproj.user
      - BaobabRidgeWildlifeRecords.csproj
      - DataHandler.cs
      - Form1.cs
      - Program.cs



Search within code

...WildlifeRecords/BaobabRidgeWildlifeRecords.sln

```
@@ -0,0 +1,18 @@
+ Microsoft Visual Studio Solution File, Format Version 12.00
+ # Visual Studio Version 17
+ VisualStudioVersion = 17.0.31903.59
+ MinimumVisualStudioVersion = 10.0.40219.1
+ Project("{FAE04EC0-301F-11D3-BF4B-00C04F79EFBC}") = "BaobabRidgeWildlifeRecords", "BaobabRidgeWildlifeRecords\BaobabRidgeWildlifeRecords.csproj", "{A9B7C6D5-E4F3-4210-9876-123456789ABC}"
+ EndProject
+ Global
```

```
+    GlobalSection(SolutionConfigurationPlatforms) = preSolution
+        Debug|Any CPU = Debug|Any CPU
+        Release|Any CPU = Release|Any CPU
+    EndGlobalSection
+    GlobalSection(ProjectConfigurationPlatforms) = postSolution
+        {A9B7C6D5-E4F3-4210-9876-123456789ABC}.Debug|Any CPU.ActiveCfg = Debug|Any CPU
+        {A9B7C6D5-E4F3-4210-9876-123456789ABC}.Debug|Any CPU.Build.0 = Debug|Any CPU
+        {A9B7C6D5-E4F3-4210-9876-123456789ABC}.Release|Any CPU.ActiveCfg = Release|Any CPU
+        {A9B7C6D5-E4F3-4210-9876-123456789ABC}.Release|Any CPU.Build.0 = Release|Any CPU
+    EndGlobalSection
+ EndGlobal
```

...feRecords/BaobabRidgeWildlifeRecords/Animal.cs

```
@@ -0,0 +1,60 @@
+ using System;
+ using System.Collections.Generic;
+ using System.Linq;
+ using System.Text;
+ using System.Threading.Tasks;
+
+ namespace BaobabRidgeWildlifeRecords
+ {
+     internal class Animal
+     {
+
+         public string AnimalID { get; }
+         public string Name { get; set; }
+         public string Species { get; set; }
+         public int Age { get; set; }
+         public int RecoveryScore { get; set; }
+         public string Status { get; private set; }
+         public string HousingUnit { get; private set; }
+
+         public Animal(string animalID, string name, string species, int age, int recoveryscore)
+         {
```

```
22  +              AnimalID = animalID;
23  +              Name = name;
24  +              Species = species;
25  +              Age = age;
26  +              RecoveryScore = recoveryscore;
27  +              Recalculate();
28  +          }
29  +
30  +          public void Recalculate()
31  +          {
32  +              if (RecoveryScore > 0 && RecoveryScore < 20)
33  +              {
34  +                  Status = "Critical";
35  +                  HousingUnit = "Intensive Care Unit";
36  +              }
37  +              else if (RecoveryScore > 19 &&  RecoveryScore < 40)
38  +              {
39  +                  Status = "Serious";
40  +                  HousingUnit = "High-Dependency Ward";
41  +              }
42  +              else if (RecoveryScore > 39 && RecoveryScore < 60)
43  +              {
44  +                  Status = "Stable";
45  +                  HousingUnit = "Recovery Ward";
46  +              }
47  +              else if (RecoveryScore > 59 && RecoveryScore < 80)
48  +              {
49  +                  Status = "Recovering";
50  +                  HousingUnit = "Outdoor Enclosure";
51  +              }
52  +              else
53  +              {
54  +                  Status = "Release-Ready";
55  +                  HousingUnit = "Pre-Release Camp";
56  +              }
57  +
58  +          }
59  +      }
60  + }
```

```
@@ -0,0 +1,9 @@
+ <Project Sdk="Microsoft.NET.Sdk">
+   <PropertyGroup>
+     <OutputType>WinExe</OutputType>
+     <TargetFramework>net8.0-windows</TargetFramework>
+     <UseWindowsForms>true</UseWindowsForms>
+     <Nullable>enable</Nullable>
+     <ImplicitUsings>enable</ImplicitUsings>
+   </PropertyGroup>
+ </Project>
```

...Records/BaobabRidgeWildlifeRecords.csproj.user

```
@@ -0,0 +1,9 @@
+ <?xml version="1.0" encoding="utf-8"?>
+ <Project ToolsVersion="Current" xmlns="http://schemas.microsoft.com/developer/
msbuild/2003">
+   <PropertyGroup />
+   <ItemGroup>
+     <Compile Update="Form1.cs">
+       <SubType>Form</SubType>
+     </Compile>
+   </ItemGroup>
+ </Project>
```

⊖

...ords/BaobabRidgeWildlifeRecords/DataHandler.cs

```
@@ -0,0 +1,50 @@
+ using System;
+ using System.Collections.Generic;
+ using System.Linq;
+ using System.Text;
+ using System.Threading.Tasks;
+
+ namespace BaobabRidgeWildlifeRecords
+ {
+     internal class DataHandler
```

```
10  +     {
11  +
12  +         private List<Animal> Animals {  get; set; }
13  +
14  +         public DataHandler()//Constructor to load from the file on creation;
15  +         {
16  +
17  +         }
18  +
19  +
20  +         public void AddAnimal() //Adds animal to list
21  +         {
22  +
23  +         }
24  +
25  +         public void RemoveAnimal() //Removes animal from list
26  +         {
27  +
28  +         }
29  +
30  +         public List<Animal> ViewAnimals() //Sends animal list to program for viewing
31  +         {
32  +             return Animals;
33  +         }
34  +
35  +         public void UpdateAnimal() //Changes an animal in list
36  +         {
37  +
38  +         }
39  +
40  +         public void GenerateSummary() //Generates summary
41  +         {
42  +
43  +         }
44  +
45  +         public void WriteToAnimalFile() //Writes list to file
46  +         {
47  +
48  +         }
49  +     }
```

```
50  + }
```

…ifeRecords/BaobabRidgeWildlifeRecords/Form1.cs

```
    @@ -0,0 +1,30 @@
1   + namespace BaobabRidgeWildlifeRecords;
2   +
3   + /// <summary>
4   + /// The initial blank main form for the wildlife records application.
5   + /// </summary>
6   + public partial class Form1 : Form
7   + {
8   +     /// <summary>
9   +     /// Creates the main form.
10  +     /// </summary>
11  +     public Form1()
12  +     {
13  +         InitializeComponent();
14  +     }
15  +
16  +     /// <summary>
17  +     /// Initializes the blank form's basic properties.
18  +     /// </summary>
19  +     private void InitializeComponent()
20  +     {
21  +         SuspendLayout();
22  +         AutoScaleDimensions = new SizeF(7F, 15F);
23  +         AutoScaleMode = AutoScaleMode.Font;
24  +         ClientSize = new Size(1000, 600);
25  +         Name = "Form1";
26  +         StartPosition = FormStartPosition.CenterScreen;
27  +         Text = "Baobab Ridge Wildlife Rehabilitation Records System";
28  +         ResumeLayout(false);
29  +     }
30  + }
```

…eRecords/BaobabRidgeWildlifeRecords/Program.cs

```
    @@ -0,0 +1,17 @@
1   + namespace BaobabRidgeWildlifeRecords;
```

```
+
+ /// <summary>
+ /// Starts the Windows Forms application.
+ /// </summary>
+ internal static class Program
+ {
+     /// <summary>
+     /// Configures Windows Forms and opens the main form.
+     /// </summary>
+     [STAThread]
+     static void Main()
+     {
+         ApplicationConfiguration.Initialize();
+         Application.Run(new Form1());
+     }
+ }
```

…bRidgeWildlifeRecords.csproj.nuget.dgspec.json

```
@@ -0,0 +1,79 @@
+ {
+   "format": 1,
+   "restore": {
+     "C:\\Users\\rianp\\OneDrive\\Desktop\\Pron\\Universiteit\\PRG282\\Project\
\Project-PRG2782-main\\BaobabRidgeWildlifeRecords\\BaobabRidgeWildlifeRecords\
\BaobabRidgeWildlifeRecords.csproj": {}
+   },
+   "projects": {
+     "C:\\Users\\rianp\\OneDrive\\Desktop\\Pron\\Universiteit\\PRG282\\Project\
\Project-PRG2782-main\\BaobabRidgeWildlifeRecords\\BaobabRidgeWildlifeRecords\
\BaobabRidgeWildlifeRecords.csproj": {
+       "version": "1.0.0",
+       "restore": {
+         "projectUniqueName": "C:\\Users\\rianp\\OneDrive\\Desktop\\Pron\
\Universiteit\\PRG282\\Project\\Project-PRG2782-main\\BaobabRidgeWildlifeRecords\
\BaobabRidgeWildlifeRecords\\BaobabRidgeWildlifeRecords.csproj",
+         "projectName": "BaobabRidgeWildlifeRecords",
+         "projectPath": "C:\\Users\\rianp\\OneDrive\\Desktop\\Pron\\Universiteit\
\PRG282\\Project\\Project-PRG2782-main\\BaobabRidgeWildlifeRecords\
\BaobabRidgeWildlifeRecords\\BaobabRidgeWildlifeRecords.csproj",
```

```
13  +         "packagesPath": "C:\\Users\\rianp\\.nuget\\packages\\",
14  +         "outputPath": "C:\\Users\\rianp\\OneDrive\\Desktop\\Pron\\Universiteit\
      \PRG282\\Project\\Project-PRG2782-main\\BaobabRidgeWildlifeRecords\
      \BaobabRidgeWildlifeRecords\\obj\\",
15  +         "projectStyle": "PackageReference",
16  +         "fallbackFolders": [
17  +           "C:\\Program Files (x86)\\Microsoft Visual Studio\\Shared\\NuGetPackages"
18  +         ],
19  +         "configFilePaths": [
20  +           "C:\\Users\\rianp\\AppData\\Roaming\\NuGet\\NuGet.Config",
21  +           "C:\\Program Files (x86)\\NuGet\\Config\
      \Microsoft.VisualStudio.FallbackLocation.config",
22  +           "C:\\Program Files (x86)\\NuGet\\Config\
      \Microsoft.VisualStudio.Offline.config"
23  +         ],
24  +         "originalTargetFrameworks": [
25  +           "net8.0-windows"
26  +         ],
27  +         "sources": {
28  +           "C:\\Program Files (x86)\\Microsoft SDKs\\NuGetPackages\\": {},
29  +           "C:\\Program Files\\dotnet\\library-packs": {},
30  +           "https://api.nuget.org/v3/index.json": {}
31  +         },
32  +         "frameworks": {
33  +           "net8.0-windows": {
34  +             "framework": "net8.0-windows7.0",
35  +             "targetAlias": "net8.0-windows",
36  +             "projectReferences": {}
37  +           }
38  +         },
39  +         "warningProperties": {
40  +           "warnAsError": [
41  +             "NU1605"
42  +           ]
43  +         },
44  +         "restoreAuditProperties": {
45  +           "enableAudit": "true",
46  +           "auditLevel": "low",
47  +           "auditMode": "direct"
48  +         },
```

```
+         "SdkAnalysisLevel": "10.0.400"
+       },
+       "frameworks": {
+         "net8.0-windows": {
+           "framework": "net8.0-windows7.0",
+           "targetAlias": "net8.0-windows",
+           "imports": [
+             "net461",
+             "net462",
+             "net47",
+             "net471",
+             "net472",
+             "net48",
+             "net481"
+           ],
+           "assetTargetFallback": true,
+           "warn": true,
+           "frameworkReferences": {
+             "Microsoft.NETCore.App": {
+               "privateAssets": "all"
+             },
+             "Microsoft.WindowsDesktop.App.WindowsForms": {
+               "privateAssets": "none"
+             }
+           },
+           "runtimeIdentifierGraphPath": "C:\\Program Files\\dotnet\\sdk\\10.0.402/
PortableRuntimeIdentifierGraph.json"
+         }
+       }
+     }
+   }
+ }
```

⛔

...aobabRidgeWildlifeRecords.csproj.nuget.g.props

```
@@ -0,0 +1,16 @@
+ <?xml version="1.0" encoding="utf-8" standalone="no"?>
+ <Project ToolsVersion="14.0" xmlns="http://schemas.microsoft.com/developer/
msbuild/2003">
```

```
3   +   <PropertyGroup Condition=" '$(ExcludeRestorePackageImports)' != 'true' ">
4   +     <RestoreSuccess Condition=" '$(RestoreSuccess)' == '' ">True</RestoreSuccess>
5   +     <RestoreTool Condition=" '$(RestoreTool)' == '' ">NuGet</RestoreTool>
6   +     <ProjectAssetsFile Condition=" '$(ProjectAssetsFile)' == ''
      ">$(MSBuildThisFileDirectory)project.assets.json</ProjectAssetsFile>
7   +     <NuGetPackageRoot Condition=" '$(NuGetPackageRoot)' == ''
      ">$(UserProfile)\.nuget\packages\</NuGetPackageRoot>
8   +     <NuGetPackageFolders Condition=" '$(NuGetPackageFolders)' == '' ">C:
      \Users\rianp\.nuget\packages\;C:\Program Files (x86)\Microsoft Visual
      Studio\Shared\NuGetPackages</NuGetPackageFolders>
9   +     <NuGetProjectStyle Condition=" '$(NuGetProjectStyle)' == '' ">PackageReference</
      NuGetProjectStyle>
10  +     <NuGetToolVersion Condition=" '$(NuGetToolVersion)' == '' ">7.0.0</
      NuGetToolVersion>
11  +   </PropertyGroup>
12  +   <ItemGroup Condition=" '$(ExcludeRestorePackageImports)' != 'true' ">
13  +     <SourceRoot Include="C:\Users\rianp\.nuget\packages\" />
14  +     <SourceRoot Include="C:\Program Files (x86)\Microsoft Visual
      Studio\Shared\NuGetPackages\" />
15  +   </ItemGroup>
16  + </Project>
```

⊖

…babRidgeWildlifeRecords.csproj.nuget.g.targets

```
•••   @@ -0,0 +1,2 @@
1   + <?xml version="1.0" encoding="utf-8" standalone="no"?>
2   + <Project ToolsVersion="14.0" xmlns="http://schemas.microsoft.com/developer/
      msbuild/2003" />
```

⊖

…ows/BaobabRidgeWildlifeRecords.AssemblyInfo.cs

```
•••   @@ -0,0 +1,25 @@
1   + //------------------------------------------------------------------------------
2   + // <auto-generated>
3   + //     This code was generated by a tool.
4   + //     Runtime Version:4.0.30319.42000
5   + //
6   + //     Changes to this file may cause incorrect behavior and will be lost if
```

```
7   + //     the code is regenerated.
8   + // </auto-generated>
9   + //------------------------------------------------------------------------------
10  +
11  + using System;
12  + using System.Reflection;
13  +
14  + [assembly: System.Reflection.AssemblyCompanyAttribute("BaobabRidgeWildlifeRecords")]
15  + [assembly: System.Reflection.AssemblyConfigurationAttribute("Debug")]
16  + [assembly: System.Reflection.AssemblyFileVersionAttribute("1.0.0.0")]
17  + [assembly: System.Reflection.AssemblyInformationalVersionAttribute("1.0.0")]
18  + [assembly: System.Reflection.AssemblyProductAttribute("BaobabRidgeWildlifeRecords")]
19  + [assembly: System.Reflection.AssemblyTitleAttribute("BaobabRidgeWildlifeRecords")]
20  + [assembly: System.Reflection.AssemblyVersionAttribute("1.0.0.0")]
21  + [assembly: System.Runtime.Versioning.TargetPlatformAttribute("Windows7.0")]
22  + [assembly: System.Runtime.Versioning.SupportedOSPlatformAttribute("Windows7.0")]
23  +
24  + // Generated by the MSBuild WriteCodeFragment class.
25  +
```

…bRidgeWildlifeRecords.AssemblyInfoInputs.cache

```
•••   @@ -0,0 +1 @@
1   + a4d467e47bff21456093153506666e115cb65faa73b2921f53af21ed50356305
```

…ords.GeneratedMSBuildEditorConfig.editorconfig

```
•••   @@ -0,0 +1,25 @@
1   + is_global = true
2   + build_property.ApplicationManifest =
3   + build_property.StartupObject =
4   + build_property.ApplicationDefaultFont =
5   + build_property.ApplicationHighDpiMode =
6   + build_property.ApplicationUseCompatibleTextRendering =
7   + build_property.ApplicationVisualStyles =
8   + build_property.TargetFramework = net8.0-windows
9   + build_property.TargetFrameworkIdentifier = .NETCoreApp
10  + build_property.TargetFrameworkVersion = v8.0
11  + build_property.TargetPlatformMinVersion = 7.0
12  + build_property.UsingMicrosoftNETSdkWeb =
```

```
13  + build_property.ProjectTypeGuids =
14  + build_property.InvariantGlobalization =
15  + build_property.PlatformNeutralAssembly =
16  + build_property.EnforceExtendedAnalyzerRules =
17  + build_property.EntryPointFilePath =
18  + build_property._SupportedPlatformList = Linux,macOS,Windows
19  + build_property.RootNamespace = BaobabRidgeWildlifeRecords
20  + build_property.ProjectDir = C:
      \Users\rianp\OneDrive\Desktop\Pron\Universiteit\PRG282\Project\Project-PRG2782-
      main\BaobabRidgeWildlifeRecords\BaobabRidgeWildlifeRecords\
21  + build_property.EnableComHosting =
22  + build_property.EnableGeneratedComInterfaceComImportInterop =
23  + build_property.CsWinRTUseWindowsUIXamlProjections = false
24  + build_property.EffectiveAnalysisLevelStyle = 8.0
25  + build_property.EnableCodeStyleSeverity =
```

…s/BaobabRidgeWildlifeRecords.GlobalUsings.g.cs

```
•••   @@ -0,0 +1,10 @@
1   + // <auto-generated/>
2   + global using System;
3   + global using System.Collections.Generic;
4   + global using System.Drawing;
5   + global using System.IO;
6   + global using System.Linq;
7   + global using System.Net.Http;
8   + global using System.Threading;
9   + global using System.Threading.Tasks;
10  + global using System.Windows.Forms;
```

…indows/BaobabRidgeWildlifeRecords.assets.cache 228 Bytes

Binary file not shown.

…ows/BaobabRidgeWildlifeRecords.AssemblyInfo.cs

```
•••   @@ -0,0 +1,25 @@
1   + //------------------------------------------------------------------------------
2   + // <auto-generated>
3   + //     This code was generated by a tool.
```

```
4   + //     Runtime Version:4.0.30319.42000
5   + //
6   + //     Changes to this file may cause incorrect behavior and will be lost if
7   + //     the code is regenerated.
8   + // </auto-generated>
9   + //------------------------------------------------------------------------------
10  +
11  + using System;
12  + using System.Reflection;
13  +
14  + [assembly: System.Reflection.AssemblyCompanyAttribute("BaobabRidgeWildlifeRecords")]
15  + [assembly: System.Reflection.AssemblyConfigurationAttribute("Release")]
16  + [assembly: System.Reflection.AssemblyFileVersionAttribute("1.0.0.0")]
17  + [assembly: System.Reflection.AssemblyInformationalVersionAttribute("1.0.0")]
18  + [assembly: System.Reflection.AssemblyProductAttribute("BaobabRidgeWildlifeRecords")]
19  + [assembly: System.Reflection.AssemblyTitleAttribute("BaobabRidgeWildlifeRecords")]
20  + [assembly: System.Reflection.AssemblyVersionAttribute("1.0.0.0")]
21  + [assembly: System.Runtime.Versioning.TargetPlatformAttribute("Windows7.0")]
22  + [assembly: System.Runtime.Versioning.SupportedOSPlatformAttribute("Windows7.0")]
23  +
24  + // Generated by the MSBuild WriteCodeFragment class.
25  +
```

…bRidgeWildlifeRecords.AssemblyInfoInputs.cache

```
•••   @@ -0,0 +1 @@
1   + f25e8101bdadc9f2d31a36d89f86a3a2945019c4f40aa796c149281ab3355102
```

…ords.GeneratedMSBuildEditorConfig.editorconfig

```
•••   @@ -0,0 +1,25 @@
1   + is_global = true
2   + build_property.ApplicationManifest =
3   + build_property.StartupObject =
4   + build_property.ApplicationDefaultFont =
5   + build_property.ApplicationHighDpiMode =
6   + build_property.ApplicationUseCompatibleTextRendering =
7   + build_property.ApplicationVisualStyles =
8   + build_property.TargetFramework = net8.0-windows
9   + build_property.TargetFrameworkIdentifier = .NETCoreApp
```

```
10  + build_property.TargetFrameworkVersion = v8.0
11  + build_property.TargetPlatformMinVersion = 7.0
12  + build_property.UsingMicrosoftNETSdkWeb =
13  + build_property.ProjectTypeGuids =
14  + build_property.InvariantGlobalization =
15  + build_property.PlatformNeutralAssembly =
16  + build_property.EnforceExtendedAnalyzerRules =
17  + build_property.EntryPointFilePath =
18  + build_property._SupportedPlatformList = Linux,macOS,Windows
19  + build_property.RootNamespace = BaobabRidgeWildlifeRecords
20  + build_property.ProjectDir = C:
      \Users\user\Desktop\BaobabRidgeWildlifeRecords\BaobabRidgeWildlifeRecords\
21  + build_property.EnableComHosting =
22  + build_property.EnableGeneratedComInterfaceComImportInterop =
23  + build_property.CsWinRTUseWindowsUIXamlProjections = false
24  + build_property.EffectiveAnalysisLevelStyle = 8.0
25  + build_property.EnableCodeStyleSeverity =
```

...s/BaobabRidgeWildlifeRecords.GlobalUsings.g.cs

```
•••   @@ -0,0 +1,10 @@
1   + // <auto-generated/>
2   + global using System;
3   + global using System.Collections.Generic;
4   + global using System.Drawing;
5   + global using System.IO;
6   + global using System.Linq;
7   + global using System.Net.Http;
8   + global using System.Threading;
9   + global using System.Threading.Tasks;
10  + global using System.Windows.Forms;
```

...abRidgeWildlifeRecords/obj/project.assets.json

```
•••   @@ -0,0 +1,85 @@
1   + {
2   +   "version": 4,
3   +   "targets": {
4   +     "net8.0-windows": {}
5   +   },
```

```
+   "libraries": {},
+   "projectFileDependencyGroups": {
+     "net8.0-windows": []
+   },
+   "packageFolders": {
+     "C:\\Users\\rianp\\.nuget\\packages\\": {},
+     "C:\\Program Files (x86)\\Microsoft Visual Studio\\Shared\\NuGetPackages": {}
+   },
+   "project": {
+     "version": "1.0.0",
+     "restore": {
+       "projectUniqueName": "C:\\Users\\rianp\\OneDrive\\Desktop\\Pron\\Universiteit\
\PRG282\\Project\\Project-PRG2782-main\\BaobabRidgeWildlifeRecords\
\BaobabRidgeWildlifeRecords\\BaobabRidgeWildlifeRecords.csproj",
+       "projectName": "BaobabRidgeWildlifeRecords",
+       "projectPath": "C:\\Users\\rianp\\OneDrive\\Desktop\\Pron\\Universiteit\
\PRG282\\Project\\Project-PRG2782-main\\BaobabRidgeWildlifeRecords\
\BaobabRidgeWildlifeRecords\\BaobabRidgeWildlifeRecords.csproj",
+       "packagesPath": "C:\\Users\\rianp\\.nuget\\packages\\",
+       "outputPath": "C:\\Users\\rianp\\OneDrive\\Desktop\\Pron\\Universiteit\
\PRG282\\Project\\Project-PRG2782-main\\BaobabRidgeWildlifeRecords\
\BaobabRidgeWildlifeRecords\\obj\\",
+       "projectStyle": "PackageReference",
+       "fallbackFolders": [
+         "C:\\Program Files (x86)\\Microsoft Visual Studio\\Shared\\NuGetPackages"
+       ],
+       "configFilePaths": [
+         "C:\\Users\\rianp\\AppData\\Roaming\\NuGet\\NuGet.Config",
+         "C:\\Program Files (x86)\\NuGet\\Config\
\Microsoft.VisualStudio.FallbackLocation.config",
+         "C:\\Program Files (x86)\\NuGet\\Config\
\Microsoft.VisualStudio.Offline.config"
+       ],
+       "originalTargetFrameworks": [
+         "net8.0-windows"
+       ],
+       "sources": {
+         "C:\\Program Files (x86)\\Microsoft SDKs\\NuGetPackages\\": {},
+         "C:\\Program Files\\dotnet\\library-packs": {},
+         "https://api.nuget.org/v3/index.json": {}
```

```
+        },
+        "frameworks": {
+          "net8.0-windows": {
+            "framework": "net8.0-windows7.0",
+            "targetAlias": "net8.0-windows",
+            "projectReferences": {}
+          }
+        },
+        "warningProperties": {
+          "warnAsError": [
+            "NU1605"
+          ]
+        },
+        "restoreAuditProperties": {
+          "enableAudit": "true",
+          "auditLevel": "low",
+          "auditMode": "direct"
+        },
+        "SdkAnalysisLevel": "10.0.400"
+      },
+      "frameworks": {
+        "net8.0-windows": {
+          "framework": "net8.0-windows7.0",
+          "targetAlias": "net8.0-windows",
+          "imports": [
+            "net461",
+            "net462",
+            "net47",
+            "net471",
+            "net472",
+            "net48",
+            "net481"
+          ],
+          "assetTargetFallback": true,
+          "warn": true,
+          "frameworkReferences": {
+            "Microsoft.NETCore.App": {
+              "privateAssets": "all"
+            },
+            "Microsoft.WindowsDesktop.App.WindowsForms": {
```

```
78  +            "privateAssets": "none"
79  +          }
80  +        },
81  +        "runtimeIdentifierGraphPath": "C:\\Program Files\\dotnet\\sdk\\10.0.402/
      PortableRuntimeIdentifierGraph.json"
82  +      }
83  +    }
84  +  }
85  + }
```

…abRidgeWildlifeRecords/obj/project.nuget.cache

```
@@ -0,0 +1,8 @@
1  + {
2  +   "version": 2,
3  +   "dgSpecHash": "TvjdluM984M=",
4  +   "success": true,
5  +   "projectFilePath": "C:\\Users\\rianp\\OneDrive\\Desktop\\Pron\\Universiteit\
      \PRG282\\Project\\Project-PRG2782-main\\BaobabRidgeWildlifeRecords\
      \BaobabRidgeWildlifeRecords\\BaobabRidgeWildlifeRecords.csproj",
6  +   "expectedPackageFiles": [],
7  +   "logs": []
8  + }
```

…2782-main/BaobabRidgeWildlifeRecords/README.md

```
@@ -0,0 +1,36 @@
1  + # Baobab Ridge Wildlife Rehabilitation Records System
2  +
3  + ## Project overview
4  + A C# Windows Forms application for managing animal rehabilitation records at the
      fictional Baobab Ridge Wildlife Rehabilitation Centre.
5  +
6  + ## Team members
7  + - Person A: [Name] — [Student number]
8  + - Person B: [Name] — [Student number]
9  + - Person C: [Name] — [Student number]
10 + - Person D: [Name] — [Student number]
```

```
+
+ ## Technologies
+ - C#
+ - Windows Forms
+ - .NET 8.0 or newer
+ - Git and GitHub
+ - Plain text file storage
+
+ ## Features
+ - Add animal records
+ - View all animal records
+ - Update animal records
+ - Delete animal records
+ - Generate a summary report
+
+ ## File formats
+ - `animals.txt`: Animal records stored as pipe-separated fields.
+ - `summary.txt`: Generated summary report.
+
+ ## How to build and run
+ 1. Open `BaobabRidgeWildlifeRecords.sln` in Visual Studio.
+ 2. Build the solution.
+ 3. Run the application.
+
+ ## Known limitations
+ This is the initial blank project scaffold. Application features have not yet been
  implemented.
```

…WildlifeRecords/Project-PRG2782-main/README.md

```
@@ -0,0 +1 @@
+ # Project-PRG2782
```

Comments 0

Lock conversation

Comment

Subscribe You're not receiving notifications from this thread.