File Edit Selection View Go Run Terminal Help

Labaratory 1

Update

EXPLORER

LABARATORY 1

- .gitignore
- inddex.js
- README.md

inddex.js > validatePassword

```javascript
// Функція для валідації email
function validateEmail(email) {
  const emailRegex = /^[^\s@]+@[^\s@]+\.[^\s@]+$/;
  return emailRegex.test(email);
}

// Функція для валідації пароля (мінімум 8 символів, одна велика буква, одн
function validatePassword(password) {
  const passwordRegex = /^(?=.*[A-Z])(?=.*\d)[A-Za-z\d@$!%*?&]{8,}$/;
  return passwordRegex.test(password);
}

// Приклад використання при реєстрації
function registerUser(email, password) {
  if (!validateEmail(email)) {
    return "Невірний формат email";
  }
  if (!validatePassword(password)) {
    return "Пароль повинен містити мінімум 8 символів, одну велику букву та
  }
  // Тут можна додати логіку для збереження користувача
  return "Реєстрація успішна";
}

// Приклад виклику
console.log(registerUser("user@example.com", "Password123")); // Реєстрація
console.log(registerUser("invalid-email", "pass")); // Невірний формат email
```

CHAT

EMAIL AND PASSWORD VALIDATION IN JAVASCRIPT

Напиши код на js який би робив валідацію email та паролю при реєстрації на сайті

```javascript
//·Функція·для·валідації·email
function validateEmail(email) {
    const emailRegex = /^[^\s@]+@[^\s@]+\.[^\s@]+$/;
    return emailRegex.test(email);
}

// Функція для валідації пароля (мінімум 8 символів,
function validatePassword(password) {
    const passwordRegex = /^(?=.*[A-Z])(?=.*\d)[A-za-
    return passwordRegex.test(password);
}

// Приклад використання при реєстрації
function registerUser(email, password) {
    if (!validateEmail(email)) {
        return "Невірний формат email";
    }
    if (!validatePassword(password)) {
        return "Пароль повинен містити мінімум 8 сима
    }
    // Тут можна додати логіку для збереження користу
```

inddex.js

Describe what to build

Agent Auto

Local Default Approvals

OUTLINE

TIMELINE

main* 0 0 Ln 9, Col 70 Spaces: 4 UTF-8 CRLF {} JavaScript Go Live Prettier

Поиск

УКР 16:53 18.04.2026

File Edit Selection View Go Run Terminal Help HTMLCSSJS

EXTENSIONS

Search Extensions in Marketplace

INSTALLED 9

GitHub Copilot Chat 1027ms
AI chat features powered by Copilot
GitHub

indent-rainbow 3ms
Makes indentation easier to read
oderwat

Live Preview
Hosts a local server in your workspa...
Microsoft

Live Server 13ms
Launch a development local Server ...
Ritwick Dey

Material Icon Theme 12ms
Material Design Icons for Visual Stu...

RECOMMENDED 6

MCP SERVERS

MCP Servers

Browse and install Model Context Protocol (MCP) servers directly from VS Code to extend agent mode with extra tools for connecting to databases, invoking APIs and performing specialized tasks.

index.html

index.html > ...

```html
<!doctype html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>Document</title>
  </head>
  <body></body>
</html>
```

CHAT

SESSIONS

index.html

Describe what to build

Agent Auto

Local Default Approvals

0 0 Ln 10, Col 1 Spaces: 4 UTF-8 LF {} HTML Signed out Go Live Prettier

Поиск ENG 17:28 08.04.2026

MINGW64:/c/Users/User

```
User@AcerNotebook MINGW64 ~
$ git config --list
diff.astextplain.textconv=astextplain
filter.lfs.clean=git-lfs clean -- %f
filter.lfs.smudge=git-lfs smudge -- %f
filter.lfs.process=git-lfs filter-process
filter.lfs.required=true
http.sslbackend=schannel
core.autocrlf=true
core.fscache=true
core.symlinks=false
pull.rebase=false
credential.helper=manager
credential.https://dev.azure.com.usehttppath=true
init.defaultbranch=master
user.name=Tymofii_Taratorin
user.email=tymofii.taratorin@nure.ua
core.editor=emacs
init.defaultbranch=main

User@AcerNotebook MINGW64 ~
$
```

Поиск

ENG

17:34
08.04.2026

File Edit Selection View Go Run Terminal Help HTMLCSSJS

EXTENSIONS

Search Extensions in Marketplace

INSTALLED 9

Auto Rename Tag 22ms
Auto rename paired HTML/XML tag
Jun Han

Cobalt2 Theme Official
Official theme by Wes Bos.
Wes Bos

Dracula Theme Official
The official Dracula Theme: a dark t...
Dracula Theme

GitHub Copilot Chat 1027ms
AI chat features powered by Copilot
GitHub

indent-rainbow 3ms
Makes indentation easier to read
oderwat

Live Preview
Hosts a local server in your workspa...
Microsoft

Live Server 13ms
Launch a development local Server ...
Ritwick Dey

Material Icon Theme 12ms
Material Design Icons for Visual Stu...
Philipp Kief

Prettier - Code formatter 85ms
Code formatter using prettier

RECOMMENDED 6

MCP SERVERS

index.html

index.html > ...

```html
<!doctype html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>Document</title>
  </head>
  <body></body>
</html>
```

CHAT

SESSIONS

index.html

Describe what to build

Agent Auto

Local Default Approvals

Ln 10, Col 1 Spaces: 4 UTF-8 LF {} HTML Signed out Go Live Prettier

Поиск ENG 17:39 08.04.2026

github.com/tymofiitaratorin-glitch/bse-lr1--Taratorin-

tymofiitaratorin-glitch / bse-lr1--Taratorin-

Code | Issues | Pull requests | Actions | Projects | Wiki | Security and quality | Insights | Settings

bse-lr1--Taratorin- (Public)

Pin | Watch 0 | Fork 0 | Star 0

Start coding with Codespaces

Add a README file and start coding in a secure, configurable, and dedicated development environment.

Create a codespace

Add collaborators to this repository

Search for people using their GitHub username or email address.

Invite collaborators

Quick setup — if you've done this kind of thing before

Set up in Desktop or HTTPS SSH https://github.com/tymofiitaratorin-glitch/bse-lr1--Taratorin-.git

Get started by creating a new file or uploading an existing file. We recommend every repository include a README, LICENSE, and .gitignore.

...or create a new repository on the command line

```
echo "# bse-lr1--Taratorin-" >> README.md
git init
git add README.md
git commit -m "first commit"
git branch -M main
git remote add origin https://github.com/tymofiitaratorin-glitch/bse-lr1--Taratorin-.git
git push -u origin main
```

...or push an existing repository from the command line

```
git remote add origin https://github.com/tymofiitaratorin-glitch/bse-lr1--Taratorin-.git
git branch -M main
git push -u origin main
```

Поиск

ENG 17:44 08.04.2026

MINGW64:/c/Users/User/my-first-project

```
    --[no-]chmod (+|-)x   override the executable bit of the listed files
    --[no-]pathspec-from-file <file>
                          read pathspec from file
    --[no-]pathspec-file-nul
                          with --pathspec-from-file, pathspec elements are separ
ated with NUL character


User@AcerNotebook MINGW64 ~/my-first-project (master)
$ git commit -m "Initial commit: README.md update information about AI"
On branch master
nothing to commit, working tree clean

User@AcerNotebook MINGW64 ~/my-first-project (master)
$ git commit -m "Initial commit: README.md update information about email"
On branch master
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   README.md

no changes added to commit (use "git add" and/or "git commit -a")

User@AcerNotebook MINGW64 ~/my-first-project (master)
$ git add <README.md>
bash: syntax error near unexpected token `newline'

User@AcerNotebook MINGW64 ~/my-first-project (master)
$ git remote add origin https://github.com/tymofiitaratorin-glitch/bse-lr1--Tara
torin-
error: remote origin already exists.

User@AcerNotebook MINGW64 ~/my-first-project (master)
$ git push -u origin main
error: src refspec main does not match any
error: failed to push some refs to 'https://github.com/tymofiitaratorin-glitch/b
se-lr1--Taratorin-'

User@AcerNotebook MINGW64 ~/my-first-project (master)
$ git commit -m "Initial commit: README.md update information about email"
[master 2a1e2f7] Initial commit: README.md update information about email
 1 file changed, 1 insertion(+), 1 deletion(-)

User@AcerNotebook MINGW64 ~/my-first-project (master)
$ git remote add origin https://github.com/tymofiitaratorin-glitch/bse-lr1--Tara
torin-
error: remote origin already exists.

User@AcerNotebook MINGW64 ~/my-first-project (master)
$ git log --oneline --graph
* 2a1e2f7 (HEAD -> master) Initial commit: README.md update information about em
ail
* 8408f4d Оновлено інформацію про використовуваний AI
* 23100c4  README.md оновлений, додано інформацію та ссилки
* 4d6097a Initial commit: додано README.md

User@AcerNotebook MINGW64 ~/my-first-project (master)
$ |
```

Поиск ENG 19:32 08.04.2026

File Edit Selection View Go Run Terminal Help

Labaratory 1

Update

EXPLORER

LABARATORY 1

.gitignore

inddex.js

README.md

OUTLINE

TIMELINE

inddex.js

Generate code (Ctrl+I), or select a language (Ctrl+K M). Start typing to dismiss or don't show this again.

CHAT

SESSIONS

inddex.js

Напиши код на js який би робив валідацію email та паролю при реєстрації на сайті

Agent Auto

Local Default Approvals

main* 0 0 Ln 1, Col 1 Spaces: 4 UTF-8 CRLF JavaScript Signed out Go Live Prettier

Поиск

УКР 16:51 18.04.2026