

**Safenode**

Safenode Cybersecurity Partnership Brief

Integration and co-sell opportunities for identity, MDR, PAM, cyber-insurance, and security-platform companies.

Document version: 2026-07-27

Product: Safenode

Classification: Internal / customer-safe where noted

Partnership proposition

Safenode provides a passkey-first identity continuity and encrypted-secret control plane. Cybersecurity companies can use it as a complementary layer for recovery, trusted devices, team secrets, and customer evidence without requiring Safenode to replace their existing detection, identity, or policy products.

Where Safenode fits

Partner type	Joint value
Identity providers	Passkey readiness, recovery continuity, device trust, and encrypted secret handoff
MDR/SOC providers	Security events, device changes, audit evidence, and customer response workflows
PAM and secrets platforms	Client-encrypted team secrets for human and operational contexts
Cyber insurers	Recovery readiness signals, device governance, and evidence-backed controls
Managed security providers	Tenant/team workspaces, onboarding/offboarding, and customer break-glass continuity
Developer security platforms	Passkey adoption plus protected API/infrastructure secret workflows

Technical integration surface

- Authenticated REST API with ownership, membership, device, and subscription policy.
- WebAuthn/passkey flows with origin and RP ID configuration for web and native clients.
- Encrypted vault synchronization where the partner receives ciphertext, not plaintext secrets.
- Audit and reporting surfaces for device access, security events, membership, and workflow evidence.
- Signed Paddle webhook and transactional email integrations kept outside the vault cryptographic boundary.
- Desktop PKCE/deep-link handoff and mobile API-origin controls for native deployments.

Security posture for diligence

- Raw vault key, master password, recovery secret, and PRF output are not intended for server storage.
- Passkey PRF wraps are stored as ciphertext with non-secret salt and are scoped to the credential owner.
- Protected routes enforce authentication, registered-device state, ownership, and role checks.
- Webhook signatures, idempotency, rate limits, security headers, and audit events are part of the platform controls.
- External penetration testing and formal assurance are recommended before regulated co-marketing claims.

Partnership models

- **Integration:** connect identity, detection, or insurance workflows through documented APIs and events.
- **Referral:** introduce security-conscious customers who need recovery and team-secret continuity.
- **Co-sell:** package Safenode with a partner control or service for a clear operational use case.
- **OEM/embedded:** offer branded or embedded recovery/secret workflows after security and support boundaries are agreed.

Pilot proposal

- Select one customer workflow: device recovery, break-glass secrets, team offboarding, or passkey rollout.
- Define data minimization and ciphertext boundaries before integration.
- Run a time-boxed sandbox pilot with signed test events and synthetic secrets.
- Measure recovery time, policy adherence, audit completeness, user activation, and support effort.
- Review security, legal, DPA, incident, and commercial terms before production co-sell.

What Safenode needs from a partner

- A clearly bounded integration owner and security contact.

-
- Sandbox credentials and non-production test tenants.
 - Documented event, API, retention, and incident expectations.
 - Agreement on customer ownership, support escalation, and shared security claims.