```
[a4paper,11pt]article [T1]fontenc [utf8x]inputenc 0mm 1mm The Language SW BNF-converter document  \epsilon \ [1]1 \ [1]\langle I\rangle ::= | \ [1]1 \ [1]1 \ [1]1
```

This document was automatically generated by the BNF-Converter. It was generated together with the lexer, the parser, and the abstract syntax module, which guarantees that the document matches with the implementation of the language (provided no hand-hacking has taken place).

*The lexical structure of SW

*Literals Integer literals Int are nonempty sequences of digits.

String literals String have the form "x", where x is any sequence of any characters except "unless preceded by 6.

Numvar literals are recognized by the regular expression '%' letter (letter $\mid digit$)* Stringvar literals are recognized by the regular expression '\$' letter (letter $\mid digit$)*

Envar literals are recognized by the regular expression '\$' '_' letter (letter | digit)*

Symvar literals are recognized by the regular expression '&' letter (letter | digit | '_')*

SubId literals are recognized by the regular expression '' letter (letter | digit | '_')*

Id literals are recognized by the regular expression letter (letter | digit | '-')*

Date literals are recognized by the regular expression digit digit digit ('-' digit digit)* 'T' (':' $\mid digit \mid '-' \rangle *$

*Reserved words and symbols The set of reserved words is the set of terminals appearing in the grammar. Those reserved words that consist of non-letter characters are called symbols, and they are treated in a different way from those that are similar to identifiers. The lexer follows rules familiar from languages like Haskell, C, and Java, including longest match and spacing conventions.

The reserved words used in SW are the following:

There are no reserved words in SW.

The symbols used in SW are the following:

tabularlll; {}

*Comments Single-line comments begin with #.

*The syntactic structure of SW

Non-terminals are enclosed between \langle and \rangle . The symbols (production), (union) and (empty rule) belong to the BNF notation. All other symbols are terminals.

tabularlll Valide ValidCFG

tabularlll ValidSW ListStm

tabularlll Stm S-tream

tabularlll ListStm

tabularlll Subdef SubId $\{ListSubnet\}$

tabularlll Subnet Hermt

tabularlll ListSubnet

tabularlll ExtPortIn Proc Prt Larrow Tab

tabularlll ExtPortOut Tab Larrow Prt Proc

tabularlll Tab Numval

tabularlll S-tream Proc Prt Larrow Prt Proc

tabularll
l Larrow < Buffsize -

tabularll
l ${\tt Rarrow}~-{\tt Buffsize}>$

tabularlll Buffsize Numval

tabularlll Hermt Symval Comp ListArgument

tabularlll Proc (Symval Comp ListArgument)

tabularlll Prt Numval

tabularlll Comp Symval

tabularlll ModPath Symval /

tabularlll Argument Stringval

tabularlll ListArgument

tabularlli Numassgn Numvar = Numval

tabularl
ll Strassgn $\;$ Stringvar = Symval

 $tabularlll \; SymAssgn \quad Symvar = Symval$

tabularlll Numval Integer

tabularlll Stringval String

tabularlli Symval Symvar

tabularlll ValidCFG StreamWork: ListEntry

tabularlll Entry Heading ListKeyVal

tabularlll ListEntry

tabularlll Heading KeyName tabularlll KeyVal KeyName Integer

 $tabularlll\ ListKeyVal$

tabularlll KeyName Symval :