

Typst Compiler Version: 0.11.0, version

Normalization

entry-list-0

```
(
  (
    key: "potato",
    short: "potato",
    long: "long potato",
    plural: "potatoes",
    longplural: "long potatoes",
    description: [Lorem ipsum dolor sit amet.],
  ),
)
```

```
),
(
  key: "potato F",
  short: "potato@F",
  long: "long potato@F",
  longplural: "long potatoes@F",
  description: [This potato should not appear in the
document.],
  group: "F",
),
)
```

entry-list-1

```
(
  key: "potato A",
  short: "potato@A",
  plural: "potatoes@A",
  description: [Lorem ipsum dolor sit amet.],
  group: "A",
),
(
  key: "potato B",
  short: "potato@B",
  long: "long potato@B",
  plural: "potatoes@B",
  longplural: "long potatoes@B",
  description: [Lorem ipsum dolor sit amet.],
  group: "B",
),
(
  key: "hidden potato",
  short: "hiddenpotato",
  group: "show-all test",
  description: sequence(
    [This potato does not appear, unless],
    [ ],
    raw(text: "print-glossary", block: false),
    [ ],
    [is called with],
    [ ],
    raw(text: "show-all: true", block: false),
  ),
),
)
```

entry-list-2

```
(
  (
    key: "potato C",
    short: "potato@C",
    long: "long potato@C",
    plural: "potatoes@C",
    longplural: "long potatoes@C",
    description: [Lorem ipsum dolor sit amet.],
    group: "C",
  ),
  (
    key: "potato D",
    short: "potato@D",
    long: "long potato@D",
    plural: "potatoes@D",
    description: [Lorem ipsum dolor sit amet.],
    group: "D",
  ),
  (
    key: "potato E",
    short: "potato@E",
    long: "long potato@E",
    longplural: "long potatoes@E",
    description: [Lorem ipsum dolor sit amet.],
    group: "E",
  ),
)
```

__normalize_entry_list n°0

```
(
  (
    key: "potato",
    short: "potato",
    artshort: "a",
    plural: "potatoes",
    long: "long potato",
    artlong: "a",
    longplural: "long potatoes",
    description: [Lorem ipsum dolor sit amet.],
    group: "",
  ),
)
```

__normalize_entry_list n°1

```
(
  (
    key: "potato A",
    short: "potato@A",
    artshort: "a",
    plural: "potatoes@A",
    long: "",
    artlong: "a",
    longplural: "",
    description: [Lorem ipsum dolor sit amet.],
    group: "A",
  ),
  (
    key: "potato B",
    short: "potato@B",
    artshort: "a",
    plural: "potatoes@B",
    long: "long potato@B",
    artlong: "a",
    longplural: "long potatoes@B",
    description: [Lorem ipsum dolor sit amet.],
    group: "B",
  ),
  (
    key: "hidden potato",
    short: "hiddenpotato",
    artshort: "a",
    plural: "",
    long: "",
    artlong: "a",
    longplural: "",
    description: sequence(
      [This potato does not appear, unless],
      [ ],
      raw(text: "print-glossary", block: false),
      [ ],
      [is called with],
      [ ],
      raw(text: "show-all: true", block: false),
    ),
    group: "show-all test",
  ),
)
```

__normalize_entry_list n°2

```
(
  (
    key: "potato C",
    short: "potato@C",
    artshort: "a",
    plural: "potatoes@C",
    long: "long potato@C",
    artlong: "a",
    longplural: "long potatoes@C",
    description: [Lorem ipsum dolor sit amet.],
    group: "C",
  ),
  (
    key: "potato D",
    short: "potato@D",
    artshort: "a",
```

```
    plural: "potatoes@D",
    long: "long potato@D",
    artlong: "a",
    longplural: "",
    description: [Lorem ipsum dolor sit amet.],
    group: "D",
  ),
  (
    key: "potato E",
    short: "potato@E",
    artshort: "a",
    plural: "",
    long: "long potato@E",
    artlong: "a",
    longplural: "long potatoes@E",
    description: [Lorem ipsum dolor sit amet.],
    group: "E",
  ),
  (
    key: "potato F",
    short: "potato@F",
    artshort: "a",
    plural: "",
    long: "long potato@F",
    artlong: "a",
    longplural: "long potatoes@F",
    description: [This potato should not appear in the
document.],
    group: "F",
  ),
)
```

User API

ref

@potato: long potato (potato)

@potato:pl: potatoes

gls

First: potato

Display: potato text

Force long: long potato (potato)

1st ref. when long is empty defaults to short: potato@A

Force long when empty defaults to short: potato@A

2nd ref.: potato@A

1st ref.: long potato@B (potato@B)

glspl

First: long potatoes@C (potatoes@C)

Force long: long potatoes (potatoes)

Force long when empty defaults to plural: potatoes@A

2nd ref.: potatoes@A

1st ref. when long is empty defaults to plural: potatoes@B

1st ref. when longplural is empty: long potato@Ds (potatoes@D)

2nd ref. when longplural is empty: potatoes@D

1st ref. when plural is empty: long potatoes@E (potato@Es)

gls-description

Lorem ipsum dolor sit amet.

gls-key

potato C

gls-short

potato@D

gls-plural

potatoes@A

gls-longplural

long potatoes@B

gls-longplural.with(link: true)

long potatoes@B

gls-description

Lorem ipsum dolor sit amet.

gls-group

D

test __attribute_is_empty error

test __key_not_found error

#print-glossary.with(show-all: true, disable-back-references: true)

potato – long potato: Lorem ipsum dolor sit amet.

A

potato@A: Lorem ipsum dolor sit amet.

B

potato@B – long potato@B: Lorem ipsum dolor sit amet.

show-all test

hiddenpotato: This potato does not appear, unless print-glossary is called with show-all: true

print-glossary (show-all: false)

C

potato@C – long potato@C: Lorem ipsum dolor sit amet. 3

D

potato@D – long potato@D: Lorem ipsum dolor sit amet. 3

E

potato@E – long potato@E: Lorem ipsum dolor sit amet. 3

G

potato@G – long potato@G: This potato should appear in the document.

Test #print-glossary(none) error

#default-print-reference.with(show-all: true)

Forcibly print nonreference entry.

potato@F – **long potato@F**: This potato should not appear in
the document.