



Télécom Paris Report Template

Official Package Documentation

Arsène Mallet

arsene.mallet@telecom-paris.fr

Abstract

This document serves as the official manual for the unofficial Télécom Paris report template. It details all available parameters, their expected types, and how they affect the layout of the final document.

Keywords: Documentation, API, Manual, Typst

I Introduction

The `telecom-paris-report` template is highly customizable. You configure the document by passing a dictionary of arguments to the main template function via the `#show` rule.

I Configuration API

II Text and Content Parameters

- `title (str | content)`: Main title of the document. Appears large and bold on the cover page.
- `subtitle (str | content)`: Subtitle of the document. Appears in grey directly below the main title on the cover.
- `short-title (str | content)`: A condensed title used exclusively in the page headers. If omitted, the template falls back to the main `title`.
- `abstract (content)`: The summary of your report. Generates an “Abstract” (or “Résumé”) block on the cover page.
- `keywords (array)`: A list of string keywords. Displayed below the abstract on the cover page.
- `date (str | content)`: The date of publication or submission. Displayed at the bottom center of the cover page.
- `sidebar-text (str)`: Custom text to display vertically within the red sidebar on the left of the cover page.

II People Parameters

- `authors (array)`: List of document authors. Can be an array of strings or an array of dictionaries in the format `(name: "...", mail: "...")`.
- `supervisors (array)`: List of project supervisors. Uses the same format as `authors` and generates a dedicated “Under the supervision of” section on the cover.

II Styling and Toggles

- `lang (str)`: Sets the localization for automated text (like “Abstract” vs “Résumé”). Accepts exactly `"en"` or `"fr"`. Defaults to `"en"`.
- `font (str | array)`: The font family used throughout the document. Defaults to `"Arial"`.
- `logo (bool)`: Toggles the display of the official Télécom Paris / IP Paris logos on the cover and in the headers. Defaults to `true`.
- `show-mail (bool)`: Determines whether the email addresses provided in the `authors` and `supervisors` arrays are displayed beneath their names. Defaults to `false`.
- `show-colored-bar (bool)`: Toggles the grey-black-red indicator bar at the absolute bottom of every content page. Defaults to `true`.

I Authoring

Once the `#show` rule is configured, you can write standard Typst markup. Headings (e.g., = Section) will automatically receive the custom visual treatment consisting of the red, black, and grey vertical indicators.