

verseatile

Easily set poetry.

BY ALEXANDER ABT

v0.1.0

MIT

verseatile

BY ALEXANDER ABT

verseatile is a small package for setting poetry with Typst, capable of easily indenting and numbering verses while providing many options for customization.

Table of Contents

verseatile	2
Setting poems	3
I.1 Getting Started	3
I.1.1 Styling titles	4
I.1.2 Using indentpatterns . . .	5
I.2 Numbering Verses	5
Setting cycles	7
II.1 Printing poems in cycles . . .	7
II.1.1 Styling titles	7
Index	9

Part I

Setting poems

I.1 Getting Started

To print a poem simply use the `#poem` function:

```
#poem({poemtitle}, {poembody}, {indentpattern})
```

Argument

{poemtitle}

content

The poem's title.

Argument

{poembody}

content

The poem itself — The end of a verse must be marked with `»\«`. The end of a stanza however must not be marked with `»\«` but with an empty line.

⚠ Note that the {poembody} must also start with an empty line for indentation and verse numbers to properly work.

Argument

{indentpattern}

content

Specification for the indentation of verses — If no line in the poem is to be specially indented this should be 0. For advanced use of indentpatterns see Section I.1.2.

A first example might look like this:

```
#poem[Hor. carm. I, 26][
```

```
Musis amicus tristitiam et metus \
tradam protervis in mare Creticum \
portare ventis, quis sub Arcto \
rex gelidae metuatur orae,
```

```
quid Tiridaten terreat, unice \
securus. O quae fontibus integris \
gaudes, apricos necte flores, \
necte meo Lamiae coronam,
```

```
] [0]
```

Hor. carm. I, 26

Musis amicus tristitiam et metus
tradam protervis in mare Creticum
portare ventis, quis sub Arcto
rex gelidae metuatur orae,

quid Tiridaten terreat, unice
securus. O quae fontibus integris
gaudes, apricos necte flores,
necte meo Lamiae coronam,

I.1.1 Styling titles

The styling of poemtitles is configurable via a show rule:

```
#show <poemtitle>
```

The vertical space between the <poemtitle> and the <poembody> is configurable via updating a state variable:

```
#v-after-poemtitle: 20pt
```

length

```
#v-after-pormtitle.update()
```

Default: 20pt

If <poemtitle> is left empty a part of the first verse can be set as an inline poemtitle using the #inline-poemtitle function:

```
#inline-poemtitle((part-of-verse))
```

Its styling is also configurable via a show rule:

```
#show <inline-poemtitle>
```

⚠ Note that, if <poemtitle> is shown to be a heading, inline poemtitles may be shown different but will also appear in the outline (on the same level).

When using inline poemtitles the first verse will always be printed at the same height that it would have been, if there was a normal (one line) poemtitle.

An example of using an *italicized* inline poemtitle might look like this:

```
#show <inline-poemtitle>: set text(
  style: "italic")
```

```
#poem[[
```

```
#inline-poemtitle[Musis amicus]
tristitiam et metus \
tradam protervis in mare Creticum \
portare ventis, quis sub Arcto \
rex gelidae metuatur orae,
```

```
quid Tiridaten terreat, unice \
securus. O quae fontibus integris \
gaudes, apricos necte flores, \
necte meo Lamiae coronam,
```

```
][0]
```

Musis amicus tristitiam et metus
tradam protervis in mare Creticum
portare ventis, quis sub Arcto
rex gelidae metuatur orae,
quid Tiridaten terreat, unice
securus. O quae fontibus integris
gaudes, apricos necte flores,
necte meo Lamiae coronam,

I.1.2 Using indentpatterns

By default all verses are indented in relation to the poemtitle. This base indentation is configureable via updating a state variable:

`#base-indent: 1em`

length

`#base-indent.update()`

Default: 1em

The `(indentpattern)` specifies how the verses of the `(poembody)` for a given poem are to be indented. It consist of a series of numbers demarking the level of indentation and is repeatedly applied. With every level (starting from 0) the verse is incrementally indented by the same space which is configureable via updating a state variable:

`#verse-indent: 1em`

length

`#verse-indent.update()`

Default: 1em

An example of indenting every third line of the poem to the first and every fourth line to the second level might look like this:

`#poem[Hor. carm. I, 26][`

Hor. carm. I, 26

Musis amicus tristitiam et metus \
tradam protervis in mare Creticum \
portare ventis, quis sub Arcto \
rex gelidae metuatur orae,

Musis amicus tristitiam et metus
tradam protervis in mare Creticum
portare ventis, quis sub Arcto
rex gelidae metuatur orae,

quid Tiridaten terreat, unice \
securus. O quae fontibus integris \
gaudes, apricos necte flores, \
necte meo Lamiae coronam,

quid Tiridaten terreat, unice
securus. O quae fontibus integris
gaudes, apricos necte flores,
necte meo Lamiae coronam,

`][0012]`

I.2 Numbering Verses

Verse numbers can be displayed by updating a state variable:

`#show-verse-numbers.update(true)`

Their styling is configureable via a show rule:

`#show <verse-number>`

Displaying only every n -th verse number can be achieved via updating a state variable:

#verse-number-modulo: 1

int

#verse-number-modulo.update()

Default: 1

An example of using 8pt verse numbers and only displaying them for every second verse might look like this:

```
#show-verse-numbers.update(true)
#verse-number-modulo.update(2)
```

```
#show <verse-number>: set text(
  size: 8pt)
```

```
#poem[Hor. carm. I, 26][
```

```
Musis amicus tristitiam et metus \
tradam protervis in mare Creticum \
portare ventis, quis sub Arcto \
rex gelidae metuatur orae,
```

```
quid Tiridaten terreat, unice \
securus. O quae fontibus integris \
gaudes, apricos necte flores, \
necte meo Lamiae coronam,
```

```
] [0012]
```

Hor. carm. I, 26

```

Musis amicus tristitiam et metus
2 tradam protervis in mare Creticum
    portare ventis, quis sub Arcto
4     rex gelidae metuatur orae,
    quid Tiridaten terreat, unice
6 securus. O quae fontibus integris
    gaudes, apricos necte flores,
8     necte meo Lamiae coronam,
```

Part II

Setting cycles

II.1 Printing poems in cycles

Cycles of multiple poems can be printed by using the `#cycle` function:

`#cycle(<cycletitle>, <cyclebody>)`

Argument

`<cycletitle>`

content

The cycle's title.

Argument

`<cyclebody>`

content

The poems belonging to the cycle — see `#poem-incycle`.

The poems belonging to the cycle are then printed by using the `#poem-incycle` function inside the `<cyclebody>`:

`#poem-incycle(<poemtitle>, <poembody>, <indentpattern>)`

Argument

`<poemtitle>`

content

The poem's title.

Argument

`<poembody>`

content

The poem itself — see `#poem`.

Argument

`<indentpattern>`

content

Specification for the indentation of verses — see `#poem` and Section I.1.2.

II.1.1 Styling titles

The styling of both the titles of the cycle and the poems it contains is configurable via a show rule:

```
#show <cycletitle>
#show <poemtitle-incycle>
```

The vertical space following the (cycletitle) will be `#v-after-poemtitle` and the vertical space following the poemtitles in the cycle will be exactly half of that.

An example of a cycle with styled titles might look like this:

<pre>#show-verse-numbers.update(true) #verse-number-modulo.update(2) #show <verse-number>: set text(size: 8pt) #show <cycletitle>: set text(size: 14pt, weight: "bold") #show <poemtitle-incycle>: it => text(size: 14pt)[#smallcaps(all: true, it)] #cycle[Hor. carm. I][#poem-incycle[XXVI][Parcius iunctas quatiunt fenestras \ iactibus crebris iuvenes proterui \ nec tibi somnos adimunt amatque \ ianua limen, quae prius multum facilis movebat \ cardines. Audis minus et minus iam: \ Me tuo longas perevnte noctes, \ Lydia, dormis?][0001] #poem-incycle[XXVI][Muis amicus tristitiam et metus \ tradam protervis in mare Creticum \ portare ventis, quis sub Arcto \ rex gelidae metuatur orae, quid Tiridaten terreat, unice \ securus. O quae fontibus integris \ gaudes, apricos necte flores, \ necte meo Lamiae coronam,][0012]</pre>	Hor. carm. I, 25 f. XXVI Parcius iunctas quatiunt fenestras 2 iactibus crebris iuvenes proterui nec tibi somnos adimunt amatque 4 ianua limen, quae prius multum facilis movebat 6 cardines. Audis minus et minus iam: Me tuo longas perevnte noctes, 8 Lydia, dormis? XXVI Muis amicus tristitiam et metus 2 tradam protervis in mare Creticum portare ventis, quis sub Arcto 4 rex gelidae metuatur orae, quid Tiridaten terreat, unice 6 securus. O quae fontibus integris gaudes, apricos necte flores, 8 necte meo Lamiae coronam,
---	---

Part III

Index

B

#base-indent 5

C

#cycle 7

I

#inline-poemtitle 4

P

#poem 3, 7

#poem-incycle 7

V

#v-after-poemtitle ... 4

#verse-indent 5

#verse-number-modulo .6