

TYPST PACKAGE

faboxyst

Coloured boxes for Typst, in the spirit of tcolorbox

 FERGOUS Abdelhak

Manual for version 0.1.0

Typst 0.15 · RTL-aware

Compile: `typst compile manual.typ --root .`

Contents

1 Introduction	3	16 Style catalogue	26
2 Getting started	4	16.1 Style 01 — tab: "plaque"	26
2.1 Installation	4	16.2 Style 02 — border: "caution" "wave" "zigzag"	26
2.2 A first document	4	16.3 Style 03 — side-bar, frame-hidden, title-rule-inset	26
2.3 How to read this manual	4	16.4 Style 04 — tab: "swoosh"	27
3 Quick reference	5	16.5 Style 05 — tab: "exercise"	27
4 Setup and themes	6	16.6 Style 06 — tab: "fold"	27
4.1 Built-in themes	6	16.7 Style 07 — example-header	27
4.2 Theme keys	6	16.8 Style 08 — tab: "label"	27
4.3 Palette	6	16.9 Style 09 — sweep	27
5 The main box: fabox	7	16.10 Style 10 — post-it fasteners	27
5.1 A titled box	7	16.11 Style 11 — mark(kind:)	28
5.2 Colours	7	16.12 Style 12 — tab: "spine"	28
5.3 Size and geometry	7	16.13 Style 13 — tab: "ears" / "dots"	28
5.4 Tabs	7	16.14 Style 15 — flag-ribbon	28
5.4.1 plaque — heading on the rule	8	16.15 Style 16 — speed-bar	28
5.4.2 top / ribbon / bottom	8	16.16 Style 19 — paper stocks + tape	28
5.4.3 swoosh — InDesign banner	8	16.17 Style 20 — notepad (spiral)	29
5.4.4 fold — 3-D ribbon	8	16.18 Style 21 — lesson-card	29
5.4.5 exercise — badge and chevrons	8	16.19 Style 22 — felt and lesson-table	29
5.4.6 label — two-tone tab plus an outside caption	8	16.20 Style 23 — numbox	30
5.4.7 spine — upright side bar	8	17 Textbook plates	31
5.4.8 ears / dots — moulded headings	9	17.1 iconbox	31
5.5 Shadows	9	17.2 crestbox / plate	32
5.6 Borders and rules	9	17.3 ribbonbox	32
5.7 Hand-drawn mode	9	17.4 helixbox	32
5.8 Subtitles	10	17.5 swooshbox	33
6 Ready-made boxes	11	17.6 circuitbox	33
6.1 fabox-sign	11	17.7 keybox	34
6.2 fabox-note	11	17.8 ringbox	34
6.3 example-header	11	17.9 punchbox	34
7 Semantic boxes	12	17.10 plannerbox	35
7.1 definition	12	17.11 filebox	35
8 Custom shapes: sketch-box	13	17.12 stubbox	35
8.1 One-knob variants	13	17.13 stackbox	35
9 Notebook card	14	17.14 calloutbox	36
10 Furniture boxes	15	17.15 tapebox	36
10.1 Sticky notes	15	17.16 chalkbox / markerbox	36
10.2 Ticket, folder, terminal	15	17.17 screwbox	37
10.3 Vignette, neon, polaroid, spread	16	17.18 sashbox / ruban	37
11 Inline highlight	17	18 Option index	39
12 Right-to-left	18	19 Function index	40
13 Paper boxes	19	20 Troubleshooting	41
13.1 Washi tape: sb-tape	19		
13.2 Torn kraft: torn-note	19		
13.3 Punched sheet: ruled-sheet	20		
13.4 Spiral pad: notepad	20		
13.5 The other four stocks	21		
13.6 Lesson card: lesson-card	21		
14 Spiral binding and banners	23		
14.1 Full-page coil: spiral-binding	23		
14.2 Swallow-tail: flag-ribbon	23		
14.3 Streaked masthead: speed-bar	23		
15 Inline marks	25		

1 Introduction

faboxyst draws coloured, titled boxes. It is the Typst counterpart of Thomas F. Sturm's LaTeX package **tccolorbox**: one function, **fabox**, covers titles, tabs, shadows, decorated borders and folded corners; a handful of wrappers give you everyday callouts without repeating options.

Boxes **measure their own content** and draw a frame at exactly that size. The line can be crisp (`rough: false`, the default on **fabox**) or hand-drawn (`rough: true`). The wobble is deterministic: the same `seed` always produces the same line.

Everything is direction-aware. Under `dir: rtl` titles, tabs, side bars and folded corners move to the leading edge on their own.

2 Getting started

2.1 Installation

Place the `faboxyst/` folder next to your document.

```
typst compile doc.typ --root .
```

The package needs `@preview/cetz:0.5.2` (Typst downloads it on first compile) and the bundled `assets/sketch.wasm`. No fonts are shipped — Typst uses whatever is installed (DejaVu, etc.). Optional extras if you have them: xkcd Script, Bevan, Comic Neue, Tajawal, Lalezar.

2.2 A first document

```
#import "faboxyst/lib.typ": *
#show: faboxyst.with(
  theme: themes.notebook,
)

#fabox(title: [Note])[
  A titled box.
]

#tip[A semantic tip.]
#warning[Never divide by zero.]
```

Note

A titled box.

A semantic tip.

Never divide by zero.

faboxyst is a **show rule**, not a document class. It applies a theme (colours, roughness, language, direction) and leaves the page to you.

2.3 How to read this manual

Every function is documented the same way:

1. A **signature** (name, parameters, return type).
2. A **parameter table** (name, type / default, meaning).
3. A **live example**: source on the left, compiled result on the right.

To find something fast:

- Quick reference 3 lists every public function in one table.
- Style catalogue 16 shows each look with the options that change it.
- Option index 18 lists every **fabox** key alphabetically.
- Function index 19 is the same list, grouped by role.

3 Quick reference

Function	Use this when...
fabox	you want a titled coloured box — start here
fabox-sign	an octagonal / polygonal sign (STOP)
fabox-note	a yellow folded “!” note
example-header	a textbook masthead, not a box
numbox	numbered question; auto or manual, LTR / RTL
note / tip / warning / example	everyday callouts
definition	a term + explanation (+ examples)
sketch-box	you need a custom shape / hatch / extrusion
burst / block3d / hatched / shadowed	one-knob variants of sketch-box
plaque / pill-box / double-frame	plaque, stadium, double outline
sloppy-box	four overshooting strokes
notebook-box	spiral-bound exercise card (wire rings)
notepad / ruled-sheet	spiral pad, or punched filler paper
torn-note / deckle-tag / sb-tape	torn kraft, feathered tag, washi / gingham tape
stamp-card / grid-note / index-card / lesson-card	mat, graph paper, ruled card, dovetail banner
sticky / post-it	sticky notes; pin / clip / tape
ticket / ticketbox / folder / terminal	torn stub (RTL hole + disc), file tab, terminal
sashbox / ruban	folded ribbon: flat / arch / hang; incline; rough ink
vignette / neon / polaroid	two-cell, glow, instant-photo
spread-box	a box that grows into the margins
highlight	a highlighter swipe on inline text
iconbox / crestbox / ribbonbox	icon plaque, octagon, yellow+blue band
helixbox / swooshbox / circuitbox	helix header, sheared plate, stepped rails
keybox / ringbox / punchbox / plannerbox	Greek key, binder rings, punched bar, both
filebox / stubbox / stackbox	folder tabs, ticket stub, stacked sheets
calloutbox / tapebox / chalkbox / markerbox	speech bubble, washi, slate, whiteboard
screwbox	plaque held by 1–4 corner screws
faboxyst	apply a theme (#show: ...)

4 Setup and themes

faboxyst → content

```
faboxyst(theme: default-theme, ..over, body)
```

A show rule. Merge a ready-made theme, a partial dictionary, or both.

Parameter	Type / default	Meaning
theme	dictionary	a full theme, or overrides merged onto the default
..over	named	same keys as a theme, shorthand for a partial

```
#show: faboxyst.with(theme: themes.blueprint)
#show: faboxyst.with(theme: (accent: red, roughness: 1.5))
#show: faboxyst.with(theme: themes.arabic)
```

notebook

blueprint

bold

quiet

4.1 Built-in themes

Parameter	Type / default	Meaning
themes.notebook	default	warm paper, pink accent
themes.blueprint	–	cool blue, ruled paper
themes.bold	–	heavier strokes, more wobble
themes.quiet	–	grey, nearly straight lines
themes.arabic	–	dir: rtl, lang: “ar”, Tajawal

4.2 Theme keys

These keys live on the theme dictionary and are read by every semantic box.

Parameter	Type / default	Meaning
accent	color	default stroke of note / sketch-box
palette	dictionary	named swatches: palette.lime, palette.navy, ...
ink / paper	color	text and page colours
fonts	dictionary	body / heading / bubble / mono / emoji stacks
roughness	float (1.0)	wobble multiplier; 0 is a clean line
stroke-weight	length (1.6pt)	default frame thickness
pad / radius / gap	length / cm / length	inner pad, corner, after-gap
dir / lang	direction / str	ltr or rtl; language tag
seed	int (1)	base seed for the document

make-theme → dictionary

```
make-theme(base: default-theme, ..over) → dictionary
```

get-theme → dictionary

```
get-theme() → dictionary // call inside context
```

4.3 Palette

pink
 sky
 lime
 gold
 orchid
 red
 navy
 green
 orange
 cyan
 hilite
 pltblue

5 The main box: fabox

fabox → content

```
fabox(
  body,
  title: none, colour: rgb("#B03A2E"),
  frame: auto, back: auto,
  title-fill: auto, title-colour: auto,
  ... // see Option index
)
```

This is the function to reach for. One description draws both a crisp box and a hand-drawn one (`rough: true`). Fully RTL-aware.

5.1 A titled box

```
#fabox(title: [My title])
  This is a *fabox*.
]
```

My title

This is a **fabox**.

```
#fabox[
  No title – just a coloured frame.
]
```

No title — just a coloured frame.

5.2 Colours

Parameter	Type / default	Meaning
colour	color (#B03A2E)	the family colour; other paints derive from it
frame	color auto	the outline; auto = colour
back	color auto	body fill; auto = a 5 % wash of colour
title-fill	color auto	title bar; auto = colour
title-colour	color auto	title text; auto = black or white, whichever reads
gradient-to	color none	second colour for a vertical body wash

```
#fabox(title: [Navy], colour: rgb("#1E5CB3"))[derived paints]
#fabox(title: [Wash], colour: rgb("#2F7D32"),
  gradient-to: rgb("#E8F5E9"))[a vertical wash]
```

Navy

derived paints

Wash

a vertical wash

5.3 Size and geometry

Parameter	Type / default	Meaning
width	auto length ratio (100%)	auto shrinks to the content
radius	float cm (0.16)	corner radius
sharp	array (())	which corners stay square: “northwest”, ... or (“all”)
weight	length (1.0pt)	outline thickness
inset	length (0.34cm)	padding around the body
title-inset	length (0.24cm)	padding around the title
inline	bool (false)	stay in the paragraph instead of breaking the line
baseline	relative (30%)	how far an inline box drops below the baseline

```
A tight box: #fabox(width: auto, title: none)[$ e^{i \pi} + 1 = 0 $].
An inline one: #fabox(inline: true, width: auto,
  colour: rgb("#1E5CB3"))[inline].
```

A tight box:

$$e^{i\pi} + 1 = 0$$

. An inline one: inline .

5.4 Tabs

tab attaches the title instead of drawing a full-width bar.

Parameter	Type / default	Meaning
tab	none str	none, “top”, “ribbon”, “bottom”, “plaque”, “swoosh”, “fold”, “label”, “exercise”, “spine”, “ears”, “dots”

Parameter	Type / default	Meaning
tab-width	ratio (45%)	share of the edge for “top” / “ribbon”
tab-offset	float cm (0.5)	leading gap before a plaque / ears / dots

5.4.1 plaque — heading on the rule

```
#fabox(title: [Theorem 1.1], tab: "plaque",
  colour: rgb("#CCCCFF"), title-colour: black,
  back: white, weight: 2pt, radius: 0,
  sharp: ("all",))
$ a^2 + b^2 = c^2 $
]
```

Theorem 1.1

$$a^2 + b^2 = c^2$$

5.4.2 top / ribbon / bottom

```
#fabox(title: [top], tab: "top")[a flag]
#fabox(title: [ribbon], tab: "ribbon")[a pennant]
#fabox(title: [bottom], tab: "bottom")[a lobe]
```

top

a flag

ribbon

a pennant

a lobe

bottom

5.4.3 swoosh — InDesign banner

Parameter	Type / default	Meaning
swoosh	float (0.2)	length of the S-curve, as a fraction of the edge
swoosh-deep	float (0.48)	how far it drops, as a fraction of the banner
swoosh-side	top bottom left right	which edge carries it
swoosh-align	start center end	where the title sits

```
#fabox(title: [Long Fancy Title],
  tab: "swoosh", colour: rgb("#00A000"),
  back: white)[the bar swells around the words]
```

Long Fancy Title

the bar swells around the words

5.4.4 fold — 3-D ribbon

```
#fabox(title: [Title], tab: "fold",
  colour: black, title-fill: rgb("#898ADD"),
  title-colour: black,
  fold-colour: rgb("#1475BB"),
  back: white, sharp: ("all",))[Hello World!]
```

Title

Hello World!

5.4.5 exercise — badge and chevrons

Parameter	Type / default	Meaning
badge	content none	a boxed number at the end of the tab
chevrons	int (0)	fading > marks trailing the title
side-bar / bottom-rule / corner-tick	float cm none	open frame: left + bottom + a short return

```
#fabox(title: [Exercise], tab: "exercise",
  badge: [1], chevrons: 4,
  colour: rgb("#663599"),
  frame-hidden: true, back: white,
  side-bar: 0.05, bottom-rule: 0.05,
  corner-tick: 0.5, sharp: ("all",))
An open left + bottom frame.
]
```

Exercise 1

An open left + bottom frame.

5.4.6 label — two-tone tab plus an outside caption

Parameter	Type / default	Meaning
label-number	content none	the square number block
label-caption	content none	a caption set outside the tab
label-out	auto float cm	how far the tab overhangs; auto = 0.88 × height
label-round / label-square	bool	round the number block / no rounding at all

```
#fabox(title: [EXAMPLE], tab: "label",
  label-number: [1],
  label-caption: [Solution],
  colour: rgb("#00A550"),
  title-fill: rgb("#5B58FF"))
This is Example 1.
]
```

EXAMPLE 1

Solution

This is Example 1.

5.4.7 spine — upright side bar

Parameter	Type / default	Meaning
spine-side	start end	leading or trailing edge
spine-align	start center end	where it sits along the edge
spine-out	auto length	how far it sticks out; auto = 0.85 × depth

Parameter	Type / default	Meaning
spine-len	auto length ratio	its length; a ratio is of the frame height

```
#fabox(tab: "spine", title: [LEARN THIS],
  colour: rgb("#641648"),
  radius: 0, spine-out: 0pt)[
  A vertical bar clamped on the leading edge.
]
```

LEARN THIS

A vertical bar clamped on the leading edge.

5.4.8 ears / dots — moulded headings

```
#fabox(tab: "ears", title: [Definition],
  colour: rgb("#7F0000"),
  back: rgb("#FDF0F0"))[flared scoops]
#fabox(tab: "dots", title: [Note],
  colour: rgb("#2D6FB1"))[studs on the rule]
```

Definition

flared scoops

Note

studs on the rule

5.5 Shadows

Parameter	Type / default	Meaning
shadow	none true str	true/"plain", "small", "large", "lifted", "fuzzy"
shadow-colour	color auto	auto = luma(120)
shadow-spread	auto float cm	how far it reaches
shadow-offset	auto (dx, dy)	auto = down and to the trailing side
shadow-opacity	auto ratio	darkest point, 0–100 %
shadow-blur	int (14)	stacked copies; more = smoother

```
#fabox(title: [plain], shadow: true)[offset]
#fabox(title: [fuzzy], shadow: "fuzzy")[soft]
#fabox(title: [lifted], shadow: "lifted")[pinned corners]
```

plain

offset

fuzzy

soft


lifted

pinned

5.6 Borders and rules

Parameter	Type / default	Meaning
border	none zigzag wave caution	decorated edge; "caution" is hazard tape
tape-width / tape-period	length (0.16 / 0.10 cm)	caution band and stripe
tape-colours	(color, color)	the two hazard colours
frame-hidden	bool (false)	drop the outline entirely
side-bar / top-rule / bottom-rule	none float cm	thick rules inside the frame
corner-tick	none float cm	a short return up from the trailing bottom corner
title-rule-inset	float cm (0.0)	shorten the rule under the title, both ends
sweep	none float cm	open U-frame; the number is the big-corner radius
halo	none (r, color) array	a soft glow around the frame
vignette	none float	a raised bevel just inside the frame
fold	bool (false)	turn up a dog-ear (the corner , not tab: "fold")
watermark	content none	faint text behind the body

```
#fabox(border: "caution", width: auto,
  title: none)[$ a^2 + b^2 = c^2 $]
#fabox(title: [open], sweep: 1.4,
  colour: rgb("#1E5CB3"))[a U-frame]
```



open

a U-frame

```
#fabox(title: [Warn], shadow: "fuzzy",
  watermark: [NOTE], colour: rgb("#B03A2E"))[
  fuzzy shadow + watermark
]
#fabox(title: [Note], fold: true,
  colour: rgb("#FBEC5D"),
  title-colour: black)[a turned-up corner]
```

Warn

fuzzy shadow + watermark

Note

a turned-up corner

5.7 Hand-drawn mode

Parameter	Type / default	Meaning
rough	bool (false)	draw with a wobble

Parameter	Type / default	Meaning
roughness	float (1.0)	how wild the wobble is
bowing	float (0.6)	how much each edge bows
seed	int (11)	fix the wobble

```
#fabox(title: [crisp], rough: false)[default]
#fabox(title: [drawn], rough: true)[same options]
```

crisp

default

drawn

same options

5.8 Subtitles

Parameter	Type / default	Meaning
subtitles	array (())	((heading, body), ...) – extra bars under the body

```
#fabox(title: [Lemma],
  subtitles: (([Proof], [By induction.])),)[
  The statement.
]
```

Lemma

The statement.

Proof

By induction.

6 Ready-made boxes

These three are specialised shapes, not `fabox` with different defaults.

6.1 `fabox-sign`

`fabox-sign` → content

```
fabox-sign(body, sides: 8, size: 2.6, colour: rgb("#D32F2F"), ...)
```

A regular polygon — `tclobox`'s STOP-sign example.

Parameter	Type / default	Meaning
<code>sides</code>	int (8)	3 = triangle, 4 = square, 8 = octagon
<code>size</code>	float cm (2.6)	width and height
<code>colour / text-colour</code>	color	fill and lettering
<code>ring</code>	float cm (0.16)	the white inner rule
<code>rough / seed</code>	bool / int	hand-drawn mode

```
#fabox-sign[STOP]
#fabox-sign(sides: 4, colour: rgb("#1565C0"),
  size: 2.2)[INFO]
```





6.2 `fabox-note`

`fabox-note` → content

```
fabox-note(body, icon: [!], colour: rgb("#FBE5D5"), ...)
```

The yellow folded note of the `tclobox` manual: a square icon block on the leading edge and a turned-up trailing corner.

```
#fabox-note[Remember to save.]
#fabox-note(icon: [?], colour: rgb("#B8D0EB"))[A question.]
```



6.3 `example-header`

`example-header` → content

```
example-header(word, number: none, tag: none, note: none, ...)
```

A **header**, not a box: pill + numbered disc + arrow banner + label. It takes no body, so it can sit above running text or above a `fabox`.

```
#example-header([Example], number: [1],
  tag: [SKILLS], note: [PROBLEM-SOLVING])
```

Example

1

SKILLS

PROBLEM-SOLVING

7 Semantic boxes

Everyday callouts. All of them are **sketch-box** with different defaults, so they accept the same extra arguments (width, fill, hatch, roughness, seed, breakable, ...).

note → content

`note(body, ..sketch-box-args)`

tip → content

`tip(body, colour: auto, ..)`

warning → content

`warning(body, colour: auto, ..)`

example → content

`example(body, colour: auto, ..)`

```
#note[A plain note in the accent colour.]
#tip[A tip, in lime.]
#warning[A warning, in red.]
#example[A worked example, tinted.]
```

A plain note in the accent colour.

A tip, in lime.

A warning, in red.

A worked example, tinted.

7.1 definition

definition → content

`definition(term, body) or definition(term, body, examples)`

```
#definition("INTEGERS")
  All whole numbers, positive or negative.
][
  ... -2, -1, 0, 1, 2 ...
]
```

INTEGERS All whole numbers, positive or negative.

EXAMPLES: ... -2, -1, 0, 1, 2 ...

Under RTL the open frame and the أمثلة: label swap sides.

8 Custom shapes: sketch-box

sketch-box → content

```
sketch-box(body, shape: "round", fill: none, ...)
```

The workhorse under every semantic box. Reach for it when no name covers what you want.

Parameter	Type / default	Meaning
shape	round rect burst ellipse plaque stadium none	the outline
fill / stroke-colour / stroke-weight	color none / auto	paint; none drops the outline
radius / pad / width	cm / length / auto length ratio	corner, padding, width
roughness / seed	auto float / auto int	per-box wobble
hatch	none (angle, spacing)	clipped against the real outline
shadow	none color	a soft drop shadow
depth	float cm (0)	> 0 extrudes the box
passes / pass-offset	int / float cm	draw the outline N times
curl	float (0.42)	corner curl for shape: "plaque"
breakable	bool (false)	true = native stroke, can split pages


A hand-drawn frame is one canvas of a known size, so it **cannot** break across pages. `breakable: true` falls back to a native Typst block: it splits correctly but loses the wobble. Prefer several shorter boxes.

```
#sketch-box(shape: "round")[round]
#sketch-box(shape: "rect")[rect]
#sketch-box(shape: "ellipse")[ellipse]
```




8.1 One-knob variants

```
#burst[A starburst.]
#block3d[Extruded.]
#hatched[Hatched, no fill.]
#shadowed[A drop shadow.]
```



```
#plaque(title: [KEY TERM])[curling corners]
#pill-box[a stadium]
#double-frame[drawn twice]
#sloppy-box[four overshooting strokes]
```



sloppy-box hugs its words when `width` is `auto` (the default). A ratio such as `100%` is resolved against the column, not the page.

9 Notebook card

notebook-box → content


notebook-box(body, title: none, badge: none, colour: rgb("#22C55E"), ...)

A page-within-a-page: outer shell, lighter inner page on a faint grid, a wire binding, and a title pill that straddles the top border. The rings follow the text direction. **notebook-box-clean** is the same with `roughness: 0`.

Parameter	Type / default	Meaning
title / badge	content none	the pill; badge gets its own rounded outline
rings / ring-side / ring-at	int / auto left right / auto array	count, edge, or fractions down the spine
ring-size / ring-aspect / bead	float cm	loop geometry
gap / spine / radius / grid	float cm / auto / cm / bool	inner page and squared paper
roughness / bowing / seed / colour	float / float / int / color	wobble and paint

```
#notebook-box(title: [Exercise], badge: [03],  
  colour: rgb("#22C55E"))[  
  Sachant que $a + b = 3$  
]
```

```
#notebook-box(title: [3 rings], rings: 3)[fewer loops]  
#notebook-box(title: [right], ring-side: "right")[other edge]  
#notebook-box-clean(title: [clean])[no wobble]
```



The torn-off pad (**notepad**), the punched filler sheet (**ruled-sheet**) and the full-page coil (**spiral-binding**) live in Section 13 and Section 16.

10 Furniture boxes

Boxes that look like objects rather than panels. All of them size themselves and follow `dir`.

10.1 Sticky notes

sticky → content


```
sticky(body, width: 4cm, angle: -3deg, colour: auto, seed: 1)
```

post-it → content

```
post-it(body, title: none, pin: none, size: auto, ...)
```

Parameter	Type / default	Meaning
pin	none pushpin paperclip tape	how the note is fastened
pin-colour / pins / pin-at	color / int / auto array	colour, count, or explicit offsets
size	auto length	auto = at most 5 cm across
angle	angle (-6deg)	the whole note's tilt

```
#sticky[Don't forget!]
#post-it(pin: "pushpin", size: 3.3cm)[pin]
#post-it(pin: "paperclip", size: 3.3cm)[clip]
#post-it(pin: "tape", size: 3.3cm)[tape]
```



10.2 Ticket, folder, terminal

ticket → content

```
ticket(body, stub: none, colour: rgb("#C0392B"), width: auto, ...)
```

ticketbox → content

```
ticketbox // alias of ticket
```

folder → content

```
folder(body, title: none, colour: rgb("#E67E22"), width: 100%, ...)
```

terminal → content

```
terminal(body, title: none, fill: rgb("#1E2430"), ...)
```

The leading short side carries a half-disc that sticks **out**; the trailing side is a hole bitten **in**. Both travel with the stub under RTL. Arabic-Indic and Persian digits become Western 0–9.


```
#ticket(stub: [12])[ADMIT ONE]
#folder(title: [folder])[a tabbed file]
```

12 ADMIT ONE

folder

a tabbed file

```
#terminal(title: [shell])[typst compile doc.typ]
```



10.3 Vignette, neon, polaroid, spread

vignette → content

```
vignette(title, body, colour: rgb("#2A6FB0"), ...)
```

neon → content

```
neon(body, colour: rgb("#00E5FF"), back: rgb("#101018"), ...)
```

polaroid → content

```
polaroid(body, caption: none, width: auto, angle: -2deg, ...)
```

spread-box → content


```
spread-box(body, spread: auto, inwards: auto, outwards: auto, ...)
```

```
#vignette([Note], [a two-cell box])
#neon[a glowing tube]
```

Note a two-cell box



```
#polaroid(width: 3.4cm, caption: [June])[
  #box(width: 100%, height: 1.4cm, fill: rgb("#8B03E8"))
]
#spread-box(spread: 0.3cm, title: [wide],
  colour: rgb("#2A6FB0"))[grows into the margins]
```



wide
grows into the margins

11 Inline highlight

highlight → content

```
highlight(body, colour: auto, expand: 0.14em, lift: 0.0em, seed: auto)
```

A highlighter swipe behind a run of text. The stroke is sized from the measured glyph box, so it tracks any font size.

```
Text with #highlight[highlighted words]  
and #highlight(colour: palette.sky)[a blue one].
```

Text with highlighted words and a blue one.

12 Right-to-left

Set the direction (or use `themes.arabic`) **before** the boxes. Geometry mirrors: tabs, side bars, folded corners, notebook rings and ticket stubs all swap edges.

```
#text(lang: "ar", dir: rtl)[
  #fabox(title: [ملاحظة], tab: "plaque",
    colour: rgb("#CCCCFF"),
    title-colour: black, back: white,
    sharp: ("all",))[
    ...في المثلث القائم
  ]
]
```

ملاحظة

في المثلث القائم...

No fonts are bundled. If **Tajawal** / **Lalezar** are installed they are preferred for Arabic; otherwise DejaVu. Lalezar has no bold cut — `heading-weight(dir)` keeps headings regular under `rtl`.

13 Paper boxes

Torn kraft, punched filler paper, a spiral pad, a scalloped mat, graph paper, a ruled index card, a deckle-edged tag and a lesson card. These are the **paper stocks** of the package: each is a self-contained box with its own edge and its own fastening.

Tape is **not** a boolean. Pass `none`, a dictionary of **sb-tape** arguments, or an array of those dictionaries. Punch holes take `auto` or an integer — never `true`.

13.1 Washi tape: sb-tape

sb-tape → content

```
sb-tape(w: 2.6, h: 0.78, angle: -8deg,
kind: "dots", colour: auto, ink: auto, seed: 3)
```

A translucent strip. The long edges are slightly ragged; the ends are cut square. `kind` is the pattern.

Parameter	Type / default	Meaning
kind	plain dots gingham stripe	the print; gingham is the cloth / “torchon” check
w / h	float cm (2.6 / 0.78)	size
angle	angle (-8deg)	how it sits
colour / ink	color auto	the wash, and the dots / stripes

```
#sb-tape(kind: "plain")
#sb-tape(kind: "dots")
#sb-tape(kind: "gingham")
#sb-tape(kind: "stripe")
```

13.2 Torn kraft: torn-note

torn-note → content

```
torn-note(body, width: 12.0, tape: auto, tilt: 0deg, ...)
```

Hand-torn kraft paper. The default tape is a polka-dot washi strip.

Parameter	Type / default	Meaning
width / pad	float cm (12.0 / 0.85)	sheet width and inner pad
tape	auto none dict array	auto = one dots strip; none = bare
amp / tilt / fill	float / angle / auto	tear roughness, rotation, stock colour
grain / shadow	bool	fibre grain and drop shadow
rough / roughness / hand	auto bool / float / none str	hand-drawn mode

```
#torn-note(width: 7.2)[default dots tape]
#torn-note(width: 7.2, tape: none)[no tape]
#torn-note(width: 7.2,
  tape: (kind: "gingham",
    colour: rgb("#DCCBB4"),
    at: (0.8, -0.2)))[cloth tape]
```

13.3 Punched sheet: ruled-sheet

ruled-sheet → content

```
ruled-sheet(body, width: 9.0, holes: auto,
  hole-side: auto, rule: "lines", tape: none, ...)
```

A page torn out of a ring binder: punch holes on the leading edge, ruling behind the text, **only the top edge torn**. Four torn edges would read as a scrap, not a page.

Parameter	Type / default	Meaning
holes	auto int	auto = one every 1.05 cm; an int is the count
hole-side	auto left right	auto follows the text direction
rule / ruling / heart	"lines" "none" / float cm / bool	ruling and a rose divider
tape	none dict	a strip of sb-tape see above
clip	bool (false)	reserved; the clip lives on grid-note / index-card

```
#ruled-sheet(width: 7.2, holes: 4)[
  punched filler paper
]
#ruled-sheet(width: 7.2, holes: 3, heart: true,
  tape: (kind: "gingham",
    colour: rgb("#DCCBB4"),
    w: 2.1, h: 0.7, angle: 8deg,
    at: (2.0, -0.28)))[
  holes + cloth tape
]
```



13.4 Spiral pad: notepad

notepad → content

```
notepad(body, width: 9.5, rings: auto,
  crumpled: false, side: auto, ...)
```

A sheet **torn off** a spiral pad. The coil is one continuous wire, not a row of rings: each turn comes up through a hole, wraps the edge and dives back. **notebook-box** is the **card** with a title pill; **notepad** is the **page** pulled off the pad.

Parameter	Type / default	Meaning
rings	auto int	auto = one every 0.81 cm; an int is the count
ring / ring-colour	auto float / auto color	oval size and ink
side	auto left right	auto follows the text direction
crumpled / creases / crease-ink	bool / int / float	facet crumple
tilt	angle (0deg)	the whole sheet

```
#notepad(width: 7.2, rings: 5)[smooth]
#notepad(width: 7.2, rings: 5,
  crumpled: true)[crumpled]
#notepad(width: 7.2, rings: 3,
  side: right)[bound on the right]
```



13.5 The other four stocks

stamp-card → content

```
stamp-card(body, width: 8.0, pin: true, scallop: 0.20, ...)
```

grid-note → content

```
grid-note(body, width: 8.4, clip: false, tape: none, ...)
```

index-card → content




```
index-card(body, heading: none, note: none, clip: false, ...)
```

deckle-tag → content

```
deckle-tag(body, width: 5.6, tape: auto, ...)
```

Parameter	Type / default	Meaning
stamp-card	pin / holes / scallop / mat	a card pinned to a punched mat
grid-note	grid / clip / tape	graph paper; clip straddles the top
index-card	heading / note / rules	ruled card + tinted footer
deckle-tag	amp / tape	feathered handmade edge; default tape is gingham

```
#stamp-card(width: 7.2)[pinned card]
#grid-note(width: 7.2, clip: true)[graph + clip]
#index-card(width: 7.2, heading: [Example],
  note: [a caution])[the body]
#deckle-tag(width: 6.2)[cloth tape]
```



13.6 Lesson card: lesson-card

lesson-card → content


```
lesson-card(body, title: none, width: 9.0,
  clip: true, rule: true, ...)
```

A lined exercise-book card with a dovetail title banner pinned across the top rule. Designed for Arabic; `align(start)` is applied throughout.

Parameter	Type / default	Meaning
title	content none	the ribbon; none leaves the frame plain

Parameter	Type / default	Meaning
banner-w / banner-h / notch	auto float / float / float	ribbon geometry
ink / rule / ruling	color / bool / float cm	frame colour and lined paper
clip / clip-at	bool / float	a paperclip on the top-left corner

```
#lesson-card(width: 7.2, title: [Note],
  clip: false)[
  A lined card with a
  dovetail banner.
]
```



14 Spiral binding and banners

14.1 Full-page coil: spiral-binding

spiral-binding → content

```
spiral-binding(side: auto, colour: ..., gap: 1.5cm, ...)
```

A page **background**, not a box. Use it as `set page(background: ...)` or through the helper **bound-page**, which also reserves the margin.

Parameter	Type / default	Meaning
side	auto left right top bottom	auto follows the text direction
gap / scale / offset	length / float / length	pitch, size, first-loop shift
gutter / gutter-width / gutter-colour	bool / length / color	the paper edge
bead / colour / weight	bool / color / length	the wire

```
#box(width: 100%, height: 3.2cm,
clip: true,
spiral-binding(side: "left",
colour: rgb("#5AA"),
gap: 1.05cm, scale: 0.85))
```



bound-page → content

```
bound-page(body, side: auto, colour: ..., margin: 2.6cm, ...)
```

A show rule: `#show: bound-page.with(side: "top", colour: teal)`. Extra named arguments go to **spiral-binding**.

14.2 Swallow-tail: flag-ribbon


flag-ribbon → content

```
flag-ribbon(body, height: 0.74, tail: 1.17, notch: 0.38, ...)
```

A pen-and-ink banner with a swallow-tail at each end and a hatched fold.

Parameter	Type / default	Meaning
height / width	float cm / auto	the band; auto = as wide as the words
tail / notch / drop / deeper	float × height	tail geometry
hatch / shade / fold	int / bool / float	the fold marks
wobble / radius / shadow	float / length / none float	hand, rounding, drop shadow
colour / fill / tails	color / none color / bool	ink, wash, hide the tails

```
#flag-ribbon(height: 0.62)[Useful Patterns]
#flag-ribbon(height: 0.62, tail: 0.55,
notch: 0)[short, no V]
#flag-ribbon(height: 0.62,
colour: rgb("#1A5C9E"),
fill: rgb("#EAF2FA"),
shadow: 0.08)[filled + shadow]
```



14.3 Streaked masthead: speed-bar

speed-bar → content


```
speed-bar(body, height: 2.4, colour: rgb("#552384"), ...)
```

Nine stacked capsules whose ends break into streaks. Prefer a height around 1.05cm–1.2cm inside a column; the default 2.4 is for a full-width banner.

Parameter	Type / default	Meaning
height / width	float cm length / auto	the bar; auto = the words
colour / text-colour / body-radius	color / color / float cm	paint and the solid block
streaks / dots	auto array	override the measured silhouette

Parameter	Type / default	Meaning
overlap / gap / radius	float / float / auto length	how the capsules meet
rough / roughness	bool / float	hand-drawn mode

```
#speed-bar(height: 1.05cm)[SPEED]
#speed-bar(height: 1.05cm,
  colour: rgb("#B8123A"))[RED]
#speed-bar(height: 1.05cm, dots: ())[no dots]
```



15 Inline marks

mark → content

mark(body, kind: "highlight", colour: auto, ...)

felt → content

felt(body, ink: "yellow", alpha: 45%, ...)

mark is a hand-drawn emphasis on a run of words. **felt** is a felt-tip highlighter (rounded nib, translucent ink). **highlight** (from the semantic family) is a simpler swipe.

Parameter	Type / default	Meaning
kind	highlight underline double wave circle box strike scribble bracket jagged fan	the mark shape
felt.ink	yellow green pink blue orange violet	named felt inks
felt.alpha / height	ratio / float	opacity and band height × x-height

```
#mark[highlight]
#mark(kind: "wave", colour: blue)[wave]
#mark(kind: "jagged")[jagged]
#mark(kind: "fan")[fan]
#felt(ink: "green")[felt green]
#felt(ink: "pink")[felt pink]
```



16 Style catalogue


Each family from the original `styles/` folder, with the **options that change the look** and a live result. Styles 17–18 were slide decks and are not part of this boxes-only package. Style 14 (`ws-card`) was a full worksheet card; the same punched / ring look is **ruled-sheet** and **notebook-box**.

Style	Key	What it is
01	tab: "plaque"	heading slab sitting on the top rule
02	border: caution wave zigzag	hazard tape, coil, or sawtooth
03	side-bar + frame-hidden	azurios flat bar, no outline
04	tab: "swoosh"	InDesign banner with an S-curve
05	tab: "exercise"	badge + fading chevrons, open frame
06	tab: "fold"	3-D ribbon folded at both ends
07	example-header	pill + disc + arrow, not a box
08	tab: "label"	two-tone tab + outside caption
09	sweep:	open U-frame with a big rounded corner
10	post-it(pin:)	pushpin / paperclip / tape
11	mark(kind:)	jagged, fan, and the other inline marks
12	tab: "spine"	upright LEARN-THIS bar
13	tab: ears dots	moulded headings
15	flag-ribbon	swallow-tail ink banner
16	speed-bar	streaked masthead
19	torn-note ...	six paper stocks + washi
20	notepad	spiral pad, smooth or crumpled
21	lesson-card	dovetail banner on lined paper
22	felt / lesson-table	felt-tip + lavender table
23	numbox	numbered question, auto or manual, LTR / RTL
24–40	see @plates	icon, crest, ribbon, helix, swoosh, circuit, key, ring, punch, planner, file, stub, stack, callout, tape, chalk, marker, screw


16.1 Style 01 — tab: "plaque"

A flat heading centred on the top rule. `tab-offset` slides it; `plaque-rule` outlines it; `plaque-sharp` picks the corners.


`tab-offset: 0`



`tab-offset: 1.4`



`plaque-rule: true`



16.2 Style 02 — border: "caution" | "wave" | "zigzag"

Three decorated edges. "caution" is hazard tape (tape-width, tape-period, tape-colours). "wave" and "zigzag" run along the top and bottom rules.

`border: "zigzag"`



`border: "wave"`



`border: "caution"`



`tape-width: 3pt`



`tape-period: 0.22`




`tape-colours: red/white`




16.3 Style 03 — side-bar, frame-hidden, title-rule-inset

The outline is dropped; a thick bar on the leading edge and a short underline under the title do the work.

the azurios recipe



`side-bar only`



`title-rule-inset: 0.8`



16.4 Style 04 — tab: "swoosh"

The bar swells around the words. *swoosh* is the curve length, *swoosh-deep* how far it drops, *swoosh-side* which edge, *swoosh-align* where the title sits.

default, top

Title

swells around the words

swoosh-align: center

centred

both ends taper

swoosh-side: "left"

down the edge

SIDE

16.5 Style 05 — tab: "exercise"

A slab, a boxed number, fading chevrons, and an open left + bottom frame (*side-bar* + *bottom-rule* + *corner-tick*).

chevrons: 0

Ex. 1

no marks

chevrons: 4

Ex. 1

four marks

badge: none

Ex.

no number

16.6 Style 06 — tab: "fold"

A 3-D ribbon: *fold-out* is the overhang, *fold-colour* the two triangles that sell the twist.

fold-out: 0

flush

no overhang

default

Title

Hello

shadow: true

lifted

with relief

16.7 Style 07 — example-header

A header, not a box. number must be **content** ([1]), not an integer.

```
#example-header([Example], number: [1],
tag: [SKILLS], note: [PROBLEM-SOLVING])
#example-header([Example], number: [3],
colour: rgb("#1A5C9E"))
```

Example 1

SKILLS

PROBLEM-SOLVING

Exemple 3

16.8 Style 08 — tab: "label"

Two-tone tab above the frame: a rounded word, a square number, a caption set **outside** the tab.

word + number + caption

EX. 1 Sol.

body

label-square: true

EX. 2

square

label-round: true

EX. 3

round end

16.9 Style 09 — sweep

An open U-frame. Combinable with tab: "label".

sweep: 1.2

open

big corner

sweep-ticks: 0

plain

no ornaments

with a label tab

EX. 1

combined

16.10 Style 10 — post-it fasteners


Each fastener meets the paper differently: a pin is **pressed in**, a clip is **slipped over**, tape is **laid across**.

Parameter	Type / default	Meaning
pin	none pushpin paperclip tape	the fastener
pins / pin-at / pin-shift	int / auto array / float	how many, and where
tape-at	corner top bottom left right	which edge the strip follows
clip-style	gem postit	the measured Gem clip, or the package wire


pin: "pushpin"



pin: "paperclip"



pin: "tape", tape-at: "top"



16.11 Style 11 — mark(kind:)

MARKS is the full list. "jagged" and "fan" are the two shapes that were added for this style.


```
#mark(kind: "circle")[circle]
#mark(kind: "box")[box]
#mark(kind: "jagged")[jagged]
#mark(kind: "fan")[fan]
#mark(kind: "bracket")[bracket]
#mark(kind: "scribble", colour: red)[scribble]
```

circle box jagged fan bracket scribble


16.12 Style 12 — tab: "spine"

An upright bar clamped on one edge. spine-out: 0pt puts it flush (Gonzalo Medina's version); the default hangs out by 0.85 of its depth.


spine-out: 0pt



default overhang



spine-side: end



16.13 Style 13 — tab: "ears" / "dots"

Headings moulded **out of** the frame, not laid on top of it.

tab: "ears"



earsshade: false




tab: "dots"



16.14 Style 15 — flag-ribbon


default



tails: false



wobble: 1.1



16.15 Style 16 — speed-bar

height: 1.05cm



another colour



dots: ()



16.16 Style 19 — paper stocks + tape

The six sheets. Tape kind is "plain", "dots", "gingham" (cloth / torchon) or "stripe".

torn-note + dots



ruled-sheet + gingham




stamp-card




deckle-tag (gingham by default)






16.17 Style 20 — notepad (spiral)




Compare with the **card** that keeps its rings:

```
#notebook-box(title: [Exercise], badge: [03],
rings: 3)[$ a + b = 3 $]
#notebook-box-clean(title: [Clean],
rings: 3)[roughness: 0]
#notebook-box(title: [No wire],
rings: 0)[just the frames]
```



16.18 Style 21 — lesson-card



16.19 Style 22 — felt and lesson-table

```
#felt(ink: "yellow")[yellow]
#felt(ink: "green")[green]
#felt(ink: "pink")[pink]
#felt(ink: "blue")[blue]
#felt(ink: "orange")[orange]
#felt(ink: "violet")[violet]
```

yellow green pink blue orange violet

lesson-table → content

```
#lesson-table(
[Modal], [Use], [Example],
[can], [ability], [I can swim.],
[must], [obligation], [You must go.],
)
```

Modal	Use	Example
can	ability	I can swim.
must	obligation	You must go.

16.20 Style 23 — numbox

A simple textbook question: a filled number plaque on the **leading** corner (left in LTR, right in RTL), a rounded frame, and an optional answer block. The number increments by itself unless you set it.

numbox → content

```
numbox(body, answer: auto, number: auto, numbering: "1.", colour: rgb("#1E54A8"), direction: auto, ...)
```

numbox-reset → content

```
numbox-reset(n: 1)
```

Parameter	Type / default	Meaning
number	auto int none content	auto increments; an int shows that value and continues from there; none hides the plaque; content is printed as-is
numbering	str function ("1.")	how an integer is printed — any Typst numbering
answer	none content	or pass it as a second positional: #numbox[q][a]
answer-label	auto content	auto = "Ans." / "ج:"
direction	auto ltr rtl	which edge the plaque sits on; auto follows the text
colour / frame / fill	color / auto / auto	plaque, outline colour, wash
weight / dash	length / none dashed dotted array	outline thickness and dash pattern
stroke	auto stroke	full Typst stroke; overrides frame + weight + dash
frame-char / frame-char-size	none str / length	repeat a character instead of a line
badge-size / badge-radius	length (0.78cm / 0.11cm)	maximum plaque size — clamped to the frame so a one-line box is never shorter than its square

```
#numbox-reset()
#numbox[
  Find 3 examples where the product
  of two numbers remains unchanged.
]{
  Let the numbers be $a$ and $b$. \
  Then $(a + 2)(b - 4) = a b$.
}
```

number: auto (1, then 2)

1. First.

number: 7 then auto

7. Forced to 7.

number: none / custom

No plaque.

2. Second.

8. Next is 8.

A Letter.

```
#numbox(colour: rgb("#C62828"),
  answer-label: {Sol.})[A red one.][Done.]
```

9. A red one.

Sol. Done.

RTL: set the direction **before** the boxes (or pass direction: rtl). The plaque moves to the right; the digits stay 1. (not .1).

```
#set text(lang: "ar", dir: rtl)
#numbox-reset()
#numbox[جد ثلاثة أمثلة.]{
  $a$ و $b$. ليكن العددين
}
```

1. جد ثلاثة أمثلة.

ج: ليكن العددين a و b .

17 Textbook plates

These plates came after the paper stocks: they are **designed** boxes — octagons, ribbons, helix headers, punched bars, tickets, boards — rather than generic *fabox* skins. Every one of them is direction-aware (*direction*: *auto* follows the text) and sizes itself to its body.

Style	Function	What it is
24	iconbox / tip-card / concept-card	icon plaque with a glued badge
25	crestbox / plate	octagonal double-green plate
26	ribbonbox	yellow plate, blue band, pink tab
27	helixbox	helix header + trailing stripe
28	swooshbox	one sheared blue silhouette + white plate
29	circuitbox	double frame, stepped rails, title gap
30	keybox	Greek-key corners + inset band
31	ringbox	binder rings on the leading edge
32	punchbox	punched bar, title tab, green side rules
33	plannerbox	punch bar + rings
34	filebox	folder with labelled tabs
35	stubbox	ticket stub + perforation
36	stackbox	offset sheets behind the card
37	calloutbox	speech bubble with a leaning tail
38	tapebox	washi tape across the top
39	chalkbox / markerbox	classroom board, chalk or markers
40	screwbox	plaque held by corner screws
41	sashbox / ruban	folded ribbon: flat / arch / hang

17.1 iconbox

iconbox → content

`iconbox(body, title: none, icon: auto, colour: ...)`

tip-card → content

`tip-card(body, title: [Tip], ...)`

concept-card → content

`concept-card(body, title: [Concept], ...)`

A coloured plate with a drawn icon (pencil, bulb or star) glued to the leading top corner. *tip-card* and *concept-card* are presets.

Parameter	Type / default	Meaning
title	content none	the heading next to the icon
icon	auto content	auto = the default pencil; or ico-bulb / ico-star / ico-pencil
colour / fill / title-colour	color	frame, wash, heading
direction	auto ltr rtl	which side the icon sits on

```
#iconbox(title: [Sketch])[A pencil plaque.]
#tip-card[Remember the chain rule.]
#concept-card[A named idea.]
```

Sketch

A pencil plaque.

Tip

Remember the chain rule.

Concept

A named idea.

17.2 crestbox / plate

crestbox → content

crestbox(body, title: none, colour: ..., cut: ..., pair: ...)

plate → content

plate(body, ...) // alias

An octagon: the four corners are **cut**, not rounded. One black outer stroke, two inner green hairlines with a white gutter. shadow is off by default.

Parameter	Type / default	Meaning
cut	length	how far each corner is chamfered
pair	length	gap between the two inner green hairlines
weight / colour / fill	length / color / color	inner stroke, paint, wash
shadow	bool (false)	a hard drop; leave off to match the source plate

```
#crestbox(title: [Crest])[
  An octagonal plate.
]
```



17.3 ribbonbox


ribbonbox → content

ribbonbox(body, title: none, colour: ..., band: 0.20cm, ...)

A yellow plate in a thick blue band, a white gutter, a thin inner stroke, white L-chevrons in the corners, and a pink title tab. Chevrons are drawn with physical **start/end** so they stay inward in RTL.

Parameter	Type / default	Meaning
band / pair / weight	length	outer band, white gutter, inner hairline
tab-fill / title-colour / flourish	color / color / bool	the pink tab
chevron / chevron-size / chevron-colour	bool / length / color	the corner Ls
shadow / tab-offset	bool / length	drop shadow; tab inset from the start

```
#ribbonbox(title: [Example])[
  A yellow plate in a blue band.
]
```



17.4 helixbox

helixbox → content

helixbox(body, title: none, colour: ..., shadow-lift: 0.08cm, ...)

A teal header bar with a two-sine helix, a yellow/blue trailing stripe, and an adjustable **lifted** shadow.

Parameter	Type / default	Meaning
helix-a / helix-b / helix-period	color / color / length	the two strands
stripe / stripe-width	array color none / length	trailing colours
shadow / shadow-lift / shadow-spread	bool / length / length	how high the card floats
shadow-colour / shadow-offset / shadow-opacity / shadow-blur ...		paint, (dx, dy), peak, layers


```
#helixbox(title: [Example])[Default lift.]
#helixbox(title: [High],
  shadow-lift: 0.20cm,
  shadow-spread: 0.22cm)[Hovering.]
```

Example

Default lift.

High

Hovering.

17.5 swooshbox

swooshbox → content

```
swooshbox(body, title: none, skew: 10pt,
  tr: auto, br: auto, ...)
```

One sheared blue silhouette, then a white rounded plate on top. Offsets are in **y-up** coordinates: tr: (dx, dy) is right and up; br: (dx, dy) is usually left and down. BL and TL stay flush with the white plate.

Parameter	Type / default	Meaning
skew	length (10pt)	shorthand: tr = (s, s), br = (-s, -s)
tr / br	auto (dx, dy)	per-corner offset; auto follows skew
colour / fill / tab-fill	color	silhouette, plate, title tab
flourish / shadow	bool	curls on the tab; drop shadow

```
#swooshbox(title: [Example])[default 10pt]
#swooshbox(title: [Wide],
  tr: (18pt, 8pt), br: (-6pt, -14pt))[custom]
```

Example

default 10pt

Wide

custom

17.6 circuitbox

circuitbox → content

```
circuitbox(body, title: none, step: 0.26cm,
  rail: 1.35cm, gap: 1.55pt, ...)
```

A double-line rounded frame whose top **breaks** into two stepped rails. The title sits in the gap. The fill follows the rails up.

Parameter	Type / default	Meaning
step / rail	length	how high the rails rise, how long the flat run is
weight / gap / pair	length	each stroke; the white between them (gap aliases pair)
flourish	bool	curls beside the title

```
#circuitbox(title: [Example])[default gap]
#circuitbox(title: [Wide], gap: 3.2pt)[a wider gutter]
```

Example

default gap

Wide

a wider gutter

17.7 keybox

keybox → content

```
keybox(body, sz: 10pt, colour: rgb(0,0,128),
  frame: black, band: auto, ...)
```

A picture-frame: an inset colour band, Greek-key corners, and connecting rules. Ported from a page-background snippet.

Parameter	Type / default	Meaning
sz	length (10pt)	size of each key
colour / frame / fill	color	the band, the keys + rules, the plate
band / band-inset	auto length / length	band thickness / how far it sits in

```
#keybox[four keys]
#keybox(sz: 14pt, colour: rgb("#6D4C41"))[larger]
```



17.8 ringbox

ringbox → content

```
ringbox(body, rings: auto, colour: black,
  frame: false, ...)
```

A pad with binder rings on the **leading** edge (left in LTR, right in RTL). **rings: auto** packs as many as the height allows.

Parameter	Type / default	Meaning
rings	auto int	auto = one every pitch; an int is the count
ring-width / ring-radius / ring-thickness / ring-spacing	length	the bar + bead
frame / frame-colour / frame-weight	false true stroke / auto / length	optional outline
colour / fill	color	rings, paper

```
#ringbox[no frame]
#ringbox(frame: true, colour: rgb("#1565C0"),
  fill: rgb("#E3F2FD"))[with a rule]
```

no frame

with a rule

17.9 punchbox

punchbox → content

```
punchbox(body, title: none, number: none,
  holes: auto, ...)
```

A punched header bar, a blue title tab, a red number badge, green side rules and a soft bottom shadow. The badge sits on the **inner** end of the tab so RTL Arabic is never covered.

Parameter	Type / default	Meaning
title / number	content none	the tab and the badge; number is content, e.g. [1]
colour / badge-fill / bar / hole / side	color	tab, badge, punch bar, holes, side rules
holes / hole-radius / bar-height	auto int / length / length	the perforations
shadow	bool	the lifted strip under the card

```
#punchbox(title: [Example], number: [1]){
  A punched plate.
}
```

Example 1

A punched plate.

17.10 plannerbox

plannerbox → content

```
plannerbox(body, title: none, number: none,
  rings: auto, holes: auto, ...)
```

punchbox and **ringbox** in one: a punched bar on top and binder rings on the leading edge.

```
#plannerbox(title: [Week], number: [3])[
  An agenda card.
]
```



17.11 filebox


filebox → content

```
filebox(body, tabs: ([Notes],), active: 0, ...)
```

A folder. **tabs** is an array of labels; **active** is the raised one (0-based). Under RTL the physical order is mirrored so reading still starts at the leading tab.

Parameter	Type / default	Meaning
tabs	array of content	the labels, left-to-right in LTR
active	int (0)	which tab is in front
colour / active-fill / idle-fill / fill	color	outline, raised tab, idle tabs, body

```
#filebox(tabs: ([Notes], [Ex], [Def]),
  active: 1)[The Ex tab is raised.]
```



17.12 stubbox



stubbox → content

```
stubbox(body, stub: none, stub-width: 1.35cm,
  dots: 11, dot: 1.1pt, ...)
```

A ticket with a coloured stub and a perforated tear. The stub label is always set LTR with Western digits (**lang**: "en"), then rotated 90° without reflow — so 12 رقم stays readable in an Arabic document.

Parameter	Type / default	Meaning
stub	content none	the vertical label; use [12 رقم], not Indic digits
stub-width	length (1.35cm)	how wide the coloured stub is
dots / dot	int / length	how many holes, and each hole's radius
colour / stub-colour / fill	color	stub fill, lettering, body

```
#stubbox(stub: [N° 12])[Admit one.]
#stubbox(stub: [12 رقم], stub-width: 1.55cm,
  dots: 7)[Western 12.]
```



17.13 stackbox


stackbox → content

```
stackbox(body, title: none, layers: 3,
  offset: 0.16cm, ...)
```

A card sitting on 2–4 offset sheets. Under RTL the pile grows to the **left**.

Parameter	Type / default	Meaning
layers	int (3)	how many sheets, including the top card
offset	length	how far each back sheet peeks out
back	color array	colours of the hidden sheets, farthest first

```
#stackbox(title: [Stack], layers: 3)[Three sheets.]
#stackbox(title: [Four], layers: 4, offset: 0.12cm,
  colour: rgb("#6A1B9A"),
  back: (rgb("#E1BEE7"), rgb("#CE93D8"),
    rgb("#BA68C8")))[A taller pile.]
```




17.14 calloutbox

```
calloutbox → content
calloutbox(body, title: none, tail: "sw",
  tail-size: 0.42cm, tail-at: 0.18, ...)
```

A speech bubble. The tail **leans**: *sw* / *nw* point past the start of the chord, *se* / *ne* past the end. The chord itself is never stroked — a fill-coloured cover, as thick as the frame plus 1.2 pt, sits exactly between the two attachment points.

Parameter	Type / default	Meaning
tail	sw se nw ne start end	corner, or reading-order start/end
tail-size / tail-at	length / float 0–1	how long, and how far along the edge
weight / radius / colour / fill	length / length / color / color	the bubble

```
#calloutbox(title: [Tip], tail: "sw")[leans left]
#calloutbox(tail: "se")[leans right]
```




17.15 tapebox

```
tapebox → content
tapebox(body, title: none, pattern: "solid",
  tilt: -1.2deg, ...)
```

A card sealed at the top with a strip of washi tape. *pattern*: "gingham" is the cloth / torchon check.

Parameter	Type / default	Meaning
pattern	solid gingham	the print
colour / tape-b	color	the wash, and the second gingham colour
tape-height / tape-overhang / tilt	length / length / angle	the strip

```
#tapebox(title: [Note])[plain tape]
#tapebox(title: [Gingham],
  pattern: "gingham")[checked]
```



17.16 chalkbox / markerbox


```
chalkbox → content
chalkbox(body, title: none, border: 0.16cm,
  grid-step: 0.32cm, tray: true, ...)
```

```
markerbox → content
markerbox(body, title: none, ...)
```

Classroom boards after kmbeamer. **chalkbox** is a green slate in a varnished wooden frame, with an eraser and three sticks of chalk on the **bottom edge**. **markerbox** is the same woodwork in aluminium, with markers instead of chalk. The title follows the reading edge.

Parameter	Type / default	Meaning
border	length (0.16cm)	thickness of the outer wood / aluminium
grid / grid-step	bool / length	the ruling; horizontals run to the bottom edge
tray	bool	the eraser + chalks / markers
fill / text-fill / title-colour	auto color	slate, body ink, heading

```
#chalkbox(title: [Lemma])[
  $ a^2 + b^2 = c^2 $
]
#markerbox(title: [Note],
  grid-step: 0.45cm)[a whiteboard]
```



17.17 screwbox


screwbox → content

screwbox(body, tl: true, tr: true, bl: true, br: true, angle: 0deg, ...)

A plate held by corner screws. **tl** / **tr** / **bl** / **br** are **physical** corners. Each one is **true** (use angle), **false** (no screw), or an angle (that screw's own slot tilt).

Parameter	Type / default	Meaning
tl / tr / bl / br	bool angle (true)	which corners have a screw, and optionally the slot
angle	angle (0deg)	default slot tilt
screw / slot / screw-size	color / color / length	head, slot paint, diameter
colour / fill / weight / radius	color / color / length / length	the plate

```
#screwbox[four screws]
#screwbox(angle: 35deg)[all tilted]
#screwbox(tl: 20deg, tr: -20deg,
  bl: false, br: false)[top pair, opposed]
```



17.18 sashbox / ruban

sashbox → content

sashbox(body, kind: "flat", incline: auto, rough: false, ...)

ruban → content

ruban // alias of sashbox



A folded ribbon banner: a main band on swallow-tail wings, with a tucked underside triangle at each end. **kind** is "flat", "arch" or "hang". Lettering follows the bow; under RTL the clusters run the other way along the same arc.

Parameter	Type / default	Meaning
kind	flat arch hang	silhouette: level, bowed up, or hanging
incline	auto float length	1 = the kind's default bow; 0 = flat; a length is the rise/drop
bow	auto length	absolute rise (positive) or drop (negative); overrides incline
fill / shade / text-colour	color / auto / auto	band, fold face, lettering
height / width / tail / fold	length / ratio length / auto / auto	band size and wing geometry
rough / hand / ink / pen / ghost / seed	bool / auto sloppy roughjs / auto / length / bool / int	closed sloppy-box outline

```
#sashbox(kind: "flat")(SUMMER SALE)
#sashbox(kind: "arch")(Welcome)
#sashbox(kind: "hang")(Thank you)
```



```
#sashbox(kind: "arch", incline: 0.45)[soft]
#sashbox(kind: "arch", incline: 1.4)[steep]
#sashbox(kind: "arch", rough: true,
  ink: rgb("#C0392B"))[sloppy]
```



`rough: true` draws **one closed silhouette** (left wing → band bottom → right wing → band top) plus the two fold creases. `ink` is the pen colour; omit it for charcoal.

18 Option index

Every named argument of **fabox**, alphabetically. Types are Typst types; `float cm` means a number of centimetres.

Key	Type	Default / role
back	color auto	body fill; auto = colour at 5 %
badge	content none	number box on an exercise tab
badge-colour	color auto	its colour
baseline	relative	30% — inline drop
border	none zigzag wave caution	decorated edge
bottom-rule	none float cm	thick rule along the bottom
bowing	float	0.6 — edge bow in rough mode
chevrons	int	0 — fading > marks
colour	color	the family colour (default red-brown)
corner-tick	none float cm	short return at the trailing corner
dots / dotsfill / dotscolour	auto ...	studs of a dots tab
ears / earsrise / earsshade	auto ...	scoops of an ears tab
fold	bool	false — dog-ear the sheet corner
fold-colour / fold-out / fold-size	auto ...	3-D ribbon / dog-ear size
frame	color auto	the outline
frame-hidden	bool	false — drop the outline
gradient-to	color none	vertical body wash
halo	none (r, c) array	glow around the frame
icon	content none	small badge on the leading title edge
inline	bool	false — stay in the paragraph
inset	length	0.34cm — body padding
label-caption / label-number	content none	outside caption / number block
label-out / label-round / label-square	auto bool	label-tab geometry
plaque-rule / plaque-sharp	bool / array	outline the plaque; its corners
radius	float cm	0.16
rough / roughness	bool / float	false / 1.0
rule-between	bool	true — line under the title
seed	int	11
shadow / shadow-*	see Shadows	drop-shadow family
sharp	array	() — square corners by name, or ("all".)
side-bar / side-bar-colour	none float cm / auto	thick rule on the leading edge
spine-*	see spine tab	upright side bar
subtitles	array	() — ((heading, body), ...)
sweep / sweep-*	none float cm / ...	open U-frame
swoosh / swoosh-*	float / ...	InDesign banner
tab	none str	how the title is attached
tab-offset / tab-width	float cm / ratio	0.5 / 45%
tape-width / tape-period / tape-colours	length / ...	hazard tape
title	content none	the heading
title-colour / title-fill / title-inset / title-weight	auto ...	title paint and pad
title-rule-inset / title-rule-weight	float cm / auto	underline of the title
top-rule	none float cm	thick rule along the top
vignette	none float	inner bevel
watermark / watermark-colour	content none / auto	faint back text
weight	length	1.0pt — outline
width	auto length ratio	100%

19 Function index

Setup

[faboxyst](#) · [make-theme](#) · [get-theme](#) · [themes](#) · [palette](#)

The main box

[fabox](#) · [fabox-sign](#) · [fabox-note](#) · [example-header](#)
[numbox](#) · [numbox-reset](#) · [iconbox](#)

Semantic

[note](#) · [tip](#) · [warning](#) · [example](#) · [definition](#)

Shapes

[sketch-box](#) · [burst](#) · [block3d](#) · [hatched](#) · [shadowed](#)
[plaque](#) · [pill-box](#) · [double-frame](#) · [sloppy-box](#)

Notebook and paper

[notebook-box](#) · [notebook-box-clean](#) · [notepad](#) ·
[ruled-sheet](#)
[torn-note](#) · [stamp-card](#) · [grid-note](#) · [index-card](#)
[deckle-tag](#) · [lesson-card](#) · [sb-tape](#) · [spiral-binding](#)

Furniture

[sticky](#) · [post-it](#) · [ticket](#) · [folder](#) · [terminal](#)
[vignette](#) · [neon](#) · [polaroid](#) · [spread-box](#)
[flag-ribbon](#) · [speed-bar](#) · [sashbox](#) · [ruban](#)

Textbook plates

[crestbox](#) · [ribbonbox](#) · [helixbox](#) · [swooshbox](#)
[circuitbox](#) · [keybox](#) · [ringbox](#) · [punchbox](#)
[plannerbox](#) · [filebox](#) · [stubbox](#) · [stackbox](#)
[calloutbox](#) · [tapebox](#) · [chalkbox](#) · [markerbox](#)
[screwbox](#)

Inline

[highlight](#) · [felt](#) · [mark](#) · [is-rtl](#)

20 Troubleshooting

Parameter	Type / default	Meaning
boxes cannot break	—	a drawn frame is one canvas; breakable: true on sketch-box falls back to a plain stroke
sloppy-box looks one-sided	—	a ratio is now resolved against the column; prefer width: auto to hug the words
tape: true fails	—	torn-note / ruled-sheet tape is none dict array, never true
holes: true fails	—	ruled-sheet holes is auto int
emoji as tofu	—	the package ships no colour-emoji font; pass a text icon
RTL after a show	—	set text(dir: rtl) — or themes.arabic — before the boxes
theme not applied	—	the show rule must wrap the boxes
torn-note(tape: true)	—	tape is auto none dict array
callout white bar	—	fixed in 0.4.0: the chord is covered, not stroked
numbox plaque overflow	—	the square is clamped to the frame height (and width)
RTL ticket digits	—	ticket converts Arabic-Indic / Persian digits to 0–9
sashbox rough invisible	—	pass rough: true; the ink is a closed silhouette

Box families follow **tcOLORBOX** by Thomas F. Sturm. The wobble is a Rough.js / TikZ sketch port with a bit-exact clone of PGF's PRNG. jotter-polylux (Andreas Kröpelin, MIT) inspired the sloppy frame and the post-it fasteners. Optional faces if installed: xkcd Script, Bevan, Comic Neue, Tajawal, Lalezar (OFL).