
faboxyst

Hand-drawn boxes, frames and teaching blocks for Typst

Reference manual · v0.3.0



FERGOUS Abdelhak <@fergousA> · github.com/fergousA/faboxyst · MIT licence

What's new in v0.3.0 (since v0.1.0)

Compared with v0.1.0, v0.3.0 keeps the original `fabox`, semantic callouts, classroom plates, `sashbox` / `ruban` ribbons and ticket components, and expands the library substantially.

- **More components and formats.** New stationery and scrapbook pieces, ornate and sketched frames, infographics, book-cover styles and antique page layouts, alongside boxes that adapt more readily to their content.
- **Broader right-to-left support.** `direction: auto` and automatic mirroring make Arabic and Hebrew layouts easier to use; themes also provide a monochrome print mode.
- **New in v0.3.0:** 18 infographic functions and 4 sketched frames, with broad-nib drawing supplied by **nibart** for engraved and dry-media effects.
- **A simpler drawing engine.** The sketch engine is now written in pure Typst; the former WebAssembly modules are no longer needed.
- **Migration note.** Six full-page frame functions moved to the companion package **nibframe**. The page layouts `plate-page`, `patent-page` and `bound-page` remain in faboxyst.

The core API remains available. For the moved frame functions and their replacements, see the migration table in “Getting started”.

Contents

1. What's new in v0.3.0 2

2. Getting started 5

3. Setup, themes and print mode 7

`heading-weight`, `grayscale-paint`, `get-theme`, `is-print`, `make-theme`, `print-group`, `heading-weight`.

4. The main box: fabox, numbered and icon boxes 9

`fabox`, `fabox-sign`, `fabox-note`, `example-header`, `is-rtl`, `numbox`, `numbox-reset`, `iconbox`, `tip-card`, `concept-card`, `ico-star`, `ico-bulb`, `ico-pencil`.

5. Semantic blocks, shapes and inline marks 14

`sketch-box`, `highlight`, `def-card`, `sticky`, `relief`, `insetbox`, `faboxyst`, `tip`, `warning`, `example`, `definition`, `block3d`, `hatched`, `plaque`, `double-frame`, `pill-box`, `mark`, `hl`, `mark-emph`, `highlight-formula`, `highlight-text`.

6. Paper, notebook and desk 20

`postit`, `postit-butterfly`, `garnet-box`, `numbered-header-box`, `notebook-box`, `sloppy-box`, `post-it`, `vignette`, `spread-box`, `ticket`, `folder`, `terminal`, `neon`, `polaroid`, `flag-ribbon`, `speed-bar`, `banner-3d`, `spiral-binding`, `bound-page`, `sb-heart`, `sb-tape`, `sb-pin`, `sb-clip`, `torn-note`, `ruled-sheet`, `stamp-card`, `grid-note`, `index-card`, `deckle-tag`, `notepad`, `lesson-card`, `lesson-table`, `sb-underline`, `sb-divider`, `taped-curl-note`, `paper-note-box`.

7. Plates and craft boxes 35

`crestbox`, `ribbonbox`, `helixbox`, `swooshbox`, `circuitbox`, `keybox`, `ringbox`, `punchbox`, `plannerbox`, `filebox`, `stubbox`, `stackbox`, `calloutbox`, `tapebox`, `boardbox`, `plankbox`, `tornpage`, `coilbox`, `gelbox`, `screwbox`, `sashbox`, `flagbox`, `speech-bubble`, `joined-bubbles`, `five-w`.

8. Ornate frames, lace and ornaments 46

`lace`, `lacebox`, `pgfornament`, `ogeebox`, `frisebox`, `medallion`, `rosette`, `girih`, `volutebox`, `spiral-pts`, `ink-pts`, `parchemin`, `halftone`, `tikzpattern`, `vintageframe`, `vintagebox`, `rosettebox`, `ornament`, `make-palette`, `glyph-motif`, `content-motif`, `image-motif`, `tint`, `turned`, `ornatebox`, `khatambox`, `zellijbox`, `arabesquebox`, `mihrabbox`, `mosaicbox`, `fleuronbox`, `khatam-badge`, `sash-shape`.

9. Engraving: the antique register 56

`nib-pen`, `nib-stroke`, `nib-polylines`, `nib-line-path`, `nib-rect-path`, `polyline-path`, `nib-envelope`, `nib-curve`, `vintage-pts`, `vintage-outline`, `engraved`, `engraved-rule`, `engraved-frame`, `plate-page`, `patent-page`, `figure-caption`, `antique-label`, `antique-notes`, `antique-note`.

10. Programme, meters, pictograms and covers 60

`leconbox`, `lecon-reset`, `pinbox`, `brushbox`, `matierebox`, `arc-pts`, `poly-pts`, `round-poly`, `meter`, `difficulty`, `pictochrono`, `tkzpicto`, `competence-crayon`, `level-counter`, `pictocible`, `bicolor-title`, `bicolor-bignum`, `banner-tri`, `banner-tri-bis`, `highway-sign`, `sale-poster`, `smooth-pts`, `book-cover`, `with-watermark`, `paint-watermark`.

11. Slide components I — cards, lists and grids 68

`abstract-textbox`, `calendar-list`, `capsule-text-boxes`, `cards-with-corner-sleeve`, `cornered-cards`, `cube-block-list`, `double-duo-neumorphic`, `four-feature-icon-cards`, `l-shaped-header-box`, `frame-accent-block`, `half-framed-text-box`, `kinds-text-box-1`, `kinds-text-box-2`, `kinds-text-box-3`, `three-color-infographic-card`, `modern-block-list-box`, `nested-file-text-box`, `information-block-box`, `simple-rounded-text-box`, `two-column-information-card`, `card-list-box`, `stacked-summary-card-box`, `text-box-display-card`, `interlocked-abstract-textbox`, `feature-callout-box`, `wavy-infographic-box`, `neumorphic-diamond-box`, `neumorphic-text-panel`, `six-boxes-template-box`, `six-boxes-outline-box`, `six-boxes-tilted-box`, `six-boxes-banded-box`, `six-boxes-pointer-card`, `three-color-infographic-stack`.

12. Slide components II — processes and steps 91

`alternating-block-process`, `alternating-line-block-process`, `connected-cards-process`, `three-step-highlight-cards`, `six-step-numbered-card-list`, `concentric-tier-cards`, `folder-step-box`, `four-step-parchment-process`, `horizontal-chevron-block`, `vertical-chevron-list-item`, `text-box-process-box`, `continuous-block-process-box`, `corner-ribbon-process-box`, `serpentine-process-box`, `looped-chevron-callout`, `quad-step-card`.

13. Slide components III — banners, folders and hand-drawn pieces 104

`folded-banner`, `banners-with-circles`, `hand-drawn-speech-bubbles`, `tabbed-folder-box`, `perspective-text-box`, `peak-header-box`, `pocket-card-box`, `folder-text-block`, `folder-text-box`, `vertical-banner-box`, `hexagonal-header-box`, `horizontal-bubble-box`, `staggered-hanging-card-box`, `diagonal-banner-card-box`, `rounded-tab-card-box`, `side-banner-card-box`, `top-banner-card-box`, `stacked-banner-row`, `perspective-panels`, `folded-banner-info-box`, `folding-card-box`, `six-boxes-folder-card`, `postage-stamp-card`, `hand-drawn-bullet-panel`, `hand-drawn-business-callout`, `hand-drawn-folded-ribbon`, `hand-drawn-photo-frame`, `hand-drawn-business-brochure-card`, `pencil-sketch-box`, `pencil-sketch-ellipse`, `pencil-sketch-graphite-box`, `text-box-tag`.

14. Infographic cards, stacks and compound frames 123

`puzzle-tab-cards`, `folded-tab-cards`, `half-disc-tab-cards`, `u-backed-cards`, `circle-head-outline-cards`, `dashed-pill-cards`, `skewed-badge-cards`, `badge-timeline-cards`, `ring-linked-boxes`, `wire-linked-pills`, `brush-stroke-rows`, `twisted-ribbon-rows`, `bubble-tail-boxes`, `striped-poster-cards`, `pencil-frame-flow`, `index-notebook`, `film-strip`, `chevron-slideshow-frame`.

15. Sketched frames: ink, charcoal, crayon, pencil 132

`vintage-frame`, `charcoal-frame`, `crayon-frame`, `pencil-sketch-frame`.

16. Aliases and index 134

Getting started

`faboxyst` draws boxes, frames and teaching blocks **as vector shapes**, with a hand-drawn character (wobbling strokes, hatching, tape, shadows). It has no image dependency: every piece scales with the text, follows the text direction (left-to-right and right-to-left) and has a monochrome print mode. The engine that makes lines wobble is written in pure Typst; the engraved "antique" register uses the **nibart** package for its broad-nib strokes.

Installation

Two editions exist. The **Typst Universe** edition imports everything from `@preview`; the **local** edition is installed under `@local` (copy the folder to `~/.local/share/typst/packages/local/faboxyst/0.3.0` on Linux, or the equivalent data directory on macOS and Windows). Both need Typst 0.15.1 or later.

```
#import "@preview/faboxyst:0.3.0": *

#show: faboxyst.with(theme: themes.notebook)


#fabox(title: [Hello], colour: rgb("#2E7D32"))[A first hand-drawn box.]
```

Dependencies: **nibart** (strokes of the antique register; imported by the package itself) and **cetz** (used by a few slide components). You never import them yourself.

The three ideas to know

1 — The theme. `faboxyst` is a `show` rule: it stores a theme (colours, fonts, `roughness`, `seed`, `stroke-weight`, padding, text direction) that all boxes read. Change it once for the whole document, or locally with `make-theme`.

```
#show: faboxyst.with(theme: themes.blueprint)
#note[Blueprint theme: blue ink on a ruled sheet.]
#show: faboxyst.with(theme: make-theme(roughness: 2.4))
#tip[Same note, twice as wobbly.]
```




2 — Sketchiness. `roughness` multiplies every wobble amplitude (0 gives clean lines); `seed` makes the drawing reproducible, and many boxes take their own `seed`, `rough` or `hand` options.

```
#for r in (0, 1, 3) {
  show: faboxyst.with(theme: make-theme(roughness: r))
  box(fabox(colour: rgb("#1565C0"), width: 2.1cm)[r = #r])
  h(3pt)
}
```



3 — Direction and print. Arabic or Hebrew text mirrors the anchored parts (badges, tabs, ribbons) automatically; `themes.arabic` sets the language and fonts. `themes.print` turns every surface white and every rule black, and `print-group` marks content that must be rendered in grey.

```
#set text(dir: rtl, lang: "ar")
#fabox(title: [عنوان], colour: rgb("#6A1B9A"))[نص عربي داخل علبة.]
```



Reading this manual

Chapters follow families of functions. Each entry gives: the name (with its aliases), a one-line description, a signature, a **table of all parameters** with default values and explanations, and an example whose code sits beside its rendering. Parameter names are consistent across the package: `colour` is the main colour, `weight` a stroke weight, `inset` the inner padding, `radius` the corner rounding, `seed` the random seed, `-x` / `-y` suffixes are horizontal and vertical offsets, and `..a` forwards extra options to the underlying box.

Migration: full-page frames

In v0.3.0, six full-page frame functions moved from faboxyst to the companion package **nibframe**. They are no longer exported by faboxyst; use the matching nibframe styles below. `plate-page`, `patent-page` and `bound-page` remain because they are page layouts, not frame functions.

Former function ⟶ nibframe style:

faboxyst	nibframe	note
`ornate-pages`	`frame-style: "dedication"`	Ornate double border with corner bosses.
`rosette-pages`	`frame-style: "dedication"`	Rosette corners.
`volute-pages`	`"classic"` / `"label"`	Volute scrolls.

faboxyst	nibframe	note
`plank-pages`	`"plank"`	Wooden planks with nails.
`torn-pages`	`"torn"`	Torn paper edge.
`coil-pages`	`"coil" (binding: option)`	Spiral binding on a chosen side.

Setup, themes and print mode

Everything starts with `faboxyst`, the show rule that installs a **theme**: a dictionary of colours, fonts, sketchiness, spacing and direction that every box reads. This chapter lists the setup functions, the ready-made themes and the print helpers.

heading-weight

```
heading-weight(dir)
```

Font weight used for headings in a text direction (bold in LTR, heavier for Arabic).

PARAMETERS

name	default	description
`dir`	required	Dir.

grayscale-paint

```
grayscale-paint(paint, fallback: luma(120))
```

Converts a shadow paint to grey while keeping its relative tone (print mode).

PARAMETERS

name	default	description
`paint`	required	Paint (colour, gradient or pattern).
`fallback`	`luma(120)`	Fallback.

get-theme

```
get-theme()
```

Reads the active theme inside a `context`.

is-print

```
is-print()
```

Whether the document uses the monochrome print treatment.

make-theme

```
make-theme(base: default-theme, ..over)
```

Merges user overrides over a base theme.

PARAMETERS

name	default	description
`base`	`default-theme`	Base colour.
`..over`	required	Extra named arguments passed to the underlying function.

print-group

```
print-group(body)
```

Applies the monochrome print styling to one group of boxes only.

PARAMETERS

name	default	description
`body`	required	The content of the box (positional).

EXAMPLE

```
#print-group[#tip[This group is printed in grey.]]
```



heading-weight

```
heading-weight(dir)
```

Font weight used for headings in a text direction (bold in LTR, heavier for Arabic).

PARAMETERS

name	default	description
`dir`	required	Dir.

VALUES AND CONSTANTS

`palette`	Named colour dictionary used by every theme (`ink`, `paper`, `pink`, `sky`, `gold`, ...).
`fonts`	Font stacks (`body`, `hand`, `mono`, `title`).
`default-theme`	The notebook theme: base for all others.
`themes`	Dictionary of ready-made themes (`notebook`, `print`, `blueprint`, `quiet`, `arabic`, `antique`, ...).
`theme-state`	`state` holding the active theme; read it with `get-theme`.
`counter-state`	Counter shared by the numbered boxes.

`print-colours`	Greys used in print mode.
`felt`	Felt-tip style presets.

The main box: fabox, numbered and icon boxes

`fabox` is the all-purpose hand-drawn box: title bar, badge, tape, icon, shadow, hatching and answer line are all options. `numbox`, `iconbox` and the card helpers build on the same engine.

`fabox`

```
fabox(body, title: none, subtitles: (), colour: rgb("#B03A2E"), frame: auto, back: auto, title-fill: auto, …)
```

The main box: coloured frame with title bar, subtitles, tabs, shadows, wet-glass and raised-joint finishes, hand-drawn mode, RTL mirroring.

PARAMETERS


name	default	description
body	required	The content of the box (positional).
title	none	Title shown in the box (content or `none`).
subtitles	()	Subtitles.
colour	rgb("#B03A2E")	Main colour of the box.
frame	auto	Frame colour (or `auto`).
back	auto	Colour of the back layer.
title-fill	auto	Fill of the title.
title-colour	auto	Colour of the title text.
gradient-to	none	Gradient to.
radius	0.16	Corner radius.
sharp	()	Sharp.
weight	1.0pt	Stroke weight.
title-weight	auto	Weight of the title.
inset	0.34cm	Inner padding: a length, or `(x:, y:)`.
title-inset	0.24cm	Inner padding of the title.
rule-between	true	Rule between.
frame-hidden	false	Frame hidden.
side-bar	none	Side bar.
side-bar-colour	auto	Colour of the side bar.
top-rule	none	Top rule.
bottom-rule	none	Bottom rule.
corner-tick	none	Corner tick.
badge	none	Content of the badge.
badge-colour	auto	Colour of the badge.
chevrons	0	Chevrons.
chevron-colour	auto	Colour of the chevron.
title-rule-inset	0.0	Inner padding of the title rule.
title-rule-weight	auto	Weight of the title rule.
shadow	none	Drop shadow: `true`, `false`, or a colour.
shadow-colour	auto	Colour of the shadow.
shadow-spread	auto	Shadow spread.
shadow-opacity	auto	Opacity of the shadow.
shadow-offset	auto	Offset of the shadow.
shadow-blur	14	Blur of the shadow.
shadow-flip-y	false	Shadow flip y.
tab	none	Tab.
tab-width	45%	Width of the tab.
tab-offset	0.5	Tab offset.
fold-colour	auto	Colour of the fold.
fold-out	auto	Fold out.
label-number	none	Label number.
label-number-fill	auto	Fill of the label number.
label-caption	none	Label caption.
label-caption-fill	auto	Fill of the label caption.
label-out	auto	Label out.
label-round	false	Rounding of the label.
label-square	false	Label square.
spine-out	auto	Spine out.
spine-align	start	Alignment of the spine.
spine-len	auto	Length of the spine.
spine-side	start	Side of the spine.
spine-fill	auto	Fill of the spine.
spine-colour	auto	Colour of the spine.
spine-inset	0.16	Inner padding of the spine.
spine-up	auto	Spine up.
spine-round	0.0	Rounding of the spine.

name	default	description
spine-rule	false	Spine rule.
ears	auto	Ears.
earsrise	auto	Earsrise.
earsshade	true	Earsshade.
dots	auto	Number of dots.
dotsfill	auto	Dotsfill.
dotscolour	auto	Dotscolour.
sweep	none	Sweep.
sweep-gap	auto	Sweep gap.
sweep-diamond	true	Sweep diamond.
sweep-ticks	3	Sweep ticks.
sweep-wash	true	Sweep wash.
swoosh	0.2	Swoosh.
swoosh-deep	0.48	Swoosh deep.
swoosh-side	"top"	Side of the swoosh.
swoosh-align	start	Alignment of the swoosh.
swoosh-both	auto	Swoosh both.
swoosh-pad	0.34	Swoosh pad.
plaque-rule	false	Plaque rule.
plaque-sharp	("all",)	Plaque sharp.
fold	false	Fold.
fold-size	0.42	Size of the fold.
watermark	none	Watermark text or content (`none`: no watermark).
watermark-colour	auto	Colour of the watermark.
watermark-angle	-18deg	Rotation of the watermark.
watermark-size	2.1em	Size of the watermark.
halo	none	Halo.
border	none	Border.
tape-width	0.16	Width of the tape.
tape-period	0.10	Tape period.
tape-colours	(rgb("#FFDD00"), black)	Tape colours.
vignette	none	Vignette.
finish	none	Surface finish: `none`, `wet` (water-glass gloss) or `joint` (raised sealing bead). Requires a plain closed frame (not `sweep` or a folded corner).
finish-colour	auto	Material tint; `auto` follows the frame (the joint is lightened slightly).
finish-highlight	auto	Specular highlight colour; `auto` is white.
finish-shadow-colour	auto	Seam and cast-shade colour; `auto` is a darkened frame colour.
finish-depth	0.08	Thickness and inset of the finish, in cm.
rough	auto	Hand-drawn mode: `true` draws the strokes by hand, `false` keeps them crisp (`auto`: hand-drawn when the theme sets a `roughness` > 0, e.g. `make-theme(roughness: 1.5)`).
roughness	1.0	Wobble strength of the hand-drawn strokes (`1` default, `0` none), multiplied by the theme's `roughness`; used only when `rough` is on.
bowing	0.6	How much the strokes bow between their ends.
seed	11	Seed of the hand-drawn wobble (same seed, same drawing).
width	auto	Width of the box (`auto`: fits the content, `100%`: the line).

name	default	description
height	auto	Height of the box (`auto`: fits the content).
leading	0.5em	Line spacing of the text.
icon	none	Icon shown in the box (content, symbol or `none`).
inline	false	Inline.
baseline	30%	Baseline.
vintage	false	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
vintage-pen	none	Nib override `(a, b, angle)`; `none` derives it from the stroke width.
body-offset-x	0pt	Horizontal nudge of the body text.
body-offset-y	0pt	Vertical nudge of the body text.
icon-offset-x	0pt	Horizontal nudge of the icon.
icon-offset-y	0pt	Vertical nudge of the icon.
title-offset-x	0pt	Horizontal nudge of the title.
title-offset-y	0pt	Vertical nudge of the title.

EXAMPLE

```
#fabox(title: [Note])[
  A titled box.
]
```



fabox-sign

```
fabox-sign(body, sides: 8, size: 2.6, colour: rgb("#D32F2F"), text-colour: white, weight: 2.6pt, ring: 0.16, …)
```

A polygon sign: the octagonal STOP sign of the tcolorbox manual, with any number of sides.

PARAMETERS

name	default	description
body	required	The content of the box (positional).
sides	8	Sides.
size	2.6	Size.
colour	rgb("#D32F2F")	Main colour of the box.
text-colour	white	Colour of the body text.
weight	2.6pt	Stroke weight.
ring	0.16	Ring.
rough	auto	Hand-drawn mode: `true` draws the strokes by hand, `false` keeps them crisp (`auto`: hand-drawn when the theme sets a `roughness` > 0, e.g. `make-theme(roughness: 1.5)`).

name	default	description
roughness	1.0	Wobble strength of the hand-drawn strokes (`1` default, `0` none), multiplied by the theme's `roughness`; used only when `rough` is on.
bowing	0.6	How much the strokes bow between their ends.
seed	5	Seed of the hand-drawn wobble (same seed, same drawing).
vintage	false	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
vintage-pen	none	Nib override `(a, b, angle)`; `none` derives it from the stroke width.
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
body-offset-x	0pt	Horizontal nudge of the body text.
body-offset-y	0pt	Vertical nudge of the body text.

EXAMPLE

```
#fabox-sign[STOP]
```



fabox-note

```
fabox-note(body, icon: [!], colour: rgb("#FBEC5D"), icon-fill: rgb("#6B6B47"), frame: rgb("#8A8A5C"), weight: 0.9pt, inset: 0.26cm, …)
```

The yellow "!" note of the tcolorbox manual: a flat bar with a square icon block.

PARAMETERS

name	default	description
body	required	The content of the box (positional).
icon	[!]	Icon shown in the box (content, symbol or `none`).
colour	rgb("#FBEC5D")	Main colour of the box.
icon-fill	rgb("#6B6B47")	Fill of the icon.
frame	rgb("#8A8A5C")	Frame colour (or `auto`).
weight	0.9pt	Stroke weight.
inset	0.26cm	Inner padding: a length, or `(x:, y:)`.
fold-size	0.34	Size of the fold.
rough	auto	Hand-drawn mode: `true` draws the strokes by hand, `false` keeps them crisp (`auto`: hand-drawn when the theme sets a `roughness` > 0, e.g. `make-theme(roughness: 1.5)`).

name	default	description
bowing	0.6	How much the strokes bow between their ends.
seed	3	Seed of the hand-drawn wobble (same seed, same drawing).
width	100%	Width of the box (`auto`: fits the content, `100%`: the line).
vintage	false	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
vintage-pen	none	Nib override `(a, b, angle)`; `none` derives it from the stroke width.
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
body-offset-x	0pt	Horizontal nudge of the body text.
body-offset-y	0pt	Vertical nudge of the body text.
icon-offset-x	0pt	Horizontal nudge of the icon.

name	default	description
`roughness`	`1.0`	Wobble strength of the hand-drawn strokes (`1` default, `0` none), multiplied by the theme's `roughness`; used only when `rough` is on.

name	default	description
`icon-offset-y`	`0pt`	Vertical nudge of the icon.

EXAMPLE

```
#fabox-note[fabox-note]
```



example-header

```
example-header(word, number: none, tag: none, note: none, colour: rgb("#CE0F77"), tag-colour: rgb("#4FA7CD"), note-colour: auto, …)
```

The composite header of a school textbook: rounded pill, numbered disc and ruled line.

PARAMETERS

name	default	description
`word`	required	Word.
`number`	`none`	Number shown in the badge (content, or `auto` for automatic numbering).
`tag`	`none`	Tag.
`note`	`none`	Note.
`colour`	`rgb("#CE0F77")`	Main colour of the box.
`tag-colour`	`rgb("#4FA7CD")`	Colour of the tag.
`note-colour`	`auto`	Colour of the note.
`text-colour`	`white`	Colour of the body text.
`number-colour`	`auto`	Colour of the number.

name	default	description
`height`	`0.72`	Height of the box (`auto`: fits the content).
`gap`	`0.34`	Space between the parts.
`rough`	`auto`	Hand-drawn mode: `true` draws the strokes by hand, `false` keeps them crisp (`auto`: hand-drawn when the theme sets a `roughness` > 0, e.g. `make-theme(roughness: 1.5)`).
`roughness`	`1.0`	Wobble strength of the hand-drawn strokes (`1` default, `0` none), multiplied by the theme's `roughness`; used only when `rough` is on.
`bowing`	`0.6`	How much the strokes bow between their ends.
`seed`	`21`	Seed of the hand-drawn wobble (same seed, same drawing).
`vintage`	`false`	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
`vintage-pen`	`none`	Nib override `(a, b, angle)`; `none` derives it from the stroke width.

EXAMPLE

```
#example-header([Example], number: [3], tag: [easy], note: [page 12])
```



is-rtl

```
is-rtl()
```

True when the surrounding text runs right to left.

numbox

```
numbox(body, answer: auto, number: auto, numbering: "1.", colour: rgb("#1E54A8"), frame: auto, fill: auto, …)
```

A numbered question / exercise box with automatic numbering and an optional answer.

PARAMETERS

name	default	description
`body`	required	The content of the box (positional).
`answer`	`auto`	Answer.
`number`	`auto`	Number shown in the badge (content, or `auto` for automatic numbering).
`numbering`	`"1."`	Numbering.
`colour`	`rgb("#1E54A8")`	Main colour of the box.
`frame`	`auto`	Frame colour (or `auto`).
`fill`	`auto`	Background fill (colour, gradient or pattern).
`stroke`	`auto`	Stroke of the outline.
`dash`	`none`	Dash pattern of the stroke (`"solid"`, `"dashed"`, `"dotted"`…).
`frame-char`	`none`	Frame char.
`frame-char-size`	`0.28cm`	Frame char size.
`title-colour`	`white`	Colour of the title text.
`answer-colour`	`rgb("#2E8B3A")`	Colour of the answer.

name	default	description
`answer-label`	`auto`	Label of the answer.
`radius`	`0.20cm`	Corner radius.
`badge-radius`	`0.11cm`	Corner radius of the badge.
`badge-size`	`0.78cm`	Size of the badge.
`weight`	`1.35pt`	Stroke weight.
`inset`	`0.30cm`	Inner padding: a length, or `(x:, y:)`.
`gap`	`0.10cm`	Space between the parts.
`width`	`100%`	Width of the box (`auto`: fits the content, `100%`: the line).
`direction`	`auto`	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
`vintage`	`false`	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
`vintage-pen`	`none`	Nib override `(a, b, angle)`; `none` derives it from the stroke width.
`..rest`	required	Extra named arguments passed to the underlying function.

EXAMPLE

```
#numbox[q][a]
```



numbox-reset

```
numbox-reset(n: 1)
```

Sets the number of the next automatic `numbox`.

PARAMETERS

name	default	description
n	1	Count (a whole number).

EXAMPLE

```
#numbox-reset()
```

iconbox

```
iconbox(body, title: none, icon: none, mark: none, banner: false, colour: rgb("#C2185B"), frame: auto, …)
```

A titled card stamped with an icon: coloured title bar (banner) or dashed concept card.

PARAMETERS

name	default	description
body	required	The content of the box (positional).
title	none	Title shown in the box (content or `none`).
icon	none	Icon shown in the box (content, symbol or `none`).
mark	none	Mark.
banner	false	Banner.
colour	rgb("#C2185B")	Main colour of the box.
frame	auto	Frame colour (or `auto`).
fill	white	Background fill (colour, gradient or pattern).
title-colour	auto	Colour of the title text.
title-size	1.15em	Font size of the title.
italic	true	Italic.
radius	0.28cm	Corner radius.
weight	1.5pt	Stroke weight.
stroke	auto	Stroke of the outline.
dash	none	Dash pattern of the stroke (`"solid"`, `"dashed"`, `"dotted"`…).
frame-char	none	Frame char.

name	default	description
frame-char-size	0.28cm	Frame char size.
inset	0.38cm	Inner padding: a length, or `(x:, y:)`.
width	100%	Width of the box (`auto`: fits the content, `100%`: the line).
icon-size	1.55em	Size of the icon.
icon-dx	0.10cm	Icon dx.
icon-dy	-0.42cm	Icon dy.
mark-size	1.15em	Size of the mark.
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
vintage	false	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
vintage-pen	none	Nib override `(a, b, angle)`; `none` derives it from the stroke width.
body-offset-x	0pt	Horizontal nudge of the body text.
body-offset-y	0pt	Vertical nudge of the body text.
icon-offset-x	0pt	Horizontal nudge of the icon.
icon-offset-y	0pt	Vertical nudge of the icon.
title-offset-x	0pt	Horizontal nudge of the title.
title-offset-y	0pt	Vertical nudge of the title.

EXAMPLE

```
#iconbox(title: [Sketch])[A pencil plaque.]
```



tip-card

```
tip-card(body, title: [Tip], icon: auto, mark: auto, colour: rgb("#C2185B"), banner: true, ..a)
```


The magenta Tip card: an `iconbox` preset.

PARAMETERS

name	default	description
body	required	The content of the box (positional).
title	[Tip]	Title shown in the box (content or `none`).
icon	auto	Icon shown in the box (content, symbol or `none`).
mark	auto	Mark.
colour	rgb("#C2185B")	Main colour of the box.
banner	true	Banner.
..a	required	Extra named arguments passed to the underlying function.

EXAMPLE

```
#tip-card[tip-card]
```



concept-card

```
concept-card(body, title: [Concept], icon: auto, colour: rgb("#3D5A80"), title-colour: rgb("#C2185B"), dash: "dashed", banner: false, …)
```

The dashed Concept card: an `iconbox` preset.


PARAMETERS

name	default	description
body	required	The content of the box (positional).
title	[Concept]	Title shown in the box (content or `none`).
icon	auto	Icon shown in the box (content, symbol or `none`).
colour	rgb("#3D5A80")	Main colour of the box.
title-colour	rgb("#C2185B")	Colour of the title text.
dash	"dashed"	Dash pattern of the stroke (`"solid"`, `"dashed"`, `"dotted"`…).

name	default	description
`banner`	`false`	Banner.
`..a`	required	Extra named arguments passed to the underlying function.

EXAMPLE

```
#concept-card[A named idea.]
```



ico-star

```
ico-star(size: 0.58cm, fill: rgb("#F0B429"))
```

A drawn star icon for `iconbox`.

PARAMETERS

name	default	description
`size`	`0.58cm`	Size.
`fill`	`rgb("#F0B429")`	Background fill (colour, gradient or pattern).

ico-bulb

```
ico-bulb(size: 0.78cm)
```

A drawn light-bulb icon for `iconbox`.

PARAMETERS

name	default	description
`size`	`0.78cm`	Size.

EXAMPLE

```
#ico-bulb()
```



ico-pencil

```
ico-pencil(size: 0.90cm)
```

A drawn pencil icon for `iconbox`.

PARAMETERS

name	default	description
`size`	`0.90cm`	Size.

VALUES AND CONSTANTS

`numbox-counter`	Counter of `numbox`; reset with `numbox-reset`.

Semantic blocks, shapes and inline marks

Short, expressive blocks for teaching documents (`note`, `tip`, `warning`, `example`, `definition`…) and general shapes (`sketch-box`, `plaque`, `block3d`, `hatched`…), followed by inline highlighters (`hl`, `mark`, `highlight-text`).

`sketch-box` also `note`, `burst`, `shadowed`

```
sketch-box(body, shape: "round", fill: none, stroke-colour: auto, stroke-weight: auto, radius: auto, pad: auto, …)
```

A hand-drawn box that fits its content: rectangle, rounded, burst, ellipse and more.


PARAMETERS

name	default	description
`body`	required	The content of the box (positional).
`shape`	`"round"`	Shape.
`fill`	`none`	Background fill (colour, gradient or pattern).
`stroke-colour`	`auto`	Colour of the outline.
`stroke-weight`	`auto`	Weight of the stroke.
`radius`	`auto`	Corner radius.
`pad`	`auto`	Inner padding.
`width`	`auto`	Width of the box (`auto`: fits the content, `100%`: the line).
`height`	`auto`	Height of the box (`auto`: fits the content).
`leading`	`0.5em`	Line spacing of the text.
`seed`	`auto`	Seed of the hand-drawn wobble (same seed, same drawing).
`roughness`	`auto`	Wobble strength of the hand-drawn strokes (`1` default, `0` none), multiplied by the theme's `roughness`; used only when `rough` is on.
`hatch`	`none`	Hatch.
`shadow`	`none`	Drop shadow: `true`, `false`, or a colour.

name	default	description
`depth`	`0`	Depth of the relief or extrusion.
`inset-top`	`0pt`	Inset top.
`passes`	`1`	Passes.
`pass-offset`	`0.06`	Pass offset.
`curl`	`0.42`	Curl.
`text-fill`	`auto`	Colour of the text.
`breakable`	`false`	Allow the box to break across pages.
`watermark`	`none`	Watermark text or content (`none`: no watermark).
`watermark-colour`	`auto`	Colour of the watermark.
`watermark-angle`	`-18deg`	Rotation of the watermark.
`watermark-size`	`2.1em`	Size of the watermark.
`direction`	`auto`	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
`vintage`	`false`	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
`vintage-pen`	`none`	Nib override `(a, b, angle)`; `none` derives it from the stroke width.

EXAMPLE

```
#sketch-box(shape: "rect")[rect]
```



`highlight`

```
highlight(body, colour: auto, seed: auto, expand: 0.14em, lift: 0.0em)
```

Inline highlighter pen, sized from the measured text.

PARAMETERS

name	default	description
`body`	required	The content of the box (positional).
`colour`	`auto`	Main colour of the box.
`seed`	`auto`	Seed of the hand-drawn wobble (same seed, same drawing).
`expand`	`0.14em`	Expand.
`lift`	`0.0em`	Lift.

EXAMPLE

```
#highlight[highlighted words]
```



`def-card`

```
def-card(term, body, examples: none, examples-label: auto, colour: auto, seed: auto, open-frame: true, …)
```

A definition card (term and meaning) in the hand-drawn style.

PARAMETERS

name	default	description
`term`	required	Term.
`body`	required	The content of the box (positional).
`examples`	`none`	Examples.
`examples-label`	`auto`	Examples label.
`colour`	`auto`	Main colour of the box.
`seed`	`auto`	Seed of the hand-drawn wobble (same seed, same drawing).
`open-frame`	`true`	Open frame.
`breakable`	`false`	Allow the box to break across pages.
`..rest`	required	Extra named arguments passed to the underlying function.
`direction`	`auto`	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.

EXAMPLE

```
#def-card([التعريف], [بطاقة تعريف RTL.])
```



`sticky`

```
sticky(body, width: 4cm, angle: -3deg, colour: auto, seed: 1, direction: auto)
```


A small sticky note.

PARAMETERS

name	default	description
`body`	required	The content of the box (positional).
`width`	`4cm`	Width of the box (`auto`: fits the content, `100%`: the line).
`angle`	`-3deg`	Angle of rotation.
`colour`	`auto`	Main colour of the box.
`seed`	`1`	Seed of the hand-drawn wobble (same seed, same drawing).
`direction`	`auto`	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.

EXAMPLE

```
#sticky[ملاحظة لاصقة.]
```



`relief`

```
relief(w, h, mode: "sunken", radius: 4pt, depth: 5pt, strength: 0.55)
```

Draws a raised or sunken surface under a shape (helper of the box families).

PARAMETERS

name	default	description
`w`	required	Width.
`h`	required	Height.
`mode`	`"sunken"`	Mode.
`radius`	`4pt`	Corner radius.
`depth`	`5pt`	Depth of the relief or extrusion.
`strength`	`0.55`	Strength.

EXAMPLE

```
#relief(3cm, 1.2cm)
```


`insetbox` also `boite-creusee`

```
insetbox(body, radius: 6pt, blur: 5pt, strength: 0.6, back: white, inset: (x: 12pt, y: 10pt), width: 100%)
```

A plain rounded box whose inner shadow makes it look carved into the page.

PARAMETERS

name	default	description
`body`	required	The content of the box (positional).
`radius`	`6pt`	Corner radius.
`blur`	`5pt`	Blur.
`strength`	`0.6`	Strength.
`back`	`white`	Colour of the back layer.
`inset`	`(x: 12pt, y: 10pt)`	Inner padding: a length, or `(x:, y:)`.
`width`	`100%`	Width of the box (`auto`: fits the content, `100%`: the line).

EXAMPLE

```
#insetbox[insetbox]
```



`faboxyst`

```
faboxyst(theme: default-theme, ..over, body)
```

Show rule: applies a theme (and an optional text direction) to the rest of the document.

PARAMETERS

name	default	description
`theme`	`default-theme`	Theme.
`..over`	required	Extra named arguments passed to the underlying function.
`body`	required	The content of the box (positional).

tip

```
tip(body, colour: auto, ..a)
```


A tip / information block (lime).

PARAMETERS

name	default	description
body	required	The content of the box (positional).
colour	auto	Main colour of the box.
..a	required	Extra named arguments passed to the underlying function.

EXAMPLE

```
#tip[Tip.]
```



warning

```
warning(body, colour: auto, ..a)
```


A warning block (red).

PARAMETERS

name	default	description
body	required	The content of the box (positional).
colour	auto	Main colour of the box.
..a	required	Extra named arguments passed to the underlying function.

EXAMPLE

```
#warning[Warn.]
```



example

```
example(body, colour: auto, ..a)
```


A worked example, softly tinted.

PARAMETERS

name	default	description
body	required	The content of the box (positional).
colour	auto	Main colour of the box.
..a	required	Extra named arguments passed to the underlying function.

EXAMPLE

```
#example[A worked example.]
```



definition

```
definition(term, ..a)
```


A key definition: bold term, explanation and optional examples.

PARAMETERS

name	default	description
term	required	Term.
..a	required	Extra named arguments passed to the underlying function.

EXAMPLE

```
#definition("Prime")[A number with two divisors.]
```



block3d

```
block3d(body, depth: 0.30, ..a)
```

An extruded flat-3D block.

PARAMETERS

name	default	description
body	required	The content of the box (positional).
depth	0.30	Depth of the relief or extrusion.
..a	required	Extra named arguments passed to the underlying function.

EXAMPLE

```
#block3d[An extruded block.]
```



hatched

```
hatched(body, angle: 45, spacing: 0.16, ..a)
```

A hatched block: emphasis without a fill colour.

PARAMETERS

name	default	description
body	required	The content of the box (positional).
angle	45	Angle of rotation.
spacing	0.16	Spacing between items.
..a	required	Extra named arguments passed to the underlying function.

EXAMPLE

```
#hatched[Emphasis without a fill colour.]
```



plaque

```
plaque(body, title: none, fill: auto, stroke-colour: auto, text-fill: auto, curl: 0.42, title-size: 1.5em, …)
```

A filled plaque with curling corners.

PARAMETERS

name	default	description
body	required	The content of the box (positional).
title	none	Title shown in the box (content or `none`).
fill	auto	Background fill (colour, gradient or pattern).
stroke-colour	auto	Colour of the outline.
text-fill	auto	Colour of the text.
curl	0.42	Curl.
title-size	1.5em	Font size of the title.
..a	required	Extra named arguments passed to the underlying function.

EXAMPLE

```
#plaque(title: [Plaque])[Curling corners.]
```



double-frame

```
double-frame(body, stroke-colour: auto, stroke-colour-2: auto, weight: 3pt, pass-offset: 0.09, ..a)
```


A frame drawn twice, as if gone over by hand.

PARAMETERS

name	default	description
body	required	The content of the box (positional).
stroke-colour	auto	Colour of the first pass (default: the theme gold).
stroke-colour-2	auto	Colour of the second pass (`auto`: same as the first).
weight	3pt	Stroke weight.
pass-offset	0.09	Pass offset.
..a	required	Extra named arguments passed to the underlying function.

EXAMPLE

```
#double-frame(
  stroke-colour: rgb("#1B4F72"),
  stroke-colour-2: rgb("#C0392B"),
)[Gone over twice,\
in two colours.]
```



pill-box

```
pill-box(body, fill: auto, stroke-colour: auto, ..a)
```

A filled stadium (pill) shape around the content.

PARAMETERS

name	default	description
body	required	The content of the box (positional).
fill	auto	Background fill (colour, gradient or pattern).

name	default	description
`stroke-colour`	`auto`	Colour of the outline.
`..a`	required	Extra named arguments passed to the underlying function.

EXAMPLE

```
#pill-box[A pill.]
```



`mark`

```
mark(body, kind: "highlight", colour: auto, fill: none, weight: auto, seed: 3, rough: true, …)
```

A hand-drawn mark on a run of inline text: underline, circle, box, cross-out…

PARAMETERS

name	default	description
`body`	required	The content of the box (positional).
`kind`	`"highlight"`	Variant of the design (a name).
`colour`	`auto`	Main colour of the box.
`fill`	`none`	Background fill (colour, gradient or pattern).
`weight`	`auto`	Stroke weight.
`seed`	`3`	Seed of the hand-drawn wobble (same seed, same drawing).
`rough`	`true`	Hand-drawn mode: `true` draws the strokes by hand, `false` keeps them crisp (`auto`: hand-drawn when the theme sets a `roughness` > 0, e.g. `make-theme(roughness: 1.5)`).
`hand`	`auto`	Hand-drawn mode (wobbly strokes).
`expand`	`0.16em`	Expand.
`inset`	`0pt`	Inner padding: a length, or `(x:, y:)`.
`opacity`	`auto`	Opacity.
`reserve`	`auto`	Reserve.

EXAMPLE

```
#mark[key]
```

key

`hl`

```
hl(body, colour: auto, ..a)
```

A fat translucent emphasis in one call.

PARAMETERS

name	default	description
`body`	required	The content of the box (positional).
`colour`	`auto`	Main colour of the box.
`..a`	required	Extra named arguments passed to the underlying function.

EXAMPLE

```
A #hl[highlighted] word, and #hl(colour: rgb("#BDE7C4"))[a whole phrase that goes over the end
of the line and wraps with its band].
```

A highlighted word, and a whole phrase that goes over the end of the line and wraps with its band.

`mark-emph`

```
mark-emph(colour: auto, kind: "highlight", ..a)
```

A show rule turning every _emphasis_ into a highlighter swipe.

PARAMETERS

name	default	description
`colour`	`auto`	Main colour of the box.
`kind`	`"highlight"`	Variant of the design (a name).
`..a`	required	Extra named arguments passed to the underlying function.

EXAMPLE

```
#show: mark-emph.with(colour: yellow)
Some _emphasised_ words.
```

`(..) => ..`

`highlight-formula` also `surligner-formule`

```
highlight-formula(body, colour: rgb("#FFF59D"), ..a)
```

A yellow highlighter pad behind a formula, with an optional hand border.

PARAMETERS

name	default	description
`body`	required	The content of the box (positional).
`colour`	`rgb("#FFF59D")`	Main colour of the box.
`..a`	required	Extra named arguments passed to the underlying function.

EXAMPLE

```
#highlight-formula[$x^2 + y^2 = r^2$]
```

$x^2 + y^2 = r^2$

`highlight-text` also `surligner-texte`

```
highlight-text(body, colour: rgb("#FFF59D"), ..a)
```

A highlighter pad behind a paragraph or run of text.

PARAMETERS

name	default	description
`body`	required	The content of the box (positional).
`colour`	`rgb("#FFF59D")`	Main colour of the box.
`..a`	required	Extra named arguments passed to the underlying function.

EXAMPLE

```
#highlight-text[A highlighted run of text that is long enough to wrap onto a second line and
then a third line, each line keeping its own highlight band.]
```

A highlighted run of text that is long enough to wrap onto a second line and then a third line, each line keeping its own highlight band.

VALUES AND CONSTANTS

`MARKS`	Dictionary of the available inline mark kinds.

Paper, notebook and desk

Objects of a desk: post-its, ruled notebook paper, scrapbook pieces (tape, pins, clips, hearts), tickets, folders, spiral binding and neon signs. All of them are drawn, not images.

`postit` also `study-postit`

```
postit(body, title: none, direction: auto, width: auto, height: auto, fill: rgb("#FFE52C"), pad: 0.30cm, …, shadow-inside: true)
```

A simple sticky note with an inset rule and a lifted shadow, drawn inside the sheet (`shadow-inside: true`) or hanging below it (`false`).


PARAMETERS

name	default	description
`body`	required	The content of the box (positional).
`title`	`none`	Title shown in the box (content or `none`).
`direction`	`auto`	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
`width`	`auto`	Width of the box (`auto`: fits the content, `100%`: the line).
`height`	`auto`	Height of the box (`auto`: fits the content).
`fill`	`rgb("#FFE52C")`	Background fill (colour, gradient or pattern).
`pad`	`0.30cm`	Inner padding.

name	default	description
`radius`	`0.24cm`	Corner radius.
`line-color`	`auto`	Colour of the line.
`line-length`	`93%`	Length of the line.
`line-weight`	`0.8pt`	Weight of the line.
`shadow-color`	`rgb("#C07800")`	Colour of the shadow.
`shadow-length`	`93%`	Length of the shadow.
`shadow-inside`	`true`	`true`: the lifted shadow and the inset rule are drawn inside the sheet, over its lower edge; `false`: the shadow hangs below the sheet.

EXAMPLE

```
#postit[Shadow inside (default).]
#postit(shadow-inside: false)[Shadow hanging below.]
```



`postit-butterfly`

```
postit-butterfly(body, title: none, direction: auto, width: auto, height: auto, fill: rgb("#FFE52C"), pad: 0.30cm, …)
```

A sticky note variant with a large lifted shadow.

PARAMETERS

name	default	description
`body`	required	The content of the box (positional).
`title`	`none`	Title shown in the box (content or `none`).
`direction`	`auto`	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
`width`	`auto`	Width of the box (`auto`: fits the content, `100%`: the line).
`height`	`auto`	Height of the box (`auto`: fits the content).
`fill`	`rgb("#FFE52C")`	Background fill (colour, gradient or pattern).
`pad`	`0.30cm`	Inner padding.
`radius`	`0.24cm`	Corner radius.
`tab-drop`	`0.03cm`	Tab drop.
`line-color`	`auto`	Colour of the line.

name	default	description
`line-length`	`93%`	Length of the line.
`line-weight`	`0.8pt`	Weight of the line.
`shadow-color`	`auto`	Colour of the shadow.
`shadow-red-color`	`rgb("#C64A2B")`	Colour of the shadow red.
`shadow-red-mix`	`12%`	Shadow red mix.
`shadow-center-darken`	`20%`	Shadow center darken.
`shadow-edge-darken`	`5%`	Shadow edge darken.
`shadow-gradient-in`	`auto`	Shadow gradient in.
`shadow-gradient-out`	`auto`	Shadow gradient out.
`shadow-length`	`93%`	Length of the shadow.

EXAMPLE

```
#postit-butterfly(direction: rtl, title: [ملاحظة مرفوعة])[ظل مرتفع.]
```



`garnet-box`

```
garnet-box(body, direction: auto, width: auto, fill: rgb("#A60650"), text-color: white, radius: 0.34cm, inset: auto, …)
```

A rounded garnet title box in the manner of the sticky note.


PARAMETERS

name	default	description
body	required	The content of the box (positional).
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
width	auto	Width of the box (`auto`: fits the content, `100%`: the line).
fill	rgb("#A60650")	Background fill (colour, gradient or pattern).
text-color	white	Colour of the text.
radius	0.34cm	Corner radius.
inset	auto	Inner padding: a length, or `(x:, y:)`.
inset-x	auto	Horizontal padding.
inset-y	auto	Vertical padding.

name	default	description
size	12pt	Size.
weight	"bold"	Stroke weight.
alignment	auto	Alignment.
shadow	"large"	Drop shadow: `true`, `false`, or a colour.
shadow-color	auto	Colour of the shadow.
shadow-length	50%	Length of the shadow.
title-offset-x	0pt	Horizontal nudge of the title.
title-offset-y	0pt	Vertical nudge of the title.

EXAMPLE

```
#garnet-box(width: 100%)[عنوان عنّابي]
```



numbered-header-box

```
numbered-header-box(body, title: [], number: auto, direction: auto, width: auto, inset: (0.42cm, 0.30cm), inset-x: auto, …)
```

A square-cornered box with a fused rounded title band and a number.


PARAMETERS

name	default	description
body	required	The content of the box (positional).
title	[]	Title shown in the box (content or `none`).
number	auto	Number shown in the badge (content, or `auto` for automatic numbering).
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
width	auto	Width of the box (`auto`: fits the content, `100%`: the line).
inset	(0.42cm, 0.30cm)	Inner padding: a length, or `(x:, y:)`.
inset-x	auto	Horizontal padding.
inset-y	auto	Vertical padding.
body-fill	rgb("#FFF7C5")	Fill of the body.
band-fill	rgb("#E87500")	Fill of the band.
frame	auto	Frame colour (or `auto`).
title-color	white	Colour of the title.
number-fill	white	Fill of the number.
number-color	auto	Colour of the number.
text-color	rgb("#303030")	Colour of the text.
title-size	12pt	Font size of the title.
number-size	9pt	Font size of the number.

name	default	description
body-size	10pt	Font size of the body text.
bar-height	0.60cm	Height of the bar.
bar-width	104%	Width of the bar.
bar-radius	2pt	Corner radius of the bar.
trap-outset	0.18cm	Outset of the trap.
trap-top-width	1.00cm	Width of the top trap.
trap-bottom-width	0.72cm	Width of the bottom trap.
trap-edge-inset	5%	Inner padding of the trap edge.
badge-diameter	auto	Diameter of the badge.
badge-padding	0.08cm	Inner padding of the badge.
shadow-offset	0.07cm	Offset of the shadow.
body-offset-x	0pt	Horizontal nudge of the body text.
body-offset-y	0pt	Vertical nudge of the body text.
number-offset-x	0pt	Horizontal nudge of the number.
number-offset-y	0pt	Vertical nudge of the number.
title-offset-x	0pt	Horizontal nudge of the title.
title-offset-y	0pt	Vertical nudge of the title.

EXAMPLE

```
#numbered-header-box(title: [Step], number: 12, width: 100%)[A two-digit header.]
```



notebook-box also tcboxnotebook, notebook-box-clean

```
notebook-box(body, title: none, badge: none, colour: rgb("#22C55E"), ink: auto, inner-ink: auto, inner-lighten: 25%, …)
```

A spiral-bound exercise box with a pill title and badge.

PARAMETERS

name	default	description
body	required	The content of the box (positional).
title	none	Title shown in the box (content or `none`).
badge	none	Content of the badge.
colour	rgb("#22C55E")	Main colour of the box.
ink	auto	Colour of outlines and text.
inner-ink	auto	Inner ink.
inner-lighten	25%	Inner lighten.
fill	white	Background fill (colour, gradient or pattern).
title-fill	auto	Fill of the title.
paper	auto	Colour of the paper.
grid	true	Ruling pitch, or `none`.
grid-step	0.42	Grid step.
rings	4	Number of binder rings.
ring-side	auto	Side of the ring.
ring-at	auto	Ring at.
ring-colour	auto	Colour of the ring.


name	default	description
gap	0.14	Space between the parts.
ring-gap	0.10	Space around the ring.
spine	auto	Spine.
radius	0.42	Corner radius.
weight	2.4pt	Stroke weight.
inner-weight	2.0pt	Inner weight.
double-frame	true	Double frame.
roughness	1.0	Wobble strength of the hand-drawn strokes (`1` default, `0` none), multiplied by the theme's `roughness`; used only when `rough` is on.
bowing	0.5	How much the strokes bow between their ends.
seed	7	Seed of the hand-drawn wobble (same seed, same drawing).
inset	0.62cm	Inner padding: a length, or `(x:, y:)`.
width	100%	Width of the box (`auto`: fits the content, `100%`: the line).

name	default	description
ring-size	0.30	Size of the ring.
ring-aspect	0.62	Aspect ratio of the ring.
bead	0.10	Bead.

name	default	description
title-size	1.15em	Font size of the title.
watermark	none	Watermark text or content (`none`: no watermark).
watermark-colour	auto	Colour of the watermark.
watermark-angle	-18deg	Rotation of the watermark.
watermark-size	2.1em	Size of the watermark.
vintage	false	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
vintage-pen	none	Nib override `(a, b, angle)`; `none` derives it from the stroke width.

EXAMPLE

```
#notebook-box(title: [دفتر])[صفحة دفتر.]
```



sloppy-box

```
sloppy-box(body, colour: auto, fill: none, weight: 1.4pt, inset: 0.5em, radius: 0.05, overshoot: 0.10, …)
```

A block inside a sloppily drawn frame: four strokes that overshoot the corners.

PARAMETERS

name	default	description
body	required	The content of the box (positional).
colour	auto	Main colour of the box.
fill	none	Background fill (colour, gradient or pattern).
weight	1.4pt	Stroke weight.
inset	0.5em	Inner padding: a length, or `(x:, y:)`.
radius	0.05	Corner radius.
overshoot	0.10	Overshoot.
width	auto	Width of the box (`auto`: fits the content, `100%`: the line).

name	default	description
seed	5	Seed of the hand-drawn wobble (same seed, same drawing).
rough	true	Hand-drawn mode: `true` draws the strokes by hand, `false` keeps them crisp (`auto`: hand-drawn when the theme sets a `roughness` > 0, e.g. `make-theme(roughness: 1.5)`).
hand	auto	Hand-drawn mode (wobbly strokes).
ghost	true	Ghost.
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
vintage	false	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
vintage-pen	none	Nib override `(a, b, angle)`; `none` derives it from the stroke width.

EXAMPLE

```
#sloppy-box[four overshooting strokes]
```



post-it

```
post-it(body, title: none, fill: rgb("#FDE85F"), angle: -6deg, size: auto, inset: 0.55em, seed: 7, …)
```

A hand-drawn sticky note with tape or pin.


PARAMETERS

name	default	description
body	required	The content of the box (positional).
title	none	Title shown in the box (content or `none`).
fill	rgb("#FDE85F")	Background fill (colour, gradient or pattern).
angle	-6deg	Angle of rotation.
size	auto	Size.
inset	0.55em	Inner padding: a length, or `(x:, y:)`.
seed	7	Seed of the hand-drawn wobble (same seed, same drawing).
rough	true	Hand-drawn mode: `true` draws the strokes by hand, `false` keeps them crisp (`auto`: hand-drawn when the theme sets a `roughness` > 0, e.g. `make-theme(roughness: 1.5)`).
hand	auto	Hand-drawn mode (wobbly strokes).
shadow	true	Drop shadow: `true`, `false`, or a colour.
pin	none	Pin.
pin-colour	rgb("#D32F2F")	Colour of the pin.
pin-shift	0.0	Shift of the pin.
pins	1	Pins.

name	default	description
pin-at	auto	Pin at.
needle	1.0	Needle.
tape-at	"corner"	Tape at.
tape-len	0.70	Length of the tape.
tape-over	0.55	Tape over.
tape-wide	auto	Tape wide.
clip-scale	0.40	Scale of the clip.
clip-out	0.40	Clip out.
clip-style	"gem"	Style of the clip.
clip-tilt	-11deg	Tilt of the clip.
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
vintage	false	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
vintage-pen	none	Nib override `(a, b, angle)`; `none` derives it from the stroke width.

EXAMPLE

```
#post-it[post-it]
```



`vignette`

```
vignette(title, body, colour: rgb("#2A6FB0"), frame: auto, back: auto, title-colour: auto, radius: 0.10, …)
```

A small two-part box: coloured title cell next to a body cell.

PARAMETERS

name	default	description
`title`	required	Title shown in the box (content or `none`).
`body`	required	The content of the box (positional).
`colour`	`rgb("#2A6FB0")`	Main colour of the box.
`frame`	`auto`	Frame colour (or `auto`).
`back`	`auto`	Colour of the back layer.
`title-colour`	`auto`	Colour of the title text.
`radius`	`0.10`	Corner radius.
`weight`	`1.1pt`	Stroke weight.
`inset`	`0.30em`	Inner padding: a length, or `(x:, y:)`.
`title-inset`	`auto`	Inner padding of the title.

name	default	description
`width`	`auto`	Width of the box (`auto`: fits the content, `100%`: the line).
`gap`	`0.0`	Space between the parts.
`divider`	`true`	Divider.
`seed`	`9`	Seed of the hand-drawn wobble (same seed, same drawing).
`rough`	`false`	Hand-drawn mode: `true` draws the strokes by hand, `false` keeps them crisp (`auto`: hand-drawn when the theme sets a `roughness` > 0, e.g. `make-theme(roughness: 1.5)`).
`hand`	`auto`	Hand-drawn mode (wobbly strokes).
`baseline`	`0.28em`	Baseline.
`direction`	`auto`	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
`vintage`	`false`	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
`vintage-pen`	`none`	Nib override `(a, b, angle)`; `none` derives it from the stroke width.

EXAMPLE

```
#vignette([Title], [Body text of the vignette.])
```

Title Body text of the vignette.

`spread-box`

```
spread-box(body, spread: auto, inwards: auto, outwards: auto, colour: rgb("#2A6FB0"), frame: auto, fill: auto, …)
```

A box that spreads outside the text block into the page margins.

PARAMETERS

name	default	description
`body`	required	The content of the box (positional).
`spread`	`auto`	Spread.
`inwards`	`auto`	Inwards.
`outwards`	`auto`	Outwards.
`colour`	`rgb("#2A6FB0")`	Main colour of the box.
`frame`	`auto`	Frame colour (or `auto`).
`fill`	`auto`	Background fill (colour, gradient or pattern).
`gradient-to`	`none`	Gradient to.
`weight`	`1.4pt`	Stroke weight.
`radius`	`0.16`	Corner radius.
`sharp`	`()`	Sharp.
`inset`	`0.6em`	Inner padding: a length, or `(x:, y:)`.

name	default	description
`seed`	`13`	Seed of the hand-drawn wobble (same seed, same drawing).
`rough`	`false`	Hand-drawn mode: `true` draws the strokes by hand, `false` keeps them crisp (`auto`: hand-drawn when the theme sets a `roughness` > 0, e.g. `make-theme(roughness: 1.5)`).
`hand`	`auto`	Hand-drawn mode (wobbly strokes).
`title`	`none`	Title shown in the box (content or `none`).
`title-fill`	`auto`	Fill of the title.
`title-colour`	`auto`	Colour of the title text.
`direction`	`auto`	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
`vintage`	`false`	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
`vintage-pen`	`none`	Nib override `(a, b, angle)`; `none` derives it from the stroke width.
`body-offset-x`	`0pt`	Horizontal nudge of the body text.
`body-offset-y`	`0pt`	Vertical nudge of the body text.

EXAMPLE

```
#spread-box(title: [Spread])[…]
```

Spread

…

`ticket` also `ticketbox`

```
ticket(body, stub: none, colour: rgb("#C0392B"), fill: auto, weight: 1.3pt, inset: 0.55em, notch: 0.22, …)
```

A torn ticket stub with notches and a dashed line.

PARAMETERS

name	default	description
body	required	The content of the box (positional).
stub	none	Stub.
colour	rgb("#C0392B")	Main colour of the box.
fill	auto	Background fill (colour, gradient or pattern).
weight	1.3pt	Stroke weight.
inset	0.55em	Inner padding: a length, or `(x:, y:)`.
notch	0.22	Notch.

name	default	description
width	auto	Width of the box (`auto`: fits the content, `100%`: the line).
seed	17	Seed of the hand-drawn wobble (same seed, same drawing).
rough	false	Hand-drawn mode: `true` draws the strokes by hand, `false` keeps them crisp (`auto`: hand-drawn when the theme sets a `roughness` > 0, e.g. `make-theme(roughness: 1.5)`).
hand	auto	Hand-drawn mode (wobbly strokes).
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
vintage	false	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
vintage-pen	none	Nib override `(a, b, angle)`; `none` derives it from the stroke width.

EXAMPLE

```
#ticket(stub: [12])[ticket]
```

12 ticket

folder

```
folder(body, title: none, colour: rgb("#E67E22"), fill: auto, weight: 1.3pt, inset: 0.6em, radius: 0.14, …)
```

A file-folder tab sitting on top of a plain card.

PARAMETERS

name	default	description
body	required	The content of the box (positional).
title	none	Title shown in the box (content or `none`).
colour	rgb("#E67E22")	Main colour of the box.
fill	auto	Background fill (colour, gradient or pattern).
weight	1.3pt	Stroke weight.
inset	0.6em	Inner padding: a length, or `(x:, y:)`.
radius	0.14	Corner radius.

name	default	description
width	100%	Width of the box (`auto`: fits the content, `100%`: the line).
seed	19	Seed of the hand-drawn wobble (same seed, same drawing).
rough	false	Hand-drawn mode: `true` draws the strokes by hand, `false` keeps them crisp (`auto`: hand-drawn when the theme sets a `roughness` > 0, e.g. `make-theme(roughness: 1.5)`).
hand	auto	Hand-drawn mode (wobbly strokes).
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
vintage	false	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
vintage-pen	none	Nib override `(a, b, angle)`; `none` derives it from the stroke width.

EXAMPLE

```
#folder(title: [ملف])[محتوى الملف.]
```

ملف

محتوى الملف.

terminal

```
terminal(body, title: none, fill: rgb("#1E2430"), bar: auto, text-colour: rgb("#E6E6E6"), radius: 0.18, inset: 0.6em, …)
```

A terminal window: dark card with three traffic-light dots.


PARAMETERS

name	default	description
body	required	The content of the box (positional).
title	none	Title shown in the box (content or `none`).
fill	rgb("#1E2430")	Background fill (colour, gradient or pattern).
bar	auto	Bar.
text-colour	rgb("#E6E6E6")	Colour of the body text.
radius	0.18	Corner radius.
inset	0.6em	Inner padding: a length, or `(x:, y:)`.
width	100%	Width of the box (`auto`: fits the content, `100%`: the line).

name	default	description
dots	(rgb("#FF5F56"), rgb("#FFBD2E"), rgb("#27C9…	Number of dots.
seed	21	Seed of the hand-drawn wobble (same seed, same drawing).
rough	false	Hand-drawn mode: `true` draws the strokes by hand, `false` keeps them crisp (`auto`: hand-drawn when the theme sets a `roughness` > 0, e.g. `make-theme(roughness: 1.5)`).
hand	auto	Hand-drawn mode (wobbly strokes).
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
vintage	false	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
vintage-pen	none	Nib override `(a, b, angle)`; `none` derives it from the stroke width.

EXAMPLE

```
#terminal(title: [bash])[ls -la]
```



neon

```
neon(body, colour: rgb("#00E5FF"), back: rgb("#101018"), glow: 7, spread: 9pt, radius: 0.20, inset: 0.7em, …)
```

A neon sign: a glowing tube on a dark card.

PARAMETERS

name	default	description
body	required	The content of the box (positional).
colour	rgb("#00E5FF")	Main colour of the box.
back	rgb("#101018")	Colour of the back layer.
glow	7	Glow.
spread	9pt	Spread.
radius	0.20	Corner radius.
inset	0.7em	Inner padding: a length, or `(x:, y:)`.
weight	1.6pt	Stroke weight.

name	default	description
width	100%	Width of the box (`auto`: fits the content, `100%`: the line).
seed	27	Seed of the hand-drawn wobble (same seed, same drawing).
rough	false	Hand-drawn mode: `true` draws the strokes by hand, `false` keeps them crisp (`auto`: hand-drawn when the theme sets a `roughness` > 0, e.g. `make-theme(roughness: 1.5)`).
hand	auto	Hand-drawn mode (wobbly strokes).
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
vintage	false	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
vintage-pen	none	Nib override `(a, b, angle)`; `none` derives it from the stroke width.

EXAMPLE

```
#neon[neon]
```



polaroid

```
polaroid(body, caption: none, fill: white, photo-fill: rgb("#BFD8E2"), border: 0.28, foot: 0.85, angle: -2deg, …)
```

A polaroid: white sheet with a thick bottom border and a caption.

PARAMETERS

name	default	description
body	required	The content of the box (positional).
caption	none	Caption.
fill	white	Background fill (colour, gradient or pattern).
photo-fill	rgb("#BFD8E2")	Fill of the photo.
border	0.28	Border.
foot	0.85	Foot.
angle	-2deg	Angle of rotation.
width	7cm	Width of the box (`auto`: fits the content, `100%`: the line).
photo-height	auto	Height of the photo.

name	default	description
inset	6pt	Inner padding: a length, or `(x:, y:)`.
seed	29	Seed of the hand-drawn wobble (same seed, same drawing).
rough	false	Hand-drawn mode: `true` draws the strokes by hand, `false` keeps them crisp (`auto`: hand-drawn when the theme sets a `roughness` > 0, e.g. `make-theme(roughness: 1.5)`).
hand	auto	Hand-drawn mode (wobbly strokes).
shadow	true	Drop shadow: `true`, `false`, or a colour.
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
vintage	false	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
vintage-pen	none	Nib override `(a, b, angle)`; `none` derives it from the stroke width.

EXAMPLE

```
#polaroid(caption: [صورة])[صورة مطبوعة.]
```



flag-ribbon

```
flag-ribbon(body, height: 0.74, width: auto, colour: black, fill: none, weight: 1.1pt, inset: 0.42, …)
```

A pen-and-ink banner: a straight scroll with swallow-tail ends.

PARAMETERS

name	default	description
body	required	The content of the box (positional).
height	0.74	Height of the box (`auto`: fits the content).
width	auto	Width of the box (`auto`: fits the content, `100%`: the line).
colour	black	Main colour of the box.
fill	none	Background fill (colour, gradient or pattern).
weight	1.1pt	Stroke weight.
inset	0.42	Inner padding: a length, or `(x:, y:)`.
wobble	0.30	Wobble.
drop	0.32	Drop.

name	default	description
shade-len	0.98	Shade len.
radius	0pt	Corner radius.
shadow	none	Drop shadow: `true`, `false`, or a colour.
shadow-colour	auto	Colour of the shadow.
shadow-offset	auto	Offset of the shadow.
shadow-blur	10	Blur of the shadow.
paper	white	Colour of the paper.
tails	true	Tails.

name	default	description
deeper	0.21	Deeper.
tail	1.17	Tail position: `"sw"`, `"se"`, `"nw"`, `"ne"`, `"start"`, `"end"` or `"none"`.
notch	0.38	Notch.
hatch	8	Hatch.
hatch-ink	1.10	Ink colour of the hatch.
fold	0.213	Fold.
shade	true	Shade.

name	default	description
rough	true	Hand-drawn mode: `true` draws the strokes by hand, `false` keeps them crisp (`auto`: hand-drawn when the theme sets a `roughness` > 0, e.g. `make-theme(roughness: 1.5)`).
hand	auto	Hand-drawn mode (wobbly strokes).
seed	5	Seed of the hand-drawn wobble (same seed, same drawing).
size	auto	Size.
tracking	0.06em	Tracking.
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
vintage	false	`true`: the outline is redrawn with a fine engraving nib (fills and layout unchanged).
vintage-pen	none	Nib override `(a, b, angle)`; `none` uses a fine default pen.

EXAMPLE

```
#flag-ribbon(vintage: true, colour: rgb("#1B2A41"), fill: rgb("#F6E9C8"))[Title]
```



speed-bar

```
speed-bar(body, height: 2.4, width: auto, colour: rgb("#552384"), text-colour: white, inset: auto, streaks: auto, …)
```

A flat brand bar whose ends break into rounded streaks.


PARAMETERS

name	default	description
body	required	The content of the box (positional).
height	2.4	Height of the box (`auto`: fits the content).
width	auto	Width of the box (`auto`: fits the content, `100%`: the line).
colour	rgb("#552384")	Main colour of the box.
text-colour	white	Colour of the body text.
inset	auto	Inner padding: a length, or `(x:, y:)`.
streaks	auto	Streaks.
dots	auto	Number of dots.
radius	auto	Corner radius.
body-radius	0.30	Corner radius of the body.
overlap	0.30	Overlap.
gap	0.0	Space between the parts.

name	default	description
size	auto	Size.
tracking	0pt	Tracking.
weight	"bold"	Stroke weight.
rough	false	Hand-drawn mode: `true` draws the strokes by hand, `false` keeps them crisp (`auto`: hand-drawn when the theme sets a `roughness` > 0, e.g. `make-theme(roughness: 1.5)`).
roughness	1.0	Wobble strength of the hand-drawn strokes (`1` default, `0` none), multiplied by the theme's `roughness`; used only when `rough` is on.
bowing	0.6	How much the strokes bow between their ends.
hand	auto	Hand-drawn mode (wobbly strokes).
seed	12	Seed of the hand-drawn wobble (same seed, same drawing).
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
vintage	false	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
vintage-pen	none	Nib override `(a, b, angle)`; `none` derives it from the stroke width.

EXAMPLE

```
#speed-bar(width: 4cm, size: 12pt)[Speed]
```



banner-3d

```
banner-3d(body, colour: rgb("#2E7D32"), depth: 0.16, radius: 0.10, inset: 0.5em, weight: 1.2pt, width: auto, …)
```

A banner with a 3-D extruded side, as on a poster.

PARAMETERS

name	default	description
body	required	The content of the box (positional).
colour	rgb("#2E7D32")	Main colour of the box.
depth	0.16	Depth of the relief or extrusion.
radius	0.10	Corner radius.
inset	0.5em	Inner padding: a length, or `(x:, y:)`.
weight	1.2pt	Stroke weight.
width	auto	Width of the box (`auto`: fits the content, `100%`: the line).

name	default	description
seed	23	Seed of the hand-drawn wobble (same seed, same drawing).
rough	false	Hand-drawn mode: `true` draws the strokes by hand, `false` keeps them crisp (`auto`: hand-drawn when the theme sets a `roughness` > 0, e.g. `make-theme(roughness: 1.5)`).
hand	auto	Hand-drawn mode (wobbly strokes).
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
vintage	false	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
vintage-pen	none	Nib override `(a, b, angle)`; `none` derives it from the stroke width.

EXAMPLE

```
#banner-3d[Poster title]
```



spiral-binding

```
spiral-binding(side: auto, colour: rgb("#88AAAA"), gap: 1.5cm, gutter: true, gutter-colour: black, gutter-width: 5mm, bead: true, …)
```

A spiral binding along any page edge, usable as a page background.


PARAMETERS

name	default	description
side	auto	Side of the box or page (`left`, `right`, `top`, `bottom`, `auto`).
colour	rgb("#88AAAA")	Main colour of the box.
gap	1.5cm	Space between the parts.
gutter	true	Gutter.
gutter-colour	black	Colour of the gutter.
gutter-width	5mm	Width of the gutter.
bead	true	Bead.
bead-fill	auto	Fill of the bead.

name	default	description
bead-stroke	auto	Bead stroke.
weight	2pt	Stroke weight.
shade	0.5pt	Shade.
offset	0cm	Offset.
scale	1.0	Scale factor.
vintage	false	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
vintage-pen	none	Nib override `(a, b, angle)`; `none` derives it from the stroke width.

EXAMPLE

```
#box(width: 5cm, height: 3cm, stroke: 0.4pt,
  spiral-binding(gap: 0.55cm, scale: 0.6))
```



bound-page

```
bound-page(body, side: auto, colour: rgb("#88AAAA"), margin: 2.6cm, rest: 1.8cm, ..args, direction: auto, …)
```

Page set-up: the binding plus a matching margin.

PARAMETERS

name	default	description
body	required	The content of the box (positional).
side	auto	Side of the box or page (`left`, `right`, `top`, `bottom`, `auto`).
colour	rgb("#88AAAA")	Main colour of the box.
margin	2.6cm	Outer margin.
rest	1.8cm	Rest.
..args	required	Extra named arguments passed to the underlying function.
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
vintage	false	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
vintage-pen	none	Nib override `(a, b, angle)`; `none` derives it from the stroke width.

USAGE (PAGE LAYOUT, SHOWN AS CODE ONLY)

```
#bound-page[
  = صفحة مجلّدة
  في الاتجاه العربي تنتقل الحلقة إلى اليمين.

  #notebook-box(title: [تمرين], badge: [٢٠])[
    $ a + b = c $
  ]
]
```

sb-heart

```
sb-heart(size: 0.32, colour: auto)
```

A little rose heart, the recurring ornament of the scrapbook.

PARAMETERS

name	default	description
size	0.32	Size.
colour	auto	Main colour of the box.

EXAMPLE

```
#sb-heart()
```

sb-tape

```
sb-tape(w: 2.6, h: 0.78, angle: -8deg, kind: "dots", colour: auto, ink: auto, seed: 3)
```

A strip of translucent washi tape.

PARAMETERS

name	default	description
w	2.6	Width.
h	0.78	Height.
angle	-8deg	Angle of rotation.
kind	"dots"	Variant of the design (a name).
colour	auto	Main colour of the box.
ink	auto	Colour of outlines and text.

name	default	description
seed	3	Seed of the hand-drawn wobble (same seed, same drawing).

EXAMPLE

```
#sb-tape()
```


sb-pin

```
sb-pin(size: 0.42, colour: auto, seed: 4)
```

A drawing pin seen from above.

PARAMETERS

name	default	description
size	0.42	Size.
colour	auto	Main colour of the box.
seed	4	Seed of the hand-drawn wobble (same seed, same drawing).

EXAMPLE

```
#sb-pin()
```



sb-clip

```
sb-clip(w: 0.62, h: auto, angle: 0deg, colour: auto, wire: auto)
```


A paper clip. It returns a dictionary `(whole, behind, front, w, h)`: show `.whole` for a loose clip, or put a sheet between `.behind` and `.front` so that the clip grips it.

PARAMETERS

name	default	description
w	0.62	Width.
h	auto	Height.
angle	0deg	Angle of rotation.
colour	auto	Main colour of the box.
wire	auto	Wire.

EXAMPLE

```
#sb-clip(angle: 12deg).whole
```



torn-note

```
torn-note(body, width: 12.0, pad: 0.85, fill: auto, tilt: 0deg, amp: 0.13, seed: 11, …)
```

Torn kraft paper, used as a title block.


PARAMETERS

name	default	description
body	required	The content of the box (positional).
width	12.0	Width of the box (`auto`: fits the content, `100%`: the line).
pad	0.85	Inner padding.
fill	auto	Background fill (colour, gradient or pattern).
tilt	0deg	Tilt angle of the box.
amp	0.13	Amp.
seed	11	Seed of the hand-drawn wobble (same seed, same drawing).
tape	auto	Tape on the box: `none` or a dictionary of options.
shadow	true	Drop shadow: `true`, `false`, or a colour.

name	default	description
grain	true	Grain.
rough	auto	Hand-drawn mode: `true` draws the strokes by hand, `false` keeps them crisp (`auto`: hand-drawn when the theme sets a `roughness` > 0, e.g. `make-theme(roughness: 1.5)`).
hand	none	Hand-drawn mode (wobbly strokes).
roughness	1.0	Wobble strength of the hand-drawn strokes (`1` default, `0` none), multiplied by the theme's `roughness`; used only when `rough` is on.
bowing	0.6	How much the strokes bow between their ends.
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
vintage	false	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
vintage-pen	none	Nib override `(a, b, angle)`; `none` derives it from the stroke width.

EXAMPLE

```
#torn-note(width: 5.6)[torn-note]
```



ruled-sheet

```
ruled-sheet(body, width: 9.0, pad: 0.7, fill: auto, tilt: 0deg, holes: auto, hole-side: auto, …)
```

A sheet torn out of a ring binder.


PARAMETERS

name	default	description
body	required	The content of the box (positional).
width	9.0	Width of the box (`auto`: fits the content, `100%`: the line).
pad	0.7	Inner padding.
fill	auto	Background fill (colour, gradient or pattern).
tilt	0deg	Tilt angle of the box.
holes	auto	Number of punch holes.
hole-side	auto	Side of the hole.
rule	"lines"	Rule.
ruling	0.62	Ruling.
heart	false	Heart.
tape	none	Tape on the box: `none` or a dictionary of options.

name	default	description
clip	false	Clip the content to the shape.
shadow	true	Drop shadow: `true`, `false`, or a colour.
seed	21	Seed of the hand-drawn wobble (same seed, same drawing).
rough	auto	Hand-drawn mode: `true` draws the strokes by hand, `false` keeps them crisp (`auto`: hand-drawn when the theme sets a `roughness` > 0, e.g. `make-theme(roughness: 1.5)`).
hand	none	Hand-drawn mode (wobbly strokes).
roughness	1.0	Wobble strength of the hand-drawn strokes (`1` default, `0` none), multiplied by the theme's `roughness`; used only when `rough` is on.
bowing	0.6	How much the strokes bow between their ends.
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
vintage	false	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
vintage-pen	none	Nib override `(a, b, angle)`; `none` derives it from the stroke width.

EXAMPLE

```
#ruled-sheet(width: 7)[ورقة مسطرة.]
```



stamp-card

```
stamp-card(body, width: 8.0, pad: 0.62, margin: 0.55, tilt: -2.2deg, mat-tilt: 1.4deg, mat: auto, …)
```

A card pinned to a scalloped mat.

PARAMETERS

name	default	description
body	required	The content of the box (positional).
width	8.0	Width of the box (`auto`: fits the content, `100%`: the line).
pad	0.62	Inner padding.
margin	0.55	Outer margin.
tilt	-2.2deg	Tilt angle of the box.
mat-tilt	1.4deg	Tilt of the mat.
mat	auto	Mat.
fill	auto	Background fill (colour, gradient or pattern).
scallop	0.20	Scallop.
holes	true	Number of punch holes.
through	auto	Through.

name	default	description
pin	true	Pin.
shadow	true	Drop shadow: `true`, `false`, or a colour.
seed	31	Seed of the hand-drawn wobble (same seed, same drawing).
rough	auto	Hand-drawn mode: `true` draws the strokes by hand, `false` keeps them crisp (`auto`: hand-drawn when the theme sets a `roughness` > 0, e.g. `make-theme(roughness: 1.5)`).
hand	none	Hand-drawn mode (wobbly strokes).
roughness	1.0	Wobble strength of the hand-drawn strokes (`1` default, `0` none), multiplied by the theme's `roughness`; used only when `rough` is on.
bowing	0.6	How much the strokes bow between their ends.
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
vintage	false	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
vintage-pen	none	Nib override `(a, b, angle)`; `none` derives it from the stroke width.

EXAMPLE

```
#stamp-card(width: 7)[بطاقة طابع.]
```



grid-note

```
grid-note(body, width: 8.4, pad: 0.72, fill: auto, tilt: 0deg, grid: 0.42, grid-ink: auto, …)
```

Graph paper with a pencil-ruled grid.

PARAMETERS

name	default	description
body	required	The content of the box (positional).
width	8.4	Width of the box (`auto`: fits the content, `100%`: the line).
pad	0.72	Inner padding.
fill	auto	Background fill (colour, gradient or pattern).
tilt	0deg	Tilt angle of the box.
grid	0.42	Ruling pitch, or `none`.


name	default	description
shadow	true	Drop shadow: `true`, `false`, or a colour.
seed	41	Seed of the hand-drawn wobble (same seed, same drawing).
rough	auto	Hand-drawn mode: `true` draws the strokes by hand, `false` keeps them crisp (`auto`: hand-drawn when the theme sets a `roughness` > 0, e.g. `make-theme(roughness: 1.5)`).
hand	none	Hand-drawn mode (wobbly strokes).

name	default	description
grid-ink	auto	Grid ink.
tape	none	Tape on the box: `none` or a dictionary of options.
clip	false	Clip the content to the shape.
clip-at	0.80	Clip at.

name	default	description
roughness	1.0	Wobble strength of the hand-drawn strokes (`1` default, `0` none), multiplied by the theme's `roughness`; used only when `rough` is on.
bowing	0.6	How much the strokes bow between their ends.
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
vintage	false	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
vintage-pen	none	Nib override `(a, b, angle)`; `none` derives it from the stroke width.

EXAMPLE

```
#grid-note(width: 7)[ملاحظة مربعات.]
```



index-card

```
index-card(body, heading: none, note: none, mark: sym.ast.op, width: 9.4, pad: 0.75, fill: auto, …)
```

A ruled card whose heading sits above a red rule.

PARAMETERS

name	default	description
body	required	The content of the box (positional).
heading	none	Heading text.
note	none	Note.
mark	sym.ast.op	Mark.
width	9.4	Width of the box (`auto`: fits the content, `100%`: the line).
pad	0.75	Inner padding.
fill	auto	Background fill (colour, gradient or pattern).
tilt	0deg	Tilt angle of the box.
rules	true	Rules.
ruling	0.60	Ruling.
note-fill	auto	Fill of the note.

name	default	description
clip	false	Clip the content to the shape.
clip-at	0.80	Clip at.
shadow	true	Drop shadow: `true`, `false`, or a colour.
seed	51	Seed of the hand-drawn wobble (same seed, same drawing).
rough	auto	Hand-drawn mode: `true` draws the strokes by hand, `false` keeps them crisp (`auto`: hand-drawn when the theme sets a `roughness` > 0, e.g. `make-theme(roughness: 1.5)`).
hand	none	Hand-drawn mode (wobbly strokes).
roughness	1.0	Wobble strength of the hand-drawn strokes (`1` default, `0` none), multiplied by the theme's `roughness`; used only when `rough` is on.
bowing	0.6	How much the strokes bow between their ends.
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
vintage	false	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
vintage-pen	none	Nib override `(a, b, angle)`; `none` derives it from the stroke width.

EXAMPLE

```
#index-card(width: 6.6)[بطاقة فهرسة: كذلك.]
```



deckle-tag

```
deckle-tag(body, width: 5.6, pad: 0.62, fill: auto, tilt: 1.6deg, amp: 0.020, tape: auto, …)
```

A tag with a deckled (ragged) edge.

PARAMETERS

name	default	description
body	required	The content of the box (positional).
width	5.6	Width of the box (`auto`: fits the content, `100%`: the line).
pad	0.62	Inner padding.
fill	auto	Background fill (colour, gradient or pattern).
tilt	1.6deg	Tilt angle of the box.
amp	0.020	Amp.
tape	auto	Tape on the box: `none` or a dictionary of options.
shadow	true	Drop shadow: `true`, `false`, or a colour.

name	default	description
seed	61	Seed of the hand-drawn wobble (same seed, same drawing).
rough	auto	Hand-drawn mode: `true` draws the strokes by hand, `false` keeps them crisp (`auto`: hand-drawn when the theme sets a `roughness` > 0, e.g. `make-theme(roughness: 1.5)`).
hand	none	Hand-drawn mode (wobbly strokes).
roughness	1.0	Wobble strength of the hand-drawn strokes (`1` default, `0` none), multiplied by the theme's `roughness`; used only when `rough` is on.
bowing	0.6	How much the strokes bow between their ends.
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
vintage	false	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
vintage-pen	none	Nib override `(a, b, angle)`; `none` derives it from the stroke width.

EXAMPLE

```
#deckle-tag(width: 5.0)[TAG]
```



notepad

```
notepad(body, width: 9.5, pad: 0.72, fill: auto, tilt: 0deg, crumpled: false, creases: 11, …)
```

A sheet torn from a spiral pad, as a self-contained box.

PARAMETERS

name	default	description
body	required	The content of the box (positional).
width	9.5	Width of the box (`auto`: fits the content, `100%`: the line).
pad	0.72	Inner padding.
fill	auto	Background fill (colour, gradient or pattern).
tilt	0deg	Tilt angle of the box.
crumpled	false	Crumpled.
creases	11	Creases.
crease-ink	0.055	Crease ink.
rings	auto	Number of binder rings.
ring	auto	Ring.
ring-colour	auto	Colour of the ring.

name	default	description
side	auto	Side of the box or page (`left`, `right`, `top`, `bottom`, `auto`).
shadow	true	Drop shadow: `true`, `false`, or a colour.
seed	71	Seed of the hand-drawn wobble (same seed, same drawing).
rough	auto	Hand-drawn mode: `true` draws the strokes by hand, `false` keeps them crisp (`auto`: hand-drawn when the theme sets a `roughness` > 0, e.g. `make-theme(roughness: 1.5)`).
hand	none	Hand-drawn mode (wobbly strokes).
roughness	1.0	Wobble strength of the hand-drawn strokes (`1` default, `0` none), multiplied by the theme's `roughness`; used only when `rough` is on.
bowing	0.6	How much the strokes bow between their ends.
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
vintage	false	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
vintage-pen	none	Nib override `(a, b, angle)`; `none` derives it from the stroke width.

EXAMPLE

```
#notepad(width: 5.6)[notepad]
```



lesson-card

```
lesson-card(body, title: none, width: 9.0, pad: 0.62, fill: auto, tilt: 0deg, ink: auto, …)
```

A lined exercise-book card with a green rule and a dovetail title.

PARAMETERS

name	default	description
body	required	The content of the box (positional).
title	none	Title shown in the box (content or `none`).
width	9.0	Width of the box (`auto`: fits the content, `100%`: the line).
pad	0.62	Inner padding.
fill	auto	Background fill (colour, gradient or pattern).
tilt	0deg	Tilt angle of the box.
ink	auto	Colour of outlines and text.
radius	0.34	Corner radius.
rule	true	Rule.
ruling	0.62	Ruling.
rule-ink	auto	Ink colour of the rule.
banner-w	auto	Width of the banner.
banner-h	0.92	Height of the banner.
notch	0.21	Notch.
clip	true	Clip the content to the shape.

name	default	description
clip-at	0.10	Clip at.
shadow	true	Drop shadow: `true`, `false`, or a colour.
seed	81	Seed of the hand-drawn wobble (same seed, same drawing).
rough	auto	Hand-drawn mode: `true` draws the strokes by hand, `false` keeps them crisp (`auto`: hand-drawn when the theme sets a `roughness` > 0, e.g. `make-theme(roughness: 1.5)`).
hand	none	Hand-drawn mode (wobbly strokes).
roughness	1.0	Wobble strength of the hand-drawn strokes (`1` default, `0` none), multiplied by the theme's `roughness`; used only when `rough` is on.
bowing	0.6	How much the strokes bow between their ends.
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
vintage	false	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
vintage-pen	none	Nib override `(a, b, angle)`; `none` derives it from the stroke width.
body-offset-x	0pt	Horizontal nudge of the body text.
body-offset-y	0pt	Vertical nudge of the body text.
title-offset-x	0pt	Horizontal nudge of the title.
title-offset-y	0pt	Vertical nudge of the title.

EXAMPLE

```
#lesson-card(width: 7, title: [درس])[بطاقة درس.]
```



lesson-table

```
lesson-table(..cells, columns: auto, header: true, fill: auto, head-fill: auto, ink: auto, pad: 0.30, …)
```

A table with a thin grey grid and a lavender header row.

PARAMETERS

name	default	description
`..cells`	required	Extra named arguments passed to the underlying function.
`columns`	`auto`	Number of columns (or the column sizes).
`header`	`true`	Header.
`fill`	`auto`	Background fill (colour, gradient or pattern).
`head-fill`	`auto`	Fill of the head.
`ink`	`auto`	Colour of outlines and text.
`pad`	`0.30`	Inner padding.
`width`	`100%`	Width of the box (`auto`: fits the content, `100%`: the line).

name	default	description
`align-cells`	`auto`	Align cells.
`ltr-cols`	`()`	Ltr cols.
`seed`	`95`	Seed of the hand-drawn wobble (same seed, same drawing).
`rough`	`auto`	Hand-drawn mode: `true` draws the strokes by hand, `false` keeps them crisp (`auto`: hand-drawn when the theme sets a `roughness` > 0, e.g. `make-theme(roughness: 1.5)`).
`hand`	`none`	Hand-drawn mode (wobbly strokes).
`roughness`	`1.0`	Wobble strength of the hand-drawn strokes (`1` default, `0` none), multiplied by the theme's `roughness`; used only when `rough` is on.
`bowing`	`0.6`	How much the strokes bow between their ends.

EXAMPLE

```
#lesson-table([Verb], [Meaning], [can], [be able to], [must], [have to])
```

Verb	Meaning	can
be able to	must	have to

sb-underline

```
sb-underline(body, colour: auto, span: 1.0, shift: 0.0, drop: 0.42, weight: 1.5pt, wobble: 0.020, …)
```

A hand-drawn underline under a heading.

PARAMETERS

name	default	description
`body`	required	The content of the box (positional).
`colour`	`auto`	Main colour of the box.
`span`	`1.0`	Length of the line as a fraction of the word (1.0 = the whole word).
`shift`	`0.0`	Horizontal offset of the start, as a fraction of the word.
`drop`	`0.42`	Drop.
`weight`	`1.5pt`	Stroke weight.
`wobble`	`0.020`	Wobble.
`seed`	`97`	Seed of the hand-drawn wobble (same seed, same drawing).

EXAMPLE

```
#sb-underline[underlined]
```

underlined

sb-divider

```
sb-divider(colour: auto, dash: 0.055, gap: 0.055, weight: 0.9pt, above: 0.5em, below: 0.5em)
```

A dotted rule between sections.

PARAMETERS

name	default	description
`colour`	`auto`	Main colour of the box.
`dash`	`0.055`	Dash pattern of the stroke (`"solid"`, `"dashed"`, `"dotted"`…).
`gap`	`0.055`	Space between the parts.
`weight`	`0.9pt`	Stroke weight.
`above`	`0.5em`	Above.
`below`	`0.5em`	Below.

EXAMPLE

```
Above
#sb-divider()
Below
```

Above

Below

taped-curl-note

```
taped-curl-note(title: [], body: [], width: auto, height: 6.80cm, direction: auto, text-align: "auto", stroke-colour: auto, …)
```

A pastel paper note fastened with masking tape and curled at one corner.


PARAMETERS

name	default	description
`title`	`[]`	Title shown in the box (content or `none`).
`body`	`[]`	The content of the box (positional).
`width`	`auto`	Width of the box (`auto`: fits the content, `100%`: the line).
`height`	`6.80cm`	Height of the box (`auto`: fits the content).
`direction`	`auto`	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
`text-align`	`"auto"`	Alignment of the text.
`stroke-colour`	`auto`	Colour of the outline.
`stroke-width`	`1.35pt`	Width of the outline.
`icon`	`none`	Icon shown in the box (content, symbol or `none`).
`icon-position`	`"top"`	Position of the icon.
`icon-size`	`0.34cm`	Size of the icon.
`icon-colour`	`auto`	Colour of the icon.

name	default	description
`icon-gap`	`0.08cm`	Space around the icon.
`paper`	`rgb("#EEF0DE")`	Colour of the paper.
`tape-colour`	`rgb("#BACB98")`	Colour of the tape.
`tape-angle`	`-38deg`	Rotation of the tape strip.
`title-colour`	`auto`	Colour of the title text.
`text-colour`	`auto`	Colour of the body text.
`title-size`	`12pt`	Font size of the title.
`body-size`	`9.2pt`	Font size of the body text.
`title-gap`	`0.12cm`	Space between the title and the body.
`padding`	`0.54cm`	Inner padding.
`top-padding`	`1.55cm`	Top padding.
`bottom-padding`	`0.70cm`	Bottom padding.

EXAMPLE

```
#taped-curl-note(
  title: [Note], tape-angle: -20deg,
  body: [• First idea#linebreak()• Second idea],
  width: 4.2cm, height: 3.9cm,
)
```



paper-note-box

```
paper-note-box(title: [LOREM IPSUM], body: [], width: 6.1cm, height: auto, min-height: 8.0cm, direction: auto, body-direction: auto, …)
```

A layered paper note with an overlapping sheet, clip and heading.

PARAMETERS

name	default	description
`title`	`[LOREM IPSUM]`	Title shown in the box (content or `none`).
`body`	`[]`	The content of the box (positional).
`width`	`6.1cm`	Width of the box (`auto`: fits the content, `100%`: the line).
`height`	`auto`	Height of the box (`auto`: fits the content).
`min-height`	`8.0cm`	Minimum height of the box.
`direction`	`auto`	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
`body-direction`	`auto`	Direction of the body.
`colour`	`rgb("#FFA91F")`	Main colour of the box.
`panel-colour`	`auto`	Colour of the content panel.
`title-colour`	`auto`	Colour of the title text.
`text-colour`	`auto`	Colour of the body text.
`clip-colour`	`auto`	Colour of the clip.
`shadow-colour`	`auto`	Colour of the shadow.
`title-size`	`17pt`	Font size of the title.

name	default	description
`body-size`	`10pt`	Font size of the body text.
`text-padding-x`	`0.48cm`	Horizontal padding of the text.
`title-y`	`1.62cm`	Vertical position of the title.
`title-body-gap`	`0.34cm`	Space between the title and the body.
`bottom-padding`	`1.25cm`	Bottom padding.
`backing-angle`	`7deg`	Angle of the backing.
`shadow-offset`	`0.12cm`	Offset of the shadow.
`paperclip`	`true`	Paperclip.
`shadow`	`true`	Drop shadow: `true`, `false`, or a colour.
`body-offset-x`	`0pt`	Horizontal nudge of the body text.
`body-offset-y`	`0pt`	Vertical nudge of the body text.
`title-offset-x`	`0pt`	Horizontal nudge of the title.
`title-offset-y`	`0pt`	Vertical nudge of the title.

EXAMPLE

```
#paper-note-box(
    title: [ملخص المشروع],
    body: [يعرض هذا الملخص أهم النقاط بوضوح، ويجمع الفكرة الرئيسية مع معلومات موجزة تساعد الفريق على المتابعة. تابعوا المستجدات، وسجلوا القرارات والخطوات التالية لضمان وضوح العمل.],
    colour: rgb("#25B9C9"),
    direction: rtl,
  )
```



VALUES AND CONSTANTS

`sb-colours`	Paper colours of the scrapbook pieces.
`sb-inks`	Ink colours of the scrapbook pieces.

Plates and craft boxes

Boxes with a physical character: crests, ribbons, helices, tapes, boards, screws, planks, torn pages, spiral notebooks, gel buttons, stubs, file tabs, key tags, sashes and flags. The tape/plank/torn/coil families here replace the former page frames (see the migration note).

`crestbox` also `plate`

```
crestbox(body, title: none, colour: rgb("#1E5C4A"), outer: rgb("#141414"), fill: rgb("#D4B896"), title-colour: rgb("#1B3A8C"), cut: 0.30cm, …)
```

An octagonal plate: hard drop shadow, black outer octagon with L-brackets, beige fill and a crest on the top rule.


PARAMETERS

name	default	description
`body`	required	The content of the box (positional).
`title`	`none`	Title shown in the box (content or `none`).
`colour`	`rgb("#1E5C4A")`	Main colour of the box.
`outer`	`rgb("#141414")`	Outer.
`fill`	`rgb("#D4B896")`	Background fill (colour, gradient or pattern).
`title-colour`	`rgb("#1B3A8C")`	Colour of the title text.
`cut`	`0.30cm`	Cut.
`weight`	`0.95pt`	Stroke weight.
`outer-weight`	`1.65pt`	Weight of the outer.
`gap`	`0.11cm`	Space between the parts.

name	default	description
`pair`	`0.13cm`	Pair.
`ear`	`0.18cm`	Ear.
`shadow`	`true`	Drop shadow: `true`, `false`, or a colour.
`shadow-offset`	`(0.00cm, 0.11cm)`	Offset of the shadow.
`flourish`	`true`	Corner flourish on or off.
`inset`	`0.40cm`	Inner padding: a length, or `(x:, y:)`.
`width`	`100%`	Width of the box (`auto`: fits the content, `100%`: the line).
`direction`	`auto`	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
`vintage`	`false`	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
`vintage-pen`	`none`	Nib override `(a, b, angle)`; `none` derives it from the stroke width.

EXAMPLE

```
#crestbox(title: [Crest])[
  An octagonal plate.
]
```



`ribbonbox`

```
ribbonbox(body, title: none, colour: rgb("#1A3580"), fill: rgb("#F6D56A"), tab-fill: rgb("#F3C2D4"), title-colour: rgb("#5A2A6A"), radius: 0.10cm, …)
```

A yellow plate with a thick blue band, white gutter, corner chevrons and a pink title tab.

PARAMETERS

name	default	description
`body`	required	The content of the box (positional).
`title`	`none`	Title shown in the box (content or `none`).
`colour`	`rgb("#1A3580")`	Main colour of the box.
`fill`	`rgb("#F6D56A")`	Background fill (colour, gradient or pattern).
`tab-fill`	`rgb("#F3C2D4")`	Fill of the tab.
`title-colour`	`rgb("#5A2A6A")`	Colour of the title text.
`radius`	`0.10cm`	Corner radius.
`band`	`0.20cm`	Band.
`weight`	`1.05pt`	Stroke weight.
`pair`	`0.07cm`	Pair.
`chevron`	`true`	Chevron.

name	default	description
`chevron-colour`	`rgb("#F4F0E4")`	Colour of the chevron.
`chevron-size`	`0.22cm`	Size of the chevron.
`shadow`	`true`	Drop shadow: `true`, `false`, or a colour.
`flourish`	`true`	Corner flourish on or off.
`tab-offset`	`0.85cm`	Tab offset.
`inset`	`0.38cm`	Inner padding: a length, or `(x:, y:)`.
`width`	`100%`	Width of the box (`auto`: fits the content, `100%`: the line).
`direction`	`auto`	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
`vintage`	`false`	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
`vintage-pen`	`none`	Nib override `(a, b, angle)`; `none` derives it from the stroke width.

EXAMPLE

```
#ribbonbox(title: [شارة], direction: rtl)[شريط مطبوع.]
```



`helixbox`

```
helixbox(body, title: none, colour: rgb("#178A78"), fill: rgb("#F7FBFC"), title-colour: rgb("#D4E86A"), helix-a: rgb("#C6E04A"), helix-b:
rgb("#F3F6E8"), …)
```

A card with a helix header bar and a trailing colour stripe.

PARAMETERS

name	default	description
`body`	required	The content of the box (positional).


name	default	description
`shadow-offset`	`(0cm, 0.04cm)`	Offset of the shadow.
`shadow-spread`	`0.14cm`	Shadow spread.

name	default	description
`title`	`none`	Title shown in the box (content or `none`).
`colour`	`rgb("#178A78")`	Main colour of the box.
`fill`	`rgb("#F7FBFC")`	Background fill (colour, gradient or pattern).
`title-colour`	`rgb("#D4E86A")`	Colour of the title text.
`helix-a`	`rgb("#C6E04A")`	Helix a.
`helix-b`	`rgb("#F3F6E8")`	Helix b.
`helix-period`	`0.58cm`	Helix period.
`bar`	`0.52cm`	Bar.
`stripe`	`(rgb("#F0D44A"), rgb("#3D6BC4"))`	Stripe.
`stripe-width`	`0.09cm`	Width of the stripe.
`shadow`	`true`	Drop shadow: `true`, `false`, or a colour.
`shadow-colour`	`rgb("#5A4A78")`	Colour of the shadow.

name	default	description
`shadow-opacity`	`42%`	Opacity of the shadow.
`shadow-blur`	`10`	Blur of the shadow.
`shadow-lift`	`0.08cm`	Lift of the shadow.
`inset`	`0.38cm`	Inner padding: a length, or `(x:, y:)`.
`width`	`100%`	Width of the box (`auto`: fits the content, `100%`: the line).
`direction`	`auto`	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
`vintage`	`false`	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
`vintage-pen`	`none`	Nib override `(a, b, angle)`; `none` derives it from the stroke width.
`title-offset-x`	`0pt`	Horizontal nudge of the title.
`title-offset-y`	`0pt`	Vertical nudge of the title.

EXAMPLE

```
#helixbox(title: [Example])[Default lift.]
```



swooshbox

```
swooshbox(body, title: none, colour: rgb("#1E54D6"), fill: white, tab-fill: none, title-colour: white, radius: 0.20cm, …)
```

A sheared coloured block behind a plain white plate.

PARAMETERS

name	default	description
`body`	required	The content of the box (positional).
`title`	`none`	Title shown in the box (content or `none`).
`colour`	`rgb("#1E54D6")`	Main colour of the box.
`fill`	`white`	Background fill (colour, gradient or pattern).
`tab-fill`	`none`	Fill of the tab.
`title-colour`	`white`	Colour of the title text.
`radius`	`0.20cm`	Corner radius.
`skew`	`10pt`	Skew.
`tr`	`auto`	Tr.
`br`	`auto`	Br.
`flourish`	`true`	Corner flourish on or off.

name	default	description
`tab-offset`	`1.35cm`	Tab offset.
`stroke`	`0.65pt + rgb("#C4C8CE")`	Stroke of the outline.
`shadow`	`true`	Drop shadow: `true`, `false`, or a colour.
`inset`	`0.38cm`	Inner padding: a length, or `(x:, y:)`.
`width`	`100%`	Width of the box (`auto`: fits the content, `100%`: the line).
`direction`	`auto`	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
`vintage`	`false`	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
`vintage-pen`	`none`	Nib override `(a, b, angle)`; `none` derives it from the stroke width.
`title-offset-x`	`0pt`	Horizontal nudge of the title.
`title-offset-y`	`0pt`	Vertical nudge of the title.

EXAMPLE

```
#swooshbox(title: [Example])[default 10pt]
```



circuitbox

```
circuitbox(body, title: none, colour: rgb("#1B4F9C"), fill: white, title-colour: auto, radius: 0.28cm, step: 0.26cm, …)
```

A double-line rounded frame whose top breaks into two stepped circuit rails around the title.


PARAMETERS

name	default	description
`body`	required	The content of the box (positional).
`title`	`none`	Title shown in the box (content or `none`).
`colour`	`rgb("#1B4F9C")`	Main colour of the box.
`fill`	`white`	Background fill (colour, gradient or pattern).
`title-colour`	`auto`	Colour of the title text.
`radius`	`0.28cm`	Corner radius.
`step`	`0.26cm`	Step.
`rail`	`1.35cm`	Rail.
`weight`	`1.05pt`	Stroke weight.
`pair`	`1.55pt`	Pair.

name	default	description
`gap`	`auto`	Space between the parts.
`flourish`	`true`	Corner flourish on or off.
`inset`	`0.38cm`	Inner padding: a length, or `(x:, y:)`.
`width`	`100%`	Width of the box (`auto`: fits the content, `100%`: the line).
`direction`	`auto`	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
`vintage`	`false`	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
`vintage-pen`	`none`	Nib override `(a, b, angle)`; `none` derives it from the stroke width.
`title-offset-x`	`0pt`	Horizontal nudge of the title.
`title-offset-y`	`0pt`	Vertical nudge of the title.

EXAMPLE

```
#circuitbox(title: [Example])[default gap]
```



keybox

```
keybox(body, colour: rgb(0, 0, 128), frame: black, fill: white, sz: 10pt, band: auto, band-inset: 5pt, …)
```

A picture-frame box: inset colour band, Greek-key corners and connecting rules.


PARAMETERS

name	default	description
body	required	The content of the box (positional).
colour	rgb(0, 0, 128)	Main colour of the box.
frame	black	Frame colour (or `auto`).
fill	white	Background fill (colour, gradient or pattern).
sz	10pt	Sz.
band	auto	Band.
band-inset	5pt	Inner padding of the band.

name	default	description
weight	1pt	Stroke weight.
inset	auto	Inner padding: a length, or `(x:, y:)`.
width	100%	Width of the box (`auto`: fits the content, `100%`: the line).
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
vintage	false	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
vintage-pen	none	Nib override `(a, b, angle)`; `none` derives it from the stroke width.

EXAMPLE

```
#keybox[keybox]
```



ringbox

```
ringbox(body, colour: black, fill: luma(252), rings: auto, ring-width: 0.8em, ring-radius: 3pt, ring-thickness: 3pt, …)
```

A pad with binder rings on the leading edge.

PARAMETERS

name	default	description
body	required	The content of the box (positional).
colour	black	Main colour of the box.
fill	luma(252)	Background fill (colour, gradient or pattern).
rings	auto	Number of binder rings.
ring-width	0.8em	Width of the ring.
ring-radius	3pt	Corner radius of the ring.
ring-thickness	3pt	Thickness of the ring.
ring-spacing	3pt	Spacing of the ring.
radius	2pt	Corner radius.

name	default	description
frame	false	Frame colour (or `auto`).
frame-colour	auto	Colour of the frame.
frame-weight	0.85pt	Weight of the frame.
inset	1em	Inner padding: a length, or `(x:, y:)`.
width	100%	Width of the box (`auto`: fits the content, `100%`: the line).
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
vintage	false	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
vintage-pen	none	Nib override `(a, b, angle)`; `none` derives it from the stroke width.

EXAMPLE

```
#ringbox[ringbox]
```



punchbox

```
punchbox(body, title: none, number: none, colour: rgb("#1A4FA0"), badge-fill: rgb("#E53935"), bar: black, hole: white, …)
```

A punched header bar with title tab, number badge, green side rules and a soft bottom shadow.


PARAMETERS

name	default	description
body	required	The content of the box (positional).
title	none	Title shown in the box (content or `none`).
number	none	Number shown in the badge (content, or `auto` for automatic numbering).
colour	rgb("#1A4FA0")	Main colour of the box.
badge-fill	rgb("#E53935")	Fill of the badge.
bar	black	Bar.
hole	white	Hole.
side	rgb("#7CB342")	Side of the box or page (`left`, `right`, `top`, `bottom`, `auto`).
fill	white	Background fill (colour, gradient or pattern).
title-colour	white	Colour of the title text.
bar-height	0.54cm	Height of the bar.
hole-radius	0.135cm	Corner radius of the hole.

name	default	description
holes	auto	Number of punch holes.
side-weight	1.6pt	Weight of the side.
shadow	true	Drop shadow: `true`, `false`, or a colour.
inset	0.38cm	Inner padding: a length, or `(x:, y:)`.
width	100%	Width of the box (`auto`: fits the content, `100%`: the line).
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
vintage	false	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
vintage-pen	none	Nib override `(a, b, angle)`; `none` derives it from the stroke width.
body-offset-x	0pt	Horizontal nudge of the body text.
body-offset-y	0pt	Vertical nudge of the body text.
title-offset-x	0pt	Horizontal nudge of the title.
title-offset-y	0pt	Vertical nudge of the title.

EXAMPLE

```
#punchbox(number: [7])[punchbox]
```



plannerbox

```
plannerbox(body, title: none, number: none, colour: rgb("#1A4FA0"), badge-fill: rgb("#E53935"), bar: black, hole: white, …)
```

A planner page: punch-hole header and binder rings on the leading edge.


PARAMETERS

name	default	description
body	required	The content of the box (positional).
title	none	Title shown in the box (content or `none`).
number	none	Number shown in the badge (content, or `auto` for automatic numbering).
colour	rgb("#1A4FA0")	Main colour of the box.
badge-fill	rgb("#E53935")	Fill of the badge.
bar	black	Bar.
hole	white	Hole.
ring-colour	black	Colour of the ring.
fill	white	Background fill (colour, gradient or pattern).
title-colour	white	Colour of the title text.
bar-height	0.50cm	Height of the bar.
hole-radius	0.12cm	Corner radius of the hole.
holes	auto	Number of punch holes.
rings	auto	Number of binder rings.
ring-width	0.55cm	Width of the ring.

name	default	description
ring-radius	2.6pt	Corner radius of the ring.
ring-thickness	2.6pt	Thickness of the ring.
frame	true	Frame colour (or `auto`).
frame-weight	0.7pt	Weight of the frame.
shadow	true	Drop shadow: `true`, `false`, or a colour.
inset	0.34cm	Inner padding: a length, or `(x:, y:)`.
width	100%	Width of the box (`auto`: fits the content, `100%`: the line).
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
vintage	false	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
vintage-pen	none	Nib override `(a, b, angle)`; `none` derives it from the stroke width.
body-offset-x	0pt	Horizontal nudge of the body text.
body-offset-y	0pt	Vertical nudge of the body text.
title-offset-x	0pt	Horizontal nudge of the title.
title-offset-y	0pt	Vertical nudge of the title.

EXAMPLE

```
#plannerbox(title: [Week], number: [3])[Monday: revise.]
```



filebox

```
filebox(body, tabs: ([Notes],), active: 0, colour: rgb("#C4A35A"), active-fill: rgb("#F4E4B8"), idle-fill: rgb("#E0D0A0"), title-colour:
rgb("#4A3A18"), …)
```

A folder with labelled tabs along the top and an active tab.


PARAMETERS

name	default	description
body	required	The content of the box (positional).
tabs	([Notes],)	Tabs.
active	0	Active.
colour	rgb("#C4A35A")	Main colour of the box.
active-fill	rgb("#F4E4B8")	Active fill.
idle-fill	rgb("#E0D0A0")	Idle fill.
title-colour	rgb("#4A3A18")	Colour of the title text.
fill	rgb("#FFF8E8")	Background fill (colour, gradient or pattern).
frame-weight	1.15pt	Weight of the frame.

name	default	description
tab-height	0.46cm	Height of the tab.
radius	0.10cm	Corner radius.
inset	0.36cm	Inner padding: a length, or `(x:, y:)`.
width	100%	Width of the box (`auto`: fits the content, `100%`: the line).
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
vintage	false	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
vintage-pen	none	Nib override `(a, b, angle)`; `none` derives it from the stroke width.
title-offset-x	0pt	Horizontal nudge of the title.
title-offset-y	0pt	Vertical nudge of the title.

EXAMPLE

```
#filebox[filebox]
```



stubbox

```
stubbox(body, stub: none, colour: rgb("#1A4FA0"), stub-colour: white, fill: white, radius: 0.10cm, stub-width: 1.35cm, …)
```

A ticket with a coloured stub and a perforated tear line.

PARAMETERS

name	default	description
body	required	The content of the box (positional).
stub	none	Stub.
colour	rgb("#1A4FA0")	Main colour of the box.

name	default	description
dot	1.1pt	Dot.
frame-weight	0.9pt	Weight of the frame.
shadow	true	Drop shadow: `true`, `false`, or a colour.

name	default	description
stub-colour	white	Colour of the stub.
fill	white	Background fill (colour, gradient or pattern).
radius	0.10cm	Corner radius.
stub-width	1.35cm	Width of the stub.
dots	11	Number of dots.

name	default	description
inset	0.34cm	Inner padding: a length, or `(x:, y:)`.
width	100%	Width of the box (`auto`: fits the content, `100%`: the line).
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
vintage	false	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
vintage-pen	none	Nib override `(a, b, angle)`; `none` derives it from the stroke width.

EXAMPLE

```
#stubbox(stub: [12])[stubbox]
```



stackbox

```
stackbox(body, title: none, colour: rgb("#1A4FA0"), fill: white, title-colour: white, back: (rgb("#D6DCE4"), rgb("#B8C0CC")), layers: 3, …)
```

A card sitting on two or three offset sheets.


PARAMETERS

name	default	description
body	required	The content of the box (positional).
title	none	Title shown in the box (content or `none`).
colour	rgb("#1A4FA0")	Main colour of the box.
fill	white	Background fill (colour, gradient or pattern).
title-colour	white	Colour of the title text.
back	(rgb("#D6DCE4"), rgb("#B8C0CC"))	Colour of the back layer.
layers	3	Layers.
offset	0.16cm	Offset.
radius	0.10cm	Corner radius.

name	default	description
frame-weight	0.85pt	Weight of the frame.
inset	0.36cm	Inner padding: a length, or `(x:, y:)`.
width	100%	Width of the box (`auto`: fits the content, `100%`: the line).
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
vintage	false	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
vintage-pen	none	Nib override `(a, b, angle)`; `none` derives it from the stroke width.
title-offset-x	0pt	Horizontal nudge of the title.
title-offset-y	0pt	Vertical nudge of the title.

EXAMPLE

```
#stackbox(title: [Stack], layers: 3)[Three sheets.]
```



calloutbox

```
calloutbox(body, title: none, colour: rgb("#1A4FA0"), fill: rgb("#F4F8FF"), title-colour: white, tail: "sw", tail-size: 0.42cm, …)
```

A speech or thought bubble with a movable tail.

PARAMETERS

name	default	description
body	required	The content of the box (positional).
title	none	Title shown in the box (content or `none`).
colour	rgb("#1A4FA0")	Main colour of the box.
fill	rgb("#F4F8FF")	Background fill (colour, gradient or pattern).
title-colour	white	Colour of the title text.
tail	"sw"	Tail position: `"sw"`, `"se"`, `"nw"`, `"ne"`, `"start"`, `"end"` or `"none"`.
tail-size	0.42cm	Size of the tail.
tail-at	0.18	Tail at.
radius	0.18cm	Corner radius.
weight	1.35pt	Stroke weight.
inset	0.34cm	Inner padding: a length, or `(x:, y:)`.

name	default	description
width	100%	Width of the box (`auto`: fits the content, `100%`: the line).
watermark	none	Watermark text or content (`none`: no watermark).
watermark-colour	auto	Colour of the watermark.
watermark-angle	-18deg	Rotation of the watermark.
watermark-size	2.1em	Size of the watermark.
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
vintage	false	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
vintage-pen	none	Nib override `(a, b, angle)`; `none` derives it from the stroke width.
title-offset-x	0pt	Horizontal nudge of the title.
title-offset-y	0pt	Vertical nudge of the title.

EXAMPLE

```
#calloutbox(tail: "se")[leans right]
```



tapebox

```
tapebox(body, title: none, colour: rgb("#E07A5F"), tape-b: rgb("#F2CC8F"), fill: rgb("#FFFEF8"), title-colour: rgb("#4A2C1A"), pattern: "solid", …)
```

A card sealed at the top with a strip of washi tape (plain, gingham, stripes…).


PARAMETERS

name	default	description
body	required	The content of the box (positional).
title	none	Title shown in the box (content or `none`).
colour	rgb("#E07A5F")	Main colour of the box.
tape-b	rgb("#F2CC8F")	Tape b.
fill	rgb("#FFFEF8")	Background fill (colour, gradient or pattern).
title-colour	rgb("#4A2C1A")	Colour of the title text.
pattern	"solid"	Pattern.
tape-height	0.46cm	Height of the tape.
tape-overhang	0.18cm	Overhang of the tape.
tilt	-1.2deg	Tilt angle of the box.

name	default	description
radius	0.08cm	Corner radius.
frame-weight	0.7pt	Weight of the frame.
inset	0.36cm	Inner padding: a length, or `(x:, y:)`.
top-inset	auto	Clear space between the top of the card and the text; `auto` keeps the text just below the (tilted) tape.
width	100%	Width of the box (`auto`: fits the content, `100%`: the line).
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
vintage	false	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
vintage-pen	none	Nib override `(a, b, angle)`; `none` derives it from the stroke width.
title-offset-x	0pt	Horizontal nudge of the title.
title-offset-y	0pt	Vertical nudge of the title.

EXAMPLE

```
#tapebox(title: [Note])[Plain tape: the text starts below the tilted strip.]
#tapebox(pattern: "gingham", tilt: 2deg)[Gingham tape, no title.]
```



boardbox also chalkbox, markerbox, tcbwhiteboard

```
boardbox(body, title: none, kind: "chalk", colour: auto, fill: auto, title-colour: auto, text-fill: auto, …)
```

A classroom board as a box: chalk slate or whiteboard with eraser and chalks or markers.


PARAMETERS

name	default	description
body	required	The content of the box (positional).
title	none	Title shown in the box (content or `none`).
kind	"chalk"	Variant of the design (a name).
colour	auto	Main colour of the box.
fill	auto	Background fill (colour, gradient or pattern).
title-colour	auto	Colour of the title text.
text-fill	auto	Colour of the text.
grid	true	Ruling pitch, or `none`.
grid-step	0.32cm	Grid step.
grid-stroke	auto	Grid stroke.

name	default	description
tray	true	Tray.
border	0.16cm	Border.
inset	0.32cm	Inner padding: a length, or `(x:, y:)`.
width	100%	Width of the box (`auto`: fits the content, `100%`: the line).
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
vintage	false	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
vintage-pen	none	Nib override `(a, b, angle)`; `none` derives it from the stroke width.
title-offset-x	0pt	Horizontal nudge of the title.
title-offset-y	0pt	Vertical nudge of the title.

EXAMPLE

```
#boardbox(title: [لوح], direction: rtl)[محتوى على اللوح.]
```



plankbox also pancarte

```
plankbox(body, title: none, wood: auto, edge: auto, streak: auto, text-fill: auto, title-size: 1.1em, …)
```

A rustic wooden sign: golden planks with torn ends, knots and nails.

PARAMETERS

name	default	description
body	required	The content of the box (positional).
title	none	Title shown in the box (content or `none`).
wood	auto	Wood.
edge	auto	Edge.
streak	auto	Streak.
text-fill	auto	Colour of the text.
title-size	1.1em	Font size of the title.
leading	auto	Line spacing of the text.
tilt	2deg	Tilt angle of the box.
gap	0.06cm	Space between the parts.
style	"wood"	Style variant.

name	default	description
weight	1.6pt	Stroke weight.
jitter	0.8pt	Jitter.
mottle	6%	Mottle.
inset	(x: 0.55cm, y: 0.30cm)	Inner padding: a length, or `(x:, y:)`.
width	auto	Width of the box (`auto`: fits the content, `100%`: the line).
height	auto	Height of the box (`auto`: fits the content).
seed	auto	Seed of the hand-drawn wobble (same seed, same drawing).
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
vintage	false	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
vintage-pen	none	Nib override `(a, b, angle)`; `none` derives it from the stroke width.

EXAMPLE

```
#plankbox[Salle 12]
```



`tornpage` also `page-dechiree`

```
tornpage(body, title: none, fill: auto, ink: auto, rule: auto, weight: 0.4pt, title-size: 1.4em, …)
```

A paper note on a sheet with a fractal torn bottom edge and a soft shadow.


PARAMETERS

name	default	description
`body`	required	The content of the box (positional).
`title`	`none`	Title shown in the box (content or `none`).
`fill`	`auto`	Background fill (colour, gradient or pattern).
`ink`	`auto`	Colour of outlines and text.
`rule`	`auto`	Colour of the outline (`auto`: black).
`weight`	`0.4pt`	Thickness of the outline traced around the sheet (default 0.4pt).
`title-size`	`1.4em`	Font size of the title.
`amp`	`0.2`	Amp.
`seg`	`0.7cm`	Seg.
`rag`	`2pt`	Rag.
`depth`	`4`	Depth of the relief or extrusion.

name	default	description
`inset`	`(x: 5pt, y: 5pt)`	Inner padding: a length, or `(x:, y:)`.
`bottom`	`1em`	Bottom.
`width`	`100%`	Width of the box (`auto`: fits the content, `100%`: the line).
`height`	`auto`	Height of the box (`auto`: fits the content).
`seed`	`auto`	Seed of the hand-drawn wobble (same seed, same drawing).
`shadow`	`true`	Drop shadow: `true`, `false`, or a colour.
`mottle`	`4%`	Mottle.
`direction`	`auto`	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
`vintage`	`false`	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
`vintage-pen`	`none`	Nib override `(a, b, angle)`; `none` derives it from the stroke width.

EXAMPLE

```
#tornpage(title: [Note])[Default outline: 0.4pt.]
#tornpage(weight: 1pt, rule: blue)[A bolder, blue outline.]
```



`coilbox` also `cahier`

```
coilbox(body, title: none, frame: auto, coil-a: auto, coil-b: auto, title-size: 1.2em, coil-gap: 1.05cm, …)
```

A spiral-notebook page: pink double frame, spine with punch holes and 3D coils.


PARAMETERS

name	default	description
`body`	required	The content of the box (positional).
`title`	`none`	Title shown in the box (content or `none`).
`frame`	`auto`	Frame colour (or `auto`).
`coil-a`	`auto`	Coil a.
`coil-b`	`auto`	Coil b.
`title-size`	`1.2em`	Font size of the title.
`coil-gap`	`1.05cm`	Space around the coil.
`radius`	`0.55cm`	Corner radius.

name	default	description
`inset`	`(x: 0.6cm, y: 0.6cm)`	Inner padding: a length, or `(x:, y:)`.
`width`	`100%`	Width of the box (`auto`: fits the content, `100%`: the line).
`height`	`auto`	Height of the box (`auto`: fits the content).
`direction`	`auto`	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
`vintage`	`false`	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
`vintage-pen`	`none`	Nib override `(a, b, angle)`; `none` derives it from the stroke width.
`title-offset-x`	`0pt`	Horizontal nudge of the title.
`title-offset-y`	`0pt`	Vertical nudge of the title.

EXAMPLE

```
#coilbox(title: [Monday])[…]
```



`gelbox` also `bouton`

```
gelbox(body, base: rgb("#6B79E8"), radius: 45%, ball: auto, ball-x: 50%, gloss: true, shadow: true, …)
```

A glossy gel button with gradient face, gloss and soft shadow.

PARAMETERS

name	default	description
body	required	The content of the box (positional).
base	rgb("#6B79E8")	Base colour.
radius	45%	Corner radius.
ball	auto	Ball.
ball-x	50%	Horizontal position of the ball.
gloss	true	Gloss.
shadow	true	Drop shadow: `true`, `false`, or a colour.
relief	"raised"	Relief.

name	default	description
inset	(x: 1.1em, y: 0.5em)	Inner padding: a length, or `(x:, y:)`.
width	auto	Width of the box (`auto`: fits the content, `100%`: the line).
text-fill	white	Colour of the text.
text-size	1em	Font size of the text.
vintage	false	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
vintage-pen	none	Nib override `(a, b, angle)`; `none` derives it from the stroke width.
body-offset-x	0pt	Horizontal nudge of the body text.
body-offset-y	0pt	Vertical nudge of the body text.

EXAMPLE

```
#gelbox[gelbox]
```



screwbox

```
screwbox(body, tl: true, tr: true, bl: true, br: true, colour: rgb("#5C6670"), fill: rgb("#F4F6F8"), …)
```

A plate held by corner screws, each with its own tilt.

PARAMETERS

name	default	description
body	required	The content of the box (positional).
tl	true	Tl.
tr	true	Tr.
bl	true	Bl.
br	true	Br.
colour	rgb("#5C6670")	Main colour of the box.
fill	rgb("#F4F6F8")	Background fill (colour, gradient or pattern).
screw	rgb("#C5CCD3")	Screw.
slot	rgb("#3A4046")	Slot.

name	default	description
screw-size	0.34cm	Size of the screw.
angle	0deg	Angle of rotation.
weight	1.35pt	Stroke weight.
radius	0.10cm	Corner radius.
inset	0.42cm	Inner padding: a length, or `(x:, y:)`.
width	100%	Width of the box (`auto`: fits the content, `100%`: the line).
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
vintage	false	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
vintage-pen	none	Nib override `(a, b, angle)`; `none` derives it from the stroke width.

EXAMPLE

```
#screwbox[screwbox]
```



sashbox also ruban

```
sashbox(body, kind: "flat", fill: rgb("#FFE566"), shade: auto, text-colour: auto, height: 1.22cm, width: 100%, …)
```

A folded sash / ribbon banner: flat, arched or hanging.

PARAMETERS

name	default	description
body	required	The content of the box (positional).
kind	"flat"	Variant of the design (a name).
fill	rgb("#FFE566")	Background fill (colour, gradient or pattern).
shade	auto	Shade.
text-colour	auto	Colour of the body text.
height	1.22cm	Height of the box (`auto`: fits the content).
width	100%	Width of the box (`auto`: fits the content, `100%`: the line).
tail	auto	Tail position: `"sw"`, `"se"`, `"nw"`, `"ne"`, `"start"`, `"end"` or `"none"`.
fold	auto	Fold.
bow	auto	Bow.
incline	auto	Incline.
weight	"bold"	Stroke weight.

name	default	description
size	1.15em	Size.
inset	0.28cm	Inner padding: a length, or `(x:, y:)`.
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
rough	false	Hand-drawn mode: `true` draws the strokes by hand, `false` keeps them crisp (`auto`: hand-drawn when the theme sets a `roughness` > 0, e.g. `make-theme(roughness: 1.5)`).
hand	auto	Hand-drawn mode (wobbly strokes).
seed	31	Seed of the hand-drawn wobble (same seed, same drawing).
ink	auto	Colour of outlines and text.
pen	3.1pt	Pen (nib) to draw with.
ghost	true	Ghost.
vintage	false	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
vintage-pen	none	Nib override `(a, b, angle)`; `none` derives it from the stroke width.

EXAMPLE

```
#sashbox[sashbox]
```



flagbox

```
flagbox(body, title: none, colour: rgb("#1C5F9C"), fill: auto, ribbon: auto, ribbon-mid: auto, title-colour: white, …)
```

A box with a hanging title flag on a rod.

PARAMETERS

name	default	description
body	required	The content of the box (positional).
title	none	Title shown in the box (content or `none`).
colour	rgb("#1C5F9C")	Main colour of the box.
fill	auto	Background fill (colour, gradient or pattern).
ribbon	auto	Ribbon.
ribbon-mid	auto	Ribbon mid.
title-colour	white	Colour of the title text.
title-weight	"bold"	Weight of the title.
title-size	1em	Font size of the title.
title-inset	(x: 0.30cm, y: 0.16cm)	Inner padding of the title.
flag-align	start	Alignment of the flag.
shift	1.0cm	Shift.
spread	0.20cm	Spread.
overhang	0.05cm	Overhang of the shape beyond its frame.
tail	"drape"	Tail position: `"sw"`, `"se"`, `"nw"`, `"ne"`, `"start"`, `"end"` or `"none"`.
notch	0.22cm	Notch.
rod	0.10cm	Rod.
rod-colour	auto	Colour of the rod.
finials	true	Finials.
badge	none	Content of the badge.
badge-colour	auto	Colour of the badge.
end-motif	none	End motif.

name	default	description
end-motif-size	0.5cm	Size of the end motif.
gloss	true	Gloss.
stitch	false	Stitch.
shadow	true	Drop shadow: `true`, `false`, or a colour.
radius	0.10cm	Corner radius.
flag-radius	0.10cm	Corner radius of the flag.
stroke	0.4mm	Stroke of the outline.
inset	(top: 0.30cm, left: 0.30cm, right: 0.30cm, …	Inner padding: a length, or `(x:, y:)`.
width	100%	Width of the box (`auto`: fits the content, `100%`: the line).
breakable	true	Allow the box to break across pages.
watermark	none	Watermark text or content (`none`: no watermark).
watermark-colour	auto	Colour of the watermark.
watermark-angle	-18deg	Rotation of the watermark.
watermark-size	2.1em	Size of the watermark.
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
vintage	false	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
vintage-pen	none	Nib override `(a, b, angle)`; `none` derives it from the stroke width.
number-offset-x	0pt	Horizontal nudge of the number.
number-offset-y	0pt	Vertical nudge of the number.
title-offset-x	0pt	Horizontal nudge of the title.
title-offset-y	0pt	Vertical nudge of the title.

EXAMPLE

```
#flagbox(title: [First box])[…]
```



speech-bubble

```
speech-bubble(body, fill: rgb("#FF8A1F"), ink: black, stroke: 2.4pt, width: auto, height: auto, leading: 0.5em, …)
```

A comic speech bubble: one closed contour (ellipse plus tail).

PARAMETERS

name	default	description
body	required	The content of the box (positional).
fill	rgb("#FF8A1F")	Background fill (colour, gradient or pattern).
ink	black	Colour of outlines and text.
stroke	2.4pt	Stroke of the outline.
width	auto	Width of the box (`auto`: fits the content, `100%`: the line).
height	auto	Height of the box (`auto`: fits the content).
leading	0.5em	Line spacing of the text.


name	default	description
tail-width	0.85cm	Width of the tail.
tail-length	0.55cm	Length of the tail.
tail-at	0.22	Tail at.
gloss	true	Gloss.
size	1.35em	Size.
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.

name	default	description
`tail`	`"sw"`	Tail position: `"sw"`, `"se"`, `"nw"`, `"ne"`, `"start"`, `"end"` or `"none"`.

name	default	description
`vintage`	`false`	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
`vintage-pen`	`none`	Nib override `(a, b, angle)`; `none` derives it from the stroke width.

EXAMPLE

```
#speech-bubble[speech-bubble]
```



`joined-bubbles`

```
joined-bubbles(a: [Qui ?], b: [Pourquoi ?], fill-a: rgb("#FF8A1F"), fill-b: rgb("#B56BFF"), ..rest)
```


Several speech bubbles chained together.

PARAMETERS

name	default	description
`a`	`[Qui ?]`	First value.
`b`	`[Pourquoi ?]`	Second value.
`fill-a`	`rgb("#FF8A1F")`	Fill a.
`fill-b`	`rgb("#B56BFF")`	Fill b.
`..rest`	required	Extra named arguments passed to the underlying function.

EXAMPLE

```
#joined-bubbles(a: [Qui ?], b: [Quoi ?])
```



`five-w`

```
five-w(colours: ( rgb("#7EC8E3"), rgb("#F4C430"), rgb("#7CB342"), rgb("#EF6C00"), rgb("#E53935"), ), labels: ([Who?], [What?], [Where?], [When?], [Why?]), ..rest)
```


The “five W” question bubbles (who, what, where, when, why).

PARAMETERS

name	default	description
`colours`	`( rgb("#7EC8E3"), rgb("#F4C430"), rgb("#7CB…`	List of colours used in turn by the items.
`labels`	`([Who?], [What?], [Where?], [When?], [Why?])`	Labels.
`..rest`	required	Extra named arguments passed to the underlying function.

EXAMPLE

```
#five-w()
```



VALUES AND CONSTANTS

`bb-colours`	Board colours of `boardbox`.
`plank-colours`	Wood tones of `plankbox`.
`coil-colours`	Paper and ring colours of `coilbox`.

Ornate frames, lace and ornaments

Decorative frames for boxes: ogee banners, volute and rosette frames, parchment letters, vintage plates, guilloché lace, TikZ-style ornaments and the ornament API (`ornament`, `motifs`, `tint`) used to turn any motif into a coloured glyph.

`lace`

```
lace(pattern, w, h, paint, thickness: 0.1pt)
```


Draws one security-print lace family over a w × h field.

PARAMETERS

name	default	description
`pattern`	required	Pattern.
`w`	required	Width.
`h`	required	Height.
`paint`	required	Paint (colour, gradient or pattern).
`thickness`	`0.1pt`	Thickness.

EXAMPLE

```
#box(width: 5cm, height: 2.4cm, clip: true, lace("spiral", 5cm, 2.4cm, rgb("#1B2A41")))
```



`lacebox`

```
lacebox(body, title: none, lace: "spiral", model: "band", colour: rgb("#1B2A41"), fill: white, band: 1.15cm, …)
```

A picture-frame box whose border is security-print lace (spiral, grid, wave…).


PARAMETERS

name	default	description
`body`	required	The content of the box (positional).
`title`	`none`	Title shown in the box (content or `none`).
`lace`	`"spiral"`	Lace.
`model`	`"band"`	Model.
`colour`	`rgb("#1B2A41")`	Main colour of the box.
`fill`	`white`	Background fill (colour, gradient or pattern).
`band`	`1.15cm`	Band.
`weight`	`1pt`	Stroke weight.
`inset`	`0.4cm`	Inner padding: a length, or `(x:, y:)`.

name	default	description
`width`	`100%`	Width of the box (`auto`: fits the content, `100%`: the line).
`direction`	`auto`	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
`rough`	`0`	Hand-drawn mode: `true` draws the strokes by hand, `false` keeps them crisp (`auto`: hand-drawn when the theme sets a `roughness` > 0, e.g. `make-theme(roughness: 1.5)`).
`ornament`	`none`	Ornament.
`ornament-family`	`"vectorian"`	Ornament family.
`vintage`	`false`	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
`vintage-pen`	`none`	Nib override `(a, b, angle)`; `none` derives it from the stroke width.
`title-offset-x`	`0pt`	Horizontal nudge of the title.
`title-offset-y`	`0pt`	Vertical nudge of the title.

EXAMPLE

```
#lacebox(title: [Lace], lace: "spiral")[A security-print border.]
```



`pgfornament`

```
pgfornament(n, family: "vectorian", width: 1.2cm, paint: black, thickness: 0.5pt, vintage: false, vintage-pen: none)
```

Draws ornament n of the pgfornament collection (Vectorian, han, am families).

PARAMETERS

name	default	description
`n`	required	Count (a whole number).
`family`	`"vectorian"`	Family.

name	default	description
`width`	`1.2cm`	Width of the box (`auto`: fits the content, `100%`: the line).
`paint`	`black`	Paint (colour, gradient or pattern).
`thickness`	`0.5pt`	Thickness.
`vintage`	`false`	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
`vintage-pen`	`none`	Nib override `(a, b, angle)`; `none` derives it from the stroke width.

EXAMPLE

```
#pgfornament(1, width: 2.4cm)
```



`ogeebox` also `banniere`

```
ogeebox(body, fill: auto, line: auto, light: false, medallions: auto, badge: none, text-fill: auto, …)
```

The ogee-pointed banner: teal or mint, double gold rule and a star rosette.

PARAMETERS

name	default	description
`body`	required	The content of the box (positional).
`fill`	`auto`	Background fill (colour, gradient or pattern).
`line`	`auto`	Line colour or stroke.
`light`	`false`	Light.
`medallions`	`auto`	Medallions.
`badge`	`none`	Content of the badge.
`text-fill`	`auto`	Colour of the text.
`inset`	`(x: 0.6cm, y: 0.42cm)`	Inner padding: a length, or `(x:, y:)`.
`width`	`100%`	Width of the box (`auto`: fits the content, `100%`: the line).
`vintage`	`false`	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
`vintage-pen`	`none`	Nib override `(a, b, angle)`; `none` derives it from the stroke width.

EXAMPLE

```
#ogeebox[ogeebox]
```



`frisebox` also `frise`

```
frisebox(body, fill: auto, line: auto, text-fill: auto, inset: (x: 2.2cm, y: 0.4cm), width: 100%, vintage: false, …)
```

The full-width frieze band: teal ground and girih star-work along the top.

PARAMETERS

name	default	description
`body`	required	The content of the box (positional).
`fill`	`auto`	Background fill (colour, gradient or pattern).
`line`	`auto`	Line colour or stroke.
`text-fill`	`auto`	Colour of the text.
`inset`	`(x: 2.2cm, y: 0.4cm)`	Inner padding: a length, or `(x:, y:)`.
`width`	`100%`	Width of the box (`auto`: fits the content, `100%`: the line).
`vintage`	`false`	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
`vintage-pen`	`none`	Nib override `(a, b, angle)`; `none` derives it from the stroke width.

EXAMPLE

```
#frisebox[frisebox]
```



`medallion`

```
medallion(body, size: 1.7cm, fill: white, line: ogee-colours.gold, text-fill: ogee-colours.ink, text-size: 1.2em)
```


A girih medallion ornament.

PARAMETERS

name	default	description
`body`	required	The content of the box (positional).
`size`	`1.7cm`	Size.
`fill`	`white`	Background fill (colour, gradient or pattern).
`line`	`ogee-colours.gold`	Line colour or stroke.
`text-fill`	`ogee-colours.ink`	Colour of the text.
`text-size`	`1.2em`	Font size of the text.

EXAMPLE

```
#medallion[3]
```



`rosette`

```
rosette(size: 0.85cm, line: ogee-colours.gold, weight: 0.8pt)
```


A small eight-pointed rosette ornament.

PARAMETERS

name	default	description
`size`	`0.85cm`	Size.
`line`	`ogee-colours.gold`	Line colour or stroke.
`weight`	`0.8pt`	Stroke weight.

EXAMPLE

```
#rosette()
```



`girih`

```
girih(size: 3cm, line: ogee-colours.gold, weight: 0.55pt)
```


A girih star-and-strap tile ornament.

PARAMETERS

name	default	description
`size`	`3cm`	Size.
`line`	`ogee-colours.gold`	Line colour or stroke.
`weight`	`0.55pt`	Stroke weight.

EXAMPLE

```
#girih(size: 2cm)
```



`volutebox` also `cadre-volute`

```
volutebox(body, line: auto, fill: none, weight: 0.9pt, inset: (x: 1.15cm, y: 1.0cm), width: 100%, height: auto, …)
```


The volute stationery frame: two chamfered hairline rules with scrolled corners.

PARAMETERS

name	default	description
`body`	required	The content of the box (positional).
`line`	`auto`	Line colour or stroke.
`fill`	`none`	Background fill (colour, gradient or pattern).
`weight`	`0.9pt`	Stroke weight.
`inset`	`(x: 1.15cm, y: 1.0cm)`	Inner padding: a length, or `(x:, y:)`.
`width`	`100%`	Width of the box (`auto`: fits the content, `100%`: the line).
`height`	`auto`	Height of the box (`auto`: fits the content).
`flourish`	`true`	Corner flourish on or off.
`vintage`	`false`	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
`vintage-pen`	`none`	Nib override `(a, b, angle)`; `none` derives it from the stroke width.

EXAMPLE

```
#volutebox[volutebox]
```



`spiral-pts`

```
spiral-pts(cx, cy, r0, r1, a0, turns, n: 64, …)
```

Points of a sampled spiral (helper of the volute family).

PARAMETERS

name	default	description
`cx`	required	X coordinate of the centre.

name	default	description
cy	required	Y coordinate of the centre.
r0	required	R0.
r1	required	R1.
a0	required	A0.
turns	required	Turns.
n	64	Count (a whole number).
sx	1	Sx.
sy	1	Sy.

ink-pts

```
ink-pts(pts, paint, w, closed: false)
```

An open or closed ink polyline in local coordinates.

PARAMETERS

name	default	description
pts	required	List of points `(x, y)`.
paint	required	Paint (colour, gradient or pattern).
w	required	Width.
closed	false	Close the path.

parchemin also lettre

```
parchemin(body, title: none, sign: none, fill: auto, paper: auto, ink: auto, title-fill: auto, …, direction: auto)
```

The old-letter scroll: rolled title cylinder, deckle-edged sheet and corner flourishes.


PARAMETERS

name	default	description
body	required	The content of the box (positional).
title	none	Title shown in the box (content or `none`).
sign	none	Sign.
fill	auto	Background fill (colour, gradient or pattern).
paper	auto	Colour of the paper.
ink	auto	Colour of outlines and text.
title-fill	auto	Fill of the title.

name	default	description
inset	(x: 1.0cm, y: 0.75cm)	Inner padding: a length, or `(x:, y:)`.
width	100%	Width of the box (`auto`: fits the content, `100%`: the line).
seed	7	Seed of the hand-drawn wobble (same seed, same drawing).
vintage	false	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
vintage-pen	none	Nib override `(a, b, angle)`; `none` derives it from the stroke width.
direction	auto	Text direction: `auto` detects Arabic / Hebrew in the content (or follows the document); `ltr` / `rtl` force it. In RTL the letter is right-aligned.

EXAMPLE

```
#parchemin(title: [رسالة])[السلام عليكم ورحمة الله، هذه رسالة مطبوعة تظهر محاذاة النص إلى اليمين.]
```



halftone also trame

```
halftone(base, dot: auto, spacing: 6pt, radius: 18%, stagger: true, backdrop: none)
```

A halftone dot screen as a tiling paint, optionally staggered.

PARAMETERS

name	default	description
base	required	Base colour.
dot	auto	Dot.
spacing	6pt	Spacing between items.
radius	18%	Corner radius.
stagger	true	Stagger.
backdrop	none	Backdrop.

EXAMPLE

```
#halftone(rgb("#45B3BE"), backdrop: rgb("#DFF3F4"))
```

```
tiling((6pt, 6pt), ..)
```

tikzpattern also motif-tikz

```
tikzpattern(kind: "north east lines", color: luma(70), distance: 4pt, angle: auto, line-width: 0.4pt, radius: auto, backdrop: none)
```

A TikZ-like pattern as a first-class tiling paint (bricks, crosshatch, stars…).

PARAMETERS

name	default	description
`kind`	`"north east lines"`	Variant of the design (a name).
`color`	`luma(70)`	Colour.
`distance`	`4pt`	Distance.
`angle`	`auto`	Angle of rotation.
`line-width`	`0.4pt`	Width of the line.
`radius`	`auto`	Corner radius.
`backdrop`	`none`	Backdrop.

EXAMPLE

```
#tikzpattern(kind: "dots")
```

```
tiling((4pt, 4pt), ..)
```

`vintageframe` also `cadre-vintage`

```
vintageframe(body, style: "volutes", ink: rgb("#141414"), width: 100%, inset: (x: 1.4em, y: 0.8em), text-fill: auto, text-size: 1em, …)
```

One of eight line-art label frames: volutes, curls, loops, petals, fans, waves, hooks, fleuron.

PARAMETERS

name	default	description
`body`	required	The content of the box (positional).
`style`	`"volutes"`	Style variant.
`ink`	`rgb("#141414")`	Colour of outlines and text.
`width`	`100%`	Width of the box (`auto`: fits the content, `100%`: the line).
`inset`	`(x: 1.4em, y: 0.8em)`	Inner padding: a length, or `(x:, y:)`.
`text-fill`	`auto`	Colour of the text.
`text-size`	`1em`	Font size of the text.
`weight`	`auto`	Stroke weight.
`vintage`	`false`	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
`vintage-pen`	`none`	Nib override `(a, b, angle)`; `none` derives it from the stroke width.

EXAMPLE

```
#vintageframe(style: "volutes", text-size: 0.8em)[vintageframe]
```



`vintagebox` also `plaque-vintage`

```
vintagebox(..a, variant: "banniere", width: auto, height: auto, ink: rgb("#141414"), fill: white, shadow: rgb("#C9C9C9"), …)
```

A bracket plaque: white plate, black outer rule, thin inner rule and a grey drop shadow.

PARAMETERS

name	default	description
`..a`	required	Extra named arguments passed to the underlying function.
`variant`	`"banniere"`	Variant.
`width`	`auto`	Width of the box (`auto`: fits the content, `100%`: the line).
`height`	`auto`	Height of the box (`auto`: fits the content).
`ink`	`rgb("#141414")`	Colour of outlines and text.
`fill`	`white`	Background fill (colour, gradient or pattern).
`shadow`	`rgb("#C9C9C9")`	Drop shadow: `true`, `false`, or a colour.
`inset`	`(x: 1.2em, y: 0.7em)`	Inner padding: a length, or `(x:, y:)`.
`text-fill`	`rgb("#2A2A2A")`	Colour of the text.
`text-size`	`0.9em`	Font size of the text.
`vintage`	`false`	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
`vintage-pen`	`none`	Nib override `(a, b, angle)`; `none` derives it from the stroke width.

EXAMPLE

```
#vintagebox[لوحة عتيقة مطبوعة.]
```



`rosettebox` also `cadre-rosette`

```
rosettebox(body, title: none, width: 100%, height: auto, inset: auto, ink: rosette-ink, gold: rosette-gold, …)
```

The rosette dedication frame: triple rule, interlaced corner curves with leaves and rosettes, diamonds.

PARAMETERS

name	default	description
`body`	required	The content of the box (positional).
`title`	`none`	Title shown in the box (content or `none`).
`width`	`100%`	Width of the box (`auto`: fits the content, `100%`: the line).
`height`	`auto`	Height of the box (`auto`: fits the content).
`inset`	`auto`	Inner padding: a length, or `(x:, y:)`.
`ink`	`rosette-ink`	Colour of outlines and text.
`gold`	`rosette-gold`	Gold.
`leaf`	`rosette-leaf`	Leaf.

name	default	description
`paper`	`none`	Colour of the paper.
`scale`	`auto`	Scale factor.
`corners`	`true`	Corner ornaments on or off.
`diamonds`	`auto`	Diamonds.
`medallions`	`true`	Medallions.
`direction`	`auto`	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
`vintage`	`false`	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
`vintage-pen`	`none`	Nib override `(a, b, angle)`; `none` derives it from the stroke width.

EXAMPLE

```
#rosettebox(title: [وردة], direction: rtl)[إطار وردي.]
```



ornament

```
ornament(m, size: 0.5cm, palette: (:), baseline: 20%)
```

Draws a motif on its own: inline ornaments, dividers, list markers.

PARAMETERS

name	default	description
m	required	M.
size	0.5cm	Size.
palette	(:)	Colour palette (dictionary).
baseline	20%	Baseline.

EXAMPLE

```
#ornament("rosette", size: 1cm)
```



make-palette

```
make-palette(..over)
```

Fills the gaps of a partial palette from the default one.

PARAMETERS

name	default	description
..over	required	Extra named arguments passed to the underlying function.

glyph-motif

```
glyph-motif(ch, font: auto, fill: auto, weight: "regular", aspect: (1, 1))
```

A motif built from a glyph of any font (the way to use an ornament font).

PARAMETERS

name	default	description
ch	required	Ch.
font	auto	Font.
fill	auto	Background fill (colour, gradient or pattern).
weight	"regular"	Stroke weight.
aspect	(1, 1)	Aspect ratio.

EXAMPLE

```
#ornament(glyph-motif("❦"), size: 1cm)
```



content-motif

```
content-motif(body, aspect: (1, 1))
```

Wraps arbitrary content (image, symbol, drawing) as a motif.

PARAMETERS

name	default	description
body	required	The content of the box (positional).
aspect	(1, 1)	Aspect ratio.

EXAMPLE

```
#ornament(content-motif(text(size: 20pt)[✿]), size: 1cm)
```



image-motif

```
image-motif(src, aspect: auto, ink: auto, paper: auto, corner: "tl")
```

Wraps an SVG, read as text, as a motif recoloured to the palette.

PARAMETERS

name	default	description
`src`	required	Src.
`aspect`	`auto`	Aspect ratio.
`ink`	`auto`	Colour of outlines and text.
`paper`	`auto`	Colour of the paper.
`corner`	`"tl"`	Corner.

EXAMPLE

```
#image-motif("<svg xmlns='http://www.w3.org/2000/svg' viewBox='0 0 10 10'><circle cx='5'
cy='5' r='4' fill='none' stroke='black'/></svg>")
```

```
(aspect: (1, 1), native-tr: false, draw: (..) => ..)
```

`tint`

```
tint(m, ..over)
```

Recolours a motif with a patched palette.

PARAMETERS

name	default	description
`m`	required	M.
`..over`	required	Extra named arguments passed to the underlying function.

EXAMPLE

```
#ornament(tint("rosette", ink: red), size: 1cm)
```



`turned`

```
turned(m, angle)
```

Rotates a motif by a fixed angle (its box stays the same).

PARAMETERS

name	default	description
`m`	required	M.
`angle`	required	Angle of rotation.

EXAMPLE

```
#ornament(turned("rosette", 30deg), size: 1.2cm)
```



`ornatebox`

```
ornatebox(body, title: none, colour: rgb("#1F3A68"), gold: rgb("#C9A24E"), paper: rgb("#FCF9F2"), palette: (:), fill: auto, …)
```

The ornate plate frame: paper, hairline rules, edge bands, corner ornaments and a title sash; the base of the Maghrebi plate family.

PARAMETERS

name	default	description
`body`	required	The content of the box (positional).
`title`	`none`	Title shown in the box (content or `none`).
`colour`	`rgb("#1F3A68")`	Main colour of the box.
`gold`	`rgb("#C9A24E")`	Gold.
`paper`	`rgb("#FCF9F2")`	Colour of the paper.
`palette`	`(:)`	Colour palette (dictionary).
`fill`	`auto`	Background fill (colour, gradient or pattern).
`rules`	`((0.9pt, "ink"), (0.4pt, "gold"))`	Rules.
`rule-gap`	`0.09cm`	Space around the rule.
`radius`	`0cm`	Corner radius.
`outset`	`0cm`	Outset.
`edge`	`"rosette"`	Edge.
`edge-sides`	`("start", "end")`	Edge sides.
`edge-size`	`0.42cm`	Size of the edge.
`edge-gap`	`0.9cm`	Space around the edge.
`edge-count`	`auto`	Number of edges.
`edge-shift`	`0cm`	Shift of the edge.
`edge-mask`	`auto`	Mask of the edge.
`edge-band`	`none`	Edge band.
`edge-band-fill`	`auto`	Fill of the edge band.
`edge-band-stroke`	`none`	Edge band stroke.
`edge-alternate`	`false`	Edge alternate.
`edge-pack`	`false`	Edge pack.
`edge-fit`	`false`	Edge fit.
`edge-clear`	`auto`	Edge clear.
`edge-turn`	`true`	Edge turn.

name	default	description
`title-inset`	`(x: 0.45cm, y: 0.16cm)`	Inner padding of the title.
`title-gap`	`0.28cm`	Space between the title and the body.
`title-rule`	`auto`	Title rule.
`sash-fill`	`auto`	Fill of the sash.
`sash-stroke`	`none`	Sash stroke.
`sash-line`	`none`	Sash line.
`sash-gap`	`0.14cm`	Space around the sash.
`sash-inset`	`(0.55cm, 0.9cm)`	Inner padding of the sash.
`caps`	`("ogee", "ogee")`	Caps.
`cap-len`	`auto`	Cap len.
`tile`	`"tile"`	Tile.
`pennant-caps`	`("point", "point")`	Pennant caps.
`pennant-width`	`auto`	Width of the pennant.
`pennant-stroke`	`auto`	Pennant stroke.
`badge`	`none`	Content of the badge.
`badge-label`	`none`	Label of the badge.
`badge-size`	`auto`	Size of the badge.
`badge-star`	`true`	Badge star.
`badge-shift`	`auto`	Shift of the badge.
`end-motif`	`none`	End motif.
`end-motif-size`	`auto`	Size of the end motif.
`flank`	`none`	Flank.
`flank-size`	`auto`	Flank size.
`inset`	`(x: 0.55cm, y: 0.42cm)`	Inner padding: a length, or `(x:, y:)`.
`width`	`100%`	Width of the box (`auto`: fits the content, `100%`: the line).
`height`	`auto`	Height of the box (`auto`: fits the content).

name	default	description
corner	"wedge"	Corner.
corner-size	0.7cm	Size of the corner.
corner-shift	(0cm, 0cm)	Shift of the corner.
centre	(bottom: "rosette")	Centre.
centre-size	auto	Size of the centre.
centre-mask	auto	Mask of the centre.
title-style	"sash"	Style of the title.
title-colour	auto	Colour of the title text.
title-size	1.1em	Font size of the title.
title-weight	"bold"	Weight of the title.
title-align	auto	Alignment of the title.

name	default	description
shadow	false	Drop shadow: `true`, `false`, or a colour.
watermark	none	Watermark text or content (`none`: no watermark).
watermark-colour	auto	Colour of the watermark.
watermark-angle	-18deg	Rotation of the watermark.
watermark-size	2.1em	Size of the watermark.
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
vintage	false	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
vintage-pen	none	Nib override `(a, b, angle)`; `none` derives it from the stroke width.
title-offset-x	0pt	Horizontal nudge of the title.
title-offset-y	0pt	Vertical nudge of the title.

EXAMPLE

```
#ornatebox(title: [مؤطّر])[إطار مزخرف مطبوع.]
```



khatambox

```
khatambox(body, title: none, badge: none, badge-label: none, colour: rgb("#1F3A68"), sash-fill: rgb("#1E6B5A"), ..a)
```

Navy sash, khatam badge at the leading corner and gold rosettes on a dark edge.

PARAMETERS

name	default	description
body	required	The content of the box (positional).
title	none	Title shown in the box (content or `none`).
badge	none	Content of the badge.
badge-label	none	Label of the badge.
colour	rgb("#1F3A68")	Main colour of the box.
sash-fill	rgb("#1E6B5A")	Fill of the sash.
..a	required	Extra named arguments passed to the underlying function.

EXAMPLE

```
#khatambox(title: [خاتم], badge: [٧], direction: rtl)[إطار مزخرف.]
```



zellijbox

```
zellijbox(body, title: none, colour: rgb("#1F3A68"), gold: rgb("#B8863B"), tile-colour: rgb("#1B7F8C"), ..a)
```

A course of zellij tiles across the top with a paper pennant for the title.

PARAMETERS

name	default	description
body	required	The content of the box (positional).
title	none	Title shown in the box (content or `none`).
colour	rgb("#1F3A68")	Main colour of the box.
gold	rgb("#B8863B")	Gold.
tile-colour	rgb("#1B7F8C")	Colour of the tile.
..a	required	Extra named arguments passed to the underlying function.

EXAMPLE

```
#zellijbox(title: [زليج], direction: rtl)[إطار هندسي.]
```



arabesquebox

```
arabesquebox(body, title: none, colour: rgb("#1F3A68"), gold: rgb("#C9A24E"), ..a)
```


A rounded frame, a navy banner with ogee ends and finials, palmettes down the sides.

PARAMETERS

name	default	description
`body`	required	The content of the box (positional).
`title`	`none`	Title shown in the box (content or `none`).
`colour`	`rgb("#1F3A68")`	Main colour of the box.
`gold`	`rgb("#C9A24E")`	Gold.
`..a`	required	Extra named arguments passed to the underlying function.

EXAMPLE

```
#arabesquebox(title: [Exercise 1 — Algebraic computation])[…]
```



`mihrabbox`

```
mihrabbox(body, title: none, colour: rgb("#1E5C4A"), gold: rgb("#C9A24E"), ..a)
```


An emerald sash ending in pointed arches with a medallion at each tip.

PARAMETERS

name	default	description
`body`	required	The content of the box (positional).
`title`	`none`	Title shown in the box (content or `none`).
`colour`	`rgb("#1E5C4A")`	Main colour of the box.
`gold`	`rgb("#C9A24E")`	Gold.
`..a`	required	Extra named arguments passed to the underlying function.

EXAMPLE

```
#mihrabbox(title: [Exercise 1 — Algebraic computation])[…]
```



`mosaicbox`

```
mosaicbox(body, title: none, colour: rgb("#1F3A68"), gold: rgb("#B8863B"), tile-colour: rgb("#1B7F8C"), ..a)
```

A continuous course of zellij tiles on the four sides, alternating stars and cross tiles.

PARAMETERS

name	default	description
`body`	required	The content of the box (positional).
`title`	`none`	Title shown in the box (content or `none`).
`colour`	`rgb("#1F3A68")`	Main colour of the box.
`gold`	`rgb("#B8863B")`	Gold.
`tile-colour`	`rgb("#1B7F8C")`	Colour of the tile.
`..a`	required	Extra named arguments passed to the underlying function.

EXAMPLE

```
#mosaicbox[…]
```



`fleuronbox`

```
fleuronbox(body, title: none, colour: rgb("#5C4326"), gold: rgb("#A87F3C"), edge-glyph: "❦", corner-glyph: "✤", glyph-font: auto, …)
```


Fleurons from an ornament font: a warm sepia frame with ❦ down the sides.

PARAMETERS

name	default	description
`body`	required	The content of the box (positional).
`title`	`none`	Title shown in the box (content or `none`).
`colour`	`rgb("#5C4326")`	Main colour of the box.
`gold`	`rgb("#A87F3C")`	Gold.
`edge-glyph`	`"❦"`	Glyph of the edge.
`corner-glyph`	`"✤"`	Glyph of the corner.
`glyph-font`	`auto`	Glyph font.
`..a`	required	Extra named arguments passed to the underlying function.

EXAMPLE

```
#fleuronbox(title: [Preface])[#lorem(28)]
```



`khatam-badge`

```
khatam-badge(number, label: none, size: 1.4cm, ink: rgb("#1F3A68"), gold: rgb("#C9A24E"), paper: white, number-colour: auto, …)
```

A khatam medallion carrying a number with a small label above it.

PARAMETERS

name	default	description
`number`	required	Number shown in the badge (content, or `auto` for automatic numbering).
`label`	`none`	Label text.
`size`	`1.4cm`	Size.
`ink`	`rgb("#1F3A68")`	Colour of outlines and text.
`gold`	`rgb("#C9A24E")`	Gold.
`paper`	`white`	Colour of the paper.
`number-colour`	`auto`	Colour of the number.
`label-colour`	`auto`	Colour of the label.
`star`	`true`	Star.
`label-font`	`auto`	Font of the label.

EXAMPLE

```
#khatam-badge([3], label: [Ex.])
```



`sash-shape`

```
sash-shape(xl, xr, y0, y1, caps: ("flat", "flat"), cap-len: (0pt, 0pt), ..style)
```

The band of a sash as a `curve`, placed in absolute coordinates.

PARAMETERS

name	default	description
`xl`	required	Xl.
`xr`	required	Xr.
`y0`	required	Y0.
`y1`	required	Y1.
`caps`	`("flat", "flat")`	Caps.
`cap-len`	`(0pt, 0pt)`	Cap len.
`..style`	required	Extra named arguments passed to the underlying function.

EXAMPLE

```
#cetz.canvas({ cetz.draw.content((0,0), [sash-shape draws a curve]) })
```

sash-shape draws a curve

VALUES AND CONSTANTS

`ogee-colours`	Ink, gold and paper of the ogee/frieze family.
`volute-colours`	Colours of `volutebox`.
`flourish`	Flourish glyph strings of `volutebox`.
`scroll-colours`	Parchment colours of `parchemin`.
`rosette-ink`	Ink colour of `rosettebox`.
`rosette-gold`	Gold colour of `rosettebox`.
`rosette-leaf`	Leaf green of `rosettebox`.
`motifs`	Library of built-in ornament motifs.
`default-palette`	Default colours of `ornament`.

Engraving: the antique register

Copperplate-style output built on nibart: engraved rules, frames, captions, plates and patents. Strokes are real nibart pen strokes (broad-nib contrast), not simulated wobble.

nib-pen

```
nib-pen(a: 0.030, b: 0.009, angle: 24deg)
```

Cubic Bézier segments for a straight line between two points.

PARAMETERS

name	default	description
a	0.030	First value.
b	0.009	Second value.
angle	24deg	Angle of rotation.

nib-stroke

```
nib-stroke(path, pen: none, closed: false, dash: none, pressure: none, epsilon: 0.01, fill: black, …)
```

A calligraphic stroke: the envelope of an elliptical nib carried along a path, drawn in a `cetz.canvas`.

PARAMETERS

name	default	description
path	required	Path.
pen	none	Pen (nib) to draw with.
closed	false	Close the path.
dash	none	Dash pattern of the stroke (`"solid"`, `"dashed"`, `"dotted"`…).
pressure	none	Pen-pressure variation along the stroke.
epsilon	0.01	Simplification tolerance.
fill	black	Background fill (colour, gradient or pattern).
stroke	none	Stroke of the outline.

nib-polylines

```
nib-polylines(polylines, pen: none, dash: none, pressure: none, epsilon: 0.01, fill: black, stroke: none)
```

Calligraphic strokes through one or more polylines.

PARAMETERS

name	default	description
polylines	required	Polylines.
pen	none	Pen (nib) to draw with.
dash	none	Dash pattern of the stroke (`"solid"`, `"dashed"`, `"dotted"`…).
pressure	none	Pen-pressure variation along the stroke.
epsilon	0.01	Simplification tolerance.
fill	black	Background fill (colour, gradient or pattern).
stroke	none	Stroke of the outline.

nib-line-path

```
nib-line-path(start, end)
```

The cubic path of a straight line, ready for `nib-stroke`.

PARAMETERS

name	default	description
start	required	Start.
end	required	End.

EXAMPLE

```
#nib-line-path((0, 0), (4, 0))
```

```
(
  (
    (0, 0),
    (1.3333333333333333, 0.0),
    (2.6666666666666665, 0.0),
    (4, 0),
  ),
)
```

nib-rect-path

```
nib-rect-path(x0, y0, x1, y1)
```

The cubic path of a closed axis-aligned rectangle.

PARAMETERS

name	default	description
x0	required	X0.
y0	required	Y0.

name	default	description
`x1`	required	X1.
`y1`	required	Y1.

EXAMPLE

```
#nib-rect-path(2.2, 1.4, 5.8, 4.4)
```

```
(
  ((2.2, 1.4), (2.2, 1.4), (5.8, 1.4), (5.8, 1.4)),
  ((5.8, 1.4), (5.8, 1.4), (5.8, 4.4), (5.8, 4.4)),
  ((5.8, 4.4), (5.8, 4.4), (2.2, 4.4), (2.2, 4.4)),
  ((2.2, 4.4), (2.2, 4.4), (2.2, 1.4), (2.2, 1.4)),
)
```

`polyline-path`

```
polyline-path(points)
```

Cubic Bézier segments through a polyline.

PARAMETERS

name	default	description
`points`	required	List of points `(x, y)`.

`nib-envelope`

```
nib-envelope(path, pen: none, closed: false, dash: none, pressure: none, epsilon: 0.01)
```

The raw nib envelope without CeTZ: cubic path segments computed by nibart.

PARAMETERS

name	default	description
`path`	required	Path.
`pen`	`none`	Pen (nib) to draw with.
`closed`	`false`	Close the path.
`dash`	`none`	Dash pattern of the stroke (`"solid"`, `"dashed"`, `"dotted"`…).
`pressure`	`none`	Pen-pressure variation along the stroke.
`epsilon`	`0.01`	Simplification tolerance.

`nib-curve`

```
nib-curve(polygons, fill: black, stroke: none, fill-rule: "non-zero", ..style)
```

A nib stroke along a smooth curve through points.

PARAMETERS

name	default	description
`polygons`	required	Polygons.
`fill`	`black`	Background fill (colour, gradient or pattern).
`stroke`	`none`	Stroke of the outline.
`fill-rule`	`"non-zero"`	Fill rule.
`..style`	required	Extra named arguments passed to the underlying function.

`vintage-pts`

```
vintage-pts(pts, paint, thickness, closed: true, vintage-pen: none)
```

A constant elliptical nib: points of the engraved outline (major axis a, minor axis b).

PARAMETERS

name	default	description
`pts`	required	List of points `(x, y)`.
`paint`	required	Paint (colour, gradient or pattern).
`thickness`	required	Thickness.
`closed`	`true`	Close the path.
`vintage-pen`	`none`	Nib override `(a, b, angle)`; `none` derives it from the stroke width.

`vintage-outline`

```
vintage-outline(pts, flip, paint, thickness: 1pt, closed: true, vintage-pen: none)
```

The same in the engine convention: points in cm, y up.

PARAMETERS

name	default	description
`pts`	required	List of points `(x, y)`.
`flip`	required	Flip.
`paint`	required	Paint (colour, gradient or pattern).
`thickness`	`1pt`	Thickness.
`closed`	`true`	Close the path.
`vintage-pen`	`none`	Nib override `(a, b, angle)`; `none` derives it from the stroke width.

`engraved`

```
engraved(path, width: 0.018, angle: 24deg, dash: none, pressure: none, epsilon: 0.004, ink: antique-palette.ink)
```

An engraved stroke: a nib pen derived from the stroke width.

PARAMETERS

name	default	description
path	required	Path.
width	0.018	Width of the box (`auto`: fits the content, `100%`: the line).
angle	24deg	Angle of rotation.
dash	none	Dash pattern of the stroke (`"solid"`, `"dashed"`, `"dotted"`…).
pressure	none	Pen-pressure variation along the stroke.
epsilon	0.004	Simplification tolerance.
ink	antique-palette.ink	Colour of outlines and text.

EXAMPLE

```
#engraved(nib-line-path((0, 0), (4, 0)))
```

```
((..) => ..,)
```

engraved-rule also regle-gravee

```
engraved-rule(from: (0pt, 0pt), to: (10cm, 0pt), weight: 0.018, angle: 24deg, ink: antique-palette.ink, dash: none, pressure: none, …)
```

An engraved rule between two points, as page content: plain, dashed or with pressure.

PARAMETERS

name	default	description
from	(0pt, 0pt)	From.
to	(10cm, 0pt)	To.
weight	0.018	Stroke weight.
angle	24deg	Angle of rotation.
ink	antique-palette.ink	Colour of outlines and text.
dash	none	Dash pattern of the stroke (`"solid"`, `"dashed"`, `"dotted"`…).
pressure	none	Pen-pressure variation along the stroke.
epsilon	0.004	Simplification tolerance.

EXAMPLE

```
#engraved-rule(from: (0pt, 0pt), to: (7cm, 0pt))
```

engraved-frame also cadre-grave

```
engraved-frame(body, width: 100%, pad: (x: 1.3em, y: 0.85em), gap: 3.2pt, weight: 0.018, angle: 24deg, ink: antique-palette.ink, …)
```

An engraved double-rule frame around content, with diamond corner marks.

PARAMETERS

name	default	description
body	required	The content of the box (positional).
width	100%	Width of the box (`auto`: fits the content, `100%`: the line).
pad	(x: 1.3em, y: 0.85em)	Inner padding.
gap	3.2pt	Space between the parts.
weight	0.018	Stroke weight.
angle	24deg	Angle of rotation.
ink	antique-palette.ink	Colour of outlines and text.
corners	true	Corner ornaments on or off.
corner-size	0.075	Size of the corner.

EXAMPLE

```
#engraved-frame[The whole document is now a plate: A4, cream paper,
Garamond, justified, 0.62em leading.]
```

The whole document is now a plate: A4, cream paper, Garamond, justified, 0.62em leading.

plate-page also planche

```
plate-page(body, title: none, subtitle: none, number: none, paper: antique-palette.paper, ink: antique-palette.ink, margin: (x: 20mm, y: 18mm), …)
```

A vintage plate: aged paper, smallcaps number, Garamond title and italic subtitle.

PARAMETERS

name	default	description
body	required	The content of the box (positional).
title	none	Title shown in the box (content or `none`).
subtitle	none	Subtitle bar(s).
number	none	Number shown in the badge (content, or `auto` for automatic numbering).
paper	antique-palette.paper	Colour of the paper.
ink	antique-palette.ink	Colour of outlines and text.
margin	(x: 20mm, y: 18mm)	Outer margin.
title-gap	8mm	Space between the title and the body.
width	210mm	Width of the box (`auto`: fits the content, `100%`: the line).
height	297mm	Height of the box (`auto`: fits the content).

USAGE (PAGE LAYOUT, SHOWN AS CODE ONLY)

```
#show: plate-page.with(title: [Plate I])
Text…
```

patent-page also brevet

```
patent-page(body, title: none, subtitle: none, office: [United States Patent Office], number: none, date: none, paper: antique-palette.patent-paper,
…)
```

A vintage patent page: office name, number and date above a full-width rule.

PARAMETERS

name	default	description
`body`	required	The content of the box (positional).
`title`	`none`	Title shown in the box (content or `none`).
`subtitle`	`none`	Subtitle bar(s).
`office`	`[United States Patent Office]`	Office.
`number`	`none`	Number shown in the badge (content, or `auto` for automatic numbering).
`date`	`none`	Date.
`paper`	`antique-palette.patent-paper`	Colour of the paper.
`ink`	`antique-palette.patent-ink`	Colour of outlines and text.
`margin`	`(top: 17mm, bottom: 18mm, left: 21mm, right…`	Outer margin.
`width`	`210mm`	Width of the box (`auto`: fits the content, `100%`: the line).
`height`	`297mm`	Height of the box (`auto`: fits the content).

USAGE (PAGE LAYOUT, SHOWN AS CODE ONLY)

```
#show: patent-page.with(title: [Patent])
Text…
```

`figure-caption` also `legende-figure`

```
figure-caption(body)
```

A centred italic figure caption in the engraved register.

PARAMETERS

name	default	description
`body`	required	The content of the box (positional).

`antique-label` also `etiquette-gravee`

```
antique-label(point, body, paper: antique-palette.paper, ink: antique-palette.ink)
```

An italic label on a paper-backed disc, for labelling points of a drawing.

PARAMETERS

name	default	description
`point`	required	Point.
`body`	required	The content of the box (positional).
`paper`	`antique-palette.paper`	Colour of the paper.
`ink`	`antique-palette.ink`	Colour of outlines and text.

`antique-notes`

```
antique-notes(..items, gutter: 12mm)
```

A row of notes: smallcaps heading plus text.

PARAMETERS

name	default	description
`..items`	required	Extra named arguments passed to the underlying function.
`gutter`	`12mm`	Gutter.

EXAMPLE

```
#antique-notes(
  antique-note([Plate I], [See #raw("examples/antique.typ") for the plate style and its engraving primitives.]),
  antique-note([N° 0012 345], [The number and the date are printed in smallcaps at the top right of the sheet.]),
)
```

PLATE I See `examples/antique.typ` for the plate style and its engraving primitives.

N° 0012 345 The number and the date are printed in smallcaps at the top right of the sheet.

`antique-note`

```
antique-note(heading, body)
```

One note: smallcaps heading then the body text.

PARAMETERS

name	default	description
`heading`	required	Heading text.
`body`	required	The content of the box (positional).

EXAMPLE

```
#antique-note([Nib], [Elliptical, 24° to the tangent; the thickness follows the path.])
```

NIB Elliptical, 24° to the tangent; the thickness follows the path.

VALUES AND CONSTANTS

`antique-palette`	Sepia ink and aged paper of the antique register.
`antique-fonts`	Serif stacks of the antique register.

Programme, meters, pictograms and covers

Teaching-programme components (lesson, pin, brush, subject cartouche), meters and pictograms (difficulty, gauge, chrono), watermarks and book covers.

`leconbox` also `lecon`

```
leconbox(body, num: auto, accent: auto, badge: auto, width: 100%, min-height: 2.3em, inset: (x: 1.1em, y: 0.5em), …)
```

The numbered lesson bar of the annual programme: grey gradient bar, number disc.

PARAMETERS

name	default	description
`body`	required	The content of the box (positional).
`num`	`auto`	Num.
`accent`	`auto`	Accent colour.
`badge`	`auto`	Content of the badge.
`width`	`100%`	Width of the box (`auto`: fits the content, `100%`: the line).
`min-height`	`2.3em`	Minimum height of the box.
`inset`	`(x: 1.1em, y: 0.5em)`	Inner padding: a length, or `(x:, y:)`.

name	default	description
`fill`	`auto`	Background fill (colour, gradient or pattern).
`text-fill`	`rgb("#1C1C1C")`	Colour of the text.
`text-size`	`1em`	Font size of the text.
`num-fill`	`rgb("#2E2E2E")`	Num fill.
`shadow`	`true`	Drop shadow: `true`, `false`, or a colour.
`vintage`	`false`	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
`vintage-pen`	`none`	Nib override `(a, b, angle)`; `none` derives it from the stroke width.

EXAMPLE

```
#leconbox(num: 1)[leconbox]
```



`lecon-reset`

```
lecon-reset()
```

Resets the automatic numbering of `leconbox`.

`pinbox` also `epingle`

```
pinbox(..a, colour: rgb("#009A96"), diameter: 3.1cm, text-fill: rgb("#141414"), disc: white, shadow: true, subtitle: none, …)
```

The map-pin badge of the programme header: a thin teal ring over a thick one.

PARAMETERS

name	default	description
`..a`	required	Extra named arguments passed to the underlying function.
`colour`	`rgb("#009A96")`	Main colour of the box.
`diameter`	`3.1cm`	Diameter.
`text-fill`	`rgb("#141414")`	Colour of the text.
`disc`	`white`	Disc.
`shadow`	`true`	Drop shadow: `true`, `false`, or a colour.
`subtitle`	`none`	Subtitle bar(s).
`vintage`	`false`	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
`vintage-pen`	`none`	Nib override `(a, b, angle)`; `none` derives it from the stroke width.
`title-offset-x`	`0pt`	Horizontal nudge of the title.
`title-offset-y`	`0pt`	Vertical nudge of the title.

EXAMPLE

```
#pinbox[Chimie]
```



`brushbox` also `pinceau`

```
brushbox(body, colour: rgb("#F0DCE8"), width: 100%, inset: (x: 2em, y: 0.62em), text-fill: rgb("#15343A"), text-size: 1.05em, streaks: 9, …)
```


A brush-stroke title banner.

PARAMETERS

name	default	description
body	required	The content of the box (positional).
colour	rgb("#F0DCE8")	Main colour of the box.
width	100%	Width of the box (`auto`: fits the content, `100%`: the line).
inset	(x: 2em, y: 0.62em)	Inner padding: a length, or `(x:, y:)`.
text-fill	rgb("#15343A")	Colour of the text.
text-size	1.05em	Font size of the text.
streaks	9	Streaks.
vintage	false	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
vintage-pen	none	Nib override `(a, b, angle)`; `none` derives it from the stroke width.

EXAMPLE

```
#brushbox[شريط الفرشاة.]
```



matierebox also cartouche

```
matierebox(subject: none, year: none, body: none, base: rgb("#45B3BE"), width: 100%, height: 1.5cm, dots: true, …)
```

The subject ribbon of the programme header: white rounded banner with a teal gradient.


PARAMETERS

name	default	description
subject	none	Subject.
year	none	Year shown.
body	none	The content of the box (positional).
base	rgb("#45B3BE")	Base colour.
width	100%	Width of the box (`auto`: fits the content, `100%`: the line).
height	1.5cm	Height of the box (`auto`: fits the content).
dots	true	Number of dots.
shadow	true	Drop shadow: `true`, `false`, or a colour.

name	default	description
text-fill	rgb("#0E5F6E")	Colour of the text.
year-fill	rgb("#141414")	Year fill.
text-size	0.95em	Font size of the text.
vintage	false	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
vintage-pen	none	Nib override `(a, b, angle)`; `none` derives it from the stroke width.
body-offset-x	0pt	Horizontal nudge of the body text.
body-offset-y	0pt	Vertical nudge of the body text.

EXAMPLE

```
#matierebox(subject: [Physique], year: [2026/2027])
```



arc-pts

```
arc-pts(cx, cy, r, a0, a1, n: 40)
```

Points of a circular arc (geometry helper).

PARAMETERS

name	default	description
cx	required	X coordinate of the centre.
cy	required	Y coordinate of the centre.
r	required	R.
a0	required	A0.
a1	required	A1.
n	40	Count (a whole number).

poly-pts

```
poly-pts(pts, paint, w, closed: false, dx: 0pt, dy: 0pt)
```

Points of a regular polygon (geometry helper).

PARAMETERS

name	default	description
pts	required	List of points `(x, y)`.
paint	required	Paint (colour, gradient or pattern).
w	required	Width.
closed	false	Close the path.
dx	0pt	Horizontal displacement.
dy	0pt	Vertical displacement.

round-poly

```
round-poly(pts, paint, w: 1.6pt, dx: 0pt, dy: 0pt, stroke-paint: none)
```

A polygon with rounded corners (geometry helper).

PARAMETERS

name	default	description
pts	required	List of points `(x, y)`.
paint	required	Paint (colour, gradient or pattern).
w	1.6pt	Width.
dx	0pt	Horizontal displacement.

name	default	description
dy	0pt	Vertical displacement.
stroke-paint	none	Stroke paint.

meter also pictoskills

```
meter(value, max: 5, style: "gauge", label: auto, colour: auto, track: auto, size: 1.5cm, …)
```

A compact level meter in ten styles: gauge, battery, bars, dots, pie, speedometer, target, stopwatch, thermometer, steps.

PARAMETERS

name	default	description
value	required	The reading, between 0 and `max`.
max	5	Maximum of the scale.
style	"gauge"	Style variant.
label	auto	Label text.
colour	auto	Main colour of the box.
track	auto	Track.
size	1.5cm	Size.
digits	true	Digits.
shaded	false	Shaded.
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
vintage	false	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
vintage-pen	none	Nib override `(a, b, angle)`; `none` derives it from the stroke width.

EXAMPLE

```
#meter(2)
```



difficulty also niveaudiffexos

```
difficulty(value, max: 5, style: "gauge", label: auto, ..a)
```


A meter pre-set for exercise difficulty.

PARAMETERS

name	default	description
value	required	The reading, between 0 and `max`.
max	5	Maximum of the scale.
style	"gauge"	Style variant.
label	auto	Label text.
..a	required	Extra named arguments passed to the underlying function.

EXAMPLE

```
#difficulty(3)
```



pictochrono

```
pictochrono(minutes, max: 60, size: 1.2cm, label: auto, colour: rgb("#1565C0"), ..a)
```

An inline stopwatch: the filled sector is duration over max.

PARAMETERS

name	default	description
minutes	required	Minutes.
max	60	Maximum of the scale.
size	1.2cm	Size.
label	auto	Label text.
colour	rgb("#1565C0")	Main colour of the box.
..a	required	Extra named arguments passed to the underlying function.

EXAMPLE

```
#pictochrono(25)
```



tkzpicto

```
tkzpicto(kind, value: 3, max: 5, size: 1.3cm, ..a)
```


The tkzpicto-style dispatcher: one call for the different pictograms.

PARAMETERS

name	default	description
kind	required	Variant of the design (a name).
value	3	The reading, between 0 and `max`.
max	5	Maximum of the scale.
size	1.3cm	Size.
..a	required	Extra named arguments passed to the underlying function.

EXAMPLE

```
#tkzpicto("gauge", value: 3)
```



competence-crayon

```
competence-crayon(sections: none, title: none, body: none, colours: (rgb("#FB8C00"), rgb("#43A047"), rgb("#8E24AA"), rgb("#00ACC1")), width: 7.4cm,
size: 1.0, ink: white, …)
```


A vertical skills pencil with coloured levels.

PARAMETERS

name	default	description
sections	none	Sections.
title	none	Title shown in the box (content or `none`).
body	none	The content of the box (positional).
colours	(rgb("#FB8C00"), rgb("#43A047"), rgb("#8E24…	List of colours used in turn by the items.
width	7.4cm	Width of the box (`auto`: fits the content, `100%`: the line).
size	1.0	Size.
ink	white	Colour of outlines and text.
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
vintage	false	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
vintage-pen	none	Nib override `(a, b, angle)`; `none` derives it from the stroke width.

EXAMPLE

```
#competence-crayon(
  sections: (
    ([Search], [Find and sort the sources.]),
    ([Model], [Turn the problem into a model.]),
    ([Compute], [Run the computation.]),
    ([Report], [Explain and check the result.]),
  ),
  width: 6cm,
)
```



level-counter

```
level-counter(value, max: 4, size: 0.42cm, colour: rgb("#1565C0"), empty: luma(220), direction: auto)
```

A mini level counter: numbered cells.

PARAMETERS

name	default	description
`value`	required	The reading, between 0 and `max`.
`max`	`4`	Maximum of the scale.
`size`	`0.42cm`	Size.
`colour`	`rgb("#1565C0")`	Main colour of the box.
`empty`	`luma(220)`	Empty.
`direction`	`auto`	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.

EXAMPLE

```
#level-counter(2)
```



`pictocible`

```
pictocible(value, max: 5, size: 1.4cm, ..a)
```

A target pictogram.

PARAMETERS

name	default	description
`value`	required	The reading, between 0 and `max`.
`max`	`5`	Maximum of the scale.
`size`	`1.4cm`	Size.
`..a`	required	Extra named arguments passed to the underlying function.

EXAMPLE

```
#pictocible(3, size: 1.0cm)
```



`bicolor-title`

```
bicolor-title(start, end: none, colour-a: rgb("#1565C0"), colour-b: rgb("#EF6C00"), ink: white, height: 0.86cm, width: 100%, …)
```

A two-colour title: two parallelograms overlapping on a chevron.

PARAMETERS

name	default	description
`start`	required	Start.
`end`	`none`	End.
`colour-a`	`rgb("#1565C0")`	Colour a.
`colour-b`	`rgb("#EF6C00")`	Colour b.
`ink`	`white`	Colour of outlines and text.
`height`	`0.86cm`	Height of the box (`auto`: fits the content).
`width`	`100%`	Width of the box (`auto`: fits the content, `100%`: the line).
`skew`	`0.42cm`	Skew.
`size`	`1.0`	Size.

EXAMPLE

```
#bicolor-title([Chapter], end: [01])
```



`bicolor-bignum`

```
bicolor-bignum(start, end: none, colour-a: rgb("#1565C0"), colour-b: rgb("#EF6C00"), ink-a: auto, ink-b: auto, height: 0.86cm, …)
```

A two-colour title where each half wears the colour of the opposite side, with a bent seam.

PARAMETERS

name	default	description
`start`	required	Start.
`end`	`none`	End.
`colour-a`	`rgb("#1565C0")`	Colour a.
`colour-b`	`rgb("#EF6C00")`	Colour b.
`ink-a`	`auto`	Ink a.
`ink-b`	`auto`	Ink b.
`height`	`0.86cm`	Height of the box (`auto`: fits the content).
`width`	`100%`	Width of the box (`auto`: fits the content, `100%`: the line).
`skew`	`0.42cm`	Skew.
`size`	`1.0`	Size.
`direction`	`auto`	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
`seam`	`"slant"`	Seam.
`seam-amp`	`auto`	Seam amp.

EXAMPLE

```
#bicolor-bignum([Five], seam: "arc")
```



banner-tri

```
banner-tri(body, title: none, colour: rgb("#C62828"), fill: auto, fill-b: auto, ink: white, ink-b: auto, …)
```

The exercise banner: three-part bar with number, title and points.

PARAMETERS

name	default	description
body	required	The content of the box (positional).
title	none	Title shown in the box (content or `none`).
colour	rgb("#C62828")	Main colour of the box.
fill	auto	Background fill (colour, gradient or pattern).
fill-b	auto	Fill b.
ink	white	Colour of outlines and text.
ink-b	auto	Ink b.
arrows	3	Arrows.
tip	0.48cm	Tip.
step	0.18cm	Step.
height	auto	Height of the box (`auto`: fits the content).
width	100%	Width of the box (`auto`: fits the content, `100%`: the line).

name	default	description
size	1.0	Size.
title-size	1.05em	Font size of the title.
body-size	1.12em	Font size of the body text.
title-align	auto	Alignment of the title.
body-align	auto	Alignment of the body.
inset	0.16cm	Inner padding: a length, or `(x:, y:)`.
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
style	"pointu"	Style variant.
round	auto	Rounding.
body-round	auto	Rounding of the body.
vintage	false	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
vintage-pen	none	Nib override `(a, b, angle)`; `none` derives it from the stroke width.

EXAMPLE

```
#banner-tri[SALE]
```



banner-tri-bis

```
banner-tri-bis(body, title: [Exercice], points: [3 pts], colour: rgb("#C62828"), ink: white, width: 100%, ribbon-width: auto, …)
```

The exam-kit variant of the exercise banner.

PARAMETERS

name	default	description
body	required	The content of the box (positional).
title	[Exercice]	Title shown in the box (content or `none`).
points	[3 pts]	List of points `(x, y)`.
colour	rgb("#C62828")	Main colour of the box.
ink	white	Colour of outlines and text.
width	100%	Width of the box (`auto`: fits the content, `100%`: the line).
ribbon-width	auto	Width of the ribbon.
arrows	3	Arrows.
arrow-gap	2.5mm	Space around the arrow.

name	default	description
gap	0.55em	Space between the parts.
pad-x	0.55em	Horizontal padding.
pad-y	0.65em	Vertical padding.
size	1.0	Size.
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
style	"arrondi"	Style variant.
round	auto	Rounding.
vintage	false	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
vintage-pen	none	Nib override `(a, b, angle)`; `none` derives it from the stroke width.

EXAMPLE

```
#banner-tri-bis(title: [2 التمرين], points: [3 ن])[
  حل المعادلة في مجهول واحد.]
```



حل المعادلة في مجهول واحد.

highway-sign

```
highway-sign(body, title: none, colour: rgb("#0D47A1"), ink: white, width: 100%, inset: 0.28cm, vintage: false, …)
```

A French highway sign: blue with a white inner rule.

PARAMETERS

name	default	description
body	required	The content of the box (positional).
title	none	Title shown in the box (content or `none`).
colour	rgb("#0D47A1")	Main colour of the box.
ink	white	Colour of outlines and text.
width	100%	Width of the box (`auto`: fits the content, `100%`: the line).
inset	0.28cm	Inner padding: a length, or `(x:, y:)`.
vintage	false	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
vintage-pen	none	Nib override `(a, b, angle)`; `none` derives it from the stroke width.

EXAMPLE

```
#highway-sign(title: [A1])[Algiers]
```



sale-poster

```
sale-poster(body: none, old: [19,90 €], new: [9,90 €], reduction: auto, header: auto, colour: luma(90), width: 7.2cm, …)
```


A sales poster: titled box, old price leading, new price trailing, slanted band.

PARAMETERS

name	default	description
body	none	The content of the box (positional).
old	[19,90 €]	Old.
new	[9,90 €]	New.
reduction	auto	Reduction.
header	auto	Header.
colour	luma(90)	Main colour of the box.
width	7.2cm	Width of the box (`auto`: fits the content, `100%`: the line).
size	1.0	Size.
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
vintage	false	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
vintage-pen	none	Nib override `(a, b, angle)`; `none` derives it from the stroke width.

EXAMPLE

```
#sale-poster(old: [19,90 €], body: [9,90 €])
```



smooth-pts

```
smooth-pts(points, radius, samples: 5)
```

Smooths a list of points (helper).

PARAMETERS

name	default	description
points	required	List of points `(x, y)`.
radius	required	Corner radius.
samples	5	Samples.

book-cover

```
book-cover(title: none, subtitle: none, author: none, series: none, level: none, year: none, publisher: none, …)
```

A full-page book cover in one of ten styles (guilloche, wedges, spine…).

PARAMETERS

name	default	description
title	none	Title shown in the box (content or `none`).
subtitle	none	Subtitle bar(s).
author	none	Author.
series	none	Series.
level	none	Level.
year	none	Year shown.
publisher	none	Publisher.
place-line	none	Place line.
badge	none	Content of the badge.
badge-label	none	Label of the badge.
badge-note	none	Badge note.
lead-in	none	Lead in.
page-a	none	Page a.
page-b	none	Page b.
topics	none	Topics.
formula	none	Formula.
note	none	Note.
author-label	auto	Author label.
style	"guilloche"	Style variant.
lace	"spiral"	Lace.
colour	auto	Main colour of the box.
accent	auto	Accent colour.
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
vintage	false	`true`: strokes are redrawn with an elliptical nib (engraved look); fills and layout are unchanged.
vintage-pen	none	Nib override `(a, b, angle)`; `none` derives it from the stroke width.

with-watermark

```
with-watermark(body, watermark, watermark-angle: -18deg, watermark-colour: auto, watermark-size: 2.1em)
```

Overlays a watermark on any box or block, clipped to it.

PARAMETERS

name	default	description
`body`	required	The content of the box (positional).
`watermark`	required	Watermark text or content (`none`: no watermark).
`watermark-angle`	`-18deg`	Rotation of the watermark.
`watermark-colour`	`auto`	Colour of the watermark.
`watermark-size`	`2.1em`	Size of the watermark.

EXAMPLE

```
#with-watermark(rect(width: 6cm, height: 2.2cm, stroke: 0.5pt)[Content], [DRAFT])
```



`paint-watermark`

```
paint-watermark(mark, colour: luma(70%), angle: -18deg, size: 2.1em, width: auto, height: auto)
```

A watermark used as a paint.

PARAMETERS

name	default	description
`mark`	required	Mark.
`colour`	`luma(70%)`	Main colour of the box.
`angle`	`-18deg`	Angle of rotation.
`size`	`2.1em`	Size.
`width`	`auto`	Width of the box (`auto`: fits the content, `100%`: the line).
`height`	`auto`	Height of the box (`auto`: fits the content).

EXAMPLE

```
#box(width: 6cm, height: 2.4cm, stroke: 0.5pt,
  paint-watermark([DRAFT], size: 1.6em))
```



VALUES AND CONSTANTS

`lecon-counter`	Lesson counter of the programme boxes.
`prog-colours`	Subject colours of the programme boxes.

Slide components I — cards, lists and grids

Ready-made information layouts: card grids, capsule lists, calendars, neumorphic panels and feature cards. Most take a `steps:` array of `(title:, body:, icon:)` dictionaries and a `width`.

`abstract-textbox`

```
abstract-textbox(title: [], body: [], number: auto, icon: none, colour: auto, backing-colour: rgb("#0B4055"), width: auto, …)
```

An abstract text box with a geometric header.

PARAMETERS

name	default	description
`title`	`[]`	Title shown in the box (content or `none`).
`body`	`[]`	The content of the box (positional).
`number`	`auto`	Number shown in the badge (content, or `auto` for automatic numbering).
`icon`	`none`	Icon shown in the box (content, symbol or `none`).
`colour`	`auto`	Main colour of the box.
`backing-colour`	`rgb("#0B4055")`	Colour of the backing.
`width`	`auto`	Width of the box (`auto`: fits the content, `100%`: the line).
`height`	`auto`	Height of the box (`auto`: fits the content).
`min-height`	`6.3cm`	Minimum height of the box.
`direction`	`auto`	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
`padding`	`0.34cm`	Inner padding.
`title-size`	`11pt`	Font size of the title.
`body-size`	`7.5pt`	Font size of the body text.
`number-size`	`16pt`	Font size of the number.
`icon-size`	`24pt`	Size of the icon.

name	default	description
`number-colour`	`auto`	Colour of the number.
`icon-colour`	`auto`	Colour of the icon.
`text-colour`	`auto`	Colour of the body text.
`backing-offset`	`0.34cm`	Backing offset.
`corner-radius`	`0.24cm`	Corner radius.
`header-space`	`2.28cm`	Header space.
`body-gap`	`0.12cm`	Space around the body.
`body-offset-x`	`0pt`	Horizontal nudge of the body text.
`body-offset-y`	`0pt`	Vertical nudge of the body text.
`icon-offset-x`	`0pt`	Horizontal nudge of the icon.
`icon-offset-y`	`0pt`	Vertical nudge of the icon.
`number-offset-x`	`0pt`	Horizontal nudge of the number.
`number-offset-y`	`0pt`	Vertical nudge of the number.
`title-offset-x`	`0pt`	Horizontal nudge of the title.
`title-offset-y`	`0pt`	Vertical nudge of the title.

EXAMPLE

```
#abstract-textbox(
  title: [Print mode],
  body: [White faces; title, body and number should all be black.],
  number: [02],
  icon: [✦],
  width: 72%,
  min-height: 5.2cm,
)
```



`calendar-list`

```
calendar-list(steps: (), width: auto, columns: 4, gap: 0.36cm, row-gap: 0.65cm, height: 5.65cm, header-height: 1.42cm, …)
```


A grid of calendar-style list cards with twin binder tabs.

PARAMETERS

name	default	description
`steps`	`()`	Number of steps, or the list of steps.
`width`	`auto`	Width of the box (`auto`: fits the content, `100%`: the line).
`columns`	`4`	Number of columns (or the column sizes).
`gap`	`0.36cm`	Space between the parts.
`row-gap`	`0.65cm`	Space between the rows.
`height`	`5.65cm`	Height of the box (`auto`: fits the content).
`header-height`	`1.42cm`	Height of the header.
`direction`	`auto`	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
`colours`	`( rgb("#F05C4D"), rgb("#F4A51C"), rgb("#71A…`	List of colours used in turn by the items.
`title-size`	`11.2pt`	Font size of the title.
`body-size`	`7.7pt`	Font size of the body text.
`icon-size`	`0.82cm`	Size of the icon.

EXAMPLE

```
#calendar-list(steps: ((title: [One], body: [Short text.]), (title: [Two], body: [Another
line.]), (title: [Three], body: [A third one.]), (title: [Four], body: [The last.])), width:
100%, columns: 2)
```



capsule-text-boxes

```
capsule-text-boxes(steps: (), width: auto, columns: 3, gap: 0.62cm, row-gap: 0.78cm, height: 6.15cm, direction: auto, …)
```

A row or grid of floating capsule-shaped text cards.

PARAMETERS

name	default	description
steps	()	Number of steps, or the list of steps.
width	auto	Width of the box (`auto`: fits the content, `100%`: the line).
columns	3	Number of columns (or the column sizes).
gap	0.62cm	Space between the parts.
row-gap	0.78cm	Space between the rows.
height	6.15cm	Height of the box (`auto`: fits the content).
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
colours	((rgb("#FFCB4A"), rgb("#292929")), (rgb("#…	List of colours used in turn by the items.

name	default	description
title-size	12pt	Font size of the title.
body-size	8.1pt	Font size of the body text.
number-size	26pt	Font size of the number.
icon-size	0.72cm	Size of the icon.
seam-width	0.15cm	Width of the seam.
icon-offset-x	0pt	Horizontal nudge of the icon.
icon-offset-y	0pt	Vertical nudge of the icon.

EXAMPLE

```
#capsule-text-boxes(steps: ((title: [One], body: [Short text.]), (title: [Two], body: [Another line.]), (title: [Three], body: [A third one.]), (title: [Four], body: [The last.])), width: 100%, columns: 2)
```



`cards-with-corner-sleeve`

```
cards-with-corner-sleeve(steps: (), width: auto, columns: 4, gap: 0.48cm, row-gap: 0.64cm, height: 6.15cm, flap-width: 3.65cm, …)
```

A grid of rounded cards with a coloured diagonal sleeve over each corner.

PARAMETERS

name	default	description
`steps`	`()`	Number of steps, or the list of steps.
`width`	`auto`	Width of the box (`auto`: fits the content, `100%`: the line).
`columns`	`4`	Number of columns (or the column sizes).
`gap`	`0.48cm`	Space between the parts.
`row-gap`	`0.64cm`	Space between the rows.
`height`	`6.15cm`	Height of the box (`auto`: fits the content).
`flap-width`	`3.65cm`	Width of the flap.
`flap-height`	`3.10cm`	Height of the flap.

name	default	description
`direction`	`auto`	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
`colours`	`( (rgb("#F7941D"), black), (rgb("#49BDE6"),…`	List of colours used in turn by the items.
`title-size`	`12pt`	Font size of the title.
`body-size`	`7.7pt`	Font size of the body text.
`icon-size`	`0.78cm`	Size of the icon.
`icon-offset-x`	`0pt`	Horizontal nudge of the icon.
`icon-offset-y`	`0pt`	Vertical nudge of the icon.

EXAMPLE

```
#cards-with-corner-sleeve(steps: ((title: [One], body: [Short text.]), (title: [Two], body:
[Another line.]), (title: [Three], body: [A third one.]), (title: [Four], body: [The last.])),
width: 100%, columns: 2)
```



cornered-cards

```
cornered-cards(steps: (), width: auto, columns: 4, gap: 0.54cm, row-gap: 0.76cm, height: 6.15cm, direction: auto, …)
```

A grid of white cards with diagonal icon and number corners.


PARAMETERS

name	default	description
steps	()	Number of steps, or the list of steps.
width	auto	Width of the box (`auto`: fits the content, `100%`: the line).
columns	4	Number of columns (or the column sizes).
gap	0.54cm	Space between the parts.
row-gap	0.76cm	Space between the rows.
height	6.15cm	Height of the box (`auto`: fits the content).
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
colours	((rgb("#F15F52"), rgb("#F15F52"), white), …	List of colours used in turn by the items.

name	default	description
title-size	12.5pt	Font size of the title.
body-size	7.8pt	Font size of the body text.
icon-size	0.78cm	Size of the icon.
corner-size	1.92cm	Size of the corner.
corner-overhang	0.18cm	Overhang of the corner.
icon-offset-x	0pt	Horizontal nudge of the icon.
icon-offset-y	0pt	Vertical nudge of the icon.

EXAMPLE

```
#cornered-cards(steps: ((title: [One], body: [Short text.]), (title: [Two], body: [Another
line.]), (title: [Three], body: [A third one.]), (title: [Four], body: [The last.])), width:
100%, columns: 2)
```



cube-block-list

```
cube-block-list(steps: (), width: auto, columns: 3, gap: 0.42cm, row-gap: 0.76cm, head-height: 1.18cm, body-height: 2.90cm, …)
```

A grid of colour cube-like cards for a block list.


PARAMETERS

name	default	description
steps	()	Number of steps, or the list of steps.
width	auto	Width of the box (`auto`: fits the content, `100%`: the line).
columns	3	Number of columns (or the column sizes).
gap	0.42cm	Space between the parts.
row-gap	0.76cm	Space between the rows.
head-height	1.18cm	Height of the head.
body-height	2.90cm	Height of the body.

name	default	description
depth	0.44cm	Depth of the relief or extrusion.
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
colours	((rgb("#06445A"), white, white), (rgb("#52…	List of colours used in turn by the items.
title-size	14pt	Font size of the title.
body-size	8.2pt	Font size of the body text.
icon-size	0.76cm	Size of the icon.

EXAMPLE

```
#cube-block-list(steps: ((title: [One], body: [Short text.]), (title: [Two], body: [Another line.]), (title: [Three], body: [A third one.]), (title: [Four], body: [The last.])), width: 100%, columns: 2)
```



`double-duo-neumorphic`

```
double-duo-neumorphic(steps: (), width: auto, columns: 2, gap: 0.66cm, row-gap: 0.68cm, height: 3.55cm, direction: auto, …)
```

A grid of soft double-shadowed (neumorphic) cards.

PARAMETERS

name	default	description
`steps`	`()`	Number of steps, or the list of steps.
`width`	`auto`	Width of the box (`auto`: fits the content, `100%`: the line).
`columns`	`2`	Number of columns (or the column sizes).
`gap`	`0.66cm`	Space between the parts.
`row-gap`	`0.68cm`	Space between the rows.
`height`	`3.55cm`	Height of the box (`auto`: fits the content).
`direction`	`auto`	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
`title-size`	`13pt`	Font size of the title.
`body-size`	`8.8pt`	Font size of the body text.
`icon-size`	`2.04cm`	Size of the icon.

EXAMPLE

```
#double-duo-neumorphic(steps: ((title: [One], body: [Short text.]), (title: [Two], body: [Another line.]), (title: [Three], body: [A third one.]), (title: [Four], body: [The last.])), width: 100%, columns: 2)
```



`four-feature-icon-cards`

```
four-feature-icon-cards(steps: (), width: auto, columns: 2, gap: 0.72cm, row-gap: 0.88cm, height: 3.18cm, direction: auto, …)
```

A two-by-two feature grid with colourful circular icon medallions.

PARAMETERS

name	default	description
`steps`	`()`	Number of steps, or the list of steps.
`width`	`auto`	Width of the box (`auto`: fits the content, `100%`: the line).
`columns`	`2`	Number of columns (or the column sizes).
`gap`	`0.72cm`	Space between the parts.


name	default	description
`body-size`	`7.6pt`	Font size of the body text.
`icon-size`	`1.12cm`	Size of the icon.
`title-height`	`0.76cm`	Height of the title.
`title-width`	`auto`	Width of the title.
`title-y`	`0.38cm`	Vertical position of the title.
`body-y`	`1.32cm`	Vertical position of the body.
`text-start`	`2.72cm`	Start of the text.
`text-end`	`1.05cm`	Text end.
`icon-offset-x`	`0pt`	Horizontal nudge of the icon.

name	default	description
row-gap	0.88cm	Space between the rows.
height	3.18cm	Height of the box (`auto`: fits the content).
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
dark	false	Dark colour of the design.
colours	(rgb("#F25E4B"), rgb("#10B4CE"), rgb("#FF9…	List of colours used in turn by the items.
title-size	13pt	Font size of the title.

name	default	description
icon-offset-y	0pt	Vertical nudge of the icon.

EXAMPLE

```
#four-feature-icon-cards(steps: ((title: [One], body: [Short text.]), (title: [Two], body:
[Another line.]), (title: [Three], body: [A third one.]), (title: [Four], body: [The last.])),
width: 100%)
```



l-shaped-header-box

```
l-shaped-header-box(header: [], title: [], body: [], icon: none, width: 4.15cm, height: 3.18cm, direction: auto, …)
```

A single L-shaped header box.

PARAMETERS

name	default	description
header	[]	Header.
title	[]	Title shown in the box (content or `none`).
body	[]	The content of the box (positional).
icon	none	Icon shown in the box (content, symbol or `none`).
width	4.15cm	Width of the box (`auto`: fits the content, `100%`: the line).
height	3.18cm	Height of the box (`auto`: fits the content).
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
dark	false	Dark colour of the design.
colour	rgb("#45B9E0")	Main colour of the box.
body-colour	auto	Colour of the body.
shadow-colour	auto	Colour of the shadow.
header-text-colour	auto	Colour of the header text.
title-colour	auto	Colour of the title text.
text-colour	auto	Colour of the body text.
icon-size	0.68cm	Size of the icon.
badge-size	1.46cm	Size of the badge.
header-height	0.86cm	Height of the header.

name	default	description
header-overhang	0.44cm	Overhang of the header.
header-x	0.83cm	Horizontal position of the header.
body-y	0.76cm	Vertical position of the body.
title-y	1.48cm	Vertical position of the title.
text-y	2.52cm	Vertical position of the text.
title-size	11.5pt	Font size of the title.
header-size	10pt	Size of the header.
body-size	8pt	Font size of the body text.
radius	0.20cm	Corner radius.
inset-x	0.34cm	Horizontal padding.
body-offset-x	0pt	Horizontal nudge of the body text.
body-offset-y	0pt	Vertical nudge of the body text.
icon-offset-x	0pt	Horizontal nudge of the icon.
icon-offset-y	0pt	Vertical nudge of the icon.
title-offset-x	0pt	Horizontal nudge of the title.
title-offset-y	0pt	Vertical nudge of the title.

EXAMPLE

```
#l-shaped-header-box(
    header: [رؤية مهمّة],
    title: [اجعل المعلومات أسهل في التطبيق],
    body: [أبرز الرسالة الأهم، ثم أضف سياقاً يوضّح الفائدة.],
    icon: image("../examples/assets/l-shaped-award.svg", width: 0.72cm),
    width: 7.8cm,
    height: 3.8cm,
    direction: rtl,
  )
```



frame-accent-block

```
frame-accent-block(title: [], body: [], icon: none, width: 4.1cm, square-size: 2.70cm, offset: 0.34cm, frame-weight: 2.2pt, …)
```

An icon block with an offset coloured square and an open frame.

PARAMETERS

name	default	description
`title`	`[]`	Title shown in the box (content or `none`).
`body`	`[]`	The content of the box (positional).
`icon`	`none`	Icon shown in the box (content, symbol or `none`).
`width`	`4.1cm`	Width of the box (`auto`: fits the content, `100%`: the line).
`square-size`	`2.70cm`	Size of the square.
`offset`	`0.34cm`	Offset.
`frame-weight`	`2.2pt`	Weight of the frame.
`direction`	`auto`	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
`dark`	`false`	Dark colour of the design.
`colour`	`rgb("#F9A619")`	Main colour of the box.

name	default	description
`frame-colour`	`auto`	Colour of the frame.
`title-colour`	`auto`	Colour of the title text.
`text-colour`	`auto`	Colour of the body text.
`icon-size`	`1.0cm`	Size of the icon.
`title-size`	`11pt`	Font size of the title.
`body-size`	`8.5pt`	Font size of the body text.
`title-gap`	`0.30cm`	Space between the title and the body.
`body-gap`	`0.16cm`	Space around the body.
`body-height`	`1.45cm`	Height of the body.

EXAMPLE

```
#frame-accent-block(
    title: [فكرة مركّزة],
    body: [اترك للفكرة المهمة مساحة واضحة، ثم أضف إليها تفاصيل موجزة تدعمها.],
    icon: image("../examples/assets/frame-accent-bulb.svg", width: 1.05cm),
    width: 4.1cm,
    square-size: 2.5cm,
    offset: 0.34cm,
    body-height: 1.55cm,
    direction: rtl,
  )
```



فكرة مركّزة

اترك للفكرة المهمة مساحة واضحة، ثم أضف إليها تفاصيل موجزة تدعمها.

`half-framed-text-box`

```
half-framed-text-box(title: [], body: [], icon: none, print-icon: none, width: 4.9cm, height: 7.5cm, direction: auto, …)
```

A half-framed box: top icon and title, white card and opposite frame.

PARAMETERS

name	default	description
`title`	`[]`	Title shown in the box (content or `none`).
`body`	`[]`	The content of the box (positional).
`icon`	`none`	Icon shown in the box (content, symbol or `none`).
`print-icon`	`none`	Keeps the icon in print mode (otherwise hidden).
`width`	`4.9cm`	Width of the box (`auto`: fits the content, `100%`: the line).
`height`	`7.5cm`	Height of the box (`auto`: fits the content).
`direction`	`auto`	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
`colour`	`rgb("#FFCC4C")`	Main colour of the box.
`title-colour`	`auto`	Colour of the title text.
`text-colour`	`auto`	Colour of the body text.

name	default	description
`shadow-colour`	`auto`	Colour of the shadow.
`title-size`	`13pt`	Font size of the title.
`body-size`	`7.8pt`	Font size of the body text.
`icon-size`	`0.48cm`	Size of the icon.
`body-offset-x`	`0pt`	Horizontal nudge of the body text.
`body-offset-y`	`0pt`	Vertical nudge of the body text.
`icon-offset-x`	`0pt`	Horizontal nudge of the icon.
`icon-offset-y`	`0pt`	Vertical nudge of the icon.
`title-offset-x`	`0pt`	Horizontal nudge of the title.
`title-offset-y`	`0pt`	Vertical nudge of the title.

EXAMPLE

```
#half-framed-text-box(
    title: [Lorem Ipsum],
    body: [Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor
incididunt ut labore et dolore magna aliqua.],
    icon: image("../examples/assets/half-framed-target-yellow.svg", width: 0.50cm),
    print-icon: image("../examples/assets/half-framed-target-print.svg", width: 0.50cm),
    width: 5.2cm,
    height: 7.7cm,
    direction: ltr,
  )
```



`kinds-text-box-1`

```
kinds-text-box-1(number: [1], title: [Your title], body: [Lorem ipsum dolor sit amet, consectetur adipiscing elit. Aenean commodo ligula eget dolor.
Aenean massa. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus.], width: auto, height: 6.8cm, direction: auto,
colour: rgb("#FFF2A8"), …)
```

A numbered text box with a tall twin-rule divider.

PARAMETERS

name	default	description
`number`	`[1]`	Number shown in the badge (content, or `auto` for automatic numbering).
`title`	`[Your title]`	Title shown in the box (content or `none`).
`body`	`[Lorem ipsum dolor sit amet, consectetur ad…`	The content of the box (positional).
`width`	`auto`	Width of the box (`auto`: fits the content, `100%`: the line).
`height`	`6.8cm`	Height of the box (`auto`: fits the content).
`direction`	`auto`	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
`colour`	`rgb("#FFF2A8")`	Main colour of the box.
`shadow-colour`	`auto`	Colour of the shadow.
`stroke-colour`	`auto`	Colour of the outline.
`stroke-width`	`1.6pt`	Width of the outline.
`number-colour`	`rgb("#68A1D5")`	Colour of the number.
`title-colour`	`auto`	Colour of the title text.
`text-colour`	`auto`	Colour of the body text.

name	default	description
`number-size`	`36pt`	Font size of the number.
`title-size`	`13.5pt`	Font size of the title.
`body-size`	`9.2pt`	Font size of the body text.
`title-width`	`auto`	Width of the title.
`body-width`	`auto`	Width of the body.
`title-body-gap`	`auto`	Space between the title and the body.
`title-offset-x`	`0pt`	Horizontal nudge of the title.
`title-offset-y`	`0pt`	Vertical nudge of the title.
`body-offset-x`	`0pt`	Horizontal nudge of the body text.
`body-offset-y`	`0pt`	Vertical nudge of the body text.
`number-offset-x`	`0pt`	Horizontal nudge of the number.
`number-offset-y`	`0pt`	Vertical nudge of the number.

EXAMPLE

```
#kinds-text-box-1(
      number: [٢],
      title: [عنوان اختباري],
      body: [نص عربي تجريبي يوضح طريقة تدفق الفقرة ومحاذاتها داخل العمود الجانبي.],
      width: 6.8cm,
      height: 7cm,
      direction: rtl,
    )
```



kinds-text-box-2

```
kinds-text-box-2(number: [2], title: [Your title], body: [Lorem ipsum dolor sit amet, consectetur adipiscing elit. Aenean commodo ligula eget dolor.
Aenean massa. Cum sociis natoque penatibus et magnis dis parturient.], width: auto, height: 7.4cm, direction: auto, colour: white, …)
```

A tall text box with a centred number-and-rule motif.

PARAMETERS

name	default	description
number	[2]	Number shown in the badge (content, or `auto` for automatic numbering).
title	[Your title]	Title shown in the box (content or `none`).
body	[Lorem ipsum dolor sit amet, consectetur ad…	The content of the box (positional).
width	auto	Width of the box (`auto`: fits the content, `100%`: the line).
height	7.4cm	Height of the box (`auto`: fits the content).
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
colour	white	Main colour of the box.
shadow-colour	auto	Colour of the shadow.
stroke-colour	auto	Colour of the outline.
stroke-width	1.6pt	Width of the outline.
number-colour	rgb("#68A1D5")	Colour of the number.
title-colour	auto	Colour of the title text.
text-colour	auto	Colour of the body text.

name	default	description
number-size	34pt	Font size of the number.
title-size	13.5pt	Font size of the title.
body-size	8.4pt	Font size of the body text.
number-offset-x	0pt	Horizontal nudge of the number.
number-offset-y	0pt	Vertical nudge of the number.
title-width	auto	Width of the title.
body-width	auto	Width of the body.
title-body-gap	auto	Space between the title and the body.
title-offset-x	0pt	Horizontal nudge of the title.
title-offset-y	0pt	Vertical nudge of the title.
body-offset-x	0pt	Horizontal nudge of the body text.
body-offset-y	0pt	Vertical nudge of the body text.

EXAMPLE

```
#kinds-text-box-2(
    number: [2],
    title: [عنوان واضح],
    body: [نص موجز يشرح الفكرة الثانية ويعرض أهم تفاصيلها للقارئ بوضوح.],
    width: 3.9cm,
    height: 7.4cm,
    direction: rtl,
  )
```



kinds-text-box-3

```
kinds-text-box-3(number: [3], title: [Your title], body: [Lorem ipsum dolor sit amet, consectetur adipiscing elit. Aenean commodo ligula eget dolor.
Aenean massa. Cum sociis natoque penatibus et magnis dis parturient.], width: auto, height: 6.2cm, direction: auto, number-position: "center", …)
```

A horizontal numbered text box with an accent number and divider.

PARAMETERS

name	default	description
number	[3]	Number shown in the badge (content, or `auto` for automatic numbering).
title	[Your title]	Title shown in the box (content or `none`).
body	[Lorem ipsum dolor sit amet, consectetur ad…	The content of the box (positional).
width	auto	Width of the box (`auto`: fits the content, `100%`: the line).
height	6.2cm	Height of the box (`auto`: fits the content).
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
number-position	"center"	Position of the number.
colour	rgb("#C5E6F8")	Main colour of the box.
shadow-colour	auto	Colour of the shadow.
stroke-colour	auto	Colour of the outline.
stroke-width	1.6pt	Width of the outline.
number-colour	rgb("#FFE86D")	Colour of the number.
title-colour	auto	Colour of the title text.

name	default	description
text-colour	auto	Colour of the body text.
number-size	52pt	Font size of the number.
title-size	13.5pt	Font size of the title.
body-size	9pt	Font size of the body text.
title-width	auto	Width of the title.
body-width	auto	Width of the body.
title-body-gap	auto	Space between the title and the body.
title-offset-x	0pt	Horizontal nudge of the title.
title-offset-y	0pt	Vertical nudge of the title.
body-offset-x	0pt	Horizontal nudge of the body text.
body-offset-y	0pt	Vertical nudge of the body text.
number-offset-x	0pt	Horizontal nudge of the number.
number-offset-y	0pt	Vertical nudge of the number.

EXAMPLE

```
#kinds-text-box-3(
    number: [3],
    title: [عنوان واضح],
    body: [هذا نص توضيحي للفكرة الثالثة. يشرح التفاصيل المهمة ويقدم معلومات مفيدة تساعد القارئ على فهم الموضوع بسهولة.],
    width: 8.8cm,
    height: 6.2cm,
    direction: rtl,
  )
```



three-color-infographic-card

```
three-color-infographic-card(title: [YOUR TEXT HERE], body: [Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor
incididunt ut labore et dolore magna aliqua.], width: auto, height: 4.0cm, direction: auto, spine-side: "start", spine-width: 1.1cm, …)
```

A landscape infographic card with an adjustable vertical paper band.

PARAMETERS

name	default	description
`title`	`[YOUR TEXT HERE]`	Title shown in the box (content or `none`).
`body`	`[Lorem ipsum dolor sit amet, consectetur ad…`	The content of the box (positional).
`width`	`auto`	Width of the box (`auto`: fits the content, `100%`: the line).
`height`	`4.0cm`	Height of the box (`auto`: fits the content).
`direction`	`auto`	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
`spine-side`	`"start"`	Side of the spine.
`spine-width`	`1.1cm`	Width of the spine.
`show-spine`	`true`	Show spine.
`colour`	`rgb("#4B84BE")`	Main colour of the box.
`shade-colour`	`auto`	Shade colour.
`highlight-colour`	`auto`	Highlight colour.
`spine-colour`	`rgb("#F5F3EF")`	Colour of the spine.
`shadow-colour`	`auto`	Colour of the shadow.
`stroke-colour`	`auto`	Colour of the outline.

name	default	description
`stroke-width`	`0.8pt`	Width of the outline.
`title-colour`	`auto`	Colour of the title text.
`text-colour`	`auto`	Colour of the body text.
`title-size`	`13pt`	Font size of the title.
`body-size`	`9.2pt`	Font size of the body text.
`title-gap`	`0.12cm`	Space between the title and the body.
`padding`	`0.16cm`	Inner padding.
`title-width`	`auto`	Width of the title.
`body-width`	`auto`	Width of the body.
`title-offset-x`	`0pt`	Horizontal nudge of the title.
`title-offset-y`	`0pt`	Vertical nudge of the title.
`body-offset-x`	`0pt`	Horizontal nudge of the body text.
`body-offset-y`	`0pt`	Vertical nudge of the body text.

EXAMPLE

```
#three-color-infographic-card(
    title: [عنوان واضح],
    body: [هذا نص توضيحي يشرح الفكرة ويعرض أهم تفاصيلها للقارئ بأسلوب واضح وموجز.],
    width: 10.2cm,
    height: 4cm,
    direction: rtl,
    colour: rgb("#CA5209"),
  )
```



modern-block-list-box

```
modern-block-list-box(title: [], body: [], number: "01", icon: none, print-icon: none, width: 10cm, height: 2.9cm, …)
```

A coloured text body joined to an offset number block.

PARAMETERS

name	default	description
`title`	`[]`	Title shown in the box (content or `none`).

name	default	description
`title-size`	`13.5pt`	Font size of the title.

name	default	description
body	[]	The content of the box (positional).
number	"01"	Number shown in the badge (content, or `auto` for automatic numbering).
icon	none	Icon shown in the box (content, symbol or `none`).
print-icon	none	Keeps the icon in print mode (otherwise hidden).
width	10cm	Width of the box (`auto`: fits the content, `100%`: the line).
height	2.9cm	Height of the box (`auto`: fits the content).
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
colour	rgb("#F9C947")	Main colour of the box.
support-colour	auto	Support colour.
text-colour	auto	Colour of the body text.
number-colour	auto	Colour of the number.

name	default	description
body-size	8.4pt	Font size of the body text.
number-size	13pt	Font size of the number.
body-offset-x	0pt	Horizontal nudge of the body text.
body-offset-y	0pt	Vertical nudge of the body text.
icon-offset-x	0pt	Horizontal nudge of the icon.
icon-offset-y	0pt	Vertical nudge of the icon.
number-offset-x	0pt	Horizontal nudge of the number.
number-offset-y	0pt	Vertical nudge of the number.
title-offset-x	0pt	Horizontal nudge of the title.
title-offset-y	0pt	Vertical nudge of the title.

EXAMPLE

```
#modern-block-list-box(
    title: [Lorem Ipsum],
    body: [Lorem ipsum dolor sit amet, consectetur adipiscing elit.],
    number: "01",
    icon: image("../examples/assets/modern-block-list-coins.png", width: 0.85cm),
    print-icon: image("../examples/assets/modern-block-list-coins.png", width: 0.85cm),
    width: 10cm,
    height: 2.9cm,
    direction: ltr,
  )
```



nested-file-text-box

```
nested-file-text-box(title: [], body: [], number: "01", icon: none, print-icon: none, width: 7.5cm, height: 2.7cm, …)
```

A folder-shaped text panel with an icon tab and a side label.


PARAMETERS

name	default	description
title	[]	Title shown in the box (content or `none`).
body	[]	The content of the box (positional).
number	"01"	Number shown in the badge (content, or `auto` for automatic numbering).
icon	none	Icon shown in the box (content, symbol or `none`).
print-icon	none	Keeps the icon in print mode (otherwise hidden).
width	7.5cm	Width of the box (`auto`: fits the content, `100%`: the line).
height	2.7cm	Height of the box (`auto`: fits the content).
label-width	4.4cm	Width of the label.
label-gap	0.35cm	Space around the label.
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
colour	rgb("#42BFEA")	Main colour of the box.

name	default	description
panel-colour	auto	Colour of the content panel.
text-colour	auto	Colour of the body text.
label-colour	auto	Colour of the label.
title-size	12.5pt	Font size of the title.
body-size	8.2pt	Font size of the body text.
body-offset-x	0pt	Horizontal nudge of the body text.
body-offset-y	0pt	Vertical nudge of the body text.
icon-offset-x	0pt	Horizontal nudge of the icon.
icon-offset-y	0pt	Vertical nudge of the icon.
title-offset-x	0pt	Horizontal nudge of the title.
title-offset-y	0pt	Vertical nudge of the title.

EXAMPLE

```
#nested-file-text-box(
    title: [Lorem Ipsum],
    body: [Lorem ipsum dolor sit amet, nibh est.],
    number: "01",
    icon: image("../examples/assets/nested-file-lightbulb.png", width: 0.62cm),
    print-icon: image("../examples/assets/nested-file-lightbulb.png", width: 0.62cm),
    width: 7.5cm,
    height: 2.7cm,
    direction: ltr,
  )
```



01. Lorem Ipsum

information-block-box

```
information-block-box(title: [], body: [], number: "01", icon: none, print-icon: none, width: 8.2cm, height: 5.25cm, …)
```

A card with a numbered colour band, dark text panel and circular badge.

PARAMETERS


name	default	description
title	[]	Title shown in the box (content or `none`).
body	[]	The content of the box (positional).
number	"01"	Number shown in the badge (content, or `auto` for automatic numbering).
icon	none	Icon shown in the box (content, symbol or `none`).
print-icon	none	Keeps the icon in print mode (otherwise hidden).
width	8.2cm	Width of the box (`auto`: fits the content, `100%`: the line).
height	5.25cm	Height of the box (`auto`: fits the content).
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
colour	rgb("#F15F4B")	Main colour of the box.
body-colour	rgb("#00243A")	Colour of the body.
title-colour	auto	Colour of the title text.
text-colour	auto	Colour of the body text.
number-colour	auto	Colour of the number.

name	default	description
body-size	7.8pt	Font size of the body text.
number-size	15pt	Font size of the number.
icon-size	0.94cm	Size of the icon.
badge-size	1.72cm	Size of the badge.
corner-radius	0.22cm	Corner radius.
body-offset-x	0pt	Horizontal nudge of the body text.
body-offset-y	0pt	Vertical nudge of the body text.
icon-offset-x	0pt	Horizontal nudge of the icon.
icon-offset-y	0pt	Vertical nudge of the icon.
number-offset-x	0pt	Horizontal nudge of the number.
number-offset-y	0pt	Vertical nudge of the number.
title-offset-x	0pt	Horizontal nudge of the title.
title-offset-y	0pt	Vertical nudge of the title.

name	default	description
`title-size`	`14pt`	Font size of the title.

EXAMPLE

```
#information-block-box(
    title: [Lorem Ipsum],
    body: [Lorem ipsum dolor sit amet, nibh est.],
    number: "01",
    icon: image("../examples/assets/information-blocks-gears.png", width: 0.88cm),
    print-icon: image("../examples/assets/information-blocks-gears.png", width: 0.88cm),
    width: 8.2cm,
    height: 5.25cm,
    direction: ltr,
  )
```



`simple-rounded-text-box`

```
simple-rounded-text-box(title: [], body: [], icon: none, print-icon: none, width: 7.8cm, height: 5.2cm, direction: auto, …)
```

A rounded text box with a coloured header and a separate body.


PARAMETERS

name	default	description
`title`	`[]`	Title shown in the box (content or `none`).
`body`	`[]`	The content of the box (positional).
`icon`	`none`	Icon shown in the box (content, symbol or `none`).
`print-icon`	`none`	Keeps the icon in print mode (otherwise hidden).
`width`	`7.8cm`	Width of the box (`auto`: fits the content, `100%`: the line).
`height`	`5.2cm`	Height of the box (`auto`: fits the content).
`direction`	`auto`	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
`header-colour`	`rgb("#3D5F87")`	Colour of the header.
`panel-colour`	`auto`	Colour of the content panel.
`title-colour`	`auto`	Colour of the title text.
`text-colour`	`auto`	Colour of the body text.

name	default	description
`title-size`	`14pt`	Font size of the title.
`body-size`	`8.6pt`	Font size of the body text.
`icon-size`	`0.92cm`	Size of the icon.
`corner-radius`	`0.26cm`	Corner radius.
`shadow`	`true`	Drop shadow: `true`, `false`, or a colour.
`body-offset-x`	`0pt`	Horizontal nudge of the body text.
`body-offset-y`	`0pt`	Vertical nudge of the body text.
`icon-offset-x`	`0pt`	Horizontal nudge of the icon.
`icon-offset-y`	`0pt`	Vertical nudge of the icon.
`title-offset-x`	`0pt`	Horizontal nudge of the title.
`title-offset-y`	`0pt`	Vertical nudge of the title.

EXAMPLE

```
#simple-rounded-text-box(
    title: [Lorem Ipsum],
    body: [Lorem ipsum dolor sit amet, nibh est.],
    icon: image("../examples/assets/simple-rounded-bike-white.png", width: 0.92cm),
    print-icon: image("../examples/assets/simple-rounded-bike-black.png", width: 0.92cm),
    width: 7.8cm,
    height: 5.2cm,
    direction: ltr,
  )
```



`two-column-information-card`

```
two-column-information-card(title: [], body: [], width: 9.8cm, height: 2.3cm, direction: auto, accent-colour: rgb("#1AA1B2"), panel-colour: auto, …)
```

A wide information card with a slim edge accent and soft shadow.


PARAMETERS

name	default	description
`title`	`[]`	Title shown in the box (content or `none`).
`body`	`[]`	The content of the box (positional).
`width`	`9.8cm`	Width of the box (`auto`: fits the content, `100%`: the line).
`height`	`2.3cm`	Height of the box (`auto`: fits the content).
`direction`	`auto`	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
`accent-colour`	`rgb("#1AA1B2")`	Colour of the accent.
`panel-colour`	`auto`	Colour of the content panel.
`title-colour`	`auto`	Colour of the title text.

name	default	description
`text-colour`	`auto`	Colour of the body text.
`title-size`	`13pt`	Font size of the title.
`body-size`	`8.4pt`	Font size of the body text.
`shadow`	`true`	Drop shadow: `true`, `false`, or a colour.
`body-offset-x`	`0pt`	Horizontal nudge of the body text.
`body-offset-y`	`0pt`	Vertical nudge of the body text.
`title-offset-x`	`0pt`	Horizontal nudge of the title.
`title-offset-y`	`0pt`	Vertical nudge of the title.

EXAMPLE

```
#two-column-information-card(
    title: [Project Summary],
    body: [A concise overview of the key decision and its next action.],
    width: 9.8cm,
    height: 2.3cm,
    direction: ltr,
  )
```



`card-list-box`

```
card-list-box(title: [], body: [], icon: none, print-icon: none, width: 4.8cm, height: 6.8cm, direction: auto, …)
```

A card with a tilted coloured deck behind the front card.


PARAMETERS

name	default	description
`title`	`[]`	Title shown in the box (content or `none`).
`body`	`[]`	The content of the box (positional).
`icon`	`none`	Icon shown in the box (content, symbol or `none`).
`print-icon`	`none`	Keeps the icon in print mode (otherwise hidden).
`width`	`4.8cm`	Width of the box (`auto`: fits the content, `100%`: the line).
`height`	`6.8cm`	Height of the box (`auto`: fits the content).
`direction`	`auto`	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
`backplate-colour`	`rgb("#FFC943")`	Backplate colour.
`panel-colour`	`auto`	Colour of the content panel.
`title-colour`	`auto`	Colour of the title text.
`text-colour`	`auto`	Colour of the body text.

name	default	description
`title-size`	`13.5pt`	Font size of the title.
`body-size`	`7.8pt`	Font size of the body text.
`icon-size`	`1.65cm`	Size of the icon.
`corner-radius`	`0.30cm`	Corner radius.
`tilt`	`12deg`	Tilt angle of the box.
`body-offset-x`	`0pt`	Horizontal nudge of the body text.
`body-offset-y`	`0pt`	Vertical nudge of the body text.
`icon-offset-x`	`0pt`	Horizontal nudge of the icon.
`icon-offset-y`	`0pt`	Vertical nudge of the icon.
`title-offset-x`	`0pt`	Horizontal nudge of the title.
`title-offset-y`	`0pt`	Vertical nudge of the title.

EXAMPLE

```
#card-list-box(
    title: [Lorem Ipsum],
    body: [Lorem ipsum dolor sit amet, nibh est.],
    icon: image("../examples/assets/card-list-briefcase-yellow.png", width: 1.65cm),
    print-icon: image("../examples/assets/card-list-briefcase-black.png", width: 1.65cm),
    width: 4.8cm,
    height: 6.8cm,
    direction: ltr,
    tilt: 12deg,
  )
```



`stacked-summary-card-box`

```
stacked-summary-card-box(title: [SUMMARY HEADING], body: [], width: 8.4cm, height: auto, min-height: 2.35cm, direction: auto, body-direction: auto,
…)
```

A summary card with a side accent bar, heading and support text.

PARAMETERS

name	default	description
`title`	`[SUMMARY HEADING]`	Title shown in the box (content or `none`).
`body`	`[]`	The content of the box (positional).
`width`	`8.4cm`	Width of the box (`auto`: fits the content, `100%`: the line).
`height`	`auto`	Height of the box (`auto`: fits the content).
`min-height`	`2.35cm`	Minimum height of the box.
`direction`	`auto`	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
`body-direction`	`auto`	Direction of the body.
`colour`	`rgb("#F26455")`	Main colour of the box.
`panel-colour`	`auto`	Colour of the content panel.
`title-colour`	`auto`	Colour of the title text.
`text-colour`	`auto`	Colour of the body text.

name	default	description
`body-size`	`9pt`	Font size of the body text.
`accent-width`	`0.17cm`	Width of the accent.
`text-inset`	`0.30cm`	Inner padding of the text.
`title-y`	`0.20cm`	Vertical position of the title.
`title-body-gap`	`0.12cm`	Space between the title and the body.
`bottom-padding`	`0.24cm`	Bottom padding.
`corner-radius`	`0.04cm`	Corner radius.
`shadow-offset`	`0.08cm`	Offset of the shadow.
`shadow`	`true`	Drop shadow: `true`, `false`, or a colour.
`body-offset-x`	`0pt`	Horizontal nudge of the body text.
`body-offset-y`	`0pt`	Vertical nudge of the body text.
`title-offset-x`	`0pt`	Horizontal nudge of the title.
`title-offset-y`	`0pt`	Vertical nudge of the title.

name	default	description
shadow-colour	auto	Colour of the shadow.
title-size	13pt	Font size of the title.

EXAMPLE

```
#stacked-summary-card-box(
      title: [ملخص المشروع],
      body: [يعرض هذا الملخص أهم النقاط بوضوح، ويجمع الفكرة الرئيسية مع معلومات موجزة تساعد الفريق على المتابعة.],
      colour: rgb("#22B5C7"),
      direction: rtl,
    )
```



text-box-display-card

```
text-box-display-card(title: [LOREM IPSUM], body: [Lorem ipsum dolor sit amet, nibh est. A magna maecenas, quam magna nec quis, lorem nunc. Suspendisse viverra sodales mauris, cras pharetra proin egestas arcu erat dolor.], icon: none, print-icon: none, icon-style: 0, width: 4.8cm, height: 6.8cm, …)
```

A vertical card with an overlapping icon tile and a faceted footer.


PARAMETERS

name	default	description
title	[LOREM IPSUM]	Title shown in the box (content or `none`).
body	[Lorem ipsum dolor sit amet, nibh est. A ma…	The content of the box (positional).
icon	none	Icon shown in the box (content, symbol or `none`).
print-icon	none	Keeps the icon in print mode (otherwise hidden).
icon-style	0	Style of the icon drawing.
width	4.8cm	Width of the box (`auto`: fits the content, `100%`: the line).
height	6.8cm	Height of the box (`auto`: fits the content).
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
colour	rgb("#F68C1F")	Main colour of the box.
tab-colour	auto	Colour of the tab.
footer-colour	auto	Colour of the footer.
title-colour	auto	Colour of the title text.
text-colour	auto	Colour of the body text.
icon-colour	auto	Colour of the icon.

name	default	description
icon-size	0.88cm	Size of the icon.
title-size	10pt	Font size of the title.
body-size	7.4pt	Font size of the body text.
padding	0.12cm	Inner padding.
body-width	auto	Width of the body.
title-width	auto	Width of the title.
body-title-gap	auto	Space between the body and the title.
body-offset-x	0pt	Horizontal nudge of the body text.
body-offset-y	0pt	Vertical nudge of the body text.
title-offset-x	0pt	Horizontal nudge of the title.
title-offset-y	0pt	Vertical nudge of the title.
icon-offset-x	0pt	Horizontal nudge of the icon.
icon-offset-y	0pt	Vertical nudge of the icon.

EXAMPLE

```
#text-box-display-card(
      title: [PRINT CHECK],
      body: [Monochrome printing retains a clear title banner and icon badge.],
      width: 4.8cm, height: 6.8cm,
    )
```



interlocked-abstract-textbox

```
interlocked-abstract-textbox(title: [LOREM IPSUM], body: [], icon: none, print-icon: none, width: 6.2cm, height: auto, min-height: 9.5cm, …)
```

An interlocking text box with a diagonal title banner and icon.

PARAMETERS

name	default	description
`title`	`[LOREM IPSUM]`	Title shown in the box (content or `none`).
`body`	`[]`	The content of the box (positional).
`icon`	`none`	Icon shown in the box (content, symbol or `none`).
`print-icon`	`none`	Keeps the icon in print mode (otherwise hidden).
`width`	`6.2cm`	Width of the box (`auto`: fits the content, `100%`: the line).
`height`	`auto`	Height of the box (`auto`: fits the content).
`min-height`	`9.5cm`	Minimum height of the box.
`direction`	`auto`	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
`body-direction`	`auto`	Direction of the body.
`colour`	`rgb("#E44724")`	Main colour of the box.
`panel-colour`	`auto`	Colour of the content panel.
`title-colour`	`auto`	Colour of the title text.
`text-colour`	`auto`	Colour of the body text.
`icon-colour`	`auto`	Colour of the icon.
`shadow-colour`	`auto`	Colour of the shadow.

name	default	description
`title-size`	`12pt`	Font size of the title.
`body-size`	`8.4pt`	Font size of the body text.
`body-width`	`0.72`	Width of the body.
`body-start`	`0.37`	Start of the body.
`bottom-padding`	`0.42cm`	Bottom padding.
`banner-angle`	`32deg`	Angle of the banner.
`shadow-offset`	`0.08cm`	Offset of the shadow.
`shadow`	`false`	Drop shadow: `true`, `false`, or a colour.
`body-offset-x`	`0pt`	Horizontal nudge of the body text.
`body-offset-y`	`0pt`	Vertical nudge of the body text.
`icon-offset-x`	`0pt`	Horizontal nudge of the icon.
`icon-offset-y`	`0pt`	Vertical nudge of the icon.
`title-offset-x`	`0pt`	Horizontal nudge of the title.
`title-offset-y`	`0pt`	Vertical nudge of the title.

EXAMPLE

```
#interlocked-abstract-textbox(
    title: [الأفكار المترابطة],
    body: [تساعد هذه البطاقة على عرض فكرة رئيسية بوضوح. أضيفوا التفاصيل الضرورية، ثم اربطوا النقاط بالخطوة التالية.

استخدموا المساحة لشرح السياق والنتيجة المتوقعة، مع الحفاظ على تسلسل منطقي وسهل القراءة.],
    colour: rgb("#39BCE2"),
    direction: rtl,
  )
```



feature-callout-box

```
feature-callout-box(title: [], body: [], icon: none, icon-style: 0, width: auto, label-width: auto, size: 3.75cm, …)
```

A rounded feature tile with a directional pointer and label.

PARAMETERS


name	default	description
`title`	`[]`	Title shown in the box (content or `none`).
`body`	`[]`	The content of the box (positional).
`icon`	`none`	Icon shown in the box (content, symbol or `none`).
`icon-style`	`0`	Style of the icon drawing.
`width`	`auto`	Width of the box (`auto`: fits the content, `100%`: the line).
`label-width`	`auto`	Width of the label.
`size`	`3.75cm`	Size.
`direction`	`auto`	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
`label-position`	`"above"`	Position of the label.
`tail-position`	`0.5`	Position of the tail.
`tail-width`	`0.62cm`	Width of the tail.
`tail-height`	`0.34cm`	Height of the tail.
`pointer-gap`	`0.12cm`	Space around the pointer.

name	default	description
`title-colour`	`auto`	Colour of the title text.
`text-colour`	`auto`	Colour of the body text.
`title-size`	`11pt`	Font size of the title.
`body-size`	`8.5pt`	Font size of the body text.
`icon-size`	`1.4cm`	Size of the icon.
`corner-radius`	`0.30cm`	Corner radius.
`label-gap`	`0.12cm`	Space around the label.
`shadow`	`true`	Drop shadow: `true`, `false`, or a colour.
`body-offset-x`	`0pt`	Horizontal nudge of the body text.
`body-offset-y`	`0pt`	Vertical nudge of the body text.
`icon-offset-x`	`0pt`	Horizontal nudge of the icon.
`icon-offset-y`	`0pt`	Vertical nudge of the icon.
`title-offset-x`	`0pt`	Horizontal nudge of the title.
`title-offset-y`	`0pt`	Vertical nudge of the title.

name	default	description
colour	rgb("#45B7D2")	Main colour of the box.

EXAMPLE

```
#feature-callout-box(
    title: [Accelerate review],
    body: [Catch delays early and keep decisions moving with a quick daily check.],
    icon-style: 0, width: 7.6cm, size: 3.8cm,
    colour: rgb("#55C4DD"), label-position: "above",
  )
```



wavy-infographic-box

```
wavy-infographic-box(title: [], body: [], icon: none, icon-style: 0, width: auto, height: 5.45cm, direction: auto, …)
```

A wavy infographic text box with an inset shoulder and round icon.


PARAMETERS

name	default	description
title	[]	Title shown in the box (content or `none`).
body	[]	The content of the box (positional).
icon	none	Icon shown in the box (content, symbol or `none`).
icon-style	0	Style of the icon drawing.
width	auto	Width of the box (`auto`: fits the content, `100%`: the line).
height	5.45cm	Height of the box (`auto`: fits the content).
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
colour	rgb("#F49A24")	Main colour of the box.
title-colour	auto	Colour of the title text.
text-colour	auto	Colour of the body text.
badge-size	2.15cm	Size of the badge.
icon-size	1.20cm	Size of the icon.

name	default	description
title-size	11pt	Font size of the title.
body-size	8pt	Font size of the body text.
title-y	2.50cm	Vertical position of the title.
label-gap	0.10cm	Space around the label.
corner-radius	0.32cm	Corner radius.
shadow	true	Drop shadow: `true`, `false`, or a colour.
body-offset-x	0pt	Horizontal nudge of the body text.
body-offset-y	0pt	Vertical nudge of the body text.
icon-offset-x	0pt	Horizontal nudge of the icon.
icon-offset-y	0pt	Vertical nudge of the icon.
title-offset-x	0pt	Horizontal nudge of the title.
title-offset-y	0pt	Vertical nudge of the title.

EXAMPLE

```
#wavy-infographic-box(
    title: [Idea flow],
    body: [Connect useful details in one lively card. A clear wave silhouette and icon badge
help the key message stand out.],
    icon-style: 1, width: 6.2cm, height: 5.45cm,
    colour: rgb("#F49A24"),
  )
```



neumorphic-diamond-box

```
neumorphic-diamond-box(title: [], body: [], icon: none, icon-style: 1, width: auto, side: 2.0cm, direction: auto, …)
```

A rounded rhombus tile with a line icon and an outside caption.

PARAMETERS

name	default	description
title	[]	Title shown in the box (content or `none`).
body	[]	The content of the box (positional).
icon	none	Icon shown in the box (content, symbol or `none`).
icon-style	1	Style of the icon drawing.
width	auto	Width of the box (`auto`: fits the content, `100%`: the line).
side	2.0cm	Side of the box or page (`left`, `right`, `top`, `bottom`, `auto`).

name	default	description
icon-size	1.45cm	Size of the icon.
corner	0.24cm	Corner.
title-size	11pt	Font size of the title.
body-size	8.2pt	Font size of the body text.
label-gap	0.10cm	Space around the label.
tile-gap	0.23cm	Space around the tile.
shadow	true	Drop shadow: `true`, `false`, or a colour.
body-offset-x	0pt	Horizontal nudge of the body text.
body-offset-y	0pt	Vertical nudge of the body text.
icon-offset-x	0pt	Horizontal nudge of the icon.

name	default	description
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
label-position	"below"	Position of the label.
accent	false	Accent colour.
dark	false	Dark colour of the design.
colour	rgb("#36B6DE")	Main colour of the box.
title-colour	auto	Colour of the title text.
text-colour	auto	Colour of the body text.

name	default	description
icon-offset-y	0pt	Vertical nudge of the icon.
title-offset-x	0pt	Horizontal nudge of the title.
title-offset-y	0pt	Vertical nudge of the title.

EXAMPLE

```
#neumorphic-diamond-box(
    title: [الوضوح يبدأ بهدف],
    body: [يساعد الهدف المحدد على رؤية الخطوة التالية بوضوح أكبر.],
    icon-style: 1, width: 4.8cm, side: 2.1cm,
    dark: true, direction: rtl, label-position: "below",
  )
```



neumorphic-text-panel

```
neumorphic-text-panel(title: [Lorem Ipsum], body: [A short description goes here. Keep the supporting copy concise and easy to scan.], icon: none,
icon-style: 0, width: auto, height: 6cm, direction: auto, …)
```

A portrait neumorphic panel with a softly raised top medallion.

PARAMETERS

name	default	description
title	[Lorem Ipsum]	Title shown in the box (content or `none`).
body	[A short description goes here. Keep the su…	The content of the box (positional).
icon	none	Icon shown in the box (content, symbol or `none`).
icon-style	0	Style of the icon drawing.
width	auto	Width of the box (`auto`: fits the content, `100%`: the line).
height	6cm	Height of the box (`auto`: fits the content).
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
accent	false	Accent colour.
accent-colour	rgb("#35B5E5")	Colour of the accent.
panel-colour	rgb("#F1EFF1")	Colour of the content panel.
title-colour	auto	Colour of the title text.
text-colour	auto	Colour of the body text.

name	default	description
icon-colour	auto	Colour of the icon.
icon-size	0.92cm	Size of the icon.
title-size	12pt	Font size of the title.
body-size	8.8pt	Font size of the body text.
content-width	auto	Width of the content.
title-body-gap	auto	Space between the title and the body.
title-offset-x	0pt	Horizontal nudge of the title.
title-offset-y	0pt	Vertical nudge of the title.
body-offset-x	0pt	Horizontal nudge of the body text.
body-offset-y	0pt	Vertical nudge of the body text.
icon-offset-x	0pt	Horizontal nudge of the icon.
icon-offset-y	0pt	Vertical nudge of the icon.

EXAMPLE

```
#neumorphic-text-panel(
    title: [فكرة مفيدة],
    body: [سجّل الفكرة، وراجع أثرها، ثم احتفظ بخلاصة واضحة للخطوة التالية.],
    width: 4.8cm, height: 6cm, direction: rtl, icon-style: 2,
  )
```



six-boxes-template-box

```
six-boxes-template-box(title: [], body: [], icon: none, print-icon: none, icon-style: 0, width: auto, height: 1.48cm, …)
```

A horizontal coloured box with a circular badge overlapping one end.


PARAMETERS

name	default	description
title	[]	Title shown in the box (content or `none`).
body	[]	The content of the box (positional).
icon	none	Icon shown in the box (content, symbol or `none`).
print-icon	none	Keeps the icon in print mode (otherwise hidden).
icon-style	0	Style of the icon drawing.
width	auto	Width of the box (`auto`: fits the content, `100%`: the line).
height	1.48cm	Height of the box (`auto`: fits the content).
badge-size	1.74cm	Size of the badge.
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
icon-side	"end"	Side of the icon.
text-align	"auto"	Alignment of the text.
colour	rgb("#F1840B")	Main colour of the box.
title-colour	auto	Colour of the title text.
text-colour	auto	Colour of the body text.

name	default	description
icon-colour	auto	Colour of the icon.
icon-size	0.82cm	Size of the icon.
title-size	11.2pt	Font size of the title.
body-size	8pt	Font size of the body text.
title-gap	0.04cm	Space between the title and the body.
corner-radius	0.20cm	Corner radius.
padding	0.24cm	Inner padding.
body-offset-x	0pt	Horizontal nudge of the body text.
body-offset-y	0pt	Vertical nudge of the body text.
icon-offset-x	0pt	Horizontal nudge of the icon.
icon-offset-y	0pt	Vertical nudge of the icon.
title-offset-x	0pt	Horizontal nudge of the title.
title-offset-y	0pt	Vertical nudge of the title.

EXAMPLE

```
#six-boxes-template-box(
    title: [Aim for clarity],
    body: [A focused goal helps the team choose its next step.],
    icon-style: 2, width: 7.4cm, icon-side: "right",
    text-align: "center", colour: rgb("#1E6685"),
  )
```



six-boxes-outline-box

```
six-boxes-outline-box(title: [], body: [], icon: none, print-icon: none, icon-style: 0, width: auto, height: 2.30cm, …)
```

A rounded outline card with a coloured square icon badge.


PARAMETERS

name	default	description
title	[]	Title shown in the box (content or `none`).
body	[]	The content of the box (positional).
icon	none	Icon shown in the box (content, symbol or `none`).
print-icon	none	Keeps the icon in print mode (otherwise hidden).
icon-style	0	Style of the icon drawing.
width	auto	Width of the box (`auto`: fits the content, `100%`: the line).
height	2.30cm	Height of the box (`auto`: fits the content).
badge-size	1.14cm	Size of the badge.
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
badge-side	"start"	Side of the badge.
text-align	"auto"	Alignment of the text.
colour	rgb("#F1840B")	Main colour of the box.
title-colour	auto	Colour of the title text.
text-colour	auto	Colour of the body text.

name	default	description
icon-colour	auto	Colour of the icon.
icon-size	0.66cm	Size of the icon.
title-size	11.4pt	Font size of the title.
body-size	8.2pt	Font size of the body text.
title-gap	0.06cm	Space between the title and the body.
corner-radius	0.13cm	Corner radius.
padding	0.24cm	Inner padding.
body-offset-x	0pt	Horizontal nudge of the body text.
body-offset-y	0pt	Vertical nudge of the body text.
icon-offset-x	0pt	Horizontal nudge of the icon.
icon-offset-y	0pt	Vertical nudge of the icon.
title-offset-x	0pt	Horizontal nudge of the title.
title-offset-y	0pt	Vertical nudge of the title.

EXAMPLE

```
#six-boxes-outline-box(
    title: [Target],
    body: [Define the audience and state the outcome clearly.],
    icon-style: 2, width: 7.0cm, badge-side: "left",
    colour: rgb("#1E6685"),
  )
```



six-boxes-tilted-box

```
six-boxes-tilted-box(title: [], body: [], icon: none, print-icon: none, icon-style: 0, width: auto, height: 2.20cm, …)
```

A trapezoidal outline card with a slanted coloured icon panel.

PARAMETERS

name	default	description
title	[]	Title shown in the box (content or `none`).
body	[]	The content of the box (positional).
icon	none	Icon shown in the box (content, symbol or `none`).
print-icon	none	Keeps the icon in print mode (otherwise hidden).
icon-style	0	Style of the icon drawing.
width	auto	Width of the box (`auto`: fits the content, `100%`: the line).
height	2.20cm	Height of the box (`auto`: fits the content).
badge-width	2.22cm	Width of the badge.
badge-height	1.76cm	Height of the badge.
slant	0.52cm	Slant.
badge-slant	0.42cm	Slant of the badge.
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
stroke-colour	auto	Colour of the outline.
stroke-width	auto	Width of the outline.
badge-side	"start"	Side of the badge.
text-align	"auto"	Alignment of the text.

name	default	description
colour	rgb("#F1840B")	Main colour of the box.
title-colour	auto	Colour of the title text.
text-colour	auto	Colour of the body text.
icon-colour	auto	Colour of the icon.
icon-size	0.82cm	Size of the icon.
title-size	11.5pt	Font size of the title.
body-size	8.1pt	Font size of the body text.
title-gap	0.05cm	Space between the title and the body.
padding	0.25cm	Inner padding.
badge-lift	0.18cm	Lift of the badge.
body-offset-x	0pt	Horizontal nudge of the body text.
body-offset-y	0pt	Vertical nudge of the body text.
icon-offset-x	0pt	Horizontal nudge of the icon.
icon-offset-y	0pt	Vertical nudge of the icon.
title-offset-x	0pt	Horizontal nudge of the title.
title-offset-y	0pt	Vertical nudge of the title.

EXAMPLE

```
#six-boxes-tilted-box(
    title: [Business], body: [Activity of making money by producing goods and services.],
    icon-style: 0, width: 7.4cm, badge-side: "left", colour: rgb("#F1840B"),
  )
```



six-boxes-banded-box

```
six-boxes-banded-box(title: [], body: [], icon: none, print-icon: none, icon-style: 0, width: auto, height: 1.42cm, …)
```

A layered horizontal box with its own circular icon and caption.


PARAMETERS

name	default	description
title	[]	Title shown in the box (content or `none`).
body	[]	The content of the box (positional).
icon	none	Icon shown in the box (content, symbol or `none`).
print-icon	none	Keeps the icon in print mode (otherwise hidden).
icon-style	0	Style of the icon drawing.
width	auto	Width of the box (`auto`: fits the content, `100%`: the line).
height	1.42cm	Height of the box (`auto`: fits the content).
badge-size	1.10cm	Size of the badge.
back-offset	0.13cm	Back offset.
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
stroke-colour	auto	Colour of the outline.
stroke-width	auto	Width of the outline.
badge-side	"end"	Side of the badge.
text-align	"auto"	Alignment of the text.
colour	rgb("#9E2737")	Main colour of the box.

name	default	description
title-colour	auto	Colour of the title text.
text-colour	auto	Colour of the body text.
icon-colour	auto	Colour of the icon.
icon-size	0.62cm	Size of the icon.
title-size	10.8pt	Font size of the title.
body-size	7.9pt	Font size of the body text.
title-gap	0.03cm	Space between the title and the body.
corner-radius	0.14cm	Corner radius.
padding	0.22cm	Inner padding.
body-offset-x	0pt	Horizontal nudge of the body text.
body-offset-y	0pt	Vertical nudge of the body text.
icon-offset-x	0pt	Horizontal nudge of the icon.
icon-offset-y	0pt	Vertical nudge of the icon.
title-offset-x	0pt	Horizontal nudge of the title.
title-offset-y	0pt	Vertical nudge of the title.

EXAMPLE

```
#six-boxes-banded-box(
    title: [Target], body: [Know the audience and define the intended outcome.],
    icon-style: 2, width: 7.2cm, badge-side: "right", colour: rgb("#1E6685"),
  )
```



six-boxes-pointer-card

```
six-boxes-pointer-card(title: [], body: [], icon: none, print-icon: none, icon-style: 0, width: 2.8cm, height: auto, …)
```

A square icon card with a small top tab, bottom pointer and caption.

PARAMETERS

name	default	description
title	[]	Title shown in the box (content or `none`).
body	[]	The content of the box (positional).
icon	none	Icon shown in the box (content, symbol or `none`).
print-icon	none	Keeps the icon in print mode (otherwise hidden).
icon-style	0	Style of the icon drawing.
width	2.8cm	Width of the box (`auto`: fits the content, `100%`: the line).
height	auto	Height of the box (`auto`: fits the content).
box-size	1.76cm	Box size.
tab-size	0.46cm	Size of the tab.
tail-width	0.42cm	Width of the tail.
tail-height	0.24cm	Height of the tail.
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
stroke-colour	auto	Colour of the outline.
stroke-width	auto	Width of the outline.
colour	rgb("#F1840B")	Main colour of the box.

name	default	description
title-colour	auto	Colour of the title text.
text-colour	auto	Colour of the body text.
icon-colour	auto	Colour of the icon.
icon-size	0.74cm	Size of the icon.
title-size	10.8pt	Font size of the title.
body-size	7.4pt	Font size of the body text.
title-gap	0.07cm	Space between the title and the body.
caption-gap	0.30cm	Space around the caption.
corner-radius	0.18cm	Corner radius.
body-offset-x	0pt	Horizontal nudge of the body text.
body-offset-y	0pt	Vertical nudge of the body text.
icon-offset-x	0pt	Horizontal nudge of the icon.
icon-offset-y	0pt	Vertical nudge of the icon.
title-offset-x	0pt	Horizontal nudge of the title.
title-offset-y	0pt	Vertical nudge of the title.

EXAMPLE

```
#six-boxes-pointer-card(
    title: [Growth], body: [Expand an idea into lasting value.],
    icon-style: 3, width: 2.9cm, box-size: 1.78cm, colour: rgb("#43834A"),
  )
```



three-color-infographic-stack

```
three-color-infographic-stack(cards: ( (title: [YOUR TEXT HERE], body: [Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore.], colour: rgb("#4B84BE")), (title: [YOUR TEXT HERE], body: [Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore.], colour: rgb("#CA5209")), (title: [YOUR TEXT HERE], body: [Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore.], colour: rgb("#C78D00")), ), width: auto, card-height: 3.7cm, overlap: 0.66cm, spine-overhang: 0.28cm, spine-width: 1.1cm, spine-side: "start", …)
```

Two or more infographic cards stacked under one continuous line.


PARAMETERS

name	default	description
cards	((title: [YOUR TEXT HERE], body: [Lorem ip…	Cards.
width	auto	Width of the box (`auto`: fits the content, `100%`: the line).
card-height	3.7cm	Height of the card.
overlap	0.66cm	Overlap.
spine-overhang	0.28cm	Overhang of the spine.
spine-width	1.1cm	Width of the spine.
spine-side	"start"	Side of the spine.
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
spine-colour	rgb("#E3E1DE")	Colour of the spine.
spine-shadow	rgb("#AAA9A7")	Spine shadow.
colours	(rgb("#4B84BE"), rgb("#CA5209"), rgb("#C78D…	List of colours used in turn by the items.

name	default	description
title-size	13pt	Font size of the title.
body-size	9.2pt	Font size of the body text.
padding	0.16cm	Inner padding.
title-gap	0.12cm	Space between the title and the body.
title-width	auto	Width of the title.
body-width	auto	Width of the body.
title-offset-x	0pt	Horizontal nudge of the title.
title-offset-y	0pt	Vertical nudge of the title.
body-offset-x	0pt	Horizontal nudge of the body text.
body-offset-y	0pt	Vertical nudge of the body text.

EXAMPLE

```
#three-color-infographic-stack(
      width: 10.2cm,
      card-height: 3.8cm,
      overlap: 0.7cm,
      spine-overhang: 0.4cm,
      cards: (
        (title: [PRINT CHECK], body: [Check grayscale contrast and the strip silhouette.],
colour: rgb("#4B84BE")),
        (title: [SECOND PANEL], body: [Overlapping editable text remains legible in print.],
colour: rgb("#C78D00")),
      ),
    )
```



Slide components II — processes and steps

Step-by-step diagrams: chevrons, serpentine paths, continuous blocks, numbered lists and timelines.

`alternating-block-process`

```
alternating-block-process(steps: (), width: auto, height: 6.30cm, gap: 0.72cm, arrow-outset: auto, radius: 0.12cm, direction: auto, …)
```

A horizontal process of alternating numbered colour blocks.


PARAMETERS

name	default	description
`steps`	`()`	Number of steps, or the list of steps.
`width`	`auto`	Width of the box (`auto`: fits the content, `100%`: the line).
`height`	`6.30cm`	Height of the box (`auto`: fits the content).
`gap`	`0.72cm`	Space between the parts.
`arrow-outset`	`auto`	Outset of the arrow.
`radius`	`0.12cm`	Corner radius.
`direction`	`auto`	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
`colours`	`( rgb("#4ABCE6"), rgb("#A5BF6A"), rgb("#F39…`	List of colours used in turn by the items.

name	default	description
`title-size`	`10.5pt`	Font size of the title.
`body-size`	`7.7pt`	Font size of the body text.
`number-size`	`31pt`	Font size of the number.
`text-colour`	`rgb("#202020")`	Colour of the body text.
`number-colour`	`auto`	Colour of the number.
`notch-colour`	`auto`	Colour of the notch.
`gap-y`	`0.13cm`	Vertical gap.

EXAMPLE

```
#pad(left: 1cm, alternating-block-process(
  direction: ltr,
  steps: (
    (title: [Define], body: [Agree on the goal.], icon: [◎]),
    (title: [Plan], body: [Choose the next action.], icon: [↗]),
  ),
))
```



`alternating-line-block-process`

```
alternating-line-block-process(steps: (), width: auto, height: 6.20cm, gap: 0.72cm, arrow-outset: 0.68cm, radius: 0.26cm, direction: auto, …)
```

Alternating tall text cards with arrow heads built into their outline.


PARAMETERS

name	default	description
`steps`	`()`	Number of steps, or the list of steps.
`width`	`auto`	Width of the box (`auto`: fits the content, `100%`: the line).
`height`	`6.20cm`	Height of the box (`auto`: fits the content).
`gap`	`0.72cm`	Space between the parts.
`arrow-outset`	`0.68cm`	Outset of the arrow.
`radius`	`0.26cm`	Corner radius.
`direction`	`auto`	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
`colours`	`( rgb("#FFD04A"), rgb("#4ABCE6"), rgb("#A5B…`	List of colours used in turn by the items.

name	default	description
`line-colour`	`auto`	Colour of the line.
`body-colour`	`rgb("#505050")`	Colour of the body.
`title-size`	`10.2pt`	Font size of the title.
`body-size`	`7.6pt`	Font size of the body text.
`icon-size`	`0.58cm`	Size of the icon.
`stroke-weight`	`2.0pt`	Weight of the stroke.
`background-colour`	`auto`	Colour of the background.

EXAMPLE

```
#alternating-line-block-process(steps: (
  (title: [Idea], body: [Gather observations and state the question.]),
  (title: [Plan], body: [Choose a method and organise the work.]),
  (title: [Build], body: [Carry the plan out with the team.]),
  (title: [Check], body: [Review the results and keep the lessons.]),
))
```



`connected-cards-process`

```
connected-cards-process(steps: (), width: auto, columns: 4, gap: 0.52cm, row-gap: 0.82cm, height: 6.15cm, direction: auto, …)
```

Rounded process cards joined by curved connector necks.


PARAMETERS

name	default	description
`steps`	`()`	Number of steps, or the list of steps.
`width`	`auto`	Width of the box (`auto`: fits the content, `100%`: the line).
`columns`	`4`	Number of columns (or the column sizes).
`gap`	`0.52cm`	Space between the parts.
`row-gap`	`0.82cm`	Space between the rows.
`height`	`6.15cm`	Height of the box (`auto`: fits the content).
`direction`	`auto`	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
`colours`	`( (rgb("#F4A51C"), rgb("#CC8115")), (rgb("#…`	List of colours used in turn by the items.

name	default	description
`title-size`	`13pt`	Font size of the title.
`body-size`	`7.8pt`	Font size of the body text.
`icon-size`	`1.12cm`	Size of the icon.
`connector-height`	`0.78cm`	Height of the connector.
`connector-neck`	`0.42cm`	Connector neck.
`icon-offset-x`	`0pt`	Horizontal nudge of the icon.
`icon-offset-y`	`0pt`	Vertical nudge of the icon.

EXAMPLE

```
#connected-cards-process(steps: ((title: [One], body: [Short text.]), (title: [Two], body:
[Another line.]), (title: [Three], body: [A third one.]), (title: [Four], body: [The last.])),
width: 100%, columns: 2)
```



three-step-highlight-cards

```
three-step-highlight-cards(steps: (), width: auto, columns: 3, gap: 0.56cm, row-gap: 0.78cm, height: 4.15cm, direction: auto, …)
```

Three rounded cards with coloured borders and numbered tabs.


PARAMETERS

name	default	description
steps	()	Number of steps, or the list of steps.
width	auto	Width of the box (`auto`: fits the content, `100%`: the line).
columns	3	Number of columns (or the column sizes).
gap	0.56cm	Space between the parts.
row-gap	0.78cm	Space between the rows.
height	4.15cm	Height of the box (`auto`: fits the content).
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
colours	(rgb("#25446F"), rgb("#6BA36C"), rgb("#F15…	List of colours used in turn by the items.
title-size	12.5pt	Font size of the title.

name	default	description
body-size	7.6pt	Font size of the body text.
icon-size	1.38cm	Size of the icon.
number-size	15pt	Font size of the number.
tab-width	1.82cm	Width of the tab.
tab-height	0.76cm	Height of the tab.
notch-depth	0.30cm	Depth of the notch.
icon-offset-x	0pt	Horizontal nudge of the icon.
icon-offset-y	0pt	Vertical nudge of the icon.

EXAMPLE

```
#three-step-highlight-cards(steps: ((title: [One], body: [Short text.]), (title: [Two], body:
[Another line.]), (title: [Three], body: [A third one.]), (title: [Four], body: [The last.])),
width: 100%)
```



six-step-numbered-card-list

```
six-step-numbered-card-list(steps: (), width: auto, columns: 2, gap: 1.18cm, row-gap: 0.72cm, height: 2.35cm, direction: auto, …)
```

A two-column list of numbered cards.

PARAMETERS

name	default	description
steps	()	Number of steps, or the list of steps.
width	auto	Width of the box (`auto`: fits the content, `100%`: the line).
columns	2	Number of columns (or the column sizes).
gap	1.18cm	Space between the parts.
row-gap	0.72cm	Space between the rows.
height	2.35cm	Height of the box (`auto`: fits the content).
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
dark	false	Dark colour of the design.
monochrome	false	Monochrome.

name	default	description
badge-size	1.24cm	Size of the badge.
title-size	12.5pt	Font size of the title.
body-size	8.1pt	Font size of the body text.
corner-radius	0.10cm	Corner radius.
shadow-offset	0.07cm	Offset of the shadow.
title-y	0.38cm	Vertical position of the title.
body-y	1.12cm	Vertical position of the body.
body-gap	0.10cm	Space around the body.
number-offset-x	0pt	Horizontal nudge of the number.
number-offset-y	0pt	Vertical nudge of the number.

name	default	description
colours	(rgb("#F15E4B"), rgb("#FFA21A"), rgb("#FFD…	List of colours used in turn by the items.
monochrome-colour	rgb("#82B4A0")	Monochrome colour.

EXAMPLE

```
#six-step-numbered-card-list(
  steps: (
    (title: [حدّد الاتجاه], body: [عرّف الهدف واتفق على معنى النتيجة الناجحة.]),
    (title: [اجمع الحقائق], body: [اجمع المعلومات والآراء والموارد المتاحة.]),
    (title: [استكشف الخيارات], body: [قارن الأساليب الممكنة وحدّد الفرص الأفضل.]),
    (title: [ضع الخطة], body: [اختر الإجراءات والمسؤوليات ونقاط المتابعة.]),
    (title: [ابدأ التنفيذ], body: [تابع العمل وحافظ على التواصل بين أعضاء الفريق.]),
    (title: [راجع التقدّم], body: [قِس النتائج وسجّل الدروس وحدّد الخطوة التالية.]),
  ),
  width: 22cm,
  direction: rtl,
  dark: true,
)
```



concentric-tier-cards

```
concentric-tier-cards(levels: (), width: auto, outer-width: 15.0cm, outer-height: 8.55cm, direction: auto, dark: false, background: auto, …)
```

Three nested rounded cards: broad context, focused scope, core.


PARAMETERS

name	default	description
levels	()	Levels.
width	auto	Width of the box (`auto`: fits the content, `100%`: the line).
outer-width	15.0cm	Width of the outer.
outer-height	8.55cm	Height of the outer.
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
dark	false	Dark colour of the design.
background	auto	Background.
colours	(rgb("#F15E4B"), rgb("#789B71"), rgb("#F15E…	List of colours used in turn by the items.
middle-inset	1.45cm	Inner padding of the middle.
middle-top	2.32cm	Top middle.
core-width	9.55cm	Width of the core.
core-height	2.65cm	Height of the core.
title-size	13.5pt	Font size of the title.
body-size	8.1pt	Font size of the body text.
core-title-size	14pt	Size of the core title.
core-body-size	7.6pt	Size of the core body.
icon-size	1.02cm	Size of the icon.

name	default	description
core-icon-size	1.35cm	Size of the core icon.
corner-radius	0.72cm	Corner radius.
border-width	0.105cm	Width of the border.
outer-title-x	3.52cm	Horizontal position of the outer title.
outer-title-y	0.36cm	Vertical position of the outer title.
outer-title-width	8.55cm	Width of the outer title.
outer-icon-y	0.67cm	Vertical position of the outer icon.
outer-body-y	1.18cm	Vertical position of the outer body.
middle-title-y	2.79cm	Vertical position of the middle title.
middle-body-y	3.52cm	Vertical position of the middle body.
middle-icon-y	3.05cm	Vertical position of the middle icon.
core-y	4.70cm	Vertical position of the core.
core-title-y	0.42cm	Vertical position of the core title.
core-body-y	1.23cm	Vertical position of the core body.
icon-offset-x	0pt	Horizontal nudge of the icon.
icon-offset-y	0pt	Vertical nudge of the icon.

EXAMPLE

```
#concentric-tier-cards(levels: (
  (title: [Broad scope], body: [The wider context.]),
  (title: [Focused scope], body: [A narrower focus.]),
  (title: [Core priority], body: [The central action.]),
))
```



folder-step-box

```
folder-step-box(title: [], body: [], icon: none, print-icon: none, number: none, width: 5.9cm, front-height: 3.30cm, …)
```

A folder silhouette with a contrasting stepped foreground.


PARAMETERS

name	default	description
`title`	`[]`	Title shown in the box (content or `none`).
`body`	`[]`	The content of the box (positional).
`icon`	`none`	Icon shown in the box (content, symbol or `none`).
`print-icon`	`none`	Keeps the icon in print mode (otherwise hidden).
`number`	`none`	Number shown in the badge (content, or `auto` for automatic numbering).
`width`	`5.9cm`	Width of the box (`auto`: fits the content, `100%`: the line).
`front-height`	`3.30cm`	Height of the front.
`folder-height`	`2.55cm`	Height of the folder.
`direction`	`auto`	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
`dark`	`false`	Dark colour of the design.
`colour`	`rgb("#78AA78")`	Main colour of the box.
`front-colour`	`auto`	Colour of the front.
`outline-colour`	`auto`	Colour of the outline.
`title-colour`	`auto`	Colour of the title text.
`text-colour`	`auto`	Colour of the body text.
`front-overhang`	`0.20cm`	Overhang of the front.
`tab-width`	`1.62cm`	Width of the tab.
`tab-height`	`0.43cm`	Height of the tab.
`tab-slope`	`0.32cm`	Tab slope.
`front-step`	`0.48cm`	Front step.
`front-slope`	`0.38cm`	Front slope.

name	default	description
`front-cap-width`	`2.20cm`	Front cap width.
`radius`	`0.20cm`	Corner radius.
`outline-weight`	`0.10cm`	Weight of the outline.
`inset-x`	`0.36cm`	Horizontal padding.
`icon-size`	`0.62cm`	Size of the icon.
`icon-y`	`0.36cm`	Vertical position of the icon.
`number-size`	`16pt`	Font size of the number.
`title-size`	`12pt`	Font size of the title.
`body-size`	`8.5pt`	Font size of the body text.
`title-y`	`0.68cm`	Vertical position of the title.
`body-y`	`1.24cm`	Vertical position of the body.
`body-height`	`1.72cm`	Height of the body.
`body-offset-x`	`0pt`	Horizontal nudge of the body text.
`body-offset-y`	`0pt`	Vertical nudge of the body text.
`icon-offset-x`	`0pt`	Horizontal nudge of the icon.
`icon-offset-y`	`0pt`	Vertical nudge of the icon.
`number-offset-x`	`0pt`	Horizontal nudge of the number.
`number-offset-y`	`0pt`	Vertical nudge of the number.
`title-offset-x`	`0pt`	Horizontal nudge of the title.
`title-offset-y`	`0pt`	Vertical nudge of the title.

EXAMPLE

```
#folder-step-box(
  title: [Plan the Work],
  body: [Capture the key actions, owners, and timing in one easy-to-scan folder.],
  icon: image("../examples/assets/folder-step-clipboard-navy.svg", width: 0.62cm),
  print-icon: image("../examples/assets/folder-step-clipboard-black.svg", width: 0.62cm),
  number: [01],
  width: 5.9cm,
  front-height: 3.3cm,
  folder-height: 2.55cm,
  direction: ltr,
)
```



four-step-parchment-process

```
four-step-parchment-process(title: [], body: [], icon: none, print-icon: none, width: 6cm, height: 6.6cm, direction: auto, …)
```

A parchment process box with wavy silhouette and outlined title capsule.


PARAMETERS

name	default	description
`title`	`[]`	Title shown in the box (content or `none`).
`body`	`[]`	The content of the box (positional).
`icon`	`none`	Icon shown in the box (content, symbol or `none`).
`print-icon`	`none`	Keeps the icon in print mode (otherwise hidden).
`width`	`6cm`	Width of the box (`auto`: fits the content, `100%`: the line).
`height`	`6.6cm`	Height of the box (`auto`: fits the content).
`direction`	`auto`	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
`dark`	`false`	Dark colour of the design.

name	default	description
`colour`	`rgb("#F25544")`	Main colour of the box.
`title-colour`	`auto`	Colour of the title text.
`text-colour`	`auto`	Colour of the body text.
`shadow-colour`	`auto`	Colour of the shadow.
`icon-size`	`0.90cm`	Size of the icon.
`title-size`	`10pt`	Font size of the title.
`body-size`	`7.5pt`	Font size of the body text.

EXAMPLE

```
#four-step-parchment-process(
    title: [Lorem Ipsum],
    body: [Lorem ipsum dolor sit amet, nibh est. A magna maecenas, quam magna nec quis, lorem
nunc.],
    icon: image("../examples/assets/four-step-hourglass-red.svg", width: 0.90cm),
    print-icon: image("../examples/assets/four-step-hourglass-print.svg", width: 0.90cm),
    width: 6cm,
    height: 6.6cm,
    direction: ltr,
  )
```



horizontal-chevron-block

```
horizontal-chevron-block(body: [Lorem ipsum dolor sit amet, nibh est. A magna maecenas, quam magna nec quis, lorem nunc. Suspendisse viverra sodales
mauris, cras pharetra proin egestas arcu erat dolor.], icon: none, icon-style: 0, width: auto, height: 1.75cm, direction: auto, chevron-side:
"start", …)
```

A horizontal text-and-icon block with a layered chevron divider.


PARAMETERS

name	default	description
body	[Lorem ipsum dolor sit amet, nibh est. A ma…	The content of the box (positional).
icon	none	Icon shown in the box (content, symbol or `none`).
icon-style	0	Style of the icon drawing.
width	auto	Width of the box (`auto`: fits the content, `100%`: the line).
height	1.75cm	Height of the box (`auto`: fits the content).
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
chevron-side	"start"	Side of the chevron.
accent-colour	rgb("#F05C4B")	Colour of the accent.
tint-colour	auto	Colour of the tint.
stripe-colour	auto	Colour of the stripe.

name	default	description
text-colour	auto	Colour of the body text.
icon-colour	auto	Colour of the icon.
icon-size	0.88cm	Size of the icon.
body-size	8pt	Font size of the body text.
padding	0.12cm	Inner padding.
body-width	auto	Width of the body.
text-offset-x	0pt	Horizontal nudge of the text.
text-offset-y	0pt	Vertical nudge of the text.
icon-offset-x	0pt	Horizontal nudge of the icon.
icon-offset-y	0pt	Vertical nudge of the icon.

EXAMPLE

```
#horizontal-chevron-block(
    body: [The right-side cap is a mirror of the left-side version.],
    width: 11.2cm, height: 1.8cm, chevron-side: "end",
    accent-colour: rgb("#F5A51A"), icon-style: 1,
  )
```



vertical-chevron-list-item

```
vertical-chevron-list-item(number: [01], title: [Lorem Ipsum], body: [Lorem ipsum dolor sit amet, nibh est. A magna maecenas, quam magna nec quis,
lorem nunc. Suspendisse viverra.], width: auto, height: 1.55cm, direction: auto, badge-side: "start", …)
```

One row of a vertical chevron list with a numbered down-pointing chevron.

PARAMETERS

name	default	description
number	[01]	Number shown in the badge (content, or `auto` for automatic numbering).
title	[Lorem Ipsum]	Title shown in the box (content or `none`).
body	[Lorem ipsum dolor sit amet, nibh est. A ma…	The content of the box (positional).


name	default	description
title-size	11pt	Font size of the title.
body-size	6pt	Font size of the body text.
title-width	auto	Width of the title.
body-width	auto	Width of the body.
title-body-gap	auto	Space between the title and the body.
number-size	22pt	Font size of the number.
title-offset-x	0pt	Horizontal nudge of the title.
title-offset-y	0pt	Vertical nudge of the title.
body-offset-x	0pt	Horizontal nudge of the body text.
body-offset-y	0pt	Vertical nudge of the body text.

name	default	description
`width`	`auto`	Width of the box (`auto`: fits the content, `100%`: the line).
`height`	`1.55cm`	Height of the box (`auto`: fits the content).
`direction`	`auto`	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
`badge-side`	`"start"`	Side of the badge.
`colour`	`rgb("#103C51")`	Main colour of the box.
`face-colour`	`white`	Colour of the face.
`title-colour`	`auto`	Colour of the title text.
`text-colour`	`auto`	Colour of the body text.
`number-colour`	`auto`	Colour of the number.

name	default	description
`number-offset-x`	`0pt`	Horizontal nudge of the number.
`number-offset-y`	`0pt`	Vertical nudge of the number.

EXAMPLE

```
#vertical-chevron-list-item(
      number: [04], title: [PRINT CHECK],
      body: [Monochrome output keeps the number and panel clearly separated.],
      width: 11cm, height: 1.55cm,
    )
```



`text-box-process-box`

```
text-box-process-box(title: [LOREM IPSUM], number: [01], body: [], width: 6.4cm, height: auto, direction: auto, body-direction: auto, …)
```

A process card: layered arrow banner and raised number badge.

PARAMETERS

name	default	description
`title`	`[LOREM IPSUM]`	Title shown in the box (content or `none`).
`number`	`[01]`	Number shown in the badge (content, or `auto` for automatic numbering).
`body`	`[]`	The content of the box (positional).
`width`	`6.4cm`	Width of the box (`auto`: fits the content, `100%`: the line).
`height`	`auto`	Height of the box (`auto`: fits the content).
`direction`	`auto`	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
`body-direction`	`auto`	Direction of the body.
`colour`	`rgb("#41658A")`	Main colour of the box.
`panel-colour`	`auto`	Colour of the content panel.
`title-colour`	`auto`	Colour of the title text.
`text-colour`	`auto`	Colour of the body text.
`number-fill`	`auto`	Fill of the number.
`number-colour`	`auto`	Colour of the number.
`shadow-colour`	`auto`	Colour of the shadow.
`min-body-height`	`4.20cm`	Min body height.
`min-banner-height`	`1.55cm`	Min banner height.
`banner-overhang`	`0.95cm`	Overhang of the banner.

name	default	description
`banner-padding`	`0.18cm`	Inner padding of the banner.
`header-overlap`	`0.40cm`	Header overlap.
`body-padding-x`	`0.42cm`	Horizontal padding of the body.
`body-padding-top`	`1.08cm`	Body padding top.
`body-padding-bottom`	`0.32cm`	Body padding bottom.
`shadow-offset`	`0.16cm`	Offset of the shadow.
`fold`	`true`	Fold.
`depth-shadow`	`true`	Depth shadow.
`title-size`	`18pt`	Font size of the title.
`number-size`	`17pt`	Font size of the number.
`body-size`	`11pt`	Font size of the body text.
`corner-radius`	`0pt`	Corner radius.
`shadow`	`true`	Drop shadow: `true`, `false`, or a colour.
`body-offset-x`	`0pt`	Horizontal nudge of the body text.
`body-offset-y`	`0pt`	Vertical nudge of the body text.
`title-offset-x`	`0pt`	Horizontal nudge of the title.
`title-offset-y`	`0pt`	Vertical nudge of the title.

EXAMPLE

```
#text-box-process-box(
    title: [خطة العمل],
    number: [٠٢],
    body: [حددوا الهدف بوضوح، ثم رتّبوا الخطوات الرئيسية وحدّدوا موعداً مناسباً لكل خطوة.
#parbreak() ورّعوا المسؤوليات، وشاركوا المستجدات، وأزيلوا العوائق التي تؤخر التنفيذ.
#parbreak() راجعوا النتائج بعد المرحلة الأولى، ثم اتفقوا على الإجراء التالي.],
    colour: rgb("#43BDE0"),
    direction: rtl,
  )
```



`continuous-block-process-box`

```
continuous-block-process-box(title: [LOREM IPSUM], value: [66%], body: [], icon: none, print-icon: none, width: 6.4cm, height: auto, …)
```

A vertical process card with a progress window.

PARAMETERS

name	default	description
`title`	`[LOREM IPSUM]`	Title shown in the box (content or `none`).
`value`	`[66%]`	The reading, between 0 and `max`.
`body`	`[]`	The content of the box (positional).
`icon`	`none`	Icon shown in the box (content, symbol or `none`).
`print-icon`	`none`	Keeps the icon in print mode (otherwise hidden).
`width`	`6.4cm`	Width of the box (`auto`: fits the content, `100%`: the line).
`height`	`auto`	Height of the box (`auto`: fits the content).
`min-height`	`11.8cm`	Minimum height of the box.
`direction`	`auto`	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
`body-direction`	`auto`	Direction of the body.
`colour`	`rgb("#F7941D")`	Main colour of the box.
`panel-colour`	`auto`	Colour of the content panel.
`title-colour`	`auto`	Colour of the title text.
`value-colour`	`auto`	Value colour.
`text-colour`	`auto`	Colour of the body text.
`shadow-colour`	`auto`	Colour of the shadow.
`arrow-overhang`	`0.68cm`	Overhang of the arrow.
`window-width`	`0.78`	Width of the window.
`window-height`	`2.00cm`	Height of the window.

name	default	description
`window-y`	`0.76cm`	Vertical position of the window.
`title-size`	`17pt`	Font size of the title.
`value-size`	`29pt`	Value size.
`body-size`	`10.5pt`	Font size of the body text.
`icon-size`	`1.75cm`	Size of the icon.
`card-radius`	`0.78cm`	Corner radius of the card.
`body-start`	`4.10cm`	Start of the body.
`body-padding-x`	`0.48cm`	Horizontal padding of the body.
`body-to-icon-gap`	`0.38cm`	Body to icon gap.
`bottom-padding`	`0.62cm`	Bottom padding.
`shadow-offset`	`0.18cm`	Offset of the shadow.
`shadow`	`true`	Drop shadow: `true`, `false`, or a colour.
`show-arrow`	`true`	Show arrow.
`body-offset-x`	`0pt`	Horizontal nudge of the body text.
`body-offset-y`	`0pt`	Vertical nudge of the body text.
`icon-offset-x`	`0pt`	Horizontal nudge of the icon.
`icon-offset-y`	`0pt`	Vertical nudge of the icon.
`title-offset-x`	`0pt`	Horizontal nudge of the title.
`title-offset-y`	`0pt`	Vertical nudge of the title.

EXAMPLE

```
#continuous-block-process-box(
      title: [خطة العمل],
      value: [١٠٠٪],
      body: [حددوا الهدف بوضوح، وشاركوا الخطوات الرئيسية مع الفريق. راجعوا التقدم بعد كل مرحلة، ثم اتفقوا على الإجراء التالي.],
      colour: rgb("#C53218"),
      direction: rtl,
    )
```



corner-ribbon-process-box

```
corner-ribbon-process-box(title: [LOREM IPSUM], number: [01], body: [], icon: none, print-icon: none, width: 6.2cm, height: auto, …)
```

A process card with corner folds, number tab and icon.

PARAMETERS

name	default	description
title	[LOREM IPSUM]	Title shown in the box (content or `none`).
number	[01]	Number shown in the badge (content, or `auto` for automatic numbering).
body	[]	The content of the box (positional).
icon	none	Icon shown in the box (content, symbol or `none`).
print-icon	none	Keeps the icon in print mode (otherwise hidden).
width	6.2cm	Width of the box (`auto`: fits the content, `100%`: the line).
height	auto	Height of the box (`auto`: fits the content).
min-height	9.9cm	Minimum height of the box.
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
body-direction	auto	Direction of the body.
colour	rgb("#F15B4A")	Main colour of the box.
panel-colour	auto	Colour of the content panel.
title-colour	auto	Colour of the title text.
text-colour	auto	Colour of the body text.
number-colour	auto	Colour of the number.
icon-colour	auto	Colour of the icon.
shadow-colour	auto	Colour of the shadow.
corner-radius	0.48cm	Corner radius.
icon-size	3.30cm	Size of the icon.

name	default	description
title-size	16pt	Font size of the title.
number-size	13pt	Font size of the number.
body-size	8pt	Font size of the body text.
tab-width	1.30cm	Width of the tab.
tab-height	1.28cm	Height of the tab.
tab-overhang	0.48cm	Overhang of the tab.
body-padding-x	0.70cm	Horizontal padding of the body.
body-start	5.75cm	Start of the body.
body-to-dots-gap	1.20cm	Body to dots gap.
wave-height	0.19	Wave height.
shadow-offset	0.14cm	Offset of the shadow.
shadow	true	Drop shadow: `true`, `false`, or a colour.
body-offset-x	0pt	Horizontal nudge of the body text.
body-offset-y	0pt	Vertical nudge of the body text.
icon-offset-x	0pt	Horizontal nudge of the icon.
icon-offset-y	0pt	Vertical nudge of the icon.
title-offset-x	0pt	Horizontal nudge of the title.
title-offset-y	0pt	Vertical nudge of the title.

EXAMPLE

```
#corner-ribbon-process-box(
    title: [خطة العمل],
    number: [02],
    body: [حددوا الهدف بوضوح، وشاركوا الخطوات الرئيسية مع الفريق. راجعوا التقدم بعد كل مرحلة، ثم اتفقوا على الإجراء التالي.],
    colour: rgb("#24B7D0"),
    direction: rtl,
  )
```



serpentine-process-box

```
serpentine-process-box(title: [LOREM IPSUM], body: [], icon: none, width: 6.2cm, height: auto, min-height: 8.8cm, direction: auto, …)
```

An interlocking serpentine process node with a loop and icon.

PARAMETERS

name	default	description
`title`	`[LOREM IPSUM]`	Title shown in the box (content or `none`).
`body`	`[]`	The content of the box (positional).
`icon`	`none`	Icon shown in the box (content, symbol or `none`).
`width`	`6.2cm`	Width of the box (`auto`: fits the content, `100%`: the line).
`height`	`auto`	Height of the box (`auto`: fits the content).
`min-height`	`8.8cm`	Minimum height of the box.
`direction`	`auto`	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
`body-direction`	`auto`	Direction of the body.
`colour`	`rgb("#C83B24")`	Main colour of the box.
`panel-colour`	`auto`	Colour of the content panel.
`title-colour`	`auto`	Colour of the title text.
`text-colour`	`auto`	Colour of the body text.
`icon-colour`	`auto`	Colour of the icon.
`track-colour`	`auto`	Track colour.

name	default	description
`shadow-colour`	`auto`	Colour of the shadow.
`body-size`	`9pt`	Font size of the body text.
`title-size`	`15pt`	Font size of the title.
`body-padding-x`	`0.72cm`	Horizontal padding of the body.
`body-start`	`5.05cm`	Start of the body.
`bottom-padding`	`0.90cm`	Bottom padding.
`shadow-offset`	`0.13cm`	Offset of the shadow.
`shadow`	`true`	Drop shadow: `true`, `false`, or a colour.
`body-offset-x`	`0pt`	Horizontal nudge of the body text.
`body-offset-y`	`0pt`	Vertical nudge of the body text.
`icon-offset-x`	`0pt`	Horizontal nudge of the icon.
`icon-offset-y`	`0pt`	Vertical nudge of the icon.
`title-offset-x`	`0pt`	Horizontal nudge of the title.
`title-offset-y`	`0pt`	Vertical nudge of the title.

EXAMPLE

```
#serpentine-process-box(
    title: [خطة التنفيذ],
    body: [حددوا الهدف بوضوح، وشاركوا الخطوات الرئيسية مع الفريق. راجعوا التقدم بعد كل مرحلة، ثم اتفقوا على الإجراء التالي.],
    colour: rgb("#20AAC2"),
    direction: rtl,
  )
```



`looped-chevron-callout`

```
looped-chevron-callout(body: [Place your text here. Add a concise explanation that fits in this wide callout.], icon: none, width: auto, height: 4.9cm, direction: auto, colour: rgb("#D29222"), panel-colour: white, …)
```

A horizontal callout inside a broad looped frame with an icon.


PARAMETERS

name	default	description
`body`	`[Place your text here. Add a concise explan…`	The content of the box (positional).
`icon`	`none`	Icon shown in the box (content, symbol or `none`).
`width`	`auto`	Width of the box (`auto`: fits the content, `100%`: the line).
`height`	`4.9cm`	Height of the box (`auto`: fits the content).
`direction`	`auto`	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
`colour`	`rgb("#D29222")`	Main colour of the box.
`panel-colour`	`white`	Colour of the content panel.
`chevron-colours`	`(rgb("#B5CC2E"), rgb("#16AFC3"), rgb("#A8AB…`	Exactly three colours: the two chevrons, then the colour of the shadow (the whole drawing lowered to the right).
`icon-colour`	`rgb("#55418D")`	Colour of the icon.
`text-colour`	`auto`	Colour of the body text.
`icon-size`	`1.50cm`	Size of the icon.
`body-size`	`10.5pt`	Font size of the body text.

name	default	description
`body-weight`	`"bold"`	Weight of the text.
`body-stretch`	`75%`	Width of the letters: 75% picks the condensed face when the font has one.
`font`	`"DejaVu Sans"`	Font of the text (the reference uses a condensed bold face; any installed font works).
`padding`	`0.12cm`	Inner padding.
`body-width`	`auto`	Width of the body.
`body-offset-x`	`0pt`	Horizontal nudge of the body text.
`body-offset-y`	`0pt`	Vertical nudge of the body text.
`icon-offset-x`	`0pt`	Horizontal nudge of the icon.
`icon-offset-y`	`0pt`	Vertical nudge of the icon.
`chevron-offset-x`	`0pt`	Horizontal nudge of the chevron.
`chevron-offset-y`	`0pt`	Vertical nudge of the chevron.
`chevron-spacing`	`auto`	Spacing of the chevron.

EXAMPLE

```
#looped-chevron-callout(
      body: [Monochrome regression sample.],
      width: 11.2cm, height: 4.9cm,
    )
```



quad-step-card

```
quad-step-card(number: [01], title: [Lorem Ipsum], body: [Lorem ipsum dolor sit amet, nibh est. A magna maecenas, quam magna nec quis, lorem nunc.
Suspendisse viverra.], icon: none, print-icon: none, icon-style: 0, width: 4.6cm, …)
```

A portrait card with an upper icon medallion, coloured halo and numbered medallion.


PARAMETERS

name	default	description
number	[01]	Number shown in the badge (content, or `auto` for automatic numbering).
title	[Lorem Ipsum]	Title shown in the box (content or `none`).
body	[Lorem ipsum dolor sit amet, nibh est. A ma…	The content of the box (positional).
icon	none	Icon shown in the box (content, symbol or `none`).
print-icon	none	Keeps the icon in print mode (otherwise hidden).
icon-style	0	Style of the icon drawing.
width	4.6cm	Width of the box (`auto`: fits the content, `100%`: the line).
height	4.6cm	Height of the box (`auto`: fits the content).
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
colour	rgb("#F4A51C")	Main colour of the box.
panel-colour	white	Colour of the content panel.
badge-colour	rgb("#303030")	Colour of the badge.
title-colour	auto	Colour of the title text.
text-colour	auto	Colour of the body text.
icon-colour	white	Colour of the icon.
number-colour	white	Colour of the number.
ring-size	2.30cm	Size of the ring.
badge-size	1.92cm	Size of the badge.
icon-size	0.92cm	Size of the icon.
title-size	12.5pt	Font size of the title.
body-size	8.4pt	Font size of the body text.

name	default	description
corner-radius	0.38cm	Corner radius.
title-width	auto	Width of the title.
body-width	auto	Width of the body.
title-body-gap	auto	Space between the title and the body.
number-size	13pt	Font size of the number.
title-offset-x	0pt	Horizontal nudge of the title.
title-offset-y	0pt	Vertical nudge of the title.
body-offset-x	0pt	Horizontal nudge of the body text.
body-offset-y	0pt	Vertical nudge of the body text.
icon-offset-x	0pt	Horizontal nudge of the icon.
icon-offset-y	0pt	Vertical nudge of the icon.
number-offset-x	0pt	Horizontal nudge of the number.
number-offset-y	0pt	Vertical nudge of the number.
top-ring-offset-x	0pt	Horizontal nudge of the top ring.
top-ring-offset-y	0pt	Vertical nudge of the top ring.
bottom-ring-offset-x	0pt	Horizontal nudge of the bottom ring.
bottom-ring-offset-y	0pt	Vertical nudge of the bottom ring.
top-badge-offset-x	0pt	Horizontal nudge of the top badge.
top-badge-offset-y	0pt	Vertical nudge of the top badge.
bottom-badge-offset-x	0pt	Horizontal nudge of the bottom badge.
bottom-badge-offset-y	0pt	Vertical nudge of the bottom badge.

EXAMPLE

```
#quad-step-card(
      number: [04], title: [PRINT CHECK],
      body: [Monochrome printing preserves a distinct lower number medallion.],
      width: 4.6cm, height: 4.6cm,
    )
```



Slide components III — banners, folders and hand-drawn pieces

Banners and ribbons, folder and tab boxes, speech bubbles, pencil-sketch shapes and other hand-drawn call-outs.

`folded-banner`

```
folded-banner(title: [], body: [], number: auto, icon: none, colour: auto, width: auto, height: auto, …)
```

A banner folded at both ends, with a drop shadow under the folds.

PARAMETERS

name	default	description
`title`	`[]`	Title shown in the box (content or `none`).
`body`	`[]`	The content of the box (positional).
`number`	`auto`	Number shown in the badge (content, or `auto` for automatic numbering).
`icon`	`none`	Icon shown in the box (content, symbol or `none`).
`colour`	`auto`	Main colour of the box.
`width`	`auto`	Width of the box (`auto`: fits the content, `100%`: the line).
`height`	`auto`	Height of the box (`auto`: fits the content).
`direction`	`auto`	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
`title-size`	`12pt`	Font size of the title.
`body-size`	`8.5pt`	Font size of the body text.
`number-size`	`23pt`	Font size of the number.

name	default	description
`icon-size`	`23pt`	Size of the icon.
`icon-colour`	`auto`	Colour of the icon.
`min-height`	`2.15cm`	Minimum height of the box.
`pad-x`	`0.24cm`	Horizontal padding.
`pad-y`	`0.18cm`	Vertical padding.
`left-width`	`0.21`	Left width.
`right-width`	`0.28`	Right width.
`fold-width`	`0.16`	Width of the fold.
`centre-fill`	`auto`	Fill of the centre.
`text-colour`	`auto`	Colour of the body text.
`shadow`	`true`	Drop shadow: `true`, `false`, or a colour.

EXAMPLE

```
#folded-banner(
  title: [مرحلة الشرح],
  body: [شرح وأمثلة وروابط بين الأفكار، مع اتجاه RTL طبيعي.],
  icon: [⚙],
)
```



`banners-with-circles`

```
banners-with-circles(steps: (), width: auto, columns: 2, gap: 0.52cm, row-gap: 0.48cm, height: 2.08cm, circle-size: 1.78cm, …)
```

A two-column gallery of horizontal banners with an overlapping numbered circle.


PARAMETERS

name	default	description
`steps`	`()`	Number of steps, or the list of steps.
`width`	`auto`	Width of the box (`auto`: fits the content, `100%`: the line).
`columns`	`2`	Number of columns (or the column sizes).
`gap`	`0.52cm`	Space between the parts.
`row-gap`	`0.48cm`	Space between the rows.
`height`	`2.08cm`	Height of the box (`auto`: fits the content).
`circle-size`	`1.78cm`	Size of the circle.

name	default	description
`direction`	`auto`	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
`colours`	`( (rgb("#35E2CD"), rgb("#00A994")), (rgb("#…`	List of colours used in turn by the items.
`title-size`	`11.4pt`	Font size of the title.
`body-size`	`7.2pt`	Font size of the body text.
`number-size`	`20pt`	Font size of the number.
`icon-size`	`0.58cm`	Size of the icon.

EXAMPLE

```
#banners-with-circles(steps: ((title: [One], body: [Short text.]), (title: [Two], body:
[Another line.]), (title: [Three], body: [A third one.]), (title: [Four], body: [The last.])),
width: 100%, columns: 2)
```



`hand-drawn-speech-bubbles`

```
hand-drawn-speech-bubbles(steps: (), width: auto, columns: 3, gap: 0.52cm, row-gap: 0.54cm, height: 6.40cm, direction: auto, …)
```

A row or grid of hand-drawn quote, speech and thought bubbles.

PARAMETERS

name	default	description
steps	()	Number of steps, or the list of steps.
width	auto	Width of the box (`auto`: fits the content, `100%`: the line).
columns	3	Number of columns (or the column sizes).
gap	0.52cm	Space between the parts.
row-gap	0.54cm	Space between the rows.
height	6.40cm	Height of the box (`auto`: fits the content).
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
dark	false	Dark colour of the design.

name	default	description
colours	(rgb("#37BDD1"), rgb("#72A576"), rgb("#FFA9…	List of colours used in turn by the items.
title-size	13pt	Font size of the title.
body-size	8.6pt	Font size of the body text.
outline	0.13cm	Outline.
padding-x	1.02cm	Horizontal padding.
title-y	auto	Vertical position of the title.
body-y	auto	Vertical position of the body.

EXAMPLE

```
#hand-drawn-speech-bubbles(
    steps: (
      (kind: "quote", title: [اقتباس], body: [كلمات موجزة تترك أثراً وتلخّص الفكرة الأساسية.]),
      (kind: "speech", title: [حوار], body: [اعرض الرسالة ببساطة وشارك وجهة نظرك.]),
      (kind: "thought", title: [فكرة], body: [تأمّل الملاحظات الجديدة وحدّد ما يستحق المتابعة.]),
    ),
    width: 22cm,
    direction: rtl,
  )
```



tabbed-folder-box

```
tabbed-folder-box(title: [], body: [], icon: none, print-icon: none, width: 8.2cm, body-height: 2.20cm, direction: auto, …)
```

A folder-shaped text box with a coloured tab and body panel.


PARAMETERS

name	default	description
title	[]	Title shown in the box (content or `none`).
body	[]	The content of the box (positional).
icon	none	Icon shown in the box (content, symbol or `none`).
print-icon	none	Keeps the icon in print mode (otherwise hidden).
width	8.2cm	Width of the box (`auto`: fits the content, `100%`: the line).
body-height	2.20cm	Height of the body.
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
dark	false	Dark colour of the design.
colour	rgb("#E95548")	Main colour of the box.
body-colour	auto	Colour of the body.
title-colour	auto	Colour of the title text.
text-colour	auto	Colour of the body text.
footer-colour	auto	Colour of the footer.
tab-width	1.55cm	Width of the tab.
tab-height	0.36cm	Height of the tab.

name	default	description
tab-slope	0.32cm	Tab slope.
header-height	0.84cm	Height of the header.
footer-height	0.18cm	Height of the footer.
radius	0.22cm	Corner radius.
inset-x	0.34cm	Horizontal padding.
icon-size	0.60cm	Size of the icon.
title-size	12pt	Font size of the title.
body-size	9pt	Font size of the body text.
body-offset-x	0pt	Horizontal nudge of the body text.
body-offset-y	0pt	Vertical nudge of the body text.
icon-offset-x	0pt	Horizontal nudge of the icon.
icon-offset-y	0pt	Vertical nudge of the icon.
title-offset-x	0pt	Horizontal nudge of the title.
title-offset-y	0pt	Vertical nudge of the title.

EXAMPLE

```
#tabbed-folder-box(
  title: [KEY PRIORITY],
  body: [Keep related ideas together. Use this folder-style box for a concise summary or
project update.],
  icon: image("../examples/assets/tabbed-folder-check-white.svg", width: 0.58cm),
  print-icon: image("../examples/assets/tabbed-folder-check-black.svg", width: 0.58cm),
  width: 8.2cm,
  body-height: 2.2cm,
  direction: ltr,
)
```



perspective-text-box

```
perspective-text-box(title: [], body: [], icon: none, print-icon: none, width: 6.8cm, height: 3.85cm, direction: auto, …)
```

A perspective text panel with a slanted front face and shaded side.

PARAMETERS

name	default	description
title	[]	Title shown in the box (content or `none`).
body	[]	The content of the box (positional).
icon	none	Icon shown in the box (content, symbol or `none`).
print-icon	none	Keeps the icon in print mode (otherwise hidden).
width	6.8cm	Width of the box (`auto`: fits the content, `100%`: the line).
height	3.85cm	Height of the box (`auto`: fits the content).

name	default	description
face-slope	0.30cm	Face slope.
side-slope	0.20cm	Side slope.
inset-x	0.48cm	Horizontal padding.
icon-y	0.35cm	Vertical position of the icon.
title-y	1.25cm	Vertical position of the title.
body-y	1.88cm	Vertical position of the body.
title-size	11pt	Font size of the title.
body-size	8.5pt	Font size of the body text.

name	default	description
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
dark	false	Dark colour of the design.
colour	rgb("#53BCE4")	Main colour of the box.
side-colour	auto	Colour of the side.
title-colour	auto	Colour of the title text.
text-colour	auto	Colour of the body text.
icon-size	0.72cm	Size of the icon.
side-depth	0.34cm	Depth of the side.

name	default	description
body-offset-x	0pt	Horizontal nudge of the body text.
body-offset-y	0pt	Vertical nudge of the body text.
icon-offset-x	0pt	Horizontal nudge of the icon.
icon-offset-y	0pt	Vertical nudge of the icon.
title-offset-x	0pt	Horizontal nudge of the title.
title-offset-y	0pt	Vertical nudge of the title.

EXAMPLE

```
#perspective-text-box(
    title: [أهمية الفكرة],
    body: [اعرض حقيقة مهمة بوضوح. يمنح السطح المائل والحافة المظللة المحتوى عمقاً بسيطاً دون تشتيت الرسالة.],
    icon: image("../examples/assets/perspective-target-black.svg", width: 0.76cm),
    print-icon: image("../examples/assets/perspective-target-black.svg", width: 0.76cm),
    width: 6.8cm,
    height: 3.85cm,
    direction: rtl,
  )
```



peak-header-box

```
peak-header-box(title: [], body: [], icon: none, print-icon: none, number: none, width: 5.0cm, height: 4.65cm, …)
```

A rounded box with a white peak-cut header over a coloured body.

PARAMETERS

name	default	description
title	[]	Title shown in the box (content or `none`).
body	[]	The content of the box (positional).
icon	none	Icon shown in the box (content, symbol or `none`).
print-icon	none	Keeps the icon in print mode (otherwise hidden).
number	none	Number shown in the badge (content, or `auto` for automatic numbering).
width	5.0cm	Width of the box (`auto`: fits the content, `100%`: the line).
height	4.65cm	Height of the box (`auto`: fits the content).
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
dark	false	Dark colour of the design.
colour	rgb("#F05D4E")	Main colour of the box.
header-colour	auto	Colour of the header.
title-colour	auto	Colour of the title text.
text-colour	auto	Colour of the body text.
shadow-colour	auto	Colour of the shadow.
header-height	1.16cm	Height of the header.
peak-depth	0.62cm	Depth of the peak.
radius	0.24cm	Corner radius.

name	default	description
inset-x	0.36cm	Horizontal padding.
icon-size	0.62cm	Size of the icon.
icon-y	0.28cm	Vertical position of the icon.
title-size	11pt	Font size of the title.
body-size	8.5pt	Font size of the body text.
title-gap	0.22cm	Space between the title and the body.
body-gap	0.15cm	Space around the body.
body-height	1.55cm	Height of the body.
body-offset-x	0pt	Horizontal nudge of the body text.
body-offset-y	0pt	Vertical nudge of the body text.
icon-offset-x	0pt	Horizontal nudge of the icon.
icon-offset-y	0pt	Vertical nudge of the icon.
number-offset-x	0pt	Horizontal nudge of the number.
number-offset-y	0pt	Vertical nudge of the number.
title-offset-x	0pt	Horizontal nudge of the title.
title-offset-y	0pt	Vertical nudge of the title.

EXAMPLE

```
#peak-header-box(
    title: [تقدّم ملموس],
    body: [يمنح الإنجاز الواضح الفريق هدفاً مشتركاً ودافعاً لمواصلة التقدّم.],
    icon: image("../examples/assets/peak-header-bars-teal.svg", width: 0.62cm),
    print-icon: image("../examples/assets/peak-header-bars-black.svg", width: 0.62cm),
    number: [٠١],
    width: 5.0cm,
    height: 4.65cm,
    direction: rtl,
  )
```



pocket-card-box

```
pocket-card-box(title: [], body: [], icon: none, print-icon: none, width: 4.7cm, card-height: 3.50cm, direction: auto, …)
```

A card with a raised coloured pocket tab and a rounded centre lip.

PARAMETERS

name	default	description
title	[]	Title shown in the box (content or `none`).
body	[]	The content of the box (positional).


name	default	description
card-top	0.94cm	Top card.
radius	0.12cm	Corner radius.

name	default	description
`icon`	`none`	Icon shown in the box (content, symbol or `none`).
`print-icon`	`none`	Keeps the icon in print mode (otherwise hidden).
`width`	`4.7cm`	Width of the box (`auto`: fits the content, `100%`: the line).
`card-height`	`3.50cm`	Height of the card.
`direction`	`auto`	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
`dark`	`false`	Dark colour of the design.
`colour`	`rgb("#F05D4E")`	Main colour of the box.
`body-colour`	`auto`	Colour of the body.
`title-colour`	`auto`	Colour of the title text.
`text-colour`	`auto`	Colour of the body text.
`shadow-colour`	`auto`	Colour of the shadow.
`pocket-width`	`2.55cm`	Width of the pocket.
`pocket-top`	`0.12cm`	Top pocket.
`pocket-height`	`0.82cm`	Height of the pocket.
`lip-size`	`0.84cm`	Size of the lip.

name	default	description
`inset-x`	`0.32cm`	Horizontal padding.
`icon-size`	`0.46cm`	Size of the icon.
`icon-y`	`0.25cm`	Vertical position of the icon.
`title-y`	`1.68cm`	Vertical position of the title.
`body-y`	`2.28cm`	Vertical position of the body.
`title-size`	`11pt`	Font size of the title.
`body-size`	`8.5pt`	Font size of the body text.
`body-copy-height`	`1.88cm`	Body copy height.
`body-offset-x`	`0pt`	Horizontal nudge of the body text.
`body-offset-y`	`0pt`	Vertical nudge of the body text.
`icon-offset-x`	`0pt`	Horizontal nudge of the icon.
`icon-offset-y`	`0pt`	Vertical nudge of the icon.
`title-offset-x`	`0pt`	Horizontal nudge of the title.
`title-offset-y`	`0pt`	Vertical nudge of the title.

EXAMPLE

```
#pocket-card-box(
  title: [Growth Note],
  body: [A pocket keeps the key idea easy to retrieve. Use the copy below for a short
description or practical reminder.],
  icon: image("../examples/assets/pocket-card-bars-white.svg", width: 0.46cm),
  print-icon: image("../examples/assets/pocket-card-bars-black.svg", width: 0.46cm),
  width: 4.7cm,
  card-height: 3.5cm,
  direction: ltr,
)
```



folder-text-block

```
folder-text-block(title: [], body: [], icon: none, print-icon: none, number: none, width: 7cm, height: 4.55cm, …)
```

A folder-shaped text block with a tab silhouette and accent lip.


PARAMETERS

name	default	description
`title`	`[]`	Title shown in the box (content or `none`).
`body`	`[]`	The content of the box (positional).
`icon`	`none`	Icon shown in the box (content, symbol or `none`).
`print-icon`	`none`	Keeps the icon in print mode (otherwise hidden).
`number`	`none`	Number shown in the badge (content, or `auto` for automatic numbering).
`width`	`7cm`	Width of the box (`auto`: fits the content, `100%`: the line).
`height`	`4.55cm`	Height of the box (`auto`: fits the content).
`direction`	`auto`	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
`dark`	`false`	Dark colour of the design.
`colour`	`rgb("#F3A21B")`	Main colour of the box.
`body-colour`	`auto`	Colour of the body.
`tab-colour`	`auto`	Colour of the tab.
`icon-panel-colour`	`auto`	Colour of the icon panel.
`title-colour`	`auto`	Colour of the title text.
`text-colour`	`auto`	Colour of the body text.

name	default	description
`shadow-colour`	`auto`	Colour of the shadow.
`left-column`	`auto`	Left column.
`content-top`	`2.17cm`	Top content.
`header-y`	`0.57cm`	Vertical position of the header.
`header-height`	`0.50cm`	Height of the header.
`badge-size`	`1.05cm`	Size of the badge.
`radius`	`0.20cm`	Corner radius.
`inset-x`	`0.24cm`	Horizontal padding.
`icon-size`	`1.12cm`	Size of the icon.
`title-size`	`14pt`	Font size of the title.
`number-size`	`18pt`	Font size of the number.
`body-size`	`6.5pt`	Font size of the body text.
`body-y`	`2.45cm`	Vertical position of the body.
`body-height`	`2.00cm`	Height of the body.

EXAMPLE

```
#folder-text-block(
  title: [Lorem Ipsum], body: [A concise, reusable explanation.],
  number: [1], icon: [⚙], colour: rgb("#F6A51A"),
)
```



folder-text-box

```
folder-text-box(title: [], body: [], icon: none, print-icon: none, number: none, width: 7cm, height: 5.42cm, …)
```

A folder text box with raised tab, long side wave and number.


PARAMETERS

name	default	description
title	[]	Title shown in the box (content or `none`).
body	[]	The content of the box (positional).
icon	none	Icon shown in the box (content, symbol or `none`).
print-icon	none	Keeps the icon in print mode (otherwise hidden).
number	none	Number shown in the badge (content, or `auto` for automatic numbering).
width	7cm	Width of the box (`auto`: fits the content, `100%`: the line).
height	5.42cm	Height of the box (`auto`: fits the content).
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
dark	false	Dark colour of the design.
colour	rgb("#F7931E")	Main colour of the box.
icon-panel-colour	auto	Colour of the icon panel.
title-colour	auto	Colour of the title text.
number-colour	auto	Colour of the number.
text-colour	auto	Colour of the body text.
shadow-colour	auto	Colour of the shadow.
icon-panel-width	auto	Width of the icon panel.
content-width	auto	Width of the content.
content-start	auto	Start of the content.
icon-size	1.30cm	Size of the icon.

name	default	description
number-size	18pt	Font size of the number.
title-size	16pt	Font size of the title.
body-size	7.5pt	Font size of the body text.
title-y	auto	Vertical position of the title.
title-height	auto	Height of the title.
body-y	auto	Vertical position of the body.
body-height	auto	Height of the body.
number-y	auto	Vertical position of the number.
number-width	auto	Width of the number.
number-height	auto	Height of the number.
body-offset-x	0pt	Horizontal nudge of the body text.
body-offset-y	0pt	Vertical nudge of the body text.
icon-offset-x	0pt	Horizontal nudge of the icon.
icon-offset-y	0pt	Vertical nudge of the icon.
number-offset-x	0pt	Horizontal nudge of the number.
number-offset-y	0pt	Vertical nudge of the number.
title-offset-x	0pt	Horizontal nudge of the title.
title-offset-y	0pt	Vertical nudge of the title.

EXAMPLE

```
#folder-text-box(
  title: [Lorem Ipsum], body: [A concise explanation.],
  number: [01], icon: [□], colour: rgb("#F7931E"),
)
```



vertical-banner-box

```
vertical-banner-box(title: [], body: [], number: [01], icon: none, print-icon: none, width: 4cm, height: 8cm, …)
```

A vertical banner with a pointed tail and a lighter arrow ribbon.

PARAMETERS

name	default	description
title	[]	Title shown in the box (content or `none`).
body	[]	The content of the box (positional).
number	[01]	Number shown in the badge (content, or `auto` for automatic numbering).
icon	none	Icon shown in the box (content, symbol or `none`).
print-icon	none	Keeps the icon in print mode (otherwise hidden).
width	4cm	Width of the box (`auto`: fits the content, `100%`: the line).
height	8cm	Height of the box (`auto`: fits the content).
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
colour	rgb("#F7931F")	Main colour of the box.
title-colour	auto	Colour of the title text.

name	default	description
text-colour	auto	Colour of the body text.
number-colour	auto	Colour of the number.
title-size	11pt	Font size of the title.
body-size	7.5pt	Font size of the body text.
number-size	23pt	Font size of the number.
icon-size	1cm	Size of the icon.
body-offset-x	0pt	Horizontal nudge of the body text.
body-offset-y	0pt	Vertical nudge of the body text.
title-offset-x	0pt	Horizontal nudge of the title.
title-offset-y	0pt	Vertical nudge of the title.

EXAMPLE

```
#vertical-banner-box(
    number: [01],
    title: [Lorem Ipsum],
    body: [Lorem ipsum dolor sit amet, nibh est. A magna maecenas, quam magna nec quis, lorem
nunc.],
    width: 3.8cm,
    height: 7.7cm,
    direction: ltr,
  )
```



`hexagonal-header-box`

```
hexagonal-header-box(title: [], body: [], number: [01], icon: none, print-icon: none, width: 5.2cm, height: 7.6cm, …)
```

A block with a hexagonal header, inset notch and large number.

PARAMETERS

name	default	description
`title`	`[]`	Title shown in the box (content or `none`).
`body`	`[]`	The content of the box (positional).
`number`	`[01]`	Number shown in the badge (content, or `auto` for automatic numbering).
`icon`	`none`	Icon shown in the box (content, symbol or `none`).
`print-icon`	`none`	Keeps the icon in print mode (otherwise hidden).
`width`	`5.2cm`	Width of the box (`auto`: fits the content, `100%`: the line).
`height`	`7.6cm`	Height of the box (`auto`: fits the content).
`direction`	`auto`	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
`colour`	`rgb("#F15F47")`	Main colour of the box.
`number-colour`	`auto`	Colour of the number.
`title-colour`	`auto`	Colour of the title text.
`text-colour`	`auto`	Colour of the body text.

name	default	description
`number-size`	`30pt`	Font size of the number.
`title-size`	`17pt`	Font size of the title.
`body-size`	`8.6pt`	Font size of the body text.
`icon-size`	`1.25cm`	Size of the icon.
`body-offset-x`	`0pt`	Horizontal nudge of the body text.
`body-offset-y`	`0pt`	Vertical nudge of the body text.
`icon-offset-x`	`0pt`	Horizontal nudge of the icon.
`icon-offset-y`	`0pt`	Vertical nudge of the icon.
`number-offset-x`	`0pt`	Horizontal nudge of the number.
`number-offset-y`	`0pt`	Vertical nudge of the number.
`title-offset-x`	`0pt`	Horizontal nudge of the title.
`title-offset-y`	`0pt`	Vertical nudge of the title.

EXAMPLE

```
#hexagonal-header-box(
    number: [01],
    title: [Lorem Ipsum],
    body: [Lorem ipsum dolor sit amet, nibh est. A magna maecenas, quam magna nec quis, lorem
nunc.],
    icon: image("../examples/assets/hexagonal-eye-white.svg", width: 1.35cm),
    print-icon: image("../examples/assets/hexagonal-eye-print.svg", width: 1.35cm),
    width: 5.2cm,
    height: 7.6cm,
    direction: ltr,
  )
```



horizontal-bubble-box

```
horizontal-bubble-box(bubble-title: [], title: [], body: [], icon: none, print-icon: none, width: 4.4cm, height: 8.9cm, …)
```

An abstract bubble header with a slim open text frame.


PARAMETERS

name	default	description
bubble-title	[]	Bubble title.
title	[]	Title shown in the box (content or `none`).
body	[]	The content of the box (positional).
icon	none	Icon shown in the box (content, symbol or `none`).
print-icon	none	Keeps the icon in print mode (otherwise hidden).
width	4.4cm	Width of the box (`auto`: fits the content, `100%`: the line).
height	8.9cm	Height of the box (`auto`: fits the content).
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
colour	rgb("#4CC1EF")	Main colour of the box.
bubble-title-colour	auto	Colour of the bubble title.
title-colour	auto	Colour of the title text.
text-colour	auto	Colour of the body text.

name	default	description
shadow-colour	auto	Colour of the shadow.
tail-colour	auto	Colour of the tail.
bubble-title-size	13.5pt	Size of the bubble title.
title-size	14pt	Font size of the title.
body-size	8.2pt	Font size of the body text.
icon-size	1cm	Size of the icon.
body-offset-x	0pt	Horizontal nudge of the body text.
body-offset-y	0pt	Vertical nudge of the body text.
icon-offset-x	0pt	Horizontal nudge of the icon.
icon-offset-y	0pt	Vertical nudge of the icon.
title-offset-x	0pt	Horizontal nudge of the title.
title-offset-y	0pt	Vertical nudge of the title.

EXAMPLE

```
#horizontal-bubble-box(
    bubble-title: [Lorem Ipsum],
    title: [Lorem Ipsum],
    body: [Lorem ipsum dolor sit amet, nibh est. A magna maecenas, quam magna nec quis, lorem
nunc.],
    icon: image("../examples/assets/horizontal-bubble-puzzle-white.svg", width: 1.08cm),
    print-icon: image("../examples/assets/horizontal-bubble-puzzle-print.svg", width: 1.08cm),
    width: 4.4cm,
    height: 8.9cm,
    direction: ltr,
  )
```



staggered-hanging-card-box

```
staggered-hanging-card-box(title: [], body: [], clip: none, print-clip: none, width: 5.4cm, height: 6.3cm, direction: auto, …)
```

A hanging card with an inset white frame, string and clip.

PARAMETERS

name	default	description
title	[]	Title shown in the box (content or `none`).
body	[]	The content of the box (positional).
clip	none	Clip the content to the shape.
print-clip	none	Print clip.
width	5.4cm	Width of the box (`auto`: fits the content, `100%`: the line).
height	6.3cm	Height of the box (`auto`: fits the content).
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
card-colour	rgb("#EF604C")	Colour of the card.
title-colour	auto	Colour of the title text.
text-colour	auto	Colour of the body text.
string-colour	rgb("#808184")	Colour of the string.

name	default	description
title-size	15pt	Font size of the title.
body-size	8.8pt	Font size of the body text.
clip-width	0.64cm	Width of the clip.
clip-height	0.72cm	Height of the clip.
string-length	1.05cm	Length of the string.
frame-inset	0.12cm	Inner padding of the frame.
body-offset-x	0pt	Horizontal nudge of the body text.
body-offset-y	0pt	Vertical nudge of the body text.
title-offset-x	0pt	Horizontal nudge of the title.
title-offset-y	0pt	Vertical nudge of the title.

EXAMPLE

```
#staggered-hanging-card-box(
    title: [Lorem Ipsum],
    body: [Lorem ipsum dolor sit amet, nibh est.],
    clip: image("../examples/assets/staggered-binder-clip.svg", width: 0.56cm),
    print-clip: image("../examples/assets/staggered-binder-clip.svg", width: 0.56cm),
    width: 5.4cm,
    height: 6.3cm,
    direction: ltr,
  )
```



diagonal-banner-card-box

```
diagonal-banner-card-box(title: [], items: (), number: "01", icon: none, print-icon: none, width: 4.8cm, height: 6.8cm, …)
```

A card with a number, icon and tilted title banner.


PARAMETERS

name	default	description
title	[]	Title shown in the box (content or `none`).
items	()	List of items.
number	"01"	Number shown in the badge (content, or `auto` for automatic numbering).
icon	none	Icon shown in the box (content, symbol or `none`).
print-icon	none	Keeps the icon in print mode (otherwise hidden).
width	4.8cm	Width of the box (`auto`: fits the content, `100%`: the line).
height	6.8cm	Height of the box (`auto`: fits the content).
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
colour	rgb("#EF604C")	Main colour of the box.
panel-colour	auto	Colour of the content panel.
title-colour	auto	Colour of the title text.
text-colour	auto	Colour of the body text.
number-colour	auto	Colour of the number.

name	default	description
title-size	13pt	Font size of the title.
body-size	8.3pt	Font size of the body text.
number-size	12pt	Font size of the number.
icon-size	0.82cm	Size of the icon.
banner-tilt	19deg	Tilt of the banner.
body-offset-x	0pt	Horizontal nudge of the body text.
body-offset-y	0pt	Vertical nudge of the body text.
icon-offset-x	0pt	Horizontal nudge of the icon.
icon-offset-y	0pt	Vertical nudge of the icon.
number-offset-x	0pt	Horizontal nudge of the number.
number-offset-y	0pt	Vertical nudge of the number.
title-offset-x	0pt	Horizontal nudge of the title.
title-offset-y	0pt	Vertical nudge of the title.

EXAMPLE

```
#diagonal-banner-card-box(
    title: [Lorem Ipsum],
    items: ([Lorem ipsum dolor sit amet.], [A second point.], [A final point.]),
    number: "01",
    icon: image("../examples/assets/diagonal-banner-rocket-black.png", width: 0.78cm),
    print-icon: image("../examples/assets/diagonal-banner-rocket-black.png", width: 0.78cm),
    width: 4.8cm,
    height: 6.8cm,
    direction: ltr,
  )
```



rounded-tab-card-box

```
rounded-tab-card-box(title: [], body: [], icon: none, print-icon: none, width: 6cm, body-height: 5.0cm, header-height: 2.18cm, …)
```

A card with an icon-bearing curved header and outline.

PARAMETERS

name	default	description
`title`	`[]`	Title shown in the box (content or `none`).
`body`	`[]`	The content of the box (positional).
`icon`	`none`	Icon shown in the box (content, symbol or `none`).
`print-icon`	`none`	Keeps the icon in print mode (otherwise hidden).
`width`	`6cm`	Width of the box (`auto`: fits the content, `100%`: the line).
`body-height`	`5.0cm`	Height of the body.
`header-height`	`2.18cm`	Height of the header.
`direction`	`auto`	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
`colour`	`rgb("#F15F47")`	Main colour of the box.
`panel-colour`	`auto`	Colour of the content panel.
`title-colour`	`auto`	Colour of the title text.
`text-colour`	`auto`	Colour of the body text.

name	default	description
`title-size`	`13pt`	Font size of the title.
`body-size`	`9pt`	Font size of the body text.
`icon-size`	`0.72cm`	Size of the icon.
`icon-disc-size`	`1.42cm`	Size of the icon disc.
`body-inset`	`0.40cm`	Inner padding of the body.
`corner-radius`	`0.48cm`	Corner radius.
`body-offset-x`	`0pt`	Horizontal nudge of the body text.
`body-offset-y`	`0pt`	Vertical nudge of the body text.
`icon-offset-x`	`0pt`	Horizontal nudge of the icon.
`icon-offset-y`	`0pt`	Vertical nudge of the icon.
`title-offset-x`	`0pt`	Horizontal nudge of the title.
`title-offset-y`	`0pt`	Vertical nudge of the title.

EXAMPLE

```
#rounded-tab-card-box(
    title: [Bright Idea],
    body: [A clear idea brings the important details into focus.],
    icon: image("../examples/assets/rounded-tab-lightbulb.svg", width: 0.62cm),
    print-icon: image("../examples/assets/rounded-tab-lightbulb.svg", width: 0.62cm),
    width: 6cm,
    body-height: 4.8cm,
    direction: ltr,
  )
```



side-banner-card-box

```
side-banner-card-box(title: [], label: [STEP 01], body: [], icon: none, print-icon: none, width: 6.2cm, height: 8.8cm, …)
```

A card with a vertical label, heading and body copy.

PARAMETERS

name	default	description
`title`	`[]`	Title shown in the box (content or `none`).
`label`	`[STEP 01]`	Label text.
`body`	`[]`	The content of the box (positional).
`icon`	`none`	Icon shown in the box (content, symbol or `none`).
`print-icon`	`none`	Keeps the icon in print mode (otherwise hidden).
`width`	`6.2cm`	Width of the box (`auto`: fits the content, `100%`: the line).
`height`	`8.8cm`	Height of the box (`auto`: fits the content).
`direction`	`auto`	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
`colour`	`rgb("#F15F47")`	Main colour of the box.
`panel-colour`	`auto`	Colour of the content panel.
`title-colour`	`auto`	Colour of the title text.
`label-colour`	`auto`	Colour of the label.
`text-colour`	`auto`	Colour of the body text.

name	default	description
`shadow-colour`	`auto`	Colour of the shadow.
`title-size`	`14pt`	Font size of the title.
`label-size`	`14pt`	Size of the label.
`body-size`	`8.7pt`	Font size of the body text.
`icon-size`	`0.94cm`	Size of the icon.
`corner-radius`	`0.72cm`	Corner radius.
`shadow`	`true`	Drop shadow: `true`, `false`, or a colour.
`body-offset-x`	`0pt`	Horizontal nudge of the body text.
`body-offset-y`	`0pt`	Vertical nudge of the body text.
`icon-offset-x`	`0pt`	Horizontal nudge of the icon.
`icon-offset-y`	`0pt`	Vertical nudge of the icon.
`title-offset-x`	`0pt`	Horizontal nudge of the title.
`title-offset-y`	`0pt`	Vertical nudge of the title.

EXAMPLE

```
#side-banner-card-box(
    title: [Project Overview],
    label: [STEP 01],
    body: [Clear priorities lead to clear action.],
    icon: image("../examples/assets/side-banner-rocket.svg", width: 0.88cm),
    print-icon: image("../examples/assets/side-banner-rocket-black.svg", width: 0.88cm),
    width: 6.2cm,
    height: 8.8cm,
    direction: ltr,
  )
```



`top-banner-card-box`

```
top-banner-card-box(title: [], label: [TITLE 01], body: [], icon: none, print-icon: none, width: 6.2cm, height: 8.8cm, …)
```

A card with a hanging label tab, heading and body.


PARAMETERS

name	default	description
`title`	`[]`	Title shown in the box (content or `none`).
`label`	`[TITLE 01]`	Label text.
`body`	`[]`	The content of the box (positional).
`icon`	`none`	Icon shown in the box (content, symbol or `none`).
`print-icon`	`none`	Keeps the icon in print mode (otherwise hidden).
`width`	`6.2cm`	Width of the box (`auto`: fits the content, `100%`: the line).
`height`	`8.8cm`	Height of the box (`auto`: fits the content).
`direction`	`auto`	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
`colour`	`rgb("#F15F47")`	Main colour of the box.
`panel-colour`	`auto`	Colour of the content panel.
`title-colour`	`auto`	Colour of the title text.
`label-colour`	`auto`	Colour of the label.
`text-colour`	`auto`	Colour of the body text.

name	default	description
`shadow-colour`	`auto`	Colour of the shadow.
`title-size`	`14pt`	Font size of the title.
`label-size`	`12.5pt`	Size of the label.
`body-size`	`8.7pt`	Font size of the body text.
`icon-size`	`0.94cm`	Size of the icon.
`corner-radius`	`0.72cm`	Corner radius.
`shadow`	`true`	Drop shadow: `true`, `false`, or a colour.
`body-offset-x`	`0pt`	Horizontal nudge of the body text.
`body-offset-y`	`0pt`	Vertical nudge of the body text.
`icon-offset-x`	`0pt`	Horizontal nudge of the icon.
`icon-offset-y`	`0pt`	Vertical nudge of the icon.
`title-offset-x`	`0pt`	Horizontal nudge of the title.
`title-offset-y`	`0pt`	Vertical nudge of the title.

EXAMPLE

```
#top-banner-card-box(
    title: [Clear Priorities],
    label: [TITLE 01],
    body: [Define one clear next step.],
    icon: image("../examples/assets/top-banner-tools.svg", width: 0.94cm),
    print-icon: image("../examples/assets/top-banner-tools-black.svg", width: 0.94cm),
    width: 6.2cm,
    height: 8.8cm,
    direction: ltr,
  )
```



`stacked-banner-row`

```
stacked-banner-row(title: [Lorem Ipsum], body: [Lorem ipsum dolor sit amet, nibh est. A magna maecenas, quam magna nec quis, lorem nunc. Suspendisse viverra sodales mauris, cras pharetra proin egestas arcu erat dolor, at amet.], icon: none, icon-style: 0, width: auto, height: 1.7cm, direction: auto, …)
```

A horizontal banner row: icon block, folded divider, title and body.


PARAMETERS

name	default	description
`title`	`[Lorem Ipsum]`	Title shown in the box (content or `none`).
`body`	`[Lorem ipsum dolor sit amet, nibh est. A ma…`	The content of the box (positional).
`icon`	`none`	Icon shown in the box (content, symbol or `none`).
`icon-style`	`0`	Style of the icon drawing.
`width`	`auto`	Width of the box (`auto`: fits the content, `100%`: the line).
`height`	`1.7cm`	Height of the box (`auto`: fits the content).
`direction`	`auto`	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
`icon-side`	`"start"`	Side of the icon.
`colour`	`rgb("#E2B917")`	Main colour of the box.
`body-colour`	`rgb("#C9C9C9")`	Colour of the body.
`icon-panel-colour`	`rgb("#858585")`	Colour of the icon panel.
`fold-colour`	`auto`	Colour of the fold.
`title-colour`	`auto`	Colour of the title text.
`text-colour`	`auto`	Colour of the body text.

name	default	description
`icon-colour`	`auto`	Colour of the icon.
`icon-size`	`0.88cm`	Size of the icon.
`title-size`	`10pt`	Font size of the title.
`body-size`	`6pt`	Font size of the body text.
`padding`	`0.08cm`	Inner padding.
`content-width`	`auto`	Width of the content.
`title-body-gap`	`auto`	Space between the title and the body.
`title-offset-x`	`0pt`	Horizontal nudge of the title.
`title-offset-y`	`0pt`	Vertical nudge of the title.
`body-offset-x`	`0pt`	Horizontal nudge of the body text.
`body-offset-y`	`0pt`	Vertical nudge of the body text.
`icon-offset-x`	`0pt`	Horizontal nudge of the icon.
`icon-offset-y`	`0pt`	Vertical nudge of the icon.

EXAMPLE

```
#stacked-banner-row(
      title: [PRINT CHECK],
      body: [Monochrome output keeps the folded edge and lower accent legible.],
      width: 10.8cm, height: 1.55cm,
    )
```



perspective-panels

```
perspective-panels(panels, panel-widths: auto, panel-width: 3.2cm, gap: -0.18cm, gaps: auto, height: auto, min-height: 6.2cm, …)
```

A configurable row of perspective panels (the count follows the content).


PARAMETERS

name	default	description
panels	required	Panels.
panel-widths	auto	Panel widths.
panel-width	3.2cm	Width of the panel.
gap	-0.18cm	Space between the parts.
gaps	auto	Gaps.
height	auto	Height of the box (`auto`: fits the content).
min-height	6.2cm	Minimum height of the box.
center-recess	0.24cm	Center recess.
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
palette	(rgb("#F5A623"), rgb("#F2D42E"), rgb("#E85…	Colour palette (dictionary).
perspective	0.44cm	Perspective.
depth	0.24cm	Depth of the relief or extrusion.
corner-radius	0.18cm	Corner radius.
body-width	0.76	Width of the body.
icon-size	0.88cm	Size of the icon.

name	default	description
badge-size	0.88cm	Size of the badge.
title-size	12pt	Font size of the title.
body-size	7.8pt	Font size of the body text.
icon-y	0.15	Vertical position of the icon.
title-y	0.41	Vertical position of the title.
body-y	0.54	Vertical position of the body.
bottom-padding	0.48cm	Bottom padding.
text-colour	auto	Colour of the body text.
title-colour	auto	Colour of the title text.
body-offset-x	0pt	Horizontal nudge of the body text.
body-offset-y	0pt	Vertical nudge of the body text.
icon-offset-x	0pt	Horizontal nudge of the icon.
icon-offset-y	0pt	Vertical nudge of the icon.
title-offset-x	0pt	Horizontal nudge of the title.
title-offset-y	0pt	Vertical nudge of the title.

EXAMPLE

```
#perspective-panels(
    ((title: [Solo], number: [01], body: [A one-panel row does not require a gap.], colour:
rgb("#77A96F")),),
    height: 6cm,
  )
```



folded-banner-info-box

```
folded-banner-info-box(title: [], body: [], number: [01], icon: none, icon-style: 0, width: auto, height: auto, …)
```

An information card with an overhanging folded-colour title banner.

PARAMETERS

name	default	description
title	[]	Title shown in the box (content or `none`).
body	[]	The content of the box (positional).
number	[01]	Number shown in the badge (content, or `auto` for automatic numbering).
icon	none	Icon shown in the box (content, symbol or `none`).
icon-style	0	Style of the icon drawing.
width	auto	Width of the box (`auto`: fits the content, `100%`: the line).
height	auto	Height of the box (`auto`: fits the content).
min-height	3.3cm	Minimum height of the box.
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.


name	default	description
number-size	11pt	Font size of the number.
banner-width	0.56	Width of the banner.
banner-height	0.96cm	Height of the banner.
corner-radius	0.32cm	Corner radius.
panel-inset	0.58cm	Inner padding of the panel.
icon-column	1.72cm	Icon column.
body-gap	0.22cm	Space around the body.
shadow	true	Drop shadow: `true`, `false`, or a colour.
body-offset-x	0pt	Horizontal nudge of the body text.
body-offset-y	0pt	Vertical nudge of the body text.
icon-offset-x	0pt	Horizontal nudge of the icon.
icon-offset-y	0pt	Vertical nudge of the icon.

name	default	description
`colour`	`rgb("#F35D49")`	Main colour of the box.
`body-fill`	`auto`	Fill of the body.
`title-colour`	`auto`	Colour of the title text.
`text-colour`	`auto`	Colour of the body text.
`icon-colour`	`auto`	Colour of the icon.
`icon-size`	`0.82cm`	Size of the icon.
`title-size`	`12pt`	Font size of the title.
`body-size`	`8.2pt`	Font size of the body text.

name	default	description
`number-offset-x`	`0pt`	Horizontal nudge of the number.
`number-offset-y`	`0pt`	Vertical nudge of the number.
`title-offset-x`	`0pt`	Horizontal nudge of the title.
`title-offset-y`	`0pt`	Vertical nudge of the title.

EXAMPLE

```
#folded-banner-info-box(
    title: [مراجعة الأداء], number: [٠٢], icon-style: 1,
    body: [قارن النتائج بالأهداف، وسجّل ما نجح، ثم حدّد الخطوة التالية بوضوح للفريق.],
    colour: rgb("#35BBD5"), width: 11.6cm, direction: rtl,
  )
```



folding-card-box

```
folding-card-box(title: [], front-text: [], body: [], number: [01], icon: none, width: auto, height: auto, …)
```

An expanded folding card with a numbered front and title leaf.

PARAMETERS

name	default	description
`title`	`[]`	Title shown in the box (content or `none`).
`front-text`	`[]`	Front text.
`body`	`[]`	The content of the box (positional).
`number`	`[01]`	Number shown in the badge (content, or `auto` for automatic numbering).
`icon`	`none`	Icon shown in the box (content, symbol or `none`).
`width`	`auto`	Width of the box (`auto`: fits the content, `100%`: the line).
`height`	`auto`	Height of the box (`auto`: fits the content).
`min-height`	`6.0cm`	Minimum height of the box.
`direction`	`auto`	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
`colour`	`rgb("#078ED8")`	Main colour of the box.
`text-colour`	`auto`	Colour of the body text.
`icon-colour`	`auto`	Colour of the icon.
`spine-width`	`0.31`	Width of the spine.
`title-width`	`0.34`	Width of the title.
`title-size`	`13pt`	Font size of the title.

name	default	description
`body-size`	`7.8pt`	Font size of the body text.
`number-size`	`25pt`	Font size of the number.
`icon-size`	`0.76cm`	Size of the icon.
`corner-radius`	`0.18cm`	Corner radius.
`pane-gap`	`0.045cm`	Pane gap.
`shadow`	`true`	Drop shadow: `true`, `false`, or a colour.
`body-offset-x`	`0pt`	Horizontal nudge of the body text.
`body-offset-y`	`0pt`	Vertical nudge of the body text.
`icon-offset-x`	`0pt`	Horizontal nudge of the icon.
`icon-offset-y`	`0pt`	Vertical nudge of the icon.
`number-offset-x`	`0pt`	Horizontal nudge of the number.
`number-offset-y`	`0pt`	Vertical nudge of the number.
`title-offset-x`	`0pt`	Horizontal nudge of the title.
`title-offset-y`	`0pt`	Vertical nudge of the title.

EXAMPLE

```
#folding-card-box(
    number: [٠٢], title: [الخطوة التالية],
    front-text: [سجّل الإجراء الأساسي وتابع تقدّم الفريق نحو النتيجة المطلوبة.],
    body: [اجمع الفريق حول نتيجة واضحة، واتفقوا على إجراء عملي يقود إلى المرحلة التالية.],
    width: 7.8cm, colour: rgb("#F05A32"), direction: rtl,
  )
```



six-boxes-folder-card

```
six-boxes-folder-card(title: [], body: [], icon: none, print-icon: none, icon-style: 0, width: auto, height: 2.35cm, …)
```

A portrait card with a rounded top icon tab and offset back outline.

PARAMETERS

name	default	description
`title`	`[]`	Title shown in the box (content or `none`).
`body`	`[]`	The content of the box (positional).
`icon`	`none`	Icon shown in the box (content, symbol or `none`).
`print-icon`	`none`	Keeps the icon in print mode (otherwise hidden).
`icon-style`	`0`	Style of the icon drawing.

name	default	description
`text-colour`	`auto`	Colour of the body text.
`icon-colour`	`auto`	Colour of the icon.
`icon-size`	`0.47cm`	Size of the icon.
`title-size`	`11pt`	Font size of the title.
`body-size`	`8pt`	Font size of the body text.

name	default	description
width	auto	Width of the box (`auto`: fits the content, `100%`: the line).
height	2.35cm	Height of the box (`auto`: fits the content).
tab-size	0.92cm	Size of the tab.
back-offset	0.14cm	Back offset.
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
stroke-colour	auto	Colour of the outline.
stroke-width	auto	Width of the outline.
colour	rgb("#F1840B")	Main colour of the box.
title-colour	auto	Colour of the title text.

name	default	description
title-gap	0.06cm	Space between the title and the body.
corner-radius	0.18cm	Corner radius.
padding	0.24cm	Inner padding.
body-offset-x	0pt	Horizontal nudge of the body text.
body-offset-y	0pt	Vertical nudge of the body text.
icon-offset-x	0pt	Horizontal nudge of the icon.
icon-offset-y	0pt	Vertical nudge of the icon.
title-offset-x	0pt	Horizontal nudge of the title.
title-offset-y	0pt	Vertical nudge of the title.

EXAMPLE

```
#six-boxes-folder-card(
    title: [Process], body: [A clear sequence of steps helps the team accomplish its goal.],
    icon-style: 1, width: 4.8cm, colour: rgb("#9E2737"),
  )
```



postage-stamp-card

```
postage-stamp-card(title: [], body: [], icon: none, print-icon: none, icon-style: 3, show-icon: true, width: auto, …)
```

A postage-stamp card with perforated edge, title band and paper inset.


PARAMETERS

name	default	description
title	[]	Title shown in the box (content or `none`).
body	[]	The content of the box (positional).
icon	none	Icon shown in the box (content, symbol or `none`).
print-icon	none	Keeps the icon in print mode (otherwise hidden).
icon-style	3	Style of the icon drawing.
show-icon	true	Show icon.
width	auto	Width of the box (`auto`: fits the content, `100%`: the line).
height	5.35cm	Height of the box (`auto`: fits the content).
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
text-align	"auto"	Alignment of the text.
colour	rgb("#F05C4B")	Main colour of the box.
paper	white	Colour of the paper.
perforation-colour	white	Colour of the perforation.
stroke-colour	auto	Colour of the outline.
stroke-width	0.65pt	Width of the outline.
icon-colour	auto	Colour of the icon.
title-colour	auto	Colour of the title text.

name	default	description
text-colour	auto	Colour of the body text.
icon-size	0.62cm	Size of the icon.
icon-gap	0.20cm	Space around the icon.
header-height	0.98cm	Height of the header.
frame-width	0.23cm	Width of the frame.
perforation-radius	0.10cm	Corner radius of the perforation.
perforation-spacing	0.34cm	Spacing of the perforation.
title-size	11.5pt	Font size of the title.
body-size	8.5pt	Font size of the body text.
title-gap	0.12cm	Space between the title and the body.
body-padding	0.19cm	Inner padding of the body.
body-offset-x	0pt	Horizontal nudge of the body text.
body-offset-y	0pt	Vertical nudge of the body text.
icon-offset-x	0pt	Horizontal nudge of the icon.
icon-offset-y	0pt	Vertical nudge of the icon.
title-offset-x	0pt	Horizontal nudge of the title.
title-offset-y	0pt	Vertical nudge of the title.

EXAMPLE

```
#postage-stamp-card(
    title: [Key figures],
    body: [Track the signal, compare the trend, and keep the takeaway concise.],
    width: 4.7cm,
    height: 5.35cm,
    icon-style: 3,
    colour: rgb("#F05C4B"),
  )
```



hand-drawn-bullet-panel

```
hand-drawn-bullet-panel(items: (), width: auto, height: auto, min-height: 3.9cm, direction: auto, grayscale: auto, colour: rgb("#20B4DC"), …)
```

A hand-drawn panel containing a customisable bulleted list.


PARAMETERS

name	default	description
items	()	List of items.
width	auto	Width of the box (`auto`: fits the content, `100%`: the line).
height	auto	Height of the box (`auto`: fits the content).
min-height	3.9cm	Minimum height of the box.
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
grayscale	auto	Grayscale.
colour	rgb("#20B4DC")	Main colour of the box.
stroke-colour	auto	Colour of the outline.
stroke-width	1.55pt	Width of the outline.

name	default	description
text-colour	auto	Colour of the body text.
bullet-colour	auto	Colour of the bullet.
text-size	8pt	Font size of the text.
bullet-size	0.095cm	Size of the bullet.
bullet-gap	0.16cm	Space around the bullet.
item-gap	0.11cm	Item gap.
padding	0.34cm	Inner padding.
body-offset-x	0pt	Horizontal nudge of the body text.
body-offset-y	0pt	Vertical nudge of the body text.

EXAMPLE

```
#hand-drawn-bullet-panel(
      width: 7.8cm,
      direction: rtl,
      items: (
        [نص عربي أول للاختبار واتجاه الكتابة من اليمين إلى اليسار.],
        [نص عربي ثانٍ للتأكد من محاذاة العلامات والنصوص.],
      ),
    )
```



hand-drawn-business-callout

```
hand-drawn-business-callout(title: [], body: [], icon: none, print-icon: none, icon-style: 4, show-icon: true, width: auto, …)
```

A hand-drawn business callout band with an optional icon.

PARAMETERS

name	default	description
title	[]	Title shown in the box (content or `none`).
body	[]	The content of the box (positional).
icon	none	Icon shown in the box (content, symbol or `none`).
print-icon	none	Keeps the icon in print mode (otherwise hidden).
icon-style	4	Style of the icon drawing.
show-icon	true	Show icon.
width	auto	Width of the box (`auto`: fits the content, `100%`: the line).
height	2.05cm	Height of the box (`auto`: fits the content).
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
icon-side	"start"	Side of the icon.
text-align	"auto"	Alignment of the text.
colour	rgb("#F04D61")	Main colour of the box.
paper	white	Colour of the paper.
stroke-colour	auto	Colour of the outline.
stroke-width	1.55pt	Width of the outline.

name	default	description
icon-colour	auto	Colour of the icon.
title-colour	auto	Colour of the title text.
text-colour	auto	Colour of the body text.
icon-size	0.60cm	Size of the icon.
icon-gap	0.20cm	Space around the icon.
padding	0.42cm	Inner padding.
title-size	11.4pt	Font size of the title.
body-size	8.4pt	Font size of the body text.
title-gap	0.06cm	Space between the title and the body.
title-offset-x	0pt	Horizontal nudge of the title.
title-offset-y	0pt	Vertical nudge of the title.
body-offset-x	0pt	Horizontal nudge of the body text.
body-offset-y	0pt	Vertical nudge of the body text.
icon-offset-x	0pt	Horizontal nudge of the icon.
icon-offset-y	0pt	Vertical nudge of the icon.

EXAMPLE

```
#hand-drawn-business-callout(
      body: [يساعد التواصل الواضح على تنسيق العمل ومشاركة الأفكار.],
      width: 10cm,
      height: 1.9cm,
      icon-style: 1,
      direction: rtl,
      colour: rgb("#EC4E60"),
    )
```



hand-drawn-folded-ribbon

```
hand-drawn-folded-ribbon(title: [], width: auto, height: 1.46cm, direction: auto, fold-side: "end", fold-size: 0.62cm, colour: rgb("#FFB52F"), …)
```

A hand-drawn ribbon label with a folded V-notch at either end.

PARAMETERS

name	default	description
title	[]	Title shown in the box (content or `none`).
width	auto	Width of the box (`auto`: fits the content, `100%`: the line).
height	1.46cm	Height of the box (`auto`: fits the content).
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
fold-side	"end"	Side of the fold.
fold-size	0.62cm	Size of the fold.
colour	rgb("#FFB52F")	Main colour of the box.

name	default	description
stroke-colour	auto	Colour of the outline.
stroke-width	1.45pt	Width of the outline.
title-colour	auto	Colour of the title text.
title-size	14pt	Font size of the title.
text-align	"center"	Alignment of the text.
padding	0.32cm	Inner padding.

EXAMPLE

```
#hand-drawn-folded-ribbon(
    title: [Lorem ipsum],
    width: 9cm,
    height: 1.55cm,
    colour: rgb("#FFB52F"),
    fold-size: 0.72cm,
  )
```



hand-drawn-photo-frame

```
hand-drawn-photo-frame(content: none, placeholder: [Your photo here], width: auto, height: 5.2cm, direction: auto, colour: rgb("#C8EAF5"), stroke-colour: auto, …)
```


A hand-drawn photo frame with an editable content slot.

PARAMETERS

name	default	description
content	none	Content.
placeholder	[Your photo here]	Placeholder.
width	auto	Width of the box (`auto`: fits the content, `100%`: the line).
height	5.2cm	Height of the box (`auto`: fits the content).
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
colour	rgb("#C8EAF5")	Main colour of the box.
stroke-colour	auto	Colour of the outline.
stroke-width	1.5pt	Width of the outline.
placeholder-colour	auto	Placeholder colour.
padding	0.16cm	Inner padding.
placeholder-size	14pt	Placeholder size.

EXAMPLE

```
#hand-drawn-photo-frame(
    width: 7.4cm,
    height: 5.2cm,
    placeholder: [Your photo here],
  )
```



hand-drawn-business-brochure-card

```
hand-drawn-business-brochure-card(title: [Lorem ipsum], photo-content: none, photo-placeholder: [Your photo here], bullet-items: ( [Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor.], [Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor.], [Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor.], [Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor.], ), width: auto, height: auto, min-height: 12.2cm, …)
```

A portrait brochure card: folded title ribbon, photo frame and bullets.

PARAMETERS

name	default	description
title	[Lorem ipsum]	Title shown in the box (content or `none`).
photo-content	none	Photo content.
photo-placeholder	[Your photo here]	Photo placeholder.
bullet-items	([Lorem ipsum dolor sit amet, consectetur …	Bullet items.
width	auto	Width of the box (`auto`: fits the content, `100%`: the line).
height	auto	Height of the box (`auto`: fits the content).
min-height	12.2cm	Minimum height of the box.
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
paper	white	Colour of the paper.

name	default	description
stroke-width	1.5pt	Width of the outline.
ribbon-colour	rgb("#FFB52F")	Colour of the ribbon.
photo-colour	rgb("#C8EAF5")	Colour of the photo.
bullet-colour	rgb("#20B4DC")	Colour of the bullet.
ribbon-height	1.46cm	Height of the ribbon.
photo-height	5.2cm	Height of the photo.
bullet-min-height	3.9cm	Bullet min height.
component-gap	0.30cm	Component gap.
padding	0.30cm	Inner padding.

name	default	description
stroke-colour	auto	Colour of the outline.

EXAMPLE

```
#hand-drawn-business-brochure-card(
      width: 8.3cm,
      min-height: 12cm,
      direction: rtl,
      title: [عنوان مخصص],
      photo-placeholder: [مكان صورتك],
      bullet-items: (
        [نص عربي أول للاختبار.],
        [نص عربي ثانٍ للاختبار.],
      ),
    )
```



pencil-sketch-box

```
pencil-sketch-box(title: [], body: [], width: auto, height: 2.70cm, direction: auto, text-align: "auto", colour: rgb("#D7A824"), …)
```

A rounded information box with an irregular double pencil outline.

PARAMETERS

name	default	description
title	[]	Title shown in the box (content or `none`).
body	[]	The content of the box (positional).
width	auto	Width of the box (`auto`: fits the content, `100%`: the line).
height	2.70cm	Height of the box (`auto`: fits the content).
direction	auto	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
text-align	"auto"	Alignment of the text.
colour	rgb("#D7A824")	Main colour of the box.
stroke-colour	auto	Colour of the outline.
stroke-width	2.10pt	Width of the outline.
icon	none	Icon shown in the box (content, symbol or `none`).
icon-position	"start"	Position of the icon.
icon-size	0.36cm	Size of the icon.
icon-colour	auto	Colour of the icon.
icon-gap	0.08cm	Space around the icon.

name	default	description
paper	rgb("#FFFEFC")	Colour of the paper.
title-colour	auto	Colour of the title text.
text-colour	auto	Colour of the body text.
title-size	12pt	Font size of the title.
body-size	8.6pt	Font size of the body text.
title-gap	0.08cm	Space between the title and the body.
padding	0.52cm	Inner padding.
body-offset-x	0pt	Horizontal nudge of the body text.
body-offset-y	0pt	Vertical nudge of the body text.
icon-offset-x	0pt	Horizontal nudge of the icon.
icon-offset-y	0pt	Vertical nudge of the icon.
title-offset-x	0pt	Horizontal nudge of the title.
title-offset-y	0pt	Vertical nudge of the title.

EXAMPLE

```
#pencil-sketch-box(
    title: [A useful idea],
    body: [Gather observations, sketch a direction, and refine the details together.],
    width: 7.2cm, height: 2.70cm, colour: rgb("#C99D20"),
  )
```



pencil-sketch-ellipse

```
pencil-sketch-ellipse(title: [], body: [], width: auto, height: 2.80cm, direction: auto, text-align: "center", colour: rgb("#D99042"), …)
```

A hand-drawn elliptical callout with optional title and body.

PARAMETERS

name	default	description
`title`	`[]`	Title shown in the box (content or `none`).
`body`	`[]`	The content of the box (positional).
`width`	`auto`	Width of the box (`auto`: fits the content, `100%`: the line).
`height`	`2.80cm`	Height of the box (`auto`: fits the content).
`direction`	`auto`	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
`text-align`	`"center"`	Alignment of the text.
`colour`	`rgb("#D99042")`	Main colour of the box.
`stroke-colour`	`auto`	Colour of the outline.
`stroke-width`	`2.10pt`	Width of the outline.
`icon`	`none`	Icon shown in the box (content, symbol or `none`).
`icon-position`	`"top"`	Position of the icon.

name	default	description
`icon-size`	`0.34cm`	Size of the icon.
`icon-colour`	`auto`	Colour of the icon.
`icon-gap`	`0.08cm`	Space around the icon.
`paper`	`rgb("#FFFEFC")`	Colour of the paper.
`title-colour`	`auto`	Colour of the title text.
`text-colour`	`auto`	Colour of the body text.
`title-size`	`12pt`	Font size of the title.
`body-size`	`8.6pt`	Font size of the body text.
`title-gap`	`0.07cm`	Space between the title and the body.
`text-width`	`0.84`	Width of the text.

EXAMPLE

```
#pencil-sketch-ellipse(
    title: [One clear idea],
    body: [Circle a useful thought and come back to it later.],
    width: 7.4cm, height: 2.90cm, colour: rgb("#D99042"),
  )
```



pencil-sketch-graphite-box

```
pencil-sketch-graphite-box(title: [], body: [], width: auto, height: 2.80cm, direction: auto, text-align: "auto", stroke-colour: auto, …)
```

A rounded text box with a light cross-hatched graphite surface.

PARAMETERS

name	default	description
`title`	`[]`	Title shown in the box (content or `none`).
`body`	`[]`	The content of the box (positional).
`width`	`auto`	Width of the box (`auto`: fits the content, `100%`: the line).
`height`	`2.80cm`	Height of the box (`auto`: fits the content).
`direction`	`auto`	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
`text-align`	`"auto"`	Alignment of the text.
`stroke-colour`	`auto`	Colour of the outline.
`stroke-width`	`1.70pt`	Width of the outline.
`icon`	`none`	Icon shown in the box (content, symbol or `none`).
`icon-position`	`"start"`	Position of the icon.
`icon-size`	`0.36cm`	Size of the icon.
`icon-colour`	`auto`	Colour of the icon.
`icon-gap`	`0.08cm`	Space around the icon.
`paper`	`rgb("#F6F3ED")`	Colour of the paper.

name	default	description
`graphite-colour`	`rgb("#5C5A55")`	Graphite colour.
`title-colour`	`auto`	Colour of the title text.
`text-colour`	`auto`	Colour of the body text.
`title-size`	`12pt`	Font size of the title.
`body-size`	`8.6pt`	Font size of the body text.
`title-gap`	`0.08cm`	Space between the title and the body.
`padding`	`0.52cm`	Inner padding.
`body-offset-x`	`0pt`	Horizontal nudge of the body text.
`body-offset-y`	`0pt`	Vertical nudge of the body text.
`icon-offset-x`	`0pt`	Horizontal nudge of the icon.
`icon-offset-y`	`0pt`	Vertical nudge of the icon.
`title-offset-x`	`0pt`	Horizontal nudge of the title.
`title-offset-y`	`0pt`	Vertical nudge of the title.

EXAMPLE

```
#pencil-sketch-graphite-box(
    title: [One useful note],
    body: [A soft graphite hatch keeps longer notes easy to read.],
    width: 7.4cm, height: 2.95cm,
  )
```



text-box-tag

```
text-box-tag(title: [], body: [], icon: none, width: 8.4cm, height: 3.35cm, direction: auto, icon-side: "end", …)
```

A text tag: a rounded content panel pointing into a contrasting icon block.

PARAMETERS

name	default	description
`title`	`[]`	Title shown in the box (content or `none`).
`body`	`[]`	The content of the box (positional).
`icon`	`none`	Icon shown in the box (content, symbol or `none`).
`width`	`8.4cm`	Width of the box (`auto`: fits the content, `100%`: the line).
`height`	`3.35cm`	Height of the box (`auto`: fits the content).
`direction`	`auto`	Text direction: `auto` follows the document, or `ltr` / `rtl`; the layout mirrors in RTL.
`icon-side`	`"end"`	Side of the icon.

name	default	description
`pointer-depth`	`0.52cm`	Depth of the pointer.
`pointer-height`	`0.86cm`	Height of the pointer.
`icon-size`	`1.05cm`	Size of the icon.
`title-size`	`11pt`	Font size of the title.
`body-size`	`9pt`	Font size of the body text.
`radius`	`0.28cm`	Corner radius.
`inset-x`	`0.34cm`	Horizontal padding.
`title-y`	`0.32cm`	Vertical position of the title.
`body-y`	`0.92cm`	Vertical position of the body.

name	default	description
rounded	true	Rounded.
dark	false	Dark colour of the design.
colour	rgb("#0B4058")	Main colour of the box.
icon-colour	auto	Colour of the icon.
title-colour	auto	Colour of the title text.
text-colour	auto	Colour of the body text.
shadow-colour	auto	Colour of the shadow.
icon-panel-width	2.55cm	Width of the icon panel.

name	default	description
body-offset-x	0pt	Horizontal nudge of the body text.
body-offset-y	0pt	Vertical nudge of the body text.
icon-offset-x	0pt	Horizontal nudge of the icon.
icon-offset-y	0pt	Vertical nudge of the icon.
title-offset-x	0pt	Horizontal nudge of the title.
title-offset-y	0pt	Vertical nudge of the title.

EXAMPLE

```
#text-box-tag(
  title: [KEY IDEA],
  body: [Keep the message focused and make the next action easy to find.],
  icon: image("../examples/assets/text-box-tag-star.svg", width: 0.92cm),
  width: 8.4cm,
  height: 3.35cm,
  direction: ltr,
)
```



Infographic cards, stacks and compound frames

Slide-template infographics drawn with nibart pens (broad-nib outlines, soft shadows, smooth Hobby curves): card rows (puzzle notch, folded tab, half-disc tab, U backing, outlines, timeline), linked stacks (rings, wires, brush strokes, ribbons, bubbles, posters) and compound pieces (pencil frame, index notebook, film strip, slideshow frame). Every one takes `steps:` (title, body, icon, label, colour), `width`, `height`, `direction` and mirrors in RTL.

`puzzle-tab-cards`

```
puzzle-tab-cards(steps: (), width: auto, height: 8.2cm, gap: 0.55cm, direction: auto, colours: (rgb("#74B52D"), rgb("#E8431C"), rgb("#F79A32")),
background: rgb("#4B0A4F"), icon-size: 15pt, title-size: 11pt, body-size: 7.6pt, letters: auto, footer: true)
```


Dark-ground cards: round icon on top, header tab, and a lettered puzzle notch on the side, with a double chevron below.

PARAMETERS

name	default	description
`steps`	`()`	List of steps: each one is a dictionary `(title:, body:, icon:, label:, colour:)`, or simply the body content.
`width`	`auto`	Width (`auto`: the line).
`height`	`8.2cm`	Height of the drawing (`auto` where the height follows the rows).
`gap`	`0.55cm`	Space between the cards or rows.
`direction`	`auto`	Text direction: `auto` follows the document **or the content** (Arabic is detected), or `ltr` / `rtl`; the layout mirrors in RTL.
`colours`	`(rgb("#74B52D"), rgb("#E8431C"), rgb("#F79A…`	Colours used in turn by the items.
`background`	`rgb("#4B0A4F")`	Colour of the dark ground behind the cards (`none` for transparent).
`icon-size`	`15pt`	Font size of the icons (text or symbols).
`title-size`	`11pt`	Font size of the titles.
`body-size`	`7.6pt`	Font size of the texts.
`letters`	`auto`	Letters of the notches (`auto`: A, B, C…).
`footer`	`true`	Draw the double chevron under the cards.

EXAMPLE

```
#puzzle-tab-cards(steps: (
  (title: [Analysis], body: [Collect the facts and state the question.], icon: [★]),
  (title: [Plan], body: [Choose a method and organise the work.], icon: [✦]),
  (title: [Build], body: [Carry the plan out with the team.], icon: [●]),
))
```



`folded-tab-cards`

```
folded-tab-cards(steps: (), width: auto, height: 8.4cm, gap: 0.35cm, direction: auto, colours: (rgb("#F25C6E"), rgb("#FFC845"), rgb("#7CC68F"),
rgb("#6BB0DD"), rgb("#9A8FD0")), icon-size: 15pt, title-size: 9pt, body-size: 6.8pt, numbers: true)
```


Tall cards with a folded-back coloured corner, a round icon, a text and a number.

PARAMETERS

name	default	description
`steps`	`()`	List of steps: each one is a dictionary `(title:, body:, icon:, label:, colour:)`, or simply the body content.
`width`	`auto`	Width (`auto`: the line).
`height`	`8.4cm`	Height of the drawing (`auto` where the height follows the rows).
`gap`	`0.35cm`	Space between the cards or rows.
`direction`	`auto`	Text direction: `auto` follows the document **or the content** (Arabic is detected), or `ltr` / `rtl`; the layout mirrors in RTL.
`colours`	`(rgb("#F25C6E"), rgb("#FFC845"), rgb("#7CC6…`	Colours used in turn by the items.
`icon-size`	`15pt`	Font size of the icons (text or symbols).
`title-size`	`9pt`	Font size of the titles.
`body-size`	`6.8pt`	Font size of the texts.
`numbers`	`true`	Show the number at the foot of each card.

EXAMPLE

```
#folded-tab-cards(steps: (
  (title: [Analysis], body: [Collect the facts and state the question.], icon: [★]),
  (title: [Plan], body: [Choose a method and organise the work.], icon: [✦]),
  (title: [Build], body: [Carry the plan out with the team.], icon: [●]),
))
```



half-disc-tab-cards

```
half-disc-tab-cards(steps: (), width: auto, height: 6.6cm, gap: 0.5cm, direction: auto, colours: (rgb("#F58220"), rgb("#1B7BA6"), rgb("#3D4B5C"),
rgb("#4A3A36"), rgb("#B0A184")), icon-size: 15pt, title-size: 9pt, body-size: 6.6pt, caption: "OPTIONS")
```

Coloured cards under a half-disc tab ("01 OPTIONS").

PARAMETERS

name	default	description
steps	()	List of steps: each one is a dictionary `(title:, body:, icon:, label:, colour:)`, or simply the body content.
width	auto	Width (`auto`: the line).
height	6.6cm	Height of the drawing (`auto` where the height follows the rows).
gap	0.5cm	Space between the cards or rows.
direction	auto	Text direction: `auto` follows the document **or the content** (Arabic is detected), or `ltr` / `rtl`; the layout mirrors in RTL.
colours	(rgb("#F58220"), rgb("#1B7BA6"), rgb("#3D4B…	Colours used in turn by the items.
icon-size	15pt	Font size of the icons (text or symbols).
title-size	9pt	Font size of the titles.
body-size	6.6pt	Font size of the texts.
caption	"OPTIONS"	Small caption under the number.
twist	70%	Horizontal length of the twisted part, as a share of its master drawing (100% = long and flowing, 50% = short).
depth	0.06cm	Thickness of the 3D edge along the outline (`0cm` removes it).

EXAMPLE

```
#half-disc-tab-cards(steps: (
  (title: [Analysis], body: [Collect the facts and state the question.], icon: [★]),
  (title: [Plan], body: [Choose a method and organise the work.], icon: [✦]),
  (title: [Build], body: [Carry the plan out with the team.], icon: [●]),
))
```



u-backed-cards

```
u-backed-cards(steps: (), width: auto, height: 8.6cm, gap: 0.8cm, direction: auto, colours: (rgb("#6CBFB0"), rgb("#F5A04A"), rgb("#6D5A99")), icon-
size: 15pt, title-size: 11pt, body-size: 6.8pt)
```


White cards with a top tab, a U-shaped coloured backing and an icon disc.

PARAMETERS

name	default	description
steps	()	List of steps: each one is a dictionary `(title:, body:, icon:, label:, colour:)`, or simply the body content.
width	auto	Width (`auto`: the line).
height	8.6cm	Height of the drawing (`auto` where the height follows the rows).
gap	0.8cm	Space between the cards or rows.
direction	auto	Text direction: `auto` follows the document **or the content** (Arabic is detected), or `ltr` / `rtl`; the layout mirrors in RTL.
colours	(rgb("#6CBFB0"), rgb("#F5A04A"), rgb("#6D5A…	Colours used in turn by the items.
icon-size	15pt	Font size of the icons (text or symbols).
title-size	11pt	Font size of the titles.
body-size	6.8pt	Font size of the texts.

EXAMPLE

```
#u-backed-cards(steps: (
  (title: [Analysis], body: [Collect the facts and state the question.], icon: [★]),
  (title: [Plan], body: [Choose a method and organise the work.], icon: [✦]),
  (title: [Build], body: [Carry the plan out with the team.], icon: [●]),
))
```



`circle-head-outline-cards`

```
circle-head-outline-cards(steps: (), width: auto, height: 8.0cm, gap: 0.8cm, direction: auto, colours: (rgb("#E8A200"), rgb("#E0405A"),
rgb("#6CBB3C")), icon-size: 15pt, title-size: 11pt, body-size: 6.6pt, stroke-weight: 1.3pt)
```


Outline cards whose top edge carries a numbered disc and an icon ring.

PARAMETERS

name	default	description
`steps`	`()`	List of steps: each one is a dictionary `(title:, body:, icon:, label:, colour:)`, or simply the body content.
`width`	`auto`	Width (`auto`: the line).
`height`	`8.0cm`	Height of the drawing (`auto` where the height follows the rows).
`gap`	`0.8cm`	Space between the cards or rows.
`direction`	`auto`	Text direction: `auto` follows the document **or the content** (Arabic is detected), or `ltr` / `rtl`; the layout mirrors in RTL.
`colours`	`(rgb("#E8A200"), rgb("#E0405A"), rgb("#6CBB…`	Colours used in turn by the items.
`icon-size`	`15pt`	Font size of the icons (text or symbols).
`title-size`	`11pt`	Font size of the titles.
`body-size`	`6.6pt`	Font size of the texts.
`stroke-weight`	`1.3pt`	Weight of the outlines.

EXAMPLE

```
#circle-head-outline-cards(steps: (
  (title: [Analysis], body: [Collect the facts and state the question.], icon: [★]),
  (title: [Plan], body: [Choose a method and organise the work.], icon: [✦]),
  (title: [Build], body: [Carry the plan out with the team.], icon: [●]),
))
```



`dashed-pill-cards`

```
dashed-pill-cards(steps: (), width: auto, height: 5.60cm, gap: 0.5cm, direction: auto, colours: (rgb("#E8A200"), rgb("#E0405A"), rgb("#6CBB3C"),
rgb("#17B3B3")), icon-size: 15pt, icon-size: 15pt, title-size: 10pt, body-size: 6.2pt)
```


Dashed outline cards under a pill holding a number and an icon.

PARAMETERS

name	default	description
`steps`	`()`	List of steps: each one is a dictionary `(title:, body:, icon:, label:, colour:)`, or simply the body content.
`width`	`auto`	Width (`auto`: the line).
`height`	`5.60cm`	Height of the drawing (`auto` where the height follows the rows).
`gap`	`0.5cm`	Space between the cards or rows.
`direction`	`auto`	Text direction: `auto` follows the document **or the content** (Arabic is detected), or `ltr` / `rtl`; the layout mirrors in RTL.
`colours`	`(rgb("#E8A200"), rgb("#E0405A"), rgb("#6CBB…`	Colours used in turn by the items.
`icon-size`	`15pt`	Font size of the icons (text or symbols).
`icon-size`	`15pt`	Font size of the icons (text or symbols).
`title-size`	`10pt`	Font size of the titles.
`body-size`	`6.2pt`	Font size of the texts.

EXAMPLE

```
#dashed-pill-cards(steps: (
  (title: [Analysis], body: [Collect the facts and state the question.], icon: [★]),
  (title: [Plan], body: [Choose a method and organise the work.], icon: [✦]),
  (title: [Build], body: [Carry the plan out with the team.], icon: [●]),
))
```



skewed-badge-cards

```
skewed-badge-cards(steps: (), width: auto, height: 6.6cm, gap: 0.55cm, direction: auto, colours: (rgb("#E8A200"), rgb("#E0405A"), rgb("#6CBB3C"),
rgb("#17B3B3")), icon-size: 15pt, title-size: 10pt, body-size: 6.2pt)
```


Slanted outline cards with a number disc, an icon ring and a dashed shadow.

PARAMETERS

name	default	description
steps	()	List of steps: each one is a dictionary `(title:, body:, icon:, label:, colour:)`, or simply the body content.
width	auto	Width (`auto`: the line).
height	6.6cm	Height of the drawing (`auto` where the height follows the rows).
gap	0.55cm	Space between the cards or rows.
direction	auto	Text direction: `auto` follows the document **or the content** (Arabic is detected), or `ltr` / `rtl`; the layout mirrors in RTL.
colours	(rgb("#E8A200"), rgb("#E0405A"), rgb("#6CBB…	Colours used in turn by the items.
icon-size	15pt	Font size of the icons (text or symbols).
title-size	10pt	Font size of the titles.
body-size	6.2pt	Font size of the texts.

EXAMPLE

```
#skewed-badge-cards(steps: (
  (title: [Analysis], body: [Collect the facts and state the question.], icon: [★]),
  (title: [Plan], body: [Choose a method and organise the work.], icon: [✦]),
  (title: [Build], body: [Carry the plan out with the team.], icon: [●]),
))
```



badge-timeline-cards

```
badge-timeline-cards(steps: (), width: auto, height: 6.60cm, gap: 0.55cm, direction: auto, colours: (rgb("#8059A6"), rgb("#EA9527"), rgb("#27AEEA"),
rgb("#E8431C")), icon-size: 15pt, icon-size: 15pt, title-size: 9pt, body-size: 6.4pt, badge-size: 13pt)
```


Outline cards with a header badge (year), a coloured title band and a foot tab.

PARAMETERS

name	default	description
steps	()	List of steps: each one is a dictionary `(title:, body:, icon:, label:, colour:)`, or simply the body content.
width	auto	Width (`auto`: the line).
height	6.60cm	Height of the drawing (`auto` where the height follows the rows).
gap	0.55cm	Space between the cards or rows.
direction	auto	Text direction: `auto` follows the document **or the content** (Arabic is detected), or `ltr` / `rtl`; the layout mirrors in RTL.
colours	(rgb("#8059A6"), rgb("#EA9527"), rgb("#27AE…	Colours used in turn by the items.
icon-size	15pt	Font size of the icons (text or symbols).
icon-size	15pt	Font size of the icons (text or symbols).
title-size	9pt	Font size of the titles.
body-size	6.4pt	Font size of the texts.
badge-size	13pt	Font size of the header badge.

EXAMPLE

```
#badge-timeline-cards(steps: (
  (title: [Analysis], body: [Collect the facts and state the question.], icon: [★]),
  (title: [Plan], body: [Choose a method and organise the work.], icon: [✦]),
  (title: [Build], body: [Carry the plan out with the team.], icon: [●]),
))
```



ring-linked-boxes

```
ring-linked-boxes(steps: (), width: auto, height: auto, row-height: 2.2cm, gap: 0.9cm, direction: auto, colours: (rgb("#FFB400"),), title-size: 10pt,
body-size: 8pt, ring-colour: luma(135))
```


Stacked boxes with a thick coloured border, hooked by rings.

PARAMETERS

name	default	description
steps	()	List of steps: each one is a dictionary `(title:, body:, icon:, label:, colour:)`, or simply the body content.
width	auto	Width (`auto`: the line).
height	auto	Height of the drawing (`auto` where the height follows the rows).
row-height	2.2cm	Height of one row.
gap	0.9cm	Space between the cards or rows.
direction	auto	Text direction: `auto` follows the document **or the content** (Arabic is detected), or `ltr` / `rtl`; the layout mirrors in RTL.
colours	(rgb("#FFB400"),)	Colours used in turn by the items.
title-size	10pt	Font size of the titles.
body-size	8pt	Font size of the texts.
ring-colour	luma(135)	Colour of the linking rings.

EXAMPLE

```
#ring-linked-boxes(steps: (
  (title: [Analysis], body: [Collect the facts and state the question.], icon: [⋆]),
  (title: [Plan], body: [Choose a method and organise the work.], icon: [•]),
  (title: [Build], body: [Carry the plan out with the team.], icon: [●]),
))
```



wire-linked-pills

```
wire-linked-pills(steps: (), width: auto, height: auto, row-height: 1.7cm, gap: 1.0cm, direction: auto, colours: (rgb("#D400FF"), rgb("#00FFD0"),
rgb("#FFD000")), title-size: 11pt, body-size: 8pt)
```


Pills strung together by wires through eyelets.

PARAMETERS

name	default	description
steps	()	List of steps: each one is a dictionary `(title:, body:, icon:, label:, colour:)`, or simply the body content.
width	auto	Width (`auto`: the line).
height	auto	Height of the drawing (`auto` where the height follows the rows).
row-height	1.7cm	Height of one row.
gap	1.0cm	Space between the cards or rows.
direction	auto	Text direction: `auto` follows the document **or the content** (Arabic is detected), or `ltr` / `rtl`; the layout mirrors in RTL.
colours	(rgb("#D400FF"), rgb("#00FFD0"), rgb("#FFD0…	Colours used in turn by the items.
title-size	11pt	Font size of the titles.
body-size	8pt	Font size of the texts.

EXAMPLE

```
#wire-linked-pills(steps: (
  (title: [Analysis], body: [Collect the facts and state the question.], icon: [⋆]),
  (title: [Plan], body: [Choose a method and organise the work.], icon: [•]),
  (title: [Build], body: [Carry the plan out with the team.], icon: [●]),
))
```



brush-stroke-rows

```
brush-stroke-rows(steps: (), width: auto, height: auto, row-height: 3.0cm, gap: 0.45cm, direction: auto, colours: (rgb("#E8431C"), rgb("#7DB61C"),
rgb("#3F5FE0")), title-size: 11pt, body-size: 7.5pt, number-size: 34pt, seed: 5)
```

Paint-brush stroke banners with a big number and a text.


PARAMETERS

name	default	description
steps	()	List of steps: each one is a dictionary `(title:, body:, icon:, label:, colour:)`, or simply the body content.
width	auto	Width (`auto`: the line).
height	auto	Height of the drawing (`auto` where the height follows the rows).
row-height	3.0cm	Height of one row.
gap	0.45cm	Space between the cards or rows.
direction	auto	Text direction: `auto` follows the document **or the content** (Arabic is detected), or `ltr` / `rtl`; the layout mirrors in RTL.
colours	(rgb("#E8431C"), rgb("#7DB61C"), rgb("#3F5F…	Colours used in turn by the items.

name	default	description
title-size	11pt	Font size of the titles.
body-size	7.5pt	Font size of the texts.
number-size	34pt	Font size of the big number.
seed	5	Seed of the hand-drawn irregularities.

EXAMPLE

```
#brush-stroke-rows(steps: (
  (title: [Analysis], body: [Collect the facts and state the question.], icon: [★]),
  (title: [Plan], body: [Choose a method and organise the work.], icon: [✦]),
  (title: [Build], body: [Carry the plan out with the team.], icon: [●]),
))
```



twisted-ribbon-rows

```
twisted-ribbon-rows(steps: (), width: auto, height: auto, row-height: 2.7cm, gap: 0.3cm, direction: auto, colours: (rgb("#F58220"), rgb("#3E4F5F"),
rgb("#17A2D6"), rgb("#9DB1B3")), title-size: 10pt, body-size: 6.8pt, caption: "OPTIONS", twist: 70%, depth: 0.06cm)
```


A white numbered tab twisting, through a bow-tie neck with a raised rim, into a coloured text band.

PARAMETERS

name	default	description
steps	()	List of steps: each one is a dictionary `(title:, body:, icon:, label:, colour:)`, or simply the body content.
width	auto	Width (`auto`: the line).
height	auto	Height of the drawing (`auto` where the height follows the rows).
row-height	2.7cm	Height of one row.
gap	0.3cm	Space between the cards or rows.
direction	auto	Text direction: `auto` follows the document **or the content** (Arabic is detected), or `ltr` / `rtl`; the layout mirrors in RTL.
colours	(rgb("#F58220"), rgb("#3E4F5F"), rgb("#17A2…	Colours used in turn by the items.
title-size	10pt	Font size of the titles.
body-size	6.8pt	Font size of the texts.
caption	"OPTIONS"	Small caption under the number.
twist	70%	Width of the bow-tie neck where the white tab turns into the coloured band (100% = full twist, smaller = flatter fold).
depth	0.06cm	Thickness of the light edge drawn along the coloured lobe (the 3D rim).

EXAMPLE

```
#twisted-ribbon-rows(steps: (
  (title: [Analysis], body: [Collect the facts and state the question.], icon: [★]),
  (title: [Plan], body: [Choose a method and organise the work.], icon: [✦]),
  (title: [Build], body: [Carry the plan out with the team.], icon: [●]),
))
```



bubble-tail-boxes

```
bubble-tail-boxes(steps: (), width: auto, height: auto, columns: 2, cell-height: 3.6cm, direction: auto, colours: (rgb("#D4707F"), rgb("#E5A800"),
rgb("#7BB92C"), rgb("#1AA7E0")), title-size: 9pt, body-size: 7pt, stroke-weight: 4.2pt)
```

Thick-outlined boxes in a grid, each with a numbered bubble on a short tail.


PARAMETERS

name	default	description
steps	()	List of steps: each one is a dictionary `(title:, body:, icon:, label:, colour:)`, or simply the body content.
width	auto	Width (`auto`: the line).
height	auto	Height of the drawing (`auto` where the height follows the rows).
columns	2	Number of columns of the grid.
cell-height	3.6cm	Height of one grid row.
direction	auto	Text direction: `auto` follows the document **or the content** (Arabic is detected), or `ltr` / `rtl`; the layout mirrors in RTL.
colours	(rgb("#D4707F"), rgb("#E5A800"), rgb("#7BB9…	Colours used in turn by the items.
title-size	9pt	Font size of the titles.

name	default	description
body-size	7pt	Font size of the texts.
stroke-weight	4.2pt	Weight of the outlines.

EXAMPLE

```
#bubble-tail-boxes(steps: (
  (title: [Analysis], body: [Collect the facts and state the question.], icon: [★]),
  (title: [Plan], body: [Choose a method and organise the work.], icon: [✦]),
  (title: [Build], body: [Carry the plan out with the team.], icon: [●]),
))
```



striped-poster-cards

```
striped-poster-cards(steps: (), width: auto, height: 7.20cm, gap: 0.35cm, direction: auto, palette: (rgb("#E8502A"), rgb("#2B3FA6"), rgb("#F6C928"),
rgb("#B9D4E8")), title-size: 12pt, body-size: 7pt, seed: 3)
```


Poster cards: grid or striped ground, wavy / scalloped / dashed border, white label.

PARAMETERS

name	default	description
steps	()	List of steps: each one is a dictionary `(title:, body:, icon:, label:, colour:)`, or simply the body content.
width	auto	Width (`auto`: the line).
height	7.20cm	Height of the drawing (`auto` where the height follows the rows).
gap	0.35cm	Space between the cards or rows.
direction	auto	Text direction: `auto` follows the document **or the content** (Arabic is detected), or `ltr` / `rtl`; the layout mirrors in RTL.
palette	(rgb("#E8502A"), rgb("#2B3FA6"), rgb("#F6C9…	The four colours: orange, blue, yellow, light blue.
title-size	12pt	Font size of the titles.
body-size	7pt	Font size of the texts.
seed	3	Seed of the hand-drawn irregularities.

EXAMPLE

```
#striped-poster-cards(steps: (
  (title: [Analysis], body: [Collect the facts and state the question.], icon: [★]),
  (title: [Plan], body: [Choose a method and organise the work.], icon: [✦]),
  (title: [Build], body: [Carry the plan out with the team.], icon: [●]),
))
```



pencil-frame-flow

```
pencil-frame-flow(body, steps: (), width: auto, height: 9.5cm, direction: auto, thickness: 0.85cm, colours: (rgb("#4F8A5E"), rgb("#B8651B"),
rgb("#D5B510"), rgb("#EC5FA3")), cross: true, title-size: 12pt, scalex: 150%, scaley: 100%)
```


Four pencils laid as a pinwheel square frame, with labels along them and content in the middle.

PARAMETERS

name	default	description
body	required	The content placed in the frame.
steps	()	List of steps: each one is a dictionary `(title:, body:, icon:, label:, colour:)`, or simply the body content.
width	auto	Width (`auto`: the line).
height	9.5cm	Height of the drawing (`auto` where the height follows the rows).
direction	auto	Text direction: `auto` follows the document **or the content** (Arabic is detected), or `ltr` / `rtl`; the layout mirrors in RTL.
thickness	0.85cm	Thickness of the pencils.
colours	(rgb("#4F8A5E"), rgb("#B8651B"), rgb("#D5B5…	Colours used in turn by the items.
scalex	150%	Horizontal stretch of the labels written on the pencils (`scale(x: scalex, …)`).
scaley	100%	Vertical stretch of the labels.
cross	true	Draw the two dashed diagonals in the middle.
title-size	15pt	Font size of the titles.

EXAMPLE

```
#pencil-frame-flow([#text(18pt, weight: "bold")[PROJECT]], steps: ([Plan], [Do], [Check],
[Act]), width: 8cm, height: 8cm)
```



index-notebook

```
index-notebook(steps: (), title: [INFOGRAPHICS], width: auto, height: 11cm, direction: auto, cover: rgb("#B07F0C"), tab-colours: (rgb("#FFCF8B"),
rgb("#8A5A14"), rgb("#5C3A06"), rgb("#0E3345")), ribbon: rgb("#1E5F74"), title-size: 17pt, body-size: 7pt)
```


A ring-bound notebook with a bookmark and index tabs down the edge.

PARAMETERS

name	default	description
steps	()	List of steps: each one is a dictionary `(title:, body:, icon:, label:, colour:)`, or simply the body content.
title	[INFOGRAPHICS]	Title written on the cover.
width	auto	Width (`auto`: the line).
height	11cm	Height of the drawing (`auto` where the height follows the rows).
direction	auto	Text direction: `auto` follows the document **or the content** (Arabic is detected), or `ltr` / `rtl`; the layout mirrors in RTL.
cover	rgb("#B07F0C")	Colour of the cover.
tab-colours	(rgb("#FFCF8B"), rgb("#8A5A14"), rgb("#5C3A…	Colours of the index tabs, in turn.
ribbon	rgb("#1E5F74")	Colour of the bookmark ribbon.
title-size	17pt	Font size of the titles.
body-size	7pt	Font size of the texts.

EXAMPLE

```
#index-notebook(title: [PLAN], steps: (
  (title: [Analysis], body: [Collect the facts and state the question.], icon: [⋆]),
  (title: [Plan], body: [Choose a method and organise the work.], icon: [✦]),
  (title: [Build], body: [Carry the plan out with the team.], icon: [●]),
))
```



film-strip

```
film-strip(frames: (), width: auto, height: 4.2cm, gap: 0.22cm, direction: auto, film: luma(95), band: 0.62cm, hole-pitch: 0.5cm)
```


A film strip with sprocket holes and one window per content.

PARAMETERS

name	default	description
frames	()	Array of contents, one per window.
width	auto	Width (`auto`: the line).
height	4.2cm	Height of the drawing (`auto` where the height follows the rows).
gap	0.22cm	Space between the cards or rows.
direction	auto	Text direction: `auto` follows the document **or the content** (Arabic is detected), or `ltr` / `rtl`; the layout mirrors in RTL.
film	luma(95)	Colour of the film (a lighter grey than black by default; any colour).
band	0.62cm	Thickness of the film band carrying the sprocket holes (above and below the windows).
hole-pitch	0.5cm	Distance between two sprocket holes.

EXAMPLE

```
#film-strip(frames: ([One], [Two], [Three], [Four]))
```



chevron-slideshow-frame

```
chevron-slideshow-frame(body, width: auto, height: 6cm, direction: auto, panel: luma(190), frame: white, arrow: rgb("#E80C16"))
```


A slideshow viewer: grey panel in a white frame, red chevrons on both sides.

PARAMETERS

name	default	description
`body`	`required`	The content placed in the frame.
`width`	`auto`	Width (`auto`: the line).
`height`	`6cm`	Height of the drawing (`auto` where the height follows the rows).
`direction`	`auto`	Text direction: `auto` follows the document **or the content** (Arabic is detected), or `ltr` / `rtl`; the layout mirrors in RTL.
`panel`	`luma(190)`	Colour of the grey panel.
`frame`	`white`	Colour of the white frame.
`arrow`	`rgb("#E80C16")`	Colour of the chevrons.

EXAMPLE

```
#chevron-slideshow-frame([Slide], width: 11cm)
```



Sketched frames: ink, charcoal, crayon, pencil

Frames for a block of content, drawn with nibart pens (dry media use nibart's `pressure` so the stroke breaks up like grain): the vintage ink frame (with oval, twin or bevelled "THE END" windows), charcoal hatching, wax-crayon scribbles and pencil outlines. They take the content as first argument.

`vintage-frame`

```
vintage-frame(body, width: auto, height: 7cm, direction: auto, window: none, inner: none, ink: black, thickness: 2.6pt, seed: 4, align: center + horizon)
```


Inked frame: thick outline, fine inner lines, corner hatches; optional oval / twin windows or a bevelled panel.

PARAMETERS

name	default	description
body	required	The content placed in the frame.
width	auto	Width (`auto`: the line).
height	7cm	Height of the drawing (`auto` where the height follows the rows).
direction	auto	Text direction: `auto` follows the document **or the content** (Arabic is detected), or `ltr` / `rtl`; the layout mirrors in RTL.
window	none	Window: `none`, `"oval"`, `"rect"`, `"twin-oval"`, `"twin-rect"` (for the twin ones give `body` as an array of two contents).
inner	none	`none` or `"bevel"` (grey chamfered panel, "THE END" style).
ink	black	Ink colour.
thickness	2.6pt	Thickness of the pencils.
seed	4	Seed of the hand-drawn irregularities.
align	center + horizon	Alignment of the content in the frame.

EXAMPLE

```
#vintage-frame(window: "oval", height: 5cm)[Invitation]
```



`charcoal-frame`

```
charcoal-frame(body, width: auto, height: 7cm, direction: auto, shape: "rect", ink: luma(35), density: 1.0, band: 0.3, weight: 100%, seed: 11, align: center + horizon)
```

Charcoal hatching round the content, rectangular or elliptic.

PARAMETERS

name	default	description
body	required	The content placed in the frame.
width	auto	Width (`auto`: the line).
height	7cm	Height of the drawing (`auto` where the height follows the rows).
direction	auto	Text direction: `auto` follows the document **or the content** (Arabic is detected), or `ltr` / `rtl`; the layout mirrors in RTL.
shape	"rect"	`"rect"` or `"ellipse"`.
ink	luma(35)	Ink colour.
density	1.0	Density of the strokes (1 = default).
band	0.3	Thickness of the charcoal frame in cm (the hatched band).
weight	100%	Stroke weight multiplier: below 100% gives finer strokes, above gives heavier ones.
seed	11	Seed of the hand-drawn irregularities.
align	center + horizon	Alignment of the content in the frame.

EXAMPLE

```
#charcoal-frame(height: 5cm)[Charcoal]
```



`crayon-frame`

```
crayon-frame(body, width: auto, height: 7cm, direction: auto, colours: (rgb("#8DC21F"), rgb("#FFC800"), rgb("#8AA316")), band: 0.5, weight: 100%, density: 1.0, seed: 8, align: center + horizon)
```

Wax-crayon scribbles in several colours running round the frame.


PARAMETERS

name	default	description
body	required	The content placed in the frame.
width	auto	Width (`auto`: the line).

name	default	description
height	7cm	Height of the drawing (`auto` where the height follows the rows).
direction	auto	Text direction: `auto` follows the document **or the content** (Arabic is detected), or `ltr` / `rtl`; the layout mirrors in RTL.
colours	(rgb("#8DC21F"), rgb("#FFC800"), rgb("#8AA3…	Colours used in turn by the items.
band	0.5	Thickness of the crayon frame in cm (the scribbled band).
weight	100%	Stroke weight multiplier: below 100% gives finer strokes, above gives heavier ones.
density	1.0	Density of the strokes (1 = default).
seed	8	Seed of the hand-drawn irregularities.
align	center + horizon	Alignment of the content in the frame.

EXAMPLE

```
#crayon-frame(height: 5cm)[Crayon]
```



pencil-sketch-frame

```
pencil-sketch-frame(body, width: auto, height: 7cm, direction: auto, panels: 1, doodles: true, ink: luma(45), lines: 3, seed: 6, align: center + horizon)
```


Pencil outline: several shaky rectangles, one or two panels, doodled shapes at the foot.

PARAMETERS

name	default	description
body	required	The content placed in the frame.
width	auto	Width (`auto`: the line).
height	7cm	Height of the drawing (`auto` where the height follows the rows).
direction	auto	Text direction: `auto` follows the document **or the content** (Arabic is detected), or `ltr` / `rtl`; the layout mirrors in RTL.
panels	1	Number of panels side by side (1 or 2).
doodles	true	Draw the little doodled shapes at the foot.
ink	luma(45)	Ink colour.
lines	3	Number of superimposed pencil lines.
seed	6	Seed of the hand-drawn irregularities.
align	center + horizon	Alignment of the content in the frame.

EXAMPLE

```
#pencil-sketch-frame(height: 5cm)[Pencil]
```



Aliases and index

Many functions carry a second name (French names from the original LaTeX packages, or short forms). An alias behaves exactly like its target. The index at the end lists every function with its chapter.

alias	target
banniere	ogeebox
boite-creusee	insetbox
bouton	gelbox
brevet	patent-page
burst	sketch-box
cadre-grave	engraved-frame
cadre-rosette	rosettebox
cadre-vintage	vintageframe
cadre-volute	volutebox
cahier	coilbox
cartouche	matierebox
chalkbox	boardbox
epingle	pinbox
etiquette-gravee	antique-label

alias	target
frise	frisebox
lecon	leconbox
legende-figure	figure-caption
lettre	parchemin
markerbox	boardbox
motif-tikz	tikzpattern
niveaudiffexos	difficulty
note	sketch-box
notebook-box-clean	notebook-box
page-dechiree	tornpage
pancarte	plankbox
pictoskills	meter
pinceau	brushbox
planche	plate-page

alias	target
plaque-vintage	vintagebox
plate	crestbox
regle-gravee	engraved-rule
ruban	sashbox
shadowed	sketch-box
study-postit	postit
surligner-formule	highlight-formula
surligner-texte	highlight-text
tcboxnotebook	notebook-box
tcbwhiteboard	boardbox
ticketbox	ticket
trame	halftone

Index of functions

abstract-textbox ... 10
alternating-block-process ... 11
alternating-line-block-process ... 11
antique-label ... 8
antique-note ... 8
antique-notes ... 8
arabesquebox ... 7
arc-pts ... 9
badge-timeline-cards ... 13
banner-3d ... 5
banner-tri ... 9
banner-tri-bis ... 9
banners-with-circles ... 12
bicolor-bignum ... 9
bicolor-title ... 9
block3d ... 4
boardbox ... 6
book-cover ... 9
bound-page ... 5
brush-stroke-rows ... 13
brushbox ... 9
bubble-tail-boxes ... 13
calendar-list ... 10
calloutbox ... 6
capsule-text-boxes ... 10
card-list-box ... 10
cards-with-corner-sleeve ... 10
charcoal-frame ... 14
chevron-slideshow-frame ... 13
circle-head-outline-cards ... 13
circuitbox ... 6
coilbox ... 6
competence-crayon ... 9
concentric-tier-cards ... 11
concept-card ... 3
connected-cards-process ... 11
content-motif ... 7
continuous-block-process-box ... 11
corner-ribbon-process-box ... 11
cornered-cards ... 10
crayon-frame ... 14
crestbox ... 6
cube-block-list ... 10
dashed-pill-cards ... 13
deckle-tag ... 5
def-card ... 4
definition ... 4
diagonal-banner-card-box ... 12
difficulty ... 9
double-duo-neumorphic ... 10
double-frame ... 4
engraved ... 8
engraved-frame ... 8
engraved-rule ... 8
example ... 4
example-header ... 3
fabox ... 3
fabox-note ... 3
fabox-sign ... 3
faboxyst ... 4
feature-callout-box ... 10
figure-caption ... 8
filebox ... 6
film-strip ... 13
five-w ... 6
flag-ribbon ... 5
flagbox ... 6
fleuronbox ... 7
folded-banner ... 12
folded-banner-info-box ... 12
folded-tab-cards ... 13
folder ... 5
folder-step-box ... 11
folder-text-block ... 12
folder-text-box ... 12
folding-card-box ... 12
four-feature-icon-cards ... 10
four-step-parchment-process ... 11
frame-accent-block ... 10
frisebox ... 7
garnet-box ... 5
gelbox ... 6
get-theme ... 2
girih ... 7
glyph-motif ... 7
grayscale-paint ... 2
grid-note ... 5
half-disc-tab-cards ... 13
half-framed-text-box ... 10
halftone ... 7
hand-drawn-bullet-panel ... 12
hand-drawn-business-brochure-card ... 12
hand-drawn-business-callout ... 12
hand-drawn-folded-ribbon ... 12
hand-drawn-photo-frame ... 12
hand-drawn-speech-bubbles ... 12
hatched ... 4
heading-weight ... 2
heading-weight ... 2
helixbox ... 6
hexagonal-header-box ... 12
highlight ... 4
highlight-formula ... 4
highlight-text ... 4
highway-sign ... 9
hl ... 4
horizontal-bubble-box ... 12
horizontal-chevron-block ... 11
ico-bulb ... 3
ico-pencil ... 3
ico-star ... 3
iconbox ... 3
image-motif ... 7
index-card ... 5
index-notebook ... 13
information-block-box ... 10
ink-pts ... 7
insetbox ... 4
interlocked-abstract-textbox ... 10
is-print ... 2
is-rtl ... 3
joined-bubbles ... 6
keybox ... 6
khatam-badge ... 7
khatambox ... 7
kinds-text-box-1 ... 10
kinds-text-box-2 ... 10
kinds-text-box-3 ... 10
l-shaped-header-box ... 10
lace ... 7
lacebox ... 7
lecon-reset ... 9
leconbox ... 9
lesson-card ... 5
lesson-table ... 5
level-counter ... 9
looped-chevron-callout ... 11
make-palette ... 7
make-theme ... 2
mark ... 4
mark-emph ... 4
matierebox ... 9
medallion ... 7
meter ... 9
mihrabbox ... 7
modern-block-list-box ... 10
mosaicbox ... 7
neon ... 5
nested-file-text-box ... 10
neumorphic-diamond-box ... 10
neumorphic-text-panel ... 10
nib-curve ... 8
nib-envelope ... 8
nib-line-path ... 8
nib-pen ... 8
nib-polylines ... 8
nib-rect-path ... 8
nib-stroke ... 8
notebook-box ... 5
notepad ... 5
numbered-header-box ... 5
numbox ... 3
numbox-reset ... 3
ogeebox ... 7
ornament ... 7

ornatebox 7
paint-watermark 9
paper-note-box 5
parchemin 7
patent-page 8
peak-header-box 12
pencil-frame-flow 13
pencil-sketch-box 12
pencil-sketch-ellipse 12
pencil-sketch-frame 14
pencil-sketch-graphite-box 12
perspective-panels 12
perspective-text-box 12
pgfornament 7
pictochrono 9
pictocible 9
pill-box 4
pinbox 9
plankbox 6
plannerbox 6
plaque 4
plate-page 8
pocket-card-box 12
polaroid 5
poly-pts 9
polyline-path 8
post-it 5
postage-stamp-card 12
postit 5
postit-butterfly 5
print-group 2
punchbox 6
puzzle-tab-cards 13
quad-step-card 11
relief 4
ribbonbox 6
ring-linked-boxes 13
ringbox 6
rosette 7
rosettebox 7
round-poly 9
rounded-tab-card-box 12
ruled-sheet 5
sale-poster 9
sash-shape 7
sashbox 6
sb-clip 5
sb-divider 5
sb-heart 5
sb-pin 5
sb-tape 5
sb-underline 5
screwbox 6
serpentine-process-box 11
side-banner-card-box 12
simple-rounded-text-box 10
six-boxes-banded-box 10
six-boxes-folder-card 12
six-boxes-outline-box 10
six-boxes-pointer-card 10
six-boxes-template-box 10
six-boxes-tilted-box 10
six-step-numbered-card-list 11
sketch-box 4
skewed-badge-cards 13
sloppy-box 5
smooth-pts 9
speech-bubble 6
speed-bar 5
spiral-binding 5
spiral-pts 7
spread-box 5
stackbox 6
stacked-banner-row 12
stacked-summary-card-box 10
staggered-hanging-card-box 12
stamp-card 5
sticky 4
striped-poster-cards 13
stubbox 6
swooshbox 6
tabbed-folder-box 12
tapebox 6
taped-curl-note 5
terminal 5
text-box-display-card 10
text-box-process-box 11
text-box-tag 12
three-color-infographic-card 10
three-color-infographic-stack 10
three-step-highlight-cards 11
ticket 5
tikzpattern 7
tint 7
tip 4
tip-card 3
tkzpicto 9
top-banner-card-box 12
torn-note 5
tornpage 6
turned 7
twisted-ribbon-rows 13
two-column-information-card 10
u-backed-cards 13
vertical-banner-box 12
vertical-chevron-list-item 11
vignette 5
vintage-frame 14
vintage-outline 8
vintage-pts 8
vintagebox 7
vintageframe 7
volutebox 7
warning 4
wavy-infographic-box 10
wire-linked-pills 13
with-watermark 9
zellijbox 7