

letterloom v2.1.0

Introduction

The letterloom package is a user-friendly and customizable template designed to streamline the creation of professional-looking letters. Whether for personal or business correspondence, it eliminates the challenges of traditional typesetting tools like LaTeX while delivering polished and elegant results.

Key Features:

- **Multiple Signatures:** Effortlessly include one or more signatures for joint communications or approvals.
- **Letterhead:** Place a branded letterhead image flush with the page edges on the first page.
- **Enclosures:** Clearly list and optionally attach additional documents included with the letter.
- **Customizable Footnotes:** Add informative footnotes with flexible formatting options.
- **Internationalization Support:** Customize labels and text for different languages and regions.

Benefits:

- Simplifies the letter-writing process with an intuitive template.
- Eliminates the steep learning curve of tools like LaTeX.
- Delivers professional-quality output without requiring technical expertise.
- Supports multilingual documents with customizable labels.

Regardless of whether you are preparing a formal business correspondence, or crafting a personal letter, letterloom makes creating visually appealing documents both straightforward and efficient.

Requirements

Typst 0.14.0 or higher is required to use this package.

Usage

Each parameter is documented below with its type, default value, and examples.

Getting Started

Here is a simple example showing the essential arguments needed to use the letterloom package:

```
#import "@preview/letterloom:2.1.0": *  
  
#show: letterloom.with(  
  // Sender's contact information (name and address)  
  from-name: "Sender's Name",
```

```

from-address: [
    Sender's Address
],

// Recipient's contact information (name and address)
to-name: "Receiver's Name",
to-address: [
    Receiver's Address
],

// Letter date (automatically set to today's date)
date: datetime.today().display("[day padding:zero] [month repr:long] [year repr:full]"),

// Opening greeting
salutation: "Dear Receiver's Name,",

// Letter subject line
subject: "Subject",

// Closing phrase
closing: "Yours sincerely,",

// List of signatures with their name, optional signature image, title and affiliation
signatures: (
    (
        name: "Sender's Name",
    ),
),
)

// Write the body of your letter here

```

Creating a New Letter Project

To create a new letter project run the following command in your terminal:

```
typst init @preview/letterloom:2.1.0
```

This will generate a ready-to-use letter project in your current directory.

Alternatively, you may create a new project directly in the [Typst webapp](#).

Required Parameters

All nine fields below are required by default. To omit any of them, use `required-fields` — see [Field Configuration](#) for details.

from-name `str` or `content`

The sender's name.

Examples:

```
// String
from-name: "The Dimbleby Family"

// Content block
from-name: text(weight: "bold")[The Dimbleby Family]
```

from-address `str` or `content`

The sender's address.

Examples:

```
// String
from-address: "The Dimbleby Estate"

// Content block
from-address: [
  The Dimbleby Estate \
  Cheswick Village \
  Middle Upton \
  Bristol BS16 1GU
]
```

Note: By default, the sender's name and address are right-aligned. You may change this using the `from-alignment` parameter.

to-name `str` or `content`

The recipient's name.

Examples:

```
// String
to-name: "Evergreen Tree Surgeons"

// Content block
to-name: text(weight: "bold")[Evergreen Tree Surgeons]
```

to-address `str` or `content`

The recipient's address.

Examples:

```
// String
to-address: "Midtown Lane"

// Content block
to-address: [
```

```
Midtown Lane \  
Cheswick Village \  
Stoke Gifford \  
Bristol BS16 1GU  
]
```

date `str` or `content`

The letter's date.

Examples:

```
// Simple string format  
date: "01 January 1970"  
  
// Dynamic date using Typst's datetime functions  
date: datetime.today().display("[day padding:zero] [month repr:long] [year  
repr:full]")  
  
// Custom formatted date  
date: datetime.today().display("[weekday repr:long], [day] [month repr:long]  
[year]")
```

For custom formatting options, refer to [Typst's datetime formatting documentation](#).

Note: By default, the letter's date is right-aligned. You may change this using the `date-alignment` parameter.

salutation `str` or `content`

The opening greeting.

Examples:

```
// Standard business greeting  
salutation: "Dear Mr Hawthorne,"  
  
// Formal greeting  
salutation: "To Whom It May Concern,"  
  
// Personal greeting  
salutation: "Dear John,"
```

subject `str` or `content`

The subject line.

Examples:

```
// Simple subject  
subject: "Pruning of Heritage Oak Trees in the Dimbleby Estate"
```

```
// Styled subject with formatting
subject: text(weight: "bold")[#smallcaps("Pruning of Heritage Oak Trees in the
Dimbleby Estate")]

// Subject with emphasis
subject: [Re: #emph[Urgent] Tree Maintenance Request]
```

closing `str` or `content`

The closing phrase.

Examples:

```
// Formal business closing phrase
closing: "Yours sincerely,"

// Less formal closing phrase
closing: "Best regards,"

// Personal closing phrase
closing: "With warm personal regards,"
```

signatures `array`

Specifies a list of signatures as an array of dictionaries, where each dictionary has the following keys:

name	<code>str</code> or <code>content</code>	The signatory's name.
title	<code>str</code> or <code>content</code> <i>optional</i>	The signatory's title.
affiliation	<code>str</code> or <code>content</code> <i>optional</i>	The signatory's affiliation.
signature	<code>content</code> <i>optional</i>	Typst image function specifying the location of the signature image. If omitted, a blank space is reserved for a physical signature.

Examples:

```
// Single signature
signatures: (
  (
    name: "Lord Albus Dimbleby",
    signature: image("images/albus-sig.png"),
  )
)

// Single signature with title and affiliation
signatures: (
  (
    name: "Sir Austin Dimbleby",
    title: "Knight Commander of the Order of the British Empire",
```

```

        affiliation: [
            Senior Advisor, International Relations \
            Chairman, Global Trade Council \
        ],
    ),
)

// Multiple signatures
signatures: (
    (
        name: "Lord Albus Dimbleby",
        signature: image("images/albus-sig.png"),
    ),
    (
        name: "Lady Abigail Dimbleby",
        signature: image("images/abigail-sig.png"),
    ),
    (
        name: "Sir Austin Dimbleby",
        // No signature image - space left for physical signature
    )
)

```

Note: If only one signature is given, the `signature-alignment` parameter may be used to align the signature to the left, right, or center of the page. This parameter is ignored if multiple signatures are specified.

Field Configuration

The `required-fields` parameter controls which core fields are rendered in the letter. Excluding a field from the list suppresses it entirely — no blank space is left in its place — making it straightforward to produce letters that omit elements such as a subject line or closing phrase.

required-fields `array`

Controls which core fields are rendered in the letter.

The valid field names are:

- "from-name"
- "from-address"
- "to-name"
- "to-address"
- "date"
- "salutation"
- "subject"
- "closing"
- "signatures"

Default: ("from-name", "from-address", "to-name", "to-address", "date", "salutation", "subject", "closing", "signatures")

Examples:

```
// Omit the subject line and closing from the letter
required-fields: (
  "from-name", "from-address",
  "to-name", "to-address",
  "date", "salutation", "signatures",
),

// Minimal letter with no salutation, subject, or closing
required-fields: (
  "from-name", "from-address",
  "to-name", "to-address",
  "date", "signatures",
),
```

Optional Parameters

The following optional parameters enable you to add additional fields like a letterhead image, an attention line, a list of cc recipients, a list of enclosures, and a footer to your letter if desired.

Letterhead `dictionary`

Places a letterhead image flush with the physical page edges. The letterhead is rendered on the first page only. Subsequent pages are unaffected and use the normal page margins throughout.

file	<code>bytes</code>	Typst read function specifying the path to the file and encoding.
width	<code>length</code> or <code>ratio</code> or <code>relative</code> <i>optional</i>	Width of the image. Defaults to the full available width.
height	<code>length</code> <i>optional</i>	Height of the image. When omitted, height scales proportionally from the width.
margin	<code>length</code> or <code>dictionary</code> <i>optional</i>	Inset applied between the physical page edge and the image. Defaults to 0mm on all sides.
alignment	<code>alignment</code> <i>optional</i>	Horizontal alignment. Defaults to center.

Default: `none`

Examples:

```
// Full-width letterhead with no margins (default behavior)
letterhead: (
  file: read("images/letterhead.png", encoding: none),
)

// Partial-width letterhead centered with spacing around it
letterhead: (
  file: read("images/letterhead.png", encoding: none),
  width: 60%,
```

```

margin: (top: 5mm, bottom: 3mm, rest: 8mm),
alignment: center,
)

// Fixed-width letterhead with uniform margin
letterhead: (
  file: read("images/letterhead.png", encoding: none),
  width: 120mm,
  margin: 5mm,
  alignment: right,
)

```

Notes and caveats:

- **Use `read()`, not `image()`.** The `file` key expects raw bytes loaded via `read("path", encoding: none)`. Passing a `Typst image()` call will produce a type error.
- **Setting both `width` and `height` may distort the image.** If the values do not match the image's natural aspect ratio, the image will be stretched or compressed. Omit `height` to let it scale proportionally from `width`.
- **Percentage widths are relative to available width.** A width of 100% fills the page width minus the letterhead's left and right margins, not the full physical page width. To span the full page width with no margin, omit `width` entirely or set `margin` to 0mm.
- **Auto page margins.** When `margin` is left at its default of `auto`, letterloom derives the page margin using Typst's formula: 2.5/21 of the page's shorter dimension. If you set custom margin, the letterhead placement adjusts automatically.
- **Custom margins with asymmetric sides.** When using a dictionary for margin (e.g. `margin: (top: 5mm, rest: 8mm)`), the `rest` key sets the fallback for any sides not explicitly listed.
- **Image format support.** PNG, JPEG, SVG, and GIF are supported. Passing a file in an unsupported format will result in a Typst compile error.

attn-name `str` or `content`

The attention line recipient's name.

Default: `none`

Example:

```
attn-name: "Mr Basil Hawthorne"
```

attn-label `str` or `content`

The label printed before the attention line name.

Default: "Attn: "

Example:


```
attn-label: "À l'attention de"
```

attn-position `str`

Whether to place the attention line above or below the recipient's address.

Default: "above"

Example:

```
attn-position: "below"
```

cc `str` or `content` or `array`

Lists carbon copy (cc) recipients as a single string or content block, or an array of them.

Default: `none`

Examples:

```
// Single cc recipient
cc: "Mr Jethro Tull"

// Multiple cc recipients
cc: (
  "Mr Jethro Tull",
  "Ms Sarah Green",
  "Dr Robert Brown",
)
```

Note: The list of cc recipients is placed after the signature(s) but before the list of enclosures.

cc-label `str` or `content`

The label printed before the cc list.

Default: "cc:"

Examples:

```
// String
cc-label: "Cc:"

// Content block
cc-label: text(weight: "bold")[cc:]
```

enclosures `array`

An array of enclosure dictionaries, listed after the letter closing. When a file is provided, it is embedded on a dedicated page after the letter body. Each dictionary has the following keys:

description	<code>str</code> or <code>content</code>	Label shown in the enclosures list.
file	<code>bytes</code> <i>optional</i>	Typst read function specifying the path to the file and encoding. When omitted, only the description is rendered.
pages	<code>int</code> <i>optional</i>	Number of pages to render starting from page 1. Defaults to 1 which will only render the first page.
margin	<code>length</code> or <code>dictionary</code> <i>optional</i>	Page margin for the embedded file. Defaults to 0mm on all sides when omitted.

Default: `none`

Examples:

```
// Single enclosure (description only)
enclosures: (description: "Provenance of the Oak trees on the Dimbleby Estate.")

// Multiple enclosures (descriptions only)
enclosures: (
  (description: "Provenance of the Oak trees on the Dimbleby Estate."),
  (description: "Photographs of storm damaged Oak trees."),
  (description: "Insurance claim form."),
)

// With embedded files (read bytes so paths resolve in your document)
enclosures: (
  (
    description: "Provenance of the Oak trees on the Dimbleby Estate.",
    file: read("enclosures/oak-tree-provenance.pdf", encoding: none),
    pages: 3,
  ),
  (
    description: "Photographs of storm damaged Oak trees.",
    file: read("enclosures/storm-damaged-oak-tree.jpg", encoding: none),
    margin: (top: 20mm),
  ),
)
```

Note: To find the page count of a PDF, you may use the `pdftinfo` command from the [Poppler](#) library: `pdftinfo document.pdf | grep Pages`.

enclosures-label `str` or `content`

The label printed before the enclosures list.

Default: `"encl:"`

Examples:

```
// String
enclosures-label: "P.J.:"
```

```
// Content block
enclosures-label: text(weight: "bold")[encl:]
```

footer array

An array of footer elements — URLs, email addresses, or plain text.

footer-text	str or content	The footer text.
footer-type	str <i>optional</i>	The type of footer element: "url", "email" or "string". When set to "url" or "email", the text is rendered as a clickable hyperlink. When omitted or set to "string", the text is rendered as plain text.

Default: none

Example:

```
footer: (
  (
    // Displayed as is
    footer-text: "+44-117-555-5555",
  ),
  (
    // Displayed as a mailto: link
    footer-text: "dimplebyfamily@dimpleby.org",
    footer-type: "email",
  ),
  (
    // Displayed as a web link
    footer-text: "https://dimpleby.org",
    footer-type: "url",
  )
)
```

Note: The footer is placed at the bottom of the letter above the page number if enabled and is center-aligned.

Document Settings

Controls paper size, margins, spacing, and page numbering.

paper-size str

The paper size.

Default: "a4"

Examples:

```
paper-size: "a4" // A4 (210 × 297 mm)
paper-size: "us-letter" // US Letter (8.5 × 11 in)
paper-size: "legal" // Legal (8.5 × 14 in)
```

For more information, see [Typst's documentation on paper sizes](#).

margins `auto` or `relative` or `dictionary`

The page margins.

Default: `auto`

Examples:

```
// Automatic margins (default)
margins: auto

// Uniform margins
margins: 20mm

// Custom margins
margins: (top: 20mm, left: 20mm, bottom: 20mm, right: 20mm)

// Asymmetric margins
margins: (top: 25mm, left: 30mm, bottom: 25mm, right: 30mm)
```

Refer to [Typst's margin documentation](#) for more information.

Note: The default setting of `auto` results in a 25 mm margin for A4, the package's default paper size.

par-leading `length`

Line spacing within paragraphs.

Default: 0.8em

Examples:

```
par-leading: 0.8em // Tight spacing
par-leading: 1.0em // Normal spacing
par-leading: 1.2em // Loose spacing
```

Note: Adjust this value to complement the chosen font and font size.

par-spacing `length`

Spacing between paragraphs.

Default: 1.8em

Examples:

```
par-spacing: 1.5em // Compact paragraphs
par-spacing: 1.8em // Standard spacing
par-spacing: 2.0em // Relaxed spacing
```

Note: Modify this value to match the font and font size for optimal readability.

number-pages `bool`

Enables page numbering, starting from the second page.

Default: false

Examples:

```
number-pages: false // No page numbers
number-pages: true  // Page numbers from the second page onwards
```

Note: Page numbers are centered at the bottom of the page, below the footer if one is specified.

Typographical Settings

Controls the fonts and font sizes used throughout the letter.

main-font `str`

Sets the font used for the main body of the letter.

Default: "Libertinus Serif"

Examples:

```
main-font: "Libertinus Serif" // Default serif font
main-font: "Noto Serif"      // Google's Noto Serif
main-font: "Times New Roman" // Classic serif
main-font: "Arial"           // Sans-serif option
```

main-font-size `length`

Sets the font size for the main body.

Default: 11pt

Examples:

```
main-font-size: 10pt // Smaller text
main-font-size: 11pt // Standard size
main-font-size: 12pt // Larger text
```

footnote-font `str`

Sets the font used for footnotes.

Default: "Libertinus Serif"

Examples:

```
footnote-font: "Libertinus Serif" // Match main font
footnote-font: "Noto Serif" // Alternative serif
footnote-font: "DejaVu Sans" // Sans-serif option
```

footnote-font-size `length`

Sets the font size for footnotes.

Default: 7pt

Examples:

```
footnote-font-size: 6pt // Very small
footnote-font-size: 7pt // Standard size
footnote-font-size: 8pt // Larger footnotes
```

footer-font `str`

Sets the font used for the footer.

Default: "DejaVu Sans Mono"

Examples:

```
footer-font: "DejaVu Sans Mono" // Monospace default
footer-font: "Fira Mono" // Modern monospace
footer-font: "Courier New" // Classic monospace
footer-font: "Arial" // Sans-serif option
```

footer-font-size `length`

Sets the font size for the footer.

Default: 9pt

Examples:

```
footer-font-size: 8pt // Smaller footer
footer-font-size: 9pt // Standard size
footer-font-size: 10pt // Larger footer
```

Layout Settings

Controls alignment of letter elements and hyperlink color.

date-alignment `alignment`

Sets the alignment of the letter's date.

Default: right

Examples:

```
date-alignment: left // Left-aligned date
date-alignment: right // Right-aligned date (default)
date-alignment: center // Center-aligned date
```

from-alignment alignment

Sets the alignment of the sender's name and address.

Default: right

Examples:

```
from-alignment: left // Left-aligned sender
from-alignment: right // Right-aligned sender (default)
from-alignment: center // Center-aligned sender
```

footnote-alignment alignment

Specifies the alignment of the footnote separator and footnotes.

Default: left

Examples:

```
footnote-alignment: left // Left-aligned footnotes (default)
footnote-alignment: right // Right-aligned footnotes
footnote-alignment: center // Center-aligned footnotes
```

signature-alignment alignment

Specifies the alignment of the signature if only one signature is specified. If multiple signatures are specified this parameter is ignored.

Default: left

Examples:

```
signature-alignment: left // Left-aligned signature (default)
signature-alignment: right // Right-aligned signature
signature-alignment: center // Center-aligned signature
```

link-color color

Determines the color of hyperlinks in the letter.

Default: blue

Examples:

```
link-color: blue // Typst's blue #0074d9 (default)
link-color: maroon // Typst's maroon #85144b
link-color: rgb(0, 100, 200) // Custom RGB color
```

Refer to [Typst's documentation on colors](#) for additional details.

Comprehensive Letter Example

The following example illustrates several key features of the letterloom package and explains how they can be applied in practice.

```
#import "@preview/letterloom:2.1.0": *

#show: letterloom.with(
  // Sender's contact information (name and address)
  from-name: "The Dimpleby Family",
  from-address: [
    The Dimpleby Estate \
    Cheswick Village \
    Middle Upton \
    Bristol BS16 1GU
  ],

  // Recipient's contact information (name and address)
  to-name: "Evergreen Tree Surgeons",
  to-address: [
    Midtown Lane \
    Cheswick Village \
    Stoke Gifford \
    Bristol BS16 1GU
  ],

  // Attention line for specific recipient (optional)
  attn-name: "Mr Basil Hawthorne",

  // Letter date (automatically set to today's date)
  date: datetime.today().display("[day padding:zero] [month repr:long] [year repr:full]"),

  // Opening greeting
  salutation: "Dear Mr Hawthorne,",

  // Letter subject line
  subject: text(weight: "bold")[#smallcaps("Pruning of Heritage Oak Trees in the Dimpleby Estate")],

  // Closing phrase
  closing: "Sincerely yours,",

  // List of signatures with their name, optional signature image, title and affiliation
  signatures: (
    (
```



```
    name: "Lord Albus Dimbleby",
    signature: image("images/albus-sig.png"),
  ),
  (
    name: "Lady Abigail Dimbleby",
    signature: image("images/abigail-sig.png"),
  ),
  (
    name: "Sir Austin Dimbleby",
    signature: image("images/austin-sig.png"),
  ),
),

// Letterhead (optional)
letterhead: (
  file: read("images/letterhead.png", encoding: none),
  margin: (bottom: 2mm, rest: 5mm),
),

// List of cc recipients (optional)
cc: "Mr Jethro Tull",

// List of enclosures (optional)
enclosures: (
  (
    description: "Photograph of storm damaged Oak trees.",
    file: read("enclosures/storm-damaged-oak-tree.jpg", encoding: none),
    margin: 20mm,
  ),
  (
    description: "Provenance of the Oak trees on the Dimbleby Estate.",
    file: read("enclosures/oak-tree-provenance.pdf", encoding: none),
    pages: 3,
  ),
),

// Custom footer information (optional)
footer: (
  (
    footer-text: "+44-117-555-5555",
  ),
  (
    footer-text: "dimblebyfamily@dimbleby.org",
    footer-type: "email",
  ),
  (
    footer-text: "https://dimbleby.org",
    footer-type: "url",
  ),
),

// Paper size (default: "a4")
paper-size: "a4",

// Page margins (default: auto)
```

```
margins: (top: 20mm, left: 20mm, bottom: 20mm, right: 20mm),

// Enable page numbering (default: false)
number-pages: false,

// Main font (default: "Libertinus Serif")
main-font: "Libertinus Serif",

// Main font size (default: 11pt)
main-font-size: 11pt,

// Footnote font (default: "Libertinus Serif")
footnote-font: "Libertinus Serif",

// Footnote font size (default: 7pt)
footnote-font-size: 7pt,

// Footer font (default: "DejaVu Sans Mono")
footer-font: "DejaVu Sans Mono",

// Footer font size (default: 9pt)
footer-font-size: 9pt,

// Footnote alignment (default: left)
footnote-alignment: right,

// Link color (default: blue)
link-color: maroon,
)
```

We are writing to request you to visit The Dimpleby Estate in Cheswick Village to assess a stand of lordly Heritage Oak Trees that have stood the test of time, but whose strength might have been compromised by the wild squall that ripped through the region last week. We are keen to avoid any danger to passers by from weakened roots, branches, and sundry debris.

Your specific task would be to render the grove safe to human traffic while at the same time minimizing the residual damage to the trees. You would, of course, also undertake to clear the area thereafter.

Since this estate is jointly owned by the Dimpleby family, the signatures of all three of us appear in this letter to avoid any legal wrangles in the future.

Kindly contact our Head Groundsman, Mr Jethro Tull, on 0117-12345678, to fix an appointment to view the trees and give a quotation for the contemplated work.

Thank you kindly.

THE DIMBLEBY ESTATE



The Dimbleby Family
The Dimbleby Estate
Cheswick Village
Middle Upton
Bristol BS16 1GU

29 April 2026

Attn: Mr Basil Hawthorne
Evergreen Tree Surgeons
Midtown Lane
Cheswick Village
Stoke Gifford
Bristol BS16 1GU

Dear Mr Hawthorne,

PRUNING OF HERITAGE OAK TREES IN THE DIMBLEBY ESTATE

We are writing to request you to visit The Dimbleby Estate in Cheswick Village to assess a stand of lordly Heritage Oak Trees that have stood the test of time, but whose strength might have been compromised by the wild squall that ripped through the region last week. We are keen to avoid any danger to passers by from weakened roots, branches, and sundry debris.

Your specific task would be to render the grove safe to human traffic while at the same time minimizing the residual damage to the trees. You would, of course, also undertake to clear the area thereafter.

Since this estate is jointly owned by the Dimbleby family, the signatures of all three of us appear in this letter to avoid any legal wrangles in the future.

Kindly contact our Head Groundsman, Mr Jethro Tull, on 0117-12345678, to fix an appointment to view the trees and give a quotation for the contemplated work.

Thank you kindly.

Sincerely yours,

ALBUS DIMBLEBY

Lord Albus Dimbleby

Abigail Dimbleby

Lady Abigail Dimbleby

Austin Dimbleby

Sir Austin Dimbleby

cc:

Mr Jethro Tull

encl:

1. Photograph of storm damaged Oak trees.
2. Heritage Oak Provenance Statement.



Heritage Oak Provenance Statement

Reference: DEPS-2026-OAK-001

Date: 14 March 2026

Site: Dimbleby Estate, Middle Upton, Bristol BS16 1GU

Prepared for: The Dimbleby Family

Species: English Oak (*Quercus robur*)

Specimens: OT-01 to OT-06 (six trees)

Introduction

This statement establishes the provenance of six English Oak (*Quercus robur*) specimens growing on the eastern boundary of the Dimbleby Estate, Middle Upton, Bristol. It has been prepared at the request of the Dimbleby family in connection with a proposed programme of arboricultural works and provides a formal record of the trees' origin, lineage, and historical continuity for the purposes of heritage assessment and legal documentation.

The trees are assessed as being of native English provenance, locally sourced, and in continuous presence on the estate for a minimum of three centuries. This conclusion is supported by converging lines of documentary, cartographic, morphological, and dendrochronological evidence, each described in the sections that follow.

Methodology

Provenance was established through four complementary lines of enquiry:

- Archival research.** The Dimbleby family archive was examined in full, with attention to estate ledgers, correspondence, and land management records from the 17th century onwards. The Upton Vale County Archive and the Middle Upton Heritage Environment Register were also consulted for independent corroboration.
- Cartographic analysis.** Cheswick County Survey maps, tithe maps, and privately commissioned estate surveys spanning the period 1720 to 1980 were examined to establish the continuous presence and stable position of the woodland stand.
- Morphological assessment.** Each specimen was examined in the field in February 2026. Leaf morphology, acorn and cupule characteristics, bark texture, and growth habit were assessed against published taxonomic descriptions of native *Quercus robur* populations in south-west England.
- Dendrochronological estimation.** Girth measurements at 1.5 m above ground level were used in conjunction with published growth rate data for native oak in comparable woodland conditions to estimate the age of each specimen. No core sampling was undertaken, as the trees are of recognised heritage significance.

Historical Provenance

Estate records held in the Dimbleby family archive provide a continuous documentary chain from the late 17th century to the present. The earliest relevant entry appears in a land management ledger dated 1678, during the tenure of Sir Edmund Dimbleby, which records the planting of "great oaks along the southern ride and the western paddock boundary." A subsequent entry from 1694 documents the collection of acorns

from “the ancient wood at Cheswick Common” for propagation at the estate nursery, directly indicating a local seed source within the Cheswick Village catchment.

An estate survey map prepared circa 1720 depicts a continuous belt of young woodland along the eastern boundary, consistent in position and extent with the six specimens under consideration. This map, held at the Upton Vale County Archive, constitutes independent corroboration of the estate ledger entries and confirms that planting was well established within a generation of the 1678 record.

The tithe apportionment map of 1841, also held at the Upton Vale County Archive, records “mature oak timber” in the same location, indicating that by the mid-19th century the trees had reached full maturity and were recognised as a significant estate feature. A photographic survey commissioned by the Dimbleby family in 1923 provides visual confirmation, showing specimens of girth and form directly comparable to those measured in February 2026.

Taken together, these sources establish an unbroken record of native oak presence on this site spanning approximately 348 years. The consistency of the documentary chain, supported by independent archival sources, provides high confidence in the trees’ native, locally sourced origin.

Morphological Assessment and Age Estimation

Each of the six specimens was assessed in the field against the taxonomic criteria for native *Quercus robur*. All trees display sessile acorns borne on elongated peduncles of 3–7 cm, deeply lobed leaves with pronounced auriculate bases, and furrowed grey-brown bark of a texture consistent with advanced age in native stands. No characteristics indicative of non-native provenance, hybrid origin, or cultivar selection were observed. Leaf morphology, acorn characteristics, and growth habit are uniform across all six specimens, consistent with a single-origin, locally sourced population.

Tree Ref	Girth at 1.5 m (cm)	Estimated Age (years)	Provenance Confidence
OT-01	312	290-320	High
OT-02	287	270-300	High
OT-03	341	310-350	High
OT-04	298	280-310	High
OT-05	265	250-280	High
OT-06	319	290-330	High

Table 1: Field measurements and dendrochronological age estimates, February 2026.

Age estimates are derived from girth measurements using a mean annual radial increment of 2.5 mm, consistent with published growth rate data for native *Quercus robur* grown in open woodland conditions in south-west England (White, 1998). All six specimens fall within the age range consistent with establishment from the 1678-1694 planting records, providing morphological corroboration of the documentary evidence.

Documentary Evidence Summary

Source	Date	Type	Repository
Dimbleby estate land management ledger	1678	Primary manuscript	Dimbleby Family Archive
Dimbleby estate nursery record	1694	Primary manuscript	Dimbleby Family Archive
Dimbleby estate survey map	c. 1720	Cartographic	Upton Vale County Archive

Source	Date	Type	Repository
Tithe apportionment map, Middle Upton	1841	Cartographic	Upton Vale County Archive
Dimbleby Estate photographic survey	1923	Photographic	Dimbleby Family Archive
MUHER record	2019	Heritage register	MUHER

Table 2: Primary sources consulted in the preparation of this statement.

Declaration

I confirm that the information contained in this statement has been compiled from direct field observation, primary archival sources, and published reference data, and that it represents an accurate and impartial assessment of the provenance of the six oak specimens at the Dimbleby Estate to the best of my professional knowledge and judgement.

Prepared by: Mr Sebastian Oakley, MA, Dip. WP, FSWPC
Position: Woodland Historian and Provenance Consultant
Qualifications: MA History of the Landscape (Upton Vale); Diploma in Woodland Provenance Studies (BWhA); Fellow of the Society of Woodland Provenance Consultants
For: The Dimbleby Estate
Date: 14 March 2026
Signature:



References

Hartwell, G. (1998). *Estimating the Age of Large and Veteran Trees in Britain*. Woodland Research Institute Technical Note 12. Bristol: Woodland Research Institute.

Ashbourne, R. S. (ed.) (1991). *British Plant Communities, Volume 1: Woodlands and Scrub*. Upton Vale: Ridgeway Academic Press.

Fernshaw, C. (2019). *New Flora of the British Isles* (4th ed.). Barleycorn Press.

Oakfield Timber Research Association (2002). *Identifying Native Hardwoods: A Field Guide*. Cheswick: OTRA.

Middle Upton Heritage Environment Register (2019). *HER Record for Cheswick Common Ancient Woodland*. Middle Upton District Council.