Ejemplos

gobanist 0.2.0

Cada ejemplo es un documento entero: el código que va debajo del dibujo compila solo con `typst compile`. Los ejemplos, en inglés, y los archivos SGF que leen están en la carpeta `examples` del repositorio. Son los de pgf-go, el paquete de LaTeX del mismo autor. La referencia de cada función y cada opción está en el manual.

1. Una posición 2
2. Libertades 3
3. Seguir desde un tablero 4
4. Coordenadas 5
5. Flechas, líneas y marcas 6
6. Formas desplazadas con shift 7
7. Tableros de otras formas 8
8. Una escalera 9
9. Jugadas 10
10. Variantes 11
11. El ko, con vistas 12
12. Vistas sin flechas 13
13. Territorio 14
14. El puntaje 15
15. Un seki 16
16. Moyos 17
17. Los nueve perfiles 18
18. Un perfil propio 19
19. Una partida en un tablero 20
20. El recuento de una partida 21
21. Una partida comentada 22
22. Las variantes de una partida 23
23. Una colección de partidas 24
24. Una partida entera 26
25. Un joseki 28
26. Las simetrías del tablero 29
27. Un problema 30
28. Problemas dibujados a mano 31
29. Problemas de una colección 32
30. Problemas de Sensei's Library 33
31. Una partida en japonés 34
32. Una partida en chino 35
33. Una partida en coreano 36

1. Una posición





```
#import "@preview/gobanist:0.2.0": *
#set page(width: auto, height: auto, margin: 0.5cm)

#gobanist-set(profile: "pgfgosmooth")

#goban(size: 9, partial: "A2:H9",
  stones(black: "A7, B6, C8, C7"),
  stones(black: "D6, D5, D4", mark: "triangle"),
  stones(white: "C3, C4, C5, C6, D7, E7, E6"),
  stones(white: "E3", mark: (shape: "custom", content: [1])),
  marks(circle: "D3, E4, E5", line: (color: red.darken(20%))))
```

2. Libertades





```
#import "@preview/gobanist:0.2.0": *
#set page(width: auto, height: auto, margin: 0.5cm)

#gobanist-set(profile: "pgfgosmooth")

// The liberties of a stone: four in the middle, three on the side, two in the corner.
#goban-layout(columns: 2, width: auto, column-sep: 0.5em, row-sep: 0.5em,
  board(partial: "A9:E5",
    stones(black: "C7"),
    marks(sequence: "C8, D7, C6, B7")),
  board(partial: "E9:J5",
    stones(black: "G7", white: "F7"),
    marks(sequence: "G8, H7, G6")),
  board(partial: "A1:E5",
    stones(black: "C3", white: "B3, C2"),
    marks(sequence: "C4, D3")),
  board(partial: "E1:J5",
    stones(black: "G3", white: "F3, G2, H3"),
    marks(sequence: "G4")))
```

3. Seguir desde un tablero





```
#import "@preview/gobanist:0.2.0": *
#set page(width: auto, height: auto, margin: 0.5cm)

#gobanist-set(background: (fill: (color: rgb(220, 179, 92))))

// A board is a value: the second one starts with the stones of the first (resume), but not with its marks.
#let atari = board(size: 13,
  stones(black: "A1, J1, K1, G7, N9, D12, D13",
    white: "A2, H1, J2, K2, G6, F7, G8, M9, N10, C12, C13, E12, E13"),
  marks(circle: "B1, L1, N8, H7, D11"))

#goban(atari, label: (at: (top, bottom, left, right)))
#goban(resume: atari, label: (at: (top, right, bottom)),
  stones(white: "B1, L1, N8, H7, D11", mark: "triangle"))
```

4. Coordenadas





```
#import "@preview/gobanist:0.2.0": *
#set page(width: auto, height: auto, margin: 0.5cm)

// The kanji need a font that has them: MS Gothic comes with Windows; Noto Sans CJK JP is another one.
#let kanji = (font: "MS Gothic", size: 8pt)
#gobanist-set(profile: "wain", label: (at: (top, bottom, left, right)))

#let position = board(size: 9, stones(black: "C7, G3, D3", white: "G7, C3"))

#grid(columns: 2, column-gutter: 1.5em, row-gutter: 0.6em, align: center,
  goban(position),
  goban(position, label: (style: "japanese", text: kanji)),
  [western: letters and numbers], [japanese: from the upper right],
  v(0.5em), v(0.5em),
  goban(position, label: (style: "chinese", text: kanji)),
  goban(position, label: (columns: "1", rows: "A", rows-direction: ttb)),
  [chinese: from the upper left], [numbers and letters, rows from the top])
```

5. Flechas, líneas y marcas





```
#import "@preview/gobanist:0.2.0": *
#set page(width: auto, height: auto, margin: 0.5cm)

#gobanist-set(background: (fill: (color: rgb(220, 179, 92))))

#goban(size: 9, partial: "A1:G7",
  stones(black: "C3, D3, E4, C5", white: "D4, D5, E5, F3"),
  marks(dim: "F3"),
  arrows(("C5", "C7")),
  arrows(("E4", "G4"), color: red.darken(20%)),
  lines(("B6", "F6")),
  marks(triangle: "D5"),
  marks(custom: "E3", content: [A]))
```

6. Formas desplazadas con shift



From left to right: the one-space jump, the knight's move, the bamboo joint and the tiger's mouth.

```
#import "@preview/gobanist:0.2.0": *
#set page(width: 12cm, height: auto, margin: 0.5cm)


// Each shape is written once, from A1; shift: (columns, rows) draws it anywhere else.
#let jump = "A1, A3"
#let knight = "A1, B3"
#let bamboo = "A1:2, C1:2"
#let tiger = "A2, B1, C2"

#gobanist-set(profile: "pgfgosmooth")

#goban(size: (15, 9), label: (at: bottom),
  stones(black: jump, shift: (1, 5)),
  stones(black: knight, shift: (4, 5)),
  stones(black: bamboo, shift: (7, 5)),
  stones(black: tiger, shift: (11, 5)),
  stones(white: jump, shift: (1, 1)),
  stones(white: knight, shift: (4, 1)),
  stones(white: bamboo, shift: (7, 1)),
  stones(white: tiger, shift: (11, 1)))

From left to right: the one-space jump, the knight's move, the bamboo joint and the tiger's mouth.
```

7. Tableros de otras formas





```
#import "@preview/gobanist:0.2.0": *
#set page(width: 17cm, height: auto, margin: 0.5cm)

#gobanist-set(profile: "simple", label: (at: (bottom, left)))

// blank: points that are not part of the board (a board in the shape of a cross).
// grid.edge: the outer lines of the grid; label.columns: "a", the letters in lower case.
#goban-layout(columns: 2, width: auto, column-sep: 2em, valign: bottom,
  board(size: 13, blank: "A:D 1:4, K:N 1:4, A:D 10:13, K:N 10:13",
    stones(black: "G7, F9, E6", white: "H6, G4, C7")),
  board(size: 9, grid: (edge: (width: 1.2pt)), label: (columns: "a"),
    stones(black: "C3, G7, C6", white: "G3, E7, C7")))

// After Z, the columns have two letters: AA, AB...
#v(1em)
#goban(size: (30, 5), label: (at: bottom, text: (size: 6pt)),
  stones(black: "X2:AB2, Z3", white: "X3, Y3, AA3:AB3, Z4"))
```

8. Una escalera



Black plays at G7 and White is in atari again: the chain keeps running towards the corner, where it is captured.


```
#import "@preview/gobanist:0.2.0": *
#set page(width: 8cm, height: auto, margin: 0.5cm)

#gobanist-set(profile: "pgfgo", label: (at: (bottom, left)))

// A ladder (shicho): the white chain is a connected staircase (-|-, then -- for its last stone) and the black
// stones that chase it are two diagonals (--). Each line is written with its ends only.
#goban(
  stones(white: "D4 -|- F6 -- G6", black: "C4, D3, D5 -- F7, E3 -- G5"),
  arrows(("G6", "J8")))

Black plays at G7 and White is in atari again: the chain keeps running towards the corner, where it is captured.
```

9. Jugadas





```
#import "@preview/gobanist:0.2.0": *
#set page(width: auto, height: auto, margin: 0.5cm)

#gobanist-set(profile: "wain")

#goban(size: 9, label: (at: (bottom, left)),
  stones(black: "C7", white: "B6, B7, C8, D7"),
  moves(black: "C6, C5, D6, E6, D5, D4, E5, F5, E4, E3"))
```

10. Variantes




```
#import "@preview/gobanist:0.2.0": *
#set page(width: 14cm, height: auto, margin: 0.5cm)


#gobanist-set(profile: "pgfgo", size: 19, partial: "A1:H8", label: (at: (bottom, left)))



// Each diagram goes on from the board of another one (resume): the stones are already there, and the
// numbers and the turn go on. The third one is a variation of the first.
#let first = board(stones(black: "D4"), moves(white: "C3, D3, C4, D5"))

#goban-layout(columns: 3, fit: true,
  first,
  board(resume: first, moves("B5, B6, C6, C7")),
  board(resume: first, moves("B6, C6, B5")))
```

11. El ko, con vistas

The ko



The white stone △ has three black neighbours, ⌖, ⌖ and ⌖. Black plays 1 ① and takes it: now the shape is  . White cannot take back at once, because the same position would come again. White plays a threat first, 2 ②, Black answers with 3 ③, and only then White retakes with 4 ④:  .

```
#import "@preview/gobanist:0.2.0": *
#set page(width: 12cm, height: auto, margin: 0.5cm)


#gobanist-set(profile: "pgfgo")


// The boards are values: the layout draws them and goban-view shows parts of them in the text.
#let ko = board(size: 5, stones(black: "B3, C2, C4", white: "C3, D2, D4, E3"))
#let before = board(ko, marks(triangle: "C3"))
#let capture = board(ko, captures: "remove", moves("D3"))
#let retake = board(ko, captures: "remove", moves("D3, A5, A4, C3"))

= The ko
#goban-layout(columns: 3, fit: true, before, capture, retake)

The white stone #goban-stone("white", mark: "triangle") has three black neighbours,
#goban-view(before, "B3, C2, C4").
Black plays 1 #goban-view(capture, "D3") and takes it: now the shape is #goban-view(capture, "B2:E4").
White cannot take back at once, because the same position would come again. White plays a threat first,
2 #goban-view(retake, "A5"), Black answers with 3 #goban-view(retake, "A4"), and only then White retakes with
4 #goban-view(retake, "C3"): #goban-view(retake, "B2:E4").
```

12. Vistas sin flechas



White runs with  without the arrow and the line, the stones alone:  .

```
#import "@preview/gobanist:0.2.0": *
#set page(width: 10cm, height: auto, margin: 0.5cm)


#gobanist-set(profile: "pgfgo", view: (goban: (scale: 0.45)))

// The views can leave out the arrows and the lines.
#let plan = board(size: 9,
  stones(black: "C3, C5, D7, G3", white: "E3, F5, G6, C7"),
  lines(("B2", "D2"), ("D2", "D6"), ("D6", "B6"), ("B6", "B2"), color: red, width: 1.5pt),
  marks(custom: "C4", content: text(fill: red)[moyo], label: (size: 7pt)),
  arrows(("F5", "D8"), color: blue, width: 1.5pt, bend: 30deg),
  arrows(("G3", "H5")),
  lines(("E3", "G6")))

#goban(plan)

White runs with #goban-view(plan, "E2:H7"); without the arrow and the line, the stones alone:
#goban-view(plan, "E2:H7", arrows: false, lines: false).
```

13. Territorio





```
#import "@preview/gobanist:0.2.0": *
#set page(width: auto, height: auto, margin: 0.5cm)

#gobanist-set(background: (fill: (color: rgb(220, 179, 92))), label: (at: (bottom, left)))

// The territory marked point by point, and found by the kernel with territory(auto).
#goban(size: 9,
  stones(black: "A2, B1, B2, C2, D1, D2, G1, G2, F2, F3, F4, G4, G5, G6, E9, E8, E7, F7, G7, H7, J7, G8",
    white: "A7, B7, C7, D7, D8, D9, D6, B5, C5, A3, B3, C3, D3, E1, E2, E3, E4, E5, E6, F5"),
  marks(t-circle: "J1, J2, J3, J4, J5, J6, H1, H2, H3, H4, H5, H6, G3, H8, H9, J8, J9, G9, F9, F8, A1, C1",
    player: "black"),
  marks(t-square: "A9, A8, B9, B8, C9, C8, A6, B6, C6, A5, D5, A4, B4, C4, D4", player: "white"),
  marks(filled-square: "F1, F6", line: (color: gray)))
// The same position, with the coordinates abbreviated.
#goban(size: 9,
  stones(black: "E9|-J7, G8|-F4|-G2--G1, A2-|D1, B1",
    white: "D9|-E6--E1, F5, A:C7, A:D3, B:C5"),
  territory(auto, dame: true))
```

14. El puntaje



Black 18, White 20.5.


```
#import "@preview/gobanist:0.2.0": *
#set page(width: 12cm, height: auto, margin: 0.5cm)

#gobanist-set(background: (fill: (color: rgb(220, 179, 92))), label: (at: (bottom, left)))

#goban(size: 7,
  stones(black: "D1:7, B5", white: "E1:7"),
  prisoners(white: "B3"),
  territory(auto))
#goban(size: 7, captures: "remove",
  stones(black: "D1:7, A3, B2, B4", white: "E1:7, B3"),
  moves("C3"),
  territory(auto, draw: "fill"))

Black #goban-score("black"), White #goban-score("white", komi: 6.5).
```

15. Un seki



Black 25, White 25.5.


```
#import "@preview/gobanist:0.2.0": *
#set page(width: 8cm, height: auto, margin: 0.5cm)

#gobanist-set(profile: "pgfgo", label: (at: (bottom, left)))

// A seki at the top: each group has one eye (A9, J9) and they share E9. In Japanese rules the eyes of a seki
// are not territory: territory(auto) counts them, and a neutral territory for each eye takes them out.
#goban(
  stones(black: "A8:D8, B9:D9, E7:J7, E1:E6", white: "E8:J8, F9:H9, A7:D7, D1:D6"),
  prisoners(white: "G3", black: "B4"),
  territory(auto, dame: true),
  territory(neutral: "A9"),
  territory(neutral: "J9"))

Black #goban-score("black"), White #goban-score("white", komi: 6.5).
```

16. Moyos



Black's framework: 50 squares; White's: 60. The triangle shows where White can reduce it.


```
#import "@preview/gobanist:0.2.0": *
#set page(width: 9cm, height: auto, margin: 0.5cm)

#gobanist-set(profile: "pgfgo", size: 13, label: (at: (bottom, left)))

// Each framework is a polygon given by its corners; gobanist fills its squares and measures it.
#goban(
  stones(black: "K4, K10, J7, L7", white: "D4, D10, C7, F3"),
  territory(black: "J3, M3, M11, J11", draw: "region"),
  territory(white: "B2, F2, F5, E5, E11, B11", draw: "region"),
  marks(triangle: "J10"),
  arrows(("D7", "G7")))

Black's framework: #goban-region("black", "area") squares; White's: #goban-region("white", "area").
The triangle shows where White can reduce it.
```

17. Los nueve perfiles




```
#import "@preview/gobanist:0.2.0": *
#set page(width: 17.4cm, height: auto, margin: 0.5cm)

// The same board with every profile: board(position, profile: p) is that board, with another profile.
#let position = board(
  stones(black: "A6|-B5|-D1|-E2, C4, E9-|F4, D5-|G7--D7, H6, H8, J7",
    white: "E8-|C5, B:E6, A7, B8, D9, J6|-H5, H2:3, F1|-C3, C2, D:E4, G4"),
  prisoners(black: "H1-|J2", white: "A1"),
  marks(t-circle: "A1:4, G8|-J9, J8, H7", player: "black"),
  marks(t-square: "G3|-J1|-H4, C9-|A8, B7", player: "white"),
  marks(t-square: "E1", fill: (color: red)))

#goban-layout(columns: 3,
  ..("default", "pgfgo", "pgfgosmooth", "wain", "shell", "yunzi", "baduktv", "simple", "draft")
    .map(p => board(position, profile: p)))
```

18. Un perfil propio





```
#import "@preview/gobanist:0.2.0": *
#set page(width: auto, height: auto, margin: 0.5cm)

// A profile of your own: a dictionary of options, like those of gobanist-set. Before setting its own,
// profile brings the style back to the initial one.
#let night = (
  background: (fill: (color: luma(15%)), line: false),
  grid: (line: (color: luma(60%))),
  label: (text: (fill: luma(50%))),
  arrow: (color: rgb(100%, 57%, 15%)),
  players: (
    neutral: (mark: (line: (color: luma(80%)), fill: (on: true, color: luma(50%)))),
    black: (stone: (fill: (color: rgb(0%, 0%, 55%)), line: (color: luma(70%)))),
    white: (stone: (fill: (color: rgb(100%, 57%, 15%)), line: (color: rgb(40%, 20%, 0%))))),
  // Marks of your own: a function of the radius of the stone and of the stroke and the fill of the mark,
  // drawn with its origin on the point.
  shapes: (
    diamond: m => polygon(fill: m.fill, stroke: m.stroke,
      (0pt, -0.7 * m.radius), (0.7 * m.radius, 0pt), (0pt, 0.7 * m.radius), (-0.7 * m.radius, 0pt)),
    slash: m => line(start: (-0.5 * m.radius, 0.5 * m.radius), end: (0.5 * m.radius, -0.5 * m.radius),
      stroke: m.stroke)),
)

#gobanist-set(profile: night)

#goban(size: 9, label: (at: (bottom, left)),
  stones(black: "C3, D3, E4, C5", white: "D4, D5, E5, F3"),
  moves("F4, G4, F5"),
  marks(diamond: "C3, E5, G7", slash: "D5, H3"),
  arrows(("F5", "F7")))
```

19. Una partida en un tablero





```
#import "@preview/gobanist:0.2.0": *
#set page(width: auto, height: auto, margin: 0.5cm)

#gobanist-set(background: (fill: (color: rgb(220, 179, 92))), label: (at: (bottom, left)))

// A game read from an SGF file is a value: the board takes its size, and sgf(game, ...) chooses what to draw.
#let game = sgf-read(path("commented.sgf"))

#goban(captures: "remove", sgf(game, to: 15))
#goban(sgf(game, to: 1, letters: "children"))
#goban(sgf(game, variation: (2,)))
```

20. El recuento de una partida



Black 21, White 20.5. Result in the file: B+0.5.

```
#import "@preview/gobanist:0.2.0": *
#set page(width: 8cm, height: auto, margin: 0.5cm)

#gobanist-set(profile: "pgfgo", label: (at: (bottom, left)))

// The end of a game: gobanist plays it with the captures, finds the territory and counts it.
#let game = sgf-read(path("commented.sgf"))

#goban(captures: "remove",
  sgf(game, marks: false, numbers: false),
  prisoners(white: "B3"), // The dead white stone.
  territory(auto))

Black #goban-score("black"), White #goban-score("white", komi: 6.5).
Result in the file: #sgf-info(game, "RE").
```

21. Una partida comentada

A short game

Black against White, komi 6.5. A game on a 7x7 board, with comments.




Diagram 1 (1–9)

1: Black takes the middle line.

9: Black will have three columns, White only two.




Diagram 2 (10–18)

Result: Black wins by 0.5 points (Black 21, White 20.5)

13: Tesuji. The last point of the wall.

14: Bad move. White invades, but there is no room for two eyes.

15: Black takes the vital point. The white stone is dead.

18: Black: 20 points and a prisoner. White: 14 points and 6.5 of komi.

```
#import "@preview/gobanist:0.2.0": *
#set page(width: 13cm, height: auto, margin: 0.5cm)

#gobanist-set(background: (fill: (color: rgb(220, 179, 92))), label: (at: (bottom, left)))

#let game = sgf-read(path("commented.sgf"))

= #sgf-info(game, "GN")
#sgf-info(game, "PB") against #sgf-info(game, "PW"), komi #sgf-info(game, "KM"). #sgf-comment(game, 0)

#sgf-diagrams(game, step: 9, comments: true)
```

22. Las variantes de una partida

A short game




Diagram 1 (1–18)

Result: Black wins by 0.5 points (Black 21, White 20.5)

1: Black takes the middle line.
9: Black will have three columns, White only two.
13: Tesuji. The last point of the wall.
14: Bad move. White invades, but there is no room for two eyes.
15: Black takes the vital point. The white stone is dead.
18: Black: 20 points and a prisoner. White: 14 points and 6.5 of komi.




Diagram 1a (variation at 2)

1: Too close.

```
#import "@preview/gobanist:0.2.0": *
#set page(width: 14cm, height: auto, margin: 0.5cm)

#gobanist-set(background: (fill: (color: rgb(220, 179, 92))), label: (at: (bottom, left)))

#let game = sgf-read(path("commented.sgf"))

= #sgf-info(game, "GN")

// The variations of the file get their own diagrams ("Diagram 1a"), after the diagram where they start.
#sgf-diagrams(game, step: 30, variations: (on: true, select: "all"), comments: true,
  layout: (columns: 2, fit: true))
```

23. Una colección de partidas

Game 1: Black – White

Result: B+0.5.




Diagram 1 (1–18)

Result: Black wins by 0.5 points (Black 21, White 20.5)

Game 2: Maeda Nobuaki – Segoe Kensaku

Result: B+R.




Diagram 1 (1–20)




Diagram 2 (21–40)

```
#import "@preview/gobanist:0.2.0": *
#set page(width: 15cm, height: auto, margin: 0.5cm)

#gobanist-set(profile: "pgfgo", label: (at: (bottom, left)))

// games.sgf is a collection: several games in one file, one after the other. game chooses one of them; each
// game keeps its own board size.
#for n in (1, 2) {
  let game = sgf-read(path("games.sgf"), game: n)
  [
    == Game #n: #sgf-info(game, "PB") -- #sgf-info(game, "PW")
    Result: #sgf-info(game, "RE").

    #sgf-diagrams(game, step: 20, to: 40, layout: (columns: 2, fit: true))
  ]
}
```

24. Una partida entera

Maeda Nobuaki – Segoe Kensaku

Black: Maeda Nobuaki 6d. White: Segoe Kensaku 7d. Komi 4.5. Played in 1940.




Diagram 1 (1–50)




Diagram 2 (51–100)




Diagram 3 (101–150)




Diagram 4 (151–200)




Diagram 5 (201–213)
Result: Black wins by resignation

```
#import "@preview/gobanist:0.2.0": *
#set page(width: 15cm, height: auto, margin: 0.5cm)

#gobanist-set(profile: "yunzi", label: (at: (bottom, left)))


// maeda-segoe.sgf: Maeda Nobuaki against Segoe Kensaku, 1940 (moves only).
#let game = sgf-read(path("maeda-segoe.sgf"))

= #sgf-info(game, "PB") -- #sgf-info(game, "PW")
Black: #sgf-info(game, "PB") #sgf-info(game, "BR").
White: #sgf-info(game, "PW") #sgf-info(game, "WR").
Komi #sgf-info(game, "KM"). Played in 1940.

#sgf-diagrams(game, step: 50, goban: (captures: "remove"), layout: (columns: 2, fit: true))
```

25. Un joseki

The 4-4 point: the low approach






Diagram 1 (1–6)

2: The low approach.
3: A: the knight's move.
4: White slides into the corner.
6: And extends along the side.




Diagram 1a (variation at 3)

1: B: the one-space jump.




Diagram 1b (variation at 3)

1: C: the low pincer.
2: White invades at the 3-3 point.

```
#import "@preview/gobanist:0.2.0": *
#set page(width: 14cm, height: auto, margin: 0.5cm)

#gobanist-set(profile: "pgfgo")


#let joseki = sgf-read(path("joseki.sgf"))

= The 4-4 point: the low approach

// The line is given by its moves, as in a joseki dictionary. The answers are the commented variations that
// leave it at move 3 or later (not the 3-3 invasion, at move 2). partial: auto shows the part of the board
// that all the diagrams use.
#align(center, goban(partial: auto, scale: 0.8, sgf(joseki, to: 2)))

#sgf-diagrams(joseki, variation: "Q16, R14", variations: (on: true, from: 3), partial: auto,
  comments: true, layout: (columns: 3, fit: true))
```

26. Las simetrías del tablero





```
#import "@preview/gobanist:0.2.0": *
#set page(width: 17cm, height: auto, margin: 0.5cm)

#gobanist-set(profile: "pgfgo", partial: auto, label: (at: (bottom, left)))

// joseki.sgf is in the upper right corner. origin says where the point aa of the file goes (initially, top
// left), and transpose swaps columns and rows (the approach comes from the other side): together, the eight
// symmetries of the board. The variation is chosen by its moves on the board.
#let file = path("joseki.sgf")

#goban-layout(columns: 4, fit: true,
  sgf-read(file, origin: top + right),
  sgf-read(file, origin: bottom + right, transpose: true),
  sgf-read(file, transpose: true),
  sgf(sgf-read(file, origin: bottom + left), variation: "Q4, R6, O4"))
```


27. Un problema



Problem 1:


Black to play

Black to kill.



Variation 1


1: Tesuji. Correct: the vital point.



Variation 2

1: Tesuji. Correct: the vital point.


3: White has only one eye.



Variation 3

1: Bad move.

Wrong: White lives.



Variation 4

1: Wrong.

```
#import "@preview/gobanist:0.2.0": *
#set page(width: 17cm, height: auto, margin: 0.5cm)


#gobanist-set(background: (fill: (color: rgb(220, 179, 92))))


// The statement and a diagram for each line of the solution, with its comments.
#sgf-problem(sgf-read(path("problem.sgf")), title: "Problem 1")
```


28. Problemas dibujados a mano

Life and death

1. Black to kill. **2.** Black to live. **3.** Black to kill.










Answers

1. The eye space of White is a bent three, and its vital point is the one that touches the other two: Black plays at the corner, ①. **2.** Black lives with ①, which makes two eyes, at T17 and T19. **3.** The eye space of White is a straight three: Black plays in the middle, ①, and White has one eye at most.








```
#import "@preview/gobanist:0.2.0": *
#set page(width: 17cm, height: auto, margin: 0.5cm)

#gobanist-set(profile: "pgfgo", size: 19, partial: auto, scale: 1.1, label: (at: (bottom, left)),
  view: (goban: (background: false, label: (at: ()))))

// Problems drawn by hand, each one in another part of the board: partial: auto shows only the part that is
// used, with one more line. The answers go on from the problems, and the text shows them before they are drawn.
#let one = board(stones(white: "A:B3, B:C2, C1", black: "A:C4, C3, D1:3"))
#let two = board(stones(black: "S16:19, T16", white: "R16:19, S:T15"))
#let three = board(stones(white: "H1:2, J:L2, M1:2", black: "G1:2, H:M3, N1:2"))
#let answers = (board(one, moves("A1")), board(two, moves("T18")), board(three, moves("K1")))

= Life and death
*1.* Black to kill. #h(1em) *2.* Black to live. #h(1em) *3.* Black to kill.


#goban-layout(columns: 3, width: auto, one, two, three)

= Answers
*1.* The eye space of White is a bent three, and its vital point is the one that touches the other two:
Black plays at the corner, #goban-view(answers.at(0), "A1").
*2.* Black lives with #goban-view(answers.at(1), "T18"), which makes two eyes, at T17 and T19.
*3.* The eye space of White is a straight three: Black plays in the middle, #goban-view(answers.at(2), "K1"),
and White has one eye at most.


#goban-layout(columns: 3, width: auto, ..answers)
```

29. Problemas de una colección


Problems from the Igo Hatsuyōron




Problem 1: Black to play




Problem 2: Black to play




Problem 3: Black to play




Problem 6: Black to play




Problem 7: Black to play



Problem 9: Black to play



Problem 10: Black to play



Problem 11: Black to play


```
#import "@preview/gobanist:0.2.0": *
#set page(width: 17cm, height: auto, margin: 0.5cm)

#gobanist-set(profile: "shell")


// hatsuyoron.sgf: problems of the Igo Hatsuyōron (Inoue Dōsetsu Inseki, 1713), one game per problem, with the
// position only (no solutions). The numbers of the captions are those of the file.
#let problems = (1, 2, 3, 6, 7, 9, 10, 11).map(n => sgf-read(path("hatsuyoron.sgf"), game: n))

= Problems from the Igo Hatsuyōron
#sgf-problem(..problems, to-play: "black", comments: false, layout: (columns: 4, fit: true))
```


30. Problemas de Sensei's Library



Problem 1: Black to play



Problem 2: Black to play



Problem 3: Black to play

````
#import "@preview/gobanist:0.2.0": *
#set page(width: 17cm, height: auto, margin: 0.5cm)

#gobanist-set(profile: "pgfgo")

// Three problems written in the document, in the syntax of Sensei's Library: one game per diagram. The boards
// have different heights; align-captions puts their captions on the same line.
#let problems = ```
$$B Black to kill
$$ | . . . . .
$$ | X X X . .
$$ | O O X X .
$$ | . O O X .
$$ | . . O X .
$$ +----------

$$B Black to live
$$ ----------+
$$ . O X . |
$$ . O X . |
$$ . O X . |
$$ . O X X |
$$ . . O O |
$$ . . . . |

$$B Black to kill
$$ . . . . . . . . .
$$ . . X X X X X . .
$$ . X O O O O O X .
$$ . X O . . . O X .
$$ ------------------
```.text

#sgf-problem(..range(1, 4).map(n => sgf-read(problems, game: n)),
  layout: (columns: 3, align-captions: true))
````
````

31. Una partida en japonés

短い対局：黒対白、コミ 6.5。 七路盤の対局。




図 1 (1–9)

1: 黒は中央の線を取る。

9: 黒は三列、白は二列。




図 2 (10–18)

結果: 黒 0.5 目勝ち (黒 21, 白 20.5)

13: 手筋. 壁の最後の一手。

14: 悪手. 白の打ち込み。しかし二眼を作る余地はない。

15: 黒が急所に打つ。白石は死んでいる。

18: 黒は二十目と死石一つ。白は十四目とコミ六目半。

```
#import "@preview/gobanist:0.2.0": *
#set page(width: 13cm, height: auto, margin: 0.5cm)

// The texts of gobanist follow the language of the text. The Japanese ones need a font that has them:
// MS Gothic comes with Windows; Noto Sans CJK JP is another one.
#set text(lang: "ja", font: ("Libertinus Serif", "MS Gothic"))

#gobanist-set(background: (fill: (color: rgb(220, 179, 92))),
  label: (at: (top, right), style: "japanese"))

#let kifu = sgf-read(path("kifu.sgf"))

#sgf-info(kifu, "GN"): #sgf-info(kifu, "PB")対#sgf-info(kifu, "PW")、コミ#sgf-info(kifu, "KM")。
#sgf-comment(kifu, 0)

#sgf-diagrams(kifu, step: 9, comments: true)
```

32. Una partida en chino

一盘短棋：黑方对白方，贴目 6.5。 七路棋盘上的对局，附有评注。




图 1 (1–9)

1: 黑棋占据中线。

9: 黑棋将有三列，白棋只有两列。




图 2 (10–18)

结果: 黑 胜 0.5 目 (黑 21, 白 20.5)

13: 手筋. 墙的最后一点。

14: 恶手. 白棋打入，但没有做两只眼的空间。

15: 黑棋占据要点，白子已死。

18: 黑棋：二十目加一个死子。白棋：十四目加六目半贴目。

```
#import "@preview/gobanist:0.2.0": *
#set page(width: 13cm, height: auto, margin: 0.5cm)

// The Chinese texts need a font that has them: SimSun comes with Windows; Noto Serif CJK SC is another one.
#set text(lang: "zh", font: ("Libertinus Serif", "SimSun"))

#gobanist-set(background: (fill: (color: rgb(220, 179, 92))),
  label: (at: (top, left), style: "chinese"))

// qipu.sgf is in GB2312 (CA[GB2312]): sgf-read converts it.
#let qipu = sgf-read(path("qipu.sgf"))

#sgf-info(qipu, "GN"): #sgf-info(qipu, "PB")对#sgf-info(qipu, "PW")，贴目#sgf-info(qipu, "KM")。
#sgf-comment(qipu, 0)

#sgf-diagrams(qipu, step: 9, comments: true)
```

33. Una partida en coreano

짧은 대국: 흑 대 백, 덤 6.5. 7줄 바둑판에서 둔 대국과 해설.




그림 1 (1–9)

1: 흑이 가운데 줄을 차지한다.

9: 흑은 세 줄, 백은 두 줄뿐이다.




그림 2 (10–18)

결과: 흑 0.5 집 승 (흑 21, 백 20.5)

13: 맥점. 벽의 마지막 점.

14: 악수. 백이 침입하지만 두 눈을 만들 공간이 없다.

15: 흑이 급소를 차지한다. 백돌은 죽었다.

18: 흑: 20집과 사석 하나. 백: 14집과 덤 6.5집.

```
#import "@preview/gobanist:0.2.0": *
#set page(width: 13cm, height: auto, margin: 0.5cm)

// The Korean texts need a font that has them: Malgun Gothic comes with Windows; Noto Serif CJK KR is another
// one.
#set text(lang: "ko", font: ("Libertinus Serif", "Malgun Gothic"))

#gobanist-set(background: (fill: (color: rgb(220, 179, 92))), label: (at: (bottom, left)))

// gibo.sgf is in EUC-KR (CA[EUC-KR]): sgf-read converts it.
#let gibo = sgf-read(path("gibo.sgf"))

#sgf-info(gibo, "GN"): #sgf-info(gibo, "PB") 대 #sgf-info(gibo, "PW"), 덤 #sgf-info(gibo, "KM").
#sgf-comment(gibo, 0)

#sgf-diagrams(gibo, step: 9, comments: true)
```