

REFERENCE

XIC (eXtracted Ion Chromatogram) plot

Example :


```
#import "@preview/tegraph:0.2.5": *

#let data_json = json("../examples/data/pepalb35.json")

#let xic0 = data_json.found_list_first_pass.first().xics.first().trace
#xic0.insert("title", "isotope 0")
#let xic1 = data_json.found_list_first_pass.first().xics.at(1).trace
#xic1.insert("title", "isotope 1")
#xic1.insert("peak-
begin", data_json.found_list_first_pass.first().xics.at(1).peak.rt.first())
#xic1.insert("peak-
end", data_json.found_list_first_pass.first().xics.at(1).peak.rt.last())
#let xic2 = data_json.found_list_first_pass.first().xics.at(2).trace
#xic2.insert("title", "isotope 2")
#xic2.insert("peak-
begin", data_json.found_list_first_pass.first().xics.at(2).peak.rt.first())
#xic2.insert("peak-
end", data_json.found_list_first_pass.first().xics.at(2).peak.rt.last())

#xic-plot(
  height: 10cm,
  title: "XIC E[MOD:00394]PSHWETISTGGLK z=2",
  rt-range: (3830, 3900),
  max-intensity: 10000,
  xic0,
  xic1,
  xic2,
)
```

Result :



XIC plot full documentation

Y [Z\(Q\)I](#)(!%\"% &#I ;%\"DE
Y [Z\(Q\)I](#) ;%\"DE

xic-isotope-plot

T&<&\$*\"&!#*#ABC# ;%\"#!& *\$*\"(<,#(!\"% &# *\"\"&\$<#3 #)7*\$,&

Parameters

```
xic-isotope-plot(
  width: length relative,
  height: length relative,
  rt-range: auto array,
  max-intensity: none float,
  title: content,
  ..xic-item: dictionary
) -> content
```


line-length# int

```
7&# ' *Z(' ? ' #;<,"7#%>#* ' (<%#*)(:##%#:(! ;* #(<#*#;(<#/#Optional/  
O&>*?;"0#50
```

boxes# array

```
] $*$ #%>#3%Z&!#"#:$* \ #(<#"7&# $%"&(<#!&K?&<)&#Optional/  
7(!#)*<#3&#?!&:##%#-(!?*(W&#"7&# %!("(%<#%>#%<#%$# ' %$&# & "(:&!  
&Z* ' ;&#>%$#F# & "(:&!#0  
DD %!0#DI51E5#!" ;&0#"(<"D,$&&<EE5D %!0#DI05I`E5#!" ;&0#"(<"D"&*,EE5D %!0#D`15I`E5#!" ;&0#"(<"D$&:EEE  
O&>*?;"0#()
```

protein# str

```
] ' (<%#*)(:#!&K?&<)&#D%<#;&#"&$#)%:&E#%>#"7&# $%"&(<#"#:(! ;*
```

..box# dictionary

```
3%Z#("& ' #"%#:$* \ #(<#"7&# $%"&(<#!&K?&<)&#Optional/  
7(!#)*<#3&#?!&:##%#-(!?*(W&#"7&# %!("(%<#%>#%<#%$# ' %$&# & "(:&!  
&Z* ' ;&#0  
D %!0#DI51E5#!" ;&0#"(<"D,$&&<EE
```

```
1 #import "@preview/  
  proteograph:0.2.5": *  
2 #protein-diag(line-length: 60,  
3 "MASTKAPGPGGEKHHSIDAQLRQLV",  
4 (pos: (1,5), style: (stroke: red,  
  inset: 1pt)),  
5 (pos: (12,17), style: (stroke: teal,  
  inset: 3pt))  
6 )
```

MASTKAPGPGGEKHHSIDAQLRQLV

Isotope pattern plot

Example :

```
#import "@preview/proteograph:0.2.5": *
```

```
#isotope-pattern-plot(  
  mz: (792.89009986061, 793.3914387289032, 793.8927444414951),  
  intensity: (22000, 18000, 8000),  
  th-ratio: (0.4182709626684006, 0.3428843140088085, 0.157722041765769),  
  color: orange,  
)
```

Result :

