

README.md



A minimal readme-style slide gallery.

v1.0.0

MIT license

build: passing

docs

@author · 2026

10/08/2026

§ 01

CHAPTER

Getting started

- Render with normal Typst list markup.
- Nested items use indentation.
 - No custom item tuple syntax needed.
 - No extra slide helper needed.
- Mix freely with prose, like `npm install`.
- Links inherit the accent color — [see reference](#) →

Numbered list

04 / 16

1. Clone the repository.
2. Install dependencies.
3. Configure the environment.
4. Run the dev server.

Blockquote

05 / 16

Simplicity is prerequisite for reliability. A program that is not obviously correct will be full of bugs hiding where complexity lives.

– paraphrased, `source.md:L12`

javascript

```
import { defineConfig } from "vite"
import react from "@vitejs/plugin-react"

// https://vitejs.dev/config/
export default defineConfig({
  plugins: [react()],
  server: { port: 3000 }
})
```

Endpoints

Method	Path	Status	Description
GET	/api/users	200	Returns user list
POST	/api/users	201	Creates new user
PATCH	/api/users/:id	200	Updates existing user
DELETE	/api/users/:id	204	Removes a user

BEFORE

12m 04s

Sequential builds took upwards of 12 minutes on every push. Developers context-switched out of flow.

AFTER

1m 47s

Parallelised pipeline with shared caches. Builds land before the PR description is written.

Figure 1 — system overview

09 / 16

[architecture diagram — 1680 × 520]

Figure 1. Dataflow through the ingest → transform → serve pipeline. Source: <docs/architecture.md>

Q1 metrics

1.4M ↑ 12%

WEEKLY DOWNLOADS

4,208 ↑ 340

GITHUB STARS

97 ↑ 6

CONTRIBUTORS

98.2% ↑ 0.4

TEST COVERAGE

Task list — v1 milestone

11 / 16

☒	Draft initial API spec	closed · 12 days ago
☒	Wire up authentication middleware	closed · 8 days ago
☒	Add pagination to list endpoints	closed · 3 days ago
☐	Rate-limiting for public routes	open · 2 reviewers
☐	Migrate to streaming responses	open · blocked
☐	Publish v1.0 to registry	open · milestone

▲ NOTE

Highlights information that users should take into account, even when skimming.

▲ TIP

Optional guidance that helps a user get more out of a feature.

▲ WARNING

Urgent info that needs immediate user attention to avoid problems.

▲ CAUTION

Advises about risks or negative outcomes of certain actions.

References

- [1]** Shannon, C. E. (1948)
A Mathematical Theory of Communication. Bell System Technical Journal, 27(3), 379–423
- [2]** Goodfellow, I., Bengio, Y., and Courville, A. (2016)
Deep Learning. MIT Press
<https://www.deeplearningbook.org>
- [3]** Vaswani, A. et al. (2017)
Attention Is All You Need. NeurIPS 2017

Theorem 1 — Central Limit Theorem

Let $X_1, X_2, \dots$ be i.i.d. random variables with mean μ and variance σ^2 . Then

$$\sqrt{n}(\bar{X}_n - \mu) \Rightarrow \mathcal{N}(0, \sigma^2)$$

Result — Convergence rate

The Berry–Esseen bound gives $\sup_x |F_n(x) - \Phi(x)| \leq C \cdot \rho/\sigma^3 \sqrt{n}$ where $C < 0.4748$.

Remark

The constant C in the Berry–Esseen theorem has been progressively tightened since 1941. The best known upper bound is due to Shevtsova (2011).

Warning — Assumptions

The CLT requires finite variance. For heavy-tailed distributions (e.g. Cauchy), the theorem does not hold and alternative limit theorems involving stable distributions must be used.

Thanks

Questions?

→ [docs/](#) → [issues/](#) → [contact.md](#)