

chalks — manual (v0.1.1)

Hand-drawn pencil/chalk figures for scientific documents. Engine: chalks-engine (Rust → WASM) generating variable-width filled outlines.

Strokes

```
#sketch(180pt, 60pt,  
  line((10, 30), (170, 30), roughness: 1.5),  
)
```



Paths

path passes through its points in order. width is the full stroke thickness; smoothness controls how roundly the curve flows through the points. There is no fixed-radius corner-rounding parameter.

```
#sketch(180pt, 75pt,  
  path(((10, 60), (55, 15), (105, 55), (170,  
20))),  
  width: 2.4, smoothness: 0.8),  
)
```



Arrows


Straight by default; via: waypoints bend the shaft (smoothed like path) and the head follows the shaft's direction of arrival at the tip.

```
#sketch(180pt, 75pt,  
  arrow((10, 20), (95, 20)),  
  arrow((10, 65), (170, 55),  
    via: ((60, 30), (120, 28))),  
)
```



Shapes and fills

```
#sketch(180pt, 90pt,  
  rect((10, 10), (70, 50), fill: "hachure"),  
  circle((130, 35), 28, fill: "shade"),  
)
```



Annotations

annotate places its mark in page coordinates (so an arrow can span pins far from the annotate call itself), so — unlike the self-contained sketch examples above — it must not be nested inside a grid/stack cell here; shown stacked instead of side-by-side.

The key `#pin("idea")`[idea].
`#annotate(circle: "idea")`

The key `idea`

Use bend to curve a pin-to-pin arrow and label to describe the step. Positive bends go below left-to-right arrows; negative bends go above. Labels sit outside the bend. Leave room in the document for both.

`#pin("start")[$x$]` becomes `#pin("end")[$x^2$]`.
`#annotate(arrow: ("start", "end"), bend: 16pt, label: [square])`

x becomes x^2 .
square

Themes

```
#chalks-theme(ink)  
#sketch(180pt, 50pt, line((10, 25), (170,  
25)))
```

