
nibframe

Decorative frames and borders for Typst — drawn with nibart

Reference manual

Version 0.3.0 · 83 styles · Typst ≥ 0.15 · MIT

Author FERGOUS Abdelhak <@fergousA> · github.com/fergousA/nibframe



Contents

Getting started 3
- What nibframe does 3
- Installation 3
- Quick start 3
- How to read this manual 4

Anatomy of a frame 5

Functions 6
- Show rule and page 6
- Drawing a frame 8
- Information 9

Options 11
- Geometry 11
- Colour and line 12
- Structure 14
- Texture and seal 16

Catalogue of styles 18

Recipes 26
- 1. A document with a frame on every page 26
- 2. A different frame on the cover and on the other pages 26
- 3. A framed certificate 26
- 4. Your own drawing inside the frame 26
- 5. The same style at every size 27
- 6. Keeping your own margins 27

Notes and limits 28

Credits and licence 29

Index 30

Getting started

What nibframe does

`nibframe` draws **decorative frames** — around every page of a document, or around any box (certificate, card, poster). There are 83 styles: Celtic plaits and knotwork, arabesques, Islamic stars, Greek key, banknote guilloché, floral garlands, Art Deco, postage stamps… Each frame is computed for the exact size you ask for, so it fits an A4 page, a business card or a banner alike.

Everything is vector geometry produced by the `nibart` plugin (Hobby splines, pen envelopes, knots with automatic over/under crossings): no image, no font. The frame stays crisp at any zoom and prints at the resolution of your printer.

Installation

```
#import "@preview/nibframe:0.3.0": *
```

Typst Universe: nothing else to install — `nibart`, which `nibframe` imports itself, is downloaded automatically. A local edition (zip with `install.sh` / `install.ps1`) installs the same package under the `@local` namespace.

Import everything (`*`): the package exports only a handful of names (`framed`, `frame-box`, `frame-graphic`…), none of which clashes with Typst. You never have to import `nibart` yourself, except to combine a frame with your own drawing (recipe 4).

Quick start

One show rule frames every page and leaves room for the text:

```
#import "@preview/nibframe:0.3.0": *

#show: framed.with(style: "celtic")


= My document
#lorem(200)
```

Options follow the style. The next example sets the colours, the width of the band, its distance from the page edge and the space left between the band and the text:

```
#import "@preview/nibframe:0.3.0": *
#show: framed.with(style: "guilloche", color: rgb("#1c7a78"), accent: rgb("#9a3324"),
  band: 14mm, inset: 6mm, gap: 8mm)
```


The **thickness** of the frame is the `band` option. Every style accepts it — even `band: 3.5mm` gives a clean frame for all 83 styles — so a frame that looks too heavy is simply thinned. Default band on the left, `band: 3.5mm` on the right:

```
let f(s, ..o) = frame-graphic(32mm, 22mm, style: s, ..o)
grid(columns: 2, gutter: 3mm,
  f("checker"), f("checker", band: 3.5mm),
  f("hearts"), f("hearts", band: 3.5mm))
```



To frame a box rather than the pages — here a small card — use `frame-box`; the result on the right is computed live:

```
frame-box(
  align(center)[#text(13pt, weight: "bold")[Hello] \
frame-box],
  width: 46mm, height: 30mm,
  style: "laurel", gap: 3mm,
)
```



How to read this manual

Chapter 2 explains the geometry of a frame. Chapter 3 documents the **eight functions** (signature, table of parameters, return value, example). Chapter 4 documents the **options** shared by all functions, each with a live comparison. Chapter 5 is the **catalogue of the 83 styles**; its pictures are pre-rendered previews (JPEG) of each style with default options, so that the manual stays light — everything else, including every example next to its code, is executed by the package when the manual is compiled. Chapter 6 gives recipes. An index of functions, options and styles, with page numbers, closes the manual.


In the examples the code is in **code mode** and uses the names without any prefix, as after `#import "@preview/nibframe:0.3.0": *`; `nib` is the `nibart` module. The value of the last expression is what appears on the right.

Anatomy of a frame

A frame lives in a rectangle of size `width × height`. Three lengths place it:

- **`inset`** — the distance between the edge of the rectangle (the page edge) and the outside of the band;
- **`band`** — the width of the decorative band itself (each style has its own default, 5 to 7.5 mm, so that it stays slim);
- **`gap`** — the free space left between the band and the text. It belongs to the page layout, not to the drawing: `frame-margin` and `framed` add it to `inset + band` to compute the page margin.

The text area therefore starts `inset + band + gap` from every edge, which is exactly what `frame-margin` returns.



The page must have a fixed size (`auto` is refused by `frame-background`). **Frames adapt to the size**: patterns repeat a whole number of times along each side, corners are drawn at the four corners, and everything is symmetrical — left/right and top/bottom. Every style has a **continuous contour**; corner ornaments are **optional** (`corners: false`, see chapter 4) and, when present, lie over the contour in a lighter or darker colour.

Functions

Five functions draw or measure frames (`frame-graphic`, `frame-items`, `frame-margin`, `frame-background`, `frame-box`), one is a show rule (`framed`), and two give information (`nibframe-version`, `frame-styles`). All functions that take a `style:` also accept every option of chapter 4 as extra named arguments (`..opts`); an unknown option stops the compilation with a message that lists the known ones.

Show rule and page

`framed`

```
framed(style: "classic", gap: 6mm, margin: true, ..opts, body)
```

Show rule that frames **every page** of the document. It sets the page background to the frame (`frame-background`) and, unless `margin: false`, the page margins to `frame-margin`, so that the text never touches the band. Put it first, before any content: `#show: framed.with(style: "celtic")`.

PARAMETERS


name	type	default	description
`style`	string	`"classic"`	Name of the style (see `frame-styles` and chapter 5).
`gap`	length	`6mm`	Space between the band and the text.
`margin`	bool	`true`	`true`: set the page margins (`frame-margin`). `false`: keep your own margins.
`..opts`	named	—	Any option of chapter 4 (`band`, `inset`, `color`…).
`body`	content	required	The document (given by the `show` rule).

RETURNS the document, with the page set up.

NOTE The page keeps its size and orientation; set `#set page(paper: "a5", flipped: true)` **before** or **after** the show rule as you like. With `margin: false` the band may overlap the text unless your margins are large enough: use `frame-margin` to measure them.

EXAMPLE

```
// in a document
// #show: framed.with(style: "greek", color:
rgb("#9a3324"))
// the live result shows one such page
frame-box(
  align(left, text(7pt)[#lorem(22)]),
  width: 46mm, height: 62mm, style: "greek",
  color: rgb("#9a3324"), gap: 4mm,
)
```



`frame-background`

```
frame-background(style: "classic", ..opts)
```

A page background that draws the frame at the size of the page. It is a `context` function: use it as `set page(background: frame-background(style: "celtic"))`. Use it instead of `framed` when you manage the margins yourself (`frame-margin` tells you how much room the frame takes), or to give different pages different frames.


PARAMETERS

name	type	default	description
`style`	string	`"classic"`	Name of the style.
`..opts`	named	–	Any option of chapter 4.

RETURNS content that fills the page background (assertion error if the page width or height is `auto`).

EXAMPLE

```
// in a document
// #set page(
//   margin: frame-margin(style: "scallop"),
//   background: frame-background(style: "scallop"))
// the live result shows the frame of a page 45 × 62 mm
// le résultat montre le cadre d'une page de 45 × 62 mm
frame-graphic(45mm, 62mm, style: "scallop")
```



`frame-margin`

```
frame-margin(style: "classic", gap: 6mm, ..opts)
```

The page margin that keeps the text clear of the frame: `inset + band + gap`. `framed` uses it; call it yourself when you set the margins by hand.

PARAMETERS

name	type	default	description
`style`	string	`"classic"`	Name of the style (the default band depends on it).
`gap`	length	`6mm`	Space between the band and the text.
`..opts`	named	–	Options that change the geometry: `band`, `inset`.

RETURNS a length.

EXAMPLE

```
// millimetres
(
  classic: frame-margin(style: "classic").mm(),
  pearls: frame-margin(style: "pearls").mm(),
  wide: frame-margin(style: "pearls", band: 12mm, gap:
10mm).mm(),
)
```

```
(classic: 16.5, pearls: 15.0, wide: 26.0)
```

Drawing a frame

`frame-graphic`

```
frame-graphic(width, height, style: "classic", ..opts)
```

The frame alone, as content: a `box` of exactly `width × height` (origin at the top-left, nothing inside). Place it, scale it, put it in a grid, or stack your text over it with `place`.


PARAMETERS

name	type	default	description
`width`	length	required	Width of the whole frame (outside of the band + `inset`).
`height`	length	required	Height of the whole frame.
`style`	string	`"classic"`	Name of the style.
`..opts`	named	—	Any option of chapter 4.

RETURNS content (`box`) of size `width × height`.

EXAMPLE

```
stack(dir: ltr, spacing: 4mm,
  frame-graphic(28mm, 40mm, style: "deco"),
  frame-graphic(40mm, 24mm, style: "deco",
    color: rgb("#9a3324"), accent: rgb("#1c7a78")),
)
```



`frame-items`

```
frame-items(width, height, style: "classic", ..opts)
```

The raw drawing items of a frame, to feed `nibart`'s `mp-fig` together with your own items. Origin: **bottom-left** corner (nibart's y-up axes). Use it to draw something inside the frame in the same figure, to change the order of layers, or to transform the frame with `nibart` before drawing it.


PARAMETERS

name	type	default	description
`width`	length	required	Width of the frame.
`height`	length	required	Height of the frame.
`style`	string	`"classic"`	Name of the style.
`..opts`	named	—	Any option of chapter 4.

RETURNS an array of `nibart` drawables (spread it with `..` into `nib.mp-fig`).

EXAMPLE

```
nib.mp-fig(
  ..frame-items(50mm, 34mm, style: "pearls"),
  nib.mp-dot((25mm, 17mm), pen: nib.pencircle(9pt),
    fill: rgb("#9a3324")),
  width: 50mm, height: 34mm, origin: (0pt, 0pt), pad:
0pt,
)
```



`frame-box`

```
frame-box(body, width: auto, height: auto, style: "classic", gap: 6mm, ..opts)
```

A frame around arbitrary content — certificate, card, poster, a figure. The body is centred inside the band, at distance `gap` from it. With `auto` sizes the box fits the body plus `inset + band + gap` on each side; give `width` and/or `height` to impose the size (the body is then centred in the remaining area).

PARAMETERS


name	type	default	description
`body`	content	required	The content to frame.
`width`	auto or length	`auto`	Width of the whole box (frame included).
`height`	auto or length	`auto`	Height of the whole box.
`style`	string	`"classic"`	Name of the style.
`gap`	length	`6mm`	Space between the band and the body.
`..opts`	named	–	Any option of chapter 4.

RETURNS a `box`.

NOTE The body is centred but not clipped: if it is larger than the free area it overflows the band. `frame-box` needs a `context` to measure the body, so it is not usable inside a function that needs its size immediately.

EXAMPLE

```
stack(dir: ltr, spacing: 4mm,
  frame-box(text(13pt)[Hello], style: "stars", gap: 3mm),
  frame-box(
    align(center)[#text(10pt, weight: "bold")[Prize] \
#text(7pt)[2026]],
    width: 38mm, height: 26mm, style: "label", gap: 2mm),
)
```



Information

`frame-styles`

```
frame-styles
```

The array of the style names, in catalogue order. Use it to loop over all styles (as the gallery of the package does), to check a name, or to pick one at random.

RETURNS an array of strings.

EXAMPLE

```
(
  count: frame-styles.len(),
  first: frame-styles.slice(0, 5),
  last: frame-styles.last(),
)
```

```
(
  count: 83,
  first: (
    "classic",
    "celtic",
    "guilloche",
    "braces",
    "pearls",
  ),
  last: "coil",
)
```

`nibframe-version`

```
nibframe-version
```

The version of the package, as a string.

RETURNS a string.

EXAMPLE

```
nibframe-version
```

```
0.3.0
```

Options

Options are **named arguments** given after the style to `framed`, `frame-background`, `frame-graphic`, `frame-items`, `frame-margin` and `frame-box`. They are shared by all styles, but a style only uses those that make sense for it; the others are ignored silently. A misspelt name is an error (`nibframe: unknown option …`). In the comparisons below the grey outline marks the limit of the box.

Geometry

`band`

```
band: auto
```


Width of the decorative band. `auto` takes the default of the style (5 to 7.5 mm). This is **the** setting for the thickness of a frame: every style stays clean down to about 3.5 mm, and large bands suit big pages.

PARAMETERS

name	type	default	description
`band`	auto or length	`auto`	Width of the band.

EXAMPLE

```
let b(w) = box(stroke: 0.3pt +
luma(190),
  frame-graphic(28mm, 20mm, style:
"greek", band: w))
stack(dir: ltr, spacing: 3mm, b(3mm),
b(6mm), b(9mm))
```



`inset`

```
inset: 4mm
```


Distance between the edge of the box (or of the page) and the outside of the band. A printer rarely prints to the very edge: keep at least 3–4 mm for a page.

PARAMETERS

name	type	default	description
`inset`	length	`4mm`	Outer margin.

EXAMPLE

```
let b(i) = box(stroke: 0.3pt +
luma(190),
  frame-graphic(28mm, 20mm, style:
"greek", inset: i))
stack(dir: ltr, spacing: 3mm, b(0mm),
b(4mm), b(8mm))
```



`radius`

```
radius: auto
```


Corner radius of the band. `auto` depends on the style (some styles have square corners by nature).

PARAMETERS

name	type	default	description
`radius`	auto or length	`auto`	Corner radius.

EXAMPLE

```
let b(r) = box(stroke: 0.3pt +
luma(190),
  frame-graphic(28mm, 20mm, style:
"pearls", radius: r))
stack(dir: ltr, spacing: 3mm, b(0.5mm),
b(4mm), b(9mm))
```



`period`

```
period: auto
```


Length of one repeat of the pattern along the band (used by `celtic`, `guilloche`, `pearls`). The frame rounds it so that a whole number of repeats fits each side.

PARAMETERS

name	type	default	description
`period`	auto or length	`auto`	Length of one repeat.

EXAMPLE

```
let b(p) = box(stroke: 0.3pt +
luma(190),
  frame-graphic(36mm, 22mm, style:
"guilloche", period: p))
stack(dir: ltr, spacing: 3mm, b(5mm),
b(10mm))
```



Colour and line

`color`

```
color: rgb("#2f628c")
```


Main colour of the style (blue by default).

PARAMETERS

name	type	default	description
`color`	color	`rgb("#2f628c")`	Main colour.

EXAMPLE

```
let b(c) = frame-graphic(28mm, 20mm,
style: "classic", color: c)
stack(dir: ltr, spacing: 3mm,
b(rgb("#2f628c")), b(rgb("#9a3324")),
b(rgb("#1c7a78")))
```



`accent`

```
accent: rgb("#b07a1c")
```


Second colour of the style (ochre by default): details, rosettes, leaves, corner ornaments.

PARAMETERS

name	type	default	description
`accent`	color	`rgb("#b07a1c")`	Second colour.

EXAMPLE

```
let b(c) = frame-graphic(28mm, 20mm,
style: "laurel", accent: c)
stack(dir: ltr, spacing: 3mm,
b(rgb("#b07a1c")), b(rgb("#9a3324")),
b(rgb("#4d7b47")))
```



`ink`

```
ink: rgb("#2b2622")
```


Colour of the outlines (used by `celtic`, `guilloche`, `braces` and the knotted styles).

PARAMETERS

name	type	default	description
`ink`	color	`rgb("#2b2622")`	Outline colour.

EXAMPLE

```
let b(c) = frame-graphic(36mm, 22mm,
style: "braces", ink: c)
stack(dir: ltr, spacing: 3mm,
b(rgb("#2b2622")), b(rgb("#9a3324")))
```



`line`

```
line: 0.6pt
```


Thickness of the thin rules (and of the hairlines of the guilloché styles).

PARAMETERS

name	type	default	description
`line`	length	`0.6pt`	Rule thickness.

EXAMPLE

```
let b(t) = frame-graphic(28mm, 20mm,
style: "pearls", line: t)
stack(dir: ltr, spacing: 3mm, b(0.3pt),
b(0.6pt), b(1.4pt))
```



`paper`

```
paper: white
```


Colour of the page, used by the styles that **hide** what lies under their overlaps (`seigaiha`, `kilim`, `photo`, `baroque` …). If your page is not white, give its colour here; otherwise white patches show.

PARAMETERS

name	type	default	description
`paper`	color	`white`	Page colour.

EXAMPLE

```
let cream = rgb("#f4ecd8")
let b(p) = box(fill: cream, frame-
graphic(36mm, 22mm, style: "kilim",
paper: p))
stack(dir: ltr, spacing: 3mm, b(white),
b(cream))
```



Structure

`strands`

```
strands: auto
```


Number of strands: `celtic` takes 2 (plait) or 3 (braid); `guilloche` takes 7 (a dense bundle).

PARAMETERS

name	type	default	description
`strands`	auto or integer	`auto`	Number of strands.

EXAMPLE

```
let b(n) = frame-graphic(36mm, 24mm,
style: "celtic", strands: n)
stack(dir: ltr, spacing: 3mm, b(2),
b(3))
```



`rules`

```
rules: true
```


Thin rules along both edges of the band (used by `celtic`, `guilloche`, `braces`). `false` leaves the pattern alone.

PARAMETERS

name	type	default	description
`rules`	bool	`true`	Draw the rules.

EXAMPLE

```
let b(r) = frame-graphic(36mm, 22mm,
style: "guilloche", rules: r)
stack(dir: ltr, spacing: 3mm, b(true),
b(false))
```



`corners`

```
corners: true
```


Corner ornaments. `false` keeps the continuous contour and the pattern of the sides only. Where the corner ornament is a separate drawing it is lighter or darker than the contour and lies over it.

PARAMETERS

name	type	default	description
`corners`	bool	`true`	Draw the corner ornaments.

EXAMPLE

```
let b(c) = frame-graphic(36mm, 24mm,
style: "bill-lens", corners: c)
stack(dir: ltr, spacing: 3mm, b(true),
b(false))
```



`corner-color`

```
corner-color: auto
```


Colour of the corner ornaments of the `bill-*` styles. `auto` is a lighter shade of `accent`.

PARAMETERS

name	type	default	description
`corner-color`	auto or color	`auto`	Corner colour.

EXAMPLE

```
let b(c) = frame-graphic(36mm, 24mm,
style: "bill-lens", corner-color: c)
stack(dir: ltr, spacing: 3mm, b(auto),
b(rgb("#9a3324")))
```



`binding`

```
binding: "left"
```

Side of the wire rings of the `coil` style: `"left"`, `"right"`, `"top"`, `"bottom"`, or `"none"` for the border alone. The other styles ignore it.

PARAMETERS

name	type	default	description
`binding`	string	`"left"`	`"left"`, `"right"`, `"top"`, `"bottom"` or `"none"`.

EXAMPLE

```
let b(s) = frame-graphic(30mm, 24mm,
style: "coil", binding: s)
stack(dir: ltr, spacing: 3mm,
b("left"), b("top"), b("none"))
```



Texture and seal

`texture`

```
texture: none
```

A pale background texture inside the frame, available for every style: `"scales"`, `"waves"` or `"rosettes"`. It adds many small shapes — use it on boxes and short documents rather than on a long book.

PARAMETERS

name	type	default	description
`texture`	none or string	`none`	`none`, `"scales"`, `"waves"` or `"rosettes"`.

NOTE The texture fills the area inside the band, 1.5 mm away from it: the box must be larger than the band on both sides, or the compilation fails with a negative size.

EXAMPLE

```
let b(t) = box(stroke: 0.3pt + luma(190),
  frame-graphic(34mm, 28mm, style: "classic",
texture: t))
stack(dir: ltr, spacing: 2mm, b("scales"),
b("waves"), b("rosettes"))
```



`texture-color`

```
texture-color: auto
```


Colour of the texture. `auto` is a pale shade of `accent`.

PARAMETERS

name	type	default	description
`texture-color`	auto or color	`auto`	Texture colour.

EXAMPLE

```
let b(c) = box(stroke: 0.3pt +
luma(190),
  frame-graphic(38mm, 28mm, style:
"classic", texture: "waves", texture-
color: c))
stack(dir: ltr, spacing: 3mm, b(auto),
b(rgb("#1c7a78").lighten(65%)))
```



`seal`

```
seal: false
```


A guilloché seal (a rosette) in the bottom-right corner of the box, like on a diploma. Leave room for it in your layout.

PARAMETERS

name	type	default	description
`seal`	bool	`false`	Draw the seal.


EXAMPLE

```
stack(dir: ltr, spacing: 3mm,
  frame-graphic(36mm, 26mm, style:
"certificate", seal: true),
  frame-graphic(36mm, 26mm, style:
"certificate"))
```




Catalogue of styles


The 83 styles in the order of `frame-styles`, with default options. Each card shows the preview, the name to give to `style:`, the default width of the band, and a one-line description. The previews are pre-rendered images (62 × 44 mm); regenerate them with `sh scripts/build-catalogue.sh`. A style too heavy for your taste? Add `band: 4mm` (or less). For a sheet of all styles drawn live, compile `examples/gallery.typ` (see the repository).




`classic` · 6.5 mm
two rules and broad-nib volutes




`celtic` · 6.5 mm
two-strand plait (`strands: 3` for a three-strand braid); over/under computed by nibart




`braid` · 7 mm
Celtic double braid: two plaits side by side




`chain` · 6.5 mm
interlocked links



`arabesque` · 7 mm
calligraphic vine: stems, tendrils, leaves, corner flowers




`islamic` · 6.5 mm
interlaced eight-pointed stars (two woven squares)




`greek` · 6 mm
key meander




`scallop` · 6.5 mm
lace arcs, fans in the corners




`deco` · 5.5 mm
Art Deco ticks and corner fans




`braces` · 7 mm
four calligraphic braces




`pearls` · 5 mm
a string of pearls between two rules




`guilloche` · 6.5 mm
phase-shifted sine waves




`banknote` · 6.5 mm
guilloché rosettes in fine lines




`baroque` · 7.5 mm
calligraphic scrolls on a wavy stem, leaf tufts, corner flowers




`triquetra` · 7 mm
a Celtic trefoil knot per repeat (over/under computed)




`solomon` · 7 mm
Solomon's knots: two woven loops per repeat




`zellige` · 7 mm
twelve-pointed interlaced stars (three woven squares)




`seigaiha` · 7 mm
Japanese wave scales (needs `paper`)




`kilim` · 5.5 mm
chain of nested lozenges




`laurel` · 7 mm
laurel leaf pairs along a stem, star corners



`flowers` · 7 mm
six-petal flowers on a wavy stem



stamp · 5.5 mm
postage-stamp perforations



film · 6.5 mm
film strip: rounded sprocket holes







photo · 7 mm
photo-album corner triangles




neon · 5 mm
glowing tube: translucent layered strokes




illumination · 7 mm
gold rules, quatrefoil frieze, sunburst corners (manuscript)




bill-lens · 6.5 mm
two crossing bundles of hairlines forming lenses




bill-fan · 6.5 mm
waved hairlines with scalloped edge and small rosettes




bill-ribbon · 6.5 mm
a twisting ribbon of phase-shifted hairlines




bill-shell · 6.5 mm
nested arches, like shells, under three straight rules




bill-wave · 6.5 mm
a wave bundle whose amplitude grows across the band




bill-frill · 6.5 mm
ruffled lower edge under straight rules




bill-net · 6.5 mm
two woven families of waves: a moiré net




bill-swell · 6.5 mm
a wave whose hairlines fan out and pinch




bill-plait · 6.5 mm
a fine, dense plait of twisted hairlines




bill-rosette · 6.5 mm
a chain of lenses with guilloché rosettes




bill-wavy · 7 mm
undulating outline: two crossing bundles of waves (no straight rules)




bill-diploma · 7 mm
diploma border: fan of hairlines under a wavy edge, double wavy inner rule




bill-lattice · 6.5 mm
a lattice of triangle waves (diamonds and triangles)




bill-weave · 7 mm
two counter-phased bundles weaving round a wavy outline




airmail · 5.5 mm
air-mail diagonal stripes




checker · 5.5 mm
two-colour checkerboard




stars · 6.5 mm
a row of stars and dots




hearts · 6.5 mm
a row of hearts




eggdart · 7 mm
egg-and-dart moulding




vitruvian · 7 mm
Vitruvian scroll: a running wave with spirals




arches · 7.5 mm
pointed arcade




tapa · 6.5 mm
zigzag lines (tapa / chevrons)




stripes · 5.5 mm
concentric stripes of different weights




herringbone · 6 mm
slanted outlined strokes: rope / herringbone




knot-cartouche · 7 mm
Celtic knotwork tiles: plait closed by loops at both ends




knot-eights · 7 mm
chain of small closed figure-of-eight knots




knot-lozenge · 7 mm
knotwork tiles with a lozenge and plaits




knot-ring · 7 mm
interlaced rings between two plaits




knot-rope · 7 mm
two rows of interlaced rings (rope)




knot-triple · 7 mm
three knotwork blocks per tile




knot-weave · 7 mm
long plait with a central weave




`knot-blocks` · 7 mm
alternating closed knot blocks




`daisy` · 7 mm
garland of eight-petal daisies with leaves




`sakura` · 7 mm
five-petal cherry blossoms on a branch




`lotus` · 7 mm
upright lotus flowers alternating with inverted buds




`palmette` · 7 mm
palmette fans and curls on a wavy stem




`ogee` · 7 mm
chain of almonds with quatrefoils




`rinceau` · 7 mm
wave with leaf fans, curls and beads




`girih` · 6.5 mm
eight-pointed star outlines with lozenges




`hexastar` · 6.5 mm
woven hexagrams (Solomon's seal)




`strap` · 6.5 mm
angular interlaced strapwork




`certificate` · 7.5 mm
guilloché band, beaded outer edge and acanthus flourishes in the corners (optional; try `texture: "rosettes"`)




`certificate-ribbon` · 7.5 mm
same, with interlaced ribbon guilloché




stepped · 7 mm
interlocking stepped pyramids (castellated edge)




deckle · 6.5 mm
waves that fade from a deckled outer edge into straight lines




label · 5.5 mm
slim double rule with curls in the corners and a fleuron in the middle of each side




diamond-chain · 6.5 mm
chain of nested diamonds with hairline triangles between them




lace-grid · 6.5 mm
lace-like grid of small quatrefoils




diploma-shell · 7 mm
undulating diploma border with a guilloché shell fan in the middle of the top and bottom sides




medallion · 7 mm
diamond-lattice band with large guilloché discs over the corners




rosette-ribbon · 7 mm
ribbon of hairlines pinched at regular intervals, a rosette on each pinch




fleur-edge · 7 mm
scalloped outer edge, four-pointed fleurons, diamond lattice




filigree · 7 mm
mirrored scrolls with leaves, dense symmetric ornament



dedication · 7 mm
triple rule, a row of diamonds between the rules, rosettes with leafy sprigs in the corners and in the middle of every side (invitations, dedications)




plank · 6 mm
four mitred wooden boards with grain and a nail in every corner (a picture frame made of planks)



`torn` · 7 mm

strip of torn paper with a ragged outer and inner edge and a soft shadow (the tear is the same on opposite sides)



`coil` · 7 mm

rounded notebook border with wire rings along one side (`binding: "left"`, `"right"`, `"top"`, `"bottom"` or `"none"`)

Recipes

1. A document with a frame on every page

```
#import "@preview/nibframe:0.3.0": *
#set page(paper: "a4")
#set text(font: "Libertinus Serif", size: 11pt)
#show: framed.with(style: "arabesque", color: rgb("#2f628c"), accent: rgb("#b07a1c"))

= Annual report
#lorem(300)
```

`framed` sets the page background and margins; text, headings and figures flow inside the free area.

2. A different frame on the cover and on the other pages

```
#import "@preview/nibframe:0.3.0": *


#set page(paper: "a4",
  margin: frame-margin(style: "certificate", gap: 10mm),
  background: frame-background(style: "certificate", texture: "rosettes"))
#align(center + horizon, text(30pt)[Diploma])

#set page(margin: frame-margin(style: "classic"), background: frame-background(style:
"classic"))
#pagebreak()
= Contents
#lorem(120)
```

A `set page` placed after content starts a new page with the new margin and background.

3. A framed certificate


```
frame-box(
  align(center)[
    #text(7pt, tracking: 1pt)[CERTIFICATE OF
EXCELLENCE] \
    #v(2mm)
    #text(15pt, style: "italic")[Ada Lovelace] \
    #v(2mm)
    #text(6.5pt)[for her work on the Analytical
Engine]
  ],
  width: 70mm, height: 48mm, style:
"certificate",
  texture: "rosettes", seal: true, gap: 4mm,
)
```



4. Your own drawing inside the frame

Combine `frame-items` with `nibart` in the same figure: the frame and the drawing share one coordinate system (origin bottom-left).


```
let (w, h) = (60mm, 40mm)
let heart = nib.mp-path("(30,8){dir 180}..(14,24)..
(22,34){dir 0}..(30,26){dir 0}..(38,34)..
(46,24)..cycle")
nib.mp-fig(
  ..frame-items(w, h, style: "bill-lens"),
  nib.draw(nib.shifted(heart, 0pt, 0pt),
    pen: nib.pencircle(2pt), fill: rgb("#9a3324")),
  width: w, height: h, origin: (0pt, 0pt), pad:
0pt,
)
```



5. The same style at every size

The frame is computed for the size you give: patterns repeat a whole number of times, corners stay at the corners.

```
stack(dir: ltr, spacing: 3mm, ..(
  (22mm, 34mm), (34mm, 22mm), (46mm, 16mm),
).map(((w, h)) => frame-graphic(w, h, style:
"greek"))
)
```



6. Keeping your own margins

```
#import "@preview/nibframe:0.3.0": *
#set page(paper: "a5", margin: 22mm)
#show: framed.with(style: "pearls", margin: false)   // frame only, margins unchanged
```

Check that your margin is at least `frame-margin(style: "pearls")` (here 15 mm) so that the text stays clear of the band.

Notes and limits

- **Fixed page size.** `frame-background` and `framed` need a page whose width and height are lengths, not `auto`.
- **Rendering time.** Frames are computed by a WebAssembly plugin. Simple styles take a fraction of a second; the knotted styles (`celtic`, `braid`, `chain`, the `knot-*` family) take a few seconds for an A4 page and the same cost is paid on **every page**: Typst caches identical backgrounds, but a frame that depends on the page content does not benefit. `banknote` and the `bill-*` styles produce heavier PDF files because of their many hairlines.
- **Memory.** A document is limited by the total number of curves it contains. Textures and large knotted frames on hundreds of pages can exhaust memory; frame a few pages or use a lighter style for long documents.
- **Dependency.** `nibframe` imports `nibart` 0.3.0 internally (downloaded automatically by Typst from Universe in the published edition, installed beforehand in the local edition). A frame never needs a font.
- **Right-to-left documents.** The frame is symmetric, so it does not depend on the text direction; this combination has not been tested at length.
- **Colours.** The default colours (blue and ochre) go with white paper. For coloured paper set `paper:` (styles that hide overlaps) and choose `color` / `accent` with enough contrast.

Credits and licence

MIT licence (see `LICENSE`). All frames are drawn with `nibart` (Hobby's algorithm, pen envelopes, knots). The designs are original drawings: some stock vector sheets of guilloché borders, Celtic knotwork and arabesques served as **visual inspiration** only — no artwork was copied or traced.

Author: FERGOUS Abdelhak <@fergousA> — **repository:** https://github.com/fergousA/nibframe.

Index

Functions and options

accent . . . 13
band . . . 11
binding . . . 15
color . . . 12
corner-color . . . 15
corners . . . 15
frame-background . . . 6
frame-box . . . 9
frame-graphic . . . 8
frame-items . . . 8
frame-margin . . . 7
frame-styles . . . 9
framed . . . 6
ink . . . 13
inset . . . 11
line . . . 13
nibframe-version . . . 10
paper . . . 13
period . . . 12
radius . . . 11
rules . . . 14
seal . . . 17
strands . . . 14
texture . . . 16
texture-color . . . 16

Styles

airmail . . . 21
arabesque . . . 18
arches . . . 22
banknote . . . 19
baroque . . . 19
bill-diploma . . . 21
bill-fan . . . 20
bill-frill . . . 20
bill-lattice . . . 21
bill-lens . . . 20
bill-net . . . 20
bill-plait . . . 21
bill-ribbon . . . 20
bill-rosette . . . 21
bill-shell . . . 20
bill-swell . . . 21
bill-wave . . . 20
bill-wavy . . . 21
bill-weave . . . 21
braces . . . 19
braid . . . 18
celtic . . . 18
certificate . . . 23
certificate-ribbon . . . 23
chain . . . 18
checker . . . 21
classic . . . 18
coil . . . 25
daisy . . . 23
deckle . . . 24
deco . . . 18
dedication . . . 24
diamond-chain . . . 24
diploma-shell . . . 24
eggdart . . . 21
filigree . . . 24
film . . . 20
fleur-edge . . . 24
flowers . . . 19
girih . . . 23
greek . . . 18
guilloche . . . 19
hearts . . . 21
herringbone . . . 22
hexastar . . . 23
illumination . . . 20
islamic . . . 18
kilim . . . 19
knot-blocks . . . 23
knot-cartouche . . . 22
knot-eights . . . 22
knot-lozenge . . . 22
knot-ring . . . 22
knot-rope . . . 22
knot-triple . . . 22
knot-weave . . . 22
label . . . 24
lace-grid . . . 24
laurel . . . 19
lotus . . . 23
medallion . . . 24
neon . . . 20
ogee . . . 23
palmette . . . 23
pearls . . . 19
photo . . . 20
plank . . . 24
rinceau . . . 23
rosette-ribbon . . . 24
sakura . . . 23
scallop . . . 18
seigaiha . . . 19
solomon . . . 19
stamp . . . 20
stars . . . 21
stepped . . . 24
strap . . . 23
stripes . . . 22
tapa . . . 22
torn . . . 25
triquetra . . . 19
vitruvian . . . 22
zellige . . . 19