na-examen

Arabic exam and assignment template for Typst

version 1.0.0

Table of contents

1 – Introduction 1
2 – Usage 1
3 – The template `examen` 1
4 – Exercises: `exercise` 4
5 – Changing the font 4
6 – Parts: `part` 5
7 – Question box: `q` 5
8 – Examples 5

1 – Introduction

`na-examen` makes writing an Arabic exam simple: you write the exercises only. The package draws the header (barcode, text under it, school, school year, level, term, subject, duration), the footer "page X of Y", and numbers the exercises and parts automatically.

2 – Usage

```
#import "@preview/na-examen:1.0.0": *

#show: examen.with(
  school: "ثانوية فلان الفلاني",
  year: "2026-2027",
  level: "أولى جذع مشترك علوم وتكنولوجيا",
  term: "الفصل الأول",
  subject: "الرياضيات",
  duration: "2 ســا",
  code: "fard 1 fasl awal-1AS-typst",
)

#exercise(points: 8)[ exercise text ... ]
```

Or copy the package folder next to your document and write `#import "lib.typ": *`. It needs Typst ≥ 0.13 and the fonts **Amiri** (text) and **Arial** (titles; a fallback font is used if it is missing).

3 – The template `examen`

All options are optional.

Option	Default	Meaning
`school`	school name	school (top right)
`year`	`"2026-2027"`	school year, after

		`year-label`
`level`	level	level, after `level-label`
`term`	first term	term
`kind`	exams	word before the term; `none` removes it
`term-label`	`auto`	the whole term text instead of `kind` + `term`
`exam`	supervised test	type of exam
`subject`	mathematics	subject: “exam in the subject of …”
`title`	`auto`	the whole title line instead

		of `exam` + `subject`
`duration`	`"2 سـاعـة"`	duration; `none` removes it
`code`	`"na-examen"`	text under the barcode; `none` removes it
`barcode`	`true`	draw the barcode; `false` removes it
`barcode-height`, `barcode-width`	`0.64cm`, `5cm`	barcode shape
[`barcode-type`, `barcode-data`, `barcode-cut`], [`"Code128"`, `auto`, `0.25`], [barcode type, encoded value (`auto` = the `code` text), fraction cut from its bottom]	`year-label`, `level-label`, `duration-label`, `page-label`, `of-label`	Arabic words
fixed words	`lang`	`"ar"`
document language	`font`, `title-font`, `size`	Amiri, Arial, `16pt`
fonts and size	`paper`, `margin`	`"a4"`
page; margins as in the original file		

The document language is `ar`, so packages that follow `#set text(lang: ...)` (such as `na-tabpos`) use Arabic words automatically.

4 – Exercises: `exercise`

`exercise(points: none, title: auto, gap: 1cm)[...]` — titled "**التمرين الأول**", "**الثاني**", … automatically, with a space of `gap` before every exercise except the first.

```
#exercise(points: 8)[
  نص التمرين الأول.
  #q[1] السؤال الأول.

  #q[2] السؤال الثاني.
]
#exercise(points: 1)[نص التمرين الثاني.]
#exercise(points: "04 نقاط", title: [المسألة])[نص المسألة.]
```

التمرين الأول (08 نقاط)

نص التمرين الأول. 1 السؤال الأول.

2 السؤال الثاني.

التمرين الثاني (01 نقطة)

نص التمرين الثاني.

المسألة (04 نقاط)

نص المسألة.

`points` is a number (`8` gives "(08 **نقاط**)", `1` gives "(01 **نقطة**)"), a string used as written in parentheses, or `none`.

5 – Changing the font

The font is an option you can change at any time, in the template itself:

```
#show: examen.with(
  font: "Cairo",                      // body font (or a fallback list)
  title-font: ("Tajawal", "Arial"),   // titles and header font
  size: 15pt,                         // size
)
```

`font` and `title-font` accept one font name or a list tried in order; the first font installed on your computer is used. At the top of this guide's source, the variables `doc-font`, `demo-font` and `code-font` control the fonts of the guide itself.

6 – Parts: `part`

```
#exercise(points: 7)[
  #part(points: 2)[نص الجزء الأول.]
  #part(points: 5)[
    نص الجزء الثاني.
    #q[1] السؤال.
  ]
]
```

التمرين الأول (07 نقاط)

الجزء الأول (02 نقاط)

نص الجزء الأول.

الجزء الثاني (05 نقاط)

نص الجزء الثاني. [1] السؤال.

Part numbering restarts at every exercise.

7 – Question box: `q`

`#q[1]` draws the number in a box (`coB` is the same function). `title-style[...]` is a bold underlined title.

8 – Examples

Folder `examples/`: `basic.typ` (the original exam), `custom-header.typ` (every header field changed), `no-barcode.typ` (no barcode, no duration). Folder `fichier_de_test/`: `long-exam.typ` for multi-page tests.