


TYPST PACKAGE



faboxyst

Coloured boxes for Typst, in the spirit of tcolorbox

 **FERGOUS Abdelhak**

Manual for version 0.2.0

Typst 0.15 · RTL-aware

Compilation :

```
typst compile manual.typ -root .
```

Contents

1 Introduction	5	15 Classroom banners	27
2 Getting started	6	15.1 The chevron banner: banner-tri	27
2.1 Installation	6	15.2 The exercise ribbon: banner-tri-bis	27
2.2 A first document	6	16 Inline marks	28
2.3 How to read this manual	6	17 Style catalogue	29
3 Quick reference	7	17.1 Style 01 — tab: "plaque"	29
4 Setup and themes	8	17.2 Style 02 — border: "caution" "wave" "zigzag"	29
4.1 Built-in themes	8	17.3 Style 03 — side-bar, frame-hidden, title-rule- inset	29
4.2 Theme keys	8	17.4 Style 04 — tab: "swoosh"	30
4.3 Palette	8	17.5 Style 05 — tab: "exercise"	30
5 The main box: fabox	9	17.6 Style 06 — tab: "fold"	30
5.1 A titled box	9	17.7 Style 07 — example-header	30
5.2 Colours	9	17.8 Style 08 — tab: "label"	30
5.3 Size and geometry	9	17.9 Style 09 — sweep	30
5.4 Tabs	9	17.10 Style 10 — post-it fasteners	30
5.4.1 plaque — heading on the rule	10	17.11 Style 11 — mark(kind:)	31
5.4.2 top / ribbon / bottom	10	17.12 Style 12 — tab: "spine"	31
5.4.3 swoosh — InDesign banner	10	17.13 Style 13 — tab: "ears" / "dots"	31
5.4.4 fold — 3-D ribbon	10	17.14 Style 15 — flag-ribbon	31
5.4.5 exercise — badge and chevrons	10	17.15 Style 16 — speed-bar	31
5.4.6 label — two-tone tab plus an outside caption	10	17.16 Style 19 — paper stocks + tape	31
5.4.7 spine — upright side bar	10	17.17 Style 20 — notepad (spiral)	32
5.4.8 ears / dots — moulded headings	11	17.18 Style 21 — lesson-card	32
5.5 Shadows	11	17.19 Style 22 — felt and lesson-table	32
5.6 Borders and rules	11	17.20 Style 23 — numbox	33
5.7 Hand-drawn mode	11	18 Textbook plates	34
5.8 Subtitles	12	18.1 iconbox	34
6 Ready-made boxes	13	18.2 crestbox / plate	35
6.1 fabox-sign	13	18.3 ribbonbox	35
6.2 fabox-note	13	18.4 helixbox	35
6.3 example-header	13	18.5 swooshbox	36
7 Semantic boxes	14	18.6 circuitbox	36
7.1 definition	14	18.7 keybox	37
8 Custom shapes: sketch-box	15	18.8 ringbox	37
8.1 One-knob variants	15	18.9 punchbox	37
9 Notebook card	16	18.10 plannerbox	38
10 Furniture boxes	17	18.11 filebox	38
10.1 Sticky notes	17	18.12 stubbox	38
10.2 Ticket, folder, terminal	17	18.13 stackbox	38
10.3 Vignette, neon, polaroid, spread	18	18.14 calloutbox	39
11 Inline highlight	19	18.15 tapebox	39
12 Right-to-left	20	18.16 chalkbox / markerbox	39
13 Paper boxes	21	18.17 screwbox	40
13.1 Washi tape: sb-tape	21	18.18 sashbox / ruban	40
13.2 Torn kraft: torn-note	21	19 Ornate frames	42
13.3 Punched sheet: ruled-sheet	22	19.1 How a frame is built	43
13.4 Spiral pad: notepad	22	19.2 Motifs	43
13.5 The other four stocks	23	19.3 The sash and the badge	44
13.6 Lesson card: lesson-card	23	19.4 Page frames	45
14 Spiral binding and banners	25		
14.1 Full-page coil: spiral-binding	25		
14.2 Swallow-tail: flag-ribbon	25		
14.3 Streaked masthead: speed-bar	25		

19.5 Right-to-left	45
20 The flag box	46
21 Book covers & meters	48
21.1 The full-page cover: <code>book-cover</code>	48
21.2 The difficulty meter: <code>meter</code>	49
21.3 Guilloche lace: <code>lacebox</code> and the <code>lace</code> parameter	49
21.4 Engraved ornaments: <code>pgfornament</code>	50
22 Page frames, live	51
22.1 The spiral notebook — coil-pages	52
22.2 The stationery volute — volute-pages	53
22.3 The wooden sign — plank-pages	54
22.4 Torn paper — torn-pages	55
22.5 The dedication rosette — rosette-pages	56
23 Option index	57
24 Function index	58
25 Troubleshooting	59

What's new in 0.2.0

- **Programme plate** — **leconbox**, **pinbox**, **brushbox**, **matierebox** and the **halftone** / **trame** dot-screen fill of the ribbon panel.
- **Vintage sheets** — **vintageframe** (eight scrollwork frames, SVG) and **vintagebox** (six bracket plaques, EPS).
- **TikZ patterns** — **tikzpattern** / **motif-tikz**: fourteen `patterns.meta` motifs with `distance`, `angle`, `line-width`, `radius`, `color`, seamless at any angle; redrawn bricks.
- **Banners** — **banner-tri** style: "arrondi" (arabic-exam-kit variant) and **banner-tri-bis** (the kit exercise ribbon); both take arrows: `n`.
- **Dedication frame** — **rosettebox** / **cadre-rosette** and the **rosette-pages** page frame, LTR/RTL, content-adaptive.
- **Polaroid** — the photo zone is now a writable content area (`photo-fill`, `photo-height`, reliable `width`).

Already in the 0.2.0 base cut —

- **Meters & classroom pictos** — **meter** / **difficulty** (battery, speedo, chrono / **pictochrono**, wifi, cible), **competence-crayon**, **level-counter**, **tkzpicto**, **pictocible**, **pictoskills** plus **sale-poster**, **highway-sign**, **bicolor-title** and the nine **mark** kinds (`highlight...fan`) with **highlight-formula** / **highlight-text**.
- **Ornaments** — the whole CTAN `pgfornament` vector bank (**pgfornament**), 19 drawn motifs + **glyph-motif**, the **ornatebox** motif frame and its plates (**khatambox**, **mihrabbox**, **arabesquebox**, **mosaicbox**, **fleuronbox**), **lacebox** rough rules, **flagbox** ribbon-on-rule, **boardbox** grid strokes.
- **Frames & page frames** — **ornate-pages**, **spiral-binding** / **bound-page**, **book-cover** (nine styles incl. `scatter`), the paper stocks (**torn-note**, **ruled-sheet**, **stamp-card**, **grid-note**, **index-card**, **deckle-tag**, **notepad**, **lesson-card**) and the page frames of this cut (**plank-pages**, **torn-pages**, **coil-pages**, **volute-pages**, **rosette-pages**). Every one of them is RTL-aware: bodies align to `start`, i.e. right under RTL, unless you align them explicitly.

1 Introduction

faboxyst draws coloured, titled boxes. It is the Typst counterpart of Thomas F. Sturm's LaTeX package **tccolorbox**: one function, **fabox**, covers titles, tabs, shadows, decorated borders and folded corners; a handful of wrappers give you everyday callouts without repeating options.

Boxes **measure their own content** and draw a frame at exactly that size. The line can be crisp (`rough: false`, the default on **fabox**) or hand-drawn (`rough: true`). The wobble is deterministic: the same `seed` always produces the same line.

Everything is direction-aware. Under `dir: rtl` titles, tabs, side bars and folded corners move to the leading edge on their own.

2 Getting started

2.1 Installation

Place the `faboxyst/` folder next to your document.

```
typst compile doc.typ --root .
```

The package needs `@preview/cetz:0.5.2` (Typst downloads it on first compile) and the bundled `assets/sketch.wasm`. No fonts are shipped — Typst uses whatever is installed (DejaVu, etc.). Optional extras if you have them: xkcd Script, Bevan, Comic Neue, Tajawal, Lalezar.

2.2 A first document

```
#import "@preview/faboxyst:0.2.0": *
#show: faboxyst.with(
  theme: themes.notebook,
)

#fabox(title: [Note]) {
  A titled box.
}

#tip[A semantic tip.]
#warning[Never divide by zero.]
```

Note

A titled box.

A semantic tip.

Never divide by zero.

faboxyst is a **show rule**, not a document class. It applies a theme (colours, roughness, language, direction) and leaves the page to you.

2.3 How to read this manual

Every function is documented the same way:

1. A **signature** (name, parameters, return type).
2. A **parameter table** (name, type / default, meaning).
3. A **live example**: source on the left, compiled result on the right.

To find something fast:

- Quick reference 3 lists every public function in one table.
- Style catalogue 17 shows each look with the options that change it.
- Option index 23 lists every **fabox** key alphabetically.
- Function index 24 is the same list, grouped by role.

3 Quick reference

Function	Use this when...
fabox	you want a titled coloured box — start here
fabox-sign	an octagonal / polygonal sign (STOP)
fabox-note	a yellow folded “!” note
example-header	a textbook masthead, not a box
numbox	numbered question; auto or manual, LTR / RTL
note / tip / warning / example	everyday callouts
definition	a term + explanation (+ examples)
sketch-box	you need a custom shape / hatch / extrusion
burst / block3d / hatched / shadowed	one-knob variants of sketch-box
plaque / pill-box / double-frame	plaque, stadium, double outline
sloppy-box	four overshooting strokes
notebook-box	spiral-bound exercise card (wire rings)
notepad / ruled-sheet	spiral pad, or punched filler paper
torn-note / deckle-tag / sb-tape	torn kraft, feathered tag, washi / gingham tape
stamp-card / grid-note / index-card / lesson-card	mat, graph paper, ruled card, dovetail banner
sticky / post-it	sticky notes; pin / clip / tape
ticket / ticketbox / folder / terminal	torn stub (RTL hole + disc), file tab, terminal
sashbox / ruban	folded ribbon: flat / arch / hang; incline; rough ink
vignette / neon / polaroid	two-cell, glow, instant-photo
spread-box	a box that grows into the margins
highlight	a highlighter swipe on inline text
iconbox / crestbox / ribbonbox	icon plaque, octagon, yellow+blue band
helixbox / swooshbox / circuitbox	helix header, sheared plate, stepped rails
keybox / ringbox / punchbox / plannerbox	Greek key, binder rings, punched bar, both
filebox / stubbox / stackbox	folder tabs, ticket stub, stacked sheets
calloutbox / tapebox / chalkbox / markerbox	speech bubble, washi, slate, whiteboard
screwbox	plaque held by 1–4 corner screws
plankbox / pancarte	wooden sign: two leaning planks, torn ends, knot and grain
tornpage / page-dechiree	paper note with a fractal-torn bottom edge
coilbox / cahier	spiral notebook: pink frame, punch holes, 3D coils
gelbox / bouton	glossy aqua button: gel gradient, gloss cap, ball
ogeebox / frisebox / medallion	teal-and-gold ogee banners, girih frieze, scalloped medallions
volutebox / volute-pages	blush stationery frame, chamfered rules, ink volutes
parchemin / lettre	old-letter scroll: rolls, deckle sheet, signing ribbon
insetbox / boite-creusee	rounded box with a shadowed-style inner shadow
relief	inner-shadow rims: sunken (creusé) or raised (bombé)
faboxyst	apply a theme (#show: ...)

4 Setup and themes

faboxyst → content

```
faboxyst(theme: default-theme, ..over, body)
```

A show rule. Merge a ready-made theme, a partial dictionary, or both.

Parameter	Type / default	Meaning
theme	dictionary	a full theme, or overrides merged onto the default
..over	named	same keys as a theme, shorthand for a partial

```
#show: faboxyst.with(theme: themes.blueprint)
#show: faboxyst.with(theme: (accent: red, roughness: 1.5))
#show: faboxyst.with(theme: themes.arabic)
```

notebook

blueprint

bold

quiet

4.1 Built-in themes

Parameter	Type / default	Meaning
themes.notebook	default	warm paper, pink accent
themes.blueprint	–	cool blue, ruled paper
themes.bold	–	heavier strokes, more wobble
themes.quiet	–	grey, nearly straight lines
themes.arabic	–	dir: rtl, lang: “ar”, Tajawal

4.2 Theme keys

These keys live on the theme dictionary and are read by every semantic box.

Parameter	Type / default	Meaning
accent	color	default stroke of note / sketch-box
palette	dictionary	named swatches: palette.lime, palette.navy, ...
ink / paper	color	text and page colours
fonts	dictionary	body / heading / bubble / mono / emoji stacks
roughness	float (1.0)	wobble multiplier; 0 is a clean line
stroke-weight	length (1.6pt)	default frame thickness
pad / radius / gap	length / cm / length	inner pad, corner, after-gap
dir / lang	direction / str	ltr or rtl; language tag
seed	int (1)	base seed for the document

make-theme → dictionary

```
make-theme(base: default-theme, ..over) → dictionary
```

get-theme → dictionary

```
get-theme() → dictionary // call inside context
```

4.3 Palette

pink
 sky
 lime
 gold
 orchid
 red
 navy
 green
 orange
 cyan
 hilite
 pltblue

5 The main box: fabox

fabox → content

```
fabox(
  body,
  title: none, colour: rgb("#B03A2E"),
  frame: auto, back: auto,
  title-fill: auto, title-colour: auto,
  ... // see Option index
)
```

This is the function to reach for. One description draws both a crisp box and a hand-drawn one (`rough: true`). Fully RTL-aware.

5.1 A titled box

```
#fabox(title: [My title])
  This is a *fabox*.
]
```

My title

This is a **fabox**.

```
#fabox[
  No title – just a coloured frame.
]
```

No title — just a coloured frame.

5.2 Colours

Parameter	Type / default	Meaning
colour	color (#B03A2E)	the family colour; other paints derive from it
frame	color auto	the outline; auto = colour
back	color auto	body fill; auto = a 5 % wash of colour
title-fill	color auto	title bar; auto = colour
title-colour	color auto	title text; auto = black or white, whichever reads
gradient-to	color none	second colour for a vertical body wash

```
#fabox(title: [Navy], colour: rgb("#1E5CB3"))[derived paints]
#fabox(title: [Wash], colour: rgb("#2F7D32"),
  gradient-to: rgb("#E8F5E9"))[a vertical wash]
```

Navy

derived paints

Wash

a vertical wash

5.3 Size and geometry

Parameter	Type / default	Meaning
width	auto length ratio (100%)	auto shrinks to the content
radius	float cm (0.16)	corner radius
sharp	array (())	which corners stay square: “northwest”, ... or (“all”)
weight	length (1.0pt)	outline thickness
inset	length (0.34cm)	padding around the body
title-inset	length (0.24cm)	padding around the title
inline	bool (false)	stay in the paragraph instead of breaking the line
baseline	relative (30%)	how far an inline box drops below the baseline

```
A tight box: #fabox(width: auto, title: none)[$ e^{i \pi} + 1 = 0 $].
An inline one: #fabox(inline: true, width: auto,
  colour: rgb("#1E5CB3"))[inline].
```

A tight box:

$$e^{i\pi} + 1 = 0$$

. An inline one:

inline

5.4 Tabs

tab attaches the title instead of drawing a full-width bar.

Parameter	Type / default	Meaning
tab	none str	none, “top”, “ribbon”, “bottom”, “plaque”, “swoosh”, “fold”, “label”, “exercise”, “spine”, “ears”, “dots”

Parameter	Type / default	Meaning
tab-width	ratio (45%)	share of the edge for “top” / “ribbon”
tab-offset	float cm (0.5)	leading gap before a plaque / ears / dots

5.4.1 plaque — heading on the rule

```
#fabox(title: [Theorem 1.1], tab: "plaque",
  colour: rgb("#CCCCFF"), title-colour: black,
  back: white, weight: 2pt, radius: 0,
  sharp: ("all",))
$ a^2 + b^2 = c^2 $
]
```

Theorem 1.1

$$a^2 + b^2 = c^2$$

5.4.2 top / ribbon / bottom

```
#fabox(title: [top], tab: "top")[a flag]
#fabox(title: [ribbon], tab: "ribbon")[a pennant]
#fabox(title: [bottom], tab: "bottom")[a lobe]
```

top

a flag

ribbon

a pennant

a lobe

bottom

5.4.3 swoosh — InDesign banner

Parameter	Type / default	Meaning
swoosh	float (0.2)	length of the S-curve, as a fraction of the edge
swoosh-deep	float (0.48)	how far it drops, as a fraction of the banner
swoosh-side	top bottom left right	which edge carries it
swoosh-align	start center end	where the title sits

```
#fabox(title: [Long Fancy Title],
  tab: "swoosh", colour: rgb("#00A000"),
  back: white)[the bar swells around the words]
```

Long Fancy Title

the bar swells around the words

5.4.4 fold — 3-D ribbon

```
#fabox(title: [Title], tab: "fold",
  colour: black, title-fill: rgb("#898ADD"),
  title-colour: black,
  fold-colour: rgb("#1475BB"),
  back: white, sharp: ("all",))[Hello World!]
```

Title

Hello World!

5.4.5 exercise — badge and chevrons

Parameter	Type / default	Meaning
badge	content none	a boxed number at the end of the tab
chevrons	int (0)	fading > marks trailing the title
side-bar / bottom-rule / corner-tick	float cm none	open frame: left + bottom + a short return

```
#fabox(title: [Exercise], tab: "exercise",
  badge: [1], chevrons: 4,
  colour: rgb("#663599"),
  frame-hidden: true, back: white,
  side-bar: 0.05, bottom-rule: 0.05,
  corner-tick: 0.5, sharp: ("all",))
An open left + bottom frame.
]
```

Exercise 1

An open left + bottom frame.

5.4.6 label — two-tone tab plus an outside caption

Parameter	Type / default	Meaning
label-number	content none	the square number block
label-caption	content none	a caption set outside the tab
label-out	auto float cm	how far the tab overhangs; auto = 0.88 × height
label-round / label-square	bool	round the number block / no rounding at all

```
#fabox(title: [EXAMPLE], tab: "label",
  label-number: [1],
  label-caption: [Solution],
  colour: rgb("#00A550"),
  title-fill: rgb("#5B58FF"))
This is Example 1.
]
```

EXAMPLE 1

Solution

This is Example 1.

5.4.7 spine — upright side bar

Parameter	Type / default	Meaning
spine-side	start end	leading or trailing edge
spine-align	start center end	where it sits along the edge
spine-out	auto length	how far it sticks out; auto = 0.85 × depth

Parameter	Type / default	Meaning
spine-len	auto length ratio	its length; a ratio is of the frame height

```
#fabox(tab: "spine", title: [LEARN THIS],
  colour: rgb("#641648"),
  radius: 0, spine-out: 0pt)[
  A vertical bar clamped on the leading edge.
]
```

LEARN THIS

A vertical bar clamped on the leading edge.

5.4.8 ears / dots — moulded headings

```
#fabox(tab: "ears", title: [Definition],
  colour: rgb("#7F0000"),
  back: rgb("#FDF0F0"))[flared scoops]
#fabox(tab: "dots", title: [Note],
  colour: rgb("#2D6FB1"))[studs on the rule]
```

Definition

flared scoops

Note

studs on the rule

5.5 Shadows

Parameter	Type / default	Meaning
shadow	none true str	true/"plain", "small", "large", "lifted", "fuzzy"
shadow-colour	color auto	auto = luma(120)
shadow-spread	auto float cm	how far it reaches
shadow-offset	auto (dx, dy)	auto = down and to the trailing side
shadow-opacity	auto ratio	darkest point, 0–100 %
shadow-blur	int (14)	stacked copies; more = smoother

```
#fabox(title: [plain], shadow: true)[offset]
#fabox(title: [fuzzy], shadow: "fuzzy")[soft]
#fabox(title: [lifted], shadow: "lifted")[pinned corners]
```

plain

offset

fuzzy

soft


lifted

pinned

5.6 Borders and rules

Parameter	Type / default	Meaning
border	none zigzag wave caution	decorated edge; "caution" is hazard tape
tape-width / tape-period	length (0.16 / 0.10 cm)	caution band and stripe
tape-colours	(color, color)	the two hazard colours
frame-hidden	bool (false)	drop the outline entirely
side-bar / top-rule / bottom-rule	none float cm	thick rules inside the frame
corner-tick	none float cm	a short return up from the trailing bottom corner
title-rule-inset	float cm (0.0)	shorten the rule under the title, both ends
sweep	none float cm	open U-frame; the number is the big-corner radius
halo	none (r, color) array	a soft glow around the frame
vignette	none float	a raised bevel just inside the frame
fold	bool (false)	turn up a dog-ear (the corner , not tab: "fold")
watermark	content none	faint text behind the body

```
#fabox(border: "caution", width: auto,
  title: none)[$ a^2 + b^2 = c^2 $]
#fabox(title: [open], sweep: 1.4,
  colour: rgb("#1E5CB3"))[a U-frame]
```


$$a^2 + b^2 = c^2$$

open

a U-frame

```
#fabox(title: [Warn], shadow: "fuzzy",
  watermark: [NOTE], colour: rgb("#B03A2E"))[
  fuzzy shadow + watermark
]
#fabox(title: [Note], fold: true,
  colour: rgb("#FBECD5"),
  title-colour: black)[a turned-up corner]
```

Warn

fuzzy shadow + watermark

Note

a turned-up corner

5.7 Hand-drawn mode

Parameter	Type / default	Meaning
rough	bool (false)	draw with a wobble

Parameter	Type / default	Meaning
roughness	float (1.0)	how wild the wobble is
bowing	float (0.6)	how much each edge bows
seed	int (11)	fix the wobble

```
#fabox(title: [crisp], rough: false)[default]
#fabox(title: [drawn], rough: true)[same options]
```

crisp

default

drawn

same options

5.8 Subtitles

Parameter	Type / default	Meaning
subtitles	array (())	((heading, body), ...) – extra bars under the body

```
#fabox(title: [Lemma],
  subtitles: (([Proof], [By induction.]),))[
  The statement.
]
```

Lemma

The statement.

Proof

By induction.

6 Ready-made boxes

These three are specialised shapes, not `fabox` with different defaults.

6.1 `fabox-sign`

`fabox-sign` → content

```
fabox-sign(body, sides: 8, size: 2.6, colour: rgb("#D32F2F"), ...)
```

A regular polygon — `tclobox`'s STOP-sign example.

Parameter	Type / default	Meaning
sides	int (8)	3 = triangle, 4 = square, 8 = octagon
size	float cm (2.6)	width and height
colour / text-colour	color	fill and lettering
ring	float cm (0.16)	the white inner rule
rough / seed	bool / int	hand-drawn mode

```
#fabox-sign[STOP]
#fabox-sign(sides: 4, colour: rgb("#1565C0"),
  size: 2.2)[INFO]
```





6.2 `fabox-note`

`fabox-note` → content

```
fabox-note(body, icon: [!], colour: rgb("#FBE55D"), ...)
```

The yellow folded note of the `tclobox` manual: a square icon block on the leading edge and a turned-up trailing corner.

```
#fabox-note[Remember to save.]
#fabox-note(icon: [?], colour: rgb("#B8DEFB"))[A question.]
```



6.3 `example-header`

`example-header` → content

```
example-header(word, number: none, tag: none, note: none, ...)
```

A **header**, not a box: pill + numbered disc + arrow banner + label. It takes no body, so it can sit above running text or above a `fabox`.

```
#example-header([Example], number: [1],
  tag: [SKILLS], note: [PROBLEM-SOLVING])
```

Example

1

SKILLS

PROBLEM-SOLVING

7 Semantic boxes

Everyday callouts. All of them are **sketch-box** with different defaults, so they accept the same extra arguments (width, fill, hatch, roughness, seed, breakable, ...).

note → content

`note(body, ..sketch-box-args)`

tip → content

`tip(body, colour: auto, ..)`

warning → content

`warning(body, colour: auto, ..)`

example → content

`example(body, colour: auto, ..)`

```
#note[A plain note in the accent colour.]
#tip[A tip, in lime.]
#warning[A warning, in red.]
#example[A worked example, tinted.]
```

A plain note in the accent colour.

A tip, in lime.

A warning, in red.

A worked example, tinted.

7.1 definition

definition → content

`definition(term, body) or definition(term, body, examples)`

```
#definition("INTEGERS")[
  All whole numbers, positive or negative.
][
  ... -2, -1, 0, 1, 2 ...
]
```

INTEGERS All whole numbers, positive or negative.

EXAMPLES: ... -2, -1, 0, 1, 2 ...

Under RTL the open frame and the أمثلة: label swap sides.

8 Custom shapes: sketch-box

sketch-box → content


```
sketch-box(body, shape: "round", fill: none, ...)
```

The workhorse under every semantic box. Reach for it when no name covers what you want.

Parameter	Type / default	Meaning
shape	round rect burst ellipse plaque stadium none	the outline
fill / stroke-colour / stroke-weight	color none / auto	paint; none drops the outline
radius / pad / width	cm / length / auto length ratio	corner, padding, width
roughness / seed	auto float / auto int	per-box wobble
hatch	none (angle, spacing)	clipped against the real outline
shadow	none color	a soft drop shadow
depth	float cm (0)	> 0 extrudes the box
passes / pass-offset	int / float cm	draw the outline N times
curl	float (0.42)	corner curl for shape: "plaque"
breakable	bool (false)	true = native stroke, can split pages


A hand-drawn frame is one canvas of a known size, so it **cannot** break across pages. `breakable: true` falls back to a native Typst block: it splits correctly but loses the wobble. Prefer several shorter boxes.

```
#sketch-box(shape: "round")[round]
#sketch-box(shape: "rect")[rect]
#sketch-box(shape: "ellipse")[ellipse]
```




8.1 One-knob variants

```
#burst[A starburst.]
#block3d[Extruded.]
#hatched[Hatched, no fill.]
#shadowed[A drop shadow.]
```



```
#plaque(title: [KEY TERM])[curling corners]
#pill-box[a stadium]
#double-frame[drawn twice]
#sloppy-box[four overshooting strokes]
```



sloppy-box hugs its words when `width` is `auto` (the default). A ratio such as `100%` is resolved against the column, not the page.

9 Notebook card

notebook-box → content


```
notebook-box(body, title: none, badge: none, colour: rgb("#22C55E"), ...)
```

A page-within-a-page: outer shell, lighter inner page on a faint grid, a wire binding, and a title pill that straddles the top border. The rings follow the text direction. **notebook-box-clean** is the same with `roughness: 0`.

Parameter	Type / default	Meaning
title / badge	content none	the pill; badge gets its own rounded outline
rings / ring-side / ring-at	int / auto left right / auto array	count, edge, or fractions down the spine
ring-size / ring-aspect / bead	float cm	loop geometry
gap / spine / radius / grid	float cm / auto / cm / bool	inner page and squared paper
roughness / bowing / seed / colour	float / float / int / color	wobble and paint

```
#notebook-box(title: [Exercise], badge: [03],  
  colour: rgb("#22C55E"))[  
  Sachant que $a + b = 3$  
]
```

```
#notebook-box(title: [3 rings], rings: 3)[fewer loops]  
#notebook-box(title: [right], ring-side: "right")[other edge]  
#notebook-box-clean(title: [clean])[no wobble]
```



The torn-off pad (**notepad**), the punched filler sheet (**ruled-sheet**) and the full-page coil (**spiral-binding**) live in Section 13 and Section 17.

10 Furniture boxes

Boxes that look like objects rather than panels. All of them size themselves and follow `dir`.


10.1 Sticky notes

```
sticky → content
sticky(body, width: 4cm, angle: -3deg, colour: auto, seed: 1)
```

```
post-it → content
post-it(body, title: none, pin: none, size: auto, ...)
```

Parameter	Type / default	Meaning
pin	none pushpin paperclip tape	how the note is fastened
pin-colour / pins / pin-at	color / int / auto array	colour, count, or explicit offsets
size	auto length	auto = at most 5 cm across
angle	angle (-6deg)	the whole note's tilt

```
#sticky[Don't forget!]
#post-it(pin: "pushpin", size: 3.3cm)[pin]
#post-it(pin: "paperclip", size: 3.3cm)[clip]
#post-it(pin: "tape", size: 3.3cm)[tape]
```



10.2 Ticket, folder, terminal

```
ticket → content
ticket(body, stub: none, colour: rgb("#C0392B"), width: auto, ...)
```

```
ticketbox → content
ticketbox // alias of ticket
```

```
folder → content
folder(body, title: none, colour: rgb("#E67E22"), width: 100%, ...)
```


```
terminal → content
terminal(body, title: none, fill: rgb("#1E2430"), ...)
```

The leading short side carries a half-disc that sticks **out**; the trailing side is a hole bitten **in**. Both travel with the stub under RTL. Arabic-Indic and Persian digits become Western 0–9.

```
#ticket(stub: [12])[ADMIT ONE]
#folder(title: [folder])[a tabbed file]
```



```
#terminal(title: [shell])[typst compile doc.typ]
```



10.3 Vignette, neon, polaroid, spread

vignette → content

```
vignette(title, body, colour: rgb("#2A6FB0"), ...)
```

neon → content

```
neon(body, colour: rgb("#00E5FF"), back: rgb("#101018"), ...)
```

polaroid → content

```
polaroid(body, caption: none, width: auto, angle: -2deg, ...)
```

spread-box → content


```
spread-box(body, spread: auto, inwards: auto, outwards: auto, ...)
```

```
#vignette([Note], [a two-cell box])
#neon[a glowing tube]
```

Note a two-cell box



```
#polaroid(width: 3.4cm, caption: [June])[
  #box(width: 100%, height: 1.4cm, fill: rgb("#8B03E8"))
]
#spread-box(spread: 0.3cm, title: [wide],
  colour: rgb("#2A6FB0"))[grows into the margins]
```



wide

grows into the margins

11 Inline highlight

highlight → content

`highlight(body, colour: auto, expand: 0.14em, lift: 0.0em, seed: auto)`

A highlighter swipe behind a run of text. The stroke is sized from the measured glyph box, so it tracks any font size.

Text with `#highlight[highlighted words]`
and `#highlight(colour: palette.sky)[a blue one]`.

Text with highlighted words and a blue one.

12 Right-to-left

Set the direction (or use `themes.arabic`) **before** the boxes. Geometry mirrors: tabs, side bars, folded corners, notebook rings and ticket stubs all swap edges.

```
#text(lang: "ar", dir: rtl)[
  #fabox(title: [ملاحظة], tab: "plaque",
    colour: rgb("#CCCCFF"),
    title-colour: black, back: white,
    sharp: ("all",))[
    ...في المثلث القائم
  ]
]
```

ملاحظة

في المثلث القائم...

No fonts are bundled. If **Tajawal** / **Lalezar** are installed they are preferred for Arabic; otherwise DejaVu. Lalezar has no bold cut — `heading-weight(dir)` keeps headings regular under `rtl`.

13 Paper boxes

Torn kraft, punched filler paper, a spiral pad, a scalloped mat, graph paper, a ruled index card, a deckle-edged tag and a lesson card. These are the **paper stocks** of the package: each is a self-contained box with its own edge and its own fastening.

Tape is **not** a boolean. Pass `none`, a dictionary of **sb-tape** arguments, or an array of those dictionaries. Punch holes take `auto` or an integer — never `true`.

13.1 Washi tape: sb-tape


sb-tape → content

```
sb-tape(w: 2.6, h: 0.78, angle: -8deg,
kind: "dots", colour: auto, ink: auto, seed: 3)
```

A translucent strip. The long edges are slightly ragged; the ends are cut square. `kind` is the pattern.

Parameter	Type / default	Meaning
kind	plain dots gingham stripe	the print; gingham is the cloth / “torchon” check
w / h	float cm (2.6 / 0.78)	size
angle	angle (-8deg)	how it sits
colour / ink	color auto	the wash, and the dots / stripes

```
#sb-tape(kind: "plain")
#sb-tape(kind: "dots")
#sb-tape(kind: "gingham")
#sb-tape(kind: "stripe")
```



13.2 Torn kraft: torn-note


torn-note → content

```
torn-note(body, width: 12.0, tape: auto, tilt: 0deg, ...)
```

Hand-torn kraft paper. The default tape is a polka-dot washi strip.

Parameter	Type / default	Meaning
width / pad	float cm (12.0 / 0.85)	sheet width and inner pad
tape	auto none dict array	auto = one dots strip; none = bare
amp / tilt / fill	float / angle / auto	tear roughness, rotation, stock colour
grain / shadow	bool	fibre grain and drop shadow
rough / roughness / hand	auto bool / float / none str	hand-drawn mode

```
#torn-note(width: 7.2)[default dots tape]
#torn-note(width: 7.2, tape: none)[no tape]
#torn-note(width: 7.2,
  tape: (kind: "gingham",
  colour: rgb("#DCCBB4"),
  at: (0.8, -0.2)))[cloth tape]
```



13.3 Punched sheet: ruled-sheet

ruled-sheet → content

```
ruled-sheet(body, width: 9.0, holes: auto,
  hole-side: auto, rule: "lines", tape: none, ...)
```

A page torn out of a ring binder: punch holes on the leading edge, ruling behind the text, **only the top edge torn**. Four torn edges would read as a scrap, not a page.

Parameter	Type / default	Meaning
holes	auto int	auto = one every 1.05 cm; an int is the count
hole-side	auto left right	auto follows the text direction
rule / ruling / heart	"lines" "none" / float cm / bool	ruling and a rose divider
tape	none dict	a strip of sb-tape see above
clip	bool (false)	reserved; the clip lives on grid-note / index-card

```
#ruled-sheet(width: 7.2, holes: 4)[
  punched filler paper
]
#ruled-sheet(width: 7.2, holes: 3, heart: true,
  tape: (kind: "gingham",
    colour: rgb("#DCCBB4"),
    w: 2.1, h: 0.7, angle: 8deg,
    at: (2.0, -0.28)))[
  holes + cloth tape
]
```



13.4 Spiral pad: notepad


notepad → content

```
notepad(body, width: 9.5, rings: auto,
  crumpled: false, side: auto, ...)
```

A sheet **torn off** a spiral pad. The coil is one continuous wire, not a row of rings: each turn comes up through a hole, wraps the edge and dives back. **notebook-box** is the **card** with a title pill; **notepad** is the **page** pulled off the pad.

Parameter	Type / default	Meaning
rings	auto int	auto = one every 0.81 cm; an int is the count
ring / ring-colour	auto float / auto color	oval size and ink
side	auto left right	auto follows the text direction
crumpled / creases / crease-ink	bool / int / float	facet crumple
tilt	angle (0deg)	the whole sheet

```
#notepad(width: 7.2, rings: 5)[smooth]
#notepad(width: 7.2, rings: 5,
  crumpled: true)[crumpled]
#notepad(width: 7.2, rings: 3,
  side: right)[bound on the right]
```



13.5 The other four stocks

stamp-card → content

stamp-card(body, width: 8.0, pin: true, scallop: 0.20, ...)

grid-note → content

grid-note(body, width: 8.4, clip: false, tape: none, ...)

index-card → content


index-card(body, heading: none, note: none, clip: false, ...)

deckle-tag → content

deckle-tag(body, width: 5.6, tape: auto, ...)

Parameter	Type / default	Meaning
stamp-card	pin / holes / scallop / mat	a card pinned to a punched mat
grid-note	grid / clip / tape	graph paper; clip straddles the top
index-card	heading / note / rules	ruled card + tinted footer
deckle-tag	amp / tape	feathered handmade edge; default tape is gingham

```
#stamp-card(width: 7.2)[pinned card]
#grid-note(width: 7.2, clip: true)[graph + clip]
#index-card(width: 7.2, heading: [Example],
  note: [a caution])[the body]
#deckle-tag(width: 6.2)[cloth tape]
```



13.6 Lesson card: lesson-card

lesson-card → content


lesson-card(body, title: none, width: 9.0, clip: true, rule: true, ...)

A lined exercise-book card with a dovetail title banner pinned across the top rule. Designed for Arabic; align(start) is applied throughout.

Parameter	Type / default	Meaning
title	content none	the ribbon; none leaves the frame plain

Parameter	Type / default	Meaning
banner-w / banner-h / notch	auto float / float / float	ribbon geometry
ink / rule / ruling	color / bool / float cm	frame colour and lined paper
clip / clip-at	bool / float	a paperclip on the top-left corner

```
#lesson-card(width: 7.2, title: [Note],
  clip: false)[
  A lined card with a
  dovetail banner.
]
```



14 Spiral binding and banners

14.1 Full-page coil: spiral-binding

spiral-binding → content

```
spiral-binding(side: auto, colour: ..., gap: 1.5cm, ...)
```

A page **background**, not a box. Use it as `set page(background: ...)` or through the helper **bound-page**, which also reserves the margin.

Parameter	Type / default	Meaning
side	auto left right top bottom	auto follows the text direction
gap / scale / offset	length / float / length	pitch, size, first-loop shift
gutter / gutter-width / gutter-colour	bool / length / color	the paper edge
bead / colour / weight	bool / color / length	the wire

```
#box(width: 100%, height: 3.2cm,
clip: true,
spiral-binding(side: "left",
colour: rgb("#5AA"),
gap: 1.05cm, scale: 0.85))
```



bound-page → content

```
bound-page(body, side: auto, colour: ..., margin: 2.6cm, ...)
```

A show rule: `#show: bound-page.with(side: "top", colour: teal)`. Extra named arguments go to **spiral-binding**.

14.2 Swallow-tail: flag-ribbon


flag-ribbon → content

```
flag-ribbon(body, height: 0.74, tail: 1.17, notch: 0.38, ...)
```

A pen-and-ink banner with a swallow-tail at each end and a hatched fold.

Parameter	Type / default	Meaning
height / width	float cm / auto	the band; auto = as wide as the words
tail / notch / drop / deeper	float × height	tail geometry
hatch / shade / fold	int / bool / float	the fold marks
wobble / radius / shadow	float / length / none float	hand, rounding, drop shadow
colour / fill / tails	color / none color / bool	ink, wash, hide the tails

```
#flag-ribbon(height: 0.62)[Useful Patterns]
#flag-ribbon(height: 0.62, tail: 0.55,
notch: 0)[short, no V]
#flag-ribbon(height: 0.62,
colour: rgb("#1A5C9E"),
fill: rgb("#EAF2FA"),
shadow: 0.08)[filled + shadow]
```



14.3 Streaked masthead: speed-bar

speed-bar → content


```
speed-bar(body, height: 2.4, colour: rgb("#552384"), ...)
```

Nine stacked capsules whose ends break into streaks. Prefer a height around 1.05cm–1.2cm inside a column; the default 2.4 is for a full-width banner.

Parameter	Type / default	Meaning
height / width	float cm length / auto	the bar; auto = the words
colour / text-colour / body-radius	color / color / float cm	paint and the solid block
streaks / dots	auto array	override the measured silhouette

Parameter	Type / default	Meaning
overlap / gap / radius	float / float / auto length	how the capsules meet
rough / roughness	bool / float	hand-drawn mode

```
#speed-bar(height: 1.05cm)[SPEED]
#speed-bar(height: 1.05cm,
  colour: rgb("#B8123A"))[RED]
#speed-bar(height: 1.05cm, dots: ())[no dots]
```



15 Classroom banners

Two nested-chevron banners ported from the classroom toolset (TkZ `tkzBannerTri` and the arabic-exam-kit exercise ribbon). Both mirror under RTL and both take `arrows:` to stack as many layers as you like.

15.1 The chevron banner: `banner-tri`

banner-tri → content

```
banner-tri(body, title: none, colour:, fill:, fill-b:, ink:, arrows: 3, tip:, step:, height:, width:, size:, style: "pointu", round:, body-round:, direction: auto)
```

A trapezoid panel carries the body while `arrows` nested chevrons sit on the leading edge — left with the tip pointing right in LTR, mirrored in RTL. The text is **not** slanted. `style: "arrondi"` softens every tip and the panel with Bézier fillets (the arabic-exam-kit header look).

Parameter	Type / default	Meaning
<code>arrows</code>	int (3)	number of stacked chevrons / arrow layers
<code>tip, step</code>	length	chevron point depth and layer stagger
<code>style</code>	"pointu" "arrondi"	sharp tips or rounded (kit) variant
<code>round, body-round</code>	length (auto)	fillet radii of the arrondi style
<code>title / body</code>	content	leading label and trailing panel text

```
#banner-tri(title: [Devoir 4], arrows: 4)[Pour mardi prochain]
#banner-tri(style: "arrondi", colour: rgb("#1B5E20"))[Version arrondie]
```

Devoir 4 Pour mardi prochain

Version arrondie

15.2 The exercise ribbon: `banner-tri-bis`

banner-tri-bis → content

```
banner-tri-bis(body, title:, points:, colour:, ink:, width:, ribbon-width:, arrows: 3, arrow-gap:, gap:, pad-x:, pad-y:, size:, style: "arrondi", round:, direction: auto)
```

The arabic-exam-kit `exam-exercise-box` layout: a compact ribbon of `arrows` rounded layers (rounded wedge, rounded trailing edge) that hugs its `title : (points)` label and seats **above** the body, on the leading edge — right in RTL, left in LTR. The body flows below at full width.

Parameter	Type / default	Meaning
<code>arrows</code>	int (3)	stacked rounded layers of the ribbon
<code>arrow-gap</code>	length (2.5mm)	stagger between the layers
<code>ribbon-width</code>	auto length	auto hugs the label
<code>points</code>	content	the mark shown as "title : (points)"
<code>gap</code>	length (0.55em)	daylight between ribbon and body

```
#banner-tri-bis(title: [Exercice 3], points: [2,5 pts])[
  Calculer l'aire du domaine.]
```

Exercice 3 : (2,5 pts)

Calculer l'aire du domaine.

Under `dir: rtl` the same call puts the ribbon on the right, wedge to the left, and right-aligns the body:

```
#set text(lang: "ar", dir: rtl)
#banner-tri-bis(title: [التمرين 2], points: [3 ن])[
  حل المعادلة في مجهول واحد.]
```

التمرين 2 : (3 ن)

حل المعادلة في مجهول واحد.

16 Inline marks

mark → content

`mark(body, kind: "highlight", colour: auto, ...)`

felt → content

`felt(body, ink: "yellow", alpha: 45%, ...)`

mark is a hand-drawn emphasis on a run of words. **felt** is a felt-tip highlighter (rounded nib, translucent ink). **highlight** (from the semantic family) is a simpler swipe.

Parameter	Type / default	Meaning
kind	highlight underline double wave circle box strike scribble bracket jagged fan	the mark shape
felt.ink	yellow green pink blue orange violet	named felt inks
felt.alpha / height	ratio / float	opacity and band height × x-height

```
#mark[highlight]
#mark(kind: "wave", colour: blue)[wave]
#mark(kind: "jagged")[jagged]
#mark(kind: "fan")[fan]
#felt(ink: "green")[felt green]
#felt(ink: "pink")[felt pink]
```

highlight **wave** **jagged** **fan** **felt green**
felt pink

Past a single line, **mark** and **highlight** no longer clip their canvas: they fall back to the native per-line elements, so a mark can run over a whole paragraph.

```
#mark(kind: "scribble", colour: rgb("#E4572E"))[
  Une soulignement griffonné qui court sur plusieurs lignes : le tracé
  suit chaque ligne du paragraphe plutôt que de découper un canevas
  unique, exactement comme le surlignage natif de Typst.]
```

Un soulignement griffonné qui court sur plusieurs lignes :
le tracé suit chaque ligne du paragraphe plutôt que
de découper un canevas unique, exactement comme le
surlignage natif de Typst.

17 Style catalogue

Each family from the original `styles/` folder, with the **options that change the look** and a live result. Styles 17–18 were slide decks and are not part of this boxes-only package. Style 14 (`ws-card`) was a full worksheet card; the same punched / ring look is **ruled-sheet** and **notebook-box**.

Style	Key	What it is
01	tab: "plaque"	heading slab sitting on the top rule
02	border: caution wave zigzag	hazard tape, coil, or sawtooth
03	side-bar + frame-hidden	azurios flat bar, no outline
04	tab: "swoosh"	InDesign banner with an S-curve
05	tab: "exercise"	badge + fading chevrons, open frame
06	tab: "fold"	3-D ribbon folded at both ends
07	example-header	pill + disc + arrow, not a box
08	tab: "label"	two-tone tab + outside caption
09	sweep:	open U-frame with a big rounded corner
10	post-it(pin:)	pushpin / paperclip / tape
11	mark(kind:)	jagged, fan, and the other inline marks
12	tab: "spine"	upright LEARN-THIS bar
13	tab: ears dots	moulded headings
15	flag-ribbon	swallow-tail ink banner
16	speed-bar	streaked masthead
19	torn-note ...	six paper stocks + washi
20	notepad	spiral pad, smooth or crumpled
21	lesson-card	dovetail banner on lined paper
22	felt / lesson-table	felt-tip + lavender table
23	numbox	numbered question, auto or manual, LTR / RTL
24–40	see @plates	icon, crest, ribbon, helix, swoosh, circuit, key, ring, punch, planner, file, stub, stack, callout, tape, chalk, marker, screw

17.1 Style 01 — tab: "plaque"

A flat heading centred on the top rule. `tab-offset` slides it; `plaque-rule` outlines it; `plaque-sharp` picks the corners.

tab-offset: 0

offset 0

flush

tab-offset: 1.4

offset 1.4

slid

plaque-rule: true

outlined

rounded

17.2 Style 02 — border: "caution" | "wave" | "zigzag"

Three decorated edges. "caution" is hazard tape (tape-width, tape-period, tape-colours). "wave" and "zigzag" run along the top and bottom rules.

border: "zigzag"

zigzag

sawtooth

border: "wave"

wave

a coil

border: "caution"

hazard tape

tape-width: 3pt

thin

tape-period: 0.22

wide stripes

tape-colours: red/white

not yellow

17.3 Style 03 — side-bar, frame-hidden, title-rule-inset

The outline is dropped; a thick bar on the leading edge and a short underline under the title do the work.

the azurios recipe

Definition

no outline

side-bar only

Note

just the bar

title-rule-inset: 0.8

Short rule

underline pulled in

29 of 59

17.4 Style 04 — tab: "swoosh"

The bar swells around the words. *swoosh* is the curve length, *swoosh-deep* how far it drops, *swoosh-side* which edge, *swoosh-align* where the title sits.

default, top

Title

swells around the words

swoosh-align: center

centred

both ends taper

swoosh-side: "left"

down the edge

SIDE

17.5 Style 05 — tab: "exercise"

A slab, a boxed number, fading chevrons, and an open left + bottom frame (*side-bar* + *bottom-rule* + *corner-tick*).

chevrons: 0

Ex. 1

no marks

chevrons: 4

Ex. 1

four marks

badge: none

Ex.

no number

17.6 Style 06 — tab: "fold"

A 3-D ribbon: *fold-out* is the overhang, *fold-colour* the two triangles that sell the twist.

fold-out: 0

flush

no overhang

default

Title

Hello

shadow: true

lifted

with relief

17.7 Style 07 — example-header

A header, not a box. *number* must be **content** ([1]), not an integer.

#example-header([Example], number: [1], tag: [SKILLS], note: [PROBLEM-SOLVING])
#example-header([Example], number: [3], colour: rgb("#1A5C9E"))

Example 1

SKILLS

PROBLEM-SOLVING

Exemple 3

17.8 Style 08 — tab: "label"

Two-tone tab above the frame: a rounded word, a square number, a caption set **outside** the tab.

word + number + caption

EX. 1 Sol.

body

label-square: true

EX. 2

square

label-round: true

EX. 3

round end

17.9 Style 09 — sweep

An open U-frame. Combinable with tab: "label".

sweep: 1.2

open

big corner

sweep-ticks: 0

plain

no ornaments

with a label tab

EX. 1


combined

17.10 Style 10 — post-it fasteners

Each fastener meets the paper differently: a pin is **pressed in**, a clip is **slipped over**, tape is **laid across**.

Parameter	Type / default	Meaning
pin	none pushpin paperclip tape	the fastener
pins / pin-at / pin-shift	int / auto array / float	how many, and where
tape-at	corner top bottom left right	which edge the strip follows
clip-style	gem postit	the measured Gem clip, or the package wire

30 of 59



17.11 Style 11 — mark(kind:)

MARKS is the full list. "jagged" and "fan" are the two shapes that were added for this style.

```
#mark(kind: "circle")[circle]
#mark(kind: "box")[box]
#mark(kind: "jagged")[jagged]
#mark(kind: "fan")[fan]
#mark(kind: "bracket")[bracket]
#mark(kind: "scribble", colour: red)[scribble]
```

circle

box

jagged


fan

bracket

scribble

17.12 Style 12 — tab: "spine"

An upright bar clamped on one edge. spine-out: 0pt puts it flush (Gonzalo Medina’s version); the default hangs out by 0.85 of its depth.




17.13 Style 13 — tab: "ears" / "dots"

Headings moulded **out of** the frame, not laid on top of it.



17.14 Style 15 — flag-ribbon





17.15 Style 16 — speed-bar




17.16 Style 19 — paper stocks + tape

The six sheets. Tape kind is "plain", "dots", "gingham" (cloth / torchon) or "stripe".






17.17 Style 20 — notepad (spiral)




Compare with the **card** that keeps its rings:

```
#notebook-box(title: [Exercise], badge: [03],
rings: 3)[$ a + b = 3 $]
#notebook-box-clean(title: [Clean],
rings: 3)[roughness: 0]
#notebook-box(title: [No wire],
rings: 0)[just the frames]
```



17.18 Style 21 — lesson-card



17.19 Style 22 — felt and lesson-table

```
#felt(ink: "yellow")[yellow]
#felt(ink: "green")[green]
#felt(ink: "pink")[pink]
#felt(ink: "blue")[blue]
#felt(ink: "orange")[orange]
#felt(ink: "violet")[violet]
```

yellow green pink blue orange violet

lesson-table → content

lesson-table(..cells, columns: auto, header: true, ...)

```
#lesson-table(
[Modal], [Use], [Example],
[can], [ability], [I can swim.],
[must], [obligation], [You must go.],
)
```

Modal	Use	Example
can	ability	I can swim.
must	obligation	You must go.

17.20 Style 23 — numbox

A simple textbook question: a filled number plaque on the **leading** corner (left in LTR, right in RTL), a rounded frame, and an optional answer block. The number increments by itself unless you set it.

numbox → content

```
numbox(body, answer: auto, number: auto, numbering: "1.", colour: rgb("#1E54A8"), direction: auto, ...)
```

numbox-reset → content

```
numbox-reset(n: 1)
```

Parameter	Type / default	Meaning
number	auto int none content	auto increments; an int shows that value and continues from there; none hides the plaque; content is printed as-is
numbering	str function ("1.")	how an integer is printed — any Typst numbering
answer	none content	or pass it as a second positional: #numbox[q][a]
answer-label	auto content	auto = "Ans." / "ج:"
direction	auto ltr rtl	which edge the plaque sits on; auto follows the text
colour / frame / fill	color / auto / auto	plaque, outline colour, wash
weight / dash	length / none dashed dotted array	outline thickness and dash pattern
stroke	auto stroke	full Typst stroke; overrides frame + weight + dash
frame-char / frame-char-size	none str / length	repeat a character instead of a line
badge-size / badge-radius	length (0.78cm / 0.11cm)	maximum plaque size — clamped to the frame so a one-line box is never shorter than its square

```
#numbox-reset()
#numbox[
  Find 3 examples where the product
  of two numbers remains unchanged.
]{
  Let the numbers be $a$ and $b$. \
  Then $(a + 2)(b - 4) = a b$.
}
```

1. Find 3 examples where the product of two numbers remains unchanged.

Ans. Let the numbers be a and b .
Then $(a + 2)(b - 4) = ab$.

number: auto (1, then 2)

1. First.

number: 7 then auto

7. Forced to 7.

number: none / custom

No plaque.

2. Second.

8. Next is 8.

A Letter.

```
#numbox(colour: rgb("#C62828"),
answer-label: {Sol.})[A red one.][Done.]
```

9. A red one.

Sol. Done.

RTL: set the direction **before** the boxes (or pass direction: rtl). The plaque moves to the right; the digits stay 1. (not .1).

```
#set text(lang: "ar", dir: rtl)
#numbox-reset()
#numbox[جد ثلاثة أمثلة.]{
  $a$ و $b$ ليكن العددين
}
```

جد ثلاثة أمثلة.

ج: ليكن العددين a و b .

1.

18 Textbook plates

These plates came after the paper stocks: they are **designed** boxes — octagons, ribbons, helix headers, punched bars, tickets, boards — rather than generic `fabox` skins. Every one of them is direction-aware (`direction: auto` follows the text) and sizes itself to its body.

Style	Function	What it is
24	iconbox / tip-card / concept-card	icon plaque with a glued badge
25	crestbox / plate	octagonal double-green plate
26	ribbonbox	yellow plate, blue band, pink tab
27	helibox	helix header + trailing stripe
28	swooshbox	one sheared blue silhouette + white plate
29	circuitbox	double frame, stepped rails, title gap
30	keybox	Greek-key corners + inset band
31	ringbox	binder rings on the leading edge
32	punchbox	punched bar, title tab, green side rules
33	plannerbox	punch bar + rings
34	filebox	folder with labelled tabs
35	stubbox	ticket stub + perforation
36	stackbox	offset sheets behind the card
37	calloutbox	speech bubble with a leaning tail
38	tapebox	washi tape across the top
39	chalkbox / markerbox	classroom board, chalk or markers
40	screwbox	plaque held by corner screws
41	sashbox / ruban	folded ribbon: flat / arch / hang

18.1 iconbox

iconbox → content

`iconbox(body, title: none, icon: auto, colour: ...)`

tip-card → content

`tip-card(body, title: [Tip], ...)`

concept-card → content

`concept-card(body, title: [Concept], ...)`

A coloured plate with a drawn icon (pencil, bulb or star) glued to the leading top corner. `tip-card` and `concept-card` are presets.

Parameter	Type / default	Meaning
title	content none	the heading next to the icon
icon	auto content	auto = the default pencil; or ico-bulb / ico-star / ico-pencil
colour / fill / title-colour	color	frame, wash, heading
direction	auto ltr rtl	which side the icon sits on

```
#iconbox(title: [Sketch])[A pencil plaque.]
#tip-card[Remember the chain rule.]
#concept-card[A named idea.]
```

Sketch

A pencil plaque.

Tip

Remember the chain rule.

Concept

A named idea.

18.2 crestbox / plate

crestbox → content

crestbox(body, title: none, colour: ..., cut: ..., pair: ...)

plate → content

plate(body, ...) // alias

An octagon: the four corners are **cut**, not rounded. One black outer stroke, two inner green hairlines with a white gutter. shadow is off by default.

Parameter	Type / default	Meaning
cut	length	how far each corner is chamfered
pair	length	gap between the two inner green hairlines
weight / colour / fill	length / color / color	inner stroke, paint, wash
shadow	bool (false)	a hard drop; leave off to match the source plate

```
#crestbox(title: [Crest])[
  An octagonal plate.
]
```



18.3 ribbonbox


ribbonbox → content

ribbonbox(body, title: none, colour: ..., band: 0.20cm, ...)

A yellow plate in a thick blue band, a white gutter, a thin inner stroke, white L-chevrons in the corners, and a pink title tab. Chevrons are drawn with physical **start/end** so they stay inward in RTL.

Parameter	Type / default	Meaning
band / pair / weight	length	outer band, white gutter, inner hairline
tab-fill / title-colour / flourish	color / color / bool	the pink tab
chevron / chevron-size / chevron-colour	bool / length / color	the corner Ls
shadow / tab-offset	bool / length	drop shadow; tab inset from the start

```
#ribbonbox(title: [Example])[
  A yellow plate in a blue band.
]
```



18.4 helixbox

helixbox → content

helixbox(body, title: none, colour: ..., shadow-lift: 0.08cm, ...)

A teal header bar with a two-sine helix, a yellow/blue trailing stripe, and an adjustable **lifted** shadow.

Parameter	Type / default	Meaning
helix-a / helix-b / helix-period	color / color / length	the two strands
stripe / stripe-width	array color none / length	trailing colours
shadow / shadow-lift / shadow-spread	bool / length / length	how high the card floats
shadow-colour / shadow-offset / shadow-opacity / shadow-blur ...		paint, (dx, dy), peak, layers

```
#helixbox(title: [Example])[Default lift.]
#helixbox(title: [High],
  shadow-lift: 0.20cm,
  shadow-spread: 0.22cm)[Hovering.]
```

Example

Default lift.

High

Hovering.

18.5 swooshbox

swooshbox → content

```
swooshbox(body, title: none, skew: 10pt,
  tr: auto, br: auto, ...)
```

One sheared blue silhouette, then a white rounded plate on top. Offsets are in **y-up** coordinates: `tr:` (`dx`, `dy`) is right and up; `br:` (`dx`, `dy`) is usually left and down. `BL` and `TL` stay flush with the white plate.

Parameter	Type / default	Meaning
<code>skew</code>	length (10pt)	shorthand: <code>tr = (s, s)</code> , <code>br = (-s, -s)</code>
<code>tr / br</code>	auto (<code>dx</code> , <code>dy</code>)	per-corner offset; auto follows skew
<code>colour / fill / tab-fill</code>	color	silhouette, plate, title tab
<code>flourish / shadow</code>	bool	curls on the tab; drop shadow

```
#swooshbox(title: [Example])[default 10pt]
#swooshbox(title: [Wide],
  tr: (18pt, 8pt), br: (-6pt, -14pt))[custom]
```

Example

default 10pt

Wide

custom

18.6 circuitbox

circuitbox → content

```
circuitbox(body, title: none, step: 0.26cm,
  rail: 1.35cm, gap: 1.55pt, ...)
```

A double-line rounded frame whose top **breaks** into two stepped rails. The title sits in the gap. The fill follows the rails up.

Parameter	Type / default	Meaning
<code>step / rail</code>	length	how high the rails rise, how long the flat run is
<code>weight / gap / pair</code>	length	each stroke; the white between them (<code>gap</code> aliases <code>pair</code>)
<code>flourish</code>	bool	curls beside the title

```
#circuitbox(title: [Example])[default gap]
#circuitbox(title: [Wide], gap: 3.2pt)[a wider gutter]
```

Example

default gap

Wide

a wider gutter

18.7 keybox

keybox → content

```
keybox(body, sz: 10pt, colour: rgb(0,0,128),
  frame: black, band: auto, ...)
```

A picture-frame: an inset colour band, Greek-key corners, and connecting rules. Ported from a page-background snippet.

Parameter	Type / default	Meaning
sz	length (10pt)	size of each key
colour / frame / fill	color	the band, the keys + rules, the plate
band / band-inset	auto length / length	band thickness / how far it sits in

```
#keybox[four keys]
#keybox(sz: 14pt, colour: rgb("#6D4C41"))[larger]
```



18.8 ringbox

ringbox → content

```
ringbox(body, rings: auto, colour: black,
  frame: false, ...)
```

A pad with binder rings on the **leading** edge (left in LTR, right in RTL). `rings: auto` packs as many as the height allows.

Parameter	Type / default	Meaning
rings	auto int	auto = one every pitch; an int is the count
ring-width / ring-radius / ring-thickness / ring-spacing	length	the bar + bead
frame / frame-colour / frame-weight	false true stroke / auto / length	optional outline
colour / fill	color	rings, paper

```
#ringbox[no frame]
#ringbox(frame: true, colour: rgb("#1565C0"),
  fill: rgb("#E3F2FD"))[with a rule]
```



no frame



with a rule

18.9 punchbox

punchbox → content

```
punchbox(body, title: none, number: none,
  holes: auto, ...)
```

A punched header bar, a blue title tab, a red number badge, green side rules and a soft bottom shadow. The badge sits on the **inner** end of the tab so RTL Arabic is never covered.

Parameter	Type / default	Meaning
title / number	content none	the tab and the badge; number is content, e.g. [1]
colour / badge-fill / bar / hole / side	color	tab, badge, punch bar, holes, side rules
holes / hole-radius / bar-height	auto int / length / length	the perforations
shadow	bool	the lifted strip under the card

```
#punchbox(title: [Example], number: [1]){
  A punched plate.
}
```




18.10 plannerbox

plannerbox → content

```
plannerbox(body, title: none, number: none,
rings: auto, holes: auto, ...)
```

punchbox and **ringbox** in one: a punched bar on top and binder rings on the leading edge.

```
#plannerbox(title: [Week], number: [3])[
  An agenda card.
]
```



18.11 filebox


filebox → content

```
filebox(body, tabs: ([Notes],), active: 0, ...)
```

A folder. `tabs` is an array of labels; `active` is the raised one (0-based). Under RTL the physical order is mirrored so reading still starts at the leading tab.

Parameter	Type / default	Meaning
<code>tabs</code>	array of content	the labels, left-to-right in LTR
<code>active</code>	int (0)	which tab is in front
<code>colour</code> / <code>active-fill</code> / <code>idle-fill</code> / <code>fill</code>	color	outline, raised tab, idle tabs, body

```
#filebox(tabs: ([Notes], [Ex], [Def]),
active: 1)[The Ex tab is raised.]
```



18.12 stubbox


stubbox → content

```
stubbox(body, stub: none, stub-width: 1.35cm,
dots: 11, dot: 1.1pt, ...)
```

A ticket with a coloured stub and a perforated tear. The stub label is always set LTR with Western digits (`lang: "en"`), then rotated 90° without reflow — so 12 رقم stays readable in an Arabic document.

Parameter	Type / default	Meaning
<code>stub</code>	content none	the vertical label; use [12 رقم], not Indic digits
<code>stub-width</code>	length (1.35cm)	how wide the coloured stub is
<code>dots</code> / <code>dot</code>	int / length	how many holes, and each hole's radius
<code>colour</code> / <code>stub-colour</code> / <code>fill</code>	color	stub fill, lettering, body

```
#stubbox(stub: [N° 12])[Admit one.]
#stubbox(stub: [12 رقم], stub-width: 1.55cm,
dots: 7)[Western 12.]
```



18.13 stackbox


stackbox → content

```
stackbox(body, title: none, layers: 3,
offset: 0.16cm, ...)
```

A card sitting on 2–4 offset sheets. Under RTL the pile grows to the left.

Parameter	Type / default	Meaning
<code>layers</code>	int (3)	how many sheets, including the top card
<code>offset</code>	length	how far each back sheet peeks out
<code>back</code>	color array	colours of the hidden sheets, farthest first

```
#stackbox(title: [Stack], layers: 3)[Three sheets.]
#stackbox(title: [Four], layers: 4, offset: 0.12cm,
  colour: rgb("#6A1B9A"),
  back: (rgb("#E1EE7"), rgb("#CE93D8"),
    rgb("#BA68C8")))[A taller pile.]
```



18.14 calloutbox


calloutbox → content

calloutbox(body, title: none, tail: "sw",
tail-size: 0.42cm, tail-at: 0.18, ...)

A speech bubble. The tail **leans**: *sw* / *nw* point past the start of the chord, *se* / *ne* past the end. The chord itself is never stroked — a fill-coloured cover, as thick as the frame plus 1.2 pt, sits exactly between the two attachment points.

Parameter	Type / default	Meaning
tail	sw se nw ne start end	corner, or reading-order start/end
tail-size / tail-at	length / float 0–1	how long, and how far along the edge
weight / radius / colour / fill	length / length / color / color	the bubble

```
#calloutbox(title: [Tip], tail: "sw")[leans left]
#calloutbox(tail: "se")[leans right]
```



18.15 tapebox


tapebox → content

tapebox(body, title: none, pattern: "solid",
tilt: -1.2deg, ...)

A card sealed at the top with a strip of washi tape. *pattern*: "gingham" is the cloth / torchon check.

Parameter	Type / default	Meaning
pattern	solid gingham	the print
colour / tape-b	color	the wash, and the second gingham colour
tape-height / tape-overhang / tilt	length / length / angle	the strip

```
#tapebox(title: [Note])[plain tape]
#tapebox(title: [Gingham],
  pattern: "gingham")[checked]
```



18.16 chalkbox / markerbox

chalkbox → content

chalkbox(body, title: none, border: 0.16cm,
grid-step: 0.32cm, tray: true, ...)


markerbox → content

markerbox(body, title: none, ...)

Classroom boards after kmbeamer. **chalkbox** is a green slate in a varnished wooden frame, with an eraser and three sticks of chalk on the **bottom edge**. **markerbox** is the same woodwork in aluminium, with markers instead of chalk. The title follows the reading edge.

Parameter	Type / default	Meaning
border	length (0.16cm)	thickness of the outer wood / aluminium
grid / grid-step	bool / length	the ruling; horizontals run to the bottom edge
tray	bool	the eraser + chalks / markers
fill / text-fill / title-colour	auto color	slate, body ink, heading

```
#chalkbox(title: [Lemma])[
  $ a^2 + b^2 = c^2 $
]
#markerbox(title: [Note],
  grid-step: 0.45cm)[a whiteboard]
```



18.17 screwbox


screwbox → content

screwbox(body, tl: true, tr: true, bl: true, br: true, angle: 0deg, ...)

A plate held by corner screws. **tl** / **tr** / **bl** / **br** are **physical** corners. Each one is **true** (use angle), **false** (no screw), or an angle (that screw's own slot tilt).

Parameter	Type / default	Meaning
tl / tr / bl / br	bool angle (true)	which corners have a screw, and optionally the slot
angle	angle (0deg)	default slot tilt
screw / slot / screw-size	color / color / length	head, slot paint, diameter
colour / fill / weight / radius	color / color / length / length	the plate

```
#screwbox[four screws]
#screwbox(angle: 35deg)[all tilted]
#screwbox(tl: 20deg, tr: -20deg,
  bl: false, br: false)[top pair, opposed]
```



18.18 sashbox / ruban

sashbox → content

sashbox(body, kind: "flat", incline: auto, rough: false, ...)

ruban → content

ruban // alias of sashbox


A folded ribbon banner: a main band on swallow-tail wings, with a tucked underside triangle at each end. **kind** is "flat", "arch" or "hang". Lettering follows the bow; under RTL the clusters run the other way along the same arc.

Parameter	Type / default	Meaning
kind	flat arch hang	silhouette: level, bowed up, or hanging
incline	auto float length	1 = the kind's default bow; 0 = flat; a length is the rise/drop
bow	auto length	absolute rise (positive) or drop (negative); overrides incline
fill / shade / text-colour	color / auto / auto	band, fold face, lettering
height / width / tail / fold	length / ratio length / auto / auto	band size and wing geometry
rough / hand / ink / pen / ghost / seed	bool / auto sloppy roughjs / auto / length / bool / int	closed sloppy-box outline

```
#sashbox(kind: "flat")[SUMMER SALE]
#sashbox(kind: "arch")[Welcome]
#sashbox(kind: "hang")[Thank you]
```



```
#sashbox(kind: "arch", incline: 0.45)[soft]
#sashbox(kind: "arch", incline: 1.4)[steep]
#sashbox(kind: "arch", rough: true,
  ink: rgb("#C0392B"))[sloppy]
```



rough: true draws **one closed silhouette** (left wing → band bottom → right wing → band top) plus the two fold creases. ink is the pen colour; omit it for charcoal.

19 Ornate frames

The plates of a Maghrebi textbook: a cream page inside a pair of hairlines, a rosette every few centimetres down the sides, a scroll in each corner and a dark sash carrying the title. **ornatebox** draws all of it from *motifs* – small vector drawings that repeat along the contour – so a frame recolours from three colours, scales to any size and ships no image assets.

Five presets cover the reference plates; every knob of **ornatebox** is still open on each of them.

```
#khatambox(title: [Algebraic computation and conjugate],
  badge: [1], badge-label: [Exercise])[...]
```

Exercise 1 Algebraic computation and conjugate

Consider the complex numbers $z_1 = 2 + i$ and $z_2 = 1 - 2i$.

- Write $z_1 + z_2$, $z_1 z_2$ and $\frac{z_1}{z_2}$ in algebraic form.
- Compute $\overline{z_1}$, $|z_1|$ and $|z_2|$.

```
#zellijbox(title: [Exercise 2 – Exponential form and roots])[...]
```

Exercise 2 – Exponential form and roots

Consider the complex numbers $z_1 = 2 + i$ and $z_2 = 1 - 2i$.

- Write $z_1 + z_2$, $z_1 z_2$ and $\frac{z_1}{z_2}$ in algebraic form.
- Compute $\overline{z_1}$, $|z_1|$ and $|z_2|$.

```
#arabesquebox(title: [Exercise 1 – Algebraic computation])[...]
```

Exercise 1 – Algebraic computation

Consider the complex numbers $z_1 = 2 + i$ and $z_2 = 1 - 2i$.

- Write $z_1 + z_2$, $z_1 z_2$ and $\frac{z_1}{z_2}$ in algebraic form.
- Compute $\overline{z_1}$, $|z_1|$ and $|z_2|$.

```
#mihrabbox(title: [Exercise 1 – Algebraic computation])[...]
```

Exercise 1 – Algebraic computation

Consider the complex numbers $z_1 = 2 + i$ and $z_2 = 1 - 2i$.

- Write $z_1 + z_2$, $z_1 z_2$ and $\frac{z_1}{z_2}$ in algebraic form.
- Compute $\overline{z_1}$, $|z_1|$ and $|z_2|$.

```
#mosaicbox[...]
```

Complex numbers

Chapter 4

19.1 How a frame is built

Layers, back to front: shadow · paper · rules · edge strips · edge motifs · centre pieces · corners · title band · flank and end motifs · badge · body. Everything is positioned against the *rule band* — the stack of concentric hairlines — so a thicker rules setting moves the motifs with it.


ornatebox → content

ornatebox(body, title: none, colour, gold, paper, palette: (:), fill: auto, rules, rule-gap, radius, outset, edge, edge-sides, edge-size, edge-gap, edge-count, edge-shift, edge-mask, edge-band, edge-band-fill, edge-band-stroke, edge-alternate, edge-pack, edge-fit, edge-clear, edge-turn, corner, corner-size, corner-shift, centre, centre-size, centre-mask, title-style, title-colour, title-size, title-weight, title-align, title-inset, title-gap, title-rule, sash-fill, sash-stroke, sash-line, sash-gap, sash-inset, caps, cap-len, tile, pennant-caps, pennant-width, pennant-stroke, badge, badge-label, badge-size, badge-star, badge-shift, end-motif, end-motif-size, flank, flank-size, inset, width, height, shadow, direction)

Parameter	Type / default	Meaning
colour / gold / paper	colour	the three colours every motif draws from: the dark ground, the metallic accent, the page
palette	dict (:)	extra palette keys — <code>tile</code> , <code>accent</code> , <code>light</code> — or overrides
rules	array	concentric hairlines, outermost first: ((0.9pt, "ink"), (0.4pt, "gold")). A paint is a colour or a palette key
rule-gap / radius	length	paper between two rules; radius of the outer rule
edge	motif "rosette"	what repeats along the sides — a name, a motif dictionary, a function (size, palette) => content, or content
edge-sides	"all" array	("start", "end"), ("bottom",) ... logical names follow the text direction
edge-size / edge-gap	length	motif size; the minimum space between two
edge-count	auto int	force the number per side
edge-shift	length 0cm	push the run inward from the rule band; negative pushes outward
edge-mask	auto bool	hide the rules under each motif
edge-band	none length	a filled strip behind the run, as on the khatam plate
edge-alternate	bool motif	<code>true</code> mirrors every second motif; a motif takes its place
edge-pack / edge-fit	bool	butt the motifs together; and resize them so a whole number closes the run
edge-turn	bool true	rotate the motif on the top and bottom edges so it keeps facing outward
corner	motif dict	"scroll" for all four, (top: ..., bottom: ...), (bottom-end: ...), or (tl: ..., tr: ..., bl: ..., br: ...). Motifs are drawn for the top-left and mirrored
corner-size / corner-shift	length / (dx, dy)	size; pushed inward
centre	motif dict	a piece at the middle of a side: (bottom: "flourish")
title-style	"sash" "tiles" none	a dark band with shaped ends, or a course of tiles with a paper pennant
caps / cap-len	(start, end)	the sash ends: <code>flat</code> , <code>point</code> , <code>notch</code> , <code>arch</code> , <code>round</code> , <code>ogee</code> , <code>swoosh</code> , <code>step</code> , <code>bevel</code>
sash-inset / sash-gap	(start, end) / length	how far the band stops short of the rules; paper above it
sash-line	none length	a gold hairline inside the band, this far from its foot
badge / badge-label	content	a khatam medallion riding the leading end: the number, and the small word above it
badge-shift	(fx, fy)	its centre, as fractions of its size, from the band's leading end
end-motif / flank	motif	a piece at each cap tip; a piece between each cap and the side rule
tile / pennant-*	–	the motif of a "tiles" band; the pennant's caps, width and stroke
width / height	ratio length	the plate's width; a minimum height (page frames)
direction	auto ltr rtl	auto follows <code>text.dir</code>

19.2 Motifs

A motif is a dictionary (aspect: (w, h), draw: (size, palette) => content) whose `draw` returns a box of `size × aspect`. The built-in ones are listed in **motifs ornament** draws one on its own.




Any glyph of any font is a motif too — that is how the ornament faces (Fleurons, Dingbats, *Noto Sans Symbols 2*...) come in — and so is any content.


```
#ornatebox(
  title: [From a font],
  edge: glyph-motif("☞"),
  edge-sides: "all",
  edge-turn: false,
  corner: glyph-motif("☞",
    fill: p => p.gold),
  centre: none,
  edge-size: 0.4cm,
  caps: ("swoosh", "swoosh"),
)[...]
```



```
#ornatebox(
  title: none,
  edge: "merlon",
  edge-sides: ("top",),
  edge-turn: false,
  edge-shift: -0.2cm,
  edge-gap: 0.15cm,
  edge-pack: true,
  edge-mask: false,
  corner: "bracket",
  centre: (bottom: "flourish"),
  colour: rgb("#7A1F2B"),
)[...]
```



```
// your own motif
#let dot = (
  aspect: (1, 1),
  draw: (s, pal) => box(
    width: s, height: s,
    circle(radius: s / 2,
      fill: pal.gold,
      stroke: 0.5pt + pal.ink))
#ornatebox(
  title: [Custom],
  edge: dot, edge-size: 0.2cm,
  edge-gap: 0.25cm,
  edge-sides: "all",
  corner: tint("wedge", ink: red),
  centre: none,
  rules: ((1.4pt, "ink"),),
  radius: 0.25cm,
)[...]
```



ornament → content

```
ornament(motif, size: 0.5cm, palette: (:), baseline: 20%)
```

glyph-motif → motif

```
glyph-motif(ch, font: auto, fill: auto, weight: "regular", aspect: (1, 1))
```

content-motif → motif

```
content-motif(body, aspect: (1, 1))
```

tint / turned → motif


```
tint(motif, ..palette-keys) · turned(motif, angle)
```

Inline: a ☼ rosette, a ⬠ star, a ⬡ lozenge — **ornament** is a box with a baseline, so it sits in a line of text and makes a list marker or a divider:



19.3 The sash and the badge

The title band is one closed curve; each end is a *cap*. The nine caps, as (*start*, *end*) pairs — the default is an ogee S-curve at both ends:




sash-shape → content

```
sash-shape(x0, x1, y0, y1, caps: ("flat", "flat"), cap-len: (0pt, 0pt), ..style)
```

khatam-badge → content

```
khatam-badge(number, label: none, size: 1.4cm, ink, gold, paper, number-colour: auto, label-colour: auto, star: true, label-font: auto)
```

```
#ornatebox(
  title: [Roots of unity],
  badge: [3], badge-label: [Ex.],
  caps: ("flat", "arch"),
  sash-fill: rgb("#7A1F2B"),
  sash-inset: (0cm, 0.8cm),
  edge: none, corner: (bottom: "wedge"),
  centre: none,
  colour: rgb("#7A1F2B"),
  gold: rgb("#D8B15A"),
)[..]
```



19.4 Page frames

ornate-pages → content

```
ornate-pages(doc, preset: ornatebox, margin: 1.2cm, inner: auto, ..args)
```

A show rule that draws the frame on every page's background and keeps the text inside it:

```
#show: ornate-pages.with(preset: arabesquebox, margin: 1cm)
```


The frame is drawn once per page at $\text{page.width} - 2 \cdot \text{margin}$ by $\text{page.height} - 2 \cdot \text{margin}$; inner is the paper between the frame and the text.

19.5 Right-to-left

Everything logical flips under `dir: rtl`: the badge and the flat cap go to the right, the tiles' pennant opens towards the left, (bottom-end:

"wedge") lands in the bottom-left corner, and the title is set with the surrounding direction.

```
#set text(lang: "ar", dir: rtl)
#khatambox(title: [الحساب الجبري والمرافق], badge: [1], badge-label: [تمرين])[..]
```



No fonts are bundled. The plates above use whatever Arabic face the document sets; the reference textbook pairs a Kufi display face for titles with a Naskh for the body.

20 The flag box

A box whose title hangs from a rod, after *tcolorbox*'s `flag` style: the banner is wider at the rod than at its foot, painted with a three-stop gradient, and straddles the top rule. The Typst port keeps the geometry and adds the furniture a flag has in real life.

flagbox → content

`flagbox`(body, title: none, colour, fill: auto, ribbon: auto, ribbon-mid: auto, title-colour: white, title-weight, title-size, title-inset, flag-align: start, shift: 1cm, spread: 0.2cm, overlap: 0.16cm, overhang: 0.05cm, tail: "drape", notch: 0.22cm, rod: 0.1cm, rod-colour: auto, finials: true, badge: none, badge-colour: auto, end-motif: none, end-motif-size: 0.5cm, gloss: true, stitch: false, shadow: true, radius, flag-radius, stroke: 0.4mm, inset, width: 100%, breakable: true, direction: auto)

Parameter	Type / default	Meaning
colour	colour	the frame; the wash and the banner derive from it
ribbon / ribbon-mid	colour auto	the banner's ends and middle
flag-align	start center end	where the flag hangs — logical, so it follows the text direction
shift	length 1cm	distance from the frame corner to the flag
spread	length	how much wider the banner is at the rod than at its foot
overlap / overhang	length	how far the foot reaches into the box; how far the rod stands above the rule
tail	"drape" "point" "swallow"	the shape of the foot; <i>notch</i> its depth
rod / finials	length / bool	the rod and the beads at its ends; <i>rod</i> : none removes it
badge	content	a number in a disc astride the rod's leading end
end-motif	motif	an ornament hanging from the rod's trailing end — " <i>finial</i> ", " <i>rosette</i> "...
gloss / stitch / shadow	bool	the light line under the rod; a dashed hem; a soft shadow under the banner
breakable	bool true	the body block may break across pages

```
#flagbox(title: {First box})[...]
#flagbox(title: {Second box: with a longer title}, colour: rgb("#a1d1d"),
  tail: "swallow", badge: {2})[...]
```

First box

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magnam aliquam quaerat voluptatem. Ut enim aequaleam animo, cum corpore dolemus, fieri.

2 Second box: with a longer title

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magnam aliquam quaerat voluptatem. Ut.

```
#flagbox(title: {Centred, pointed foot}, colour: rgb("#1E6B5A"), tail: "point",
  flag-align: center, stitch: true, end-motif: "finial")[...]
#flagbox(title: {At the end}, colour: rgb("#6B3FA0"), flag-align: end, badge: {7},
  end-motif: "rosette")[...]
```

Centred, pointed foot

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magnam aliquam quaerat voluptatem. Ut.

7 At the end

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magnam.

Under `dir: rtl` the flag, the badge and the end motif all move to the right; the gradient still runs from the rod's leading end.

```
#set text(lang: "ar", dir: rtl)
#flagbox(
  title: [الحساب الجبري],
  badge: [1],
  colour: rgb("#1F3A68"),
  end-motif: "finial",
)[-]
```

الحساب الجبري1

نعتبر العدد المركب $z_1 = 2 + i$ و $z_2 = 1 - 2i$.

21 Book covers & meters

Two late additions to the family: a full-page **book-cover** in three styles ported from the TikZ originals, and **meter**, a tiny inline instrument — a speedometer, a thermometer, a phone battery, signal bars — that reads an exercise's difficulty at a glance.

21.1 The full-page cover: **book-cover**

book-cover → content

```
book-cover(title: none, subtitle: none, author: none,
  series: none, level: none, year: none, publisher: none, place-line: none,
  style: "guilloche", colour: auto, accent: auto, direction: auto)
```

A cover paints the WHOLE page: it reads the paper size and the margins from the context and bleeds to the paper edge, so drop it on a fresh page (**pagebreak** first if the page carries text). Eight styles:

- **guilloche** — the royal navy cover: a lace of cubic sweeps over a diagonal grid — the **lace** parameter swaps it for an engine-turned barleycorn, a woven **braid** or interfering **moire** rings (see the **lace** chapter) — plus a radial wash, a silver strip along the leading edge, the series line and title block at the leading corner, a rosette seal (**year**) at the trailing one, and the publisher's footer under a rule;
- **wedges** — the Boussaada cover: a checker ground, six big paper wedges in **colour** / **accent** / white with soft shadows, and white rounded cards for the title, the author, the level and the year, each with its icon;
- **medallion** — the schoolyard cover: a cream medallion ringed in orange on a brown ground, chalk doodles and a corner seal (**badge**, **badge-label**) around it, the title and a notched ribbon inside, a gold pedestal carrying a drawn atelier — pencil, ruler, compass, protractor, cylinder — and an author band with its π pastille over a footer line (**place-line**) and an italic **note**
- **compass** — the indigo study cover: diagonal streaks of light, a magenta header card hung from the top on the leading side (**series** and **note**), a three-line year badge at the trailing corner (**badge-label**, **badge**, **badge-note**), the centred title under a **lead-in**, an inset graph with axes, a dashed asymptote, two branches and its **formula**, and a great metal compass standing on its magenta ellipse beside the author block; the footer band carries **publisher** and **topics**
- **openbook** — the study cover: a dark band (**series**, **title**, **subtitle** in the **accent**, **lead-in**) over an **accent** rule and a pale ground; an open book laid in perspective — foreshortened, skewed and rotated on its cover, with its page bulk at the fore-edges — two graphed pages (**page-a** / **page-b** headers, tangent and asymptote graphs), a gutter shadow, a bookmark, the **formula** panel under it, outline rings bleeding off two corners, a trailing stripe, and a footer band with a dash, **author** and **place-line**
- **sunburst** — the revision cover: radial rays on a green field, a gold motto (**note**) under **series**, a yellow band with **level** and **lead-in**, a bulleted list from **topics** (array or single content), **title** / **subtitle** in white, an open book (**page-a** / **page-b** headers, gridded asymptote graph with **formula** caption, tangent graph with its tangent-line formula) ringed by a protractor, a set square and a blue compass, and a yellow footer band with **author** and **place-line**
- **dice** — the probability plate: double frame and gem motifs on a dark ground, a heading stack (**series**, **note** between rules, **title**, **subtitle**, **author**), a teal rosette holding **topics** between flanking rules, then a white card whose trailing corner is cut by a white swoosh carrying three 3D dice; the card holds **page-a** and **formula** and **lead-in**, two columns — **page-b** over a uniform bar chart, **badge-label** over **badge** — and a cream arched footer with **publisher**
- **scatter** — the scattered-dice plate: a night-teal gradient with six faint rosettes and star dust under a thin gold rule ticked at its four corners; **series**, **title**, **subtitle** and **author** stack over a diamond divider, **formula** sits under a short rule between two side formulas with **note**, thirteen 3D dice in ivory, gold and aqua tumble over the lower half, and a dark footer band carries **publisher**
- **spine** — a coloured spine band on the leading edge with two rings and a course of rungs, an **accent** stripe, and a double-ruled panel carrying the centred title stack: **series**, **level**, **rules**, **title**, the **subtitle** as a pill, then the **author** under a rule.

Every anchored element follows the text direction: under **rtl** the spine band, the title block, the seal and the footer all move to the mirrored edge. **colour** and **accent** repaint a style; left at **auto** each style keeps its own palette. The covers fill a page, so they are shown in **examples/covers.typ** rather than demoed here.

21.2 The difficulty meter: meter

meter → an inline box


```
meter(value, max: 5, style: "gauge", label: auto,
       colour: auto, track: auto, size: 1.5cm, digits: true, direction: auto)
```

A small instrument, a few centimetres wide, that sits beside an exercise statement or in a table cell. `value` reads against `max` `style` picks the instrument:

- **gauge** — a speedometer: three coloured zones (green, amber, red) as annular sectors, a tick per step, a needle and a hub;
- **thermo** — a thermometer: mercury in a glass tube over a bulb, ticks on the trailing side;
- **battery** — a phone battery: a shell with its cap, the charge growing from the cap; empty is the alarm here, so the ramp runs the other way;
- **bars** — signal bars: one column per step of `max`, lit up to `value`.

With `colour: auto` the reading takes the ramp — green to 40 %, amber to 70 %, red above — and `label: auto` prints `value/max` under the instrument (`digits: none` hides it). Under RTL the asymmetric parts mirror: the battery cap, the thermometer ticks, the order of the bars.

```
#meter(2) #meter(3, style: "thermo") #meter(4, style: "battery")
#meter(5, style: "bars")
```



difficulty → a meter labelled “diff. value/max”

```
difficulty(value, max: 5, style: "gauge", label: auto, ...)
```

The pre-set for exercise sheets: a **meter** whose label reads `diff. value/max`. See [examples/meters.typ](#) for the instruments beside exercise statements, in both directions.

21.3 Guilloche lace: lacebox and the lace parameter

The guilloche cover draws its field with one of four line families, and the same four dress a box of their own. All of them live in `src/lace.typ` and are exported as `lace(pattern, w, h, paint, thickness:)` for anyone who wants the raw drawing.

Parameter	Type / default	Meaning
pattern	str	one of <code>spiral</code> (the banknote whirl of cubic sweeps), <code>engine</code> (barleycorn: close circles crossed by spokes), <code>braid</code> (two phased families of woven cubic waves) or <code>moire</code> (two interfering circle families)

lacebox → content


```
body, title: none, lace: "spiral", model: "band", colour: rgb("#1B2A41"), fill: white, band: 1.15cm, weight: 1pt, inset: 0.4cm, width: 100%, direction: auto,
rough: 0, ornament: none, ornament-family: "vectorian"
```

A picture-frame box in the manner of a banknote: the chosen lace is drawn over the whole field and a panel in `fill` is laid over its middle, so the guilloche survives only as a border band; rosettes sit in the four corners of the band and the `title` rides a plaque straddling the panel’s top rule.


Parameter	Type / default	Meaning
lace	str	the line family of the border band
model	str	the frame model: <code>band</code> (a plain lace band), <code>double</code> (a second lace ring inside the panel rule), <code>scallop</code> (the panel edge waves in scallops) or <code>corners</code> (no band: a double rule and ray-and-arc fans)
band	length	the frame’s width — how deep the lace border runs; the rosettes scale with it
colour	color	the ink of lace, rules, rosettes and plaque
fill	color	the panel and sheet colour
inset	length	clear space between panel rule and body

Parameter	Type / default	Meaning
direction	auto rtl ltr	forces the body's reading direction
rough	number	0 keeps the engraved rules crisp; any value above 0 redraws every straight rule — outer, panel, inner ring, plaque — with the sketchbook's felt-tip wobble, e.g. <code>rough: 1.2</code>
ornament	int none	a pgfornament number (see below) seated, mirrored, in the four corners of the frame instead of the rosettes or the ray fans
ornament-family	str	the family of that ornament: <code>vectorian</code> , <code>han</code> or <code>am</code>

```
#lacebox(title: [Moiré], lace: "moire",
  colour: rgb("#14424B"))[Deux trames superposées
  interfèrent : l'effet moiré des billets.]
```



```
#lacebox(title: [Main levée], lace: "engine", rough: 1.2,
  ornament: 64, colour: rgb("#14424B"))[
  Les filets oscillent comme au tire-ligne, et le fleuron
  vectorian 64 siège, miroité, dans les quatre coins.]
```



On the cover side, **book-cover** takes the same four families through its `lace` parameter when the style is `guilloche`:

```
#book-cover(style: "guilloche", lace: "braid",
  title: [حواهر البحر], ...)
```

see [examples/lace.typ](#) — three full plates draw `engine`, `moire` and `braid`.

21.4 Engraved ornaments: pgfornament

The whole ornament bank of the CTAN package **pgfornament** (Alain Matthes, LPPL 1.3 — original idea of F. Fradin and H. Voss, `han` family by LIM LianTze) is ported to Typst curves: 196 `vectorian` pieces, 78 `han` and 2 `am`, each drawn at any width from its own path data in [src/pgfornament.typ](#).

pgfornament → content

```
n, family: "vectorian", width: 1.2cm, paint: black, thickness: 0.5pt
```

Parameter	Type / default	Meaning
n	int	the ornament's number inside its family — 1–196 for <code>vectorian</code> , 1–78 for <code>han</code> , 1–2 for <code>am</code>
family	str	<code>vectorian</code> (the classical banknote fleurons), <code>han</code> (Chinese knots, meanders, clouds) or <code>am</code>
width	length	the drawn width; the height follows the engraving's own ratio
paint	color	fill and outline ink of the piece
thickness	length	outline weight — the fill carries most pieces

```
#pgfornament(6, width: 1.4cm) #h(0.5cm)
#pgfornament(64, width: 1.4cm) #h(0.5cm)
#pgfornament(88, width: 1.4cm) #h(0.5cm)
#pgfornament(58, family: "han", width: 1.4cm,
  paint: rgb("#8A2A1B"))
```



Two documented deviations from the LaTeX original: paths used as a clip (`\i`) or as a bounding box (`\ubb`) are not drawn — Typst has no arbitrary path clipping — so a clipped piece renders in full instead of masking its neighbours. Everything else, fills, outlines and mirroring, follows the source streams exactly.

22 Page frames, live

Every frame family also ships a page-frame twin — **coil-pages**, **volute-pages**, **plank-pages**, **torn-pages**, **rosette-pages**, on top of **ornate-pages** shown earlier. Called with their content as argument (or as a `#show:` rule for a whole document), they seat the frame on exactly the pages that content lands on. The next pages run each of them for one page, spiral included.

22.1 The spiral notebook — coil-pages

The punched spine and its blue coils run down the leading edge of every page of this scope; `spine-gap` reserves the gutter and `rtl` moves the spiral to the right edge.

Cours

Une boîte cahier posée sur la page spirale : les marges viennent du cadre lui-même.

Any box of the package can live here; the frame is a page background, so breaks, footnotes and floats behave as usual.


22.2 The stationery volute — volute-pages

The blush chamfered double rule with ink volutes at the four corners, drawn at page size behind the text. `margin` and `gap` set how far the frame sits from the paper edge and from the text block.

Courrier. — le même cadre, en boîte cette fois.

22.3 The wooden sign — plank-pages

The hand-split planks frame the whole page; the grain, knots and bark outline are the same vectors as the box version.



22.4 Torn paper — torn-pages

A deckle-edged sheet with its rolled top cylinder seats the text block on every page of the scope; `depth` and `amp` refine the torn edge.

Brouillon

La version boîte, pour un seul paragraphe.

22.5 The dedication rosette — rosette-pages

The triple rule, interlaced corner curves, sage leaves, eight-petal rosettes, diamond rows and centre medallions of the dedication sheet, at page size. The ornament scale follows the page, and the same frame boxes content with [rosettebox](#).



23 Option index

Every named argument of **fabox**, alphabetically. Types are Typst types; `float cm` means a number of centimetres.

Key	Type	Default / role
back	color auto	body fill; auto = colour at 5 %
badge	content none	number box on an exercise tab
badge-colour	color auto	its colour
baseline	relative	30% — inline drop
border	none zigzag wave caution	decorated edge
bottom-rule	none float cm	thick rule along the bottom
bowing	float	0.6 — edge bow in rough mode
chevrons	int	0 — fading > marks
colour	color	the family colour (default red-brown)
corner-tick	none float cm	short return at the trailing corner
dots / dotsfill / dotscolour	auto ...	studs of a dots tab
ears / earsrise / earsshade	auto ...	scoops of an ears tab
fold	bool	false — dog-ear the sheet corner
fold-colour / fold-out / fold-size	auto ...	3-D ribbon / dog-ear size
frame	color auto	the outline
frame-hidden	bool	false — drop the outline
gradient-to	color none	vertical body wash
halo	none (r, c) array	glow around the frame
icon	content none	small badge on the leading title edge
inline	bool	false — stay in the paragraph
inset	length	0.34cm — body padding
label-caption / label-number	content none	outside caption / number block
label-out / label-round / label-square	auto bool	label-tab geometry
plaque-rule / plaque-sharp	bool / array	outline the plaque; its corners
radius	float cm	0.16
rough / roughness	bool / float	false / 1.0
rule-between	bool	true — line under the title
seed	int	11
shadow / shadow-*	see Shadows	drop-shadow family
sharp	array	() — square corners by name, or ("all".)
side-bar / side-bar-colour	none float cm / auto	thick rule on the leading edge
spine-*	see spine tab	upright side bar
subtitles	array	() — ((heading, body), ...)
sweep / sweep-*	none float cm / ...	open U-frame
swoosh / swoosh-*	float / ...	InDesign banner
tab	none str	how the title is attached
tab-offset / tab-width	float cm / ratio	0.5 / 45%
tape-width / tape-period / tape-colours	length / ...	hazard tape
title	content none	the heading
title-colour / title-fill / title-inset / title-weight	auto ...	title paint and pad
title-rule-inset / title-rule-weight	float cm / auto	underline of the title
top-rule	none float cm	thick rule along the top
vignette	none float	inner bevel
watermark / watermark-colour	content none / auto	faint back text
weight	length	1.0pt — outline
width	auto length ratio	100%

24 Function index

Setup

[faboxyst](#) · [make-theme](#) · [get-theme](#) · [themes](#) · [palette](#)

The main box

[fabox](#) · [fabox-sign](#) · [fabox-note](#) · [example-header](#)
[numbox](#) · [numbox-reset](#) · [iconbox](#)

Semantic

[note](#) · [tip](#) · [warning](#) · [example](#) · [definition](#)

Shapes

[sketch-box](#) · [burst](#) · [block3d](#) · [hatched](#) · [shadowed](#)
[plaque](#) · [pill-box](#) · [double-frame](#) · [sloppy-box](#)

Notebook and paper

[notebook-box](#) · [notebook-box-clean](#) · [notepad](#) ·
[ruled-sheet](#)
[torn-note](#) · [stamp-card](#) · [grid-note](#) · [index-card](#)
[deckle-tag](#) · [lesson-card](#) · [sb-tape](#) · [spiral-binding](#)

Furniture

[sticky](#) · [post-it](#) · [ticket](#) · [folder](#) · [terminal](#)
[vignette](#) · [neon](#) · [polaroid](#) · [spread-box](#)
[flag-ribbon](#) · [speed-bar](#) · [sashbox](#) · [ruban](#)

Textbook plates

[crestbox](#) · [ribbonbox](#) · [helixbox](#) · [swooshbox](#)
[circuitbox](#) · [keybox](#) · [ringbox](#) · [punchbox](#)
[plannerbox](#) · [filebox](#) · [stubbox](#) · [stackbox](#)
[calloutbox](#) · [tapebox](#) · [chalkbox](#) · [markerbox](#)
[screwbox](#) · [plankbox](#) · [pancarte](#) · [tornpage](#)
[page-dechiree](#) · [coilbox](#) · [cahier](#)
[gelbox](#) · [bouton](#) · [ogeebox](#) · [banniere](#) · [frisebox](#) ·
[frise](#) · [medallion](#)
[volutebox](#) · [cadre-volute](#) · [volute-pages](#) · [par-chemin](#) · [lettre](#)
[insetbox](#) · [boite-creusee](#) · [relief](#)

Ornate frames

[ornatebox](#) · [khatambox](#) · [zellijbox](#) · [arabesquebox](#)
[mihrabbox](#) · [mosaicbox](#) · [fleuronbox](#) · [ornate-pages](#)
[flagbox](#) · [khatam-badge](#) · [sash-shape](#) · [plank-pages](#)
[torn-pages](#) · [coil-pages](#)
[motifs](#) · [ornament](#) · [glyph-motif](#) · [image-motif](#)
[tint](#) · [turned](#)

Pictos & meters

[meter](#) · [difficulty](#) · [pictochrono](#) · [tkzpicto](#)
[competence-crayon](#) · [banner-tri](#) · [sale-poster](#)
[bicolor-title](#) · [highway-sign](#) · [level-counter](#)

Inline

[highlight](#) · [felt](#) · [mark](#) · [highlight-formula](#) · [is-rtl](#)

25 Troubleshooting

Parameter	Type / default	Meaning
boxes cannot break	—	a drawn frame is one canvas; breakable: true on sketch-box falls back to a plain stroke
sloppy-box looks one-sided	—	a ratio is now resolved against the column; prefer width: auto to hug the words
tape: true fails	—	torn-note / ruled-sheet tape is none dict array, never true
holes: true fails	—	ruled-sheet holes is auto int
emoji as tofu	—	the package ships no colour-emoji font; pass a text icon
RTL after a show	—	set text(dir: rtl) — or themes.arabic — before the boxes
theme not applied	—	the show rule must wrap the boxes
torn-note(tape: true)	—	tape is auto none dict array
callout white bar	—	the chord is covered, not stroked
numbox plaque overflow	—	the square is clamped to the frame height (and width)
RTL ticket digits	—	ticket converts Arabic-Indic / Persian digits to 0–9
sashbox rough invisible	—	pass rough: true; the ink is a closed silhouette

Box families follow **tcOLORBOX** by Thomas F. Sturm. The wobble is a Rough.js / TikZ sketch port with a bit-exact clone of PGF's PRNG. jotter-polylux (Andreas Kröpelin, MIT) inspired the sloppy frame and the post-it fasteners. The three example SVGs in `examples/assets/` come from fancy-frames (Daniel Ayala, MIT-0) and only demonstrate **image-motif**. Optional faces if installed: xkcd Script, Bevan, Comic Neue, Tajawal, Lalezar (OFL).