

> ⚠ **This package has no association with Tabler**
> This package contains the symbols from Tabler Icons v3.42.0, but has no association with the Tabler.io team themselves.

Despite the bad naming (the name is translated *Table icons*, which is only one character away from *Tabler* icons), this package implements a simple function to allow the use of Tabler.io Icons (https://tabler.io/icons) in your documents.

Usage

Include the package as any other package:

```
#import "@preview/tableau-icons:0.342.0": *
```

> ⚠ and don't forget to install the Tabler.io Icons font ⚠

Since some time ago, the Tabler.io team has decided to exclude the webfonts from the free tier and moved them into the $5 tier. While it is sad, I do understand, that they want to earn a bit more cash from it.

Documentation

tableau-icons

ti-icon

To draw the icons, this function can be used. `ti-icon` draws the icon as a text, meaning every text-related rule also affects this library's output!

Parameters

```
ti-icon(
  name: string,
  fill: color,
  size: length,
  baseline: length,
  ..args: arguments
) → content
```

name `string`

The name of the icon. Search the icon's label on https://tabler.io/icons and copy it. Attach "`-filled`" to get the filled version of the icon if available.

```
#ti-icon("flag-3")
#ti-icon("flag-3-filled")
#ti-icon("lock-check")
#ti-icon("cat")
#ti-icon("photo-spark")
#ti-icon("world-check")
```

fill `color`

Color of the icon.

```
#ti-icon("bowling")
#ti-icon("bowling", fill: red)
#ti-icon("bowling", fill: blue)
#ti-icon("bowling", fill: olive)
#ti-icon("bowling", fill: purple)
```

If no colour is given, the colour is defaulted to the text's currently assigned colour (which defaults to black).

```
#set text(blue)
#ti-icon("cheese")
#ti-icon("pepper")
#set text(red)
#ti-icon("flag-check")
#ti-icon("flag")
```

Default: `auto`

size `length`

Size of the icon (equivalent to font size)

```
#ti-icon("book-2", size: 0.5em)
#ti-icon("carrot")
#ti-icon("cat", size: 1.5em)
```

Default: `1em`

baseline `length`

The `baseline` parameter offsets the icon from its paragraph placement. It's the text's element baseline

```
#ti-icon("walk")
#ti-icon("cat",       baseline: -0.3em)
#ti-icon("dog",       baseline:  0.3em)
#ti-icon("moon",       baseline:  -2em)
```

Default: `0pt`

ti-icons-version

When citing this package you can use this constant to display the current tabler icon set version (which is `3.42.0`).

```
#ti-icons-version
```

3.42.0

ti-pkg-version

When citing this package you can use this constant to display the current package version (which is `0.342.0`).

```
#ti-pkg-version
```

0.342.0

Known Issues

- Some symbols are missing, but I think this is an operating system issue!

Changelog

v0.342.0
- updated Tabler Icons version v3.42.0

v0.340.0
- updated Tabler Icons version v3.40.0

v0.336.0
- updated Tabler Icons version v3.36.1

v0.334.1
- Renamed `draw-icon` to `ti-icon`
- Reimplemented how the icon gets inserted into the document (instead of a box, it is now a simple text).

v0.334.0
- updated Tabler Icons version v3.34.0
- changed URL from Github to the new Codeberg repository
- **IMPORTANT NOTICE**: Tabler Icons has removed webfonts from their free tier. I might no update this package anymore or only when a lot of icons have been added.

v0.331.0
- updated Tabler Icons version v3.31.0
- added `ti-pkg-version`, `ti-icons-version` to the library import file (`lib.typ`), so the docs can actually be compiled

v0.330.0
- updated Tabler Icons version v3.30.0
- changed how this package is versioned (`package major.tabler major+minor.package patch`)
- added `tidy`-package to documentation

v0.1.0
- initial version
- added Tabler Icons version v3.29.0
- added `#draw-icon()`

Used Fonts: Atkinson Hyperlegible, Cascadia Code

Created By Joel von Rotz (@joelvonrotz on Codeberg)