

COMS3011A Lab 1

Running the Application

Tyra Mohamed

August 4, 2026

1 Introduction

This document explains how to install, configure and run the Todo application from a clean clone of the GitHub repository. Following these instructions will create the SQLite database, install all required dependencies, start the application and run the automated tests.

2 Software Requirements

Before starting, install the following software:

- Node.js (Version: **v24.14.1**)
- npm (installed with Node.js)
- Git

3 Clone the Repository

Clone the GitHub repository.

```
git clone https://github.com/tyracodes/coms3011a-lab1.git
```

Move into the project folder.

```
cd coms3011a-lab1
```

4 Install Dependencies

Install all required packages.

```
npm install
```

5 Generate the Prisma Client

Generate the Prisma client.

```
npx prisma generate
```

6 Create the SQLite Database

Create the local SQLite database.

```
npx prisma db push
```

This command creates the SQLite database if it does not already exist and applies the database schema.

7 Run the Application

Start the development server.

```
npm run dev
```

Open the application in a web browser.

```
http://localhost:3000
```

8 Run the Automated Tests

Run all automated tests.

```
npm test
```

The project includes automated tests that verify important application behaviour such as task creation, archiving and overdue task detection.

9 Stopping the Application

To stop the development server, return to the terminal and press:

```
Ctrl + C
```

10 Summary

Following the commands in this document allows a user to install, configure and run the Todo application from a clean clone of the repository. The SQLite database stores task information locally, ensuring that data persists after the application is restarted.

AI Declaration

The preceding document was planned, reviewed, edited and generated with the assistance of the following:

- ChatGPT Web [GPT-5.5]